



## Capacity/Gauge Table Information

**TCLX 290201**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 001

Reporting Mark: TCLX 290201

Date: 02/10/2015

Capacity: 29,030 US Gallons (109,889 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,300 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	571	8.50	1,315	12.75	2,190	17.00	3,169
0.25	27	4.50	610	8.75	1,363	13.00	2,245	17.25	3,229
0.50	56	4.75	650	9.00	1,412	13.25	2,300	17.50	3,290
0.75	85	5.00	691	9.25	1,461	13.50	2,355	17.75	3,351
1.00	115	5.25	732	9.50	1,510	13.75	2,411	18.00	3,412
1.25	146	5.50	774	9.75	1,560	14.00	2,468	18.25	3,474
1.50	177	5.75	816	10.00	1,610	14.25	2,524	18.50	3,536
1.75	210	6.00	859	10.25	1,661	14.50	2,581	18.75	3,598
2.00	243	6.25	903	10.50	1,712	14.75	2,639	19.00	3,661
2.25	276	6.50	947	10.75	1,764	15.00	2,696	19.25	3,723
2.50	311	6.75	991	11.00	1,816	15.25	2,754	19.50	3,786
2.75	346	7.00	1,036	11.25	1,868	15.50	2,813	19.75	3,850
3.00	382	7.25	1,081	11.50	1,921	15.75	2,871	20.00	3,913
3.25	418	7.50	1,127	11.75	1,974	16.00	2,930	20.25	3,977
3.50	456	7.75	1,173	12.00	2,027	16.25	2,989	20.50	4,041
3.75	493	8.00	1,220	12.25	2,081	16.50	3,049	20.75	4,105
4.00	532	8.25	1,267	12.50	2,135	16.75	3,109	21.00	4,170



## Capacity/Gauge Table Information

**TCLX 290201**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 001

Reporting Mark: TCLX 290201

Date: 02/10/2015

Capacity: 29,030 US Gallons (109,889 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,300 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,235	25.50	5,372	29.75	6,569	34.00	7,816	38.25	9,102
21.50	4,300	25.75	5,441	30.00	6,641	34.25	7,890	38.50	9,178
21.75	4,365	26.00	5,510	30.25	6,714	34.50	7,965	38.75	9,255
22.00	4,430	26.25	5,579	30.50	6,786	34.75	8,040	39.00	9,332
22.25	4,496	26.50	5,649	30.75	6,858	35.00	8,115	39.25	9,409
22.50	4,562	26.75	5,718	31.00	6,931	35.25	8,190	39.50	9,486
22.75	4,628	27.00	5,788	31.25	7,004	35.50	8,266	39.75	9,563
23.00	4,695	27.25	5,858	31.50	7,077	35.75	8,341	40.00	9,641
23.25	4,762	27.50	5,929	31.75	7,150	36.00	8,416	40.25	9,718
23.50	4,829	27.75	5,999	32.00	7,224	36.25	8,492	40.50	9,796
23.75	4,896	28.00	6,070	32.25	7,297	36.50	8,568	40.75	9,873
24.00	4,963	28.25	6,141	32.50	7,371	36.75	8,644	41.00	9,951
24.25	5,031	28.50	6,212	32.75	7,445	37.00	8,720	41.25	10,029
24.50	5,099	28.75	6,283	33.00	7,518	37.25	8,796	41.50	10,106
24.75	5,167	29.00	6,354	33.25	7,593	37.50	8,872	41.75	10,184
25.00	5,235	29.25	6,426	33.50	7,667	37.75	8,949	42.00	10,262
25.25	5,303	29.50	6,497	33.75	7,741	38.00	9,025	42.25	10,340



## Capacity/Gauge Table Information

**TCLX 290201**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 001

Reporting Mark: TCLX 290201

Date: 02/10/2015

Capacity: 29,030 US Gallons (109,889 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,300 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,419	46.75	11,758	51.00	13,112	55.25	14,473	59.50	15,833
42.75	10,497	47.00	11,837	51.25	13,192	55.50	14,553	59.75	15,913
43.00	10,575	47.25	11,917	51.50	13,272	55.75	14,633	60.00	15,993
43.25	10,654	47.50	11,996	51.75	13,352	56.00	14,713	60.25	16,073
43.50	10,732	47.75	12,076	52.00	13,432	56.25	14,794	60.50	16,152
43.75	10,811	48.00	12,155	52.25	13,512	56.50	14,874	60.75	16,232
44.00	10,889	48.25	12,235	52.50	13,592	56.75	14,954	61.00	16,312
44.25	10,968	48.50	12,314	52.75	13,672	57.00	15,034	61.25	16,391
44.50	11,047	48.75	12,394	53.00	13,752	57.25	15,114	61.50	16,471
44.75	11,125	49.00	12,474	53.25	13,832	57.50	15,194	61.75	16,550
45.00	11,204	49.25	12,553	53.50	13,912	57.75	15,274	62.00	16,630
45.25	11,283	49.50	12,633	53.75	13,992	58.00	15,354	62.25	16,709
45.50	11,362	49.75	12,713	54.00	14,073	58.25	15,434	62.50	16,789
45.75	11,441	50.00	12,793	54.25	14,153	58.50	15,514	62.75	16,868
46.00	11,520	50.25	12,873	54.50	14,233	58.75	15,594	63.00	16,947
46.25	11,600	50.50	12,952	54.75	14,313	59.00	15,674	63.25	17,027
46.50	11,679	50.75	13,032	55.00	14,393	59.25	15,753	63.50	17,106



## Capacity/Gauge Table Information

**TCLX 290201**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 001

Reporting Mark: TCLX 290201

Date: 02/10/2015

Capacity: 29,030 US Gallons (109,889 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,300 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,185	68.00	18,521	72.25	19,832	76.50	21,111	80.75	22,348
64.00	17,264	68.25	18,599	72.50	19,908	76.75	21,185	81.00	22,420
64.25	17,343	68.50	18,676	72.75	19,984	77.00	21,259	81.25	22,491
64.50	17,422	68.75	18,754	73.00	20,060	77.25	21,332	81.50	22,562
64.75	17,501	69.00	18,832	73.25	20,136	77.50	21,406	81.75	22,632
65.00	17,580	69.25	18,909	73.50	20,212	77.75	21,479	82.00	22,703
65.25	17,659	69.50	18,987	73.75	20,288	78.00	21,553	82.25	22,773
65.50	17,737	69.75	19,064	74.00	20,363	78.25	21,626	82.50	22,843
65.75	17,816	70.00	19,141	74.25	20,438	78.50	21,699	82.75	22,913
66.00	17,895	70.25	19,218	74.50	20,514	78.75	21,772	83.00	22,983
66.25	17,973	70.50	19,295	74.75	20,589	79.00	21,844	83.25	23,053
66.50	18,052	70.75	19,372	75.00	20,664	79.25	21,917	83.50	23,122
66.75	18,130	71.00	19,449	75.25	20,739	79.50	21,989	83.75	23,192
67.00	18,208	71.25	19,526	75.50	20,813	79.75	22,061	84.00	23,261
67.25	18,286	71.50	19,603	75.75	20,888	80.00	22,133	84.25	23,329
67.50	18,365	71.75	19,679	76.00	20,962	80.25	22,205	84.50	23,398
67.75	18,443	72.00	19,756	76.25	21,037	80.50	22,277	84.75	23,466



## Capacity/Gauge Table Information

**TCLX 290201**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 001

Reporting Mark: TCLX 290201

Date: 02/10/2015

Capacity: 29,030 US Gallons (109,889 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,300 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,535	89.25	24,659	93.50	25,709	97.75	26,670	102.00	27,523
85.25	23,602	89.50	24,723	93.75	25,768	98.00	26,723	102.25	27,569
85.50	23,670	89.75	24,787	94.00	25,827	98.25	26,776	102.50	27,615
85.75	23,738	90.00	24,850	94.25	25,886	98.50	26,829	102.75	27,660
86.00	23,805	90.25	24,913	94.50	25,944	98.75	26,881	103.00	27,705
86.25	23,872	90.50	24,976	94.75	26,002	99.00	26,933	103.25	27,750
86.50	23,939	90.75	25,039	95.00	26,059	99.25	26,985	103.50	27,794
86.75	24,006	91.00	25,101	95.25	26,117	99.50	27,036	103.75	27,837
87.00	24,072	91.25	25,163	95.50	26,173	99.75	27,086	104.00	27,880
87.25	24,138	91.50	25,225	95.75	26,230	100.00	27,137	104.25	27,922
87.50	24,204	91.75	25,287	96.00	26,286	100.25	27,186	104.50	27,964
87.75	24,270	92.00	25,348	96.25	26,342	100.50	27,236	104.75	28,005
88.00	24,335	92.25	25,409	96.50	26,398	100.75	27,285	105.00	28,046
88.25	24,401	92.50	25,469	96.75	26,453	101.00	27,333	105.25	28,086
88.50	24,466	92.75	25,530	97.00	26,508	101.25	27,381	105.50	28,126
88.75	24,530	93.00	25,590	97.25	26,562	101.50	27,429	105.75	28,165
89.00	24,595	93.25	25,650	97.50	26,616	101.75	27,476	106.00	28,203



## Capacity/Gauge Table Information

**TCLX 290201**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 001

Reporting Mark: TCLX 290201

Date: 02/10/2015

Capacity: 29,030 US Gallons (109,889 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,300 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,241	110.50	28,777	114.75	29,015
106.50	28,278	110.75	28,801	115.00	29,019
106.75	28,315	111.00	28,824	115.25	29,022
107.00	28,351	111.25	28,845	115.50	29,025
107.25	28,386	111.50	28,866	115.75	29,027
107.50	28,421	111.75	28,884	116.00	29,028
107.75	28,455	112.00	28,902	116.25	29,029
108.00	28,488	112.25	28,918	116.50	29,029
108.25	28,521	112.50	28,933	116.75	29,030
108.50	28,552	112.75	28,946		
108.75	28,583	113.00	28,959		
109.00	28,614	113.25	28,970		
109.25	28,643	113.50	28,980		
109.50	28,672	113.75	28,989		
109.75	28,700	114.00	28,997		
110.00	28,726	114.25	29,004		
110.25	28,752	114.50	29,010		



## Capacity/Gauge Table Information

**TCLX 290202**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 002

Reporting Mark: TCLX 290202

Date: 02/10/2015

Capacity: 28,997 US Gallons (109,764 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,346	12.75	2,231	17.00	3,219
0.25	29	4.50	629	8.75	1,395	13.00	2,286	17.25	3,280
0.50	58	4.75	670	9.00	1,444	13.25	2,342	17.50	3,341
0.75	88	5.00	711	9.25	1,493	13.50	2,399	17.75	3,403
1.00	120	5.25	753	9.50	1,544	13.75	2,455	18.00	3,465
1.25	151	5.50	796	9.75	1,594	14.00	2,512	18.25	3,527
1.50	184	5.75	839	10.00	1,645	14.25	2,569	18.50	3,589
1.75	218	6.00	883	10.25	1,696	14.50	2,627	18.75	3,652
2.00	252	6.25	927	10.50	1,748	14.75	2,684	19.00	3,715
2.25	286	6.50	971	10.75	1,800	15.00	2,743	19.25	3,778
2.50	322	6.75	1,016	11.00	1,853	15.25	2,801	19.50	3,841
2.75	358	7.00	1,062	11.25	1,906	15.50	2,860	19.75	3,905
3.00	395	7.25	1,108	11.50	1,959	15.75	2,919	20.00	3,969
3.25	432	7.50	1,155	11.75	2,013	16.00	2,979	20.25	4,033
3.50	470	7.75	1,202	12.00	2,067	16.25	3,038	20.50	4,098
3.75	509	8.00	1,249	12.25	2,121	16.50	3,098	20.75	4,162
4.00	548	8.25	1,297	12.50	2,176	16.75	3,159	21.00	4,227





## Capacity/Gauge Table Information

**TCLX 290202**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 002

Reporting Mark: TCLX 290202

Date: 02/10/2015

Capacity: 28,997 US Gallons (109,764 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,293	25.50	5,437	29.75	6,639	34.00	7,890	38.25	9,180
21.50	4,358	25.75	5,506	30.00	6,712	34.25	7,965	38.50	9,257
21.75	4,424	26.00	5,575	30.25	6,784	34.50	8,040	38.75	9,334
22.00	4,490	26.25	5,645	30.50	6,857	34.75	8,116	39.00	9,411
22.25	4,556	26.50	5,715	30.75	6,930	35.00	8,191	39.25	9,489
22.50	4,622	26.75	5,785	31.00	7,003	35.25	8,266	39.50	9,566
22.75	4,689	27.00	5,855	31.25	7,076	35.50	8,342	39.75	9,643
23.00	4,756	27.25	5,925	31.50	7,149	35.75	8,417	40.00	9,721
23.25	4,823	27.50	5,996	31.75	7,223	36.00	8,493	40.25	9,798
23.50	4,890	27.75	6,067	32.00	7,296	36.25	8,569	40.50	9,876
23.75	4,958	28.00	6,138	32.25	7,370	36.50	8,645	40.75	9,954
24.00	5,026	28.25	6,209	32.50	7,444	36.75	8,721	41.00	10,032
24.25	5,093	28.50	6,280	32.75	7,518	37.00	8,797	41.25	10,110
24.50	5,162	28.75	6,352	33.00	7,592	37.25	8,874	41.50	10,188
24.75	5,230	29.00	6,423	33.25	7,667	37.50	8,950	41.75	10,266
25.00	5,299	29.25	6,495	33.50	7,741	37.75	9,027	42.00	10,344
25.25	5,368	29.50	6,567	33.75	7,816	38.00	9,104	42.25	10,422





## Capacity/Gauge Table Information

**TCLX 290202**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 002

Reporting Mark: TCLX 290202

Date: 02/10/2015

Capacity: 28,997 US Gallons (109,764 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,500	46.75	11,842	51.00	13,198	55.25	14,560	59.50	15,920
42.75	10,579	47.00	11,922	51.25	13,278	55.50	14,640	59.75	16,000
43.00	10,657	47.25	12,001	51.50	13,358	55.75	14,720	60.00	16,080
43.25	10,736	47.50	12,081	51.75	13,438	56.00	14,800	60.25	16,159
43.50	10,814	47.75	12,160	52.00	13,518	56.25	14,880	60.50	16,239
43.75	10,893	48.00	12,240	52.25	13,598	56.50	14,960	60.75	16,319
44.00	10,972	48.25	12,319	52.50	13,678	56.75	15,040	61.00	16,398
44.25	11,051	48.50	12,399	52.75	13,758	57.00	15,120	61.25	16,478
44.50	11,130	48.75	12,479	53.00	13,838	57.25	15,200	61.50	16,557
44.75	11,209	49.00	12,559	53.25	13,919	57.50	15,280	61.75	16,637
45.00	11,288	49.25	12,638	53.50	13,999	57.75	15,360	62.00	16,716
45.25	11,367	49.50	12,718	53.75	14,079	58.00	15,440	62.25	16,796
45.50	11,446	49.75	12,798	54.00	14,159	58.25	15,520	62.50	16,875
45.75	11,525	50.00	12,878	54.25	14,239	58.50	15,600	62.75	16,954
46.00	11,604	50.25	12,958	54.50	14,319	58.75	15,680	63.00	17,034
46.25	11,683	50.50	13,038	54.75	14,399	59.00	15,760	63.25	17,113
46.50	11,763	50.75	13,118	55.00	14,480	59.25	15,840	63.50	17,192



## Capacity/Gauge Table Information

**TCLX 290202**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 002

Reporting Mark: TCLX 290202

Date: 02/10/2015

Capacity: 28,997 US Gallons (109,764 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,271	68.00	18,605	72.25	19,914	76.50	21,190	80.75	22,424
64.00	17,350	68.25	18,683	72.50	19,990	76.75	21,264	81.00	22,495
64.25	17,429	68.50	18,761	72.75	20,066	77.00	21,338	81.25	22,565
64.50	17,508	68.75	18,838	73.00	20,142	77.25	21,411	81.50	22,636
64.75	17,587	69.00	18,916	73.25	20,218	77.50	21,485	81.75	22,707
65.00	17,666	69.25	18,993	73.50	20,294	77.75	21,558	82.00	22,777
65.25	17,744	69.50	19,071	73.75	20,369	78.00	21,631	82.25	22,847
65.50	17,823	69.75	19,148	74.00	20,444	78.25	21,704	82.50	22,917
65.75	17,902	70.00	19,225	74.25	20,519	78.50	21,776	82.75	22,987
66.00	17,980	70.25	19,302	74.50	20,595	78.75	21,849	83.00	23,056
66.25	18,058	70.50	19,379	74.75	20,669	79.00	21,921	83.25	23,125
66.50	18,137	70.75	19,456	75.00	20,744	79.25	21,994	83.50	23,195
66.75	18,215	71.00	19,532	75.25	20,819	79.50	22,066	83.75	23,263
67.00	18,293	71.25	19,609	75.50	20,893	79.75	22,138	84.00	23,332
67.25	18,371	71.50	19,686	75.75	20,968	80.00	22,209	84.25	23,401
67.50	18,449	71.75	19,762	76.00	21,042	80.25	22,281	84.50	23,469
67.75	18,527	72.00	19,838	76.25	21,116	80.50	22,352	84.75	23,537



## Capacity/Gauge Table Information

**TCLX 290202**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 002

Reporting Mark: TCLX 290202

Date: 02/10/2015

Capacity: 28,997 US Gallons (109,764 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,605	89.25	24,723	93.50	25,765	97.75	26,717	102.00	27,558
85.25	23,672	89.50	24,787	93.75	25,824	98.00	26,770	102.25	27,604
85.50	23,740	89.75	24,850	94.00	25,882	98.25	26,822	102.50	27,649
85.75	23,807	90.00	24,913	94.25	25,940	98.50	26,874	102.75	27,694
86.00	23,874	90.25	24,976	94.50	25,998	98.75	26,926	103.00	27,738
86.25	23,941	90.50	25,038	94.75	26,056	99.00	26,977	103.25	27,781
86.50	24,007	90.75	25,100	95.00	26,113	99.25	27,028	103.50	27,824
86.75	24,074	91.00	25,162	95.25	26,169	99.50	27,078	103.75	27,867
87.00	24,140	91.25	25,224	95.50	26,226	99.75	27,128	104.00	27,909
87.25	24,205	91.50	25,285	95.75	26,282	100.00	27,178	104.25	27,950
87.50	24,271	91.75	25,346	96.00	26,337	100.25	27,227	104.50	27,991
87.75	24,336	92.00	25,407	96.25	26,393	100.50	27,276	104.75	28,031
88.00	24,401	92.25	25,468	96.50	26,448	100.75	27,324	105.00	28,071
88.25	24,466	92.50	25,528	96.75	26,502	101.00	27,372	105.25	28,110
88.50	24,531	92.75	25,588	97.00	26,557	101.25	27,419	105.50	28,149
88.75	24,595	93.00	25,647	97.25	26,610	101.50	27,466	105.75	28,187
89.00	24,659	93.25	25,706	97.50	26,664	101.75	27,512	106.00	28,224



## Capacity/Gauge Table Information

**TCLX 290202**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 002

Reporting Mark: TCLX 290202

Date: 02/10/2015

Capacity: 28,997 US Gallons (109,764 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,261	110.50	28,773	114.75	28,984
106.50	28,297	110.75	28,795	115.00	28,987
106.75	28,333	111.00	28,815	115.25	28,990
107.00	28,368	111.25	28,834	115.50	28,993
107.25	28,402	111.50	28,852	115.75	28,994
107.50	28,435	111.75	28,869	116.00	28,995
107.75	28,468	112.00	28,884	116.25	28,996
108.00	28,500	112.25	28,898	116.50	28,997
108.25	28,531	112.50	28,911	116.75	28,997
108.50	28,562	112.75	28,923		
108.75	28,592	113.00	28,934		
109.00	28,620	113.25	28,944		
109.25	28,648	113.50	28,953		
109.50	28,675	113.75	28,961		
109.75	28,701	114.00	28,968		
110.00	28,727	114.25	28,974		
110.25	28,751	114.50	28,979		



## Capacity/Gauge Table Information

**TCLX 290203**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 003

Reporting Mark: TCLX 290203

Date: 02/10/2015

Capacity: 28,990 US Gallons (109,740 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,338	12.75	2,220	17.00	3,206
0.25	28	4.50	624	8.75	1,386	13.00	2,276	17.25	3,267
0.50	57	4.75	665	9.00	1,436	13.25	2,331	17.50	3,328
0.75	88	5.00	706	9.25	1,485	13.50	2,387	17.75	3,389
1.00	118	5.25	748	9.50	1,535	13.75	2,444	18.00	3,451
1.25	150	5.50	790	9.75	1,585	14.00	2,500	18.25	3,513
1.50	182	5.75	833	10.00	1,636	14.25	2,557	18.50	3,575
1.75	216	6.00	877	10.25	1,687	14.50	2,615	18.75	3,638
2.00	249	6.25	921	10.50	1,739	14.75	2,672	19.00	3,700
2.25	284	6.50	965	10.75	1,791	15.00	2,731	19.25	3,763
2.50	319	6.75	1,010	11.00	1,843	15.25	2,789	19.50	3,827
2.75	355	7.00	1,055	11.25	1,896	15.50	2,848	19.75	3,890
3.00	392	7.25	1,101	11.50	1,949	15.75	2,907	20.00	3,954
3.25	429	7.50	1,148	11.75	2,003	16.00	2,966	20.25	4,018
3.50	467	7.75	1,195	12.00	2,056	16.25	3,025	20.50	4,082
3.75	505	8.00	1,242	12.25	2,111	16.50	3,085	20.75	4,147
4.00	544	8.25	1,290	12.50	2,165	16.75	3,145	21.00	4,212



## Capacity/Gauge Table Information

**TCLX 290203**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 003

Reporting Mark: TCLX 290203

Date: 02/10/2015

Capacity: 28,990 US Gallons (109,740 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,277	25.50	5,419	29.75	6,620	34.00	7,869	38.25	9,158
21.50	4,342	25.75	5,488	30.00	6,692	34.25	7,944	38.50	9,235
21.75	4,408	26.00	5,557	30.25	6,765	34.50	8,019	38.75	9,312
22.00	4,474	26.25	5,627	30.50	6,837	34.75	8,094	39.00	9,389
22.25	4,540	26.50	5,697	30.75	6,910	35.00	8,169	39.25	9,466
22.50	4,606	26.75	5,767	31.00	6,983	35.25	8,245	39.50	9,543
22.75	4,673	27.00	5,837	31.25	7,056	35.50	8,320	39.75	9,620
23.00	4,739	27.25	5,907	31.50	7,129	35.75	8,396	40.00	9,698
23.25	4,806	27.50	5,977	31.75	7,202	36.00	8,471	40.25	9,775
23.50	4,874	27.75	6,048	32.00	7,276	36.25	8,547	40.50	9,853
23.75	4,941	28.00	6,119	32.25	7,350	36.50	8,623	40.75	9,930
24.00	5,009	28.25	6,190	32.50	7,423	36.75	8,699	41.00	10,008
24.25	5,076	28.50	6,261	32.75	7,497	37.00	8,775	41.25	10,086
24.50	5,145	28.75	6,333	33.00	7,572	37.25	8,852	41.50	10,164
24.75	5,213	29.00	6,404	33.25	7,646	37.50	8,928	41.75	10,242
25.00	5,281	29.25	6,476	33.50	7,720	37.75	9,004	42.00	10,320
25.25	5,350	29.50	6,548	33.75	7,795	38.00	9,081	42.25	10,398



## Capacity/Gauge Table Information

**TCLX 290203**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 003

Reporting Mark: TCLX 290203

Date: 02/10/2015

Capacity: 28,990 US Gallons (109,740 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,476	46.75	11,817	51.00	13,172	55.25	14,533	59.50	15,892
42.75	10,555	47.00	11,896	51.25	13,252	55.50	14,613	59.75	15,972
43.00	10,633	47.25	11,976	51.50	13,332	55.75	14,693	60.00	16,052
43.25	10,712	47.50	12,055	51.75	13,412	56.00	14,773	60.25	16,132
43.50	10,790	47.75	12,135	52.00	13,492	56.25	14,853	60.50	16,211
43.75	10,869	48.00	12,214	52.25	13,572	56.50	14,933	60.75	16,291
44.00	10,948	48.25	12,294	52.50	13,652	56.75	15,013	61.00	16,371
44.25	11,026	48.50	12,374	52.75	13,732	57.00	15,093	61.25	16,450
44.50	11,105	48.75	12,453	53.00	13,812	57.25	15,173	61.50	16,530
44.75	11,184	49.00	12,533	53.25	13,892	57.50	15,253	61.75	16,609
45.00	11,263	49.25	12,613	53.50	13,972	57.75	15,333	62.00	16,689
45.25	11,342	49.50	12,693	53.75	14,052	58.00	15,413	62.25	16,768
45.50	11,421	49.75	12,772	54.00	14,132	58.25	15,493	62.50	16,847
45.75	11,500	50.00	12,852	54.25	14,212	58.50	15,573	62.75	16,926
46.00	11,579	50.25	12,932	54.50	14,292	58.75	15,653	63.00	17,006
46.25	11,659	50.50	13,012	54.75	14,373	59.00	15,733	63.25	17,085
46.50	11,738	50.75	13,092	55.00	14,453	59.25	15,813	63.50	17,164





## Capacity/Gauge Table Information

**TCLX 290203**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 003

Reporting Mark: TCLX 290203

Date: 02/10/2015

Capacity: 28,990 US Gallons (109,740 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,243	68.00	18,577	72.25	19,886	76.50	21,162	80.75	22,396
64.00	17,322	68.25	18,655	72.50	19,962	76.75	21,236	81.00	22,467
64.25	17,401	68.50	18,732	72.75	20,038	77.00	21,310	81.25	22,538
64.50	17,480	68.75	18,810	73.00	20,114	77.25	21,383	81.50	22,608
64.75	17,559	69.00	18,888	73.25	20,190	77.50	21,456	81.75	22,679
65.00	17,637	69.25	18,965	73.50	20,265	77.75	21,530	82.00	22,749
65.25	17,716	69.50	19,042	73.75	20,341	78.00	21,603	82.25	22,819
65.50	17,795	69.75	19,119	74.00	20,416	78.25	21,676	82.50	22,889
65.75	17,873	70.00	19,197	74.25	20,491	78.50	21,748	82.75	22,959
66.00	17,952	70.25	19,274	74.50	20,566	78.75	21,821	83.00	23,029
66.25	18,030	70.50	19,351	74.75	20,641	79.00	21,893	83.25	23,098
66.50	18,109	70.75	19,427	75.00	20,716	79.25	21,966	83.50	23,167
66.75	18,187	71.00	19,504	75.25	20,791	79.50	22,038	83.75	23,236
67.00	18,265	71.25	19,581	75.50	20,865	79.75	22,110	84.00	23,305
67.25	18,343	71.50	19,657	75.75	20,940	80.00	22,182	84.25	23,373
67.50	18,421	71.75	19,734	76.00	21,014	80.25	22,253	84.50	23,442
67.75	18,499	72.00	19,810	76.25	21,088	80.50	22,325	84.75	23,510



## Capacity/Gauge Table Information

**TCLX 290203**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 003

Reporting Mark: TCLX 290203

Date: 02/10/2015

Capacity: 28,990 US Gallons (109,740 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,578	89.25	24,697	93.50	25,741	97.75	26,694	102.00	27,538
85.25	23,645	89.50	24,760	93.75	25,799	98.00	26,747	102.25	27,583
85.50	23,713	89.75	24,824	94.00	25,858	98.25	26,799	102.50	27,629
85.75	23,780	90.00	24,887	94.25	25,916	98.50	26,852	102.75	27,673
86.00	23,847	90.25	24,950	94.50	25,974	98.75	26,903	103.00	27,717
86.25	23,914	90.50	25,012	94.75	26,031	99.00	26,955	103.25	27,761
86.50	23,980	90.75	25,074	95.00	26,088	99.25	27,006	103.50	27,804
86.75	24,047	91.00	25,136	95.25	26,145	99.50	27,056	103.75	27,847
87.00	24,113	91.25	25,198	95.50	26,202	99.75	27,106	104.00	27,889
87.25	24,179	91.50	25,260	95.75	26,258	100.00	27,156	104.25	27,931
87.50	24,244	91.75	25,321	96.00	26,314	100.25	27,205	104.50	27,972
87.75	24,310	92.00	25,382	96.25	26,369	100.50	27,254	104.75	28,013
88.00	24,375	92.25	25,442	96.50	26,424	100.75	27,302	105.00	28,053
88.25	24,440	92.50	25,503	96.75	26,479	101.00	27,350	105.25	28,092
88.50	24,504	92.75	25,562	97.00	26,533	101.25	27,398	105.50	28,131
88.75	24,569	93.00	25,622	97.25	26,587	101.50	27,445	105.75	28,169
89.00	24,633	93.25	25,682	97.50	26,641	101.75	27,492	106.00	28,207



## Capacity/Gauge Table Information

**TCLX 290203**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 003

Reporting Mark: TCLX 290203

Date: 02/10/2015

Capacity: 28,990 US Gallons (109,740 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,244	110.50	28,761	114.75	28,977
106.50	28,280	110.75	28,783	115.00	28,981
106.75	28,316	111.00	28,804	115.25	28,984
107.00	28,351	111.25	28,824	115.50	28,986
107.25	28,385	111.50	28,842	115.75	28,988
107.50	28,419	111.75	28,859	116.00	28,989
107.75	28,452	112.00	28,875	116.25	28,990
108.00	28,484	112.25	28,889	116.50	28,990
108.25	28,516	112.50	28,903	116.75	28,990
108.50	28,547	112.75	28,915		
108.75	28,577	113.00	28,926		
109.00	28,606	113.25	28,936		
109.25	28,634	113.50	28,945		
109.50	28,661	113.75	28,953		
109.75	28,688	114.00	28,961		
110.00	28,713	114.25	28,967		
110.25	28,738	114.50	28,972		



## Capacity/Gauge Table Information

**TCLX 290204**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 004

Reporting Mark: TCLX 290204

Date: 02/10/2015

Capacity: 29,077 US Gallons (110,070 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,347	12.75	2,234	17.00	3,224
0.25	29	4.50	629	8.75	1,396	13.00	2,290	17.25	3,285
0.50	58	4.75	670	9.00	1,445	13.25	2,345	17.50	3,347
0.75	88	5.00	712	9.25	1,495	13.50	2,402	17.75	3,408
1.00	120	5.25	754	9.50	1,545	13.75	2,458	18.00	3,470
1.25	151	5.50	796	9.75	1,596	14.00	2,515	18.25	3,532
1.50	184	5.75	839	10.00	1,647	14.25	2,573	18.50	3,595
1.75	218	6.00	883	10.25	1,698	14.50	2,630	18.75	3,658
2.00	252	6.25	927	10.50	1,750	14.75	2,688	19.00	3,721
2.25	286	6.50	972	10.75	1,802	15.00	2,747	19.25	3,784
2.50	322	6.75	1,017	11.00	1,855	15.25	2,805	19.50	3,848
2.75	358	7.00	1,063	11.25	1,908	15.50	2,864	19.75	3,911
3.00	395	7.25	1,109	11.50	1,961	15.75	2,923	20.00	3,976
3.25	432	7.50	1,156	11.75	2,015	16.00	2,983	20.25	4,040
3.50	471	7.75	1,203	12.00	2,069	16.25	3,043	20.50	4,105
3.75	509	8.00	1,251	12.25	2,124	16.50	3,103	20.75	4,169
4.00	549	8.25	1,299	12.50	2,179	16.75	3,163	21.00	4,235



## Capacity/Gauge Table Information

**TCLX 290204**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 004

Reporting Mark: TCLX 290204

Date: 02/10/2015

Capacity: 29,077 US Gallons (110,070 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,300	25.50	5,447	29.75	6,652	34.00	7,907	38.25	9,200
21.50	4,366	25.75	5,516	30.00	6,725	34.25	7,982	38.50	9,277
21.75	4,431	26.00	5,586	30.25	6,798	34.50	8,057	38.75	9,354
22.00	4,497	26.25	5,655	30.50	6,870	34.75	8,132	39.00	9,431
22.25	4,564	26.50	5,725	30.75	6,943	35.00	8,208	39.25	9,509
22.50	4,630	26.75	5,796	31.00	7,017	35.25	8,283	39.50	9,586
22.75	4,697	27.00	5,866	31.25	7,090	35.50	8,359	39.75	9,664
23.00	4,764	27.25	5,937	31.50	7,163	35.75	8,435	40.00	9,742
23.25	4,831	27.50	6,007	31.75	7,237	36.00	8,511	40.25	9,819
23.50	4,899	27.75	6,078	32.00	7,311	36.25	8,587	40.50	9,897
23.75	4,967	28.00	6,149	32.25	7,385	36.50	8,663	40.75	9,975
24.00	5,035	28.25	6,221	32.50	7,459	36.75	8,739	41.00	10,053
24.25	5,103	28.50	6,292	32.75	7,533	37.00	8,816	41.25	10,131
24.50	5,171	28.75	6,364	33.00	7,608	37.25	8,892	41.50	10,210
24.75	5,240	29.00	6,436	33.25	7,682	37.50	8,969	41.75	10,288
25.00	5,308	29.25	6,508	33.50	7,757	37.75	9,046	42.00	10,366
25.25	5,377	29.50	6,580	33.75	7,832	38.00	9,123	42.25	10,445



## Capacity/Gauge Table Information

**TCLX 290204**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 004

Reporting Mark: TCLX 290204

Date: 02/10/2015

Capacity: 29,077 US Gallons (110,070 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,523	46.75	11,869	51.00	13,228	55.25	14,593	59.50	15,958
42.75	10,602	47.00	11,948	51.25	13,308	55.50	14,674	59.75	16,038
43.00	10,681	47.25	12,028	51.50	13,388	55.75	14,754	60.00	16,118
43.25	10,759	47.50	12,108	51.75	13,469	56.00	14,835	60.25	16,198
43.50	10,838	47.75	12,187	52.00	13,549	56.25	14,915	60.50	16,277
43.75	10,917	48.00	12,267	52.25	13,629	56.50	14,995	60.75	16,357
44.00	10,996	48.25	12,347	52.50	13,710	56.75	15,075	61.00	16,437
44.25	11,075	48.50	12,427	52.75	13,790	57.00	15,156	61.25	16,517
44.50	11,154	48.75	12,507	53.00	13,870	57.25	15,236	61.50	16,597
44.75	11,233	49.00	12,587	53.25	13,951	57.50	15,316	61.75	16,676
45.00	11,312	49.25	12,667	53.50	14,031	57.75	15,397	62.00	16,756
45.25	11,392	49.50	12,747	53.75	14,111	58.00	15,477	62.25	16,836
45.50	11,471	49.75	12,827	54.00	14,192	58.25	15,557	62.50	16,915
45.75	11,550	50.00	12,907	54.25	14,272	58.50	15,637	62.75	16,995
46.00	11,630	50.25	12,987	54.50	14,352	58.75	15,717	63.00	17,074
46.25	11,709	50.50	13,068	54.75	14,433	59.00	15,797	63.25	17,154
46.50	11,789	50.75	13,148	55.00	14,513	59.25	15,877	63.50	17,233



## Capacity/Gauge Table Information

**TCLX 290204**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 004

Reporting Mark: TCLX 290204

Date: 02/10/2015

Capacity: 29,077 US Gallons (110,070 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,312	68.00	18,650	72.25	19,963	76.50	21,243	80.75	22,480
64.00	17,392	68.25	18,728	72.50	20,040	76.75	21,317	81.00	22,551
64.25	17,471	68.50	18,806	72.75	20,116	77.00	21,391	81.25	22,622
64.50	17,550	68.75	18,884	73.00	20,192	77.25	21,464	81.50	22,693
64.75	17,629	69.00	18,962	73.25	20,268	77.50	21,538	81.75	22,764
65.00	17,708	69.25	19,040	73.50	20,344	77.75	21,611	82.00	22,834
65.25	17,787	69.50	19,117	73.75	20,419	78.00	21,685	82.25	22,904
65.50	17,866	69.75	19,195	74.00	20,495	78.25	21,758	82.50	22,975
65.75	17,945	70.00	19,272	74.25	20,570	78.50	21,831	82.75	23,044
66.00	18,023	70.25	19,349	74.50	20,645	78.75	21,904	83.00	23,114
66.25	18,102	70.50	19,426	74.75	20,721	79.00	21,976	83.25	23,184
66.50	18,181	70.75	19,503	75.00	20,796	79.25	22,049	83.50	23,253
66.75	18,259	71.00	19,580	75.25	20,870	79.50	22,121	83.75	23,322
67.00	18,338	71.25	19,657	75.50	20,945	79.75	22,193	84.00	23,391
67.25	18,416	71.50	19,734	75.75	21,020	80.00	22,265	84.25	23,460
67.50	18,494	71.75	19,810	76.00	21,094	80.25	22,337	84.50	23,528
67.75	18,572	72.00	19,887	76.25	21,169	80.50	22,408	84.75	23,596





## Capacity/Gauge Table Information

**TCLX 290204**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 004

Reporting Mark: TCLX 290204

Date: 02/10/2015

Capacity: 29,077 US Gallons (110,070 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,665	89.25	24,786	93.50	25,832	97.75	26,787	102.00	27,631
85.25	23,732	89.50	24,850	93.75	25,891	98.00	26,840	102.25	27,677
85.50	23,800	89.75	24,913	94.00	25,949	98.25	26,892	102.50	27,722
85.75	23,867	90.00	24,977	94.25	26,007	98.50	26,944	102.75	27,767
86.00	23,935	90.25	25,040	94.50	26,065	98.75	26,996	103.00	27,811
86.25	24,002	90.50	25,102	94.75	26,123	99.00	27,048	103.25	27,854
86.50	24,068	90.75	25,165	95.00	26,180	99.25	27,098	103.50	27,898
86.75	24,135	91.00	25,227	95.25	26,237	99.50	27,149	103.75	27,940
87.00	24,201	91.25	25,289	95.50	26,294	99.75	27,199	104.00	27,983
87.25	24,267	91.50	25,350	95.75	26,350	100.00	27,249	104.25	28,024
87.50	24,333	91.75	25,411	96.00	26,406	100.25	27,298	104.50	28,065
87.75	24,398	92.00	25,472	96.25	26,461	100.50	27,347	104.75	28,106
88.00	24,464	92.25	25,533	96.50	26,516	100.75	27,396	105.00	28,146
88.25	24,529	92.50	25,593	96.75	26,571	101.00	27,444	105.25	28,185
88.50	24,593	92.75	25,653	97.00	26,626	101.25	27,491	105.50	28,224
88.75	24,658	93.00	25,713	97.25	26,680	101.50	27,538	105.75	28,262
89.00	24,722	93.25	25,773	97.50	26,733	101.75	27,585	106.00	28,300



## Capacity/Gauge Table Information

**TCLX 290204**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 004

Reporting Mark: TCLX 290204

Date: 02/10/2015

Capacity: 29,077 US Gallons (110,070 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,337	110.50	28,852	114.75	29,064
106.50	28,373	110.75	28,874	115.00	29,068
106.75	28,409	111.00	28,894	115.25	29,071
107.00	28,444	111.25	28,913	115.50	29,073
107.25	28,478	111.50	28,931	115.75	29,075
107.50	28,512	111.75	28,948	116.00	29,076
107.75	28,544	112.00	28,964	116.25	29,077
108.00	28,577	112.25	28,978	116.50	29,077
108.25	28,608	112.50	28,991	116.75	29,077
108.50	28,639	112.75	29,003		
108.75	28,669	113.00	29,014		
109.00	28,698	113.25	29,024		
109.25	28,726	113.50	29,033		
109.50	28,753	113.75	29,041		
109.75	28,779	114.00	29,048		
110.00	28,805	114.25	29,054		
110.25	28,829	114.50	29,060		



## Capacity/Gauge Table Information

**TCLX 290205**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 005

Reporting Mark: TCLX 290205

Date: 02/10/2015

Capacity: 28,999 US Gallons (109,774 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,233	17.00	3,222
0.25	29	4.50	630	8.75	1,396	13.00	2,289	17.25	3,283
0.50	58	4.75	671	9.00	1,445	13.25	2,344	17.50	3,344
0.75	89	5.00	712	9.25	1,495	13.50	2,401	17.75	3,405
1.00	120	5.25	754	9.50	1,545	13.75	2,457	18.00	3,467
1.25	152	5.50	797	9.75	1,596	14.00	2,514	18.25	3,529
1.50	184	5.75	840	10.00	1,647	14.25	2,571	18.50	3,592
1.75	218	6.00	884	10.25	1,698	14.50	2,629	18.75	3,654
2.00	252	6.25	928	10.50	1,750	14.75	2,687	19.00	3,717
2.25	287	6.50	973	10.75	1,802	15.00	2,745	19.25	3,780
2.50	323	6.75	1,018	11.00	1,855	15.25	2,803	19.50	3,844
2.75	359	7.00	1,063	11.25	1,908	15.50	2,862	19.75	3,908
3.00	396	7.25	1,110	11.50	1,961	15.75	2,921	20.00	3,971
3.25	433	7.50	1,156	11.75	2,015	16.00	2,981	20.25	4,036
3.50	471	7.75	1,203	12.00	2,069	16.25	3,041	20.50	4,100
3.75	510	8.00	1,251	12.25	2,123	16.50	3,101	20.75	4,165
4.00	549	8.25	1,299	12.50	2,178	16.75	3,161	21.00	4,230



## Capacity/Gauge Table Information

**TCLX 290205**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 005

Reporting Mark: TCLX 290205

Date: 02/10/2015

Capacity: 28,999 US Gallons (109,774 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,295	25.50	5,439	29.75	6,642	34.00	7,893	38.25	9,183
21.50	4,361	25.75	5,509	30.00	6,715	34.25	7,968	38.50	9,260
21.75	4,426	26.00	5,578	30.25	6,787	34.50	8,043	38.75	9,337
22.00	4,492	26.25	5,648	30.50	6,860	34.75	8,119	39.00	9,414
22.25	4,558	26.50	5,718	30.75	6,933	35.00	8,194	39.25	9,492
22.50	4,625	26.75	5,788	31.00	7,006	35.25	8,269	39.50	9,569
22.75	4,692	27.00	5,858	31.25	7,079	35.50	8,345	39.75	9,646
23.00	4,758	27.25	5,928	31.50	7,152	35.75	8,420	40.00	9,724
23.25	4,826	27.50	5,999	31.75	7,226	36.00	8,496	40.25	9,801
23.50	4,893	27.75	6,070	32.00	7,299	36.25	8,572	40.50	9,879
23.75	4,960	28.00	6,141	32.25	7,373	36.50	8,648	40.75	9,957
24.00	5,028	28.25	6,212	32.50	7,447	36.75	8,724	41.00	10,035
24.25	5,096	28.50	6,283	32.75	7,521	37.00	8,801	41.25	10,113
24.50	5,164	28.75	6,355	33.00	7,595	37.25	8,877	41.50	10,191
24.75	5,233	29.00	6,426	33.25	7,670	37.50	8,953	41.75	10,269
25.00	5,301	29.25	6,498	33.50	7,744	37.75	9,030	42.00	10,347
25.25	5,370	29.50	6,570	33.75	7,819	38.00	9,107	42.25	10,425



## Capacity/Gauge Table Information

**TCLX 290205**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 005

Reporting Mark: TCLX 290205

Date: 02/10/2015

Capacity: 28,999 US Gallons (109,774 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,503	46.75	11,845	51.00	13,201	55.25	14,563	59.50	15,923
42.75	10,582	47.00	11,925	51.25	13,281	55.50	14,643	59.75	16,003
43.00	10,660	47.25	12,004	51.50	13,361	55.75	14,723	60.00	16,082
43.25	10,739	47.50	12,084	51.75	13,441	56.00	14,803	60.25	16,162
43.50	10,817	47.75	12,163	52.00	13,521	56.25	14,883	60.50	16,242
43.75	10,896	48.00	12,243	52.25	13,601	56.50	14,963	60.75	16,321
44.00	10,975	48.25	12,322	52.50	13,681	56.75	15,043	61.00	16,401
44.25	11,054	48.50	12,402	52.75	13,761	57.00	15,123	61.25	16,481
44.50	11,133	48.75	12,482	53.00	13,841	57.25	15,203	61.50	16,560
44.75	11,212	49.00	12,562	53.25	13,921	57.50	15,283	61.75	16,640
45.00	11,291	49.25	12,641	53.50	14,002	57.75	15,363	62.00	16,719
45.25	11,370	49.50	12,721	53.75	14,082	58.00	15,443	62.25	16,799
45.50	11,449	49.75	12,801	54.00	14,162	58.25	15,523	62.50	16,878
45.75	11,528	50.00	12,881	54.25	14,242	58.50	15,603	62.75	16,957
46.00	11,607	50.25	12,961	54.50	14,322	58.75	15,683	63.00	17,036
46.25	11,686	50.50	13,041	54.75	14,402	59.00	15,763	63.25	17,116
46.50	11,766	50.75	13,121	55.00	14,482	59.25	15,843	63.50	17,195



## Capacity/Gauge Table Information

**TCLX 290205**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 005

Reporting Mark: TCLX 290205

Date: 02/10/2015

Capacity: 28,999 US Gallons (109,774 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,274	68.00	18,608	72.25	19,917	76.50	21,193	80.75	22,426
64.00	17,353	68.25	18,686	72.50	19,993	76.75	21,267	81.00	22,497
64.25	17,432	68.50	18,763	72.75	20,069	77.00	21,340	81.25	22,568
64.50	17,511	68.75	18,841	73.00	20,145	77.25	21,414	81.50	22,639
64.75	17,590	69.00	18,919	73.25	20,221	77.50	21,487	81.75	22,709
65.00	17,668	69.25	18,996	73.50	20,296	77.75	21,560	82.00	22,779
65.25	17,747	69.50	19,073	73.75	20,372	78.00	21,633	82.25	22,849
65.50	17,826	69.75	19,150	74.00	20,447	78.25	21,706	82.50	22,919
65.75	17,904	70.00	19,228	74.25	20,522	78.50	21,779	82.75	22,989
66.00	17,983	70.25	19,305	74.50	20,597	78.75	21,852	83.00	23,059
66.25	18,061	70.50	19,382	74.75	20,672	79.00	21,924	83.25	23,128
66.50	18,140	70.75	19,458	75.00	20,747	79.25	21,996	83.50	23,197
66.75	18,218	71.00	19,535	75.25	20,821	79.50	22,068	83.75	23,266
67.00	18,296	71.25	19,612	75.50	20,896	79.75	22,140	84.00	23,335
67.25	18,374	71.50	19,688	75.75	20,970	80.00	22,212	84.25	23,403
67.50	18,452	71.75	19,765	76.00	21,045	80.25	22,283	84.50	23,471
67.75	18,530	72.00	19,841	76.25	21,119	80.50	22,355	84.75	23,539



## Capacity/Gauge Table Information

**TCLX 290205**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 005

Reporting Mark: TCLX 290205

Date: 02/10/2015

Capacity: 28,999 US Gallons (109,774 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,607	89.25	24,725	93.50	25,768	97.75	26,720	102.00	27,561
85.25	23,675	89.50	24,789	93.75	25,826	98.00	26,772	102.25	27,606
85.50	23,742	89.75	24,852	94.00	25,885	98.25	26,825	102.50	27,651
85.75	23,809	90.00	24,915	94.25	25,943	98.50	26,877	102.75	27,696
86.00	23,876	90.25	24,978	94.50	26,001	98.75	26,928	103.00	27,740
86.25	23,943	90.50	25,040	94.75	26,058	99.00	26,979	103.25	27,784
86.50	24,010	90.75	25,103	95.00	26,115	99.25	27,030	103.50	27,827
86.75	24,076	91.00	25,165	95.25	26,172	99.50	27,081	103.75	27,869
87.00	24,142	91.25	25,226	95.50	26,228	99.75	27,131	104.00	27,911
87.25	24,208	91.50	25,288	95.75	26,284	100.00	27,180	104.25	27,953
87.50	24,273	91.75	25,349	96.00	26,340	100.25	27,229	104.50	27,993
87.75	24,339	92.00	25,409	96.25	26,395	100.50	27,278	104.75	28,034
88.00	24,404	92.25	25,470	96.50	26,450	100.75	27,326	105.00	28,074
88.25	24,469	92.50	25,530	96.75	26,505	101.00	27,374	105.25	28,113
88.50	24,533	92.75	25,590	97.00	26,559	101.25	27,421	105.50	28,151
88.75	24,597	93.00	25,650	97.25	26,613	101.50	27,468	105.75	28,189
89.00	24,662	93.25	25,709	97.50	26,666	101.75	27,515	106.00	28,227





## Capacity/Gauge Table Information

**TCLX 290205**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 005

Reporting Mark: TCLX 290205

Date: 02/10/2015

Capacity: 28,999 US Gallons (109,774 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,264	110.50	28,776	114.75	28,986
106.50	28,300	110.75	28,798	115.00	28,990
106.75	28,335	111.00	28,818	115.25	28,993
107.00	28,370	111.25	28,837	115.50	28,995
107.25	28,404	111.50	28,855	115.75	28,997
107.50	28,438	111.75	28,871	116.00	28,998
107.75	28,471	112.00	28,887	116.25	28,999
108.00	28,503	112.25	28,901	116.50	28,999
108.25	28,534	112.50	28,914	116.75	28,999
108.50	28,564	112.75	28,926		
108.75	28,594	113.00	28,937		
109.00	28,623	113.25	28,947		
109.25	28,651	113.50	28,956		
109.50	28,678	113.75	28,963		
109.75	28,704	114.00	28,970		
110.00	28,729	114.25	28,977		
110.25	28,753	114.50	28,982		



## Capacity/Gauge Table Information

**TCLX 290206**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 006

Reporting Mark: TCLX 290206

Date: 02/10/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,348	12.75	2,234	17.00	3,223
0.25	29	4.50	630	8.75	1,397	13.00	2,290	17.25	3,284
0.50	58	4.75	671	9.00	1,446	13.25	2,345	17.50	3,345
0.75	89	5.00	713	9.25	1,496	13.50	2,402	17.75	3,406
1.00	120	5.25	755	9.50	1,546	13.75	2,458	18.00	3,468
1.25	152	5.50	798	9.75	1,597	14.00	2,515	18.25	3,530
1.50	185	5.75	841	10.00	1,648	14.25	2,572	18.50	3,593
1.75	218	6.00	884	10.25	1,699	14.50	2,630	18.75	3,655
2.00	252	6.25	929	10.50	1,751	14.75	2,688	19.00	3,718
2.25	287	6.50	973	10.75	1,803	15.00	2,746	19.25	3,781
2.50	323	6.75	1,019	11.00	1,856	15.25	2,804	19.50	3,845
2.75	359	7.00	1,064	11.25	1,909	15.50	2,863	19.75	3,908
3.00	396	7.25	1,110	11.50	1,962	15.75	2,922	20.00	3,972
3.25	434	7.50	1,157	11.75	2,016	16.00	2,982	20.25	4,037
3.50	472	7.75	1,204	12.00	2,070	16.25	3,042	20.50	4,101
3.75	510	8.00	1,252	12.25	2,124	16.50	3,102	20.75	4,166
4.00	550	8.25	1,300	12.50	2,179	16.75	3,162	21.00	4,231



## Capacity/Gauge Table Information

**TCLX 290206**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 006

Reporting Mark: TCLX 290206

Date: 02/10/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,296	25.50	5,440	29.75	6,642	34.00	7,893	38.25	9,183
21.50	4,361	25.75	5,509	30.00	6,715	34.25	7,968	38.50	9,259
21.75	4,427	26.00	5,579	30.25	6,787	34.50	8,043	38.75	9,336
22.00	4,493	26.25	5,648	30.50	6,860	34.75	8,118	39.00	9,414
22.25	4,559	26.50	5,718	30.75	6,933	35.00	8,193	39.25	9,491
22.50	4,626	26.75	5,788	31.00	7,006	35.25	8,269	39.50	9,568
22.75	4,692	27.00	5,858	31.25	7,079	35.50	8,344	39.75	9,645
23.00	4,759	27.25	5,929	31.50	7,152	35.75	8,420	40.00	9,723
23.25	4,826	27.50	5,999	31.75	7,226	36.00	8,496	40.25	9,800
23.50	4,894	27.75	6,070	32.00	7,299	36.25	8,572	40.50	9,878
23.75	4,961	28.00	6,141	32.25	7,373	36.50	8,648	40.75	9,956
24.00	5,029	28.25	6,212	32.50	7,447	36.75	8,724	41.00	10,033
24.25	5,097	28.50	6,283	32.75	7,521	37.00	8,800	41.25	10,111
24.50	5,165	28.75	6,355	33.00	7,595	37.25	8,876	41.50	10,189
24.75	5,233	29.00	6,426	33.25	7,669	37.50	8,953	41.75	10,267
25.00	5,302	29.25	6,498	33.50	7,744	37.75	9,029	42.00	10,346
25.25	5,371	29.50	6,570	33.75	7,818	38.00	9,106	42.25	10,424



## Capacity/Gauge Table Information

**TCLX 290206**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 006

Reporting Mark: TCLX 290206

Date: 02/10/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,502	46.75	11,843	51.00	13,198	55.25	14,559	59.50	15,919
42.75	10,580	47.00	11,923	51.25	13,278	55.50	14,639	59.75	15,998
43.00	10,659	47.25	12,002	51.50	13,358	55.75	14,719	60.00	16,078
43.25	10,737	47.50	12,081	51.75	13,438	56.00	14,799	60.25	16,158
43.50	10,816	47.75	12,161	52.00	13,518	56.25	14,879	60.50	16,237
43.75	10,895	48.00	12,241	52.25	13,598	56.50	14,959	60.75	16,317
44.00	10,973	48.25	12,320	52.50	13,678	56.75	15,039	61.00	16,397
44.25	11,052	48.50	12,400	52.75	13,758	57.00	15,119	61.25	16,476
44.50	11,131	48.75	12,480	53.00	13,838	57.25	15,199	61.50	16,556
44.75	11,210	49.00	12,559	53.25	13,918	57.50	15,279	61.75	16,635
45.00	11,289	49.25	12,639	53.50	13,998	57.75	15,359	62.00	16,714
45.25	11,368	49.50	12,719	53.75	14,079	58.00	15,439	62.25	16,794
45.50	11,447	49.75	12,799	54.00	14,159	58.25	15,519	62.50	16,873
45.75	11,526	50.00	12,878	54.25	14,239	58.50	15,599	62.75	16,952
46.00	11,605	50.25	12,958	54.50	14,319	58.75	15,679	63.00	17,031
46.25	11,685	50.50	13,038	54.75	14,399	59.00	15,759	63.25	17,111
46.50	11,764	50.75	13,118	55.00	14,479	59.25	15,839	63.50	17,190



## Capacity/Gauge Table Information

**TCLX 290206**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 006

Reporting Mark: TCLX 290206

Date: 02/10/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,269	68.00	18,602	72.25	19,910	76.50	21,185	80.75	22,417
64.00	17,348	68.25	18,680	72.50	19,986	76.75	21,259	81.00	22,488
64.25	17,427	68.50	18,757	72.75	20,062	77.00	21,332	81.25	22,559
64.50	17,505	68.75	18,835	73.00	20,138	77.25	21,406	81.50	22,630
64.75	17,584	69.00	18,912	73.25	20,213	77.50	21,479	81.75	22,700
65.00	17,663	69.25	18,990	73.50	20,289	77.75	21,552	82.00	22,770
65.25	17,742	69.50	19,067	73.75	20,364	78.00	21,625	82.25	22,840
65.50	17,820	69.75	19,144	74.00	20,440	78.25	21,698	82.50	22,910
65.75	17,899	70.00	19,221	74.25	20,515	78.50	21,771	82.75	22,980
66.00	17,977	70.25	19,298	74.50	20,590	78.75	21,843	83.00	23,049
66.25	18,056	70.50	19,375	74.75	20,665	79.00	21,916	83.25	23,119
66.50	18,134	70.75	19,452	75.00	20,739	79.25	21,988	83.50	23,188
66.75	18,212	71.00	19,529	75.25	20,814	79.50	22,060	83.75	23,256
67.00	18,290	71.25	19,605	75.50	20,888	79.75	22,132	84.00	23,325
67.25	18,368	71.50	19,682	75.75	20,963	80.00	22,203	84.25	23,394
67.50	18,446	71.75	19,758	76.00	21,037	80.25	22,275	84.50	23,462
67.75	18,524	72.00	19,834	76.25	21,111	80.50	22,346	84.75	23,530



## Capacity/Gauge Table Information

**TCLX 290206**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 006

Reporting Mark: TCLX 290206

Date: 02/10/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,598	89.25	24,715	93.50	25,756	97.75	26,707	102.00	27,547
85.25	23,665	89.50	24,778	93.75	25,815	98.00	26,760	102.25	27,592
85.50	23,733	89.75	24,841	94.00	25,873	98.25	26,812	102.50	27,637
85.75	23,800	90.00	24,904	94.25	25,931	98.50	26,864	102.75	27,682
86.00	23,867	90.25	24,967	94.50	25,989	98.75	26,915	103.00	27,726
86.25	23,933	90.50	25,030	94.75	26,046	99.00	26,966	103.25	27,769
86.50	24,000	90.75	25,092	95.00	26,103	99.25	27,017	103.50	27,812
86.75	24,066	91.00	25,154	95.25	26,160	99.50	27,067	103.75	27,855
87.00	24,132	91.25	25,215	95.50	26,216	99.75	27,117	104.00	27,897
87.25	24,198	91.50	25,276	95.75	26,272	100.00	27,167	104.25	27,938
87.50	24,263	91.75	25,337	96.00	26,328	100.25	27,216	104.50	27,979
87.75	24,328	92.00	25,398	96.25	26,383	100.50	27,265	104.75	28,019
88.00	24,393	92.25	25,459	96.50	26,438	100.75	27,313	105.00	28,059
88.25	24,458	92.50	25,519	96.75	26,492	101.00	27,361	105.25	28,098
88.50	24,523	92.75	25,579	97.00	26,546	101.25	27,408	105.50	28,137
88.75	24,587	93.00	25,638	97.25	26,600	101.50	27,455	105.75	28,174
89.00	24,651	93.25	25,697	97.50	26,654	101.75	27,501	106.00	28,212



## Capacity/Gauge Table Information

**TCLX 290206**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 006

Reporting Mark: TCLX 290206

Date: 02/10/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,249	110.50	28,759	114.75	28,967
106.50	28,285	110.75	28,780	115.00	28,971
106.75	28,320	111.00	28,800	115.25	28,974
107.00	28,355	111.25	28,819	115.50	28,976
107.25	28,389	111.50	28,837	115.75	28,978
107.50	28,422	111.75	28,853	116.00	28,979
107.75	28,455	112.00	28,868	116.25	28,980
108.00	28,487	112.25	28,883	116.50	28,980
108.25	28,518	112.50	28,896	116.75	28,980
108.50	28,548	112.75	28,907		
108.75	28,578	113.00	28,918		
109.00	28,607	113.25	28,928		
109.25	28,634	113.50	28,937		
109.50	28,661	113.75	28,945		
109.75	28,687	114.00	28,952		
110.00	28,712	114.25	28,958		
110.25	28,736	114.50	28,963		





## Capacity/Gauge Table Information

**TCLX 290207**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 007

Reporting Mark: TCLX 290207

Date: 02/10/2015

Capacity: 29,005 US Gallons (109,798 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,336	12.75	2,219	17.00	3,204
0.25	28	4.50	623	8.75	1,385	13.00	2,274	17.25	3,265
0.50	57	4.75	664	9.00	1,434	13.25	2,330	17.50	3,326
0.75	87	5.00	705	9.25	1,484	13.50	2,386	17.75	3,387
1.00	118	5.25	747	9.50	1,534	13.75	2,442	18.00	3,449
1.25	150	5.50	789	9.75	1,584	14.00	2,499	18.25	3,511
1.50	182	5.75	832	10.00	1,635	14.25	2,556	18.50	3,573
1.75	215	6.00	876	10.25	1,686	14.50	2,613	18.75	3,636
2.00	249	6.25	919	10.50	1,737	14.75	2,671	19.00	3,698
2.25	283	6.50	964	10.75	1,789	15.00	2,729	19.25	3,762
2.50	319	6.75	1,009	11.00	1,842	15.25	2,787	19.50	3,825
2.75	354	7.00	1,054	11.25	1,894	15.50	2,846	19.75	3,888
3.00	391	7.25	1,100	11.50	1,947	15.75	2,905	20.00	3,952
3.25	428	7.50	1,146	11.75	2,001	16.00	2,964	20.25	4,016
3.50	466	7.75	1,193	12.00	2,055	16.25	3,024	20.50	4,081
3.75	504	8.00	1,241	12.25	2,109	16.50	3,084	20.75	4,145
4.00	543	8.25	1,288	12.50	2,164	16.75	3,144	21.00	4,210



## Capacity/Gauge Table Information

**TCLX 290207**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 007

Reporting Mark: TCLX 290207

Date: 02/10/2015

Capacity: 29,005 US Gallons (109,798 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,275	25.50	5,417	29.75	6,618	34.00	7,868	38.25	9,157
21.50	4,341	25.75	5,486	30.00	6,691	34.25	7,943	38.50	9,234
21.75	4,406	26.00	5,556	30.25	6,763	34.50	8,018	38.75	9,311
22.00	4,472	26.25	5,625	30.50	6,836	34.75	8,093	39.00	9,388
22.25	4,538	26.50	5,695	30.75	6,908	35.00	8,168	39.25	9,465
22.50	4,604	26.75	5,765	31.00	6,981	35.25	8,243	39.50	9,542
22.75	4,671	27.00	5,835	31.25	7,054	35.50	8,319	39.75	9,619
23.00	4,738	27.25	5,905	31.50	7,128	35.75	8,395	40.00	9,697
23.25	4,805	27.50	5,976	31.75	7,201	36.00	8,470	40.25	9,774
23.50	4,872	27.75	6,046	32.00	7,275	36.25	8,546	40.50	9,852
23.75	4,939	28.00	6,117	32.25	7,348	36.50	8,622	40.75	9,930
24.00	5,007	28.25	6,188	32.50	7,422	36.75	8,698	41.00	10,007
24.25	5,075	28.50	6,260	32.75	7,496	37.00	8,774	41.25	10,085
24.50	5,143	28.75	6,331	33.00	7,570	37.25	8,851	41.50	10,163
24.75	5,211	29.00	6,403	33.25	7,644	37.50	8,927	41.75	10,241
25.00	5,280	29.25	6,474	33.50	7,719	37.75	9,003	42.00	10,319
25.25	5,348	29.50	6,546	33.75	7,793	38.00	9,080	42.25	10,398



## Capacity/Gauge Table Information

**TCLX 290207**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 007

Reporting Mark: TCLX 290207

Date: 02/10/2015

Capacity: 29,005 US Gallons (109,798 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,476	46.75	11,817	51.00	13,172	55.25	14,534	59.50	15,894
42.75	10,554	47.00	11,896	51.25	13,252	55.50	14,614	59.75	15,974
43.00	10,633	47.25	11,976	51.50	13,332	55.75	14,694	60.00	16,054
43.25	10,711	47.50	12,055	51.75	13,412	56.00	14,774	60.25	16,133
43.50	10,790	47.75	12,135	52.00	13,492	56.25	14,854	60.50	16,213
43.75	10,868	48.00	12,215	52.25	13,572	56.50	14,934	60.75	16,293
44.00	10,947	48.25	12,294	52.50	13,652	56.75	15,014	61.00	16,372
44.25	11,026	48.50	12,374	52.75	13,733	57.00	15,094	61.25	16,452
44.50	11,105	48.75	12,453	53.00	13,813	57.25	15,175	61.50	16,532
44.75	11,184	49.00	12,533	53.25	13,893	57.50	15,255	61.75	16,611
45.00	11,263	49.25	12,613	53.50	13,973	57.75	15,335	62.00	16,691
45.25	11,342	49.50	12,693	53.75	14,053	58.00	15,415	62.25	16,770
45.50	11,421	49.75	12,773	54.00	14,133	58.25	15,495	62.50	16,849
45.75	11,500	50.00	12,853	54.25	14,213	58.50	15,575	62.75	16,929
46.00	11,579	50.25	12,932	54.50	14,293	58.75	15,654	63.00	17,008
46.25	11,658	50.50	13,012	54.75	14,374	59.00	15,734	63.25	17,087
46.50	11,738	50.75	13,092	55.00	14,454	59.25	15,814	63.50	17,166



## Capacity/Gauge Table Information

**TCLX 290207**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 007

Reporting Mark: TCLX 290207

Date: 02/10/2015

Capacity: 29,005 US Gallons (109,798 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,245	68.00	18,580	72.25	19,890	76.50	21,166	80.75	22,401
64.00	17,324	68.25	18,658	72.50	19,966	76.75	21,240	81.00	22,472
64.25	17,403	68.50	18,735	72.75	20,042	77.00	21,314	81.25	22,543
64.50	17,482	68.75	18,813	73.00	20,118	77.25	21,388	81.50	22,614
64.75	17,561	69.00	18,891	73.25	20,193	77.50	21,461	81.75	22,684
65.00	17,640	69.25	18,968	73.50	20,269	77.75	21,534	82.00	22,755
65.25	17,719	69.50	19,046	73.75	20,345	78.00	21,607	82.25	22,825
65.50	17,797	69.75	19,123	74.00	20,420	78.25	21,680	82.50	22,895
65.75	17,876	70.00	19,200	74.25	20,495	78.50	21,753	82.75	22,965
66.00	17,955	70.25	19,277	74.50	20,570	78.75	21,826	83.00	23,034
66.25	18,033	70.50	19,354	74.75	20,645	79.00	21,898	83.25	23,104
66.50	18,111	70.75	19,431	75.00	20,720	79.25	21,971	83.50	23,173
66.75	18,190	71.00	19,508	75.25	20,795	79.50	22,043	83.75	23,242
67.00	18,268	71.25	19,584	75.50	20,870	79.75	22,115	84.00	23,311
67.25	18,346	71.50	19,661	75.75	20,944	80.00	22,187	84.25	23,379
67.50	18,424	71.75	19,737	76.00	21,018	80.25	22,258	84.50	23,448
67.75	18,502	72.00	19,814	76.25	21,092	80.50	22,330	84.75	23,516



## Capacity/Gauge Table Information

**TCLX 290207**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 007

Reporting Mark: TCLX 290207

Date: 02/10/2015

Capacity: 29,005 US Gallons (109,798 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,584	89.25	24,704	93.50	25,749	97.75	26,703	102.00	27,548
85.25	23,652	89.50	24,767	93.75	25,807	98.00	26,756	102.25	27,593
85.50	23,719	89.75	24,831	94.00	25,866	98.25	26,809	102.50	27,639
85.75	23,786	90.00	24,894	94.25	25,924	98.50	26,861	102.75	27,684
86.00	23,853	90.25	24,957	94.50	25,982	98.75	26,912	103.00	27,728
86.25	23,920	90.50	25,019	94.75	26,039	99.00	26,964	103.25	27,772
86.50	23,987	90.75	25,082	95.00	26,097	99.25	27,015	103.50	27,815
86.75	24,053	91.00	25,144	95.25	26,153	99.50	27,065	103.75	27,858
87.00	24,119	91.25	25,206	95.50	26,210	99.75	27,116	104.00	27,900
87.25	24,185	91.50	25,267	95.75	26,266	100.00	27,165	104.25	27,942
87.50	24,251	91.75	25,328	96.00	26,322	100.25	27,215	104.50	27,983
87.75	24,316	92.00	25,389	96.25	26,378	100.50	27,264	104.75	28,023
88.00	24,382	92.25	25,450	96.50	26,433	100.75	27,312	105.00	28,063
88.25	24,447	92.50	25,510	96.75	26,487	101.00	27,360	105.25	28,103
88.50	24,511	92.75	25,570	97.00	26,542	101.25	27,408	105.50	28,142
88.75	24,576	93.00	25,630	97.25	26,596	101.50	27,455	105.75	28,180
89.00	24,640	93.25	25,689	97.50	26,650	101.75	27,502	106.00	28,218



## Capacity/Gauge Table Information

**TCLX 290207**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 007

Reporting Mark: TCLX 290207

Date: 02/10/2015

Capacity: 29,005 US Gallons (109,798 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,255	110.50	28,775	114.75	28,992
106.50	28,292	110.75	28,797	115.00	28,996
106.75	28,327	111.00	28,818	115.25	28,999
107.00	28,363	111.25	28,837	115.50	29,001
107.25	28,397	111.50	28,856	115.75	29,003
107.50	28,431	111.75	28,873	116.00	29,004
107.75	28,464	112.00	28,889	116.25	29,005
108.00	28,496	112.25	28,904	116.50	29,005
108.25	28,528	112.50	28,917	116.75	29,005
108.50	28,559	112.75	28,930		
108.75	28,589	113.00	28,941		
109.00	28,618	113.25	28,951		
109.25	28,647	113.50	28,960		
109.50	28,674	113.75	28,968		
109.75	28,701	114.00	28,976		
110.00	28,726	114.25	28,982		
110.25	28,751	114.50	28,987		



## Capacity/Gauge Table Information

**TCLX 290208**

Product Order #: P7320/14

Tank Car Number: 008

Reporting Mark: TCLX 290208

Date: 08/05/2015

Capacity: 29,008 US Gallons (109,808 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	579	8.50	1,329	12.75	2,209	17.00	3,192
0.25	28	4.50	619	8.75	1,378	13.00	2,264	17.25	3,253
0.50	57	4.75	659	9.00	1,427	13.25	2,320	17.50	3,314
0.75	87	5.00	700	9.25	1,476	13.50	2,375	17.75	3,375
1.00	117	5.25	742	9.50	1,526	13.75	2,432	18.00	3,437
1.25	148	5.50	784	9.75	1,576	14.00	2,488	18.25	3,499
1.50	180	5.75	827	10.00	1,627	14.25	2,545	18.50	3,561
1.75	213	6.00	870	10.25	1,678	14.50	2,602	18.75	3,623
2.00	247	6.25	914	10.50	1,729	14.75	2,660	19.00	3,686
2.25	281	6.50	958	10.75	1,781	15.00	2,718	19.25	3,749
2.50	316	6.75	1,003	11.00	1,833	15.25	2,776	19.50	3,812
2.75	352	7.00	1,048	11.25	1,886	15.50	2,835	19.75	3,875
3.00	388	7.25	1,094	11.50	1,938	15.75	2,893	20.00	3,939
3.25	425	7.50	1,140	11.75	1,992	16.00	2,953	20.25	4,003
3.50	463	7.75	1,187	12.00	2,046	16.25	3,012	20.50	4,067
3.75	501	8.00	1,234	12.25	2,100	16.50	3,072	20.75	4,132
4.00	540	8.25	1,281	12.50	2,154	16.75	3,132	21.00	4,196





## Capacity/Gauge Table Information

**TCLX 290208**

Product Order #: P7320/14

Tank Car Number: 008

Reporting Mark: TCLX 290208

Date: 08/05/2015

Capacity: 29,008 US Gallons (109,808 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,261	25.50	5,402	29.75	6,601	34.00	7,850	38.25	9,137
21.50	4,327	25.75	5,471	30.00	6,674	34.25	7,924	38.50	9,214
21.75	4,392	26.00	5,540	30.25	6,746	34.50	7,999	38.75	9,291
22.00	4,458	26.25	5,609	30.50	6,818	34.75	8,074	39.00	9,368
22.25	4,524	26.50	5,679	30.75	6,891	35.00	8,150	39.25	9,445
22.50	4,590	26.75	5,749	31.00	6,964	35.25	8,225	39.50	9,522
22.75	4,656	27.00	5,819	31.25	7,037	35.50	8,300	39.75	9,600
23.00	4,723	27.25	5,889	31.50	7,110	35.75	8,376	40.00	9,677
23.25	4,790	27.50	5,960	31.75	7,183	36.00	8,451	40.25	9,754
23.50	4,857	27.75	6,030	32.00	7,257	36.25	8,527	40.50	9,832
23.75	4,924	28.00	6,101	32.25	7,330	36.50	8,603	40.75	9,910
24.00	4,992	28.25	6,172	32.50	7,404	36.75	8,679	41.00	9,987
24.25	5,060	28.50	6,243	32.75	7,478	37.00	8,755	41.25	10,065
24.50	5,128	28.75	6,314	33.00	7,552	37.25	8,831	41.50	10,143
24.75	5,196	29.00	6,386	33.25	7,626	37.50	8,908	41.75	10,221
25.00	5,264	29.25	6,458	33.50	7,701	37.75	8,984	42.00	10,299
25.25	5,333	29.50	6,529	33.75	7,775	38.00	9,061	42.25	10,377



## Capacity/Gauge Table Information

**TCLX 290208**

Product Order #: P7320/14

Tank Car Number: 008

Reporting Mark: TCLX 290208

Date: 08/05/2015

Capacity: 29,008 US Gallons (109,808 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,455	46.75	11,796	51.00	13,150	55.25	14,511	59.50	15,871
42.75	10,534	47.00	11,875	51.25	13,230	55.50	14,592	59.75	15,951
43.00	10,612	47.25	11,955	51.50	13,310	55.75	14,672	60.00	16,031
43.25	10,691	47.50	12,034	51.75	13,390	56.00	14,752	60.25	16,111
43.50	10,769	47.75	12,114	52.00	13,470	56.25	14,832	60.50	16,190
43.75	10,848	48.00	12,193	52.25	13,550	56.50	14,912	60.75	16,270
44.00	10,926	48.25	12,273	52.50	13,630	56.75	14,992	61.00	16,350
44.25	11,005	48.50	12,352	52.75	13,710	57.00	15,072	61.25	16,429
44.50	11,084	48.75	12,432	53.00	13,790	57.25	15,152	61.50	16,509
44.75	11,163	49.00	12,512	53.25	13,871	57.50	15,232	61.75	16,588
45.00	11,242	49.25	12,591	53.50	13,951	57.75	15,312	62.00	16,668
45.25	11,321	49.50	12,671	53.75	14,031	58.00	15,392	62.25	16,747
45.50	11,400	49.75	12,751	54.00	14,111	58.25	15,472	62.50	16,827
45.75	11,479	50.00	12,831	54.25	14,191	58.50	15,552	62.75	16,906
46.00	11,558	50.25	12,911	54.50	14,271	58.75	15,632	63.00	16,985
46.25	11,637	50.50	12,990	54.75	14,351	59.00	15,712	63.25	17,064
46.50	11,716	50.75	13,070	55.00	14,431	59.25	15,792	63.50	17,143



## Capacity/Gauge Table Information

**TCLX 290208**

Product Order #: P7320/14

Tank Car Number: 008

Reporting Mark: TCLX 290208

Date: 08/05/2015

Capacity: 29,008 US Gallons (109,808 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,223	68.00	18,557	72.25	19,867	76.50	21,144	80.75	22,380
64.00	17,302	68.25	18,635	72.50	19,943	76.75	21,218	81.00	22,451
64.25	17,381	68.50	18,713	72.75	20,019	77.00	21,292	81.25	22,522
64.50	17,460	68.75	18,790	73.00	20,095	77.25	21,366	81.50	22,593
64.75	17,538	69.00	18,868	73.25	20,171	77.50	21,439	81.75	22,663
65.00	17,617	69.25	18,945	73.50	20,247	77.75	21,513	82.00	22,734
65.25	17,696	69.50	19,023	73.75	20,322	78.00	21,586	82.25	22,804
65.50	17,775	69.75	19,100	74.00	20,398	78.25	21,659	82.50	22,874
65.75	17,853	70.00	19,177	74.25	20,473	78.50	21,732	82.75	22,944
66.00	17,932	70.25	19,254	74.50	20,548	78.75	21,804	83.00	23,013
66.25	18,010	70.50	19,331	74.75	20,623	79.00	21,877	83.25	23,083
66.50	18,089	70.75	19,408	75.00	20,698	79.25	21,949	83.50	23,152
66.75	18,167	71.00	19,485	75.25	20,773	79.50	22,021	83.75	23,221
67.00	18,245	71.25	19,562	75.50	20,847	79.75	22,093	84.00	23,290
67.25	18,323	71.50	19,638	75.75	20,922	80.00	22,165	84.25	23,359
67.50	18,401	71.75	19,715	76.00	20,996	80.25	22,237	84.50	23,427
67.75	18,479	72.00	19,791	76.25	21,070	80.50	22,308	84.75	23,495



## Capacity/Gauge Table Information

**TCLX 290208**

Product Order #: P7320/14

Tank Car Number: 008

Reporting Mark: TCLX 290208

Date: 08/05/2015

Capacity: 29,008 US Gallons (109,808 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,563	89.25	24,685	93.50	25,731	97.75	26,688	102.00	27,535
85.25	23,631	89.50	24,748	93.75	25,790	98.00	26,741	102.25	27,581
85.50	23,699	89.75	24,812	94.00	25,849	98.25	26,793	102.50	27,626
85.75	23,766	90.00	24,875	94.25	25,907	98.50	26,846	102.75	27,671
86.00	23,833	90.25	24,938	94.50	25,965	98.75	26,898	103.00	27,716
86.25	23,900	90.50	25,001	94.75	26,022	99.00	26,949	103.25	27,760
86.50	23,967	90.75	25,063	95.00	26,080	99.25	27,000	103.50	27,803
86.75	24,033	91.00	25,125	95.25	26,137	99.50	27,051	103.75	27,846
87.00	24,100	91.25	25,187	95.50	26,193	99.75	27,101	104.00	27,889
87.25	24,166	91.50	25,249	95.75	26,250	100.00	27,151	104.25	27,930
87.50	24,231	91.75	25,310	96.00	26,306	100.25	27,201	104.50	27,972
87.75	24,297	92.00	25,371	96.25	26,361	100.50	27,250	104.75	28,013
88.00	24,362	92.25	25,432	96.50	26,417	100.75	27,298	105.00	28,053
88.25	24,427	92.50	25,492	96.75	26,471	101.00	27,347	105.25	28,093
88.50	24,492	92.75	25,552	97.00	26,526	101.25	27,394	105.50	28,132
88.75	24,556	93.00	25,612	97.25	26,580	101.50	27,442	105.75	28,170
89.00	24,621	93.25	25,672	97.50	26,634	101.75	27,488	106.00	28,208



## Capacity/Gauge Table Information

**TCLX 290208**

Product Order #: P7320/14

Tank Car Number: 008

Reporting Mark: TCLX 290208

Date: 08/05/2015

Capacity: 29,008 US Gallons (109,808 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,246	110.50	28,771	114.75	28,994
106.50	28,282	110.75	28,794	115.00	28,998
106.75	28,318	111.00	28,815	115.25	29,001
107.00	28,354	111.25	28,835	115.50	29,004
107.25	28,389	111.50	28,854	115.75	29,006
107.50	28,423	111.75	28,872	116.00	29,007
107.75	28,456	112.00	28,888	116.25	29,008
108.00	28,489	112.25	28,903	116.50	29,008
108.25	28,521	112.50	28,917	116.75	29,008
108.50	28,552	112.75	28,930		
108.75	28,582	113.00	28,942		
109.00	28,612	113.25	28,952		
109.25	28,641	113.50	28,962		
109.50	28,669	113.75	28,970		
109.75	28,696	114.00	28,977		
110.00	28,722	114.25	28,984		
110.25	28,747	114.50	28,990		



## Capacity/Gauge Table Information

**TCLX 290209**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 009

Reporting Mark: TCLX 290209

Date: 17/06/2015

Capacity: 28,952 US Gallons (109,596 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	604	8.50	1,373	12.75	2,267	17.00	3,263
0.25	30	4.50	646	8.75	1,423	13.00	2,323	17.25	3,324
0.50	60	4.75	687	9.00	1,473	13.25	2,380	17.50	3,386
0.75	92	5.00	730	9.25	1,523	13.50	2,436	17.75	3,447
1.00	124	5.25	772	9.50	1,573	13.75	2,493	18.00	3,510
1.25	157	5.50	816	9.75	1,625	14.00	2,550	18.25	3,572
1.50	191	5.75	860	10.00	1,676	14.25	2,608	18.50	3,635
1.75	225	6.00	904	10.25	1,728	14.50	2,666	18.75	3,698
2.00	260	6.25	949	10.50	1,780	14.75	2,724	19.00	3,761
2.25	296	6.50	994	10.75	1,833	15.00	2,783	19.25	3,824
2.50	332	6.75	1,040	11.00	1,886	15.25	2,842	19.50	3,888
2.75	369	7.00	1,086	11.25	1,939	15.50	2,901	19.75	3,952
3.00	407	7.25	1,133	11.50	1,993	15.75	2,961	20.00	4,017
3.25	445	7.50	1,180	11.75	2,047	16.00	3,020	20.25	4,081
3.50	484	7.75	1,228	12.00	2,102	16.25	3,081	20.50	4,146
3.75	524	8.00	1,276	12.25	2,157	16.50	3,141	20.75	4,211
4.00	564	8.25	1,324	12.50	2,212	16.75	3,202	21.00	4,276



## Capacity/Gauge Table Information

**TCLX 290209**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 009

Reporting Mark: TCLX 290209

Date: 17/06/2015

Capacity: 28,952 US Gallons (109,596 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,342	25.50	5,490	29.75	6,697	34.00	7,951	38.25	9,243
21.50	4,407	25.75	5,560	30.00	6,770	34.25	8,026	38.50	9,320
21.75	4,473	26.00	5,630	30.25	6,842	34.50	8,101	38.75	9,397
22.00	4,540	26.25	5,699	30.50	6,915	34.75	8,177	39.00	9,474
22.25	4,606	26.50	5,769	30.75	6,988	35.00	8,252	39.25	9,552
22.50	4,673	26.75	5,840	31.00	7,061	35.25	8,327	39.50	9,629
22.75	4,740	27.00	5,910	31.25	7,135	35.50	8,403	39.75	9,707
23.00	4,807	27.25	5,981	31.50	7,208	35.75	8,479	40.00	9,784
23.25	4,874	27.50	6,052	31.75	7,282	36.00	8,555	40.25	9,862
23.50	4,942	27.75	6,123	32.00	7,356	36.25	8,631	40.50	9,940
23.75	5,010	28.00	6,194	32.25	7,430	36.50	8,707	40.75	10,017
24.00	5,078	28.25	6,265	32.50	7,504	36.75	8,783	41.00	10,095
24.25	5,146	28.50	6,337	32.75	7,578	37.00	8,860	41.25	10,173
24.50	5,215	28.75	6,408	33.00	7,652	37.25	8,936	41.50	10,252
24.75	5,283	29.00	6,480	33.25	7,727	37.50	9,013	41.75	10,330
25.00	5,352	29.25	6,552	33.50	7,801	37.75	9,089	42.00	10,408
25.25	5,421	29.50	6,625	33.75	7,876	38.00	9,166	42.25	10,486





## Capacity/Gauge Table Information

**TCLX 290209**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 009

Reporting Mark: TCLX 290209

Date: 17/06/2015

Capacity: 28,952 US Gallons (109,596 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,565	46.75	11,907	51.00	13,263	55.25	14,625	59.50	15,984
42.75	10,643	47.00	11,987	51.25	13,343	55.50	14,705	59.75	16,064
43.00	10,722	47.25	12,066	51.50	13,423	55.75	14,785	60.00	16,144
43.25	10,800	47.50	12,146	51.75	13,503	56.00	14,865	60.25	16,223
43.50	10,879	47.75	12,226	52.00	13,584	56.25	14,945	60.50	16,303
43.75	10,958	48.00	12,305	52.25	13,664	56.50	15,025	60.75	16,383
44.00	11,037	48.25	12,385	52.50	13,744	56.75	15,105	61.00	16,462
44.25	11,115	48.50	12,465	52.75	13,824	57.00	15,185	61.25	16,542
44.50	11,194	48.75	12,544	53.00	13,904	57.25	15,265	61.50	16,621
44.75	11,273	49.00	12,624	53.25	13,984	57.50	15,345	61.75	16,701
45.00	11,352	49.25	12,704	53.50	14,064	57.75	15,425	62.00	16,780
45.25	11,432	49.50	12,784	53.75	14,144	58.00	15,505	62.25	16,859
45.50	11,511	49.75	12,864	54.00	14,224	58.25	15,585	62.50	16,939
45.75	11,590	50.00	12,944	54.25	14,304	58.50	15,665	62.75	17,018
46.00	11,669	50.25	13,023	54.50	14,385	58.75	15,745	63.00	17,097
46.25	11,749	50.50	13,103	54.75	14,465	59.00	15,825	63.25	17,176
46.50	11,828	50.75	13,183	55.00	14,545	59.25	15,905	63.50	17,255



## Capacity/Gauge Table Information

**TCLX 290209**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 009

Reporting Mark: TCLX 290209

Date: 17/06/2015

Capacity: 28,952 US Gallons (109,596 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,334	68.00	18,666	72.25	19,973	76.50	21,245	80.75	22,475
64.00	17,413	68.25	18,744	72.50	20,049	76.75	21,319	81.00	22,545
64.25	17,492	68.50	18,821	72.75	20,124	77.00	21,392	81.25	22,616
64.50	17,571	68.75	18,899	73.00	20,200	77.25	21,466	81.50	22,686
64.75	17,649	69.00	18,976	73.25	20,275	77.50	21,539	81.75	22,757
65.00	17,728	69.25	19,053	73.50	20,351	77.75	21,612	82.00	22,827
65.25	17,807	69.50	19,131	73.75	20,426	78.00	21,685	82.25	22,897
65.50	17,885	69.75	19,208	74.00	20,501	78.25	21,757	82.50	22,966
65.75	17,964	70.00	19,285	74.25	20,576	78.50	21,830	82.75	23,036
66.00	18,042	70.25	19,362	74.50	20,651	78.75	21,902	83.00	23,105
66.25	18,120	70.50	19,438	74.75	20,726	79.00	21,974	83.25	23,174
66.50	18,198	70.75	19,515	75.00	20,801	79.25	22,046	83.50	23,243
66.75	18,277	71.00	19,592	75.25	20,875	79.50	22,118	83.75	23,311
67.00	18,355	71.25	19,668	75.50	20,949	79.75	22,190	84.00	23,380
67.25	18,433	71.50	19,744	75.75	21,024	80.00	22,261	84.25	23,448
67.50	18,511	71.75	19,821	76.00	21,098	80.25	22,333	84.50	23,516
67.75	18,588	72.00	19,897	76.25	21,171	80.50	22,404	84.75	23,584



## Capacity/Gauge Table Information

**TCLX 290209**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 009

Reporting Mark: TCLX 290209

Date: 17/06/2015

Capacity: 28,952 US Gallons (109,596 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,651	89.25	24,764	93.50	25,800	97.75	26,744	102.00	27,576
85.25	23,719	89.50	24,827	93.75	25,858	98.00	26,796	102.25	27,621
85.50	23,786	89.75	24,890	94.00	25,916	98.25	26,848	102.50	27,665
85.75	23,853	90.00	24,953	94.25	25,974	98.50	26,900	102.75	27,709
86.00	23,919	90.25	25,015	94.50	26,031	98.75	26,951	103.00	27,753
86.25	23,986	90.50	25,077	94.75	26,088	99.00	27,001	103.25	27,795
86.50	24,052	90.75	25,139	95.00	26,145	99.25	27,052	103.50	27,838
86.75	24,118	91.00	25,201	95.25	26,201	99.50	27,101	103.75	27,880
87.00	24,184	91.25	25,262	95.50	26,257	99.75	27,151	104.00	27,921
87.25	24,249	91.50	25,323	95.75	26,312	100.00	27,200	104.25	27,962
87.50	24,314	91.75	25,384	96.00	26,368	100.25	27,248	104.50	28,002
87.75	24,379	92.00	25,444	96.25	26,422	100.50	27,297	104.75	28,042
88.00	24,444	92.25	25,504	96.50	26,477	100.75	27,344	105.00	28,081
88.25	24,508	92.50	25,564	96.75	26,531	101.00	27,392	105.25	28,119
88.50	24,573	92.75	25,623	97.00	26,585	101.25	27,438	105.50	28,157
88.75	24,637	93.00	25,683	97.25	26,638	101.50	27,485	105.75	28,194
89.00	24,700	93.25	25,741	97.50	26,691	101.75	27,531	106.00	28,231



## Capacity/Gauge Table Information

**TCLX 290209**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 009

Reporting Mark: TCLX 290209

Date: 17/06/2015

Capacity: 28,952 US Gallons (109,596 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,267	110.50	28,761	114.75	28,946
106.50	28,302	110.75	28,781	115.00	28,948
106.75	28,337	111.00	28,800	115.25	28,950
107.00	28,371	111.25	28,817	115.50	28,951
107.25	28,404	111.50	28,834	115.75	28,952
107.50	28,437	111.75	28,849	116.00	28,952
107.75	28,468	112.00	28,862	116.25	28,952
108.00	28,500	112.25	28,875		
108.25	28,530	112.50	28,886		
108.50	28,559	112.75	28,897		
108.75	28,588	113.00	28,906		
109.00	28,616	113.25	28,915		
109.25	28,643	113.50	28,922		
109.50	28,668	113.75	28,928		
109.75	28,693	114.00	28,934		
110.00	28,717	114.25	28,939		
110.25	28,740	114.50	28,942		



## Capacity/Gauge Table Information

**TCLX 290210**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 010

Reporting Mark: TCLX 290210

Date: 15/06/2015

Capacity: 29,002 US Gallons (109,785 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,337	12.75	2,220	17.00	3,205
0.25	28	4.50	624	8.75	1,386	13.00	2,275	17.25	3,266
0.50	57	4.75	664	9.00	1,435	13.25	2,331	17.50	3,327
0.75	87	5.00	706	9.25	1,485	13.50	2,387	17.75	3,389
1.00	118	5.25	748	9.50	1,534	13.75	2,443	18.00	3,450
1.25	150	5.50	790	9.75	1,585	14.00	2,500	18.25	3,512
1.50	182	5.75	833	10.00	1,636	14.25	2,557	18.50	3,574
1.75	215	6.00	876	10.25	1,687	14.50	2,614	18.75	3,637
2.00	249	6.25	920	10.50	1,738	14.75	2,672	19.00	3,700
2.25	284	6.50	965	10.75	1,790	15.00	2,730	19.25	3,763
2.50	319	6.75	1,010	11.00	1,843	15.25	2,788	19.50	3,826
2.75	355	7.00	1,055	11.25	1,895	15.50	2,847	19.75	3,890
3.00	391	7.25	1,101	11.50	1,948	15.75	2,906	20.00	3,953
3.25	429	7.50	1,147	11.75	2,002	16.00	2,965	20.25	4,017
3.50	466	7.75	1,194	12.00	2,056	16.25	3,025	20.50	4,082
3.75	505	8.00	1,241	12.25	2,110	16.50	3,085	20.75	4,146
4.00	544	8.25	1,289	12.50	2,165	16.75	3,145	21.00	4,211



## Capacity/Gauge Table Information

**TCLX 290210**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 010

Reporting Mark: TCLX 290210

Date: 15/06/2015

Capacity: 29,002 US Gallons (109,785 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,276	25.50	5,418	29.75	6,619	34.00	7,869	38.25	9,157
21.50	4,342	25.75	5,487	30.00	6,692	34.25	7,944	38.50	9,234
21.75	4,407	26.00	5,557	30.25	6,764	34.50	8,019	38.75	9,311
22.00	4,473	26.25	5,626	30.50	6,837	34.75	8,094	39.00	9,388
22.25	4,539	26.50	5,696	30.75	6,909	35.00	8,169	39.25	9,465
22.50	4,605	26.75	5,766	31.00	6,982	35.25	8,244	39.50	9,543
22.75	4,672	27.00	5,836	31.25	7,055	35.50	8,320	39.75	9,620
23.00	4,739	27.25	5,906	31.50	7,129	35.75	8,395	40.00	9,697
23.25	4,806	27.50	5,977	31.75	7,202	36.00	8,471	40.25	9,775
23.50	4,873	27.75	6,047	32.00	7,275	36.25	8,547	40.50	9,852
23.75	4,940	28.00	6,118	32.25	7,349	36.50	8,623	40.75	9,930
24.00	5,008	28.25	6,189	32.50	7,423	36.75	8,699	41.00	10,008
24.25	5,076	28.50	6,261	32.75	7,497	37.00	8,775	41.25	10,086
24.50	5,144	28.75	6,332	33.00	7,571	37.25	8,851	41.50	10,164
24.75	5,212	29.00	6,404	33.25	7,645	37.50	8,928	41.75	10,242
25.00	5,281	29.25	6,475	33.50	7,720	37.75	9,004	42.00	10,320
25.25	5,349	29.50	6,547	33.75	7,794	38.00	9,081	42.25	10,398



## Capacity/Gauge Table Information

**TCLX 290210**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 010

Reporting Mark: TCLX 290210

Date: 15/06/2015

Capacity: 29,002 US Gallons (109,785 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,476	46.75	11,817	51.00	13,172	55.25	14,533	59.50	15,893
42.75	10,555	47.00	11,897	51.25	13,252	55.50	14,613	59.75	15,973
43.00	10,633	47.25	11,976	51.50	13,332	55.75	14,694	60.00	16,053
43.25	10,712	47.50	12,055	51.75	13,412	56.00	14,774	60.25	16,133
43.50	10,790	47.75	12,135	52.00	13,492	56.25	14,854	60.50	16,212
43.75	10,869	48.00	12,215	52.25	13,572	56.50	14,934	60.75	16,292
44.00	10,947	48.25	12,294	52.50	13,652	56.75	15,014	61.00	16,372
44.25	11,026	48.50	12,374	52.75	13,732	57.00	15,094	61.25	16,451
44.50	11,105	48.75	12,453	53.00	13,812	57.25	15,174	61.50	16,531
44.75	11,184	49.00	12,533	53.25	13,892	57.50	15,254	61.75	16,610
45.00	11,263	49.25	12,613	53.50	13,973	57.75	15,334	62.00	16,690
45.25	11,342	49.50	12,693	53.75	14,053	58.00	15,414	62.25	16,769
45.50	11,421	49.75	12,773	54.00	14,133	58.25	15,494	62.50	16,848
45.75	11,500	50.00	12,852	54.25	14,213	58.50	15,574	62.75	16,928
46.00	11,579	50.25	12,932	54.50	14,293	58.75	15,654	63.00	17,007
46.25	11,658	50.50	13,012	54.75	14,373	59.00	15,734	63.25	17,086
46.50	11,738	50.75	13,092	55.00	14,453	59.25	15,813	63.50	17,165





## Capacity/Gauge Table Information

**TCLX 290210**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 010

Reporting Mark: TCLX 290210

Date: 15/06/2015

Capacity: 29,002 US Gallons (109,785 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,244	68.00	18,579	72.25	19,888	76.50	21,165	80.75	22,399
64.00	17,323	68.25	18,656	72.50	19,964	76.75	21,238	81.00	22,470
64.25	17,402	68.50	18,734	72.75	20,040	77.00	21,312	81.25	22,541
64.50	17,481	68.75	18,812	73.00	20,116	77.25	21,386	81.50	22,612
64.75	17,560	69.00	18,889	73.25	20,192	77.50	21,459	81.75	22,682
65.00	17,639	69.25	18,967	73.50	20,267	77.75	21,532	82.00	22,752
65.25	17,718	69.50	19,044	73.75	20,343	78.00	21,605	82.25	22,823
65.50	17,796	69.75	19,121	74.00	20,418	78.25	21,678	82.50	22,893
65.75	17,875	70.00	19,198	74.25	20,493	78.50	21,751	82.75	22,962
66.00	17,953	70.25	19,275	74.50	20,569	78.75	21,824	83.00	23,032
66.25	18,032	70.50	19,352	74.75	20,644	79.00	21,896	83.25	23,101
66.50	18,110	70.75	19,429	75.00	20,718	79.25	21,969	83.50	23,171
66.75	18,188	71.00	19,506	75.25	20,793	79.50	22,041	83.75	23,240
67.00	18,267	71.25	19,583	75.50	20,868	79.75	22,113	84.00	23,308
67.25	18,345	71.50	19,659	75.75	20,942	80.00	22,184	84.25	23,377
67.50	18,423	71.75	19,736	76.00	21,016	80.25	22,256	84.50	23,445
67.75	18,501	72.00	19,812	76.25	21,091	80.50	22,328	84.75	23,513



## Capacity/Gauge Table Information

**TCLX 290210**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 010

Reporting Mark: TCLX 290210

Date: 15/06/2015

Capacity: 29,002 US Gallons (109,785 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,581	89.25	24,701	93.50	25,746	97.75	26,700	102.00	27,545
85.25	23,649	89.50	24,765	93.75	25,804	98.00	26,753	102.25	27,590
85.50	23,717	89.75	24,828	94.00	25,863	98.25	26,805	102.50	27,636
85.75	23,784	90.00	24,891	94.25	25,921	98.50	26,858	102.75	27,680
86.00	23,851	90.25	24,954	94.50	25,979	98.75	26,909	103.00	27,725
86.25	23,918	90.50	25,017	94.75	26,036	99.00	26,961	103.25	27,768
86.50	23,984	90.75	25,079	95.00	26,094	99.25	27,012	103.50	27,812
86.75	24,051	91.00	25,141	95.25	26,151	99.50	27,062	103.75	27,854
87.00	24,117	91.25	25,203	95.50	26,207	99.75	27,112	104.00	27,897
87.25	24,183	91.50	25,264	95.75	26,263	100.00	27,162	104.25	27,938
87.50	24,248	91.75	25,326	96.00	26,319	100.25	27,212	104.50	27,980
87.75	24,314	92.00	25,386	96.25	26,375	100.50	27,260	104.75	28,020
88.00	24,379	92.25	25,447	96.50	26,430	100.75	27,309	105.00	28,060
88.25	24,444	92.50	25,507	96.75	26,484	101.00	27,357	105.25	28,100
88.50	24,509	92.75	25,567	97.00	26,539	101.25	27,405	105.50	28,139
88.75	24,573	93.00	25,627	97.25	26,593	101.50	27,452	105.75	28,177
89.00	24,637	93.25	25,687	97.50	26,647	101.75	27,498	106.00	28,215



## Capacity/Gauge Table Information

**TCLX 290210**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 010

Reporting Mark: TCLX 290210

Date: 15/06/2015

Capacity: 29,002 US Gallons (109,785 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,252	110.50	28,771	114.75	28,989
106.50	28,288	110.75	28,794	115.00	28,992
106.75	28,324	111.00	28,814	115.25	28,996
107.00	28,359	111.25	28,834	115.50	28,998
107.25	28,394	111.50	28,853	115.75	29,000
107.50	28,428	111.75	28,870	116.00	29,001
107.75	28,461	112.00	28,886	116.25	29,002
108.00	28,493	112.25	28,900	116.50	29,002
108.25	28,525	112.50	28,914	116.75	29,002
108.50	28,556	112.75	28,926		
108.75	28,586	113.00	28,937		
109.00	28,615	113.25	28,948		
109.25	28,643	113.50	28,957		
109.50	28,671	113.75	28,965		
109.75	28,697	114.00	28,972		
110.00	28,723	114.25	28,979		
110.25	28,748	114.50	28,984		



## Capacity/Gauge Table Information

**TCLX 290211**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 011

Reporting Mark: TCLX 290211

Date: 27/05/2015

Capacity: 29,005 US Gallons (109,797 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,335	12.75	2,216	17.00	3,201
0.25	28	4.50	622	8.75	1,383	13.00	2,271	17.25	3,262
0.50	57	4.75	663	9.00	1,432	13.25	2,327	17.50	3,323
0.75	87	5.00	704	9.25	1,482	13.50	2,383	17.75	3,384
1.00	118	5.25	746	9.50	1,532	13.75	2,439	18.00	3,446
1.25	149	5.50	788	9.75	1,582	14.00	2,496	18.25	3,508
1.50	182	5.75	831	10.00	1,633	14.25	2,553	18.50	3,570
1.75	215	6.00	874	10.25	1,684	14.50	2,610	18.75	3,632
2.00	248	6.25	918	10.50	1,735	14.75	2,668	19.00	3,695
2.25	283	6.50	963	10.75	1,787	15.00	2,726	19.25	3,758
2.50	318	6.75	1,007	11.00	1,839	15.25	2,784	19.50	3,821
2.75	354	7.00	1,053	11.25	1,892	15.50	2,843	19.75	3,885
3.00	390	7.25	1,099	11.50	1,945	15.75	2,902	20.00	3,949
3.25	427	7.50	1,145	11.75	1,999	16.00	2,961	20.25	4,013
3.50	465	7.75	1,192	12.00	2,053	16.25	3,021	20.50	4,077
3.75	503	8.00	1,239	12.25	2,107	16.50	3,081	20.75	4,142
4.00	542	8.25	1,287	12.50	2,161	16.75	3,141	21.00	4,206



## Capacity/Gauge Table Information

**TCLX 290211**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 011

Reporting Mark: TCLX 290211

Date: 27/05/2015

Capacity: 29,005 US Gallons (109,797 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,272	25.50	5,413	29.75	6,614	34.00	7,863	38.25	9,151
21.50	4,337	25.75	5,482	30.00	6,686	34.25	7,938	38.50	9,228
21.75	4,402	26.00	5,551	30.25	6,758	34.50	8,013	38.75	9,305
22.00	4,468	26.25	5,621	30.50	6,831	34.75	8,088	39.00	9,382
22.25	4,534	26.50	5,691	30.75	6,904	35.00	8,163	39.25	9,459
22.50	4,600	26.75	5,761	31.00	6,977	35.25	8,238	39.50	9,536
22.75	4,667	27.00	5,831	31.25	7,050	35.50	8,314	39.75	9,614
23.00	4,734	27.25	5,901	31.50	7,123	35.75	8,389	40.00	9,691
23.25	4,801	27.50	5,971	31.75	7,196	36.00	8,465	40.25	9,769
23.50	4,868	27.75	6,042	32.00	7,270	36.25	8,541	40.50	9,846
23.75	4,935	28.00	6,113	32.25	7,343	36.50	8,617	40.75	9,924
24.00	5,003	28.25	6,184	32.50	7,417	36.75	8,693	41.00	10,002
24.25	5,071	28.50	6,255	32.75	7,491	37.00	8,769	41.25	10,080
24.50	5,139	28.75	6,326	33.00	7,565	37.25	8,845	41.50	10,157
24.75	5,207	29.00	6,398	33.25	7,639	37.50	8,922	41.75	10,235
25.00	5,276	29.25	6,470	33.50	7,714	37.75	8,998	42.00	10,314
25.25	5,344	29.50	6,542	33.75	7,788	38.00	9,075	42.25	10,392



## Capacity/Gauge Table Information

**TCLX 290211**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 011

Reporting Mark: TCLX 290211

Date: 27/05/2015

Capacity: 29,005 US Gallons (109,797 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,470	46.75	11,811	51.00	13,166	55.25	14,527	59.50	15,887
42.75	10,548	47.00	11,890	51.25	13,246	55.50	14,607	59.75	15,967
43.00	10,627	47.25	11,970	51.50	13,326	55.75	14,687	60.00	16,047
43.25	10,705	47.50	12,049	51.75	13,406	56.00	14,767	60.25	16,126
43.50	10,784	47.75	12,129	52.00	13,486	56.25	14,847	60.50	16,206
43.75	10,862	48.00	12,208	52.25	13,566	56.50	14,927	60.75	16,286
44.00	10,941	48.25	12,288	52.50	13,646	56.75	15,008	61.00	16,365
44.25	11,020	48.50	12,367	52.75	13,726	57.00	15,088	61.25	16,445
44.50	11,099	48.75	12,447	53.00	13,806	57.25	15,168	61.50	16,524
44.75	11,178	49.00	12,527	53.25	13,886	57.50	15,248	61.75	16,604
45.00	11,257	49.25	12,607	53.50	13,966	57.75	15,328	62.00	16,683
45.25	11,336	49.50	12,686	53.75	14,046	58.00	15,408	62.25	16,763
45.50	11,415	49.75	12,766	54.00	14,126	58.25	15,488	62.50	16,842
45.75	11,494	50.00	12,846	54.25	14,207	58.50	15,568	62.75	16,922
46.00	11,573	50.25	12,926	54.50	14,287	58.75	15,647	63.00	17,001
46.25	11,652	50.50	13,006	54.75	14,367	59.00	15,727	63.25	17,080
46.50	11,731	50.75	13,086	55.00	14,447	59.25	15,807	63.50	17,159



## Capacity/Gauge Table Information

**TCLX 290211**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 011

Reporting Mark: TCLX 290211

Date: 27/05/2015

Capacity: 29,005 US Gallons (109,797 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,238	68.00	18,573	72.25	19,882	76.50	21,159	80.75	22,394
64.00	17,317	68.25	18,651	72.50	19,959	76.75	21,233	81.00	22,465
64.25	17,396	68.50	18,728	72.75	20,035	77.00	21,307	81.25	22,536
64.50	17,475	68.75	18,806	73.00	20,110	77.25	21,380	81.50	22,607
64.75	17,554	69.00	18,883	73.25	20,186	77.50	21,454	81.75	22,677
65.00	17,633	69.25	18,961	73.50	20,262	77.75	21,527	82.00	22,748
65.25	17,712	69.50	19,038	73.75	20,337	78.00	21,600	82.25	22,818
65.50	17,790	69.75	19,115	74.00	20,413	78.25	21,673	82.50	22,888
65.75	17,869	70.00	19,193	74.25	20,488	78.50	21,746	82.75	22,958
66.00	17,947	70.25	19,270	74.50	20,563	78.75	21,819	83.00	23,027
66.25	18,026	70.50	19,347	74.75	20,638	79.00	21,891	83.25	23,097
66.50	18,104	70.75	19,424	75.00	20,713	79.25	21,964	83.50	23,166
66.75	18,182	71.00	19,500	75.25	20,788	79.50	22,036	83.75	23,235
67.00	18,261	71.25	19,577	75.50	20,862	79.75	22,108	84.00	23,304
67.25	18,339	71.50	19,654	75.75	20,937	80.00	22,179	84.25	23,372
67.50	18,417	71.75	19,730	76.00	21,011	80.25	22,251	84.50	23,441
67.75	18,495	72.00	19,806	76.25	21,085	80.50	22,323	84.75	23,509





## Capacity/Gauge Table Information

**TCLX 290211**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 011

Reporting Mark: TCLX 290211

Date: 27/05/2015

Capacity: 29,005 US Gallons (109,797 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,577	89.25	24,697	93.50	25,742	97.75	26,697	102.00	27,543
85.25	23,645	89.50	24,761	93.75	25,801	98.00	26,750	102.25	27,589
85.50	23,712	89.75	24,824	94.00	25,860	98.25	26,803	102.50	27,634
85.75	23,779	90.00	24,887	94.25	25,918	98.50	26,855	102.75	27,679
86.00	23,846	90.25	24,950	94.50	25,976	98.75	26,907	103.00	27,723
86.25	23,913	90.50	25,013	94.75	26,033	99.00	26,958	103.25	27,767
86.50	23,980	90.75	25,075	95.00	26,091	99.25	27,009	103.50	27,810
86.75	24,046	91.00	25,137	95.25	26,147	99.50	27,060	103.75	27,853
87.00	24,113	91.25	25,199	95.50	26,204	99.75	27,110	104.00	27,895
87.25	24,178	91.50	25,261	95.75	26,260	100.00	27,160	104.25	27,937
87.50	24,244	91.75	25,322	96.00	26,316	100.25	27,209	104.50	27,978
87.75	24,310	92.00	25,383	96.25	26,372	100.50	27,258	104.75	28,019
88.00	24,375	92.25	25,444	96.50	26,427	100.75	27,307	105.00	28,059
88.25	24,440	92.50	25,504	96.75	26,482	101.00	27,355	105.25	28,099
88.50	24,504	92.75	25,564	97.00	26,536	101.25	27,403	105.50	28,138
88.75	24,569	93.00	25,624	97.25	26,590	101.50	27,450	105.75	28,176
89.00	24,633	93.25	25,683	97.50	26,644	101.75	27,496	106.00	28,214



## Capacity/Gauge Table Information

**TCLX 290211**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 011

Reporting Mark: TCLX 290211

Date: 27/05/2015

Capacity: 29,005 US Gallons (109,797 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,251	110.50	28,772	114.75	28,992
106.50	28,288	110.75	28,795	115.00	28,996
106.75	28,324	111.00	28,816	115.25	28,999
107.00	28,359	111.25	28,836	115.50	29,001
107.25	28,393	111.50	28,854	115.75	29,003
107.50	28,427	111.75	28,872	116.00	29,004
107.75	28,460	112.00	28,888	116.25	29,005
108.00	28,493	112.25	28,902	116.50	29,005
108.25	28,525	112.50	28,916	116.75	29,005
108.50	28,556	112.75	28,929		
108.75	28,586	113.00	28,940		
109.00	28,615	113.25	28,950		
109.25	28,644	113.50	28,960		
109.50	28,671	113.75	28,968		
109.75	28,698	114.00	28,975		
110.00	28,724	114.25	28,982		
110.25	28,749	114.50	28,987		



## Capacity/Gauge Table Information

**TCLX 290212**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 012

Reporting Mark: TCLX 290212

Date: 27/05/2015

Capacity: 28,991 US Gallons (109,743 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,341	12.75	2,224	17.00	3,211
0.25	28	4.50	626	8.75	1,390	13.00	2,280	17.25	3,272
0.50	58	4.75	667	9.00	1,439	13.25	2,335	17.50	3,333
0.75	88	5.00	708	9.25	1,488	13.50	2,392	17.75	3,394
1.00	119	5.25	750	9.50	1,538	13.75	2,448	18.00	3,456
1.25	151	5.50	792	9.75	1,589	14.00	2,505	18.25	3,518
1.50	183	5.75	835	10.00	1,640	14.25	2,562	18.50	3,580
1.75	216	6.00	879	10.25	1,691	14.50	2,619	18.75	3,643
2.00	250	6.25	923	10.50	1,742	14.75	2,677	19.00	3,706
2.25	285	6.50	967	10.75	1,794	15.00	2,735	19.25	3,769
2.50	320	6.75	1,012	11.00	1,847	15.25	2,793	19.50	3,832
2.75	356	7.00	1,058	11.25	1,900	15.50	2,852	19.75	3,896
3.00	393	7.25	1,104	11.50	1,953	15.75	2,911	20.00	3,960
3.25	430	7.50	1,150	11.75	2,006	16.00	2,971	20.25	4,024
3.50	468	7.75	1,197	12.00	2,060	16.25	3,030	20.50	4,088
3.75	507	8.00	1,245	12.25	2,115	16.50	3,090	20.75	4,153
4.00	546	8.25	1,293	12.50	2,169	16.75	3,150	21.00	4,218



## Capacity/Gauge Table Information

**TCLX 290212**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 012

Reporting Mark: TCLX 290212

Date: 27/05/2015

Capacity: 28,991 US Gallons (109,743 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,283	25.50	5,425	29.75	6,627	34.00	7,877	38.25	9,166
21.50	4,348	25.75	5,494	30.00	6,699	34.25	7,952	38.50	9,242
21.75	4,414	26.00	5,564	30.25	6,772	34.50	8,027	38.75	9,319
22.00	4,480	26.25	5,633	30.50	6,844	34.75	8,102	39.00	9,396
22.25	4,546	26.50	5,703	30.75	6,917	35.00	8,177	39.25	9,474
22.50	4,612	26.75	5,773	31.00	6,990	35.25	8,252	39.50	9,551
22.75	4,679	27.00	5,843	31.25	7,063	35.50	8,328	39.75	9,628
23.00	4,745	27.25	5,914	31.50	7,136	35.75	8,403	40.00	9,706
23.25	4,812	27.50	5,984	31.75	7,210	36.00	8,479	40.25	9,783
23.50	4,880	27.75	6,055	32.00	7,283	36.25	8,555	40.50	9,861
23.75	4,947	28.00	6,126	32.25	7,357	36.50	8,631	40.75	9,938
24.00	5,015	28.25	6,197	32.50	7,431	36.75	8,707	41.00	10,016
24.25	5,083	28.50	6,268	32.75	7,505	37.00	8,783	41.25	10,094
24.50	5,151	28.75	6,339	33.00	7,579	37.25	8,859	41.50	10,172
24.75	5,219	29.00	6,411	33.25	7,653	37.50	8,936	41.75	10,250
25.00	5,288	29.25	6,483	33.50	7,728	37.75	9,012	42.00	10,328
25.25	5,356	29.50	6,555	33.75	7,802	38.00	9,089	42.25	10,406



## Capacity/Gauge Table Information

**TCLX 290212**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 012

Reporting Mark: TCLX 290212

Date: 27/05/2015

Capacity: 28,991 US Gallons (109,743 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,485	46.75	11,826	51.00	13,180	55.25	14,542	59.50	15,901
42.75	10,563	47.00	11,905	51.25	13,260	55.50	14,622	59.75	15,981
43.00	10,641	47.25	11,984	51.50	13,340	55.75	14,702	60.00	16,061
43.25	10,720	47.50	12,064	51.75	13,420	56.00	14,782	60.25	16,141
43.50	10,798	47.75	12,143	52.00	13,500	56.25	14,862	60.50	16,220
43.75	10,877	48.00	12,223	52.25	13,580	56.50	14,942	60.75	16,300
44.00	10,956	48.25	12,303	52.50	13,660	56.75	15,022	61.00	16,379
44.25	11,035	48.50	12,382	52.75	13,741	57.00	15,102	61.25	16,459
44.50	11,113	48.75	12,462	53.00	13,821	57.25	15,182	61.50	16,539
44.75	11,192	49.00	12,542	53.25	13,901	57.50	15,262	61.75	16,618
45.00	11,271	49.25	12,621	53.50	13,981	57.75	15,342	62.00	16,697
45.25	11,350	49.50	12,701	53.75	14,061	58.00	15,422	62.25	16,777
45.50	11,429	49.75	12,781	54.00	14,141	58.25	15,502	62.50	16,856
45.75	11,508	50.00	12,861	54.25	14,221	58.50	15,582	62.75	16,935
46.00	11,588	50.25	12,941	54.50	14,301	58.75	15,662	63.00	17,015
46.25	11,667	50.50	13,021	54.75	14,381	59.00	15,742	63.25	17,094
46.50	11,746	50.75	13,100	55.00	14,461	59.25	15,821	63.50	17,173



## Capacity/Gauge Table Information

**TCLX 290212**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 012

Reporting Mark: TCLX 290212

Date: 27/05/2015

Capacity: 28,991 US Gallons (109,743 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,252	68.00	18,586	72.25	19,895	76.50	21,171	80.75	22,404
64.00	17,331	68.25	18,664	72.50	19,971	76.75	21,244	81.00	22,475
64.25	17,410	68.50	18,741	72.75	20,047	77.00	21,318	81.25	22,546
64.50	17,489	68.75	18,819	73.00	20,123	77.25	21,392	81.50	22,617
64.75	17,568	69.00	18,896	73.25	20,198	77.50	21,465	81.75	22,687
65.00	17,646	69.25	18,974	73.50	20,274	77.75	21,538	82.00	22,757
65.25	17,725	69.50	19,051	73.75	20,349	78.00	21,611	82.25	22,828
65.50	17,804	69.75	19,128	74.00	20,425	78.25	21,684	82.50	22,897
65.75	17,882	70.00	19,205	74.25	20,500	78.50	21,757	82.75	22,967
66.00	17,961	70.25	19,282	74.50	20,575	78.75	21,829	83.00	23,037
66.25	18,039	70.50	19,359	74.75	20,650	79.00	21,902	83.25	23,106
66.50	18,117	70.75	19,436	75.00	20,725	79.25	21,974	83.50	23,175
66.75	18,196	71.00	19,513	75.25	20,799	79.50	22,046	83.75	23,244
67.00	18,274	71.25	19,590	75.50	20,874	79.75	22,118	84.00	23,313
67.25	18,352	71.50	19,666	75.75	20,948	80.00	22,190	84.25	23,381
67.50	18,430	71.75	19,742	76.00	21,022	80.25	22,261	84.50	23,450
67.75	18,508	72.00	19,819	76.25	21,097	80.50	22,333	84.75	23,518



## Capacity/Gauge Table Information

**TCLX 290212**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 012

Reporting Mark: TCLX 290212

Date: 27/05/2015

Capacity: 28,991 US Gallons (109,743 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,586	89.25	24,704	93.50	25,748	97.75	26,700	102.00	27,543
85.25	23,653	89.50	24,768	93.75	25,806	98.00	26,753	102.25	27,589
85.50	23,721	89.75	24,831	94.00	25,865	98.25	26,806	102.50	27,634
85.75	23,788	90.00	24,894	94.25	25,923	98.50	26,858	102.75	27,679
86.00	23,855	90.25	24,957	94.50	25,981	98.75	26,909	103.00	27,723
86.25	23,922	90.50	25,020	94.75	26,038	99.00	26,961	103.25	27,766
86.50	23,988	90.75	25,082	95.00	26,095	99.25	27,012	103.50	27,810
86.75	24,055	91.00	25,144	95.25	26,152	99.50	27,062	103.75	27,852
87.00	24,121	91.25	25,206	95.50	26,208	99.75	27,112	104.00	27,894
87.25	24,186	91.50	25,267	95.75	26,264	100.00	27,162	104.25	27,936
87.50	24,252	91.75	25,328	96.00	26,320	100.25	27,211	104.50	27,977
87.75	24,317	92.00	25,389	96.25	26,376	100.50	27,260	104.75	28,017
88.00	24,383	92.25	25,449	96.50	26,431	100.75	27,308	105.00	28,057
88.25	24,447	92.50	25,510	96.75	26,485	101.00	27,356	105.25	28,097
88.50	24,512	92.75	25,570	97.00	26,540	101.25	27,404	105.50	28,135
88.75	24,576	93.00	25,629	97.25	26,594	101.50	27,451	105.75	28,174
89.00	24,640	93.25	25,689	97.50	26,647	101.75	27,497	106.00	28,211





## Capacity/Gauge Table Information

**TCLX 290212**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 012

Reporting Mark: TCLX 290212

Date: 27/05/2015

Capacity: 28,991 US Gallons (109,743 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,248	110.50	28,764	114.75	28,978
106.50	28,284	110.75	28,786	115.00	28,981
106.75	28,320	111.00	28,806	115.25	28,984
107.00	28,355	111.25	28,826	115.50	28,987
107.25	28,389	111.50	28,844	115.75	28,989
107.50	28,423	111.75	28,861	116.00	28,990
107.75	28,456	112.00	28,876	116.25	28,990
108.00	28,488	112.25	28,891	116.50	28,991
108.25	28,520	112.50	28,904	116.75	28,991
108.50	28,550	112.75	28,916		
108.75	28,580	113.00	28,927		
109.00	28,609	113.25	28,937		
109.25	28,637	113.50	28,946		
109.50	28,665	113.75	28,954		
109.75	28,691	114.00	28,962		
110.00	28,716	114.25	28,968		
110.25	28,741	114.50	28,973		



## Capacity/Gauge Table Information

**TCLX 290213**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 013

Reporting Mark: TCLX 290213

Date: 12/06/2015

Capacity: 29,017 US Gallons (109,841 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	577	8.50	1,326	12.75	2,204	17.00	3,187
0.25	28	4.50	617	8.75	1,374	13.00	2,259	17.25	3,247
0.50	57	4.75	657	9.00	1,423	13.25	2,315	17.50	3,308
0.75	86	5.00	698	9.25	1,472	13.50	2,371	17.75	3,369
1.00	116	5.25	740	9.50	1,522	13.75	2,427	18.00	3,431
1.25	148	5.50	782	9.75	1,572	14.00	2,483	18.25	3,493
1.50	180	5.75	824	10.00	1,623	14.25	2,540	18.50	3,555
1.75	212	6.00	867	10.25	1,674	14.50	2,597	18.75	3,617
2.00	246	6.25	911	10.50	1,725	14.75	2,655	19.00	3,680
2.25	280	6.50	955	10.75	1,777	15.00	2,713	19.25	3,742
2.50	315	6.75	1,000	11.00	1,829	15.25	2,771	19.50	3,806
2.75	350	7.00	1,045	11.25	1,881	15.50	2,829	19.75	3,869
3.00	387	7.25	1,091	11.50	1,934	15.75	2,888	20.00	3,933
3.25	423	7.50	1,137	11.75	1,987	16.00	2,947	20.25	3,997
3.50	461	7.75	1,183	12.00	2,041	16.25	3,007	20.50	4,061
3.75	499	8.00	1,230	12.25	2,095	16.50	3,066	20.75	4,125
4.00	538	8.25	1,278	12.50	2,149	16.75	3,126	21.00	4,190



## Capacity/Gauge Table Information

**TCLX 290213**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 013

Reporting Mark: TCLX 290213

Date: 12/06/2015

Capacity: 29,017 US Gallons (109,841 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,255	25.50	5,395	29.75	6,594	34.00	7,842	38.25	9,129
21.50	4,320	25.75	5,464	30.00	6,666	34.25	7,917	38.50	9,206
21.75	4,386	26.00	5,533	30.25	6,738	34.50	7,991	38.75	9,283
22.00	4,451	26.25	5,602	30.50	6,811	34.75	8,066	39.00	9,360
22.25	4,517	26.50	5,672	30.75	6,883	35.00	8,142	39.25	9,437
22.50	4,583	26.75	5,742	31.00	6,956	35.25	8,217	39.50	9,514
22.75	4,650	27.00	5,812	31.25	7,029	35.50	8,292	39.75	9,591
23.00	4,716	27.25	5,882	31.50	7,102	35.75	8,368	40.00	9,669
23.25	4,783	27.50	5,952	31.75	7,176	36.00	8,443	40.25	9,746
23.50	4,850	27.75	6,023	32.00	7,249	36.25	8,519	40.50	9,824
23.75	4,917	28.00	6,094	32.25	7,323	36.50	8,595	40.75	9,901
24.00	4,985	28.25	6,164	32.50	7,396	36.75	8,671	41.00	9,979
24.25	5,053	28.50	6,236	32.75	7,470	37.00	8,747	41.25	10,057
24.50	5,121	28.75	6,307	33.00	7,544	37.25	8,823	41.50	10,135
24.75	5,189	29.00	6,378	33.25	7,618	37.50	8,900	41.75	10,213
25.00	5,257	29.25	6,450	33.50	7,693	37.75	8,976	42.00	10,291
25.25	5,326	29.50	6,522	33.75	7,767	38.00	9,053	42.25	10,369



## Capacity/Gauge Table Information

**TCLX 290213**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 013

Reporting Mark: TCLX 290213

Date: 12/06/2015

Capacity: 29,017 US Gallons (109,841 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,447	46.75	11,787	51.00	13,142	55.25	14,503	59.50	15,863
42.75	10,525	47.00	11,867	51.25	13,222	55.50	14,583	59.75	15,943
43.00	10,604	47.25	11,946	51.50	13,302	55.75	14,663	60.00	16,023
43.25	10,682	47.50	12,026	51.75	13,382	56.00	14,743	60.25	16,103
43.50	10,761	47.75	12,105	52.00	13,462	56.25	14,824	60.50	16,182
43.75	10,839	48.00	12,185	52.25	13,542	56.50	14,904	60.75	16,262
44.00	10,918	48.25	12,264	52.50	13,622	56.75	14,984	61.00	16,342
44.25	10,997	48.50	12,344	52.75	13,702	57.00	15,064	61.25	16,421
44.50	11,076	48.75	12,423	53.00	13,782	57.25	15,144	61.50	16,501
44.75	11,154	49.00	12,503	53.25	13,862	57.50	15,224	61.75	16,580
45.00	11,233	49.25	12,583	53.50	13,942	57.75	15,304	62.00	16,660
45.25	11,312	49.50	12,663	53.75	14,022	58.00	15,384	62.25	16,739
45.50	11,391	49.75	12,742	54.00	14,103	58.25	15,464	62.50	16,819
45.75	11,470	50.00	12,822	54.25	14,183	58.50	15,544	62.75	16,898
46.00	11,550	50.25	12,902	54.50	14,263	58.75	15,624	63.00	16,977
46.25	11,629	50.50	12,982	54.75	14,343	59.00	15,704	63.25	17,056
46.50	11,708	50.75	13,062	55.00	14,423	59.25	15,783	63.50	17,136



## Capacity/Gauge Table Information

**TCLX 290213**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 013

Reporting Mark: TCLX 290213

Date: 12/06/2015

Capacity: 29,017 US Gallons (109,841 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,215	68.00	18,550	72.25	19,860	76.50	21,138	80.75	22,374
64.00	17,294	68.25	18,628	72.50	19,937	76.75	21,212	81.00	22,445
64.25	17,373	68.50	18,705	72.75	20,013	77.00	21,286	81.25	22,516
64.50	17,452	68.75	18,783	73.00	20,088	77.25	21,359	81.50	22,587
64.75	17,531	69.00	18,861	73.25	20,164	77.50	21,433	81.75	22,658
65.00	17,609	69.25	18,938	73.50	20,240	77.75	21,506	82.00	22,728
65.25	17,688	69.50	19,016	73.75	20,316	78.00	21,580	82.25	22,798
65.50	17,767	69.75	19,093	74.00	20,391	78.25	21,653	82.50	22,869
65.75	17,846	70.00	19,170	74.25	20,466	78.50	21,725	82.75	22,938
66.00	17,924	70.25	19,247	74.50	20,541	78.75	21,798	83.00	23,008
66.25	18,003	70.50	19,324	74.75	20,616	79.00	21,871	83.25	23,078
66.50	18,081	70.75	19,401	75.00	20,691	79.25	21,943	83.50	23,147
66.75	18,159	71.00	19,478	75.25	20,766	79.50	22,015	83.75	23,216
67.00	18,238	71.25	19,555	75.50	20,841	79.75	22,087	84.00	23,285
67.25	18,316	71.50	19,631	75.75	20,915	80.00	22,159	84.25	23,354
67.50	18,394	71.75	19,708	76.00	20,990	80.25	22,231	84.50	23,422
67.75	18,472	72.00	19,784	76.25	21,064	80.50	22,303	84.75	23,490



## Capacity/Gauge Table Information

**TCLX 290213**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 013

Reporting Mark: TCLX 290213

Date: 12/06/2015

Capacity: 29,017 US Gallons (109,841 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,559	89.25	24,681	93.50	25,728	97.75	26,686	102.00	27,535
85.25	23,626	89.50	24,745	93.75	25,787	98.00	26,739	102.25	27,581
85.50	23,694	89.75	24,808	94.00	25,846	98.25	26,792	102.50	27,626
85.75	23,761	90.00	24,871	94.25	25,904	98.50	26,844	102.75	27,671
86.00	23,829	90.25	24,934	94.50	25,962	98.75	26,896	103.00	27,716
86.25	23,896	90.50	24,997	94.75	26,020	99.00	26,948	103.25	27,760
86.50	23,962	90.75	25,060	95.00	26,077	99.25	26,999	103.50	27,804
86.75	24,029	91.00	25,122	95.25	26,134	99.50	27,050	103.75	27,847
87.00	24,095	91.25	25,184	95.50	26,191	99.75	27,100	104.00	27,889
87.25	24,161	91.50	25,245	95.75	26,247	100.00	27,150	104.25	27,931
87.50	24,227	91.75	25,307	96.00	26,304	100.25	27,200	104.50	27,973
87.75	24,292	92.00	25,368	96.25	26,359	100.50	27,249	104.75	28,014
88.00	24,358	92.25	25,429	96.50	26,415	100.75	27,298	105.00	28,054
88.25	24,423	92.50	25,489	96.75	26,470	101.00	27,346	105.25	28,094
88.50	24,488	92.75	25,549	97.00	26,524	101.25	27,394	105.50	28,133
88.75	24,552	93.00	25,609	97.25	26,578	101.50	27,441	105.75	28,172
89.00	24,617	93.25	25,669	97.50	26,632	101.75	27,488	106.00	28,210



## Capacity/Gauge Table Information

**TCLX 290213**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 013

Reporting Mark: TCLX 290213

Date: 12/06/2015

Capacity: 29,017 US Gallons (109,841 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,248	110.50	28,776	114.75	29,003
106.50	28,284	110.75	28,799	115.00	29,007
106.75	28,321	111.00	28,821	115.25	29,010
107.00	28,356	111.25	28,841	115.50	29,013
107.25	28,391	111.50	28,860	115.75	29,014
107.50	28,425	111.75	28,878	116.00	29,016
107.75	28,459	112.00	28,895	116.25	29,016
108.00	28,492	112.25	28,910	116.50	29,017
108.25	28,524	112.50	28,924	116.75	29,017
108.50	28,555	112.75	28,937		
108.75	28,586	113.00	28,949		
109.00	28,615	113.25	28,960		
109.25	28,644	113.50	28,970		
109.50	28,673	113.75	28,978		
109.75	28,700	114.00	28,986		
110.00	28,726	114.25	28,992		
110.25	28,751	114.50	28,998		





## Capacity/Gauge Table Information

**TCLX 290214**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 014

Reporting Mark: TCLX 290214

Date: 12/06/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,345	12.75	2,231	17.00	3,219
0.25	29	4.50	628	8.75	1,394	13.00	2,286	17.25	3,280
0.50	58	4.75	669	9.00	1,444	13.25	2,342	17.50	3,341
0.75	88	5.00	711	9.25	1,493	13.50	2,398	17.75	3,402
1.00	120	5.25	753	9.50	1,543	13.75	2,455	18.00	3,464
1.25	151	5.50	796	9.75	1,594	14.00	2,511	18.25	3,526
1.50	184	5.75	839	10.00	1,645	14.25	2,569	18.50	3,589
1.75	217	6.00	882	10.25	1,696	14.50	2,626	18.75	3,651
2.00	252	6.25	927	10.50	1,748	14.75	2,684	19.00	3,714
2.25	286	6.50	971	10.75	1,800	15.00	2,742	19.25	3,777
2.50	322	6.75	1,016	11.00	1,853	15.25	2,801	19.50	3,841
2.75	358	7.00	1,062	11.25	1,905	15.50	2,859	19.75	3,904
3.00	395	7.25	1,108	11.50	1,959	15.75	2,919	20.00	3,968
3.25	432	7.50	1,155	11.75	2,012	16.00	2,978	20.25	4,032
3.50	470	7.75	1,202	12.00	2,066	16.25	3,038	20.50	4,097
3.75	509	8.00	1,249	12.25	2,121	16.50	3,098	20.75	4,162
4.00	548	8.25	1,297	12.50	2,176	16.75	3,158	21.00	4,227



## Capacity/Gauge Table Information

**TCLX 290214**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 014

Reporting Mark: TCLX 290214

Date: 12/06/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,292	25.50	5,435	29.75	6,638	34.00	7,889	38.25	9,178
21.50	4,357	25.75	5,505	30.00	6,710	34.25	7,964	38.50	9,255
21.75	4,423	26.00	5,574	30.25	6,783	34.50	8,039	38.75	9,332
22.00	4,489	26.25	5,644	30.50	6,855	34.75	8,114	39.00	9,409
22.25	4,555	26.50	5,714	30.75	6,928	35.00	8,189	39.25	9,486
22.50	4,621	26.75	5,784	31.00	7,001	35.25	8,264	39.50	9,564
22.75	4,688	27.00	5,854	31.25	7,074	35.50	8,340	39.75	9,641
23.00	4,755	27.25	5,924	31.50	7,148	35.75	8,416	40.00	9,718
23.25	4,822	27.50	5,995	31.75	7,221	36.00	8,491	40.25	9,796
23.50	4,889	27.75	6,065	32.00	7,295	36.25	8,567	40.50	9,874
23.75	4,957	28.00	6,136	32.25	7,368	36.50	8,643	40.75	9,951
24.00	5,025	28.25	6,208	32.50	7,442	36.75	8,719	41.00	10,029
24.25	5,092	28.50	6,279	32.75	7,516	37.00	8,795	41.25	10,107
24.50	5,161	28.75	6,350	33.00	7,591	37.25	8,872	41.50	10,185
24.75	5,229	29.00	6,422	33.25	7,665	37.50	8,948	41.75	10,263
25.00	5,298	29.25	6,494	33.50	7,739	37.75	9,025	42.00	10,341
25.25	5,366	29.50	6,566	33.75	7,814	38.00	9,101	42.25	10,420



## Capacity/Gauge Table Information

**TCLX 290214**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 014

Reporting Mark: TCLX 290214

Date: 12/06/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,498	46.75	11,839	51.00	13,195	55.25	14,556	59.50	15,916
42.75	10,576	47.00	11,919	51.25	13,275	55.50	14,636	59.75	15,996
43.00	10,655	47.25	11,998	51.50	13,355	55.75	14,716	60.00	16,075
43.25	10,733	47.50	12,078	51.75	13,435	56.00	14,796	60.25	16,155
43.50	10,812	47.75	12,157	52.00	13,515	56.25	14,876	60.50	16,235
43.75	10,891	48.00	12,237	52.25	13,595	56.50	14,956	60.75	16,314
44.00	10,969	48.25	12,316	52.50	13,675	56.75	15,036	61.00	16,394
44.25	11,048	48.50	12,396	52.75	13,755	57.00	15,117	61.25	16,474
44.50	11,127	48.75	12,476	53.00	13,835	57.25	15,197	61.50	16,553
44.75	11,206	49.00	12,556	53.25	13,915	57.50	15,277	61.75	16,633
45.00	11,285	49.25	12,635	53.50	13,995	57.75	15,357	62.00	16,712
45.25	11,364	49.50	12,715	53.75	14,075	58.00	15,437	62.25	16,791
45.50	11,443	49.75	12,795	54.00	14,155	58.25	15,517	62.50	16,871
45.75	11,522	50.00	12,875	54.25	14,235	58.50	15,596	62.75	16,950
46.00	11,601	50.25	12,955	54.50	14,316	58.75	15,676	63.00	17,029
46.25	11,681	50.50	13,035	54.75	14,396	59.00	15,756	63.25	17,108
46.50	11,760	50.75	13,115	55.00	14,476	59.25	15,836	63.50	17,188



## Capacity/Gauge Table Information

**TCLX 290214**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 014

Reporting Mark: TCLX 290214

Date: 12/06/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,267	68.00	18,600	72.25	19,909	76.50	21,185	80.75	22,418
64.00	17,346	68.25	18,678	72.50	19,985	76.75	21,258	81.00	22,489
64.25	17,425	68.50	18,756	72.75	20,061	77.00	21,332	81.25	22,559
64.50	17,503	68.75	18,833	73.00	20,137	77.25	21,405	81.50	22,630
64.75	17,582	69.00	18,911	73.25	20,213	77.50	21,479	81.75	22,700
65.00	17,661	69.25	18,988	73.50	20,288	77.75	21,552	82.00	22,771
65.25	17,740	69.50	19,066	73.75	20,364	78.00	21,625	82.25	22,841
65.50	17,818	69.75	19,143	74.00	20,439	78.25	21,698	82.50	22,911
65.75	17,897	70.00	19,220	74.25	20,514	78.50	21,771	82.75	22,980
66.00	17,975	70.25	19,297	74.50	20,589	78.75	21,843	83.00	23,050
66.25	18,054	70.50	19,374	74.75	20,664	79.00	21,916	83.25	23,119
66.50	18,132	70.75	19,451	75.00	20,739	79.25	21,988	83.50	23,188
66.75	18,210	71.00	19,527	75.25	20,813	79.50	22,060	83.75	23,257
67.00	18,288	71.25	19,604	75.50	20,888	79.75	22,132	84.00	23,326
67.25	18,367	71.50	19,680	75.75	20,962	80.00	22,203	84.25	23,394
67.50	18,445	71.75	19,757	76.00	21,037	80.25	22,275	84.50	23,463
67.75	18,523	72.00	19,833	76.25	21,111	80.50	22,346	84.75	23,531



## Capacity/Gauge Table Information

**TCLX 290214**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 014

Reporting Mark: TCLX 290214

Date: 12/06/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,598	89.25	24,716	93.50	25,758	97.75	26,710	102.00	27,551
85.25	23,666	89.50	24,780	93.75	25,817	98.00	26,763	102.25	27,596
85.50	23,733	89.75	24,843	94.00	25,875	98.25	26,815	102.50	27,641
85.75	23,801	90.00	24,906	94.25	25,933	98.50	26,867	102.75	27,686
86.00	23,868	90.25	24,969	94.50	25,991	98.75	26,919	103.00	27,730
86.25	23,934	90.50	25,031	94.75	26,048	99.00	26,970	103.25	27,773
86.50	24,001	90.75	25,093	95.00	26,106	99.25	27,020	103.50	27,817
86.75	24,067	91.00	25,155	95.25	26,162	99.50	27,071	103.75	27,859
87.00	24,133	91.25	25,217	95.50	26,219	99.75	27,121	104.00	27,901
87.25	24,199	91.50	25,278	95.75	26,275	100.00	27,170	104.25	27,942
87.50	24,264	91.75	25,339	96.00	26,330	100.25	27,219	104.50	27,983
87.75	24,330	92.00	25,400	96.25	26,386	100.50	27,268	104.75	28,024
88.00	24,395	92.25	25,461	96.50	26,441	100.75	27,316	105.00	28,063
88.25	24,460	92.50	25,521	96.75	26,495	101.00	27,364	105.25	28,103
88.50	24,524	92.75	25,581	97.00	26,549	101.25	27,412	105.50	28,141
88.75	24,588	93.00	25,640	97.25	26,603	101.50	27,458	105.75	28,179
89.00	24,652	93.25	25,700	97.50	26,657	101.75	27,505	106.00	28,217



## Capacity/Gauge Table Information

**TCLX 290214**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 014

Reporting Mark: TCLX 290214

Date: 12/06/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,253	110.50	28,765	114.75	28,975
106.50	28,290	110.75	28,787	115.00	28,979
106.75	28,325	111.00	28,807	115.25	28,982
107.00	28,360	111.25	28,826	115.50	28,984
107.25	28,394	111.50	28,844	115.75	28,986
107.50	28,427	111.75	28,860	116.00	28,987
107.75	28,460	112.00	28,876	116.25	28,988
108.00	28,492	112.25	28,890	116.50	28,988
108.25	28,523	112.50	28,903	116.75	28,988
108.50	28,554	112.75	28,915		
108.75	28,584	113.00	28,926		
109.00	28,612	113.25	28,936		
109.25	28,640	113.50	28,944		
109.50	28,667	113.75	28,952		
109.75	28,693	114.00	28,959		
110.00	28,718	114.25	28,965		
110.25	28,743	114.50	28,971		



## Capacity/Gauge Table Information

**TCLX 290215**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 015

Reporting Mark: TCLX 290215

Date: 03/06/2015

Capacity: 29,018 US Gallons (109,846 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	581	8.50	1,332	12.75	2,213	17.00	3,198
0.25	28	4.50	621	8.75	1,381	13.00	2,269	17.25	3,259
0.50	57	4.75	661	9.00	1,430	13.25	2,324	17.50	3,320
0.75	87	5.00	702	9.25	1,479	13.50	2,380	17.75	3,381
1.00	117	5.25	744	9.50	1,529	13.75	2,436	18.00	3,443
1.25	149	5.50	786	9.75	1,579	14.00	2,493	18.25	3,504
1.50	181	5.75	829	10.00	1,630	14.25	2,550	18.50	3,567
1.75	214	6.00	872	10.25	1,681	14.50	2,607	18.75	3,629
2.00	248	6.25	916	10.50	1,733	14.75	2,665	19.00	3,692
2.25	282	6.50	961	10.75	1,785	15.00	2,723	19.25	3,755
2.50	317	6.75	1,005	11.00	1,837	15.25	2,781	19.50	3,818
2.75	353	7.00	1,051	11.25	1,890	15.50	2,840	19.75	3,882
3.00	389	7.25	1,097	11.50	1,943	15.75	2,899	20.00	3,945
3.25	426	7.50	1,143	11.75	1,996	16.00	2,958	20.25	4,009
3.50	464	7.75	1,190	12.00	2,050	16.25	3,017	20.50	4,074
3.75	502	8.00	1,237	12.25	2,104	16.50	3,077	20.75	4,138
4.00	541	8.25	1,284	12.50	2,158	16.75	3,137	21.00	4,203





## Capacity/Gauge Table Information

**TCLX 290215**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 015

Reporting Mark: TCLX 290215

Date: 03/06/2015

Capacity: 29,018 US Gallons (109,846 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,268	25.50	5,410	29.75	6,610	34.00	7,860	38.25	9,148
21.50	4,333	25.75	5,479	30.00	6,683	34.25	7,935	38.50	9,225
21.75	4,399	26.00	5,548	30.25	6,755	34.50	8,009	38.75	9,302
22.00	4,465	26.25	5,617	30.50	6,828	34.75	8,085	39.00	9,379
22.25	4,531	26.50	5,687	30.75	6,900	35.00	8,160	39.25	9,456
22.50	4,597	26.75	5,757	31.00	6,973	35.25	8,235	39.50	9,534
22.75	4,664	27.00	5,827	31.25	7,046	35.50	8,311	39.75	9,611
23.00	4,730	27.25	5,897	31.50	7,119	35.75	8,386	40.00	9,688
23.25	4,797	27.50	5,968	31.75	7,193	36.00	8,462	40.25	9,766
23.50	4,864	27.75	6,039	32.00	7,266	36.25	8,538	40.50	9,843
23.75	4,932	28.00	6,109	32.25	7,340	36.50	8,614	40.75	9,921
24.00	4,999	28.25	6,180	32.50	7,414	36.75	8,690	41.00	9,999
24.25	5,067	28.50	6,252	32.75	7,488	37.00	8,766	41.25	10,077
24.50	5,135	28.75	6,323	33.00	7,562	37.25	8,842	41.50	10,155
24.75	5,204	29.00	6,395	33.25	7,636	37.50	8,919	41.75	10,233
25.00	5,272	29.25	6,466	33.50	7,711	37.75	8,995	42.00	10,311
25.25	5,341	29.50	6,538	33.75	7,785	38.00	9,072	42.25	10,389



## Capacity/Gauge Table Information

**TCLX 290215**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 015

Reporting Mark: TCLX 290215

Date: 03/06/2015

Capacity: 29,018 US Gallons (109,846 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,467	46.75	11,809	51.00	13,164	55.25	14,526	59.50	15,887
42.75	10,546	47.00	11,888	51.25	13,244	55.50	14,606	59.75	15,966
43.00	10,624	47.25	11,967	51.50	13,324	55.75	14,686	60.00	16,046
43.25	10,703	47.50	12,047	51.75	13,404	56.00	14,766	60.25	16,126
43.50	10,781	47.75	12,127	52.00	13,484	56.25	14,846	60.50	16,206
43.75	10,860	48.00	12,206	52.25	13,564	56.50	14,927	60.75	16,285
44.00	10,939	48.25	12,286	52.50	13,644	56.75	15,007	61.00	16,365
44.25	11,017	48.50	12,365	52.75	13,724	57.00	15,087	61.25	16,445
44.50	11,096	48.75	12,445	53.00	13,805	57.25	15,167	61.50	16,524
44.75	11,175	49.00	12,525	53.25	13,885	57.50	15,247	61.75	16,604
45.00	11,254	49.25	12,605	53.50	13,965	57.75	15,327	62.00	16,683
45.25	11,333	49.50	12,685	53.75	14,045	58.00	15,407	62.25	16,763
45.50	11,412	49.75	12,764	54.00	14,125	58.25	15,487	62.50	16,842
45.75	11,491	50.00	12,844	54.25	14,205	58.50	15,567	62.75	16,922
46.00	11,571	50.25	12,924	54.50	14,285	58.75	15,647	63.00	17,001
46.25	11,650	50.50	13,004	54.75	14,366	59.00	15,727	63.25	17,080
46.50	11,729	50.75	13,084	55.00	14,446	59.25	15,807	63.50	17,159



## Capacity/Gauge Table Information

**TCLX 290215**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 015

Reporting Mark: TCLX 290215

Date: 03/06/2015

Capacity: 29,018 US Gallons (109,846 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,238	68.00	18,574	72.25	19,884	76.50	21,162	80.75	22,397
64.00	17,317	68.25	18,651	72.50	19,960	76.75	21,236	81.00	22,468
64.25	17,396	68.50	18,729	72.75	20,036	77.00	21,309	81.25	22,539
64.50	17,475	68.75	18,807	73.00	20,112	77.25	21,383	81.50	22,610
64.75	17,554	69.00	18,884	73.25	20,188	77.50	21,456	81.75	22,681
65.00	17,633	69.25	18,962	73.50	20,264	77.75	21,530	82.00	22,751
65.25	17,712	69.50	19,039	73.75	20,339	78.00	21,603	82.25	22,821
65.50	17,791	69.75	19,117	74.00	20,415	78.25	21,676	82.50	22,891
65.75	17,869	70.00	19,194	74.25	20,490	78.50	21,749	82.75	22,961
66.00	17,948	70.25	19,271	74.50	20,565	78.75	21,821	83.00	23,031
66.25	18,026	70.50	19,348	74.75	20,640	79.00	21,894	83.25	23,100
66.50	18,105	70.75	19,425	75.00	20,715	79.25	21,966	83.50	23,170
66.75	18,183	71.00	19,502	75.25	20,790	79.50	22,039	83.75	23,239
67.00	18,261	71.25	19,578	75.50	20,864	79.75	22,111	84.00	23,307
67.25	18,340	71.50	19,655	75.75	20,939	80.00	22,182	84.25	23,376
67.50	18,418	71.75	19,731	76.00	21,013	80.25	22,254	84.50	23,445
67.75	18,496	72.00	19,808	76.25	21,087	80.50	22,326	84.75	23,513



## Capacity/Gauge Table Information

**TCLX 290215**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 015

Reporting Mark: TCLX 290215

Date: 03/06/2015

Capacity: 29,018 US Gallons (109,846 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,581	89.25	24,702	93.50	25,748	97.75	26,704	102.00	27,551
85.25	23,649	89.50	24,766	93.75	25,807	98.00	26,757	102.25	27,596
85.50	23,716	89.75	24,829	94.00	25,866	98.25	26,810	102.50	27,642
85.75	23,784	90.00	24,892	94.25	25,924	98.50	26,862	102.75	27,687
86.00	23,851	90.25	24,955	94.50	25,982	98.75	26,914	103.00	27,731
86.25	23,918	90.50	25,018	94.75	26,039	99.00	26,965	103.25	27,775
86.50	23,984	90.75	25,080	95.00	26,097	99.25	27,016	103.50	27,818
86.75	24,051	91.00	25,143	95.25	26,154	99.50	27,067	103.75	27,861
87.00	24,117	91.25	25,204	95.50	26,210	99.75	27,117	104.00	27,904
87.25	24,183	91.50	25,266	95.75	26,266	100.00	27,167	104.25	27,946
87.50	24,249	91.75	25,327	96.00	26,322	100.25	27,217	104.50	27,987
87.75	24,314	92.00	25,388	96.25	26,378	100.50	27,266	104.75	28,028
88.00	24,379	92.25	25,449	96.50	26,433	100.75	27,314	105.00	28,068
88.25	24,444	92.50	25,509	96.75	26,488	101.00	27,362	105.25	28,107
88.50	24,509	92.75	25,570	97.00	26,543	101.25	27,410	105.50	28,147
88.75	24,574	93.00	25,629	97.25	26,597	101.50	27,457	105.75	28,185
89.00	24,638	93.25	25,689	97.50	26,651	101.75	27,504	106.00	28,223



## Capacity/Gauge Table Information

**TCLX 290215**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 015

Reporting Mark: TCLX 290215

Date: 03/06/2015

Capacity: 29,018 US Gallons (109,846 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,260	110.50	28,783	114.75	29,004
106.50	28,297	110.75	28,806	115.00	29,008
106.75	28,333	111.00	28,827	115.25	29,011
107.00	28,368	111.25	28,847	115.50	29,014
107.25	28,403	111.50	28,866	115.75	29,016
107.50	28,437	111.75	28,883	116.00	29,017
107.75	28,470	112.00	28,899	116.25	29,018
108.00	28,503	112.25	28,914	116.50	29,018
108.25	28,534	112.50	28,928	116.75	29,018
108.50	28,565	112.75	28,941		
108.75	28,596	113.00	28,952		
109.00	28,625	113.25	28,963		
109.25	28,654	113.50	28,972		
109.50	28,682	113.75	28,980		
109.75	28,708	114.00	28,988		
110.00	28,734	114.25	28,994		
110.25	28,759	114.50	29,000		



## Capacity/Gauge Table Information

**TCLX 290216**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 016

Reporting Mark: TCLX 290216

Date: 28/05/2015

Capacity: 29,008 US Gallons (109,806 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,226	17.00	3,213
0.25	28	4.50	626	8.75	1,390	13.00	2,281	17.25	3,274
0.50	58	4.75	667	9.00	1,439	13.25	2,337	17.50	3,335
0.75	88	5.00	708	9.25	1,489	13.50	2,393	17.75	3,396
1.00	119	5.25	750	9.50	1,539	13.75	2,449	18.00	3,458
1.25	151	5.50	793	9.75	1,590	14.00	2,506	18.25	3,520
1.50	183	5.75	836	10.00	1,640	14.25	2,563	18.50	3,582
1.75	216	6.00	879	10.25	1,692	14.50	2,621	18.75	3,645
2.00	250	6.25	923	10.50	1,743	14.75	2,678	19.00	3,708
2.25	285	6.50	968	10.75	1,795	15.00	2,737	19.25	3,771
2.50	320	6.75	1,013	11.00	1,848	15.25	2,795	19.50	3,834
2.75	356	7.00	1,059	11.25	1,901	15.50	2,854	19.75	3,898
3.00	393	7.25	1,105	11.50	1,954	15.75	2,913	20.00	3,962
3.25	430	7.50	1,151	11.75	2,007	16.00	2,972	20.25	4,026
3.50	468	7.75	1,198	12.00	2,061	16.25	3,032	20.50	4,090
3.75	507	8.00	1,245	12.25	2,116	16.50	3,092	20.75	4,155
4.00	546	8.25	1,293	12.50	2,170	16.75	3,152	21.00	4,220



## Capacity/Gauge Table Information

**TCLX 290216**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 016

Reporting Mark: TCLX 290216

Date: 28/05/2015

Capacity: 29,008 US Gallons (109,806 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,285	25.50	5,428	29.75	6,631	34.00	7,881	38.25	9,171
21.50	4,351	25.75	5,498	30.00	6,703	34.25	7,956	38.50	9,248
21.75	4,416	26.00	5,567	30.25	6,776	34.50	8,031	38.75	9,325
22.00	4,482	26.25	5,637	30.50	6,848	34.75	8,107	39.00	9,402
22.25	4,548	26.50	5,706	30.75	6,921	35.00	8,182	39.25	9,479
22.50	4,615	26.75	5,776	31.00	6,994	35.25	8,257	39.50	9,557
22.75	4,681	27.00	5,847	31.25	7,067	35.50	8,333	39.75	9,634
23.00	4,748	27.25	5,917	31.50	7,140	35.75	8,408	40.00	9,711
23.25	4,815	27.50	5,988	31.75	7,214	36.00	8,484	40.25	9,789
23.50	4,882	27.75	6,058	32.00	7,287	36.25	8,560	40.50	9,867
23.75	4,950	28.00	6,129	32.25	7,361	36.50	8,636	40.75	9,944
24.00	5,018	28.25	6,200	32.50	7,435	36.75	8,712	41.00	10,022
24.25	5,086	28.50	6,272	32.75	7,509	37.00	8,788	41.25	10,100
24.50	5,154	28.75	6,343	33.00	7,583	37.25	8,865	41.50	10,178
24.75	5,222	29.00	6,415	33.25	7,658	37.50	8,941	41.75	10,256
25.00	5,291	29.25	6,487	33.50	7,732	37.75	9,018	42.00	10,334
25.25	5,359	29.50	6,559	33.75	7,807	38.00	9,094	42.25	10,413





## Capacity/Gauge Table Information

**TCLX 290216**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 016

Reporting Mark: TCLX 290216

Date: 28/05/2015

Capacity: 29,008 US Gallons (109,806 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,491	46.75	11,833	51.00	13,189	55.25	14,551	59.50	15,911
42.75	10,569	47.00	11,912	51.25	13,269	55.50	14,631	59.75	15,991
43.00	10,648	47.25	11,992	51.50	13,349	55.75	14,711	60.00	16,071
43.25	10,726	47.50	12,071	51.75	13,429	56.00	14,791	60.25	16,151
43.50	10,805	47.75	12,151	52.00	13,509	56.25	14,871	60.50	16,230
43.75	10,884	48.00	12,230	52.25	13,589	56.50	14,951	60.75	16,310
44.00	10,963	48.25	12,310	52.50	13,669	56.75	15,031	61.00	16,390
44.25	11,041	48.50	12,390	52.75	13,749	57.00	15,111	61.25	16,469
44.50	11,120	48.75	12,470	53.00	13,829	57.25	15,192	61.50	16,549
44.75	11,199	49.00	12,549	53.25	13,909	57.50	15,272	61.75	16,628
45.00	11,278	49.25	12,629	53.50	13,990	57.75	15,352	62.00	16,708
45.25	11,357	49.50	12,709	53.75	14,070	58.00	15,432	62.25	16,787
45.50	11,436	49.75	12,789	54.00	14,150	58.25	15,512	62.50	16,867
45.75	11,516	50.00	12,869	54.25	14,230	58.50	15,592	62.75	16,946
46.00	11,595	50.25	12,949	54.50	14,310	58.75	15,672	63.00	17,025
46.25	11,674	50.50	13,029	54.75	14,390	59.00	15,752	63.25	17,105
46.50	11,753	50.75	13,109	55.00	14,470	59.25	15,831	63.50	17,184



## Capacity/Gauge Table Information

**TCLX 290216**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 016

Reporting Mark: TCLX 290216

Date: 28/05/2015

Capacity: 29,008 US Gallons (109,806 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,263	68.00	18,597	72.25	19,907	76.50	21,184	80.75	22,418
64.00	17,342	68.25	18,675	72.50	19,983	76.75	21,258	81.00	22,489
64.25	17,421	68.50	18,753	72.75	20,059	77.00	21,331	81.25	22,560
64.50	17,500	68.75	18,831	73.00	20,135	77.25	21,405	81.50	22,631
64.75	17,579	69.00	18,908	73.25	20,211	77.50	21,478	81.75	22,701
65.00	17,657	69.25	18,986	73.50	20,287	77.75	21,552	82.00	22,772
65.25	17,736	69.50	19,063	73.75	20,362	78.00	21,625	82.25	22,842
65.50	17,815	69.75	19,140	74.00	20,437	78.25	21,698	82.50	22,912
65.75	17,893	70.00	19,217	74.25	20,513	78.50	21,770	82.75	22,981
66.00	17,972	70.25	19,295	74.50	20,588	78.75	21,843	83.00	23,051
66.25	18,050	70.50	19,372	74.75	20,663	79.00	21,916	83.25	23,120
66.50	18,129	70.75	19,448	75.00	20,738	79.25	21,988	83.50	23,190
66.75	18,207	71.00	19,525	75.25	20,812	79.50	22,060	83.75	23,259
67.00	18,285	71.25	19,602	75.50	20,887	79.75	22,132	84.00	23,327
67.25	18,364	71.50	19,678	75.75	20,961	80.00	22,204	84.25	23,396
67.50	18,442	71.75	19,755	76.00	21,036	80.25	22,275	84.50	23,464
67.75	18,520	72.00	19,831	76.25	21,110	80.50	22,347	84.75	23,532



## Capacity/Gauge Table Information

**TCLX 290216**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 016

Reporting Mark: TCLX 290216

Date: 28/05/2015

Capacity: 29,008 US Gallons (109,806 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,600	89.25	24,719	93.50	25,763	97.75	26,716	102.00	27,560
85.25	23,668	89.50	24,783	93.75	25,822	98.00	26,769	102.25	27,605
85.50	23,735	89.75	24,846	94.00	25,880	98.25	26,822	102.50	27,650
85.75	23,803	90.00	24,910	94.25	25,939	98.50	26,874	102.75	27,695
86.00	23,870	90.25	24,972	94.50	25,996	98.75	26,926	103.00	27,739
86.25	23,936	90.50	25,035	94.75	26,054	99.00	26,977	103.25	27,783
86.50	24,003	90.75	25,097	95.00	26,111	99.25	27,028	103.50	27,826
86.75	24,069	91.00	25,159	95.25	26,168	99.50	27,078	103.75	27,869
87.00	24,135	91.25	25,221	95.50	26,224	99.75	27,128	104.00	27,911
87.25	24,201	91.50	25,282	95.75	26,280	100.00	27,178	104.25	27,952
87.50	24,267	91.75	25,344	96.00	26,336	100.25	27,227	104.50	27,993
87.75	24,332	92.00	25,404	96.25	26,392	100.50	27,276	104.75	28,034
88.00	24,398	92.25	25,465	96.50	26,447	100.75	27,324	105.00	28,074
88.25	24,462	92.50	25,525	96.75	26,501	101.00	27,372	105.25	28,113
88.50	24,527	92.75	25,585	97.00	26,556	101.25	27,420	105.50	28,152
88.75	24,591	93.00	25,645	97.25	26,610	101.50	27,467	105.75	28,190
89.00	24,656	93.25	25,704	97.50	26,663	101.75	27,513	106.00	28,228



## Capacity/Gauge Table Information

**TCLX 290216**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 016

Reporting Mark: TCLX 290216

Date: 28/05/2015

Capacity: 29,008 US Gallons (109,806 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,265	110.50	28,781	114.75	28,994
106.50	28,301	110.75	28,803	115.00	28,998
106.75	28,337	111.00	28,823	115.25	29,001
107.00	28,372	111.25	28,842	115.50	29,003
107.25	28,406	111.50	28,861	115.75	29,005
107.50	28,440	111.75	28,877	116.00	29,006
107.75	28,473	112.00	28,893	116.25	29,007
108.00	28,505	112.25	28,907	116.50	29,007
108.25	28,536	112.50	28,921	116.75	29,008
108.50	28,567	112.75	28,933		
108.75	28,597	113.00	28,944		
109.00	28,626	113.25	28,954		
109.25	28,654	113.50	28,963		
109.50	28,681	113.75	28,971		
109.75	28,708	114.00	28,978		
110.00	28,733	114.25	28,984		
110.25	28,757	114.50	28,990		



## Capacity/Gauge Table Information

**TCLX 290217**

Product Order #: P7320/14

Tank Car Number: 017

Reporting Mark: TCLX 290217

Date: 07/05/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,346	12.75	2,231	17.00	3,219
0.25	29	4.50	629	8.75	1,395	13.00	2,287	17.25	3,280
0.50	58	4.75	670	9.00	1,444	13.25	2,342	17.50	3,341
0.75	88	5.00	711	9.25	1,494	13.50	2,399	17.75	3,403
1.00	120	5.25	753	9.50	1,544	13.75	2,455	18.00	3,465
1.25	152	5.50	796	9.75	1,594	14.00	2,512	18.25	3,527
1.50	184	5.75	839	10.00	1,645	14.25	2,569	18.50	3,589
1.75	218	6.00	883	10.25	1,697	14.50	2,627	18.75	3,652
2.00	252	6.25	927	10.50	1,748	14.75	2,684	19.00	3,714
2.25	287	6.50	972	10.75	1,800	15.00	2,743	19.25	3,778
2.50	322	6.75	1,017	11.00	1,853	15.25	2,801	19.50	3,841
2.75	358	7.00	1,062	11.25	1,906	15.50	2,860	19.75	3,905
3.00	395	7.25	1,108	11.50	1,959	15.75	2,919	20.00	3,969
3.25	432	7.50	1,155	11.75	2,013	16.00	2,978	20.25	4,033
3.50	471	7.75	1,202	12.00	2,067	16.25	3,038	20.50	4,097
3.75	509	8.00	1,250	12.25	2,121	16.50	3,098	20.75	4,162
4.00	548	8.25	1,297	12.50	2,176	16.75	3,159	21.00	4,227



## Capacity/Gauge Table Information

**TCLX 290217**

Product Order #: P7320/14

Tank Car Number: 017

Reporting Mark: TCLX 290217

Date: 07/05/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,292	25.50	5,436	29.75	6,638	34.00	7,889	38.25	9,178
21.50	4,358	25.75	5,505	30.00	6,711	34.25	7,964	38.50	9,255
21.75	4,423	26.00	5,574	30.25	6,783	34.50	8,039	38.75	9,332
22.00	4,489	26.25	5,644	30.50	6,856	34.75	8,114	39.00	9,409
22.25	4,555	26.50	5,714	30.75	6,929	35.00	8,189	39.25	9,486
22.50	4,622	26.75	5,784	31.00	7,002	35.25	8,265	39.50	9,564
22.75	4,688	27.00	5,854	31.25	7,075	35.50	8,340	39.75	9,641
23.00	4,755	27.25	5,924	31.50	7,148	35.75	8,416	40.00	9,719
23.25	4,822	27.50	5,995	31.75	7,221	36.00	8,491	40.25	9,796
23.50	4,890	27.75	6,066	32.00	7,295	36.25	8,567	40.50	9,874
23.75	4,957	28.00	6,137	32.25	7,369	36.50	8,643	40.75	9,951
24.00	5,025	28.25	6,208	32.50	7,443	36.75	8,719	41.00	10,029
24.25	5,093	28.50	6,279	32.75	7,517	37.00	8,796	41.25	10,107
24.50	5,161	28.75	6,351	33.00	7,591	37.25	8,872	41.50	10,185
24.75	5,229	29.00	6,422	33.25	7,665	37.50	8,948	41.75	10,263
25.00	5,298	29.25	6,494	33.50	7,740	37.75	9,025	42.00	10,341
25.25	5,367	29.50	6,566	33.75	7,814	38.00	9,102	42.25	10,420



## Capacity/Gauge Table Information

**TCLX 290217**

Product Order #: P7320/14

Tank Car Number: 017

Reporting Mark: TCLX 290217

Date: 07/05/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,498	46.75	11,839	51.00	13,194	55.25	14,556	59.50	15,915
42.75	10,576	47.00	11,919	51.25	13,274	55.50	14,636	59.75	15,995
43.00	10,655	47.25	11,998	51.50	13,354	55.75	14,716	60.00	16,075
43.25	10,733	47.50	12,077	51.75	13,434	56.00	14,796	60.25	16,155
43.50	10,812	47.75	12,157	52.00	13,514	56.25	14,876	60.50	16,234
43.75	10,890	48.00	12,237	52.25	13,594	56.50	14,956	60.75	16,314
44.00	10,969	48.25	12,316	52.50	13,674	56.75	15,036	61.00	16,393
44.25	11,048	48.50	12,396	52.75	13,754	57.00	15,116	61.25	16,473
44.50	11,127	48.75	12,476	53.00	13,835	57.25	15,196	61.50	16,552
44.75	11,206	49.00	12,555	53.25	13,915	57.50	15,276	61.75	16,632
45.00	11,285	49.25	12,635	53.50	13,995	57.75	15,356	62.00	16,711
45.25	11,364	49.50	12,715	53.75	14,075	58.00	15,436	62.25	16,791
45.50	11,443	49.75	12,795	54.00	14,155	58.25	15,516	62.50	16,870
45.75	11,522	50.00	12,875	54.25	14,235	58.50	15,596	62.75	16,949
46.00	11,601	50.25	12,954	54.50	14,315	58.75	15,676	63.00	17,029
46.25	11,680	50.50	13,034	54.75	14,395	59.00	15,756	63.25	17,108
46.50	11,760	50.75	13,114	55.00	14,475	59.25	15,835	63.50	17,187





## Capacity/Gauge Table Information

**TCLX 290217**

Product Order #: P7320/14

Tank Car Number: 017

Reporting Mark: TCLX 290217

Date: 07/05/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,266	68.00	18,600	72.25	19,908	76.50	21,184	80.75	22,416
64.00	17,345	68.25	18,677	72.50	19,984	76.75	21,257	81.00	22,487
64.25	17,424	68.50	18,755	72.75	20,060	77.00	21,331	81.25	22,558
64.50	17,503	68.75	18,833	73.00	20,136	77.25	21,404	81.50	22,629
64.75	17,582	69.00	18,910	73.25	20,212	77.50	21,478	81.75	22,699
65.00	17,660	69.25	18,987	73.50	20,287	77.75	21,551	82.00	22,770
65.25	17,739	69.50	19,065	73.75	20,363	78.00	21,624	82.25	22,840
65.50	17,818	69.75	19,142	74.00	20,438	78.25	21,697	82.50	22,910
65.75	17,896	70.00	19,219	74.25	20,513	78.50	21,770	82.75	22,979
66.00	17,975	70.25	19,296	74.50	20,588	78.75	21,842	83.00	23,049
66.25	18,053	70.50	19,373	74.75	20,663	79.00	21,915	83.25	23,118
66.50	18,131	70.75	19,450	75.00	20,738	79.25	21,987	83.50	23,187
66.75	18,210	71.00	19,526	75.25	20,812	79.50	22,059	83.75	23,256
67.00	18,288	71.25	19,603	75.50	20,887	79.75	22,131	84.00	23,325
67.25	18,366	71.50	19,679	75.75	20,961	80.00	22,202	84.25	23,393
67.50	18,444	71.75	19,756	76.00	21,035	80.25	22,274	84.50	23,461
67.75	18,522	72.00	19,832	76.25	21,110	80.50	22,345	84.75	23,529



## Capacity/Gauge Table Information

**TCLX 290217**

Product Order #: P7320/14

Tank Car Number: 017

Reporting Mark: TCLX 290217

Date: 07/05/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,597	89.25	24,715	93.50	25,757	97.75	26,709	102.00	27,550
85.25	23,665	89.50	24,779	93.75	25,816	98.00	26,762	102.25	27,595
85.50	23,732	89.75	24,842	94.00	25,874	98.25	26,814	102.50	27,640
85.75	23,799	90.00	24,905	94.25	25,932	98.50	26,866	102.75	27,685
86.00	23,866	90.25	24,968	94.50	25,990	98.75	26,917	103.00	27,729
86.25	23,933	90.50	25,030	94.75	26,047	99.00	26,969	103.25	27,773
86.50	24,000	90.75	25,092	95.00	26,104	99.25	27,019	103.50	27,816
86.75	24,066	91.00	25,154	95.25	26,161	99.50	27,070	103.75	27,858
87.00	24,132	91.25	25,216	95.50	26,217	99.75	27,120	104.00	27,900
87.25	24,198	91.50	25,277	95.75	26,273	100.00	27,169	104.25	27,942
87.50	24,263	91.75	25,338	96.00	26,329	100.25	27,218	104.50	27,982
87.75	24,329	92.00	25,399	96.25	26,384	100.50	27,267	104.75	28,023
88.00	24,394	92.25	25,459	96.50	26,439	100.75	27,315	105.00	28,063
88.25	24,458	92.50	25,520	96.75	26,494	101.00	27,363	105.25	28,102
88.50	24,523	92.75	25,580	97.00	26,548	101.25	27,411	105.50	28,140
88.75	24,587	93.00	25,639	97.25	26,602	101.50	27,457	105.75	28,178
89.00	24,651	93.25	25,698	97.50	26,656	101.75	27,504	106.00	28,216



## Capacity/Gauge Table Information

**TCLX 290217**

Product Order #: P7320/14

Tank Car Number: 017

Reporting Mark: TCLX 290217

Date: 07/05/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,253	110.50	28,765	114.75	28,975
106.50	28,289	110.75	28,786	115.00	28,979
106.75	28,324	111.00	28,807	115.25	28,982
107.00	28,359	111.25	28,826	115.50	28,984
107.25	28,393	111.50	28,844	115.75	28,986
107.50	28,427	111.75	28,860	116.00	28,987
107.75	28,460	112.00	28,875	116.25	28,988
108.00	28,492	112.25	28,890	116.50	28,988
108.25	28,523	112.50	28,903	116.75	28,988
108.50	28,553	112.75	28,915		
108.75	28,583	113.00	28,926		
109.00	28,612	113.25	28,935		
109.25	28,640	113.50	28,944		
109.50	28,667	113.75	28,952		
109.75	28,693	114.00	28,959		
110.00	28,718	114.25	28,965		
110.25	28,742	114.50	28,971		



## Capacity/Gauge Table Information

**TCLX 290218**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 018

Reporting Mark: TCLX 290218

Date: 15/06/2015

Capacity: 29,007 US Gallons (109,802 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,349	12.75	2,235	17.00	3,225
0.25	29	4.50	630	8.75	1,398	13.00	2,291	17.25	3,286
0.50	58	4.75	671	9.00	1,447	13.25	2,347	17.50	3,347
0.75	89	5.00	713	9.25	1,497	13.50	2,403	17.75	3,408
1.00	120	5.25	755	9.50	1,547	13.75	2,460	18.00	3,470
1.25	152	5.50	798	9.75	1,598	14.00	2,516	18.25	3,532
1.50	185	5.75	841	10.00	1,649	14.25	2,574	18.50	3,595
1.75	218	6.00	885	10.25	1,700	14.50	2,631	18.75	3,657
2.00	253	6.25	929	10.50	1,752	14.75	2,689	19.00	3,720
2.25	287	6.50	974	10.75	1,804	15.00	2,747	19.25	3,784
2.50	323	6.75	1,019	11.00	1,857	15.25	2,806	19.50	3,847
2.75	359	7.00	1,065	11.25	1,910	15.50	2,865	19.75	3,911
3.00	396	7.25	1,111	11.50	1,963	15.75	2,924	20.00	3,975
3.25	434	7.50	1,158	11.75	2,017	16.00	2,984	20.25	4,039
3.50	472	7.75	1,205	12.00	2,071	16.25	3,043	20.50	4,104
3.75	511	8.00	1,252	12.25	2,125	16.50	3,103	20.75	4,168
4.00	550	8.25	1,300	12.50	2,180	16.75	3,164	21.00	4,234



## Capacity/Gauge Table Information

**TCLX 290218**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 018

Reporting Mark: TCLX 290218

Date: 15/06/2015

Capacity: 29,007 US Gallons (109,802 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,299	25.50	5,444	29.75	6,647	34.00	7,899	38.25	9,190
21.50	4,364	25.75	5,513	30.00	6,720	34.25	7,974	38.50	9,267
21.75	4,430	26.00	5,582	30.25	6,792	34.50	8,049	38.75	9,344
22.00	4,496	26.25	5,652	30.50	6,865	34.75	8,124	39.00	9,421
22.25	4,562	26.50	5,722	30.75	6,938	35.00	8,200	39.25	9,498
22.50	4,629	26.75	5,792	31.00	7,011	35.25	8,275	39.50	9,576
22.75	4,695	27.00	5,862	31.25	7,084	35.50	8,351	39.75	9,653
23.00	4,762	27.25	5,933	31.50	7,158	35.75	8,427	40.00	9,731
23.25	4,830	27.50	6,003	31.75	7,231	36.00	8,502	40.25	9,808
23.50	4,897	27.75	6,074	32.00	7,305	36.25	8,578	40.50	9,886
23.75	4,965	28.00	6,145	32.25	7,379	36.50	8,654	40.75	9,964
24.00	5,032	28.25	6,217	32.50	7,452	36.75	8,731	41.00	10,042
24.25	5,100	28.50	6,288	32.75	7,527	37.00	8,807	41.25	10,120
24.50	5,169	28.75	6,359	33.00	7,601	37.25	8,883	41.50	10,198
24.75	5,237	29.00	6,431	33.25	7,675	37.50	8,960	41.75	10,276
25.00	5,306	29.25	6,503	33.50	7,750	37.75	9,036	42.00	10,354
25.25	5,375	29.50	6,575	33.75	7,824	38.00	9,113	42.25	10,432



## Capacity/Gauge Table Information

**TCLX 290218**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 018

Reporting Mark: TCLX 290218

Date: 15/06/2015

Capacity: 29,007 US Gallons (109,802 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,511	46.75	11,853	51.00	13,209	55.25	14,572	59.50	15,932
42.75	10,589	47.00	11,933	51.25	13,289	55.50	14,652	59.75	16,012
43.00	10,668	47.25	12,012	51.50	13,369	55.75	14,732	60.00	16,092
43.25	10,746	47.50	12,092	51.75	13,450	56.00	14,812	60.25	16,172
43.50	10,825	47.75	12,171	52.00	13,530	56.25	14,892	60.50	16,252
43.75	10,904	48.00	12,251	52.25	13,610	56.50	14,972	60.75	16,331
44.00	10,982	48.25	12,331	52.50	13,690	56.75	15,053	61.00	16,411
44.25	11,061	48.50	12,410	52.75	13,770	57.00	15,133	61.25	16,491
44.50	11,140	48.75	12,490	53.00	13,850	57.25	15,213	61.50	16,570
44.75	11,219	49.00	12,570	53.25	13,930	57.50	15,293	61.75	16,650
45.00	11,298	49.25	12,650	53.50	14,010	57.75	15,373	62.00	16,729
45.25	11,377	49.50	12,730	53.75	14,091	58.00	15,453	62.25	16,809
45.50	11,456	49.75	12,809	54.00	14,171	58.25	15,533	62.50	16,888
45.75	11,536	50.00	12,889	54.25	14,251	58.50	15,613	62.75	16,967
46.00	11,615	50.25	12,969	54.50	14,331	58.75	15,693	63.00	17,047
46.25	11,694	50.50	13,049	54.75	14,411	59.00	15,773	63.25	17,126
46.50	11,774	50.75	13,129	55.00	14,492	59.25	15,853	63.50	17,205



## Capacity/Gauge Table Information

**TCLX 290218**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 018

Reporting Mark: TCLX 290218

Date: 15/06/2015

Capacity: 29,007 US Gallons (109,802 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,284	68.00	18,619	72.25	19,928	76.50	21,204	80.75	22,438
64.00	17,363	68.25	18,696	72.50	20,004	76.75	21,278	81.00	22,509
64.25	17,442	68.50	18,774	72.75	20,080	77.00	21,352	81.25	22,580
64.50	17,521	68.75	18,852	73.00	20,156	77.25	21,425	81.50	22,650
64.75	17,600	69.00	18,929	73.25	20,232	77.50	21,499	81.75	22,721
65.00	17,679	69.25	19,007	73.50	20,307	77.75	21,572	82.00	22,791
65.25	17,757	69.50	19,084	73.75	20,383	78.00	21,645	82.25	22,861
65.50	17,836	69.75	19,161	74.00	20,458	78.25	21,718	82.50	22,931
65.75	17,915	70.00	19,238	74.25	20,533	78.50	21,790	82.75	23,001
66.00	17,993	70.25	19,316	74.50	20,608	78.75	21,863	83.00	23,070
66.25	18,072	70.50	19,392	74.75	20,683	79.00	21,935	83.25	23,140
66.50	18,150	70.75	19,469	75.00	20,758	79.25	22,008	83.50	23,209
66.75	18,228	71.00	19,546	75.25	20,833	79.50	22,080	83.75	23,278
67.00	18,307	71.25	19,623	75.50	20,907	79.75	22,152	84.00	23,346
67.25	18,385	71.50	19,699	75.75	20,982	80.00	22,223	84.25	23,415
67.50	18,463	71.75	19,776	76.00	21,056	80.25	22,295	84.50	23,483
67.75	18,541	72.00	19,852	76.25	21,130	80.50	22,366	84.75	23,551





## Capacity/Gauge Table Information

**TCLX 290218**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 018

Reporting Mark: TCLX 290218

Date: 15/06/2015

Capacity: 29,007 US Gallons (109,802 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,619	89.25	24,737	93.50	25,779	97.75	26,731	102.00	27,572
85.25	23,687	89.50	24,801	93.75	25,838	98.00	26,784	102.25	27,617
85.50	23,754	89.75	24,864	94.00	25,896	98.25	26,836	102.50	27,662
85.75	23,821	90.00	24,927	94.25	25,954	98.50	26,888	102.75	27,707
86.00	23,888	90.25	24,990	94.50	26,012	98.75	26,940	103.00	27,751
86.25	23,955	90.50	25,052	94.75	26,070	99.00	26,991	103.25	27,794
86.50	24,021	90.75	25,114	95.00	26,127	99.25	27,042	103.50	27,837
86.75	24,088	91.00	25,176	95.25	26,183	99.50	27,092	103.75	27,880
87.00	24,154	91.25	25,238	95.50	26,240	99.75	27,142	104.00	27,922
87.25	24,220	91.50	25,299	95.75	26,296	100.00	27,191	104.25	27,963
87.50	24,285	91.75	25,360	96.00	26,351	100.25	27,240	104.50	28,004
87.75	24,350	92.00	25,421	96.25	26,407	100.50	27,289	104.75	28,044
88.00	24,416	92.25	25,482	96.50	26,462	100.75	27,337	105.00	28,084
88.25	24,480	92.50	25,542	96.75	26,516	101.00	27,385	105.25	28,123
88.50	24,545	92.75	25,602	97.00	26,570	101.25	27,432	105.50	28,162
88.75	24,609	93.00	25,661	97.25	26,624	101.50	27,479	105.75	28,200
89.00	24,673	93.25	25,721	97.50	26,678	101.75	27,526	106.00	28,237



## Capacity/Gauge Table Information

**TCLX 290218**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 018

Reporting Mark: TCLX 290218

Date: 15/06/2015

Capacity: 29,007 US Gallons (109,802 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,274	110.50	28,785	114.75	28,994
106.50	28,310	110.75	28,806	115.00	28,997
106.75	28,345	111.00	28,827	115.25	29,000
107.00	28,380	111.25	28,845	115.50	29,003
107.25	28,414	111.50	28,863	115.75	29,004
107.50	28,448	111.75	28,879	116.00	29,006
107.75	28,480	112.00	28,895	116.25	29,006
108.00	28,512	112.25	28,909	116.50	29,007
108.25	28,544	112.50	28,922	116.75	29,007
108.50	28,574	112.75	28,934		
108.75	28,604	113.00	28,945		
109.00	28,632	113.25	28,954		
109.25	28,660	113.50	28,963		
109.50	28,687	113.75	28,971		
109.75	28,713	114.00	28,978		
110.00	28,738	114.25	28,984		
110.25	28,762	114.50	28,989		



## Capacity/Gauge Table Information

**TCLX 290219**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 019

Reporting Mark: TCLX 290219

Date: 02/06/2015

Capacity: 29,025 US Gallons (109,870 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,335	12.75	2,216	17.00	3,201
0.25	28	4.50	622	8.75	1,383	13.00	2,271	17.25	3,262
0.50	57	4.75	663	9.00	1,432	13.25	2,327	17.50	3,323
0.75	87	5.00	704	9.25	1,482	13.50	2,383	17.75	3,384
1.00	118	5.25	746	9.50	1,531	13.75	2,439	18.00	3,446
1.25	149	5.50	788	9.75	1,582	14.00	2,496	18.25	3,508
1.50	182	5.75	831	10.00	1,632	14.25	2,553	18.50	3,570
1.75	215	6.00	874	10.25	1,684	14.50	2,610	18.75	3,633
2.00	248	6.25	918	10.50	1,735	14.75	2,668	19.00	3,695
2.25	283	6.50	962	10.75	1,787	15.00	2,726	19.25	3,758
2.50	318	6.75	1,007	11.00	1,839	15.25	2,784	19.50	3,822
2.75	354	7.00	1,052	11.25	1,892	15.50	2,843	19.75	3,885
3.00	390	7.25	1,098	11.50	1,945	15.75	2,902	20.00	3,949
3.25	427	7.50	1,145	11.75	1,998	16.00	2,961	20.25	4,013
3.50	465	7.75	1,191	12.00	2,052	16.25	3,021	20.50	4,077
3.75	503	8.00	1,239	12.25	2,107	16.50	3,080	20.75	4,142
4.00	542	8.25	1,286	12.50	2,161	16.75	3,141	21.00	4,207



## Capacity/Gauge Table Information

**TCLX 290219**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 019

Reporting Mark: TCLX 290219

Date: 02/06/2015

Capacity: 29,025 US Gallons (109,870 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,272	25.50	5,414	29.75	6,615	34.00	7,864	38.25	9,153
21.50	4,337	25.75	5,483	30.00	6,687	34.25	7,939	38.50	9,230
21.75	4,403	26.00	5,552	30.25	6,759	34.50	8,014	38.75	9,307
22.00	4,468	26.25	5,622	30.50	6,832	34.75	8,089	39.00	9,384
22.25	4,535	26.50	5,691	30.75	6,905	35.00	8,164	39.25	9,461
22.50	4,601	26.75	5,761	31.00	6,978	35.25	8,240	39.50	9,538
22.75	4,667	27.00	5,831	31.25	7,051	35.50	8,315	39.75	9,616
23.00	4,734	27.25	5,902	31.50	7,124	35.75	8,391	40.00	9,693
23.25	4,801	27.50	5,972	31.75	7,197	36.00	8,467	40.25	9,771
23.50	4,868	27.75	6,043	32.00	7,271	36.25	8,542	40.50	9,848
23.75	4,936	28.00	6,114	32.25	7,345	36.50	8,618	40.75	9,926
24.00	5,003	28.25	6,185	32.50	7,418	36.75	8,694	41.00	10,004
24.25	5,071	28.50	6,256	32.75	7,492	37.00	8,771	41.25	10,082
24.50	5,139	28.75	6,327	33.00	7,566	37.25	8,847	41.50	10,160
24.75	5,208	29.00	6,399	33.25	7,641	37.50	8,923	41.75	10,238
25.00	5,276	29.25	6,471	33.50	7,715	37.75	9,000	42.00	10,316
25.25	5,345	29.50	6,543	33.75	7,790	38.00	9,076	42.25	10,394



## Capacity/Gauge Table Information

**TCLX 290219**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 019

Reporting Mark: TCLX 290219

Date: 02/06/2015

Capacity: 29,025 US Gallons (109,870 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,472	46.75	11,814	51.00	13,169	55.25	14,531	59.50	15,892
42.75	10,551	47.00	11,893	51.25	13,249	55.50	14,611	59.75	15,972
43.00	10,629	47.25	11,973	51.50	13,329	55.75	14,692	60.00	16,052
43.25	10,708	47.50	12,052	51.75	13,409	56.00	14,772	60.25	16,131
43.50	10,786	47.75	12,132	52.00	13,489	56.25	14,852	60.50	16,211
43.75	10,865	48.00	12,211	52.25	13,570	56.50	14,932	60.75	16,291
44.00	10,944	48.25	12,291	52.50	13,650	56.75	15,012	61.00	16,371
44.25	11,023	48.50	12,371	52.75	13,730	57.00	15,092	61.25	16,450
44.50	11,101	48.75	12,450	53.00	13,810	57.25	15,172	61.50	16,530
44.75	11,180	49.00	12,530	53.25	13,890	57.50	15,252	61.75	16,609
45.00	11,259	49.25	12,610	53.50	13,970	57.75	15,332	62.00	16,689
45.25	11,338	49.50	12,690	53.75	14,050	58.00	15,412	62.25	16,768
45.50	11,417	49.75	12,770	54.00	14,130	58.25	15,492	62.50	16,848
45.75	11,497	50.00	12,850	54.25	14,211	58.50	15,572	62.75	16,927
46.00	11,576	50.25	12,929	54.50	14,291	58.75	15,652	63.00	17,006
46.25	11,655	50.50	13,009	54.75	14,371	59.00	15,732	63.25	17,086
46.50	11,734	50.75	13,089	55.00	14,451	59.25	15,812	63.50	17,165



## Capacity/Gauge Table Information

**TCLX 290219**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 019

Reporting Mark: TCLX 290219

Date: 02/06/2015

Capacity: 29,025 US Gallons (109,870 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,244	68.00	18,579	72.25	19,890	76.50	21,167	80.75	22,403
64.00	17,323	68.25	18,657	72.50	19,966	76.75	21,241	81.00	22,474
64.25	17,402	68.50	18,735	72.75	20,042	77.00	21,315	81.25	22,545
64.50	17,481	68.75	18,812	73.00	20,118	77.25	21,389	81.50	22,616
64.75	17,560	69.00	18,890	73.25	20,194	77.50	21,462	81.75	22,686
65.00	17,639	69.25	18,968	73.50	20,269	77.75	21,535	82.00	22,757
65.25	17,718	69.50	19,045	73.75	20,345	78.00	21,609	82.25	22,827
65.50	17,796	69.75	19,122	74.00	20,420	78.25	21,682	82.50	22,897
65.75	17,875	70.00	19,200	74.25	20,496	78.50	21,755	82.75	22,967
66.00	17,953	70.25	19,277	74.50	20,571	78.75	21,827	83.00	23,037
66.25	18,032	70.50	19,354	74.75	20,646	79.00	21,900	83.25	23,106
66.50	18,110	70.75	19,431	75.00	20,721	79.25	21,972	83.50	23,175
66.75	18,189	71.00	19,507	75.25	20,795	79.50	22,044	83.75	23,244
67.00	18,267	71.25	19,584	75.50	20,870	79.75	22,116	84.00	23,313
67.25	18,345	71.50	19,661	75.75	20,945	80.00	22,188	84.25	23,382
67.50	18,423	71.75	19,737	76.00	21,019	80.25	22,260	84.50	23,450
67.75	18,501	72.00	19,814	76.25	21,093	80.50	22,331	84.75	23,519



## Capacity/Gauge Table Information

**TCLX 290219**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 019

Reporting Mark: TCLX 290219

Date: 02/06/2015

Capacity: 29,025 US Gallons (109,870 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,587	89.25	24,708	93.50	25,754	97.75	26,710	102.00	27,557
85.25	23,654	89.50	24,772	93.75	25,813	98.00	26,763	102.25	27,603
85.50	23,722	89.75	24,835	94.00	25,871	98.25	26,816	102.50	27,648
85.75	23,789	90.00	24,898	94.25	25,930	98.50	26,868	102.75	27,693
86.00	23,857	90.25	24,961	94.50	25,988	98.75	26,920	103.00	27,737
86.25	23,923	90.50	25,024	94.75	26,045	99.00	26,971	103.25	27,781
86.50	23,990	90.75	25,086	95.00	26,103	99.25	27,023	103.50	27,825
86.75	24,057	91.00	25,148	95.25	26,160	99.50	27,073	103.75	27,867
87.00	24,123	91.25	25,210	95.50	26,216	99.75	27,123	104.00	27,910
87.25	24,189	91.50	25,272	95.75	26,272	100.00	27,173	104.25	27,952
87.50	24,255	91.75	25,333	96.00	26,328	100.25	27,223	104.50	27,993
87.75	24,320	92.00	25,394	96.25	26,384	100.50	27,272	104.75	28,034
88.00	24,385	92.25	25,455	96.50	26,439	100.75	27,320	105.00	28,074
88.25	24,450	92.50	25,515	96.75	26,494	101.00	27,369	105.25	28,114
88.50	24,515	92.75	25,575	97.00	26,549	101.25	27,416	105.50	28,153
88.75	24,580	93.00	25,635	97.25	26,603	101.50	27,464	105.75	28,191
89.00	24,644	93.25	25,695	97.50	26,657	101.75	27,510	106.00	28,229





## Capacity/Gauge Table Information

**TCLX 290219**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 019

Reporting Mark: TCLX 290219

Date: 02/06/2015

Capacity: 29,025 US Gallons (109,870 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,266	110.50	28,789	114.75	29,011
106.50	28,303	110.75	28,812	115.00	29,015
106.75	28,339	111.00	28,833	115.25	29,018
107.00	28,374	111.25	28,853	115.50	29,020
107.25	28,409	111.50	28,872	115.75	29,022
107.50	28,443	111.75	28,890	116.00	29,023
107.75	28,476	112.00	28,906	116.25	29,024
108.00	28,509	112.25	28,921	116.50	29,024
108.25	28,541	112.50	28,935	116.75	29,025
108.50	28,572	112.75	28,947		
108.75	28,602	113.00	28,959		
109.00	28,631	113.25	28,969		
109.25	28,660	113.50	28,978		
109.50	28,688	113.75	28,987		
109.75	28,715	114.00	28,994		
110.00	28,741	114.25	29,001		
110.25	28,766	114.50	29,006		



## Capacity/Gauge Table Information

**TCLX 290220**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 020

Reporting Mark: TCLX 290220

Date: 04/06/2015

Capacity: 28,974 US Gallons (109,679 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,351	12.75	2,237	17.00	3,226
0.25	29	4.50	632	8.75	1,399	13.00	2,293	17.25	3,287
0.50	59	4.75	673	9.00	1,449	13.25	2,349	17.50	3,349
0.75	89	5.00	714	9.25	1,499	13.50	2,405	17.75	3,410
1.00	120	5.25	757	9.50	1,549	13.75	2,462	18.00	3,472
1.25	152	5.50	799	9.75	1,599	14.00	2,518	18.25	3,534
1.50	185	5.75	843	10.00	1,650	14.25	2,576	18.50	3,597
1.75	219	6.00	886	10.25	1,702	14.50	2,633	18.75	3,659
2.00	253	6.25	931	10.50	1,754	14.75	2,691	19.00	3,722
2.25	288	6.50	975	10.75	1,806	15.00	2,749	19.25	3,785
2.50	324	6.75	1,021	11.00	1,859	15.25	2,808	19.50	3,849
2.75	360	7.00	1,066	11.25	1,912	15.50	2,867	19.75	3,913
3.00	397	7.25	1,113	11.50	1,965	15.75	2,926	20.00	3,977
3.25	435	7.50	1,159	11.75	2,019	16.00	2,985	20.25	4,041
3.50	473	7.75	1,206	12.00	2,073	16.25	3,045	20.50	4,105
3.75	512	8.00	1,254	12.25	2,127	16.50	3,105	20.75	4,170
4.00	551	8.25	1,302	12.50	2,182	16.75	3,166	21.00	4,235



## Capacity/Gauge Table Information

**TCLX 290220**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 020

Reporting Mark: TCLX 290220

Date: 04/06/2015

Capacity: 28,974 US Gallons (109,679 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,300	25.50	5,445	29.75	6,647	34.00	7,898	38.25	9,188
21.50	4,366	25.75	5,514	30.00	6,720	34.25	7,973	38.50	9,265
21.75	4,431	26.00	5,583	30.25	6,792	34.50	8,048	38.75	9,342
22.00	4,497	26.25	5,653	30.50	6,865	34.75	8,123	39.00	9,419
22.25	4,564	26.50	5,723	30.75	6,938	35.00	8,199	39.25	9,496
22.50	4,630	26.75	5,793	31.00	7,011	35.25	8,274	39.50	9,573
22.75	4,697	27.00	5,863	31.25	7,084	35.50	8,349	39.75	9,650
23.00	4,764	27.25	5,933	31.50	7,157	35.75	8,425	40.00	9,728
23.25	4,831	27.50	6,004	31.75	7,231	36.00	8,501	40.25	9,805
23.50	4,898	27.75	6,075	32.00	7,304	36.25	8,577	40.50	9,883
23.75	4,966	28.00	6,146	32.25	7,378	36.50	8,653	40.75	9,961
24.00	5,033	28.25	6,217	32.50	7,452	36.75	8,729	41.00	10,039
24.25	5,101	28.50	6,288	32.75	7,526	37.00	8,805	41.25	10,116
24.50	5,170	28.75	6,360	33.00	7,600	37.25	8,881	41.50	10,194
24.75	5,238	29.00	6,431	33.25	7,674	37.50	8,958	41.75	10,273
25.00	5,307	29.25	6,503	33.50	7,749	37.75	9,034	42.00	10,351
25.25	5,376	29.50	6,575	33.75	7,823	38.00	9,111	42.25	10,429



## Capacity/Gauge Table Information

**TCLX 290220**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 020

Reporting Mark: TCLX 290220

Date: 04/06/2015

Capacity: 28,974 US Gallons (109,679 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,507	46.75	11,848	51.00	13,203	55.25	14,564	59.50	15,923
42.75	10,586	47.00	11,928	51.25	13,283	55.50	14,644	59.75	16,003
43.00	10,664	47.25	12,007	51.50	13,363	55.75	14,724	60.00	16,083
43.25	10,742	47.50	12,087	51.75	13,443	56.00	14,804	60.25	16,162
43.50	10,821	47.75	12,166	52.00	13,523	56.25	14,884	60.50	16,242
43.75	10,900	48.00	12,246	52.25	13,603	56.50	14,964	60.75	16,321
44.00	10,978	48.25	12,325	52.50	13,683	56.75	15,044	61.00	16,401
44.25	11,057	48.50	12,405	52.75	13,763	57.00	15,124	61.25	16,481
44.50	11,136	48.75	12,485	53.00	13,843	57.25	15,204	61.50	16,560
44.75	11,215	49.00	12,564	53.25	13,923	57.50	15,284	61.75	16,639
45.00	11,294	49.25	12,644	53.50	14,003	57.75	15,364	62.00	16,719
45.25	11,373	49.50	12,724	53.75	14,083	58.00	15,444	62.25	16,798
45.50	11,452	49.75	12,804	54.00	14,163	58.25	15,524	62.50	16,877
45.75	11,531	50.00	12,883	54.25	14,244	58.50	15,604	62.75	16,957
46.00	11,610	50.25	12,963	54.50	14,324	58.75	15,684	63.00	17,036
46.25	11,690	50.50	13,043	54.75	14,404	59.00	15,764	63.25	17,115
46.50	11,769	50.75	13,123	55.00	14,484	59.25	15,843	63.50	17,194



## Capacity/Gauge Table Information

**TCLX 290220**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 020

Reporting Mark: TCLX 290220

Date: 04/06/2015

Capacity: 28,974 US Gallons (109,679 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,273	68.00	18,606	72.25	19,914	76.50	21,188	80.75	22,420
64.00	17,352	68.25	18,684	72.50	19,990	76.75	21,262	81.00	22,491
64.25	17,431	68.50	18,761	72.75	20,066	77.00	21,335	81.25	22,562
64.50	17,510	68.75	18,839	73.00	20,141	77.25	21,409	81.50	22,632
64.75	17,588	69.00	18,916	73.25	20,217	77.50	21,482	81.75	22,703
65.00	17,667	69.25	18,994	73.50	20,292	77.75	21,555	82.00	22,773
65.25	17,746	69.50	19,071	73.75	20,368	78.00	21,628	82.25	22,843
65.50	17,824	69.75	19,148	74.00	20,443	78.25	21,701	82.50	22,913
65.75	17,903	70.00	19,225	74.25	20,518	78.50	21,774	82.75	22,982
66.00	17,981	70.25	19,302	74.50	20,593	78.75	21,846	83.00	23,052
66.25	18,060	70.50	19,379	74.75	20,668	79.00	21,918	83.25	23,121
66.50	18,138	70.75	19,456	75.00	20,743	79.25	21,991	83.50	23,190
66.75	18,216	71.00	19,532	75.25	20,817	79.50	22,063	83.75	23,259
67.00	18,294	71.25	19,609	75.50	20,892	79.75	22,134	84.00	23,327
67.25	18,372	71.50	19,685	75.75	20,966	80.00	22,206	84.25	23,396
67.50	18,450	71.75	19,761	76.00	21,040	80.25	22,278	84.50	23,464
67.75	18,528	72.00	19,838	76.25	21,114	80.50	22,349	84.75	23,532



## Capacity/Gauge Table Information

**TCLX 290220**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 020

Reporting Mark: TCLX 290220

Date: 04/06/2015

Capacity: 28,974 US Gallons (109,679 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,600	89.25	24,716	93.50	25,757	97.75	26,707	102.00	27,546
85.25	23,667	89.50	24,780	93.75	25,815	98.00	26,759	102.25	27,591
85.50	23,734	89.75	24,843	94.00	25,874	98.25	26,812	102.50	27,636
85.75	23,802	90.00	24,906	94.25	25,932	98.50	26,863	102.75	27,681
86.00	23,868	90.25	24,968	94.50	25,989	98.75	26,915	103.00	27,724
86.25	23,935	90.50	25,031	94.75	26,046	99.00	26,966	103.25	27,768
86.50	24,001	90.75	25,093	95.00	26,103	99.25	27,017	103.50	27,811
86.75	24,068	91.00	25,155	95.25	26,160	99.50	27,067	103.75	27,853
87.00	24,134	91.25	25,216	95.50	26,216	99.75	27,117	104.00	27,895
87.25	24,199	91.50	25,277	95.75	26,272	100.00	27,166	104.25	27,936
87.50	24,265	91.75	25,338	96.00	26,328	100.25	27,215	104.50	27,977
87.75	24,330	92.00	25,399	96.25	26,383	100.50	27,264	104.75	28,017
88.00	24,395	92.25	25,459	96.50	26,438	100.75	27,312	105.00	28,057
88.25	24,460	92.50	25,520	96.75	26,492	101.00	27,360	105.25	28,096
88.50	24,524	92.75	25,579	97.00	26,546	101.25	27,407	105.50	28,134
88.75	24,588	93.00	25,639	97.25	26,600	101.50	27,454	105.75	28,172
89.00	24,652	93.25	25,698	97.50	26,654	101.75	27,500	106.00	28,210



## Capacity/Gauge Table Information

**TCLX 290220**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 020

Reporting Mark: TCLX 290220

Date: 04/06/2015

Capacity: 28,974 US Gallons (109,679 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,246	110.50	28,755	114.75	28,961
106.50	28,282	110.75	28,776	115.00	28,965
106.75	28,317	111.00	28,796	115.25	28,968
107.00	28,352	111.25	28,814	115.50	28,970
107.25	28,386	111.50	28,832	115.75	28,972
107.50	28,419	111.75	28,848	116.00	28,973
107.75	28,452	112.00	28,863	116.25	28,974
108.00	28,484	112.25	28,877	116.50	28,974
108.25	28,515	112.50	28,890	116.75	28,974
108.50	28,545	112.75	28,902		
108.75	28,575	113.00	28,913		
109.00	28,603	113.25	28,922		
109.25	28,631	113.50	28,931		
109.50	28,658	113.75	28,939		
109.75	28,684	114.00	28,946		
110.00	28,708	114.25	28,952		
110.25	28,732	114.50	28,957		





## Capacity/Gauge Table Information

**TCLX 290221**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 021

Reporting Mark: TCLX 290221

Date: 15/06/2015

Capacity: 29,020 US Gallons (109,851 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	576	8.50	1,325	12.75	2,203	17.00	3,185
0.25	28	4.50	616	8.75	1,373	13.00	2,258	17.25	3,246
0.50	56	4.75	657	9.00	1,422	13.25	2,313	17.50	3,306
0.75	86	5.00	698	9.25	1,471	13.50	2,369	17.75	3,368
1.00	116	5.25	739	9.50	1,521	13.75	2,425	18.00	3,429
1.25	148	5.50	781	9.75	1,571	14.00	2,482	18.25	3,491
1.50	180	5.75	824	10.00	1,622	14.25	2,539	18.50	3,553
1.75	212	6.00	867	10.25	1,672	14.50	2,596	18.75	3,615
2.00	246	6.25	910	10.50	1,724	14.75	2,653	19.00	3,678
2.25	280	6.50	955	10.75	1,775	15.00	2,711	19.25	3,741
2.50	315	6.75	999	11.00	1,828	15.25	2,769	19.50	3,804
2.75	350	7.00	1,044	11.25	1,880	15.50	2,828	19.75	3,867
3.00	386	7.25	1,090	11.50	1,933	15.75	2,886	20.00	3,931
3.25	423	7.50	1,136	11.75	1,986	16.00	2,946	20.25	3,995
3.50	460	7.75	1,183	12.00	2,040	16.25	3,005	20.50	4,059
3.75	498	8.00	1,230	12.25	2,094	16.50	3,065	20.75	4,123
4.00	537	8.25	1,277	12.50	2,148	16.75	3,125	21.00	4,188



## Capacity/Gauge Table Information

**TCLX 290221**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 021

Reporting Mark: TCLX 290221

Date: 15/06/2015

Capacity: 29,020 US Gallons (109,851 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,253	25.50	5,392	29.75	6,591	34.00	7,839	38.25	9,126
21.50	4,318	25.75	5,461	30.00	6,663	34.25	7,913	38.50	9,202
21.75	4,383	26.00	5,530	30.25	6,735	34.50	7,988	38.75	9,279
22.00	4,449	26.25	5,600	30.50	6,808	34.75	8,063	39.00	9,356
22.25	4,515	26.50	5,669	30.75	6,881	35.00	8,138	39.25	9,433
22.50	4,581	26.75	5,739	31.00	6,953	35.25	8,214	39.50	9,510
22.75	4,647	27.00	5,809	31.25	7,026	35.50	8,289	39.75	9,588
23.00	4,714	27.25	5,879	31.50	7,099	35.75	8,364	40.00	9,665
23.25	4,781	27.50	5,950	31.75	7,173	36.00	8,440	40.25	9,743
23.50	4,848	27.75	6,020	32.00	7,246	36.25	8,516	40.50	9,820
23.75	4,915	28.00	6,091	32.25	7,320	36.50	8,592	40.75	9,898
24.00	4,983	28.25	6,162	32.50	7,393	36.75	8,668	41.00	9,975
24.25	5,050	28.50	6,233	32.75	7,467	37.00	8,744	41.25	10,053
24.50	5,118	28.75	6,304	33.00	7,541	37.25	8,820	41.50	10,131
24.75	5,187	29.00	6,376	33.25	7,615	37.50	8,896	41.75	10,209
25.00	5,255	29.25	6,447	33.50	7,690	37.75	8,973	42.00	10,287
25.25	5,323	29.50	6,519	33.75	7,764	38.00	9,049	42.25	10,365



## Capacity/Gauge Table Information

**TCLX 290221**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 021

Reporting Mark: TCLX 290221

Date: 15/06/2015

Capacity: 29,020 US Gallons (109,851 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,443	46.75	11,783	51.00	13,138	55.25	14,499	59.50	15,859
42.75	10,522	47.00	11,863	51.25	13,218	55.50	14,579	59.75	15,938
43.00	10,600	47.25	11,942	51.50	13,298	55.75	14,659	60.00	16,018
43.25	10,678	47.50	12,021	51.75	13,378	56.00	14,739	60.25	16,098
43.50	10,757	47.75	12,101	52.00	13,458	56.25	14,819	60.50	16,178
43.75	10,836	48.00	12,181	52.25	13,538	56.50	14,899	60.75	16,257
44.00	10,914	48.25	12,260	52.50	13,618	56.75	14,979	61.00	16,337
44.25	10,993	48.50	12,340	52.75	13,698	57.00	15,059	61.25	16,417
44.50	11,072	48.75	12,419	53.00	13,778	57.25	15,139	61.50	16,496
44.75	11,150	49.00	12,499	53.25	13,858	57.50	15,219	61.75	16,576
45.00	11,229	49.25	12,579	53.50	13,938	57.75	15,299	62.00	16,655
45.25	11,308	49.50	12,658	53.75	14,018	58.00	15,379	62.25	16,734
45.50	11,387	49.75	12,738	54.00	14,098	58.25	15,459	62.50	16,814
45.75	11,466	50.00	12,818	54.25	14,178	58.50	15,539	62.75	16,893
46.00	11,546	50.25	12,898	54.50	14,258	58.75	15,619	63.00	16,972
46.25	11,625	50.50	12,978	54.75	14,338	59.00	15,699	63.25	17,052
46.50	11,704	50.75	13,058	55.00	14,419	59.25	15,779	63.50	17,131



## Capacity/Gauge Table Information

**TCLX 290221**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 021

Reporting Mark: TCLX 290221

Date: 15/06/2015

Capacity: 29,020 US Gallons (109,851 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,210	68.00	18,545	72.25	19,855	76.50	21,133	80.75	22,369
64.00	17,289	68.25	18,623	72.50	19,932	76.75	21,207	81.00	22,441
64.25	17,368	68.50	18,701	72.75	20,008	77.00	21,281	81.25	22,512
64.50	17,447	68.75	18,778	73.00	20,084	77.25	21,355	81.50	22,582
64.75	17,526	69.00	18,856	73.25	20,159	77.50	21,428	81.75	22,653
65.00	17,605	69.25	18,933	73.50	20,235	77.75	21,502	82.00	22,724
65.25	17,683	69.50	19,011	73.75	20,311	78.00	21,575	82.25	22,794
65.50	17,762	69.75	19,088	74.00	20,386	78.25	21,648	82.50	22,864
65.75	17,841	70.00	19,165	74.25	20,461	78.50	21,721	82.75	22,934
66.00	17,919	70.25	19,242	74.50	20,537	78.75	21,793	83.00	23,004
66.25	17,998	70.50	19,319	74.75	20,612	79.00	21,866	83.25	23,073
66.50	18,076	70.75	19,396	75.00	20,687	79.25	21,938	83.50	23,142
66.75	18,154	71.00	19,473	75.25	20,761	79.50	22,011	83.75	23,212
67.00	18,233	71.25	19,550	75.50	20,836	79.75	22,083	84.00	23,280
67.25	18,311	71.50	19,626	75.75	20,911	80.00	22,155	84.25	23,349
67.50	18,389	71.75	19,703	76.00	20,985	80.25	22,226	84.50	23,418
67.75	18,467	72.00	19,779	76.25	21,059	80.50	22,298	84.75	23,486



## Capacity/Gauge Table Information

**TCLX 290221**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 021

Reporting Mark: TCLX 290221

Date: 15/06/2015

Capacity: 29,020 US Gallons (109,851 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,554	89.25	24,677	93.50	25,724	97.75	26,683	102.00	27,532
85.25	23,622	89.50	24,740	93.75	25,783	98.00	26,736	102.25	27,579
85.50	23,690	89.75	24,804	94.00	25,842	98.25	26,789	102.50	27,624
85.75	23,757	90.00	24,867	94.25	25,901	98.50	26,841	102.75	27,669
86.00	23,824	90.25	24,930	94.50	25,959	98.75	26,893	103.00	27,714
86.25	23,891	90.50	24,993	94.75	26,016	99.00	26,945	103.25	27,758
86.50	23,958	90.75	25,056	95.00	26,074	99.25	26,996	103.50	27,802
86.75	24,024	91.00	25,118	95.25	26,131	99.50	27,047	103.75	27,845
87.00	24,091	91.25	25,180	95.50	26,188	99.75	27,098	104.00	27,887
87.25	24,157	91.50	25,241	95.75	26,244	100.00	27,148	104.25	27,930
87.50	24,223	91.75	25,303	96.00	26,300	100.25	27,197	104.50	27,971
87.75	24,288	92.00	25,364	96.25	26,356	100.50	27,246	104.75	28,012
88.00	24,354	92.25	25,425	96.50	26,411	100.75	27,295	105.00	28,053
88.25	24,419	92.50	25,485	96.75	26,466	101.00	27,344	105.25	28,092
88.50	24,484	92.75	25,546	97.00	26,521	101.25	27,391	105.50	28,132
88.75	24,548	93.00	25,606	97.25	26,575	101.50	27,439	105.75	28,171
89.00	24,612	93.25	25,665	97.50	26,629	101.75	27,486	106.00	28,209



## Capacity/Gauge Table Information

**TCLX 290221**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 021

Reporting Mark: TCLX 290221

Date: 15/06/2015

Capacity: 29,020 US Gallons (109,851 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,246	110.50	28,776	114.75	29,005
106.50	28,283	110.75	28,799	115.00	29,009
106.75	28,319	111.00	28,821	115.25	29,013
107.00	28,355	111.25	28,842	115.50	29,015
107.25	28,390	111.50	28,862	115.75	29,017
107.50	28,424	111.75	28,880	116.00	29,018
107.75	28,458	112.00	28,896	116.25	29,019
108.00	28,491	112.25	28,912	116.50	29,019
108.25	28,523	112.50	28,926	116.75	29,020
108.50	28,555	112.75	28,939		
108.75	28,585	113.00	28,951		
109.00	28,615	113.25	28,962		
109.25	28,644	113.50	28,972		
109.50	28,672	113.75	28,980		
109.75	28,700	114.00	28,988		
110.00	28,726	114.25	28,995		
110.25	28,752	114.50	29,000		



## Capacity/Gauge Table Information

**TCLX 290222**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 022

Reporting Mark: TCLX 290222

Date: 29/05/2015

Capacity: 29,005 US Gallons (109,798 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,338	12.75	2,221	17.00	3,207
0.25	28	4.50	624	8.75	1,387	13.00	2,276	17.25	3,268
0.50	58	4.75	665	9.00	1,436	13.25	2,332	17.50	3,329
0.75	88	5.00	706	9.25	1,486	13.50	2,388	17.75	3,390
1.00	118	5.25	748	9.50	1,536	13.75	2,444	18.00	3,452
1.25	150	5.50	791	9.75	1,586	14.00	2,501	18.25	3,514
1.50	183	5.75	834	10.00	1,637	14.25	2,558	18.50	3,576
1.75	216	6.00	877	10.25	1,688	14.50	2,615	18.75	3,638
2.00	250	6.25	921	10.50	1,739	14.75	2,673	19.00	3,701
2.25	284	6.50	965	10.75	1,791	15.00	2,731	19.25	3,764
2.50	319	6.75	1,010	11.00	1,844	15.25	2,790	19.50	3,828
2.75	355	7.00	1,056	11.25	1,897	15.50	2,848	19.75	3,891
3.00	392	7.25	1,102	11.50	1,950	15.75	2,907	20.00	3,955
3.25	429	7.50	1,148	11.75	2,003	16.00	2,967	20.25	4,019
3.50	467	7.75	1,195	12.00	2,057	16.25	3,026	20.50	4,083
3.75	505	8.00	1,242	12.25	2,111	16.50	3,086	20.75	4,148
4.00	544	8.25	1,290	12.50	2,166	16.75	3,146	21.00	4,213





## Capacity/Gauge Table Information

**TCLX 290222**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 022

Reporting Mark: TCLX 290222

Date: 29/05/2015

Capacity: 29,005 US Gallons (109,798 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,278	25.50	5,420	29.75	6,621	34.00	7,871	38.25	9,159
21.50	4,343	25.75	5,489	30.00	6,693	34.25	7,945	38.50	9,236
21.75	4,409	26.00	5,558	30.25	6,766	34.50	8,020	38.75	9,313
22.00	4,475	26.25	5,628	30.50	6,838	34.75	8,096	39.00	9,390
22.25	4,541	26.50	5,698	30.75	6,911	35.00	8,171	39.25	9,467
22.50	4,607	26.75	5,768	31.00	6,984	35.25	8,246	39.50	9,544
22.75	4,674	27.00	5,838	31.25	7,057	35.50	8,321	39.75	9,622
23.00	4,740	27.25	5,908	31.50	7,130	35.75	8,397	40.00	9,699
23.25	4,807	27.50	5,979	31.75	7,204	36.00	8,473	40.25	9,777
23.50	4,875	27.75	6,049	32.00	7,277	36.25	8,549	40.50	9,854
23.75	4,942	28.00	6,120	32.25	7,351	36.50	8,625	40.75	9,932
24.00	5,010	28.25	6,191	32.50	7,425	36.75	8,701	41.00	10,010
24.25	5,077	28.50	6,262	32.75	7,499	37.00	8,777	41.25	10,088
24.50	5,146	28.75	6,334	33.00	7,573	37.25	8,853	41.50	10,166
24.75	5,214	29.00	6,405	33.25	7,647	37.50	8,929	41.75	10,244
25.00	5,282	29.25	6,477	33.50	7,721	37.75	9,006	42.00	10,322
25.25	5,351	29.50	6,549	33.75	7,796	38.00	9,083	42.25	10,400



## Capacity/Gauge Table Information

**TCLX 290222**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 022

Reporting Mark: TCLX 290222

Date: 29/05/2015

Capacity: 29,005 US Gallons (109,798 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,478	46.75	11,819	51.00	13,174	55.25	14,535	59.50	15,895
42.75	10,556	47.00	11,898	51.25	13,254	55.50	14,615	59.75	15,975
43.00	10,635	47.25	11,978	51.50	13,334	55.75	14,695	60.00	16,055
43.25	10,713	47.50	12,057	51.75	13,414	56.00	14,775	60.25	16,134
43.50	10,792	47.75	12,137	52.00	13,494	56.25	14,855	60.50	16,214
43.75	10,871	48.00	12,216	52.25	13,574	56.50	14,936	60.75	16,294
44.00	10,949	48.25	12,296	52.50	13,654	56.75	15,016	61.00	16,373
44.25	11,028	48.50	12,376	52.75	13,734	57.00	15,096	61.25	16,453
44.50	11,107	48.75	12,455	53.00	13,814	57.25	15,176	61.50	16,532
44.75	11,186	49.00	12,535	53.25	13,894	57.50	15,256	61.75	16,612
45.00	11,265	49.25	12,615	53.50	13,974	57.75	15,336	62.00	16,691
45.25	11,344	49.50	12,695	53.75	14,054	58.00	15,416	62.25	16,771
45.50	11,423	49.75	12,774	54.00	14,134	58.25	15,496	62.50	16,850
45.75	11,502	50.00	12,854	54.25	14,215	58.50	15,576	62.75	16,929
46.00	11,581	50.25	12,934	54.50	14,295	58.75	15,655	63.00	17,009
46.25	11,660	50.50	13,014	54.75	14,375	59.00	15,735	63.25	17,088
46.50	11,740	50.75	13,094	55.00	14,455	59.25	15,815	63.50	17,167



## Capacity/Gauge Table Information

**TCLX 290222**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 022

Reporting Mark: TCLX 290222

Date: 29/05/2015

Capacity: 29,005 US Gallons (109,798 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,246	68.00	18,580	72.25	19,890	76.50	21,166	80.75	22,400
64.00	17,325	68.25	18,658	72.50	19,966	76.75	21,240	81.00	22,472
64.25	17,404	68.50	18,736	72.75	20,042	77.00	21,314	81.25	22,542
64.50	17,483	68.75	18,813	73.00	20,118	77.25	21,387	81.50	22,613
64.75	17,562	69.00	18,891	73.25	20,193	77.50	21,461	81.75	22,684
65.00	17,640	69.25	18,968	73.50	20,269	77.75	21,534	82.00	22,754
65.25	17,719	69.50	19,046	73.75	20,344	78.00	21,607	82.25	22,824
65.50	17,798	69.75	19,123	74.00	20,420	78.25	21,680	82.50	22,894
65.75	17,876	70.00	19,200	74.25	20,495	78.50	21,753	82.75	22,964
66.00	17,955	70.25	19,277	74.50	20,570	78.75	21,825	83.00	23,034
66.25	18,033	70.50	19,354	74.75	20,645	79.00	21,898	83.25	23,103
66.50	18,112	70.75	19,431	75.00	20,720	79.25	21,970	83.50	23,172
66.75	18,190	71.00	19,508	75.25	20,795	79.50	22,042	83.75	23,241
67.00	18,268	71.25	19,584	75.50	20,869	79.75	22,114	84.00	23,310
67.25	18,346	71.50	19,661	75.75	20,944	80.00	22,186	84.25	23,379
67.50	18,424	71.75	19,737	76.00	21,018	80.25	22,258	84.50	23,447
67.75	18,502	72.00	19,814	76.25	21,092	80.50	22,329	84.75	23,515



## Capacity/Gauge Table Information

**TCLX 290222**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 022

Reporting Mark: TCLX 290222

Date: 29/05/2015

Capacity: 29,005 US Gallons (109,798 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,583	89.25	24,703	93.50	25,747	97.75	26,702	102.00	27,547
85.25	23,651	89.50	24,766	93.75	25,806	98.00	26,755	102.25	27,592
85.50	23,718	89.75	24,830	94.00	25,865	98.25	26,807	102.50	27,638
85.75	23,785	90.00	24,893	94.25	25,923	98.50	26,860	102.75	27,683
86.00	23,853	90.25	24,956	94.50	25,981	98.75	26,911	103.00	27,727
86.25	23,919	90.50	25,018	94.75	26,038	99.00	26,963	103.25	27,771
86.50	23,986	90.75	25,081	95.00	26,096	99.25	27,014	103.50	27,814
86.75	24,052	91.00	25,143	95.25	26,152	99.50	27,064	103.75	27,857
87.00	24,118	91.25	25,205	95.50	26,209	99.75	27,115	104.00	27,899
87.25	24,184	91.50	25,266	95.75	26,265	100.00	27,164	104.25	27,941
87.50	24,250	91.75	25,327	96.00	26,321	100.25	27,214	104.50	27,982
87.75	24,315	92.00	25,388	96.25	26,376	100.50	27,263	104.75	28,022
88.00	24,381	92.25	25,449	96.50	26,432	100.75	27,311	105.00	28,063
88.25	24,446	92.50	25,509	96.75	26,486	101.00	27,359	105.25	28,102
88.50	24,510	92.75	25,569	97.00	26,541	101.25	27,407	105.50	28,141
88.75	24,575	93.00	25,629	97.25	26,595	101.50	27,454	105.75	28,179
89.00	24,639	93.25	25,688	97.50	26,649	101.75	27,500	106.00	28,217



## Capacity/Gauge Table Information

**TCLX 290222**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 022

Reporting Mark: TCLX 290222

Date: 29/05/2015

Capacity: 29,005 US Gallons (109,798 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,254	110.50	28,774	114.75	28,992
106.50	28,291	110.75	28,796	115.00	28,996
106.75	28,326	111.00	28,817	115.25	28,999
107.00	28,362	111.25	28,837	115.50	29,001
107.25	28,396	111.50	28,856	115.75	29,003
107.50	28,430	111.75	28,873	116.00	29,004
107.75	28,463	112.00	28,889	116.25	29,005
108.00	28,496	112.25	28,903	116.50	29,005
108.25	28,527	112.50	28,917	116.75	29,005
108.50	28,558	112.75	28,929		
108.75	28,588	113.00	28,941		
109.00	28,618	113.25	28,951		
109.25	28,646	113.50	28,960		
109.50	28,674	113.75	28,968		
109.75	28,700	114.00	28,976		
110.00	28,726	114.25	28,982		
110.25	28,750	114.50	28,987		



## Capacity/Gauge Table Information

**TCLX 290223**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 023

Reporting Mark: TCLX 290223

Date: 02/06/2015

Capacity: 29,005 US Gallons (109,798 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,338	12.75	2,221	17.00	3,207
0.25	28	4.50	624	8.75	1,387	13.00	2,276	17.25	3,268
0.50	58	4.75	665	9.00	1,436	13.25	2,332	17.50	3,329
0.75	88	5.00	706	9.25	1,486	13.50	2,388	17.75	3,390
1.00	118	5.25	748	9.50	1,536	13.75	2,444	18.00	3,452
1.25	150	5.50	791	9.75	1,586	14.00	2,501	18.25	3,514
1.50	183	5.75	834	10.00	1,637	14.25	2,558	18.50	3,576
1.75	216	6.00	877	10.25	1,688	14.50	2,615	18.75	3,638
2.00	250	6.25	921	10.50	1,739	14.75	2,673	19.00	3,701
2.25	284	6.50	965	10.75	1,791	15.00	2,731	19.25	3,764
2.50	319	6.75	1,010	11.00	1,844	15.25	2,790	19.50	3,828
2.75	355	7.00	1,056	11.25	1,897	15.50	2,848	19.75	3,891
3.00	392	7.25	1,102	11.50	1,950	15.75	2,907	20.00	3,955
3.25	429	7.50	1,148	11.75	2,003	16.00	2,967	20.25	4,019
3.50	467	7.75	1,195	12.00	2,057	16.25	3,026	20.50	4,083
3.75	505	8.00	1,242	12.25	2,111	16.50	3,086	20.75	4,148
4.00	544	8.25	1,290	12.50	2,166	16.75	3,146	21.00	4,213



## Capacity/Gauge Table Information

**TCLX 290223**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 023

Reporting Mark: TCLX 290223

Date: 02/06/2015

Capacity: 29,005 US Gallons (109,798 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,278	25.50	5,420	29.75	6,621	34.00	7,871	38.25	9,159
21.50	4,343	25.75	5,489	30.00	6,693	34.25	7,945	38.50	9,236
21.75	4,409	26.00	5,558	30.25	6,766	34.50	8,020	38.75	9,313
22.00	4,475	26.25	5,628	30.50	6,838	34.75	8,096	39.00	9,390
22.25	4,541	26.50	5,698	30.75	6,911	35.00	8,171	39.25	9,467
22.50	4,607	26.75	5,768	31.00	6,984	35.25	8,246	39.50	9,544
22.75	4,674	27.00	5,838	31.25	7,057	35.50	8,321	39.75	9,622
23.00	4,740	27.25	5,908	31.50	7,130	35.75	8,397	40.00	9,699
23.25	4,807	27.50	5,979	31.75	7,204	36.00	8,473	40.25	9,777
23.50	4,875	27.75	6,049	32.00	7,277	36.25	8,549	40.50	9,854
23.75	4,942	28.00	6,120	32.25	7,351	36.50	8,625	40.75	9,932
24.00	5,010	28.25	6,191	32.50	7,425	36.75	8,701	41.00	10,010
24.25	5,077	28.50	6,262	32.75	7,499	37.00	8,777	41.25	10,088
24.50	5,146	28.75	6,334	33.00	7,573	37.25	8,853	41.50	10,166
24.75	5,214	29.00	6,405	33.25	7,647	37.50	8,929	41.75	10,244
25.00	5,282	29.25	6,477	33.50	7,721	37.75	9,006	42.00	10,322
25.25	5,351	29.50	6,549	33.75	7,796	38.00	9,083	42.25	10,400





## Capacity/Gauge Table Information

**TCLX 290223**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 023

Reporting Mark: TCLX 290223

Date: 02/06/2015

Capacity: 29,005 US Gallons (109,798 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,478	46.75	11,819	51.00	13,174	55.25	14,535	59.50	15,895
42.75	10,556	47.00	11,898	51.25	13,254	55.50	14,615	59.75	15,975
43.00	10,635	47.25	11,978	51.50	13,334	55.75	14,695	60.00	16,055
43.25	10,713	47.50	12,057	51.75	13,414	56.00	14,775	60.25	16,134
43.50	10,792	47.75	12,137	52.00	13,494	56.25	14,855	60.50	16,214
43.75	10,871	48.00	12,216	52.25	13,574	56.50	14,936	60.75	16,294
44.00	10,949	48.25	12,296	52.50	13,654	56.75	15,016	61.00	16,373
44.25	11,028	48.50	12,376	52.75	13,734	57.00	15,096	61.25	16,453
44.50	11,107	48.75	12,455	53.00	13,814	57.25	15,176	61.50	16,532
44.75	11,186	49.00	12,535	53.25	13,894	57.50	15,256	61.75	16,612
45.00	11,265	49.25	12,615	53.50	13,974	57.75	15,336	62.00	16,691
45.25	11,344	49.50	12,695	53.75	14,054	58.00	15,416	62.25	16,771
45.50	11,423	49.75	12,774	54.00	14,134	58.25	15,496	62.50	16,850
45.75	11,502	50.00	12,854	54.25	14,215	58.50	15,576	62.75	16,929
46.00	11,581	50.25	12,934	54.50	14,295	58.75	15,655	63.00	17,009
46.25	11,660	50.50	13,014	54.75	14,375	59.00	15,735	63.25	17,088
46.50	11,740	50.75	13,094	55.00	14,455	59.25	15,815	63.50	17,167



## Capacity/Gauge Table Information

**TCLX 290223**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 023

Reporting Mark: TCLX 290223

Date: 02/06/2015

Capacity: 29,005 US Gallons (109,798 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,246	68.00	18,580	72.25	19,890	76.50	21,166	80.75	22,400
64.00	17,325	68.25	18,658	72.50	19,966	76.75	21,240	81.00	22,472
64.25	17,404	68.50	18,736	72.75	20,042	77.00	21,314	81.25	22,542
64.50	17,483	68.75	18,813	73.00	20,118	77.25	21,387	81.50	22,613
64.75	17,562	69.00	18,891	73.25	20,193	77.50	21,461	81.75	22,684
65.00	17,640	69.25	18,968	73.50	20,269	77.75	21,534	82.00	22,754
65.25	17,719	69.50	19,046	73.75	20,344	78.00	21,607	82.25	22,824
65.50	17,798	69.75	19,123	74.00	20,420	78.25	21,680	82.50	22,894
65.75	17,876	70.00	19,200	74.25	20,495	78.50	21,753	82.75	22,964
66.00	17,955	70.25	19,277	74.50	20,570	78.75	21,825	83.00	23,034
66.25	18,033	70.50	19,354	74.75	20,645	79.00	21,898	83.25	23,103
66.50	18,112	70.75	19,431	75.00	20,720	79.25	21,970	83.50	23,172
66.75	18,190	71.00	19,508	75.25	20,795	79.50	22,042	83.75	23,241
67.00	18,268	71.25	19,584	75.50	20,869	79.75	22,114	84.00	23,310
67.25	18,346	71.50	19,661	75.75	20,944	80.00	22,186	84.25	23,379
67.50	18,424	71.75	19,737	76.00	21,018	80.25	22,258	84.50	23,447
67.75	18,502	72.00	19,814	76.25	21,092	80.50	22,329	84.75	23,515



## Capacity/Gauge Table Information

**TCLX 290223**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 023

Reporting Mark: TCLX 290223

Date: 02/06/2015

Capacity: 29,005 US Gallons (109,798 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,583	89.25	24,703	93.50	25,747	97.75	26,702	102.00	27,547
85.25	23,651	89.50	24,766	93.75	25,806	98.00	26,755	102.25	27,592
85.50	23,718	89.75	24,830	94.00	25,865	98.25	26,807	102.50	27,638
85.75	23,785	90.00	24,893	94.25	25,923	98.50	26,860	102.75	27,683
86.00	23,853	90.25	24,956	94.50	25,981	98.75	26,911	103.00	27,727
86.25	23,919	90.50	25,018	94.75	26,038	99.00	26,963	103.25	27,771
86.50	23,986	90.75	25,081	95.00	26,096	99.25	27,014	103.50	27,814
86.75	24,052	91.00	25,143	95.25	26,152	99.50	27,064	103.75	27,857
87.00	24,118	91.25	25,205	95.50	26,209	99.75	27,115	104.00	27,899
87.25	24,184	91.50	25,266	95.75	26,265	100.00	27,164	104.25	27,941
87.50	24,250	91.75	25,327	96.00	26,321	100.25	27,214	104.50	27,982
87.75	24,315	92.00	25,388	96.25	26,376	100.50	27,263	104.75	28,022
88.00	24,381	92.25	25,449	96.50	26,432	100.75	27,311	105.00	28,063
88.25	24,446	92.50	25,509	96.75	26,486	101.00	27,359	105.25	28,102
88.50	24,510	92.75	25,569	97.00	26,541	101.25	27,407	105.50	28,141
88.75	24,575	93.00	25,629	97.25	26,595	101.50	27,454	105.75	28,179
89.00	24,639	93.25	25,688	97.50	26,649	101.75	27,500	106.00	28,217



## Capacity/Gauge Table Information

**TCLX 290223**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 023

Reporting Mark: TCLX 290223

Date: 02/06/2015

Capacity: 29,005 US Gallons (109,798 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,254	110.50	28,774	114.75	28,992
106.50	28,291	110.75	28,796	115.00	28,996
106.75	28,326	111.00	28,817	115.25	28,999
107.00	28,362	111.25	28,837	115.50	29,001
107.25	28,396	111.50	28,856	115.75	29,003
107.50	28,430	111.75	28,873	116.00	29,004
107.75	28,463	112.00	28,889	116.25	29,005
108.00	28,496	112.25	28,903	116.50	29,005
108.25	28,527	112.50	28,917	116.75	29,005
108.50	28,558	112.75	28,929		
108.75	28,588	113.00	28,941		
109.00	28,618	113.25	28,951		
109.25	28,646	113.50	28,960		
109.50	28,674	113.75	28,968		
109.75	28,700	114.00	28,976		
110.00	28,726	114.25	28,982		
110.25	28,750	114.50	28,987		



## Capacity/Gauge Table Information

**TCLX 290224**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 024

Reporting Mark: TCLX 290224

Date: 17/06/2015

Capacity: 28,962 US Gallons (109,632 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	607	8.50	1,378	12.75	2,273	17.00	3,270
0.25	30	4.50	648	8.75	1,427	13.00	2,329	17.25	3,331
0.50	61	4.75	690	9.00	1,477	13.25	2,386	17.50	3,393
0.75	92	5.00	732	9.25	1,527	13.50	2,442	17.75	3,455
1.00	125	5.25	775	9.50	1,578	13.75	2,499	18.00	3,517
1.25	158	5.50	819	9.75	1,629	14.00	2,557	18.25	3,580
1.50	192	5.75	863	10.00	1,681	14.25	2,614	18.50	3,642
1.75	226	6.00	907	10.25	1,733	14.50	2,673	18.75	3,705
2.00	262	6.25	952	10.50	1,785	14.75	2,731	19.00	3,769
2.25	297	6.50	997	10.75	1,838	15.00	2,790	19.25	3,832
2.50	334	6.75	1,043	11.00	1,891	15.25	2,849	19.50	3,896
2.75	371	7.00	1,090	11.25	1,945	15.50	2,908	19.75	3,960
3.00	409	7.25	1,137	11.50	1,998	15.75	2,967	20.00	4,025
3.25	447	7.50	1,184	11.75	2,053	16.00	3,027	20.25	4,089
3.50	486	7.75	1,232	12.00	2,107	16.25	3,088	20.50	4,154
3.75	526	8.00	1,280	12.25	2,162	16.50	3,148	20.75	4,219
4.00	566	8.25	1,329	12.50	2,218	16.75	3,209	21.00	4,285



## Capacity/Gauge Table Information

**TCLX 290224**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 024

Reporting Mark: TCLX 290224

Date: 17/06/2015

Capacity: 28,962 US Gallons (109,632 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,350	25.50	5,500	29.75	6,707	34.00	7,962	38.25	9,255
21.50	4,416	25.75	5,569	30.00	6,780	34.25	8,038	38.50	9,332
21.75	4,482	26.00	5,639	30.25	6,853	34.50	8,113	38.75	9,410
22.00	4,548	26.25	5,709	30.50	6,926	34.75	8,188	39.00	9,487
22.25	4,615	26.50	5,779	30.75	6,999	35.00	8,264	39.25	9,564
22.50	4,682	26.75	5,850	31.00	7,072	35.25	8,339	39.50	9,642
22.75	4,749	27.00	5,920	31.25	7,145	35.50	8,415	39.75	9,719
23.00	4,816	27.25	5,991	31.50	7,219	35.75	8,491	40.00	9,797
23.25	4,883	27.50	6,062	31.75	7,293	36.00	8,567	40.25	9,874
23.50	4,951	27.75	6,133	32.00	7,367	36.25	8,643	40.50	9,952
23.75	5,019	28.00	6,204	32.25	7,441	36.50	8,719	40.75	10,030
24.00	5,087	28.25	6,275	32.50	7,515	36.75	8,795	41.00	10,108
24.25	5,155	28.50	6,347	32.75	7,589	37.00	8,872	41.25	10,186
24.50	5,224	28.75	6,419	33.00	7,663	37.25	8,948	41.50	10,264
24.75	5,293	29.00	6,491	33.25	7,738	37.50	9,025	41.75	10,343
25.00	5,361	29.25	6,563	33.50	7,813	37.75	9,102	42.00	10,421
25.25	5,431	29.50	6,635	33.75	7,887	38.00	9,178	42.25	10,499



## Capacity/Gauge Table Information

**TCLX 290224**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 024

Reporting Mark: TCLX 290224

Date: 17/06/2015

Capacity: 28,962 US Gallons (109,632 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,578	46.75	11,921	51.00	13,278	55.25	14,640	59.50	15,999
42.75	10,656	47.00	12,000	51.25	13,358	55.50	14,720	59.75	16,079
43.00	10,735	47.25	12,080	51.50	13,438	55.75	14,800	60.00	16,159
43.25	10,813	47.50	12,160	51.75	13,518	56.00	14,880	60.25	16,239
43.50	10,892	47.75	12,239	52.00	13,598	56.25	14,960	60.50	16,318
43.75	10,971	48.00	12,319	52.25	13,678	56.50	15,040	60.75	16,398
44.00	11,050	48.25	12,399	52.50	13,758	56.75	15,120	61.00	16,477
44.25	11,129	48.50	12,478	52.75	13,838	57.00	15,200	61.25	16,557
44.50	11,208	48.75	12,558	53.00	13,918	57.25	15,280	61.50	16,636
44.75	11,287	49.00	12,638	53.25	13,998	57.50	15,360	61.75	16,716
45.00	11,366	49.25	12,718	53.50	14,079	57.75	15,440	62.00	16,795
45.25	11,445	49.50	12,798	53.75	14,159	58.00	15,520	62.25	16,875
45.50	11,524	49.75	12,878	54.00	14,239	58.25	15,600	62.50	16,954
45.75	11,603	50.00	12,958	54.25	14,319	58.50	15,680	62.75	17,033
46.00	11,683	50.25	13,038	54.50	14,399	58.75	15,760	63.00	17,112
46.25	11,762	50.50	13,117	54.75	14,479	59.00	15,840	63.25	17,191
46.50	11,842	50.75	13,197	55.00	14,559	59.25	15,920	63.50	17,270





## Capacity/Gauge Table Information

**TCLX 290224**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 024

Reporting Mark: TCLX 290224

Date: 17/06/2015

Capacity: 28,962 US Gallons (109,632 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,349	68.00	18,682	72.25	19,989	76.50	21,261	80.75	22,491
64.00	17,428	68.25	18,759	72.50	20,064	76.75	21,335	81.00	22,561
64.25	17,507	68.50	18,837	72.75	20,140	77.00	21,408	81.25	22,632
64.50	17,586	68.75	18,915	73.00	20,216	77.25	21,481	81.50	22,702
64.75	17,665	69.00	18,992	73.25	20,291	77.50	21,555	81.75	22,773
65.00	17,743	69.25	19,069	73.50	20,367	77.75	21,628	82.00	22,843
65.25	17,822	69.50	19,146	73.75	20,442	78.00	21,700	82.25	22,912
65.50	17,901	69.75	19,223	74.00	20,517	78.25	21,773	82.50	22,982
65.75	17,979	70.00	19,300	74.25	20,592	78.50	21,846	82.75	23,051
66.00	18,057	70.25	19,377	74.50	20,667	78.75	21,918	83.00	23,121
66.25	18,136	70.50	19,454	74.75	20,742	79.00	21,990	83.25	23,190
66.50	18,214	70.75	19,531	75.00	20,816	79.25	22,062	83.50	23,259
66.75	18,292	71.00	19,607	75.25	20,891	79.50	22,134	83.75	23,327
67.00	18,370	71.25	19,684	75.50	20,965	79.75	22,206	84.00	23,396
67.25	18,448	71.50	19,760	75.75	21,039	80.00	22,277	84.25	23,464
67.50	18,526	71.75	19,836	76.00	21,113	80.25	22,348	84.50	23,532
67.75	18,604	72.00	19,913	76.25	21,187	80.50	22,420	84.75	23,599



## Capacity/Gauge Table Information

**TCLX 290224**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 024

Reporting Mark: TCLX 290224

Date: 17/06/2015

Capacity: 28,962 US Gallons (109,632 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,667	89.25	24,779	93.50	25,815	97.75	26,759	102.00	27,590
85.25	23,734	89.50	24,843	93.75	25,873	98.00	26,811	102.25	27,635
85.50	23,801	89.75	24,906	94.00	25,931	98.25	26,863	102.50	27,679
85.75	23,868	90.00	24,968	94.25	25,989	98.50	26,914	102.75	27,723
86.00	23,935	90.25	25,031	94.50	26,046	98.75	26,965	103.00	27,766
86.25	24,001	90.50	25,093	94.75	26,103	99.00	27,016	103.25	27,809
86.50	24,068	90.75	25,154	95.00	26,160	99.25	27,066	103.50	27,851
86.75	24,134	91.00	25,216	95.25	26,216	99.50	27,116	103.75	27,893
87.00	24,199	91.25	25,277	95.50	26,272	99.75	27,165	104.00	27,934
87.25	24,265	91.50	25,338	95.75	26,327	100.00	27,214	104.25	27,975
87.50	24,330	91.75	25,399	96.00	26,382	100.25	27,263	104.50	28,015
87.75	24,395	92.00	25,459	96.25	26,437	100.50	27,311	104.75	28,055
88.00	24,460	92.25	25,519	96.50	26,492	100.75	27,358	105.00	28,094
88.25	24,524	92.50	25,579	96.75	26,546	101.00	27,406	105.25	28,132
88.50	24,588	92.75	25,639	97.00	26,600	101.25	27,452	105.50	28,170
88.75	24,652	93.00	25,698	97.25	26,653	101.50	27,499	105.75	28,207
89.00	24,716	93.25	25,757	97.50	26,706	101.75	27,544	106.00	28,244



## Capacity/Gauge Table Information

**TCLX 290224**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 024

Reporting Mark: TCLX 290224

Date: 17/06/2015

Capacity: 28,962 US Gallons (109,632 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,280	110.50	28,772	114.75	28,955
106.50	28,315	110.75	28,792	115.00	28,957
106.75	28,350	111.00	28,811	115.25	28,959
107.00	28,383	111.25	28,828	115.50	28,960
107.25	28,417	111.50	28,844	115.75	28,961
107.50	28,449	111.75	28,859	116.00	28,962
107.75	28,481	112.00	28,872	116.25	28,962
108.00	28,512	112.25	28,885		
108.25	28,542	112.50	28,896		
108.50	28,571	112.75	28,907		
108.75	28,600	113.00	28,916		
109.00	28,628	113.25	28,924		
109.25	28,654	113.50	28,931		
109.50	28,680	113.75	28,938		
109.75	28,705	114.00	28,943		
110.00	28,729	114.25	28,948		
110.25	28,751	114.50	28,952		



## Capacity/Gauge Table Information

**TCLX 290225**

Product Order #: P7320/14

Tank Car Number: 025

Reporting Mark: TCLX 290225

Date: 07/05/2015

Capacity: 29,041 US Gallons (109,931 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 84,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	581	8.50	1,333	12.75	2,214	17.00	3,199
0.25	28	4.50	621	8.75	1,381	13.00	2,269	17.25	3,260
0.50	57	4.75	661	9.00	1,430	13.25	2,325	17.50	3,321
0.75	87	5.00	703	9.25	1,480	13.50	2,381	17.75	3,382
1.00	118	5.25	744	9.50	1,530	13.75	2,437	18.00	3,444
1.25	149	5.50	787	9.75	1,580	14.00	2,494	18.25	3,506
1.50	181	5.75	829	10.00	1,631	14.25	2,551	18.50	3,568
1.75	214	6.00	873	10.25	1,682	14.50	2,608	18.75	3,630
2.00	248	6.25	917	10.50	1,733	14.75	2,666	19.00	3,693
2.25	282	6.50	961	10.75	1,785	15.00	2,724	19.25	3,756
2.50	317	6.75	1,006	11.00	1,837	15.25	2,782	19.50	3,819
2.75	353	7.00	1,051	11.25	1,890	15.50	2,841	19.75	3,883
3.00	389	7.25	1,097	11.50	1,943	15.75	2,900	20.00	3,947
3.25	426	7.50	1,143	11.75	1,997	16.00	2,959	20.25	4,011
3.50	464	7.75	1,190	12.00	2,050	16.25	3,018	20.50	4,075
3.75	502	8.00	1,237	12.25	2,105	16.50	3,078	20.75	4,140
4.00	541	8.25	1,285	12.50	2,159	16.75	3,138	21.00	4,204



## Capacity/Gauge Table Information

**TCLX 290225**

Product Order #: P7320/14

Tank Car Number: 025

Reporting Mark: TCLX 290225

Date: 07/05/2015

Capacity: 29,041 US Gallons (109,931 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 84,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,270	25.50	5,412	29.75	6,613	34.00	7,863	38.25	9,152
21.50	4,335	25.75	5,481	30.00	6,685	34.25	7,938	38.50	9,229
21.75	4,400	26.00	5,550	30.25	6,758	34.50	8,013	38.75	9,306
22.00	4,466	26.25	5,620	30.50	6,830	34.75	8,088	39.00	9,383
22.25	4,532	26.50	5,689	30.75	6,903	35.00	8,163	39.25	9,460
22.50	4,599	26.75	5,759	31.00	6,976	35.25	8,238	39.50	9,538
22.75	4,665	27.00	5,829	31.25	7,049	35.50	8,314	39.75	9,615
23.00	4,732	27.25	5,900	31.50	7,122	35.75	8,390	40.00	9,692
23.25	4,799	27.50	5,970	31.75	7,196	36.00	8,465	40.25	9,770
23.50	4,866	27.75	6,041	32.00	7,269	36.25	8,541	40.50	9,848
23.75	4,934	28.00	6,112	32.25	7,343	36.50	8,617	40.75	9,925
24.00	5,001	28.25	6,183	32.50	7,417	36.75	8,693	41.00	10,003
24.25	5,069	28.50	6,254	32.75	7,491	37.00	8,769	41.25	10,081
24.50	5,137	28.75	6,325	33.00	7,565	37.25	8,846	41.50	10,159
24.75	5,205	29.00	6,397	33.25	7,639	37.50	8,922	41.75	10,237
25.00	5,274	29.25	6,469	33.50	7,714	37.75	8,999	42.00	10,315
25.25	5,343	29.50	6,541	33.75	7,788	38.00	9,075	42.25	10,394



## Capacity/Gauge Table Information

**TCLX 290225**

Product Order #: P7320/14

Tank Car Number: 025

Reporting Mark: TCLX 290225

Date: 07/05/2015

Capacity: 29,041 US Gallons (109,931 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 84,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,472	46.75	11,814	51.00	13,170	55.25	14,533	59.50	15,894
42.75	10,550	47.00	11,893	51.25	13,250	55.50	14,613	59.75	15,974
43.00	10,629	47.25	11,973	51.50	13,330	55.75	14,693	60.00	16,054
43.25	10,707	47.50	12,052	51.75	13,410	56.00	14,773	60.25	16,134
43.50	10,786	47.75	12,132	52.00	13,490	56.25	14,854	60.50	16,214
43.75	10,865	48.00	12,212	52.25	13,571	56.50	14,934	60.75	16,293
44.00	10,943	48.25	12,291	52.50	13,651	56.75	15,014	61.00	16,373
44.25	11,022	48.50	12,371	52.75	13,731	57.00	15,094	61.25	16,453
44.50	11,101	48.75	12,451	53.00	13,811	57.25	15,174	61.50	16,532
44.75	11,180	49.00	12,531	53.25	13,891	57.50	15,254	61.75	16,612
45.00	11,259	49.25	12,610	53.50	13,971	57.75	15,334	62.00	16,692
45.25	11,338	49.50	12,690	53.75	14,052	58.00	15,414	62.25	16,771
45.50	11,417	49.75	12,770	54.00	14,132	58.25	15,494	62.50	16,850
45.75	11,497	50.00	12,850	54.25	14,212	58.50	15,574	62.75	16,930
46.00	11,576	50.25	12,930	54.50	14,292	58.75	15,654	63.00	17,009
46.25	11,655	50.50	13,010	54.75	14,372	59.00	15,734	63.25	17,089
46.50	11,734	50.75	13,090	55.00	14,453	59.25	15,814	63.50	17,168



## Capacity/Gauge Table Information

**TCLX 290225**

Product Order #: P7320/14

Tank Car Number: 025

Reporting Mark: TCLX 290225

Date: 07/05/2015

Capacity: 29,041 US Gallons (109,931 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 84,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,247	68.00	18,583	72.25	19,894	76.50	21,173	80.75	22,409
64.00	17,326	68.25	18,661	72.50	19,971	76.75	21,247	81.00	22,480
64.25	17,405	68.50	18,739	72.75	20,047	77.00	21,321	81.25	22,552
64.50	17,484	68.75	18,816	73.00	20,123	77.25	21,394	81.50	22,622
64.75	17,563	69.00	18,894	73.25	20,199	77.50	21,468	81.75	22,693
65.00	17,642	69.25	18,972	73.50	20,274	77.75	21,541	82.00	22,764
65.25	17,721	69.50	19,049	73.75	20,350	78.00	21,614	82.25	22,834
65.50	17,800	69.75	19,126	74.00	20,425	78.25	21,688	82.50	22,904
65.75	17,878	70.00	19,204	74.25	20,501	78.50	21,760	82.75	22,974
66.00	17,957	70.25	19,281	74.50	20,576	78.75	21,833	83.00	23,044
66.25	18,035	70.50	19,358	74.75	20,651	79.00	21,906	83.25	23,113
66.50	18,114	70.75	19,435	75.00	20,726	79.25	21,978	83.50	23,182
66.75	18,192	71.00	19,512	75.25	20,801	79.50	22,051	83.75	23,251
67.00	18,271	71.25	19,589	75.50	20,875	79.75	22,123	84.00	23,320
67.25	18,349	71.50	19,665	75.75	20,950	80.00	22,195	84.25	23,389
67.50	18,427	71.75	19,742	76.00	21,024	80.25	22,266	84.50	23,458
67.75	18,505	72.00	19,818	76.25	21,099	80.50	22,338	84.75	23,526





## Capacity/Gauge Table Information

**TCLX 290225**

Product Order #: P7320/14

Tank Car Number: 025

Reporting Mark: TCLX 290225

Date: 07/05/2015

Capacity: 29,041 US Gallons (109,931 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 84,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,594	89.25	24,716	93.50	25,763	97.75	26,720	102.00	27,568
85.25	23,662	89.50	24,780	93.75	25,822	98.00	26,773	102.25	27,614
85.50	23,729	89.75	24,843	94.00	25,881	98.25	26,826	102.50	27,659
85.75	23,797	90.00	24,907	94.25	25,939	98.50	26,878	102.75	27,704
86.00	23,864	90.25	24,970	94.50	25,997	98.75	26,930	103.00	27,749
86.25	23,931	90.50	25,032	94.75	26,055	99.00	26,982	103.25	27,793
86.50	23,998	90.75	25,095	95.00	26,112	99.25	27,033	103.50	27,836
86.75	24,064	91.00	25,157	95.25	26,169	99.50	27,084	103.75	27,879
87.00	24,131	91.25	25,219	95.50	26,226	99.75	27,134	104.00	27,922
87.25	24,197	91.50	25,281	95.75	26,282	100.00	27,184	104.25	27,963
87.50	24,262	91.75	25,342	96.00	26,338	100.25	27,233	104.50	28,005
87.75	24,328	92.00	25,403	96.25	26,394	100.50	27,283	104.75	28,046
88.00	24,393	92.25	25,464	96.50	26,449	100.75	27,331	105.00	28,086
88.25	24,458	92.50	25,524	96.75	26,504	101.00	27,379	105.25	28,126
88.50	24,523	92.75	25,584	97.00	26,559	101.25	27,427	105.50	28,165
88.75	24,588	93.00	25,644	97.25	26,613	101.50	27,475	105.75	28,203
89.00	24,652	93.25	25,704	97.50	26,667	101.75	27,521	106.00	28,241



## Capacity/Gauge Table Information

**TCLX 290225**

Product Order #: P7320/14

Tank Car Number: 025

Reporting Mark: TCLX 290225

Date: 07/05/2015

Capacity: 29,041 US Gallons (109,931 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 84,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,279	110.50	28,803	114.75	29,027
106.50	28,315	110.75	28,826	115.00	29,031
106.75	28,351	111.00	28,848	115.25	29,034
107.00	28,387	111.25	28,868	115.50	29,036
107.25	28,422	111.50	28,887	115.75	29,038
107.50	28,456	111.75	28,904	116.00	29,039
107.75	28,489	112.00	28,921	116.25	29,040
108.00	28,522	112.25	28,936	116.50	29,041
108.25	28,554	112.50	28,950	116.75	29,041
108.50	28,585	112.75	28,963		
108.75	28,615	113.00	28,974		
109.00	28,645	113.25	28,985		
109.25	28,674	113.50	28,994		
109.50	28,701	113.75	29,002		
109.75	28,728	114.00	29,010		
110.00	28,754	114.25	29,016		
110.25	28,779	114.50	29,022		



## Capacity/Gauge Table Information

**TCLX 290226**

Product Order #: P7320/14

Tank Car Number: 026

Reporting Mark: TCLX 290226

Date: 07/05/2015

Capacity: 29,006 US Gallons (109,801 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,346	12.75	2,231	17.00	3,219
0.25	29	4.50	629	8.75	1,394	13.00	2,286	17.25	3,280
0.50	58	4.75	670	9.00	1,444	13.25	2,342	17.50	3,341
0.75	88	5.00	711	9.25	1,493	13.50	2,398	17.75	3,403
1.00	120	5.25	753	9.50	1,544	13.75	2,455	18.00	3,465
1.25	151	5.50	796	9.75	1,594	14.00	2,512	18.25	3,527
1.50	184	5.75	839	10.00	1,645	14.25	2,569	18.50	3,589
1.75	218	6.00	883	10.25	1,696	14.50	2,627	18.75	3,652
2.00	252	6.25	927	10.50	1,748	14.75	2,684	19.00	3,715
2.25	286	6.50	971	10.75	1,800	15.00	2,743	19.25	3,778
2.50	322	6.75	1,016	11.00	1,853	15.25	2,801	19.50	3,841
2.75	358	7.00	1,062	11.25	1,906	15.50	2,860	19.75	3,905
3.00	395	7.25	1,108	11.50	1,959	15.75	2,919	20.00	3,969
3.25	432	7.50	1,155	11.75	2,013	16.00	2,978	20.25	4,033
3.50	470	7.75	1,202	12.00	2,067	16.25	3,038	20.50	4,097
3.75	509	8.00	1,249	12.25	2,121	16.50	3,098	20.75	4,162
4.00	548	8.25	1,297	12.50	2,176	16.75	3,159	21.00	4,227



## Capacity/Gauge Table Information

**TCLX 290226**

Product Order #: P7320/14

Tank Car Number: 026

Reporting Mark: TCLX 290226

Date: 07/05/2015

Capacity: 29,006 US Gallons (109,801 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,292	25.50	5,436	29.75	6,639	34.00	7,890	38.25	9,180
21.50	4,358	25.75	5,506	30.00	6,711	34.25	7,965	38.50	9,257
21.75	4,424	26.00	5,575	30.25	6,784	34.50	8,040	38.75	9,334
22.00	4,489	26.25	5,645	30.50	6,857	34.75	8,115	39.00	9,411
22.25	4,556	26.50	5,714	30.75	6,930	35.00	8,191	39.25	9,488
22.50	4,622	26.75	5,785	31.00	7,003	35.25	8,266	39.50	9,566
22.75	4,689	27.00	5,855	31.25	7,076	35.50	8,341	39.75	9,643
23.00	4,756	27.25	5,925	31.50	7,149	35.75	8,417	40.00	9,720
23.25	4,823	27.50	5,996	31.75	7,222	36.00	8,493	40.25	9,798
23.50	4,890	27.75	6,066	32.00	7,296	36.25	8,569	40.50	9,876
23.75	4,958	28.00	6,137	32.25	7,370	36.50	8,645	40.75	9,953
24.00	5,025	28.25	6,209	32.50	7,444	36.75	8,721	41.00	10,031
24.25	5,093	28.50	6,280	32.75	7,518	37.00	8,797	41.25	10,109
24.50	5,161	28.75	6,351	33.00	7,592	37.25	8,874	41.50	10,187
24.75	5,230	29.00	6,423	33.25	7,666	37.50	8,950	41.75	10,265
25.00	5,299	29.25	6,495	33.50	7,741	37.75	9,027	42.00	10,344
25.25	5,367	29.50	6,567	33.75	7,815	38.00	9,103	42.25	10,422



## Capacity/Gauge Table Information

**TCLX 290226**

Product Order #: P7320/14

Tank Car Number: 026

Reporting Mark: TCLX 290226

Date: 07/05/2015

Capacity: 29,006 US Gallons (109,801 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,500	46.75	11,842	51.00	13,198	55.25	14,560	59.50	15,920
42.75	10,579	47.00	11,921	51.25	13,278	55.50	14,640	59.75	16,000
43.00	10,657	47.25	12,001	51.50	13,358	55.75	14,720	60.00	16,080
43.25	10,736	47.50	12,080	51.75	13,438	56.00	14,800	60.25	16,159
43.50	10,814	47.75	12,160	52.00	13,518	56.25	14,880	60.50	16,239
43.75	10,893	48.00	12,240	52.25	13,598	56.50	14,960	60.75	16,319
44.00	10,972	48.25	12,319	52.50	13,678	56.75	15,040	61.00	16,398
44.25	11,050	48.50	12,399	52.75	13,758	57.00	15,120	61.25	16,478
44.50	11,129	48.75	12,479	53.00	13,838	57.25	15,200	61.50	16,558
44.75	11,208	49.00	12,558	53.25	13,918	57.50	15,281	61.75	16,637
45.00	11,287	49.25	12,638	53.50	13,999	57.75	15,361	62.00	16,717
45.25	11,366	49.50	12,718	53.75	14,079	58.00	15,441	62.25	16,796
45.50	11,446	49.75	12,798	54.00	14,159	58.25	15,521	62.50	16,875
45.75	11,525	50.00	12,878	54.25	14,239	58.50	15,600	62.75	16,955
46.00	11,604	50.25	12,958	54.50	14,319	58.75	15,680	63.00	17,034
46.25	11,683	50.50	13,038	54.75	14,399	59.00	15,760	63.25	17,113
46.50	11,763	50.75	13,118	55.00	14,479	59.25	15,840	63.50	17,192



## Capacity/Gauge Table Information

**TCLX 290226**

Product Order #: P7320/14

Tank Car Number: 026

Reporting Mark: TCLX 290226

Date: 07/05/2015

Capacity: 29,006 US Gallons (109,801 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,271	68.00	18,606	72.25	19,915	76.50	21,191	80.75	22,425
64.00	17,350	68.25	18,684	72.50	19,991	76.75	21,265	81.00	22,496
64.25	17,429	68.50	18,761	72.75	20,067	77.00	21,339	81.25	22,567
64.50	17,508	68.75	18,839	73.00	20,143	77.25	21,412	81.50	22,638
64.75	17,587	69.00	18,916	73.25	20,219	77.50	21,486	81.75	22,708
65.00	17,666	69.25	18,994	73.50	20,294	77.75	21,559	82.00	22,778
65.25	17,745	69.50	19,071	73.75	20,370	78.00	21,632	82.25	22,849
65.50	17,823	69.75	19,148	74.00	20,445	78.25	21,705	82.50	22,918
65.75	17,902	70.00	19,226	74.25	20,520	78.50	21,778	82.75	22,988
66.00	17,980	70.25	19,303	74.50	20,595	78.75	21,850	83.00	23,058
66.25	18,059	70.50	19,380	74.75	20,670	79.00	21,923	83.25	23,127
66.50	18,137	70.75	19,456	75.00	20,745	79.25	21,995	83.50	23,196
66.75	18,215	71.00	19,533	75.25	20,820	79.50	22,067	83.75	23,265
67.00	18,294	71.25	19,610	75.50	20,894	79.75	22,139	84.00	23,334
67.25	18,372	71.50	19,686	75.75	20,969	80.00	22,211	84.25	23,402
67.50	18,450	71.75	19,763	76.00	21,043	80.25	22,282	84.50	23,471
67.75	18,528	72.00	19,839	76.25	21,117	80.50	22,354	84.75	23,539



## Capacity/Gauge Table Information

**TCLX 290226**

Product Order #: P7320/14

Tank Car Number: 026

Reporting Mark: TCLX 290226

Date: 07/05/2015

Capacity: 29,006 US Gallons (109,801 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,607	89.25	24,725	93.50	25,768	97.75	26,721	102.00	27,563
85.25	23,674	89.50	24,789	93.75	25,827	98.00	26,774	102.25	27,609
85.50	23,742	89.75	24,852	94.00	25,886	98.25	26,826	102.50	27,654
85.75	23,809	90.00	24,915	94.25	25,944	98.50	26,878	102.75	27,698
86.00	23,876	90.25	24,978	94.50	26,001	98.75	26,930	103.00	27,742
86.25	23,943	90.50	25,041	94.75	26,059	99.00	26,981	103.25	27,786
86.50	24,009	90.75	25,103	95.00	26,116	99.25	27,032	103.50	27,829
86.75	24,076	91.00	25,165	95.25	26,173	99.50	27,082	103.75	27,872
87.00	24,142	91.25	25,226	95.50	26,229	99.75	27,132	104.00	27,914
87.25	24,207	91.50	25,288	95.75	26,285	100.00	27,182	104.25	27,955
87.50	24,273	91.75	25,349	96.00	26,341	100.25	27,231	104.50	27,996
87.75	24,338	92.00	25,410	96.25	26,396	100.50	27,280	104.75	28,037
88.00	24,404	92.25	25,470	96.50	26,451	100.75	27,328	105.00	28,077
88.25	24,468	92.50	25,531	96.75	26,506	101.00	27,376	105.25	28,116
88.50	24,533	92.75	25,590	97.00	26,560	101.25	27,424	105.50	28,155
88.75	24,597	93.00	25,650	97.25	26,614	101.50	27,471	105.75	28,193
89.00	24,661	93.25	25,709	97.50	26,668	101.75	27,517	106.00	28,230





## Capacity/Gauge Table Information

**TCLX 290226**

Product Order #: P7320/14

Tank Car Number: 026

Reporting Mark: TCLX 290226

Date: 07/05/2015

Capacity: 29,006 US Gallons (109,801 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,267	110.50	28,781	114.75	28,993
106.50	28,303	110.75	28,803	115.00	28,997
106.75	28,339	111.00	28,823	115.25	29,000
107.00	28,374	111.25	28,843	115.50	29,002
107.25	28,408	111.50	28,860	115.75	29,004
107.50	28,442	111.75	28,877	116.00	29,005
107.75	28,474	112.00	28,893	116.25	29,006
108.00	28,507	112.25	28,907	116.50	29,006
108.25	28,538	112.50	28,920	116.75	29,006
108.50	28,569	112.75	28,932		
108.75	28,598	113.00	28,943		
109.00	28,627	113.25	28,953		
109.25	28,655	113.50	28,962		
109.50	28,682	113.75	28,970		
109.75	28,709	114.00	28,977		
110.00	28,734	114.25	28,983		
110.25	28,758	114.50	28,989		



## Capacity/Gauge Table Information

**TCLX 290227**

Product Order #: P7320/14

Tank Car Number: 027

Reporting Mark: TCLX 290227

Date: 07/05/2015

Capacity: 29,022 US Gallons (109,860 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,334	12.75	2,215	17.00	3,200
0.25	28	4.50	622	8.75	1,383	13.00	2,271	17.25	3,261
0.50	57	4.75	662	9.00	1,432	13.25	2,326	17.50	3,322
0.75	87	5.00	704	9.25	1,481	13.50	2,382	17.75	3,384
1.00	118	5.25	745	9.50	1,531	13.75	2,439	18.00	3,445
1.25	149	5.50	788	9.75	1,581	14.00	2,495	18.25	3,507
1.50	182	5.75	830	10.00	1,632	14.25	2,552	18.50	3,569
1.75	215	6.00	874	10.25	1,683	14.50	2,610	18.75	3,632
2.00	248	6.25	918	10.50	1,735	14.75	2,667	19.00	3,695
2.25	283	6.50	962	10.75	1,787	15.00	2,725	19.25	3,758
2.50	318	6.75	1,007	11.00	1,839	15.25	2,784	19.50	3,821
2.75	354	7.00	1,052	11.25	1,891	15.50	2,842	19.75	3,884
3.00	390	7.25	1,098	11.50	1,945	15.75	2,901	20.00	3,948
3.25	427	7.50	1,144	11.75	1,998	16.00	2,960	20.25	4,012
3.50	465	7.75	1,191	12.00	2,052	16.25	3,020	20.50	4,077
3.75	503	8.00	1,238	12.25	2,106	16.50	3,080	20.75	4,141
4.00	542	8.25	1,286	12.50	2,161	16.75	3,140	21.00	4,206



## Capacity/Gauge Table Information

**TCLX 290227**

Product Order #: P7320/14

Tank Car Number: 027

Reporting Mark: TCLX 290227

Date: 07/05/2015

Capacity: 29,022 US Gallons (109,860 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,271	25.50	5,413	29.75	6,614	34.00	7,863	38.25	9,152
21.50	4,336	25.75	5,482	30.00	6,686	34.25	7,938	38.50	9,229
21.75	4,402	26.00	5,551	30.25	6,758	34.50	8,013	38.75	9,306
22.00	4,468	26.25	5,621	30.50	6,831	34.75	8,088	39.00	9,383
22.25	4,534	26.50	5,690	30.75	6,904	35.00	8,163	39.25	9,460
22.50	4,600	26.75	5,760	31.00	6,977	35.25	8,239	39.50	9,537
22.75	4,667	27.00	5,830	31.25	7,050	35.50	8,314	39.75	9,615
23.00	4,733	27.25	5,901	31.50	7,123	35.75	8,390	40.00	9,692
23.25	4,800	27.50	5,971	31.75	7,196	36.00	8,465	40.25	9,770
23.50	4,867	27.75	6,042	32.00	7,270	36.25	8,541	40.50	9,847
23.75	4,935	28.00	6,113	32.25	7,343	36.50	8,617	40.75	9,925
24.00	5,002	28.25	6,184	32.50	7,417	36.75	8,693	41.00	10,003
24.25	5,070	28.50	6,255	32.75	7,491	37.00	8,769	41.25	10,081
24.50	5,138	28.75	6,326	33.00	7,565	37.25	8,846	41.50	10,159
24.75	5,207	29.00	6,398	33.25	7,640	37.50	8,922	41.75	10,237
25.00	5,275	29.25	6,470	33.50	7,714	37.75	8,999	42.00	10,315
25.25	5,344	29.50	6,542	33.75	7,789	38.00	9,075	42.25	10,393



## Capacity/Gauge Table Information

**TCLX 290227**

Product Order #: P7320/14

Tank Car Number: 027

Reporting Mark: TCLX 290227

Date: 07/05/2015

Capacity: 29,022 US Gallons (109,860 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,471	46.75	11,812	51.00	13,168	55.25	14,530	59.50	15,890
42.75	10,550	47.00	11,892	51.25	13,248	55.50	14,610	59.75	15,970
43.00	10,628	47.25	11,971	51.50	13,328	55.75	14,690	60.00	16,050
43.25	10,707	47.50	12,051	51.75	13,408	56.00	14,770	60.25	16,130
43.50	10,785	47.75	12,130	52.00	13,488	56.25	14,850	60.50	16,210
43.75	10,864	48.00	12,210	52.25	13,568	56.50	14,930	60.75	16,289
44.00	10,942	48.25	12,290	52.50	13,648	56.75	15,011	61.00	16,369
44.25	11,021	48.50	12,369	52.75	13,728	57.00	15,091	61.25	16,449
44.50	11,100	48.75	12,449	53.00	13,808	57.25	15,171	61.50	16,528
44.75	11,179	49.00	12,529	53.25	13,889	57.50	15,251	61.75	16,608
45.00	11,258	49.25	12,609	53.50	13,969	57.75	15,331	62.00	16,687
45.25	11,337	49.50	12,688	53.75	14,049	58.00	15,411	62.25	16,767
45.50	11,416	49.75	12,768	54.00	14,129	58.25	15,491	62.50	16,846
45.75	11,495	50.00	12,848	54.25	14,209	58.50	15,571	62.75	16,925
46.00	11,575	50.25	12,928	54.50	14,289	58.75	15,651	63.00	17,005
46.25	11,654	50.50	13,008	54.75	14,369	59.00	15,731	63.25	17,084
46.50	11,733	50.75	13,088	55.00	14,450	59.25	15,811	63.50	17,163



## Capacity/Gauge Table Information

**TCLX 290227**

Product Order #: P7320/14

Tank Car Number: 027

Reporting Mark: TCLX 290227

Date: 07/05/2015

Capacity: 29,022 US Gallons (109,860 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,242	68.00	18,577	72.25	19,888	76.50	21,165	80.75	22,401
64.00	17,321	68.25	18,655	72.50	19,964	76.75	21,239	81.00	22,472
64.25	17,400	68.50	18,733	72.75	20,040	77.00	21,313	81.25	22,543
64.50	17,479	68.75	18,811	73.00	20,116	77.25	21,387	81.50	22,614
64.75	17,558	69.00	18,888	73.25	20,192	77.50	21,460	81.75	22,684
65.00	17,637	69.25	18,966	73.50	20,268	77.75	21,534	82.00	22,755
65.25	17,716	69.50	19,043	73.75	20,343	78.00	21,607	82.25	22,825
65.50	17,795	69.75	19,121	74.00	20,418	78.25	21,680	82.50	22,895
65.75	17,873	70.00	19,198	74.25	20,494	78.50	21,753	82.75	22,965
66.00	17,952	70.25	19,275	74.50	20,569	78.75	21,825	83.00	23,035
66.25	18,030	70.50	19,352	74.75	20,644	79.00	21,898	83.25	23,104
66.50	18,109	70.75	19,429	75.00	20,719	79.25	21,970	83.50	23,173
66.75	18,187	71.00	19,506	75.25	20,794	79.50	22,042	83.75	23,242
67.00	18,265	71.25	19,582	75.50	20,868	79.75	22,114	84.00	23,311
67.25	18,343	71.50	19,659	75.75	20,943	80.00	22,186	84.25	23,380
67.50	18,422	71.75	19,735	76.00	21,017	80.25	22,258	84.50	23,448
67.75	18,500	72.00	19,812	76.25	21,091	80.50	22,330	84.75	23,517



## Capacity/Gauge Table Information

**TCLX 290227**

Product Order #: P7320/14

Tank Car Number: 027

Reporting Mark: TCLX 290227

Date: 07/05/2015

Capacity: 29,022 US Gallons (109,860 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,585	89.25	24,706	93.50	25,752	97.75	26,708	102.00	27,554
85.25	23,652	89.50	24,770	93.75	25,811	98.00	26,761	102.25	27,600
85.50	23,720	89.75	24,833	94.00	25,869	98.25	26,813	102.50	27,646
85.75	23,787	90.00	24,896	94.25	25,928	98.50	26,866	102.75	27,690
86.00	23,854	90.25	24,959	94.50	25,985	98.75	26,918	103.00	27,735
86.25	23,921	90.50	25,022	94.75	26,043	99.00	26,969	103.25	27,779
86.50	23,988	90.75	25,084	95.00	26,100	99.25	27,020	103.50	27,822
86.75	24,055	91.00	25,146	95.25	26,157	99.50	27,071	103.75	27,865
87.00	24,121	91.25	25,208	95.50	26,214	99.75	27,121	104.00	27,907
87.25	24,187	91.50	25,270	95.75	26,270	100.00	27,171	104.25	27,949
87.50	24,252	91.75	25,331	96.00	26,326	100.25	27,220	104.50	27,991
87.75	24,318	92.00	25,392	96.25	26,382	100.50	27,270	104.75	28,031
88.00	24,383	92.25	25,453	96.50	26,437	100.75	27,318	105.00	28,072
88.25	24,448	92.50	25,513	96.75	26,492	101.00	27,366	105.25	28,111
88.50	24,513	92.75	25,573	97.00	26,546	101.25	27,414	105.50	28,150
88.75	24,577	93.00	25,633	97.25	26,601	101.50	27,461	105.75	28,189
89.00	24,642	93.25	25,693	97.50	26,654	101.75	27,508	106.00	28,227



## Capacity/Gauge Table Information

**TCLX 290227**

Product Order #: P7320/14

Tank Car Number: 027

Reporting Mark: TCLX 290227

Date: 07/05/2015

Capacity: 29,022 US Gallons (109,860 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,264	110.50	28,787	114.75	29,008
106.50	28,301	110.75	28,810	115.00	29,012
106.75	28,337	111.00	28,831	115.25	29,015
107.00	28,372	111.25	28,851	115.50	29,018
107.25	28,407	111.50	28,870	115.75	29,020
107.50	28,440	111.75	28,887	116.00	29,021
107.75	28,474	112.00	28,903	116.25	29,022
108.00	28,506	112.25	28,918	116.50	29,022
108.25	28,538	112.50	28,932	116.75	29,022
108.50	28,569	112.75	28,945		
108.75	28,600	113.00	28,956		
109.00	28,629	113.25	28,966		
109.25	28,658	113.50	28,976		
109.50	28,685	113.75	28,984		
109.75	28,712	114.00	28,992		
110.00	28,738	114.25	28,998		
110.25	28,763	114.50	29,004		





## Capacity/Gauge Table Information

**TCLX 290228**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 028

Reporting Mark: TCLX 290228

Date: 27/05/2015

Capacity: 29,017 US Gallons (109,842 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,344	12.75	2,229	17.00	3,217
0.25	29	4.50	628	8.75	1,393	13.00	2,284	17.25	3,278
0.50	58	4.75	669	9.00	1,442	13.25	2,340	17.50	3,339
0.75	88	5.00	710	9.25	1,492	13.50	2,396	17.75	3,400
1.00	119	5.25	752	9.50	1,542	13.75	2,453	18.00	3,462
1.25	151	5.50	795	9.75	1,592	14.00	2,510	18.25	3,524
1.50	184	5.75	838	10.00	1,643	14.25	2,567	18.50	3,587
1.75	217	6.00	881	10.25	1,695	14.50	2,624	18.75	3,649
2.00	251	6.25	925	10.50	1,746	14.75	2,682	19.00	3,712
2.25	286	6.50	970	10.75	1,798	15.00	2,740	19.25	3,775
2.50	321	6.75	1,015	11.00	1,851	15.25	2,799	19.50	3,839
2.75	357	7.00	1,061	11.25	1,904	15.50	2,858	19.75	3,902
3.00	394	7.25	1,107	11.50	1,957	15.75	2,917	20.00	3,966
3.25	432	7.50	1,153	11.75	2,011	16.00	2,976	20.25	4,031
3.50	470	7.75	1,200	12.00	2,065	16.25	3,036	20.50	4,095
3.75	508	8.00	1,248	12.25	2,119	16.50	3,096	20.75	4,160
4.00	547	8.25	1,296	12.50	2,174	16.75	3,156	21.00	4,225



## Capacity/Gauge Table Information

**TCLX 290228**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 028

Reporting Mark: TCLX 290228

Date: 27/05/2015

Capacity: 29,017 US Gallons (109,842 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,290	25.50	5,434	29.75	6,637	34.00	7,888	38.25	9,178
21.50	4,355	25.75	5,503	30.00	6,709	34.25	7,963	38.50	9,255
21.75	4,421	26.00	5,572	30.25	6,781	34.50	8,038	38.75	9,332
22.00	4,487	26.25	5,642	30.50	6,854	34.75	8,113	39.00	9,409
22.25	4,553	26.50	5,712	30.75	6,927	35.00	8,188	39.25	9,486
22.50	4,620	26.75	5,782	31.00	7,000	35.25	8,264	39.50	9,563
22.75	4,686	27.00	5,852	31.25	7,073	35.50	8,339	39.75	9,641
23.00	4,753	27.25	5,923	31.50	7,146	35.75	8,415	40.00	9,718
23.25	4,820	27.50	5,993	31.75	7,220	36.00	8,491	40.25	9,796
23.50	4,887	27.75	6,064	32.00	7,294	36.25	8,566	40.50	9,874
23.75	4,955	28.00	6,135	32.25	7,367	36.50	8,642	40.75	9,951
24.00	5,023	28.25	6,206	32.50	7,441	36.75	8,719	41.00	10,029
24.25	5,091	28.50	6,277	32.75	7,515	37.00	8,795	41.25	10,107
24.50	5,159	28.75	6,349	33.00	7,590	37.25	8,871	41.50	10,185
24.75	5,227	29.00	6,421	33.25	7,664	37.50	8,948	41.75	10,263
25.00	5,296	29.25	6,492	33.50	7,738	37.75	9,024	42.00	10,341
25.25	5,365	29.50	6,564	33.75	7,813	38.00	9,101	42.25	10,420



## Capacity/Gauge Table Information

**TCLX 290228**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 028

Reporting Mark: TCLX 290228

Date: 27/05/2015

Capacity: 29,017 US Gallons (109,842 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,498	46.75	11,840	51.00	13,196	55.25	14,558	59.50	15,919
42.75	10,576	47.00	11,920	51.25	13,276	55.50	14,639	59.75	15,999
43.00	10,655	47.25	11,999	51.50	13,356	55.75	14,719	60.00	16,079
43.25	10,733	47.50	12,079	51.75	13,436	56.00	14,799	60.25	16,159
43.50	10,812	47.75	12,158	52.00	13,516	56.25	14,879	60.50	16,238
43.75	10,891	48.00	12,238	52.25	13,597	56.50	14,959	60.75	16,318
44.00	10,970	48.25	12,318	52.50	13,677	56.75	15,039	61.00	16,398
44.25	11,048	48.50	12,397	52.75	13,757	57.00	15,119	61.25	16,477
44.50	11,127	48.75	12,477	53.00	13,837	57.25	15,199	61.50	16,557
44.75	11,206	49.00	12,557	53.25	13,917	57.50	15,280	61.75	16,637
45.00	11,285	49.25	12,637	53.50	13,997	57.75	15,360	62.00	16,716
45.25	11,364	49.50	12,716	53.75	14,077	58.00	15,440	62.25	16,795
45.50	11,444	49.75	12,796	54.00	14,158	58.25	15,520	62.50	16,875
45.75	11,523	50.00	12,876	54.25	14,238	58.50	15,600	62.75	16,954
46.00	11,602	50.25	12,956	54.50	14,318	58.75	15,680	63.00	17,034
46.25	11,681	50.50	13,036	54.75	14,398	59.00	15,760	63.25	17,113
46.50	11,761	50.75	13,116	55.00	14,478	59.25	15,839	63.50	17,192



## Capacity/Gauge Table Information

**TCLX 290228**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 028

Reporting Mark: TCLX 290228

Date: 27/05/2015

Capacity: 29,017 US Gallons (109,842 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,271	68.00	18,606	72.25	19,916	76.50	21,193	80.75	22,427
64.00	17,350	68.25	18,684	72.50	19,992	76.75	21,266	81.00	22,498
64.25	17,429	68.50	18,761	72.75	20,068	77.00	21,340	81.25	22,569
64.50	17,508	68.75	18,839	73.00	20,144	77.25	21,414	81.50	22,640
64.75	17,587	69.00	18,917	73.25	20,220	77.50	21,487	81.75	22,710
65.00	17,666	69.25	18,994	73.50	20,295	77.75	21,560	82.00	22,781
65.25	17,745	69.50	19,072	73.75	20,371	78.00	21,634	82.25	22,851
65.50	17,823	69.75	19,149	74.00	20,446	78.25	21,706	82.50	22,921
65.75	17,902	70.00	19,226	74.25	20,521	78.50	21,779	82.75	22,990
66.00	17,980	70.25	19,303	74.50	20,596	78.75	21,852	83.00	23,060
66.25	18,059	70.50	19,380	74.75	20,671	79.00	21,924	83.25	23,129
66.50	18,137	70.75	19,457	75.00	20,746	79.25	21,997	83.50	23,199
66.75	18,216	71.00	19,534	75.25	20,821	79.50	22,069	83.75	23,268
67.00	18,294	71.25	19,610	75.50	20,896	79.75	22,141	84.00	23,336
67.25	18,372	71.50	19,687	75.75	20,970	80.00	22,213	84.25	23,405
67.50	18,450	71.75	19,763	76.00	21,044	80.25	22,284	84.50	23,473
67.75	18,528	72.00	19,840	76.25	21,119	80.50	22,356	84.75	23,541



## Capacity/Gauge Table Information

**TCLX 290228**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 028

Reporting Mark: TCLX 290228

Date: 27/05/2015

Capacity: 29,017 US Gallons (109,842 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,609	89.25	24,729	93.50	25,773	97.75	26,726	102.00	27,569
85.25	23,677	89.50	24,792	93.75	25,831	98.00	26,779	102.25	27,615
85.50	23,744	89.75	24,856	94.00	25,890	98.25	26,831	102.50	27,660
85.75	23,812	90.00	24,919	94.25	25,948	98.50	26,883	102.75	27,704
86.00	23,879	90.25	24,982	94.50	26,006	98.75	26,935	103.00	27,749
86.25	23,946	90.50	25,044	94.75	26,063	99.00	26,986	103.25	27,792
86.50	24,012	90.75	25,106	95.00	26,120	99.25	27,037	103.50	27,836
86.75	24,078	91.00	25,168	95.25	26,177	99.50	27,088	103.75	27,878
87.00	24,145	91.25	25,230	95.50	26,233	99.75	27,138	104.00	27,920
87.25	24,210	91.50	25,292	95.75	26,290	100.00	27,187	104.25	27,962
87.50	24,276	91.75	25,353	96.00	26,345	100.25	27,237	104.50	28,003
87.75	24,341	92.00	25,414	96.25	26,401	100.50	27,285	104.75	28,043
88.00	24,407	92.25	25,474	96.50	26,456	100.75	27,334	105.00	28,083
88.25	24,472	92.50	25,534	96.75	26,511	101.00	27,382	105.25	28,123
88.50	24,536	92.75	25,594	97.00	26,565	101.25	27,429	105.50	28,161
88.75	24,601	93.00	25,654	97.25	26,619	101.50	27,476	105.75	28,200
89.00	24,665	93.25	25,713	97.50	26,673	101.75	27,523	106.00	28,237



## Capacity/Gauge Table Information

**TCLX 290228**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 028

Reporting Mark: TCLX 290228

Date: 27/05/2015

Capacity: 29,017 US Gallons (109,842 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,274	110.50	28,790	114.75	29,004
106.50	28,311	110.75	28,812	115.00	29,008
106.75	28,346	111.00	28,833	115.25	29,011
107.00	28,381	111.25	28,852	115.50	29,013
107.25	28,416	111.50	28,870	115.75	29,015
107.50	28,449	111.75	28,887	116.00	29,016
107.75	28,482	112.00	28,903	116.25	29,017
108.00	28,514	112.25	28,917	116.50	29,017
108.25	28,546	112.50	28,930	116.75	29,017
108.50	28,576	112.75	28,943		
108.75	28,606	113.00	28,954		
109.00	28,635	113.25	28,964		
109.25	28,664	113.50	28,973		
109.50	28,691	113.75	28,981		
109.75	28,717	114.00	28,988		
110.00	28,743	114.25	28,994		
110.25	28,767	114.50	28,999		



## Capacity/Gauge Table Information

**TCLX 290229**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 029

Reporting Mark: TCLX 290229

Date: 04/06/2015

Capacity: 29,014 US Gallons (109,831 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,223	17.00	3,210
0.25	28	4.50	625	8.75	1,389	13.00	2,279	17.25	3,271
0.50	58	4.75	666	9.00	1,438	13.25	2,334	17.50	3,332
0.75	88	5.00	707	9.25	1,487	13.50	2,390	17.75	3,393
1.00	119	5.25	749	9.50	1,537	13.75	2,447	18.00	3,455
1.25	150	5.50	792	9.75	1,588	14.00	2,504	18.25	3,517
1.50	183	5.75	835	10.00	1,639	14.25	2,561	18.50	3,579
1.75	216	6.00	878	10.25	1,690	14.50	2,618	18.75	3,642
2.00	250	6.25	922	10.50	1,741	14.75	2,676	19.00	3,704
2.25	285	6.50	967	10.75	1,793	15.00	2,734	19.25	3,767
2.50	320	6.75	1,012	11.00	1,846	15.25	2,792	19.50	3,831
2.75	356	7.00	1,057	11.25	1,899	15.50	2,851	19.75	3,894
3.00	393	7.25	1,103	11.50	1,952	15.75	2,910	20.00	3,958
3.25	430	7.50	1,150	11.75	2,005	16.00	2,969	20.25	4,022
3.50	468	7.75	1,197	12.00	2,059	16.25	3,029	20.50	4,087
3.75	506	8.00	1,244	12.25	2,114	16.50	3,089	20.75	4,151
4.00	545	8.25	1,292	12.50	2,168	16.75	3,149	21.00	4,216





## Capacity/Gauge Table Information

**TCLX 290229**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 029

Reporting Mark: TCLX 290229

Date: 04/06/2015

Capacity: 29,014 US Gallons (109,831 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,281	25.50	5,424	29.75	6,626	34.00	7,876	38.25	9,165
21.50	4,347	25.75	5,493	30.00	6,698	34.25	7,951	38.50	9,242
21.75	4,412	26.00	5,563	30.25	6,770	34.50	8,026	38.75	9,319
22.00	4,478	26.25	5,632	30.50	6,843	34.75	8,101	39.00	9,396
22.25	4,544	26.50	5,702	30.75	6,916	35.00	8,176	39.25	9,473
22.50	4,611	26.75	5,772	31.00	6,989	35.25	8,251	39.50	9,550
22.75	4,677	27.00	5,842	31.25	7,062	35.50	8,327	39.75	9,628
23.00	4,744	27.25	5,912	31.50	7,135	35.75	8,402	40.00	9,705
23.25	4,811	27.50	5,983	31.75	7,209	36.00	8,478	40.25	9,783
23.50	4,878	27.75	6,054	32.00	7,282	36.25	8,554	40.50	9,860
23.75	4,946	28.00	6,124	32.25	7,356	36.50	8,630	40.75	9,938
24.00	5,013	28.25	6,196	32.50	7,430	36.75	8,706	41.00	10,016
24.25	5,081	28.50	6,267	32.75	7,504	37.00	8,782	41.25	10,094
24.50	5,149	28.75	6,338	33.00	7,578	37.25	8,859	41.50	10,172
24.75	5,218	29.00	6,410	33.25	7,652	37.50	8,935	41.75	10,250
25.00	5,286	29.25	6,482	33.50	7,727	37.75	9,012	42.00	10,328
25.25	5,355	29.50	6,554	33.75	7,801	38.00	9,088	42.25	10,406



## Capacity/Gauge Table Information

**TCLX 290229**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 029

Reporting Mark: TCLX 290229

Date: 04/06/2015

Capacity: 29,014 US Gallons (109,831 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,484	46.75	11,826	51.00	13,181	55.25	14,543	59.50	15,903
42.75	10,563	47.00	11,905	51.25	13,261	55.50	14,623	59.75	15,983
43.00	10,641	47.25	11,984	51.50	13,341	55.75	14,703	60.00	16,062
43.25	10,720	47.50	12,064	51.75	13,421	56.00	14,783	60.25	16,142
43.50	10,798	47.75	12,143	52.00	13,501	56.25	14,863	60.50	16,222
43.75	10,877	48.00	12,223	52.25	13,581	56.50	14,943	60.75	16,302
44.00	10,956	48.25	12,303	52.50	13,661	56.75	15,023	61.00	16,381
44.25	11,034	48.50	12,382	52.75	13,741	57.00	15,103	61.25	16,461
44.50	11,113	48.75	12,462	53.00	13,821	57.25	15,183	61.50	16,540
44.75	11,192	49.00	12,542	53.25	13,901	57.50	15,263	61.75	16,620
45.00	11,271	49.25	12,622	53.50	13,982	57.75	15,343	62.00	16,699
45.25	11,350	49.50	12,701	53.75	14,062	58.00	15,423	62.25	16,779
45.50	11,429	49.75	12,781	54.00	14,142	58.25	15,503	62.50	16,858
45.75	11,508	50.00	12,861	54.25	14,222	58.50	15,583	62.75	16,937
46.00	11,588	50.25	12,941	54.50	14,302	58.75	15,663	63.00	17,017
46.25	11,667	50.50	13,021	54.75	14,382	59.00	15,743	63.25	17,096
46.50	11,746	50.75	13,101	55.00	14,462	59.25	15,823	63.50	17,175



## Capacity/Gauge Table Information

**TCLX 290229**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 029

Reporting Mark: TCLX 290229

Date: 04/06/2015

Capacity: 29,014 US Gallons (109,831 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,254	68.00	18,589	72.25	19,899	76.50	21,175	80.75	22,410
64.00	17,333	68.25	18,667	72.50	19,975	76.75	21,249	81.00	22,481
64.25	17,412	68.50	18,744	72.75	20,051	77.00	21,323	81.25	22,552
64.50	17,491	68.75	18,822	73.00	20,127	77.25	21,397	81.50	22,623
64.75	17,570	69.00	18,900	73.25	20,202	77.50	21,470	81.75	22,693
65.00	17,649	69.25	18,977	73.50	20,278	77.75	21,543	82.00	22,764
65.25	17,728	69.50	19,054	73.75	20,353	78.00	21,616	82.25	22,834
65.50	17,806	69.75	19,132	74.00	20,429	78.25	21,689	82.50	22,904
65.75	17,885	70.00	19,209	74.25	20,504	78.50	21,762	82.75	22,974
66.00	17,963	70.25	19,286	74.50	20,579	78.75	21,835	83.00	23,043
66.25	18,042	70.50	19,363	74.75	20,654	79.00	21,907	83.25	23,113
66.50	18,120	70.75	19,440	75.00	20,729	79.25	21,980	83.50	23,182
66.75	18,199	71.00	19,516	75.25	20,804	79.50	22,052	83.75	23,251
67.00	18,277	71.25	19,593	75.50	20,878	79.75	22,124	84.00	23,320
67.25	18,355	71.50	19,670	75.75	20,953	80.00	22,195	84.25	23,388
67.50	18,433	71.75	19,746	76.00	21,027	80.25	22,267	84.50	23,456
67.75	18,511	72.00	19,822	76.25	21,101	80.50	22,339	84.75	23,525



## Capacity/Gauge Table Information

**TCLX 290229**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 029

Reporting Mark: TCLX 290229

Date: 04/06/2015

Capacity: 29,014 US Gallons (109,831 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,593	89.25	24,713	93.50	25,757	97.75	26,712	102.00	27,556
85.25	23,660	89.50	24,776	93.75	25,816	98.00	26,765	102.25	27,602
85.50	23,728	89.75	24,840	94.00	25,875	98.25	26,817	102.50	27,647
85.75	23,795	90.00	24,903	94.25	25,933	98.50	26,869	102.75	27,692
86.00	23,862	90.25	24,966	94.50	25,991	98.75	26,921	103.00	27,737
86.25	23,929	90.50	25,028	94.75	26,048	99.00	26,973	103.25	27,780
86.50	23,996	90.75	25,091	95.00	26,105	99.25	27,024	103.50	27,824
86.75	24,062	91.00	25,153	95.25	26,162	99.50	27,074	103.75	27,866
87.00	24,128	91.25	25,214	95.50	26,219	99.75	27,124	104.00	27,909
87.25	24,194	91.50	25,276	95.75	26,275	100.00	27,174	104.25	27,950
87.50	24,260	91.75	25,337	96.00	26,331	100.25	27,223	104.50	27,991
87.75	24,325	92.00	25,398	96.25	26,386	100.50	27,272	104.75	28,032
88.00	24,390	92.25	25,459	96.50	26,441	100.75	27,321	105.00	28,072
88.25	24,455	92.50	25,519	96.75	26,496	101.00	27,369	105.25	28,112
88.50	24,520	92.75	25,579	97.00	26,551	101.25	27,416	105.50	28,151
88.75	24,584	93.00	25,639	97.25	26,605	101.50	27,464	105.75	28,189
89.00	24,649	93.25	25,698	97.50	26,658	101.75	27,510	106.00	28,227



## Capacity/Gauge Table Information

**TCLX 290229**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 029

Reporting Mark: TCLX 290229

Date: 04/06/2015

Capacity: 29,014 US Gallons (109,831 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,264	110.50	28,783	114.75	29,001
106.50	28,300	110.75	28,806	115.00	29,005
106.75	28,336	111.00	28,827	115.25	29,008
107.00	28,371	111.25	28,846	115.50	29,010
107.25	28,406	111.50	28,865	115.75	29,012
107.50	28,440	111.75	28,882	116.00	29,013
107.75	28,473	112.00	28,898	116.25	29,014
108.00	28,505	112.25	28,912	116.50	29,014
108.25	28,537	112.50	28,926	116.75	29,014
108.50	28,568	112.75	28,938		
108.75	28,598	113.00	28,950		
109.00	28,627	113.25	28,960		
109.25	28,655	113.50	28,969		
109.50	28,683	113.75	28,977		
109.75	28,709	114.00	28,984		
110.00	28,735	114.25	28,991		
110.25	28,760	114.50	28,996		



## Capacity/Gauge Table Information

**TCLX 290230**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 030

Reporting Mark: TCLX 290230

Date: 27/05/2015

Capacity: 29,042 US Gallons (109,936 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	575	8.50	1,322	12.75	2,199	17.00	3,180
0.25	28	4.50	614	8.75	1,370	13.00	2,254	17.25	3,241
0.50	56	4.75	655	9.00	1,419	13.25	2,309	17.50	3,302
0.75	86	5.00	696	9.25	1,468	13.50	2,365	17.75	3,363
1.00	116	5.25	737	9.50	1,518	13.75	2,421	18.00	3,424
1.25	147	5.50	779	9.75	1,568	14.00	2,478	18.25	3,486
1.50	179	5.75	821	10.00	1,618	14.25	2,535	18.50	3,548
1.75	211	6.00	864	10.25	1,669	14.50	2,592	18.75	3,611
2.00	245	6.25	908	10.50	1,720	14.75	2,649	19.00	3,673
2.25	279	6.50	952	10.75	1,772	15.00	2,707	19.25	3,736
2.50	313	6.75	997	11.00	1,824	15.25	2,765	19.50	3,799
2.75	349	7.00	1,042	11.25	1,876	15.50	2,823	19.75	3,862
3.00	385	7.25	1,087	11.50	1,929	15.75	2,882	20.00	3,926
3.25	422	7.50	1,133	11.75	1,982	16.00	2,941	20.25	3,990
3.50	459	7.75	1,180	12.00	2,036	16.25	3,001	20.50	4,054
3.75	497	8.00	1,227	12.25	2,090	16.50	3,060	20.75	4,118
4.00	535	8.25	1,274	12.50	2,144	16.75	3,120	21.00	4,183



## Capacity/Gauge Table Information

**TCLX 290230**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 030

Reporting Mark: TCLX 290230

Date: 27/05/2015

Capacity: 29,042 US Gallons (109,936 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,248	25.50	5,387	29.75	6,586	34.00	7,834	38.25	9,121
21.50	4,313	25.75	5,456	30.00	6,658	34.25	7,909	38.50	9,198
21.75	4,379	26.00	5,525	30.25	6,731	34.50	7,983	38.75	9,275
22.00	4,444	26.25	5,595	30.50	6,803	34.75	8,058	39.00	9,352
22.25	4,510	26.50	5,664	30.75	6,876	35.00	8,134	39.25	9,429
22.50	4,576	26.75	5,734	31.00	6,948	35.25	8,209	39.50	9,506
22.75	4,643	27.00	5,804	31.25	7,021	35.50	8,284	39.75	9,583
23.00	4,709	27.25	5,874	31.50	7,094	35.75	8,360	40.00	9,661
23.25	4,776	27.50	5,945	31.75	7,168	36.00	8,435	40.25	9,738
23.50	4,843	27.75	6,015	32.00	7,241	36.25	8,511	40.50	9,816
23.75	4,910	28.00	6,086	32.25	7,315	36.50	8,587	40.75	9,893
24.00	4,978	28.25	6,157	32.50	7,388	36.75	8,663	41.00	9,971
24.25	5,045	28.50	6,228	32.75	7,462	37.00	8,739	41.25	10,049
24.50	5,113	28.75	6,299	33.00	7,536	37.25	8,815	41.50	10,127
24.75	5,182	29.00	6,371	33.25	7,611	37.50	8,892	41.75	10,205
25.00	5,250	29.25	6,442	33.50	7,685	37.75	8,968	42.00	10,283
25.25	5,318	29.50	6,514	33.75	7,759	38.00	9,045	42.25	10,361





## Capacity/Gauge Table Information

**TCLX 290230**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 030

Reporting Mark: TCLX 290230

Date: 27/05/2015

Capacity: 29,042 US Gallons (109,936 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,439	46.75	11,780	51.00	13,135	55.25	14,497	59.50	15,857
42.75	10,518	47.00	11,859	51.25	13,215	55.50	14,577	59.75	15,937
43.00	10,596	47.25	11,939	51.50	13,295	55.75	14,657	60.00	16,017
43.25	10,674	47.50	12,018	51.75	13,375	56.00	14,737	60.25	16,097
43.50	10,753	47.75	12,098	52.00	13,455	56.25	14,817	60.50	16,177
43.75	10,832	48.00	12,177	52.25	13,535	56.50	14,897	60.75	16,256
44.00	10,910	48.25	12,257	52.50	13,615	56.75	14,977	61.00	16,336
44.25	10,989	48.50	12,336	52.75	13,695	57.00	15,057	61.25	16,416
44.50	11,068	48.75	12,416	53.00	13,775	57.25	15,137	61.50	16,495
44.75	11,147	49.00	12,496	53.25	13,855	57.50	15,218	61.75	16,575
45.00	11,226	49.25	12,576	53.50	13,935	57.75	15,298	62.00	16,654
45.25	11,305	49.50	12,655	53.75	14,016	58.00	15,378	62.25	16,734
45.50	11,384	49.75	12,735	54.00	14,096	58.25	15,458	62.50	16,813
45.75	11,463	50.00	12,815	54.25	14,176	58.50	15,538	62.75	16,893
46.00	11,542	50.25	12,895	54.50	14,256	58.75	15,618	63.00	16,972
46.25	11,621	50.50	12,975	54.75	14,336	59.00	15,698	63.25	17,051
46.50	11,700	50.75	13,055	55.00	14,416	59.25	15,777	63.50	17,130



## Capacity/Gauge Table Information

**TCLX 290230**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 030

Reporting Mark: TCLX 290230

Date: 27/05/2015

Capacity: 29,042 US Gallons (109,936 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,210	68.00	18,546	72.25	19,857	76.50	21,136	80.75	22,373
64.00	17,289	68.25	18,623	72.50	19,933	76.75	21,210	81.00	22,445
64.25	17,368	68.50	18,701	72.75	20,010	77.00	21,284	81.25	22,516
64.50	17,447	68.75	18,779	73.00	20,086	77.25	21,358	81.50	22,587
64.75	17,526	69.00	18,857	73.25	20,161	77.50	21,431	81.75	22,658
65.00	17,605	69.25	18,934	73.50	20,237	77.75	21,505	82.00	22,728
65.25	17,683	69.50	19,012	73.75	20,313	78.00	21,578	82.25	22,798
65.50	17,762	69.75	19,089	74.00	20,388	78.25	21,651	82.50	22,869
65.75	17,841	70.00	19,166	74.25	20,464	78.50	21,724	82.75	22,939
66.00	17,919	70.25	19,244	74.50	20,539	78.75	21,797	83.00	23,008
66.25	17,998	70.50	19,321	74.75	20,614	79.00	21,870	83.25	23,078
66.50	18,076	70.75	19,398	75.00	20,689	79.25	21,942	83.50	23,147
66.75	18,155	71.00	19,474	75.25	20,764	79.50	22,014	83.75	23,217
67.00	18,233	71.25	19,551	75.50	20,839	79.75	22,087	84.00	23,286
67.25	18,311	71.50	19,628	75.75	20,913	80.00	22,159	84.25	23,354
67.50	18,390	71.75	19,704	76.00	20,988	80.25	22,230	84.50	23,423
67.75	18,468	72.00	19,781	76.25	21,062	80.50	22,302	84.75	23,491



## Capacity/Gauge Table Information

**TCLX 290230**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 030

Reporting Mark: TCLX 290230

Date: 27/05/2015

Capacity: 29,042 US Gallons (109,936 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,560	89.25	24,683	93.50	25,733	97.75	26,693	102.00	27,545
85.25	23,627	89.50	24,747	93.75	25,792	98.00	26,746	102.25	27,591
85.50	23,695	89.75	24,811	94.00	25,851	98.25	26,799	102.50	27,637
85.75	23,763	90.00	24,874	94.25	25,909	98.50	26,852	102.75	27,682
86.00	23,830	90.25	24,938	94.50	25,968	98.75	26,904	103.00	27,727
86.25	23,897	90.50	25,000	94.75	26,025	99.00	26,956	103.25	27,771
86.50	23,964	90.75	25,063	95.00	26,083	99.25	27,007	103.50	27,815
86.75	24,031	91.00	25,125	95.25	26,140	99.50	27,058	103.75	27,858
87.00	24,097	91.25	25,187	95.50	26,197	99.75	27,109	104.00	27,901
87.25	24,163	91.50	25,249	95.75	26,253	100.00	27,159	104.25	27,943
87.50	24,229	91.75	25,311	96.00	26,310	100.25	27,209	104.50	27,985
87.75	24,295	92.00	25,372	96.25	26,365	100.50	27,258	104.75	28,026
88.00	24,360	92.25	25,433	96.50	26,421	100.75	27,307	105.00	28,066
88.25	24,425	92.50	25,493	96.75	26,476	101.00	27,355	105.25	28,106
88.50	24,490	92.75	25,554	97.00	26,531	101.25	27,403	105.50	28,146
88.75	24,555	93.00	25,614	97.25	26,585	101.50	27,451	105.75	28,185
89.00	24,619	93.25	25,674	97.50	26,639	101.75	27,498	106.00	28,223



## Capacity/Gauge Table Information

**TCLX 290230**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 030

Reporting Mark: TCLX 290230

Date: 27/05/2015

Capacity: 29,042 US Gallons (109,936 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,261	110.50	28,794	114.75	29,027
106.50	28,298	110.75	28,818	115.00	29,032
106.75	28,334	111.00	28,840	115.25	29,035
107.00	28,370	111.25	28,861	115.50	29,037
107.25	28,405	111.50	28,881	115.75	29,039
107.50	28,440	111.75	28,899	116.00	29,041
107.75	28,474	112.00	28,917	116.25	29,041
108.00	28,507	112.25	28,932	116.50	29,042
108.25	28,539	112.50	28,947	116.75	29,042
108.50	28,571	112.75	28,960		
108.75	28,602	113.00	28,972		
109.00	28,632	113.25	28,983		
109.25	28,661	113.50	28,993		
109.50	28,689	113.75	29,002		
109.75	28,717	114.00	29,010		
110.00	28,744	114.25	29,017		
110.25	28,769	114.50	29,022		



## Capacity/Gauge Table Information

**TCLX 290231**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 031

Reporting Mark: TCLX 290231

Date: 12/06/2015

Capacity: 29,012 US Gallons (109,824 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,337	12.75	2,219	17.00	3,205
0.25	28	4.50	623	8.75	1,386	13.00	2,274	17.25	3,265
0.50	57	4.75	664	9.00	1,435	13.25	2,330	17.50	3,326
0.75	87	5.00	705	9.25	1,484	13.50	2,386	17.75	3,388
1.00	118	5.25	747	9.50	1,534	13.75	2,442	18.00	3,449
1.25	150	5.50	790	9.75	1,584	14.00	2,499	18.25	3,511
1.50	182	5.75	832	10.00	1,635	14.25	2,556	18.50	3,574
1.75	215	6.00	876	10.25	1,686	14.50	2,613	18.75	3,636
2.00	249	6.25	920	10.50	1,738	14.75	2,671	19.00	3,699
2.25	284	6.50	964	10.75	1,790	15.00	2,729	19.25	3,762
2.50	319	6.75	1,009	11.00	1,842	15.25	2,788	19.50	3,825
2.75	355	7.00	1,055	11.25	1,895	15.50	2,846	19.75	3,889
3.00	391	7.25	1,100	11.50	1,948	15.75	2,905	20.00	3,953
3.25	428	7.50	1,147	11.75	2,001	16.00	2,964	20.25	4,017
3.50	466	7.75	1,194	12.00	2,055	16.25	3,024	20.50	4,081
3.75	505	8.00	1,241	12.25	2,110	16.50	3,084	20.75	4,146
4.00	544	8.25	1,289	12.50	2,164	16.75	3,144	21.00	4,210



## Capacity/Gauge Table Information

**TCLX 290231**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 031

Reporting Mark: TCLX 290231

Date: 12/06/2015

Capacity: 29,012 US Gallons (109,824 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,276	25.50	5,418	29.75	6,619	34.00	7,868	38.25	9,157
21.50	4,341	25.75	5,487	30.00	6,691	34.25	7,943	38.50	9,234
21.75	4,406	26.00	5,556	30.25	6,763	34.50	8,018	38.75	9,311
22.00	4,472	26.25	5,625	30.50	6,836	34.75	8,093	39.00	9,388
22.25	4,538	26.50	5,695	30.75	6,909	35.00	8,168	39.25	9,465
22.50	4,605	26.75	5,765	31.00	6,981	35.25	8,243	39.50	9,542
22.75	4,671	27.00	5,835	31.25	7,055	35.50	8,319	39.75	9,619
23.00	4,738	27.25	5,906	31.50	7,128	35.75	8,395	40.00	9,697
23.25	4,805	27.50	5,976	31.75	7,201	36.00	8,470	40.25	9,774
23.50	4,872	27.75	6,047	32.00	7,275	36.25	8,546	40.50	9,852
23.75	4,939	28.00	6,118	32.25	7,348	36.50	8,622	40.75	9,929
24.00	5,007	28.25	6,189	32.50	7,422	36.75	8,698	41.00	10,007
24.25	5,075	28.50	6,260	32.75	7,496	37.00	8,774	41.25	10,085
24.50	5,143	28.75	6,331	33.00	7,570	37.25	8,851	41.50	10,163
24.75	5,211	29.00	6,403	33.25	7,645	37.50	8,927	41.75	10,241
25.00	5,280	29.25	6,475	33.50	7,719	37.75	9,003	42.00	10,319
25.25	5,349	29.50	6,546	33.75	7,793	38.00	9,080	42.25	10,397



## Capacity/Gauge Table Information

**TCLX 290231**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 031

Reporting Mark: TCLX 290231

Date: 12/06/2015

Capacity: 29,012 US Gallons (109,824 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,476	46.75	11,817	51.00	13,172	55.25	14,533	59.50	15,893
42.75	10,554	47.00	11,896	51.25	13,252	55.50	14,613	59.75	15,973
43.00	10,633	47.25	11,976	51.50	13,332	55.75	14,694	60.00	16,053
43.25	10,711	47.50	12,055	51.75	13,412	56.00	14,774	60.25	16,133
43.50	10,790	47.75	12,135	52.00	13,492	56.25	14,854	60.50	16,213
43.75	10,868	48.00	12,214	52.25	13,572	56.50	14,934	60.75	16,292
44.00	10,947	48.25	12,294	52.50	13,652	56.75	15,014	61.00	16,372
44.25	11,026	48.50	12,373	52.75	13,732	57.00	15,094	61.25	16,451
44.50	11,105	48.75	12,453	53.00	13,812	57.25	15,174	61.50	16,531
44.75	11,183	49.00	12,533	53.25	13,892	57.50	15,254	61.75	16,610
45.00	11,262	49.25	12,613	53.50	13,972	57.75	15,334	62.00	16,690
45.25	11,341	49.50	12,692	53.75	14,053	58.00	15,414	62.25	16,769
45.50	11,420	49.75	12,772	54.00	14,133	58.25	15,494	62.50	16,849
45.75	11,500	50.00	12,852	54.25	14,213	58.50	15,574	62.75	16,928
46.00	11,579	50.25	12,932	54.50	14,293	58.75	15,654	63.00	17,007
46.25	11,658	50.50	13,012	54.75	14,373	59.00	15,734	63.25	17,087
46.50	11,737	50.75	13,092	55.00	14,453	59.25	15,814	63.50	17,166





## Capacity/Gauge Table Information

**TCLX 290231**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 031

Reporting Mark: TCLX 290231

Date: 12/06/2015

Capacity: 29,012 US Gallons (109,824 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,245	68.00	18,579	72.25	19,889	76.50	21,166	80.75	22,401
64.00	17,324	68.25	18,657	72.50	19,965	76.75	21,240	81.00	22,472
64.25	17,403	68.50	18,735	72.75	20,041	77.00	21,314	81.25	22,543
64.50	17,482	68.75	18,813	73.00	20,117	77.25	21,387	81.50	22,614
64.75	17,561	69.00	18,890	73.25	20,193	77.50	21,461	81.75	22,684
65.00	17,639	69.25	18,968	73.50	20,269	77.75	21,534	82.00	22,755
65.25	17,718	69.50	19,045	73.75	20,344	78.00	21,607	82.25	22,825
65.50	17,797	69.75	19,122	74.00	20,420	78.25	21,680	82.50	22,895
65.75	17,875	70.00	19,199	74.25	20,495	78.50	21,753	82.75	22,965
66.00	17,954	70.25	19,276	74.50	20,570	78.75	21,826	83.00	23,034
66.25	18,032	70.50	19,353	74.75	20,645	79.00	21,898	83.25	23,104
66.50	18,111	70.75	19,430	75.00	20,720	79.25	21,970	83.50	23,173
66.75	18,189	71.00	19,507	75.25	20,794	79.50	22,043	83.75	23,242
67.00	18,267	71.25	19,584	75.50	20,869	79.75	22,115	84.00	23,311
67.25	18,345	71.50	19,660	75.75	20,944	80.00	22,186	84.25	23,379
67.50	18,424	71.75	19,737	76.00	21,018	80.25	22,258	84.50	23,448
67.75	18,501	72.00	19,813	76.25	21,092	80.50	22,330	84.75	23,516



## Capacity/Gauge Table Information

**TCLX 290231**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 031

Reporting Mark: TCLX 290231

Date: 12/06/2015

Capacity: 29,012 US Gallons (109,824 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,584	89.25	24,704	93.50	25,749	97.75	26,704	102.00	27,550
85.25	23,652	89.50	24,768	93.75	25,808	98.00	26,757	102.25	27,596
85.50	23,719	89.75	24,831	94.00	25,867	98.25	26,810	102.50	27,641
85.75	23,786	90.00	24,894	94.25	25,925	98.50	26,862	102.75	27,686
86.00	23,853	90.25	24,957	94.50	25,983	98.75	26,914	103.00	27,730
86.25	23,920	90.50	25,020	94.75	26,040	99.00	26,965	103.25	27,774
86.50	23,987	90.75	25,082	95.00	26,098	99.25	27,016	103.50	27,817
86.75	24,053	91.00	25,144	95.25	26,154	99.50	27,067	103.75	27,860
87.00	24,120	91.25	25,206	95.50	26,211	99.75	27,117	104.00	27,902
87.25	24,185	91.50	25,268	95.75	26,267	100.00	27,167	104.25	27,944
87.50	24,251	91.75	25,329	96.00	26,323	100.25	27,216	104.50	27,985
87.75	24,317	92.00	25,390	96.25	26,379	100.50	27,265	104.75	28,026
88.00	24,382	92.25	25,451	96.50	26,434	100.75	27,314	105.00	28,066
88.25	24,447	92.50	25,511	96.75	26,489	101.00	27,362	105.25	28,106
88.50	24,512	92.75	25,571	97.00	26,543	101.25	27,410	105.50	28,145
88.75	24,576	93.00	25,631	97.25	26,597	101.50	27,457	105.75	28,183
89.00	24,640	93.25	25,690	97.50	26,651	101.75	27,504	106.00	28,221



## Capacity/Gauge Table Information

**TCLX 290231**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 031

Reporting Mark: TCLX 290231

Date: 12/06/2015

Capacity: 29,012 US Gallons (109,824 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,258	110.50	28,779	114.75	28,999
106.50	28,295	110.75	28,802	115.00	29,003
106.75	28,331	111.00	28,823	115.25	29,006
107.00	28,366	111.25	28,843	115.50	29,008
107.25	28,400	111.50	28,861	115.75	29,010
107.50	28,434	111.75	28,879	116.00	29,011
107.75	28,468	112.00	28,895	116.25	29,012
108.00	28,500	112.25	28,910	116.50	29,012
108.25	28,532	112.50	28,923	116.75	29,012
108.50	28,563	112.75	28,936		
108.75	28,593	113.00	28,947		
109.00	28,622	113.25	28,957		
109.25	28,651	113.50	28,967		
109.50	28,678	113.75	28,975		
109.75	28,705	114.00	28,982		
110.00	28,731	114.25	28,989		
110.25	28,756	114.50	28,994		



## Capacity/Gauge Table Information

**TCLX 290232**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 032

Reporting Mark: TCLX 290232

Date: 04/06/2015

Capacity: 28,945 US Gallons (109,568 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,336	12.75	2,217	17.00	3,201
0.25	28	4.50	623	8.75	1,385	13.00	2,272	17.25	3,262
0.50	57	4.75	664	9.00	1,434	13.25	2,328	17.50	3,323
0.75	87	5.00	705	9.25	1,483	13.50	2,384	17.75	3,384
1.00	118	5.25	747	9.50	1,533	13.75	2,440	18.00	3,445
1.25	150	5.50	789	9.75	1,583	14.00	2,497	18.25	3,507
1.50	182	5.75	832	10.00	1,634	14.25	2,554	18.50	3,569
1.75	215	6.00	876	10.25	1,685	14.50	2,611	18.75	3,632
2.00	249	6.25	920	10.50	1,737	14.75	2,669	19.00	3,694
2.25	284	6.50	964	10.75	1,788	15.00	2,726	19.25	3,757
2.50	319	6.75	1,009	11.00	1,841	15.25	2,785	19.50	3,820
2.75	355	7.00	1,054	11.25	1,893	15.50	2,843	19.75	3,884
3.00	391	7.25	1,100	11.50	1,946	15.75	2,902	20.00	3,948
3.25	428	7.50	1,146	11.75	2,000	16.00	2,961	20.25	4,012
3.50	466	7.75	1,193	12.00	2,054	16.25	3,021	20.50	4,076
3.75	505	8.00	1,240	12.25	2,108	16.50	3,081	20.75	4,140
4.00	544	8.25	1,288	12.50	2,162	16.75	3,141	21.00	4,205



## Capacity/Gauge Table Information

**TCLX 290232**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 032

Reporting Mark: TCLX 290232

Date: 04/06/2015

Capacity: 28,945 US Gallons (109,568 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,270	25.50	5,410	29.75	6,608	34.00	7,855	38.25	9,140
21.50	4,335	25.75	5,479	30.00	6,680	34.25	7,929	38.50	9,217
21.75	4,401	26.00	5,548	30.25	6,752	34.50	8,004	38.75	9,294
22.00	4,466	26.25	5,617	30.50	6,825	34.75	8,079	39.00	9,371
22.25	4,532	26.50	5,687	30.75	6,897	35.00	8,154	39.25	9,448
22.50	4,598	26.75	5,756	31.00	6,970	35.25	8,229	39.50	9,525
22.75	4,665	27.00	5,826	31.25	7,043	35.50	8,305	39.75	9,602
23.00	4,731	27.25	5,897	31.50	7,116	35.75	8,380	40.00	9,679
23.25	4,798	27.50	5,967	31.75	7,189	36.00	8,455	40.25	9,756
23.50	4,865	27.75	6,037	32.00	7,263	36.25	8,531	40.50	9,834
23.75	4,933	28.00	6,108	32.25	7,336	36.50	8,607	40.75	9,911
24.00	5,000	28.25	6,179	32.50	7,410	36.75	8,683	41.00	9,989
24.25	5,068	28.50	6,250	32.75	7,484	37.00	8,759	41.25	10,067
24.50	5,136	28.75	6,321	33.00	7,558	37.25	8,835	41.50	10,144
24.75	5,204	29.00	6,393	33.25	7,632	37.50	8,911	41.75	10,222
25.00	5,272	29.25	6,464	33.50	7,706	37.75	8,987	42.00	10,300
25.25	5,341	29.50	6,536	33.75	7,780	38.00	9,064	42.25	10,378



## Capacity/Gauge Table Information

**TCLX 290232**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 032

Reporting Mark: TCLX 290232

Date: 04/06/2015

Capacity: 28,945 US Gallons (109,568 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,456	46.75	11,794	51.00	13,146	55.25	14,504	59.50	15,860
42.75	10,534	47.00	11,873	51.25	13,225	55.50	14,584	59.75	15,940
43.00	10,613	47.25	11,952	51.50	13,305	55.75	14,663	60.00	16,020
43.25	10,691	47.50	12,032	51.75	13,385	56.00	14,743	60.25	16,099
43.50	10,769	47.75	12,111	52.00	13,465	56.25	14,823	60.50	16,179
43.75	10,848	48.00	12,190	52.25	13,545	56.50	14,903	60.75	16,258
44.00	10,926	48.25	12,270	52.50	13,625	56.75	14,983	61.00	16,337
44.25	11,005	48.50	12,349	52.75	13,704	57.00	15,063	61.25	16,417
44.50	11,083	48.75	12,429	53.00	13,784	57.25	15,143	61.50	16,496
44.75	11,162	49.00	12,508	53.25	13,864	57.50	15,223	61.75	16,576
45.00	11,241	49.25	12,588	53.50	13,944	57.75	15,302	62.00	16,655
45.25	11,320	49.50	12,667	53.75	14,024	58.00	15,382	62.25	16,734
45.50	11,399	49.75	12,747	54.00	14,104	58.25	15,462	62.50	16,813
45.75	11,478	50.00	12,827	54.25	14,184	58.50	15,542	62.75	16,892
46.00	11,557	50.25	12,906	54.50	14,264	58.75	15,621	63.00	16,971
46.25	11,636	50.50	12,986	54.75	14,344	59.00	15,701	63.25	17,050
46.50	11,715	50.75	13,066	55.00	14,424	59.25	15,781	63.50	17,129



## Capacity/Gauge Table Information

**TCLX 290232**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 032

Reporting Mark: TCLX 290232

Date: 04/06/2015

Capacity: 28,945 US Gallons (109,568 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,208	68.00	18,539	72.25	19,846	76.50	21,120	80.75	22,351
64.00	17,287	68.25	18,617	72.50	19,922	76.75	21,193	81.00	22,422
64.25	17,366	68.50	18,695	72.75	19,998	77.00	21,267	81.25	22,493
64.50	17,445	68.75	18,772	73.00	20,073	77.25	21,340	81.50	22,564
64.75	17,523	69.00	18,849	73.25	20,149	77.50	21,414	81.75	22,634
65.00	17,602	69.25	18,927	73.50	20,224	77.75	21,487	82.00	22,704
65.25	17,680	69.50	19,004	73.75	20,300	78.00	21,560	82.25	22,774
65.50	17,759	69.75	19,081	74.00	20,375	78.25	21,632	82.50	22,844
65.75	17,837	70.00	19,158	74.25	20,450	78.50	21,705	82.75	22,914
66.00	17,916	70.25	19,235	74.50	20,525	78.75	21,778	83.00	22,983
66.25	17,994	70.50	19,312	74.75	20,600	79.00	21,850	83.25	23,052
66.50	18,072	70.75	19,388	75.00	20,674	79.25	21,922	83.50	23,121
66.75	18,150	71.00	19,465	75.25	20,749	79.50	21,994	83.75	23,190
67.00	18,228	71.25	19,541	75.50	20,823	79.75	22,066	84.00	23,259
67.25	18,306	71.50	19,618	75.75	20,898	80.00	22,137	84.25	23,327
67.50	18,384	71.75	19,694	76.00	20,972	80.25	22,209	84.50	23,396
67.75	18,462	72.00	19,770	76.25	21,046	80.50	22,280	84.75	23,464





## Capacity/Gauge Table Information

**TCLX 290232**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 032

Reporting Mark: TCLX 290232

Date: 04/06/2015

Capacity: 28,945 US Gallons (109,568 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,531	89.25	24,649	93.50	25,692	97.75	26,645	102.00	27,488
85.25	23,599	89.50	24,713	93.75	25,751	98.00	26,698	102.25	27,534
85.50	23,666	89.75	24,776	94.00	25,809	98.25	26,750	102.50	27,579
85.75	23,734	90.00	24,839	94.25	25,867	98.50	26,802	102.75	27,624
86.00	23,800	90.25	24,902	94.50	25,925	98.75	26,854	103.00	27,668
86.25	23,867	90.50	24,964	94.75	25,982	99.00	26,905	103.25	27,712
86.50	23,934	90.75	25,026	95.00	26,039	99.25	26,956	103.50	27,755
86.75	24,000	91.00	25,088	95.25	26,096	99.50	27,007	103.75	27,798
87.00	24,066	91.25	25,150	95.50	26,152	99.75	27,057	104.00	27,840
87.25	24,132	91.50	25,211	95.75	26,209	100.00	27,106	104.25	27,882
87.50	24,197	91.75	25,272	96.00	26,264	100.25	27,156	104.50	27,923
87.75	24,263	92.00	25,333	96.25	26,320	100.50	27,204	104.75	27,963
88.00	24,328	92.25	25,394	96.50	26,375	100.75	27,253	105.00	28,003
88.25	24,392	92.50	25,454	96.75	26,429	101.00	27,301	105.25	28,043
88.50	24,457	92.75	25,514	97.00	26,484	101.25	27,348	105.50	28,082
88.75	24,521	93.00	25,574	97.25	26,538	101.50	27,395	105.75	28,120
89.00	24,585	93.25	25,633	97.50	26,591	101.75	27,442	106.00	28,158



## Capacity/Gauge Table Information

**TCLX 290232**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 032

Reporting Mark: TCLX 290232

Date: 04/06/2015

Capacity: 28,945 US Gallons (109,568 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,195	110.50	28,714	114.75	28,931
106.50	28,231	110.75	28,736	115.00	28,935
106.75	28,267	111.00	28,757	115.25	28,938
107.00	28,302	111.25	28,777	115.50	28,941
107.25	28,336	111.50	28,795	115.75	28,942
107.50	28,370	111.75	28,812	116.00	28,944
107.75	28,403	112.00	28,828	116.25	28,944
108.00	28,436	112.25	28,843	116.50	28,945
108.25	28,467	112.50	28,856	116.75	28,945
108.50	28,498	112.75	28,869		
108.75	28,528	113.00	28,880		
109.00	28,557	113.25	28,890		
109.25	28,586	113.50	28,899		
109.50	28,613	113.75	28,908		
109.75	28,640	114.00	28,915		
110.00	28,666	114.25	28,921		
110.25	28,690	114.50	28,927		



## Capacity/Gauge Table Information

**TCLX 290233**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 033

Reporting Mark: TCLX 290233

Date: 12/06/2015

Capacity: 29,029 US Gallons (109,886 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	577	8.50	1,327	12.75	2,206	17.00	3,189
0.25	28	4.50	617	8.75	1,375	13.00	2,261	17.25	3,249
0.50	57	4.75	658	9.00	1,424	13.25	2,316	17.50	3,310
0.75	86	5.00	699	9.25	1,473	13.50	2,372	17.75	3,372
1.00	117	5.25	740	9.50	1,523	13.75	2,428	18.00	3,433
1.25	148	5.50	782	9.75	1,573	14.00	2,485	18.25	3,495
1.50	180	5.75	825	10.00	1,624	14.25	2,542	18.50	3,557
1.75	213	6.00	868	10.25	1,675	14.50	2,599	18.75	3,619
2.00	246	6.25	912	10.50	1,726	14.75	2,657	19.00	3,682
2.25	280	6.50	956	10.75	1,778	15.00	2,714	19.25	3,745
2.50	315	6.75	1,001	11.00	1,830	15.25	2,773	19.50	3,808
2.75	351	7.00	1,046	11.25	1,883	15.50	2,831	19.75	3,871
3.00	387	7.25	1,092	11.50	1,936	15.75	2,890	20.00	3,935
3.25	424	7.50	1,138	11.75	1,989	16.00	2,949	20.25	3,999
3.50	461	7.75	1,184	12.00	2,043	16.25	3,009	20.50	4,063
3.75	499	8.00	1,231	12.25	2,097	16.50	3,068	20.75	4,128
4.00	538	8.25	1,279	12.50	2,151	16.75	3,128	21.00	4,193



## Capacity/Gauge Table Information

**TCLX 290233**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 033

Reporting Mark: TCLX 290233

Date: 12/06/2015

Capacity: 29,029 US Gallons (109,886 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,258	25.50	5,398	29.75	6,598	34.00	7,846	38.25	9,134
21.50	4,323	25.75	5,467	30.00	6,670	34.25	7,921	38.50	9,211
21.75	4,388	26.00	5,536	30.25	6,742	34.50	7,996	38.75	9,288
22.00	4,454	26.25	5,606	30.50	6,815	34.75	8,071	39.00	9,365
22.25	4,520	26.50	5,675	30.75	6,887	35.00	8,146	39.25	9,442
22.50	4,586	26.75	5,745	31.00	6,960	35.25	8,221	39.50	9,519
22.75	4,652	27.00	5,815	31.25	7,033	35.50	8,297	39.75	9,596
23.00	4,719	27.25	5,885	31.50	7,106	35.75	8,372	40.00	9,674
23.25	4,786	27.50	5,956	31.75	7,180	36.00	8,448	40.25	9,751
23.50	4,853	27.75	6,026	32.00	7,253	36.25	8,524	40.50	9,829
23.75	4,920	28.00	6,097	32.25	7,327	36.50	8,600	40.75	9,907
24.00	4,988	28.25	6,168	32.50	7,400	36.75	8,676	41.00	9,984
24.25	5,056	28.50	6,239	32.75	7,474	37.00	8,752	41.25	10,062
24.50	5,124	28.75	6,310	33.00	7,548	37.25	8,828	41.50	10,140
24.75	5,192	29.00	6,382	33.25	7,623	37.50	8,904	41.75	10,218
25.00	5,260	29.25	6,454	33.50	7,697	37.75	8,981	42.00	10,296
25.25	5,329	29.50	6,526	33.75	7,772	38.00	9,057	42.25	10,374



## Capacity/Gauge Table Information

**TCLX 290233**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 033

Reporting Mark: TCLX 290233

Date: 12/06/2015

Capacity: 29,029 US Gallons (109,886 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,453	46.75	11,793	51.00	13,149	55.25	14,510	59.50	15,871
42.75	10,531	47.00	11,873	51.25	13,229	55.50	14,591	59.75	15,951
43.00	10,609	47.25	11,952	51.50	13,309	55.75	14,671	60.00	16,031
43.25	10,688	47.50	12,032	51.75	13,389	56.00	14,751	60.25	16,111
43.50	10,766	47.75	12,111	52.00	13,469	56.25	14,831	60.50	16,190
43.75	10,845	48.00	12,191	52.25	13,549	56.50	14,911	60.75	16,270
44.00	10,924	48.25	12,271	52.50	13,629	56.75	14,991	61.00	16,350
44.25	11,003	48.50	12,350	52.75	13,709	57.00	15,071	61.25	16,429
44.50	11,081	48.75	12,430	53.00	13,789	57.25	15,151	61.50	16,509
44.75	11,160	49.00	12,510	53.25	13,869	57.50	15,231	61.75	16,589
45.00	11,239	49.25	12,589	53.50	13,949	57.75	15,312	62.00	16,668
45.25	11,318	49.50	12,669	53.75	14,030	58.00	15,392	62.25	16,748
45.50	11,397	49.75	12,749	54.00	14,110	58.25	15,472	62.50	16,827
45.75	11,476	50.00	12,829	54.25	14,190	58.50	15,552	62.75	16,906
46.00	11,556	50.25	12,909	54.50	14,270	58.75	15,631	63.00	16,986
46.25	11,635	50.50	12,989	54.75	14,350	59.00	15,711	63.25	17,065
46.50	11,714	50.75	13,069	55.00	14,430	59.25	15,791	63.50	17,144



## Capacity/Gauge Table Information

**TCLX 290233**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 033

Reporting Mark: TCLX 290233

Date: 12/06/2015

Capacity: 29,029 US Gallons (109,886 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,223	68.00	18,559	72.25	19,870	76.50	21,148	80.75	22,384
64.00	17,302	68.25	18,637	72.50	19,946	76.75	21,222	81.00	22,456
64.25	17,381	68.50	18,715	72.75	20,022	77.00	21,296	81.25	22,527
64.50	17,460	68.75	18,792	73.00	20,098	77.25	21,370	81.50	22,598
64.75	17,539	69.00	18,870	73.25	20,174	77.50	21,443	81.75	22,668
65.00	17,618	69.25	18,947	73.50	20,250	77.75	21,516	82.00	22,739
65.25	17,697	69.50	19,025	73.75	20,325	78.00	21,590	82.25	22,809
65.50	17,776	69.75	19,102	74.00	20,401	78.25	21,663	82.50	22,879
65.75	17,854	70.00	19,179	74.25	20,476	78.50	21,736	82.75	22,949
66.00	17,933	70.25	19,257	74.50	20,551	78.75	21,808	83.00	23,019
66.25	18,011	70.50	19,334	74.75	20,626	79.00	21,881	83.25	23,088
66.50	18,090	70.75	19,410	75.00	20,701	79.25	21,953	83.50	23,158
66.75	18,168	71.00	19,487	75.25	20,776	79.50	22,026	83.75	23,227
67.00	18,246	71.25	19,564	75.50	20,851	79.75	22,098	84.00	23,296
67.25	18,325	71.50	19,641	75.75	20,925	80.00	22,170	84.25	23,364
67.50	18,403	71.75	19,717	76.00	21,000	80.25	22,242	84.50	23,433
67.75	18,481	72.00	19,794	76.25	21,074	80.50	22,313	84.75	23,501



## Capacity/Gauge Table Information

**TCLX 290233**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 033

Reporting Mark: TCLX 290233

Date: 12/06/2015

Capacity: 29,029 US Gallons (109,886 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,569	89.25	24,692	93.50	25,740	97.75	26,698	102.00	27,547
85.25	23,637	89.50	24,756	93.75	25,799	98.00	26,751	102.25	27,593
85.50	23,705	89.75	24,819	94.00	25,857	98.25	26,804	102.50	27,638
85.75	23,772	90.00	24,883	94.25	25,916	98.50	26,856	102.75	27,683
86.00	23,840	90.25	24,946	94.50	25,974	98.75	26,908	103.00	27,728
86.25	23,906	90.50	25,008	94.75	26,031	99.00	26,960	103.25	27,772
86.50	23,973	90.75	25,071	95.00	26,089	99.25	27,011	103.50	27,815
86.75	24,040	91.00	25,133	95.25	26,146	99.50	27,062	103.75	27,859
87.00	24,106	91.25	25,195	95.50	26,203	99.75	27,112	104.00	27,901
87.25	24,172	91.50	25,257	95.75	26,259	100.00	27,162	104.25	27,943
87.50	24,238	91.75	25,318	96.00	26,315	100.25	27,212	104.50	27,985
87.75	24,304	92.00	25,379	96.25	26,371	100.50	27,261	104.75	28,026
88.00	24,369	92.25	25,440	96.50	26,426	100.75	27,310	105.00	28,066
88.25	24,434	92.50	25,501	96.75	26,481	101.00	27,358	105.25	28,106
88.50	24,499	92.75	25,561	97.00	26,536	101.25	27,406	105.50	28,145
88.75	24,563	93.00	25,621	97.25	26,590	101.50	27,453	105.75	28,184
89.00	24,628	93.25	25,680	97.50	26,644	101.75	27,500	106.00	28,222





## Capacity/Gauge Table Information

**TCLX 290233**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 033

Reporting Mark: TCLX 290233

Date: 12/06/2015

Capacity: 29,029 US Gallons (109,886 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,259	110.50	28,787	114.75	29,015
106.50	28,296	110.75	28,811	115.00	29,019
106.75	28,332	111.00	28,832	115.25	29,022
107.00	28,368	111.25	28,853	115.50	29,024
107.25	28,403	111.50	28,872	115.75	29,026
107.50	28,437	111.75	28,890	116.00	29,027
107.75	28,471	112.00	28,907	116.25	29,028
108.00	28,504	112.25	28,922	116.50	29,029
108.25	28,536	112.50	28,936	116.75	29,029
108.50	28,567	112.75	28,949		
108.75	28,598	113.00	28,961		
109.00	28,627	113.25	28,972		
109.25	28,656	113.50	28,981		
109.50	28,684	113.75	28,990		
109.75	28,712	114.00	28,997		
110.00	28,738	114.25	29,004		
110.25	28,763	114.50	29,010		



## Capacity/Gauge Table Information

**TCLX 290234**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 034

Reporting Mark: TCLX 290234

Date: 04/06/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	581	8.50	1,333	12.75	2,213	17.00	3,198
0.25	28	4.50	621	8.75	1,381	13.00	2,269	17.25	3,258
0.50	57	4.75	661	9.00	1,430	13.25	2,324	17.50	3,319
0.75	87	5.00	703	9.25	1,480	13.50	2,380	17.75	3,381
1.00	118	5.25	744	9.50	1,529	13.75	2,436	18.00	3,442
1.25	149	5.50	787	9.75	1,580	14.00	2,493	18.25	3,504
1.50	181	5.75	829	10.00	1,630	14.25	2,550	18.50	3,566
1.75	214	6.00	873	10.25	1,681	14.50	2,607	18.75	3,629
2.00	248	6.25	916	10.50	1,733	14.75	2,665	19.00	3,691
2.25	282	6.50	961	10.75	1,785	15.00	2,723	19.25	3,754
2.50	317	6.75	1,006	11.00	1,837	15.25	2,781	19.50	3,818
2.75	353	7.00	1,051	11.25	1,890	15.50	2,840	19.75	3,881
3.00	389	7.25	1,097	11.50	1,943	15.75	2,899	20.00	3,945
3.25	426	7.50	1,143	11.75	1,996	16.00	2,958	20.25	4,009
3.50	464	7.75	1,190	12.00	2,050	16.25	3,017	20.50	4,073
3.75	502	8.00	1,237	12.25	2,104	16.50	3,077	20.75	4,138
4.00	541	8.25	1,285	12.50	2,158	16.75	3,137	21.00	4,202



## Capacity/Gauge Table Information

**TCLX 290234**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 034

Reporting Mark: TCLX 290234

Date: 04/06/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,267	25.50	5,409	29.75	6,609	34.00	7,858	38.25	9,146
21.50	4,333	25.75	5,478	30.00	6,681	34.25	7,932	38.50	9,222
21.75	4,398	26.00	5,547	30.25	6,753	34.50	8,007	38.75	9,299
22.00	4,464	26.25	5,616	30.50	6,826	34.75	8,082	39.00	9,376
22.25	4,530	26.50	5,686	30.75	6,899	35.00	8,158	39.25	9,453
22.50	4,596	26.75	5,756	31.00	6,971	35.25	8,233	39.50	9,531
22.75	4,663	27.00	5,826	31.25	7,044	35.50	8,308	39.75	9,608
23.00	4,729	27.25	5,896	31.50	7,118	35.75	8,384	40.00	9,685
23.25	4,796	27.50	5,967	31.75	7,191	36.00	8,459	40.25	9,763
23.50	4,863	27.75	6,037	32.00	7,264	36.25	8,535	40.50	9,840
23.75	4,931	28.00	6,108	32.25	7,338	36.50	8,611	40.75	9,918
24.00	4,998	28.25	6,179	32.50	7,412	36.75	8,687	41.00	9,996
24.25	5,066	28.50	6,250	32.75	7,486	37.00	8,763	41.25	10,074
24.50	5,134	28.75	6,322	33.00	7,560	37.25	8,840	41.50	10,152
24.75	5,203	29.00	6,393	33.25	7,634	37.50	8,916	41.75	10,230
25.00	5,271	29.25	6,465	33.50	7,708	37.75	8,992	42.00	10,308
25.25	5,340	29.50	6,537	33.75	7,783	38.00	9,069	42.25	10,386



## Capacity/Gauge Table Information

**TCLX 290234**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 034

Reporting Mark: TCLX 290234

Date: 04/06/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,464	46.75	11,805	51.00	13,159	55.25	14,521	59.50	15,881
42.75	10,542	47.00	11,884	51.25	13,239	55.50	14,601	59.75	15,960
43.00	10,621	47.25	11,963	51.50	13,319	55.75	14,681	60.00	16,040
43.25	10,699	47.50	12,043	51.75	13,399	56.00	14,761	60.25	16,120
43.50	10,778	47.75	12,122	52.00	13,479	56.25	14,841	60.50	16,200
43.75	10,856	48.00	12,202	52.25	13,559	56.50	14,921	60.75	16,279
44.00	10,935	48.25	12,282	52.50	13,640	56.75	15,001	61.00	16,359
44.25	11,014	48.50	12,361	52.75	13,720	57.00	15,081	61.25	16,439
44.50	11,093	48.75	12,441	53.00	13,800	57.25	15,161	61.50	16,518
44.75	11,172	49.00	12,521	53.25	13,880	57.50	15,241	61.75	16,598
45.00	11,251	49.25	12,600	53.50	13,960	57.75	15,321	62.00	16,677
45.25	11,330	49.50	12,680	53.75	14,040	58.00	15,401	62.25	16,756
45.50	11,409	49.75	12,760	54.00	14,120	58.25	15,481	62.50	16,836
45.75	11,488	50.00	12,840	54.25	14,200	58.50	15,561	62.75	16,915
46.00	11,567	50.25	12,920	54.50	14,280	58.75	15,641	63.00	16,994
46.25	11,646	50.50	13,000	54.75	14,360	59.00	15,721	63.25	17,074
46.50	11,725	50.75	13,079	55.00	14,441	59.25	15,801	63.50	17,153



## Capacity/Gauge Table Information

**TCLX 290234**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 034

Reporting Mark: TCLX 290234

Date: 04/06/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,232	68.00	18,566	72.25	19,876	76.50	21,153	80.75	22,388
64.00	17,311	68.25	18,644	72.50	19,952	76.75	21,227	81.00	22,459
64.25	17,390	68.50	18,722	72.75	20,028	77.00	21,301	81.25	22,530
64.50	17,469	68.75	18,800	73.00	20,104	77.25	21,374	81.50	22,601
64.75	17,548	69.00	18,877	73.25	20,180	77.50	21,448	81.75	22,672
65.00	17,626	69.25	18,955	73.50	20,256	77.75	21,521	82.00	22,742
65.25	17,705	69.50	19,032	73.75	20,331	78.00	21,594	82.25	22,812
65.50	17,784	69.75	19,109	74.00	20,407	78.25	21,667	82.50	22,882
65.75	17,862	70.00	19,186	74.25	20,482	78.50	21,740	82.75	22,952
66.00	17,941	70.25	19,263	74.50	20,557	78.75	21,813	83.00	23,022
66.25	18,019	70.50	19,340	74.75	20,632	79.00	21,885	83.25	23,091
66.50	18,098	70.75	19,417	75.00	20,707	79.25	21,958	83.50	23,160
66.75	18,176	71.00	19,494	75.25	20,782	79.50	22,030	83.75	23,229
67.00	18,254	71.25	19,571	75.50	20,856	79.75	22,102	84.00	23,298
67.25	18,332	71.50	19,647	75.75	20,931	80.00	22,174	84.25	23,367
67.50	18,410	71.75	19,724	76.00	21,005	80.25	22,245	84.50	23,435
67.75	18,488	72.00	19,800	76.25	21,079	80.50	22,317	84.75	23,503



## Capacity/Gauge Table Information

**TCLX 290234**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 034

Reporting Mark: TCLX 290234

Date: 04/06/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,571	89.25	24,692	93.50	25,738	97.75	26,693	102.00	27,540
85.25	23,639	89.50	24,756	93.75	25,797	98.00	26,746	102.25	27,585
85.50	23,707	89.75	24,819	94.00	25,855	98.25	26,799	102.50	27,631
85.75	23,774	90.00	24,882	94.25	25,913	98.50	26,851	102.75	27,676
86.00	23,841	90.25	24,945	94.50	25,971	98.75	26,903	103.00	27,720
86.25	23,908	90.50	25,008	94.75	26,029	99.00	26,955	103.25	27,764
86.50	23,975	90.75	25,070	95.00	26,086	99.25	27,006	103.50	27,807
86.75	24,041	91.00	25,132	95.25	26,143	99.50	27,056	103.75	27,850
87.00	24,107	91.25	25,194	95.50	26,200	99.75	27,107	104.00	27,893
87.25	24,173	91.50	25,256	95.75	26,256	100.00	27,156	104.25	27,935
87.50	24,239	91.75	25,317	96.00	26,312	100.25	27,206	104.50	27,976
87.75	24,304	92.00	25,378	96.25	26,367	100.50	27,255	104.75	28,017
88.00	24,370	92.25	25,439	96.50	26,423	100.75	27,303	105.00	28,057
88.25	24,435	92.50	25,499	96.75	26,478	101.00	27,352	105.25	28,096
88.50	24,499	92.75	25,559	97.00	26,532	101.25	27,399	105.50	28,135
88.75	24,564	93.00	25,619	97.25	26,586	101.50	27,446	105.75	28,174
89.00	24,628	93.25	25,679	97.50	26,640	101.75	27,493	106.00	28,212



## Capacity/Gauge Table Information

**TCLX 290234**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 034

Reporting Mark: TCLX 290234

Date: 04/06/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,249	110.50	28,772	114.75	28,993
106.50	28,286	110.75	28,795	115.00	28,997
106.75	28,322	111.00	28,816	115.25	29,000
107.00	28,357	111.25	28,836	115.50	29,003
107.25	28,392	111.50	28,855	115.75	29,004
107.50	28,426	111.75	28,872	116.00	29,006
107.75	28,459	112.00	28,888	116.25	29,006
108.00	28,491	112.25	28,903	116.50	29,007
108.25	28,523	112.50	28,917	116.75	29,007
108.50	28,554	112.75	28,930		
108.75	28,585	113.00	28,941		
109.00	28,614	113.25	28,951		
109.25	28,643	113.50	28,961		
109.50	28,670	113.75	28,969		
109.75	28,697	114.00	28,977		
110.00	28,723	114.25	28,983		
110.25	28,748	114.50	28,989		





## Capacity/Gauge Table Information

**TCLX 290235**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 035

Reporting Mark: TCLX 290235

Date: 02/06/2015

Capacity: 29,025 US Gallons (109,872 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	578	8.50	1,329	12.75	2,208	17.00	3,192
0.25	28	4.50	618	8.75	1,377	13.00	2,263	17.25	3,252
0.50	57	4.75	659	9.00	1,426	13.25	2,319	17.50	3,313
0.75	86	5.00	700	9.25	1,475	13.50	2,375	17.75	3,375
1.00	117	5.25	742	9.50	1,525	13.75	2,431	18.00	3,436
1.25	148	5.50	784	9.75	1,575	14.00	2,488	18.25	3,498
1.50	180	5.75	826	10.00	1,626	14.25	2,545	18.50	3,560
1.75	213	6.00	870	10.25	1,677	14.50	2,602	18.75	3,623
2.00	247	6.25	913	10.50	1,728	14.75	2,659	19.00	3,685
2.25	281	6.50	958	10.75	1,780	15.00	2,717	19.25	3,748
2.50	316	6.75	1,002	11.00	1,832	15.25	2,775	19.50	3,811
2.75	351	7.00	1,048	11.25	1,885	15.50	2,834	19.75	3,875
3.00	388	7.25	1,093	11.50	1,938	15.75	2,893	20.00	3,939
3.25	425	7.50	1,139	11.75	1,991	16.00	2,952	20.25	4,002
3.50	462	7.75	1,186	12.00	2,045	16.25	3,011	20.50	4,067
3.75	500	8.00	1,233	12.25	2,099	16.50	3,071	20.75	4,131
4.00	539	8.25	1,281	12.50	2,153	16.75	3,131	21.00	4,196



## Capacity/Gauge Table Information

**TCLX 290235**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 035

Reporting Mark: TCLX 290235

Date: 02/06/2015

Capacity: 29,025 US Gallons (109,872 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,261	25.50	5,402	29.75	6,602	34.00	7,851	38.25	9,139
21.50	4,326	25.75	5,471	30.00	6,674	34.25	7,925	38.50	9,216
21.75	4,392	26.00	5,540	30.25	6,746	34.50	8,000	38.75	9,292
22.00	4,457	26.25	5,609	30.50	6,819	34.75	8,075	39.00	9,369
22.25	4,523	26.50	5,679	30.75	6,892	35.00	8,150	39.25	9,447
22.50	4,590	26.75	5,749	31.00	6,964	35.25	8,226	39.50	9,524
22.75	4,656	27.00	5,819	31.25	7,037	35.50	8,301	39.75	9,601
23.00	4,723	27.25	5,889	31.50	7,111	35.75	8,377	40.00	9,679
23.25	4,790	27.50	5,960	31.75	7,184	36.00	8,452	40.25	9,756
23.50	4,857	27.75	6,030	32.00	7,257	36.25	8,528	40.50	9,834
23.75	4,924	28.00	6,101	32.25	7,331	36.50	8,604	40.75	9,911
24.00	4,992	28.25	6,172	32.50	7,405	36.75	8,680	41.00	9,989
24.25	5,060	28.50	6,243	32.75	7,479	37.00	8,756	41.25	10,067
24.50	5,128	28.75	6,315	33.00	7,553	37.25	8,833	41.50	10,145
24.75	5,196	29.00	6,386	33.25	7,627	37.50	8,909	41.75	10,223
25.00	5,264	29.25	6,458	33.50	7,701	37.75	8,985	42.00	10,301
25.25	5,333	29.50	6,530	33.75	7,776	38.00	9,062	42.25	10,379



## Capacity/Gauge Table Information

**TCLX 290235**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 035

Reporting Mark: TCLX 290235

Date: 02/06/2015

Capacity: 29,025 US Gallons (109,872 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,457	46.75	11,798	51.00	13,154	55.25	14,515	59.50	15,876
42.75	10,536	47.00	11,878	51.25	13,234	55.50	14,596	59.75	15,956
43.00	10,614	47.25	11,957	51.50	13,314	55.75	14,676	60.00	16,036
43.25	10,693	47.50	12,037	51.75	13,394	56.00	14,756	60.25	16,116
43.50	10,771	47.75	12,116	52.00	13,474	56.25	14,836	60.50	16,195
43.75	10,850	48.00	12,196	52.25	13,554	56.50	14,916	60.75	16,275
44.00	10,929	48.25	12,275	52.50	13,634	56.75	14,996	61.00	16,355
44.25	11,007	48.50	12,355	52.75	13,714	57.00	15,076	61.25	16,434
44.50	11,086	48.75	12,435	53.00	13,794	57.25	15,156	61.50	16,514
44.75	11,165	49.00	12,515	53.25	13,874	57.50	15,236	61.75	16,593
45.00	11,244	49.25	12,594	53.50	13,954	57.75	15,316	62.00	16,673
45.25	11,323	49.50	12,674	53.75	14,034	58.00	15,396	62.25	16,752
45.50	11,402	49.75	12,754	54.00	14,115	58.25	15,476	62.50	16,832
45.75	11,481	50.00	12,834	54.25	14,195	58.50	15,556	62.75	16,911
46.00	11,560	50.25	12,914	54.50	14,275	58.75	15,636	63.00	16,990
46.25	11,640	50.50	12,994	54.75	14,355	59.00	15,716	63.25	17,070
46.50	11,719	50.75	13,074	55.00	14,435	59.25	15,796	63.50	17,149



## Capacity/Gauge Table Information

**TCLX 290235**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 035

Reporting Mark: TCLX 290235

Date: 02/06/2015

Capacity: 29,025 US Gallons (109,872 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,228	68.00	18,563	72.25	19,874	76.50	21,152	80.75	22,388
64.00	17,307	68.25	18,641	72.50	19,951	76.75	21,226	81.00	22,460
64.25	17,386	68.50	18,719	72.75	20,027	77.00	21,300	81.25	22,531
64.50	17,465	68.75	18,797	73.00	20,102	77.25	21,374	81.50	22,601
64.75	17,544	69.00	18,874	73.25	20,178	77.50	21,447	81.75	22,672
65.00	17,623	69.25	18,952	73.50	20,254	77.75	21,521	82.00	22,743
65.25	17,702	69.50	19,029	73.75	20,330	78.00	21,594	82.25	22,813
65.50	17,780	69.75	19,107	74.00	20,405	78.25	21,667	82.50	22,883
65.75	17,859	70.00	19,184	74.25	20,480	78.50	21,740	82.75	22,953
66.00	17,938	70.25	19,261	74.50	20,556	78.75	21,812	83.00	23,023
66.25	18,016	70.50	19,338	74.75	20,631	79.00	21,885	83.25	23,092
66.50	18,095	70.75	19,415	75.00	20,706	79.25	21,957	83.50	23,161
66.75	18,173	71.00	19,492	75.25	20,780	79.50	22,030	83.75	23,230
67.00	18,251	71.25	19,569	75.50	20,855	79.75	22,102	84.00	23,299
67.25	18,329	71.50	19,645	75.75	20,930	80.00	22,174	84.25	23,368
67.50	18,407	71.75	19,722	76.00	21,004	80.25	22,245	84.50	23,437
67.75	18,486	72.00	19,798	76.25	21,078	80.50	22,317	84.75	23,505



## Capacity/Gauge Table Information

**TCLX 290235**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 035

Reporting Mark: TCLX 290235

Date: 02/06/2015

Capacity: 29,025 US Gallons (109,872 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,573	89.25	24,695	93.50	25,742	97.75	26,699	102.00	27,548
85.25	23,641	89.50	24,759	93.75	25,801	98.00	26,753	102.25	27,594
85.50	23,708	89.75	24,822	94.00	25,860	98.25	26,805	102.50	27,639
85.75	23,776	90.00	24,886	94.25	25,918	98.50	26,858	102.75	27,684
86.00	23,843	90.25	24,949	94.50	25,976	98.75	26,910	103.00	27,729
86.25	23,910	90.50	25,011	94.75	26,034	99.00	26,961	103.25	27,773
86.50	23,977	90.75	25,074	95.00	26,091	99.25	27,012	103.50	27,816
86.75	24,043	91.00	25,136	95.25	26,148	99.50	27,063	103.75	27,859
87.00	24,109	91.25	25,198	95.50	26,205	99.75	27,114	104.00	27,902
87.25	24,175	91.50	25,260	95.75	26,261	100.00	27,164	104.25	27,944
87.50	24,241	91.75	25,321	96.00	26,317	100.25	27,213	104.50	27,985
87.75	24,307	92.00	25,382	96.25	26,373	100.50	27,262	104.75	28,026
88.00	24,372	92.25	25,443	96.50	26,428	100.75	27,311	105.00	28,066
88.25	24,437	92.50	25,503	96.75	26,483	101.00	27,359	105.25	28,106
88.50	24,502	92.75	25,563	97.00	26,538	101.25	27,407	105.50	28,145
88.75	24,567	93.00	25,623	97.25	26,592	101.50	27,454	105.75	28,184
89.00	24,631	93.25	25,683	97.50	26,646	101.75	27,501	106.00	28,222



## Capacity/Gauge Table Information

**TCLX 290235**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 035

Reporting Mark: TCLX 290235

Date: 02/06/2015

Capacity: 29,025 US Gallons (109,872 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,259	110.50	28,786	114.75	29,011
106.50	28,296	110.75	28,809	115.00	29,015
106.75	28,332	111.00	28,831	115.25	29,018
107.00	28,368	111.25	28,851	115.50	29,021
107.25	28,403	111.50	28,870	115.75	29,023
107.50	28,437	111.75	28,888	116.00	29,024
107.75	28,470	112.00	28,904	116.25	29,025
108.00	28,503	112.25	28,919	116.50	29,025
108.25	28,535	112.50	28,933	116.75	29,025
108.50	28,566	112.75	28,946		
108.75	28,597	113.00	28,958		
109.00	28,626	113.25	28,969		
109.25	28,655	113.50	28,978		
109.50	28,683	113.75	28,987		
109.75	28,710	114.00	28,994		
110.00	28,737	114.25	29,001		
110.25	28,762	114.50	29,006		



## Capacity/Gauge Table Information

**TCLX 290236**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 036

Reporting Mark: TCLX 290236

Date: 04/06/2015

Capacity: 29,021 US Gallons (109,857 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,335	12.75	2,217	17.00	3,202
0.25	28	4.50	622	8.75	1,384	13.00	2,272	17.25	3,262
0.50	57	4.75	663	9.00	1,433	13.25	2,328	17.50	3,324
0.75	87	5.00	704	9.25	1,482	13.50	2,383	17.75	3,385
1.00	118	5.25	746	9.50	1,532	13.75	2,440	18.00	3,447
1.25	149	5.50	788	9.75	1,582	14.00	2,496	18.25	3,508
1.50	182	5.75	831	10.00	1,633	14.25	2,553	18.50	3,571
1.75	215	6.00	874	10.25	1,684	14.50	2,611	18.75	3,633
2.00	249	6.25	918	10.50	1,736	14.75	2,668	19.00	3,696
2.25	283	6.50	963	10.75	1,788	15.00	2,726	19.25	3,759
2.50	318	6.75	1,008	11.00	1,840	15.25	2,785	19.50	3,822
2.75	354	7.00	1,053	11.25	1,893	15.50	2,843	19.75	3,886
3.00	390	7.25	1,099	11.50	1,946	15.75	2,902	20.00	3,949
3.25	428	7.50	1,145	11.75	1,999	16.00	2,962	20.25	4,014
3.50	465	7.75	1,192	12.00	2,053	16.25	3,021	20.50	4,078
3.75	504	8.00	1,239	12.25	2,107	16.50	3,081	20.75	4,142
4.00	543	8.25	1,287	12.50	2,162	16.75	3,141	21.00	4,207





## Capacity/Gauge Table Information

**TCLX 290236**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 036

Reporting Mark: TCLX 290236

Date: 04/06/2015

Capacity: 29,021 US Gallons (109,857 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,272	25.50	5,414	29.75	6,615	34.00	7,864	38.25	9,153
21.50	4,338	25.75	5,483	30.00	6,687	34.25	7,939	38.50	9,230
21.75	4,403	26.00	5,553	30.25	6,760	34.50	8,014	38.75	9,307
22.00	4,469	26.25	5,622	30.50	6,832	34.75	8,089	39.00	9,384
22.25	4,535	26.50	5,692	30.75	6,905	35.00	8,165	39.25	9,461
22.50	4,601	26.75	5,762	31.00	6,978	35.25	8,240	39.50	9,538
22.75	4,668	27.00	5,832	31.25	7,051	35.50	8,315	39.75	9,616
23.00	4,735	27.25	5,902	31.50	7,124	35.75	8,391	40.00	9,693
23.25	4,802	27.50	5,973	31.75	7,198	36.00	8,467	40.25	9,771
23.50	4,869	27.75	6,043	32.00	7,271	36.25	8,542	40.50	9,848
23.75	4,936	28.00	6,114	32.25	7,345	36.50	8,618	40.75	9,926
24.00	5,004	28.25	6,185	32.50	7,419	36.75	8,694	41.00	10,004
24.25	5,072	28.50	6,256	32.75	7,493	37.00	8,771	41.25	10,082
24.50	5,140	28.75	6,328	33.00	7,567	37.25	8,847	41.50	10,160
24.75	5,208	29.00	6,399	33.25	7,641	37.50	8,923	41.75	10,238
25.00	5,276	29.25	6,471	33.50	7,715	37.75	9,000	42.00	10,316
25.25	5,345	29.50	6,543	33.75	7,790	38.00	9,076	42.25	10,394



## Capacity/Gauge Table Information

**TCLX 290236**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 036

Reporting Mark: TCLX 290236

Date: 04/06/2015

Capacity: 29,021 US Gallons (109,857 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,472	46.75	11,813	51.00	13,169	55.25	14,530	59.50	15,891
42.75	10,551	47.00	11,893	51.25	13,249	55.50	14,610	59.75	15,971
43.00	10,629	47.25	11,972	51.50	13,329	55.75	14,690	60.00	16,050
43.25	10,707	47.50	12,052	51.75	13,409	56.00	14,771	60.25	16,130
43.50	10,786	47.75	12,131	52.00	13,489	56.25	14,851	60.50	16,210
43.75	10,865	48.00	12,211	52.25	13,569	56.50	14,931	60.75	16,290
44.00	10,943	48.25	12,290	52.50	13,649	56.75	15,011	61.00	16,369
44.25	11,022	48.50	12,370	52.75	13,729	57.00	15,091	61.25	16,449
44.50	11,101	48.75	12,450	53.00	13,809	57.25	15,171	61.50	16,528
44.75	11,180	49.00	12,529	53.25	13,889	57.50	15,251	61.75	16,608
45.00	11,259	49.25	12,609	53.50	13,969	57.75	15,331	62.00	16,687
45.25	11,338	49.50	12,689	53.75	14,049	58.00	15,411	62.25	16,767
45.50	11,417	49.75	12,769	54.00	14,130	58.25	15,491	62.50	16,846
45.75	11,496	50.00	12,849	54.25	14,210	58.50	15,571	62.75	16,926
46.00	11,575	50.25	12,929	54.50	14,290	58.75	15,651	63.00	17,005
46.25	11,655	50.50	13,009	54.75	14,370	59.00	15,731	63.25	17,084
46.50	11,734	50.75	13,089	55.00	14,450	59.25	15,811	63.50	17,163



## Capacity/Gauge Table Information

**TCLX 290236**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 036

Reporting Mark: TCLX 290236

Date: 04/06/2015

Capacity: 29,021 US Gallons (109,857 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,242	68.00	18,577	72.25	19,888	76.50	21,165	80.75	22,400
64.00	17,321	68.25	18,655	72.50	19,964	76.75	21,239	81.00	22,471
64.25	17,400	68.50	18,733	72.75	20,040	77.00	21,313	81.25	22,542
64.50	17,479	68.75	18,811	73.00	20,116	77.25	21,386	81.50	22,613
64.75	17,558	69.00	18,888	73.25	20,192	77.50	21,460	81.75	22,684
65.00	17,637	69.25	18,966	73.50	20,267	77.75	21,533	82.00	22,754
65.25	17,716	69.50	19,043	73.75	20,343	78.00	21,606	82.25	22,824
65.50	17,795	69.75	19,120	74.00	20,418	78.25	21,679	82.50	22,894
65.75	17,873	70.00	19,198	74.25	20,493	78.50	21,752	82.75	22,964
66.00	17,952	70.25	19,275	74.50	20,569	78.75	21,825	83.00	23,034
66.25	18,030	70.50	19,352	74.75	20,644	79.00	21,897	83.25	23,103
66.50	18,109	70.75	19,429	75.00	20,718	79.25	21,970	83.50	23,173
66.75	18,187	71.00	19,505	75.25	20,793	79.50	22,042	83.75	23,242
67.00	18,265	71.25	19,582	75.50	20,868	79.75	22,114	84.00	23,311
67.25	18,343	71.50	19,659	75.75	20,942	80.00	22,186	84.25	23,379
67.50	18,421	71.75	19,735	76.00	21,017	80.25	22,257	84.50	23,448
67.75	18,499	72.00	19,811	76.25	21,091	80.50	22,329	84.75	23,516



## Capacity/Gauge Table Information

**TCLX 290236**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 036

Reporting Mark: TCLX 290236

Date: 04/06/2015

Capacity: 29,021 US Gallons (109,857 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,584	89.25	24,705	93.50	25,751	97.75	26,707	102.00	27,553
85.25	23,652	89.50	24,769	93.75	25,810	98.00	26,760	102.25	27,599
85.50	23,719	89.75	24,832	94.00	25,868	98.25	26,813	102.50	27,645
85.75	23,787	90.00	24,895	94.25	25,927	98.50	26,865	102.75	27,690
86.00	23,854	90.25	24,958	94.50	25,985	98.75	26,917	103.00	27,734
86.25	23,921	90.50	25,021	94.75	26,042	99.00	26,968	103.25	27,778
86.50	23,987	90.75	25,083	95.00	26,100	99.25	27,019	103.50	27,821
86.75	24,054	91.00	25,146	95.25	26,156	99.50	27,070	103.75	27,864
87.00	24,120	91.25	25,207	95.50	26,213	99.75	27,120	104.00	27,907
87.25	24,186	91.50	25,269	95.75	26,269	100.00	27,170	104.25	27,948
87.50	24,252	91.75	25,330	96.00	26,325	100.25	27,220	104.50	27,990
87.75	24,317	92.00	25,391	96.25	26,381	100.50	27,269	104.75	28,031
88.00	24,382	92.25	25,452	96.50	26,436	100.75	27,317	105.00	28,071
88.25	24,447	92.50	25,512	96.75	26,491	101.00	27,365	105.25	28,110
88.50	24,512	92.75	25,572	97.00	26,546	101.25	27,413	105.50	28,149
88.75	24,577	93.00	25,632	97.25	26,600	101.50	27,460	105.75	28,188
89.00	24,641	93.25	25,692	97.50	26,653	101.75	27,507	106.00	28,226



## Capacity/Gauge Table Information

**TCLX 290236**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 036

Reporting Mark: TCLX 290236

Date: 04/06/2015

Capacity: 29,021 US Gallons (109,857 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,263	110.50	28,786	114.75	29,008
106.50	28,300	110.75	28,809	115.00	29,011
106.75	28,336	111.00	28,830	115.25	29,015
107.00	28,371	111.25	28,850	115.50	29,017
107.25	28,406	111.50	28,869	115.75	29,019
107.50	28,440	111.75	28,886	116.00	29,020
107.75	28,473	112.00	28,903	116.25	29,021
108.00	28,506	112.25	28,917	116.50	29,021
108.25	28,537	112.50	28,931	116.75	29,021
108.50	28,568	112.75	28,944		
108.75	28,599	113.00	28,955		
109.00	28,628	113.25	28,966		
109.25	28,657	113.50	28,975		
109.50	28,685	113.75	28,983		
109.75	28,711	114.00	28,991		
110.00	28,737	114.25	28,997		
110.25	28,762	114.50	29,003		



## Capacity/Gauge Table Information

**TCLX 290237**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 037

Reporting Mark: TCLX 290237

Date: 02/06/2015

Capacity: 28,994 US Gallons (109,755 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,345	12.75	2,230	17.00	3,217
0.25	29	4.50	628	8.75	1,394	13.00	2,285	17.25	3,278
0.50	58	4.75	669	9.00	1,443	13.25	2,341	17.50	3,339
0.75	88	5.00	711	9.25	1,492	13.50	2,397	17.75	3,401
1.00	119	5.25	753	9.50	1,543	13.75	2,454	18.00	3,463
1.25	151	5.50	795	9.75	1,593	14.00	2,510	18.25	3,525
1.50	184	5.75	838	10.00	1,644	14.25	2,568	18.50	3,587
1.75	217	6.00	882	10.25	1,695	14.50	2,625	18.75	3,650
2.00	251	6.25	926	10.50	1,747	14.75	2,683	19.00	3,713
2.25	286	6.50	971	10.75	1,799	15.00	2,741	19.25	3,776
2.50	322	6.75	1,016	11.00	1,852	15.25	2,799	19.50	3,839
2.75	358	7.00	1,061	11.25	1,904	15.50	2,858	19.75	3,903
3.00	395	7.25	1,107	11.50	1,958	15.75	2,917	20.00	3,967
3.25	432	7.50	1,154	11.75	2,011	16.00	2,977	20.25	4,031
3.50	470	7.75	1,201	12.00	2,065	16.25	3,036	20.50	4,095
3.75	509	8.00	1,249	12.25	2,120	16.50	3,096	20.75	4,160
4.00	548	8.25	1,296	12.50	2,175	16.75	3,157	21.00	4,225



## Capacity/Gauge Table Information

**TCLX 290237**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 037

Reporting Mark: TCLX 290237

Date: 02/06/2015

Capacity: 28,994 US Gallons (109,755 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,290	25.50	5,433	29.75	6,636	34.00	7,886	38.25	9,176
21.50	4,355	25.75	5,503	30.00	6,708	34.25	7,961	38.50	9,252
21.75	4,421	26.00	5,572	30.25	6,780	34.50	8,036	38.75	9,329
22.00	4,487	26.25	5,642	30.50	6,853	34.75	8,111	39.00	9,406
22.25	4,553	26.50	5,711	30.75	6,926	35.00	8,186	39.25	9,484
22.50	4,620	26.75	5,781	31.00	6,999	35.25	8,262	39.50	9,561
22.75	4,686	27.00	5,852	31.25	7,072	35.50	8,337	39.75	9,638
23.00	4,753	27.25	5,922	31.50	7,145	35.75	8,413	40.00	9,716
23.25	4,820	27.50	5,993	31.75	7,219	36.00	8,489	40.25	9,793
23.50	4,887	27.75	6,063	32.00	7,292	36.25	8,564	40.50	9,871
23.75	4,955	28.00	6,134	32.25	7,366	36.50	8,640	40.75	9,949
24.00	5,023	28.25	6,205	32.50	7,440	36.75	8,717	41.00	10,026
24.25	5,091	28.50	6,277	32.75	7,514	37.00	8,793	41.25	10,104
24.50	5,159	28.75	6,348	33.00	7,588	37.25	8,869	41.50	10,182
24.75	5,227	29.00	6,420	33.25	7,662	37.50	8,946	41.75	10,260
25.00	5,296	29.25	6,492	33.50	7,737	37.75	9,022	42.00	10,338
25.25	5,364	29.50	6,564	33.75	7,811	38.00	9,099	42.25	10,417





## Capacity/Gauge Table Information

**TCLX 290237**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 037

Reporting Mark: TCLX 290237

Date: 02/06/2015

Capacity: 28,994 US Gallons (109,755 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,495	46.75	11,836	51.00	13,191	55.25	14,553	59.50	15,912
42.75	10,573	47.00	11,916	51.25	13,271	55.50	14,633	59.75	15,992
43.00	10,652	47.25	11,995	51.50	13,351	55.75	14,713	60.00	16,072
43.25	10,730	47.50	12,074	51.75	13,431	56.00	14,793	60.25	16,152
43.50	10,809	47.75	12,154	52.00	13,511	56.25	14,873	60.50	16,231
43.75	10,887	48.00	12,234	52.25	13,591	56.50	14,953	60.75	16,311
44.00	10,966	48.25	12,313	52.50	13,671	56.75	15,033	61.00	16,391
44.25	11,045	48.50	12,393	52.75	13,751	57.00	15,113	61.25	16,470
44.50	11,124	48.75	12,473	53.00	13,832	57.25	15,193	61.50	16,550
44.75	11,203	49.00	12,552	53.25	13,912	57.50	15,273	61.75	16,629
45.00	11,282	49.25	12,632	53.50	13,992	57.75	15,353	62.00	16,709
45.25	11,361	49.50	12,712	53.75	14,072	58.00	15,433	62.25	16,788
45.50	11,440	49.75	12,792	54.00	14,152	58.25	15,513	62.50	16,867
45.75	11,519	50.00	12,872	54.25	14,232	58.50	15,593	62.75	16,947
46.00	11,598	50.25	12,951	54.50	14,312	58.75	15,673	63.00	17,026
46.25	11,677	50.50	13,031	54.75	14,392	59.00	15,753	63.25	17,105
46.50	11,757	50.75	13,111	55.00	14,472	59.25	15,833	63.50	17,184



## Capacity/Gauge Table Information

**TCLX 290237**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 037

Reporting Mark: TCLX 290237

Date: 02/06/2015

Capacity: 28,994 US Gallons (109,755 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,263	68.00	18,597	72.25	19,906	76.50	21,181	80.75	22,415
64.00	17,342	68.25	18,675	72.50	19,982	76.75	21,255	81.00	22,486
64.25	17,421	68.50	18,752	72.75	20,058	77.00	21,329	81.25	22,557
64.50	17,500	68.75	18,830	73.00	20,134	77.25	21,402	81.50	22,627
64.75	17,579	69.00	18,907	73.25	20,209	77.50	21,476	81.75	22,698
65.00	17,658	69.25	18,985	73.50	20,285	77.75	21,549	82.00	22,768
65.25	17,736	69.50	19,062	73.75	20,360	78.00	21,622	82.25	22,838
65.50	17,815	69.75	19,139	74.00	20,436	78.25	21,695	82.50	22,908
65.75	17,893	70.00	19,216	74.25	20,511	78.50	21,768	82.75	22,978
66.00	17,972	70.25	19,293	74.50	20,586	78.75	21,840	83.00	23,047
66.25	18,050	70.50	19,370	74.75	20,661	79.00	21,913	83.25	23,116
66.50	18,129	70.75	19,447	75.00	20,736	79.25	21,985	83.50	23,186
66.75	18,207	71.00	19,524	75.25	20,810	79.50	22,057	83.75	23,254
67.00	18,285	71.25	19,601	75.50	20,885	79.75	22,129	84.00	23,323
67.25	18,363	71.50	19,677	75.75	20,959	80.00	22,201	84.25	23,392
67.50	18,441	71.75	19,753	76.00	21,033	80.25	22,272	84.50	23,460
67.75	18,519	72.00	19,830	76.25	21,107	80.50	22,343	84.75	23,528



## Capacity/Gauge Table Information

**TCLX 290237**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 037

Reporting Mark: TCLX 290237

Date: 02/06/2015

Capacity: 28,994 US Gallons (109,755 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,596	89.25	24,714	93.50	25,757	97.75	26,709	102.00	27,551
85.25	23,664	89.50	24,778	93.75	25,816	98.00	26,762	102.25	27,597
85.50	23,731	89.75	24,841	94.00	25,874	98.25	26,814	102.50	27,642
85.75	23,798	90.00	24,904	94.25	25,932	98.50	26,866	102.75	27,686
86.00	23,865	90.25	24,967	94.50	25,990	98.75	26,918	103.00	27,730
86.25	23,932	90.50	25,029	94.75	26,047	99.00	26,969	103.25	27,774
86.50	23,998	90.75	25,092	95.00	26,104	99.25	27,020	103.50	27,817
86.75	24,065	91.00	25,153	95.25	26,161	99.50	27,070	103.75	27,860
87.00	24,131	91.25	25,215	95.50	26,217	99.75	27,120	104.00	27,902
87.25	24,197	91.50	25,277	95.75	26,273	100.00	27,170	104.25	27,943
87.50	24,262	91.75	25,338	96.00	26,329	100.25	27,219	104.50	27,984
87.75	24,327	92.00	25,398	96.25	26,385	100.50	27,268	104.75	28,025
88.00	24,392	92.25	25,459	96.50	26,440	100.75	27,316	105.00	28,065
88.25	24,457	92.50	25,519	96.75	26,494	101.00	27,364	105.25	28,104
88.50	24,522	92.75	25,579	97.00	26,548	101.25	27,412	105.50	28,142
88.75	24,586	93.00	25,639	97.25	26,602	101.50	27,459	105.75	28,181
89.00	24,650	93.25	25,698	97.50	26,656	101.75	27,505	106.00	28,218



## Capacity/Gauge Table Information

**TCLX 290237**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 037

Reporting Mark: TCLX 290237

Date: 02/06/2015

Capacity: 28,994 US Gallons (109,755 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,255	110.50	28,769	114.75	28,981
106.50	28,291	110.75	28,791	115.00	28,985
106.75	28,327	111.00	28,811	115.25	28,988
107.00	28,362	111.25	28,830	115.50	28,990
107.25	28,396	111.50	28,848	115.75	28,992
107.50	28,429	111.75	28,865	116.00	28,993
107.75	28,462	112.00	28,881	116.25	28,994
108.00	28,494	112.25	28,895	116.50	28,994
108.25	28,526	112.50	28,908	116.75	28,994
108.50	28,556	112.75	28,920		
108.75	28,586	113.00	28,931		
109.00	28,615	113.25	28,941		
109.25	28,643	113.50	28,950		
109.50	28,670	113.75	28,958		
109.75	28,697	114.00	28,965		
110.00	28,722	114.25	28,971		
110.25	28,746	114.50	28,977		



## Capacity/Gauge Table Information

**TCLX 290238**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 038

Reporting Mark: TCLX 290238

Date: 02/06/2015

Capacity: 28,991 US Gallons (109,742 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,349	12.75	2,235	17.00	3,224
0.25	29	4.50	631	8.75	1,398	13.00	2,291	17.25	3,285
0.50	58	4.75	672	9.00	1,447	13.25	2,347	17.50	3,347
0.75	89	5.00	713	9.25	1,497	13.50	2,403	17.75	3,408
1.00	120	5.25	755	9.50	1,547	13.75	2,460	18.00	3,470
1.25	152	5.50	798	9.75	1,598	14.00	2,516	18.25	3,532
1.50	185	5.75	841	10.00	1,649	14.25	2,574	18.50	3,594
1.75	218	6.00	885	10.25	1,700	14.50	2,631	18.75	3,657
2.00	253	6.25	929	10.50	1,752	14.75	2,689	19.00	3,720
2.25	288	6.50	974	10.75	1,804	15.00	2,747	19.25	3,783
2.50	323	6.75	1,019	11.00	1,857	15.25	2,806	19.50	3,847
2.75	359	7.00	1,065	11.25	1,910	15.50	2,865	19.75	3,910
3.00	396	7.25	1,111	11.50	1,963	15.75	2,924	20.00	3,974
3.25	434	7.50	1,158	11.75	2,017	16.00	2,983	20.25	4,039
3.50	472	7.75	1,205	12.00	2,071	16.25	3,043	20.50	4,103
3.75	511	8.00	1,252	12.25	2,125	16.50	3,103	20.75	4,168
4.00	550	8.25	1,301	12.50	2,180	16.75	3,164	21.00	4,233



## Capacity/Gauge Table Information

**TCLX 290238**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 038

Reporting Mark: TCLX 290238

Date: 02/06/2015

Capacity: 28,991 US Gallons (109,742 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,298	25.50	5,443	29.75	6,646	34.00	7,897	38.25	9,187
21.50	4,364	25.75	5,512	30.00	6,718	34.25	7,972	38.50	9,264
21.75	4,429	26.00	5,581	30.25	6,791	34.50	8,047	38.75	9,341
22.00	4,495	26.25	5,651	30.50	6,863	34.75	8,122	39.00	9,418
22.25	4,562	26.50	5,721	30.75	6,936	35.00	8,197	39.25	9,495
22.50	4,628	26.75	5,791	31.00	7,009	35.25	8,273	39.50	9,572
22.75	4,695	27.00	5,861	31.25	7,082	35.50	8,348	39.75	9,650
23.00	4,762	27.25	5,931	31.50	7,156	35.75	8,424	40.00	9,727
23.25	4,829	27.50	6,002	31.75	7,229	36.00	8,500	40.25	9,805
23.50	4,896	27.75	6,073	32.00	7,303	36.25	8,576	40.50	9,882
23.75	4,964	28.00	6,144	32.25	7,376	36.50	8,652	40.75	9,960
24.00	5,031	28.25	6,215	32.50	7,450	36.75	8,728	41.00	10,038
24.25	5,099	28.50	6,286	32.75	7,524	37.00	8,804	41.25	10,116
24.50	5,168	28.75	6,358	33.00	7,599	37.25	8,880	41.50	10,194
24.75	5,236	29.00	6,430	33.25	7,673	37.50	8,957	41.75	10,272
25.00	5,305	29.25	6,501	33.50	7,748	37.75	9,033	42.00	10,350
25.25	5,374	29.50	6,573	33.75	7,822	38.00	9,110	42.25	10,428



## Capacity/Gauge Table Information

**TCLX 290238**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 038

Reporting Mark: TCLX 290238

Date: 02/06/2015

Capacity: 28,991 US Gallons (109,742 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,507	46.75	11,848	51.00	13,204	55.25	14,565	59.50	15,925
42.75	10,585	47.00	11,928	51.25	13,284	55.50	14,646	59.75	16,005
43.00	10,664	47.25	12,007	51.50	13,364	55.75	14,726	60.00	16,085
43.25	10,742	47.50	12,087	51.75	13,444	56.00	14,806	60.25	16,165
43.50	10,821	47.75	12,166	52.00	13,524	56.25	14,886	60.50	16,244
43.75	10,900	48.00	12,246	52.25	13,604	56.50	14,966	60.75	16,324
44.00	10,978	48.25	12,326	52.50	13,684	56.75	15,046	61.00	16,404
44.25	11,057	48.50	12,405	52.75	13,764	57.00	15,126	61.25	16,483
44.50	11,136	48.75	12,485	53.00	13,844	57.25	15,206	61.50	16,563
44.75	11,215	49.00	12,565	53.25	13,924	57.50	15,286	61.75	16,642
45.00	11,294	49.25	12,645	53.50	14,005	57.75	15,366	62.00	16,722
45.25	11,373	49.50	12,724	53.75	14,085	58.00	15,446	62.25	16,801
45.50	11,452	49.75	12,804	54.00	14,165	58.25	15,526	62.50	16,880
45.75	11,531	50.00	12,884	54.25	14,245	58.50	15,606	62.75	16,960
46.00	11,610	50.25	12,964	54.50	14,325	58.75	15,686	63.00	17,039
46.25	11,690	50.50	13,044	54.75	14,405	59.00	15,766	63.25	17,118
46.50	11,769	50.75	13,124	55.00	14,485	59.25	15,846	63.50	17,197





## Capacity/Gauge Table Information

**TCLX 290238**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 038

Reporting Mark: TCLX 290238

Date: 02/06/2015

Capacity: 28,991 US Gallons (109,742 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,276	68.00	18,610	72.25	19,919	76.50	21,194	80.75	22,427
64.00	17,355	68.25	18,688	72.50	19,995	76.75	21,268	81.00	22,498
64.25	17,434	68.50	18,765	72.75	20,070	77.00	21,341	81.25	22,568
64.50	17,513	68.75	18,843	73.00	20,146	77.25	21,415	81.50	22,639
64.75	17,592	69.00	18,920	73.25	20,222	77.50	21,488	81.75	22,709
65.00	17,671	69.25	18,998	73.50	20,297	77.75	21,561	82.00	22,780
65.25	17,749	69.50	19,075	73.75	20,373	78.00	21,634	82.25	22,850
65.50	17,828	69.75	19,152	74.00	20,448	78.25	21,707	82.50	22,920
65.75	17,906	70.00	19,229	74.25	20,523	78.50	21,780	82.75	22,989
66.00	17,985	70.25	19,306	74.50	20,598	78.75	21,852	83.00	23,059
66.25	18,063	70.50	19,383	74.75	20,673	79.00	21,925	83.25	23,128
66.50	18,142	70.75	19,460	75.00	20,748	79.25	21,997	83.50	23,197
66.75	18,220	71.00	19,537	75.25	20,823	79.50	22,069	83.75	23,266
67.00	18,298	71.25	19,613	75.50	20,897	79.75	22,141	84.00	23,335
67.25	18,376	71.50	19,690	75.75	20,972	80.00	22,212	84.25	23,403
67.50	18,454	71.75	19,766	76.00	21,046	80.25	22,284	84.50	23,471
67.75	18,532	72.00	19,842	76.25	21,120	80.50	22,355	84.75	23,539



## Capacity/Gauge Table Information

**TCLX 290238**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 038

Reporting Mark: TCLX 290238

Date: 02/06/2015

Capacity: 28,991 US Gallons (109,742 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,607	89.25	24,725	93.50	25,766	97.75	26,717	102.00	27,557
85.25	23,675	89.50	24,788	93.75	25,825	98.00	26,770	102.25	27,603
85.50	23,742	89.75	24,851	94.00	25,883	98.25	26,822	102.50	27,648
85.75	23,809	90.00	24,914	94.25	25,941	98.50	26,874	102.75	27,692
86.00	23,876	90.25	24,977	94.50	25,999	98.75	26,926	103.00	27,736
86.25	23,943	90.50	25,039	94.75	26,056	99.00	26,977	103.25	27,780
86.50	24,009	90.75	25,102	95.00	26,113	99.25	27,028	103.50	27,823
86.75	24,076	91.00	25,163	95.25	26,170	99.50	27,078	103.75	27,865
87.00	24,142	91.25	25,225	95.50	26,226	99.75	27,128	104.00	27,907
87.25	24,207	91.50	25,286	95.75	26,282	100.00	27,177	104.25	27,949
87.50	24,273	91.75	25,347	96.00	26,338	100.25	27,226	104.50	27,989
87.75	24,338	92.00	25,408	96.25	26,393	100.50	27,275	104.75	28,030
88.00	24,403	92.25	25,469	96.50	26,448	100.75	27,323	105.00	28,069
88.25	24,468	92.50	25,529	96.75	26,503	101.00	27,371	105.25	28,109
88.50	24,532	92.75	25,589	97.00	26,557	101.25	27,418	105.50	28,147
88.75	24,597	93.00	25,648	97.25	26,611	101.50	27,465	105.75	28,185
89.00	24,661	93.25	25,707	97.50	26,664	101.75	27,512	106.00	28,222



## Capacity/Gauge Table Information

**TCLX 290238**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 038

Reporting Mark: TCLX 290238

Date: 02/06/2015

Capacity: 28,991 US Gallons (109,742 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,259	110.50	28,770	114.75	28,978
106.50	28,295	110.75	28,791	115.00	28,982
106.75	28,331	111.00	28,811	115.25	28,984
107.00	28,365	111.25	28,830	115.50	28,987
107.25	28,399	111.50	28,847	115.75	28,988
107.50	28,433	111.75	28,864	116.00	28,990
107.75	28,465	112.00	28,879	116.25	28,990
108.00	28,497	112.25	28,893	116.50	28,991
108.25	28,529	112.50	28,906	116.75	28,991
108.50	28,559	112.75	28,918		
108.75	28,588	113.00	28,929		
109.00	28,617	113.25	28,939		
109.25	28,645	113.50	28,947		
109.50	28,672	113.75	28,955		
109.75	28,698	114.00	28,962		
110.00	28,723	114.25	28,968		
110.25	28,747	114.50	28,973		



## Capacity/Gauge Table Information

**TCLX 290239**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 039

Reporting Mark: TCLX 290239

Date: 02/06/2015

Capacity: 29,027 US Gallons (109,878 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	579	8.50	1,330	12.75	2,210	17.00	3,194
0.25	28	4.50	619	8.75	1,379	13.00	2,265	17.25	3,255
0.50	57	4.75	660	9.00	1,428	13.25	2,321	17.50	3,316
0.75	87	5.00	701	9.25	1,477	13.50	2,377	17.75	3,377
1.00	117	5.25	743	9.50	1,527	13.75	2,433	18.00	3,439
1.25	149	5.50	785	9.75	1,577	14.00	2,490	18.25	3,500
1.50	181	5.75	828	10.00	1,628	14.25	2,547	18.50	3,563
1.75	214	6.00	871	10.25	1,679	14.50	2,604	18.75	3,625
2.00	247	6.25	915	10.50	1,730	14.75	2,661	19.00	3,688
2.25	281	6.50	959	10.75	1,782	15.00	2,719	19.25	3,751
2.50	316	6.75	1,004	11.00	1,834	15.25	2,778	19.50	3,814
2.75	352	7.00	1,049	11.25	1,887	15.50	2,836	19.75	3,877
3.00	388	7.25	1,095	11.50	1,940	15.75	2,895	20.00	3,941
3.25	425	7.50	1,141	11.75	1,993	16.00	2,954	20.25	4,005
3.50	463	7.75	1,187	12.00	2,047	16.25	3,014	20.50	4,069
3.75	501	8.00	1,235	12.25	2,101	16.50	3,074	20.75	4,134
4.00	540	8.25	1,282	12.50	2,155	16.75	3,134	21.00	4,199



## Capacity/Gauge Table Information

**TCLX 290239**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 039

Reporting Mark: TCLX 290239

Date: 02/06/2015

Capacity: 29,027 US Gallons (109,878 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,264	25.50	5,404	29.75	6,605	34.00	7,853	38.25	9,142
21.50	4,329	25.75	5,473	30.00	6,677	34.25	7,928	38.50	9,218
21.75	4,394	26.00	5,543	30.25	6,749	34.50	8,003	38.75	9,295
22.00	4,460	26.25	5,612	30.50	6,822	34.75	8,078	39.00	9,372
22.25	4,526	26.50	5,682	30.75	6,894	35.00	8,153	39.25	9,449
22.50	4,592	26.75	5,752	31.00	6,967	35.25	8,229	39.50	9,527
22.75	4,659	27.00	5,822	31.25	7,040	35.50	8,304	39.75	9,604
23.00	4,725	27.25	5,892	31.50	7,113	35.75	8,380	40.00	9,681
23.25	4,792	27.50	5,962	31.75	7,187	36.00	8,455	40.25	9,759
23.50	4,859	27.75	6,033	32.00	7,260	36.25	8,531	40.50	9,836
23.75	4,927	28.00	6,104	32.25	7,334	36.50	8,607	40.75	9,914
24.00	4,994	28.25	6,175	32.50	7,408	36.75	8,683	41.00	9,992
24.25	5,062	28.50	6,246	32.75	7,482	37.00	8,759	41.25	10,070
24.50	5,130	28.75	6,317	33.00	7,556	37.25	8,835	41.50	10,148
24.75	5,198	29.00	6,389	33.25	7,630	37.50	8,912	41.75	10,226
25.00	5,267	29.25	6,461	33.50	7,704	37.75	8,988	42.00	10,304
25.25	5,336	29.50	6,532	33.75	7,779	38.00	9,065	42.25	10,382



## Capacity/Gauge Table Information

**TCLX 290239**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 039

Reporting Mark: TCLX 290239

Date: 02/06/2015

Capacity: 29,027 US Gallons (109,878 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,460	46.75	11,801	51.00	13,156	55.25	14,518	59.50	15,879
42.75	10,539	47.00	11,881	51.25	13,236	55.50	14,598	59.75	15,958
43.00	10,617	47.25	11,960	51.50	13,316	55.75	14,678	60.00	16,038
43.25	10,696	47.50	12,040	51.75	13,396	56.00	14,758	60.25	16,118
43.50	10,774	47.75	12,119	52.00	13,476	56.25	14,839	60.50	16,198
43.75	10,853	48.00	12,199	52.25	13,556	56.50	14,919	60.75	16,277
44.00	10,931	48.25	12,278	52.50	13,637	56.75	14,999	61.00	16,357
44.25	11,010	48.50	12,358	52.75	13,717	57.00	15,079	61.25	16,437
44.50	11,089	48.75	12,438	53.00	13,797	57.25	15,159	61.50	16,516
44.75	11,168	49.00	12,517	53.25	13,877	57.50	15,239	61.75	16,596
45.00	11,247	49.25	12,597	53.50	13,957	57.75	15,319	62.00	16,675
45.25	11,326	49.50	12,677	53.75	14,037	58.00	15,399	62.25	16,755
45.50	11,405	49.75	12,757	54.00	14,117	58.25	15,479	62.50	16,834
45.75	11,484	50.00	12,837	54.25	14,197	58.50	15,559	62.75	16,914
46.00	11,563	50.25	12,916	54.50	14,278	58.75	15,639	63.00	16,993
46.25	11,643	50.50	12,996	54.75	14,358	59.00	15,719	63.25	17,072
46.50	11,722	50.75	13,076	55.00	14,438	59.25	15,799	63.50	17,151



## Capacity/Gauge Table Information

**TCLX 290239**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 039

Reporting Mark: TCLX 290239

Date: 02/06/2015

Capacity: 29,027 US Gallons (109,878 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,230	68.00	18,566	72.25	19,877	76.50	21,154	80.75	22,390
64.00	17,310	68.25	18,644	72.50	19,953	76.75	21,228	81.00	22,461
64.25	17,389	68.50	18,721	72.75	20,029	77.00	21,302	81.25	22,532
64.50	17,468	68.75	18,799	73.00	20,105	77.25	21,376	81.50	22,603
64.75	17,546	69.00	18,877	73.25	20,180	77.50	21,449	81.75	22,674
65.00	17,625	69.25	18,954	73.50	20,256	77.75	21,523	82.00	22,744
65.25	17,704	69.50	19,032	73.75	20,332	78.00	21,596	82.25	22,815
65.50	17,783	69.75	19,109	74.00	20,407	78.25	21,669	82.50	22,885
65.75	17,861	70.00	19,186	74.25	20,482	78.50	21,742	82.75	22,955
66.00	17,940	70.25	19,263	74.50	20,558	78.75	21,814	83.00	23,024
66.25	18,018	70.50	19,340	74.75	20,633	79.00	21,887	83.25	23,094
66.50	18,097	70.75	19,417	75.00	20,708	79.25	21,959	83.50	23,163
66.75	18,175	71.00	19,494	75.25	20,782	79.50	22,032	83.75	23,232
67.00	18,253	71.25	19,571	75.50	20,857	79.75	22,104	84.00	23,301
67.25	18,332	71.50	19,647	75.75	20,932	80.00	22,176	84.25	23,370
67.50	18,410	71.75	19,724	76.00	21,006	80.25	22,247	84.50	23,438
67.75	18,488	72.00	19,800	76.25	21,080	80.50	22,319	84.75	23,507





## Capacity/Gauge Table Information

**TCLX 290239**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 039

Reporting Mark: TCLX 290239

Date: 02/06/2015

Capacity: 29,027 US Gallons (109,878 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,575	89.25	24,697	93.50	25,744	97.75	26,701	102.00	27,549
85.25	23,643	89.50	24,760	93.75	25,803	98.00	26,754	102.25	27,595
85.50	23,710	89.75	24,824	94.00	25,861	98.25	26,807	102.50	27,641
85.75	23,778	90.00	24,887	94.25	25,920	98.50	26,859	102.75	27,686
86.00	23,845	90.25	24,950	94.50	25,978	98.75	26,911	103.00	27,730
86.25	23,912	90.50	25,013	94.75	26,035	99.00	26,963	103.25	27,774
86.50	23,978	90.75	25,075	95.00	26,093	99.25	27,014	103.50	27,818
86.75	24,045	91.00	25,138	95.25	26,150	99.50	27,065	103.75	27,861
87.00	24,111	91.25	25,200	95.50	26,206	99.75	27,115	104.00	27,903
87.25	24,177	91.50	25,261	95.75	26,263	100.00	27,165	104.25	27,945
87.50	24,243	91.75	25,323	96.00	26,319	100.25	27,215	104.50	27,987
87.75	24,309	92.00	25,384	96.25	26,375	100.50	27,264	104.75	28,028
88.00	24,374	92.25	25,444	96.50	26,430	100.75	27,312	105.00	28,068
88.25	24,439	92.50	25,505	96.75	26,485	101.00	27,361	105.25	28,108
88.50	24,504	92.75	25,565	97.00	26,539	101.25	27,409	105.50	28,147
88.75	24,568	93.00	25,625	97.25	26,594	101.50	27,456	105.75	28,186
89.00	24,633	93.25	25,685	97.50	26,648	101.75	27,503	106.00	28,224



## Capacity/Gauge Table Information

**TCLX 290239**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 039

Reporting Mark: TCLX 290239

Date: 02/06/2015

Capacity: 29,027 US Gallons (109,878 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,261	110.50	28,787	114.75	29,013
106.50	28,298	110.75	28,810	115.00	29,017
106.75	28,334	111.00	28,832	115.25	29,020
107.00	28,369	111.25	28,853	115.50	29,022
107.25	28,404	111.50	28,872	115.75	29,024
107.50	28,438	111.75	28,889	116.00	29,025
107.75	28,472	112.00	28,906	116.25	29,026
108.00	28,505	112.25	28,921	116.50	29,027
108.25	28,537	112.50	28,935	116.75	29,027
108.50	28,568	112.75	28,948		
108.75	28,598	113.00	28,960		
109.00	28,628	113.25	28,970		
109.25	28,657	113.50	28,980		
109.50	28,685	113.75	28,988		
109.75	28,712	114.00	28,996		
110.00	28,738	114.25	29,002		
110.25	28,763	114.50	29,008		



## Capacity/Gauge Table Information

**TCLX 290240**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 040

Reporting Mark: TCLX 290240

Date: 17/06/2015

Capacity: 29,002 US Gallons (109,785 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,336	12.75	2,218	17.00	3,203
0.25	28	4.50	623	8.75	1,385	13.00	2,273	17.25	3,264
0.50	57	4.75	664	9.00	1,434	13.25	2,329	17.50	3,325
0.75	87	5.00	705	9.25	1,483	13.50	2,385	17.75	3,386
1.00	118	5.25	747	9.50	1,533	13.75	2,441	18.00	3,448
1.25	150	5.50	789	9.75	1,583	14.00	2,498	18.25	3,510
1.50	182	5.75	832	10.00	1,634	14.25	2,555	18.50	3,572
1.75	215	6.00	875	10.25	1,685	14.50	2,612	18.75	3,634
2.00	249	6.25	919	10.50	1,737	14.75	2,670	19.00	3,697
2.25	283	6.50	964	10.75	1,789	15.00	2,728	19.25	3,760
2.50	319	6.75	1,009	11.00	1,841	15.25	2,786	19.50	3,823
2.75	354	7.00	1,054	11.25	1,894	15.50	2,845	19.75	3,887
3.00	391	7.25	1,100	11.50	1,947	15.75	2,904	20.00	3,951
3.25	428	7.50	1,146	11.75	2,000	16.00	2,963	20.25	4,015
3.50	466	7.75	1,193	12.00	2,054	16.25	3,023	20.50	4,079
3.75	504	8.00	1,240	12.25	2,108	16.50	3,082	20.75	4,144
4.00	543	8.25	1,288	12.50	2,163	16.75	3,143	21.00	4,209



## Capacity/Gauge Table Information

**TCLX 290240**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 040

Reporting Mark: TCLX 290240

Date: 17/06/2015

Capacity: 29,002 US Gallons (109,785 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,274	25.50	5,415	29.75	6,616	34.00	7,865	38.25	9,153
21.50	4,339	25.75	5,484	30.00	6,688	34.25	7,940	38.50	9,230
21.75	4,404	26.00	5,553	30.25	6,760	34.50	8,014	38.75	9,307
22.00	4,470	26.25	5,623	30.50	6,833	34.75	8,090	39.00	9,384
22.25	4,536	26.50	5,693	30.75	6,906	35.00	8,165	39.25	9,461
22.50	4,603	26.75	5,763	31.00	6,978	35.25	8,240	39.50	9,538
22.75	4,669	27.00	5,833	31.25	7,051	35.50	8,315	39.75	9,615
23.00	4,736	27.25	5,903	31.50	7,125	35.75	8,391	40.00	9,693
23.25	4,803	27.50	5,973	31.75	7,198	36.00	8,467	40.25	9,770
23.50	4,870	27.75	6,044	32.00	7,272	36.25	8,542	40.50	9,848
23.75	4,937	28.00	6,115	32.25	7,345	36.50	8,618	40.75	9,925
24.00	5,005	28.25	6,186	32.50	7,419	36.75	8,694	41.00	10,003
24.25	5,073	28.50	6,257	32.75	7,493	37.00	8,771	41.25	10,081
24.50	5,141	28.75	6,328	33.00	7,567	37.25	8,847	41.50	10,159
24.75	5,209	29.00	6,400	33.25	7,641	37.50	8,923	41.75	10,237
25.00	5,278	29.25	6,472	33.50	7,716	37.75	9,000	42.00	10,315
25.25	5,346	29.50	6,544	33.75	7,790	38.00	9,076	42.25	10,393



## Capacity/Gauge Table Information

**TCLX 290240**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 040

Reporting Mark: TCLX 290240

Date: 17/06/2015

Capacity: 29,002 US Gallons (109,785 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,471	46.75	11,812	51.00	13,166	55.25	14,527	59.50	15,887
42.75	10,550	47.00	11,891	51.25	13,246	55.50	14,608	59.75	15,967
43.00	10,628	47.25	11,971	51.50	13,326	55.75	14,688	60.00	16,047
43.25	10,707	47.50	12,050	51.75	13,406	56.00	14,768	60.25	16,126
43.50	10,785	47.75	12,130	52.00	13,486	56.25	14,848	60.50	16,206
43.75	10,864	48.00	12,209	52.25	13,566	56.50	14,928	60.75	16,286
44.00	10,942	48.25	12,289	52.50	13,646	56.75	15,008	61.00	16,365
44.25	11,021	48.50	12,368	52.75	13,727	57.00	15,088	61.25	16,445
44.50	11,100	48.75	12,448	53.00	13,807	57.25	15,168	61.50	16,524
44.75	11,179	49.00	12,528	53.25	13,887	57.50	15,248	61.75	16,604
45.00	11,258	49.25	12,607	53.50	13,967	57.75	15,328	62.00	16,683
45.25	11,337	49.50	12,687	53.75	14,047	58.00	15,408	62.25	16,763
45.50	11,416	49.75	12,767	54.00	14,127	58.25	15,488	62.50	16,842
45.75	11,495	50.00	12,847	54.25	14,207	58.50	15,568	62.75	16,921
46.00	11,574	50.25	12,927	54.50	14,287	58.75	15,648	63.00	17,001
46.25	11,653	50.50	13,007	54.75	14,367	59.00	15,727	63.25	17,080
46.50	11,733	50.75	13,087	55.00	14,447	59.25	15,807	63.50	17,159



## Capacity/Gauge Table Information

**TCLX 290240**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 040

Reporting Mark: TCLX 290240

Date: 17/06/2015

Capacity: 29,002 US Gallons (109,785 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,238	68.00	18,572	72.25	19,882	76.50	21,158	80.75	22,392
64.00	17,317	68.25	18,650	72.50	19,958	76.75	21,232	81.00	22,463
64.25	17,396	68.50	18,728	72.75	20,034	77.00	21,305	81.25	22,534
64.50	17,475	68.75	18,805	73.00	20,109	77.25	21,379	81.50	22,605
64.75	17,554	69.00	18,883	73.25	20,185	77.50	21,452	81.75	22,676
65.00	17,632	69.25	18,960	73.50	20,261	77.75	21,526	82.00	22,746
65.25	17,711	69.50	19,037	73.75	20,336	78.00	21,599	82.25	22,816
65.50	17,790	69.75	19,115	74.00	20,412	78.25	21,672	82.50	22,886
65.75	17,868	70.00	19,192	74.25	20,487	78.50	21,745	82.75	22,956
66.00	17,947	70.25	19,269	74.50	20,562	78.75	21,817	83.00	23,025
66.25	18,025	70.50	19,346	74.75	20,637	79.00	21,890	83.25	23,095
66.50	18,104	70.75	19,423	75.00	20,712	79.25	21,962	83.50	23,164
66.75	18,182	71.00	19,499	75.25	20,786	79.50	22,034	83.75	23,233
67.00	18,260	71.25	19,576	75.50	20,861	79.75	22,106	84.00	23,302
67.25	18,338	71.50	19,653	75.75	20,935	80.00	22,178	84.25	23,370
67.50	18,416	71.75	19,729	76.00	21,010	80.25	22,249	84.50	23,439
67.75	18,494	72.00	19,805	76.25	21,084	80.50	22,321	84.75	23,507



## Capacity/Gauge Table Information

**TCLX 290240**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 040

Reporting Mark: TCLX 290240

Date: 17/06/2015

Capacity: 29,002 US Gallons (109,785 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,575	89.25	24,695	93.50	25,740	97.75	26,695	102.00	27,540
85.25	23,643	89.50	24,759	93.75	25,799	98.00	26,748	102.25	27,586
85.50	23,710	89.75	24,822	94.00	25,857	98.25	26,800	102.50	27,631
85.75	23,777	90.00	24,885	94.25	25,915	98.50	26,852	102.75	27,676
86.00	23,844	90.25	24,948	94.50	25,973	98.75	26,904	103.00	27,720
86.25	23,911	90.50	25,011	94.75	26,031	99.00	26,956	103.25	27,764
86.50	23,978	90.75	25,073	95.00	26,088	99.25	27,007	103.50	27,807
86.75	24,044	91.00	25,135	95.25	26,145	99.50	27,057	103.75	27,850
87.00	24,110	91.25	25,197	95.50	26,201	99.75	27,107	104.00	27,892
87.25	24,176	91.50	25,258	95.75	26,258	100.00	27,157	104.25	27,934
87.50	24,242	91.75	25,319	96.00	26,313	100.25	27,207	104.50	27,975
87.75	24,307	92.00	25,380	96.25	26,369	100.50	27,255	104.75	28,016
88.00	24,373	92.25	25,441	96.50	26,424	100.75	27,304	105.00	28,056
88.25	24,438	92.50	25,501	96.75	26,479	101.00	27,352	105.25	28,096
88.50	24,502	92.75	25,561	97.00	26,533	101.25	27,400	105.50	28,135
88.75	24,567	93.00	25,621	97.25	26,587	101.50	27,447	105.75	28,173
89.00	24,631	93.25	25,681	97.50	26,641	101.75	27,494	106.00	28,211





## Capacity/Gauge Table Information

**TCLX 290240**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 040

Reporting Mark: TCLX 290240

Date: 17/06/2015

Capacity: 29,002 US Gallons (109,785 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,248	110.50	28,769	114.75	28,989
106.50	28,285	110.75	28,792	115.00	28,992
106.75	28,320	111.00	28,813	115.25	28,995
107.00	28,356	111.25	28,833	115.50	28,998
107.25	28,390	111.50	28,851	115.75	29,000
107.50	28,424	111.75	28,868	116.00	29,001
107.75	28,457	112.00	28,884	116.25	29,002
108.00	28,490	112.25	28,899	116.50	29,002
108.25	28,522	112.50	28,913	116.75	29,002
108.50	28,553	112.75	28,925		
108.75	28,583	113.00	28,937		
109.00	28,612	113.25	28,947		
109.25	28,641	113.50	28,956		
109.50	28,668	113.75	28,965		
109.75	28,695	114.00	28,972		
110.00	28,721	114.25	28,978		
110.25	28,745	114.50	28,984		



## Capacity/Gauge Table Information

**TCLX 290241**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 041

Reporting Mark: TCLX 290241

Date: 15/06/2015

Capacity: 29,021 US Gallons (109,855 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	579	8.50	1,329	12.75	2,209	17.00	3,192
0.25	28	4.50	619	8.75	1,378	13.00	2,264	17.25	3,253
0.50	57	4.75	659	9.00	1,427	13.25	2,319	17.50	3,314
0.75	86	5.00	700	9.25	1,476	13.50	2,375	17.75	3,375
1.00	117	5.25	742	9.50	1,526	13.75	2,432	18.00	3,437
1.25	148	5.50	784	9.75	1,576	14.00	2,488	18.25	3,498
1.50	180	5.75	827	10.00	1,626	14.25	2,545	18.50	3,561
1.75	213	6.00	870	10.25	1,677	14.50	2,602	18.75	3,623
2.00	247	6.25	914	10.50	1,729	14.75	2,660	19.00	3,686
2.25	281	6.50	958	10.75	1,781	15.00	2,718	19.25	3,749
2.50	316	6.75	1,003	11.00	1,833	15.25	2,776	19.50	3,812
2.75	352	7.00	1,048	11.25	1,885	15.50	2,834	19.75	3,875
3.00	388	7.25	1,094	11.50	1,938	15.75	2,893	20.00	3,939
3.25	425	7.50	1,140	11.75	1,992	16.00	2,952	20.25	4,003
3.50	462	7.75	1,186	12.00	2,045	16.25	3,012	20.50	4,067
3.75	501	8.00	1,234	12.25	2,099	16.50	3,072	20.75	4,132
4.00	539	8.25	1,281	12.50	2,154	16.75	3,132	21.00	4,196



## Capacity/Gauge Table Information

**TCLX 290241**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 041

Reporting Mark: TCLX 290241

Date: 15/06/2015

Capacity: 29,021 US Gallons (109,855 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,261	25.50	5,402	29.75	6,602	34.00	7,850	38.25	9,138
21.50	4,327	25.75	5,471	30.00	6,674	34.25	7,925	38.50	9,215
21.75	4,392	26.00	5,540	30.25	6,746	34.50	8,000	38.75	9,292
22.00	4,458	26.25	5,610	30.50	6,819	34.75	8,075	39.00	9,369
22.25	4,524	26.50	5,679	30.75	6,891	35.00	8,150	39.25	9,446
22.50	4,590	26.75	5,749	31.00	6,964	35.25	8,225	39.50	9,523
22.75	4,656	27.00	5,819	31.25	7,037	35.50	8,301	39.75	9,600
23.00	4,723	27.25	5,889	31.50	7,110	35.75	8,376	40.00	9,678
23.25	4,790	27.50	5,960	31.75	7,184	36.00	8,452	40.25	9,755
23.50	4,857	27.75	6,030	32.00	7,257	36.25	8,528	40.50	9,833
23.75	4,924	28.00	6,101	32.25	7,331	36.50	8,604	40.75	9,911
24.00	4,992	28.25	6,172	32.50	7,405	36.75	8,680	41.00	9,988
24.25	5,060	28.50	6,243	32.75	7,479	37.00	8,756	41.25	10,066
24.50	5,128	28.75	6,315	33.00	7,553	37.25	8,832	41.50	10,144
24.75	5,196	29.00	6,386	33.25	7,627	37.50	8,908	41.75	10,222
25.00	5,264	29.25	6,458	33.50	7,701	37.75	8,985	42.00	10,300
25.25	5,333	29.50	6,530	33.75	7,776	38.00	9,061	42.25	10,378



## Capacity/Gauge Table Information

**TCLX 290241**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 041

Reporting Mark: TCLX 290241

Date: 15/06/2015

Capacity: 29,021 US Gallons (109,855 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,457	46.75	11,797	51.00	13,152	55.25	14,513	59.50	15,874
42.75	10,535	47.00	11,877	51.25	13,232	55.50	14,594	59.75	15,954
43.00	10,613	47.25	11,956	51.50	13,312	55.75	14,674	60.00	16,033
43.25	10,692	47.50	12,035	51.75	13,392	56.00	14,754	60.25	16,113
43.50	10,770	47.75	12,115	52.00	13,472	56.25	14,834	60.50	16,193
43.75	10,849	48.00	12,195	52.25	13,552	56.50	14,914	60.75	16,273
44.00	10,928	48.25	12,274	52.50	13,632	56.75	14,994	61.00	16,352
44.25	11,006	48.50	12,354	52.75	13,712	57.00	15,074	61.25	16,432
44.50	11,085	48.75	12,433	53.00	13,792	57.25	15,154	61.50	16,511
44.75	11,164	49.00	12,513	53.25	13,872	57.50	15,234	61.75	16,591
45.00	11,243	49.25	12,593	53.50	13,953	57.75	15,314	62.00	16,670
45.25	11,322	49.50	12,673	53.75	14,033	58.00	15,394	62.25	16,750
45.50	11,401	49.75	12,753	54.00	14,113	58.25	15,474	62.50	16,829
45.75	11,480	50.00	12,832	54.25	14,193	58.50	15,554	62.75	16,909
46.00	11,559	50.25	12,912	54.50	14,273	58.75	15,634	63.00	16,988
46.25	11,639	50.50	12,992	54.75	14,353	59.00	15,714	63.25	17,067
46.50	11,718	50.75	13,072	55.00	14,433	59.25	15,794	63.50	17,146



## Capacity/Gauge Table Information

**TCLX 290241**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 041

Reporting Mark: TCLX 290241

Date: 15/06/2015

Capacity: 29,021 US Gallons (109,855 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,225	68.00	18,560	72.25	19,871	76.50	21,149	80.75	22,385
64.00	17,304	68.25	18,638	72.50	19,947	76.75	21,223	81.00	22,456
64.25	17,383	68.50	18,716	72.75	20,023	77.00	21,296	81.25	22,527
64.50	17,462	68.75	18,794	73.00	20,099	77.25	21,370	81.50	22,598
64.75	17,541	69.00	18,871	73.25	20,175	77.50	21,444	81.75	22,668
65.00	17,620	69.25	18,949	73.50	20,251	77.75	21,517	82.00	22,739
65.25	17,699	69.50	19,026	73.75	20,326	78.00	21,590	82.25	22,809
65.50	17,778	69.75	19,104	74.00	20,402	78.25	21,663	82.50	22,879
65.75	17,856	70.00	19,181	74.25	20,477	78.50	21,736	82.75	22,949
66.00	17,935	70.25	19,258	74.50	20,552	78.75	21,809	83.00	23,019
66.25	18,013	70.50	19,335	74.75	20,627	79.00	21,881	83.25	23,088
66.50	18,092	70.75	19,412	75.00	20,702	79.25	21,954	83.50	23,157
66.75	18,170	71.00	19,489	75.25	20,777	79.50	22,026	83.75	23,226
67.00	18,248	71.25	19,565	75.50	20,852	79.75	22,098	84.00	23,295
67.25	18,326	71.50	19,642	75.75	20,926	80.00	22,170	84.25	23,364
67.50	18,405	71.75	19,718	76.00	21,000	80.25	22,242	84.50	23,432
67.75	18,483	72.00	19,795	76.25	21,075	80.50	22,313	84.75	23,501



## Capacity/Gauge Table Information

**TCLX 290241**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 041

Reporting Mark: TCLX 290241

Date: 15/06/2015

Capacity: 29,021 US Gallons (109,855 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,569	89.25	24,691	93.50	25,738	97.75	26,695	102.00	27,543
85.25	23,637	89.50	24,754	93.75	25,797	98.00	26,748	102.25	27,589
85.50	23,704	89.75	24,818	94.00	25,855	98.25	26,801	102.50	27,635
85.75	23,772	90.00	24,881	94.25	25,914	98.50	26,853	102.75	27,680
86.00	23,839	90.25	24,944	94.50	25,972	98.75	26,905	103.00	27,724
86.25	23,906	90.50	25,007	94.75	26,029	99.00	26,957	103.25	27,768
86.50	23,972	90.75	25,069	95.00	26,087	99.25	27,008	103.50	27,812
86.75	24,039	91.00	25,132	95.25	26,144	99.50	27,059	103.75	27,855
87.00	24,105	91.25	25,194	95.50	26,200	99.75	27,109	104.00	27,897
87.25	24,171	91.50	25,255	95.75	26,257	100.00	27,159	104.25	27,939
87.50	24,237	91.75	25,317	96.00	26,313	100.25	27,209	104.50	27,981
87.75	24,303	92.00	25,378	96.25	26,368	100.50	27,258	104.75	28,021
88.00	24,368	92.25	25,438	96.50	26,424	100.75	27,306	105.00	28,062
88.25	24,433	92.50	25,499	96.75	26,479	101.00	27,355	105.25	28,102
88.50	24,498	92.75	25,559	97.00	26,533	101.25	27,402	105.50	28,141
88.75	24,562	93.00	25,619	97.25	26,588	101.50	27,450	105.75	28,179
89.00	24,627	93.25	25,678	97.50	26,641	101.75	27,497	106.00	28,217



## Capacity/Gauge Table Information

**TCLX 290241**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 041

Reporting Mark: TCLX 290241

Date: 15/06/2015

Capacity: 29,021 US Gallons (109,855 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,255	110.50	28,781	114.75	29,007
106.50	28,292	110.75	28,804	115.00	29,011
106.75	28,328	111.00	28,826	115.25	29,014
107.00	28,363	111.25	28,846	115.50	29,016
107.25	28,398	111.50	28,865	115.75	29,018
107.50	28,432	111.75	28,883	116.00	29,019
107.75	28,466	112.00	28,900	116.25	29,020
108.00	28,498	112.25	28,915	116.50	29,020
108.25	28,530	112.50	28,929	116.75	29,021
108.50	28,562	112.75	28,942		
108.75	28,592	113.00	28,953		
109.00	28,622	113.25	28,964		
109.25	28,651	113.50	28,974		
109.50	28,679	113.75	28,982		
109.75	28,706	114.00	28,990		
110.00	28,732	114.25	28,996		
110.25	28,757	114.50	29,002		





## Capacity/Gauge Table Information

**TCLX 290242**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 042

Reporting Mark: TCLX 290242

Date: 12/06/2015

Capacity: 29,021 US Gallons (109,857 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,337	12.75	2,220	17.00	3,206
0.25	28	4.50	624	8.75	1,386	13.00	2,275	17.25	3,266
0.50	57	4.75	664	9.00	1,435	13.25	2,331	17.50	3,327
0.75	87	5.00	706	9.25	1,484	13.50	2,387	17.75	3,389
1.00	118	5.25	747	9.50	1,534	13.75	2,443	18.00	3,450
1.25	150	5.50	790	9.75	1,585	14.00	2,500	18.25	3,512
1.50	182	5.75	833	10.00	1,636	14.25	2,557	18.50	3,575
1.75	215	6.00	876	10.25	1,687	14.50	2,614	18.75	3,637
2.00	249	6.25	920	10.50	1,738	14.75	2,672	19.00	3,700
2.25	284	6.50	965	10.75	1,790	15.00	2,730	19.25	3,763
2.50	319	6.75	1,009	11.00	1,843	15.25	2,788	19.50	3,826
2.75	355	7.00	1,055	11.25	1,895	15.50	2,847	19.75	3,890
3.00	391	7.25	1,101	11.50	1,948	15.75	2,906	20.00	3,954
3.25	429	7.50	1,147	11.75	2,002	16.00	2,965	20.25	4,018
3.50	466	7.75	1,194	12.00	2,056	16.25	3,025	20.50	4,082
3.75	505	8.00	1,241	12.25	2,110	16.50	3,085	20.75	4,147
4.00	544	8.25	1,289	12.50	2,165	16.75	3,145	21.00	4,212



## Capacity/Gauge Table Information

**TCLX 290242**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 042

Reporting Mark: TCLX 290242

Date: 12/06/2015

Capacity: 29,021 US Gallons (109,857 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,277	25.50	5,419	29.75	6,621	34.00	7,871	38.25	9,160
21.50	4,342	25.75	5,488	30.00	6,693	34.25	7,945	38.50	9,236
21.75	4,408	26.00	5,558	30.25	6,765	34.50	8,020	38.75	9,313
22.00	4,474	26.25	5,627	30.50	6,838	34.75	8,095	39.00	9,390
22.25	4,540	26.50	5,697	30.75	6,911	35.00	8,171	39.25	9,468
22.50	4,606	26.75	5,767	31.00	6,984	35.25	8,246	39.50	9,545
22.75	4,672	27.00	5,837	31.25	7,057	35.50	8,321	39.75	9,622
23.00	4,739	27.25	5,907	31.50	7,130	35.75	8,397	40.00	9,700
23.25	4,806	27.50	5,978	31.75	7,203	36.00	8,473	40.25	9,777
23.50	4,873	27.75	6,048	32.00	7,277	36.25	8,549	40.50	9,855
23.75	4,941	28.00	6,119	32.25	7,351	36.50	8,625	40.75	9,933
24.00	5,009	28.25	6,190	32.50	7,424	36.75	8,701	41.00	10,010
24.25	5,076	28.50	6,262	32.75	7,498	37.00	8,777	41.25	10,088
24.50	5,145	28.75	6,333	33.00	7,573	37.25	8,853	41.50	10,166
24.75	5,213	29.00	6,405	33.25	7,647	37.50	8,930	41.75	10,244
25.00	5,281	29.25	6,476	33.50	7,721	37.75	9,006	42.00	10,322
25.25	5,350	29.50	6,548	33.75	7,796	38.00	9,083	42.25	10,401



## Capacity/Gauge Table Information

**TCLX 290242**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 042

Reporting Mark: TCLX 290242

Date: 12/06/2015

Capacity: 29,021 US Gallons (109,857 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,479	46.75	11,820	51.00	13,176	55.25	14,538	59.50	15,899
42.75	10,557	47.00	11,900	51.25	13,256	55.50	14,618	59.75	15,978
43.00	10,636	47.25	11,979	51.50	13,336	55.75	14,698	60.00	16,058
43.25	10,714	47.50	12,059	51.75	13,416	56.00	14,778	60.25	16,138
43.50	10,793	47.75	12,138	52.00	13,496	56.25	14,858	60.50	16,218
43.75	10,872	48.00	12,218	52.25	13,576	56.50	14,939	60.75	16,297
44.00	10,950	48.25	12,298	52.50	13,656	56.75	15,019	61.00	16,377
44.25	11,029	48.50	12,377	52.75	13,736	57.00	15,099	61.25	16,457
44.50	11,108	48.75	12,457	53.00	13,817	57.25	15,179	61.50	16,536
44.75	11,187	49.00	12,537	53.25	13,897	57.50	15,259	61.75	16,616
45.00	11,266	49.25	12,617	53.50	13,977	57.75	15,339	62.00	16,695
45.25	11,345	49.50	12,696	53.75	14,057	58.00	15,419	62.25	16,775
45.50	11,424	49.75	12,776	54.00	14,137	58.25	15,499	62.50	16,854
45.75	11,503	50.00	12,856	54.25	14,217	58.50	15,579	62.75	16,933
46.00	11,582	50.25	12,936	54.50	14,297	58.75	15,659	63.00	17,013
46.25	11,662	50.50	13,016	54.75	14,378	59.00	15,739	63.25	17,092
46.50	11,741	50.75	13,096	55.00	14,458	59.25	15,819	63.50	17,171



## Capacity/Gauge Table Information

**TCLX 290242**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 042

Reporting Mark: TCLX 290242

Date: 12/06/2015

Capacity: 29,021 US Gallons (109,857 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,250	68.00	18,585	72.25	19,896	76.50	21,173	80.75	22,408
64.00	17,329	68.25	18,663	72.50	19,972	76.75	21,247	81.00	22,479
64.25	17,408	68.50	18,741	72.75	20,048	77.00	21,320	81.25	22,550
64.50	17,487	68.75	18,819	73.00	20,124	77.25	21,394	81.50	22,621
64.75	17,566	69.00	18,896	73.25	20,199	77.50	21,468	81.75	22,691
65.00	17,645	69.25	18,974	73.50	20,275	77.75	21,541	82.00	22,762
65.25	17,724	69.50	19,051	73.75	20,351	78.00	21,614	82.25	22,832
65.50	17,802	69.75	19,128	74.00	20,426	78.25	21,687	82.50	22,902
65.75	17,881	70.00	19,206	74.25	20,501	78.50	21,760	82.75	22,972
66.00	17,960	70.25	19,283	74.50	20,576	78.75	21,833	83.00	23,042
66.25	18,038	70.50	19,360	74.75	20,651	79.00	21,905	83.25	23,111
66.50	18,117	70.75	19,437	75.00	20,726	79.25	21,977	83.50	23,180
66.75	18,195	71.00	19,513	75.25	20,801	79.50	22,050	83.75	23,249
67.00	18,273	71.25	19,590	75.50	20,876	79.75	22,122	84.00	23,318
67.25	18,351	71.50	19,667	75.75	20,950	80.00	22,193	84.25	23,387
67.50	18,429	71.75	19,743	76.00	21,025	80.25	22,265	84.50	23,455
67.75	18,507	72.00	19,819	76.25	21,099	80.50	22,337	84.75	23,523



## Capacity/Gauge Table Information

**TCLX 290242**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 042

Reporting Mark: TCLX 290242

Date: 12/06/2015

Capacity: 29,021 US Gallons (109,857 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,591	89.25	24,712	93.50	25,757	97.75	26,713	102.00	27,558
85.25	23,659	89.50	24,776	93.75	25,816	98.00	26,766	102.25	27,604
85.50	23,727	89.75	24,839	94.00	25,875	98.25	26,818	102.50	27,649
85.75	23,794	90.00	24,902	94.25	25,933	98.50	26,871	102.75	27,694
86.00	23,861	90.25	24,965	94.50	25,991	98.75	26,922	103.00	27,739
86.25	23,928	90.50	25,028	94.75	26,049	99.00	26,974	103.25	27,783
86.50	23,995	90.75	25,090	95.00	26,106	99.25	27,025	103.50	27,826
86.75	24,061	91.00	25,152	95.25	26,163	99.50	27,075	103.75	27,869
87.00	24,127	91.25	25,214	95.50	26,219	99.75	27,126	104.00	27,911
87.25	24,193	91.50	25,276	95.75	26,275	100.00	27,176	104.25	27,953
87.50	24,259	91.75	25,337	96.00	26,331	100.25	27,225	104.50	27,994
87.75	24,324	92.00	25,398	96.25	26,387	100.50	27,274	104.75	28,035
88.00	24,390	92.25	25,459	96.50	26,442	100.75	27,322	105.00	28,075
88.25	24,455	92.50	25,519	96.75	26,497	101.00	27,370	105.25	28,114
88.50	24,519	92.75	25,579	97.00	26,551	101.25	27,418	105.50	28,153
88.75	24,584	93.00	25,639	97.25	26,606	101.50	27,465	105.75	28,192
89.00	24,648	93.25	25,698	97.50	26,659	101.75	27,512	106.00	28,230



## Capacity/Gauge Table Information

**TCLX 290242**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 042

Reporting Mark: TCLX 290242

Date: 12/06/2015

Capacity: 29,021 US Gallons (109,857 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,267	110.50	28,788	114.75	29,008
106.50	28,303	110.75	28,811	115.00	29,011
106.75	28,339	111.00	28,832	115.25	29,015
107.00	28,375	111.25	28,852	115.50	29,017
107.25	28,409	111.50	28,870	115.75	29,019
107.50	28,443	111.75	28,887	116.00	29,020
107.75	28,476	112.00	28,903	116.25	29,021
108.00	28,509	112.25	28,918	116.50	29,021
108.25	28,540	112.50	28,932	116.75	29,021
108.50	28,571	112.75	28,944		
108.75	28,602	113.00	28,956		
109.00	28,631	113.25	28,966		
109.25	28,660	113.50	28,975		
109.50	28,687	113.75	28,984		
109.75	28,714	114.00	28,991		
110.00	28,740	114.25	28,997		
110.25	28,764	114.50	29,003		



## Capacity/Gauge Table Information

**TCLX 290243**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 043

Reporting Mark: TCLX 290243

Date: 27/05/2015

Capacity: 29,012 US Gallons (109,821 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,336	12.75	2,218	17.00	3,203
0.25	28	4.50	623	8.75	1,385	13.00	2,273	17.25	3,264
0.50	57	4.75	664	9.00	1,434	13.25	2,329	17.50	3,325
0.75	87	5.00	705	9.25	1,483	13.50	2,385	17.75	3,386
1.00	118	5.25	747	9.50	1,533	13.75	2,441	18.00	3,448
1.25	150	5.50	789	9.75	1,583	14.00	2,498	18.25	3,510
1.50	182	5.75	832	10.00	1,634	14.25	2,555	18.50	3,572
1.75	215	6.00	875	10.25	1,685	14.50	2,612	18.75	3,635
2.00	249	6.25	919	10.50	1,737	14.75	2,670	19.00	3,697
2.25	283	6.50	963	10.75	1,789	15.00	2,728	19.25	3,760
2.50	318	6.75	1,008	11.00	1,841	15.25	2,786	19.50	3,824
2.75	354	7.00	1,054	11.25	1,894	15.50	2,845	19.75	3,887
3.00	391	7.25	1,100	11.50	1,947	15.75	2,904	20.00	3,951
3.25	428	7.50	1,146	11.75	2,000	16.00	2,963	20.25	4,015
3.50	466	7.75	1,193	12.00	2,054	16.25	3,023	20.50	4,080
3.75	504	8.00	1,240	12.25	2,108	16.50	3,083	20.75	4,144
4.00	543	8.25	1,288	12.50	2,163	16.75	3,143	21.00	4,209





## Capacity/Gauge Table Information

**TCLX 290243**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 043

Reporting Mark: TCLX 290243

Date: 27/05/2015

Capacity: 29,012 US Gallons (109,821 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,274	25.50	5,416	29.75	6,617	34.00	7,866	38.25	9,155
21.50	4,339	25.75	5,485	30.00	6,689	34.25	7,941	38.50	9,232
21.75	4,405	26.00	5,554	30.25	6,762	34.50	8,016	38.75	9,309
22.00	4,471	26.25	5,624	30.50	6,834	34.75	8,091	39.00	9,386
22.25	4,537	26.50	5,694	30.75	6,907	35.00	8,166	39.25	9,463
22.50	4,603	26.75	5,763	31.00	6,980	35.25	8,242	39.50	9,540
22.75	4,670	27.00	5,834	31.25	7,053	35.50	8,317	39.75	9,618
23.00	4,736	27.25	5,904	31.50	7,126	35.75	8,393	40.00	9,695
23.25	4,803	27.50	5,974	31.75	7,199	36.00	8,469	40.25	9,772
23.50	4,870	27.75	6,045	32.00	7,273	36.25	8,544	40.50	9,850
23.75	4,938	28.00	6,116	32.25	7,347	36.50	8,620	40.75	9,928
24.00	5,006	28.25	6,187	32.50	7,420	36.75	8,696	41.00	10,006
24.25	5,073	28.50	6,258	32.75	7,494	37.00	8,773	41.25	10,083
24.50	5,141	28.75	6,330	33.00	7,569	37.25	8,849	41.50	10,161
24.75	5,210	29.00	6,401	33.25	7,643	37.50	8,925	41.75	10,239
25.00	5,278	29.25	6,473	33.50	7,717	37.75	9,002	42.00	10,318
25.25	5,347	29.50	6,545	33.75	7,792	38.00	9,078	42.25	10,396



## Capacity/Gauge Table Information

**TCLX 290243**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 043

Reporting Mark: TCLX 290243

Date: 27/05/2015

Capacity: 29,012 US Gallons (109,821 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,474	46.75	11,815	51.00	13,170	55.25	14,532	59.50	15,892
42.75	10,552	47.00	11,894	51.25	13,250	55.50	14,612	59.75	15,972
43.00	10,631	47.25	11,974	51.50	13,330	55.75	14,692	60.00	16,052
43.25	10,709	47.50	12,053	51.75	13,410	56.00	14,772	60.25	16,131
43.50	10,788	47.75	12,133	52.00	13,490	56.25	14,852	60.50	16,211
43.75	10,867	48.00	12,213	52.25	13,570	56.50	14,932	60.75	16,291
44.00	10,945	48.25	12,292	52.50	13,650	56.75	15,012	61.00	16,370
44.25	11,024	48.50	12,372	52.75	13,731	57.00	15,092	61.25	16,450
44.50	11,103	48.75	12,452	53.00	13,811	57.25	15,173	61.50	16,530
44.75	11,182	49.00	12,531	53.25	13,891	57.50	15,253	61.75	16,609
45.00	11,261	49.25	12,611	53.50	13,971	57.75	15,333	62.00	16,689
45.25	11,340	49.50	12,691	53.75	14,051	58.00	15,413	62.25	16,768
45.50	11,419	49.75	12,771	54.00	14,131	58.25	15,493	62.50	16,847
45.75	11,498	50.00	12,851	54.25	14,211	58.50	15,573	62.75	16,927
46.00	11,577	50.25	12,930	54.50	14,291	58.75	15,652	63.00	17,006
46.25	11,656	50.50	13,010	54.75	14,372	59.00	15,732	63.25	17,085
46.50	11,736	50.75	13,090	55.00	14,452	59.25	15,812	63.50	17,164



## Capacity/Gauge Table Information

**TCLX 290243**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 043

Reporting Mark: TCLX 290243

Date: 27/05/2015

Capacity: 29,012 US Gallons (109,821 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,243	68.00	18,578	72.25	19,888	76.50	21,165	80.75	22,400
64.00	17,322	68.25	18,656	72.50	19,964	76.75	21,239	81.00	22,471
64.25	17,401	68.50	18,734	72.75	20,040	77.00	21,313	81.25	22,542
64.50	17,480	68.75	18,811	73.00	20,116	77.25	21,386	81.50	22,613
64.75	17,559	69.00	18,889	73.25	20,192	77.50	21,460	81.75	22,683
65.00	17,638	69.25	18,966	73.50	20,267	77.75	21,533	82.00	22,754
65.25	17,717	69.50	19,044	73.75	20,343	78.00	21,606	82.25	22,824
65.50	17,795	69.75	19,121	74.00	20,418	78.25	21,679	82.50	22,894
65.75	17,874	70.00	19,198	74.25	20,494	78.50	21,752	82.75	22,964
66.00	17,953	70.25	19,275	74.50	20,569	78.75	21,825	83.00	23,033
66.25	18,031	70.50	19,352	74.75	20,644	79.00	21,897	83.25	23,103
66.50	18,109	70.75	19,429	75.00	20,719	79.25	21,969	83.50	23,172
66.75	18,188	71.00	19,506	75.25	20,793	79.50	22,042	83.75	23,241
67.00	18,266	71.25	19,583	75.50	20,868	79.75	22,114	84.00	23,310
67.25	18,344	71.50	19,659	75.75	20,942	80.00	22,185	84.25	23,378
67.50	18,422	71.75	19,736	76.00	21,017	80.25	22,257	84.50	23,447
67.75	18,500	72.00	19,812	76.25	21,091	80.50	22,329	84.75	23,515



## Capacity/Gauge Table Information

**TCLX 290243**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 043

Reporting Mark: TCLX 290243

Date: 27/05/2015

Capacity: 29,012 US Gallons (109,821 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,583	89.25	24,703	93.50	25,749	97.75	26,704	102.00	27,549
85.25	23,651	89.50	24,767	93.75	25,807	98.00	26,757	102.25	27,595
85.50	23,718	89.75	24,830	94.00	25,866	98.25	26,809	102.50	27,640
85.75	23,785	90.00	24,894	94.25	25,924	98.50	26,861	102.75	27,685
86.00	23,853	90.25	24,956	94.50	25,982	98.75	26,913	103.00	27,729
86.25	23,919	90.50	25,019	94.75	26,040	99.00	26,965	103.25	27,773
86.50	23,986	90.75	25,081	95.00	26,097	99.25	27,016	103.50	27,817
86.75	24,052	91.00	25,144	95.25	26,154	99.50	27,066	103.75	27,859
87.00	24,119	91.25	25,205	95.50	26,210	99.75	27,117	104.00	27,902
87.25	24,185	91.50	25,267	95.75	26,267	100.00	27,166	104.25	27,944
87.50	24,250	91.75	25,328	96.00	26,322	100.25	27,216	104.50	27,985
87.75	24,316	92.00	25,389	96.25	26,378	100.50	27,265	104.75	28,025
88.00	24,381	92.25	25,450	96.50	26,433	100.75	27,313	105.00	28,066
88.25	24,446	92.50	25,510	96.75	26,488	101.00	27,361	105.25	28,105
88.50	24,511	92.75	25,570	97.00	26,542	101.25	27,409	105.50	28,144
88.75	24,575	93.00	25,630	97.25	26,597	101.50	27,456	105.75	28,183
89.00	24,639	93.25	25,689	97.50	26,650	101.75	27,503	106.00	28,220



## Capacity/Gauge Table Information

**TCLX 290243**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 043

Reporting Mark: TCLX 290243

Date: 27/05/2015

Capacity: 29,012 US Gallons (109,821 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,257	110.50	28,779	114.75	28,998
106.50	28,294	110.75	28,801	115.00	29,002
106.75	28,330	111.00	28,822	115.25	29,005
107.00	28,365	111.25	28,842	115.50	29,007
107.25	28,400	111.50	28,861	115.75	29,009
107.50	28,434	111.75	28,878	116.00	29,011
107.75	28,467	112.00	28,894	116.25	29,011
108.00	28,499	112.25	28,909	116.50	29,012
108.25	28,531	112.50	28,923	116.75	29,012
108.50	28,562	112.75	28,935		
108.75	28,592	113.00	28,946		
109.00	28,622	113.25	28,957		
109.25	28,650	113.50	28,966		
109.50	28,678	113.75	28,974		
109.75	28,704	114.00	28,982		
110.00	28,730	114.25	28,988		
110.25	28,755	114.50	28,993		



## Capacity/Gauge Table Information

**TCLX 290244**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 044

Reporting Mark: TCLX 290244

Date: 04/09/2015

Capacity: 28,976 US Gallons (109,686 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	576	8.50	1,324	12.75	2,202	17.00	3,184
0.25	28	4.50	616	8.75	1,373	13.00	2,257	17.25	3,244
0.50	56	4.75	656	9.00	1,422	13.25	2,313	17.50	3,305
0.75	86	5.00	697	9.25	1,471	13.50	2,368	17.75	3,366
1.00	116	5.25	739	9.50	1,520	13.75	2,425	18.00	3,428
1.25	147	5.50	781	9.75	1,571	14.00	2,481	18.25	3,490
1.50	179	5.75	823	10.00	1,621	14.25	2,538	18.50	3,552
1.75	212	6.00	866	10.25	1,672	14.50	2,595	18.75	3,614
2.00	245	6.25	910	10.50	1,723	14.75	2,652	19.00	3,676
2.25	280	6.50	954	10.75	1,775	15.00	2,710	19.25	3,739
2.50	314	6.75	999	11.00	1,827	15.25	2,768	19.50	3,802
2.75	350	7.00	1,044	11.25	1,879	15.50	2,827	19.75	3,866
3.00	386	7.25	1,090	11.50	1,932	15.75	2,885	20.00	3,929
3.25	423	7.50	1,136	11.75	1,986	16.00	2,945	20.25	3,993
3.50	460	7.75	1,182	12.00	2,039	16.25	3,004	20.50	4,057
3.75	498	8.00	1,229	12.25	2,093	16.50	3,064	20.75	4,122
4.00	537	8.25	1,277	12.50	2,147	16.75	3,124	21.00	4,186



## Capacity/Gauge Table Information

**TCLX 290244**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 044

Reporting Mark: TCLX 290244

Date: 04/09/2015

Capacity: 28,976 US Gallons (109,686 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,251	25.50	5,390	29.75	6,588	34.00	7,835	38.25	9,122
21.50	4,316	25.75	5,459	30.00	6,660	34.25	7,910	38.50	9,198
21.75	4,382	26.00	5,528	30.25	6,733	34.50	7,985	38.75	9,275
22.00	4,447	26.25	5,598	30.50	6,805	34.75	8,060	39.00	9,352
22.25	4,513	26.50	5,667	30.75	6,878	35.00	8,135	39.25	9,429
22.50	4,579	26.75	5,737	31.00	6,951	35.25	8,210	39.50	9,506
22.75	4,646	27.00	5,807	31.25	7,023	35.50	8,285	39.75	9,583
23.00	4,712	27.25	5,877	31.50	7,097	35.75	8,361	40.00	9,661
23.25	4,779	27.50	5,947	31.75	7,170	36.00	8,436	40.25	9,738
23.50	4,846	27.75	6,018	32.00	7,243	36.25	8,512	40.50	9,816
23.75	4,913	28.00	6,089	32.25	7,317	36.50	8,588	40.75	9,893
24.00	4,981	28.25	6,159	32.50	7,390	36.75	8,664	41.00	9,971
24.25	5,049	28.50	6,230	32.75	7,464	37.00	8,740	41.25	10,049
24.50	5,116	28.75	6,302	33.00	7,538	37.25	8,816	41.50	10,126
24.75	5,185	29.00	6,373	33.25	7,612	37.50	8,892	41.75	10,204
25.00	5,253	29.25	6,445	33.50	7,686	37.75	8,969	42.00	10,282
25.25	5,321	29.50	6,516	33.75	7,761	38.00	9,045	42.25	10,360





## Capacity/Gauge Table Information

**TCLX 290244**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 044

Reporting Mark: TCLX 290244

Date: 04/09/2015

Capacity: 28,976 US Gallons (109,686 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,439	46.75	11,778	51.00	13,131	55.25	14,491	59.50	15,850
42.75	10,517	47.00	11,857	51.25	13,211	55.50	14,571	59.75	15,929
43.00	10,595	47.25	11,936	51.50	13,291	55.75	14,651	60.00	16,009
43.25	10,673	47.50	12,016	51.75	13,371	56.00	14,731	60.25	16,089
43.50	10,752	47.75	12,095	52.00	13,451	56.25	14,811	60.50	16,168
43.75	10,830	48.00	12,175	52.25	13,531	56.50	14,891	60.75	16,248
44.00	10,909	48.25	12,254	52.50	13,611	56.75	14,971	61.00	16,328
44.25	10,988	48.50	12,334	52.75	13,691	57.00	15,051	61.25	16,407
44.50	11,066	48.75	12,413	53.00	13,771	57.25	15,131	61.50	16,487
44.75	11,145	49.00	12,493	53.25	13,851	57.50	15,211	61.75	16,566
45.00	11,224	49.25	12,572	53.50	13,931	57.75	15,291	62.00	16,645
45.25	11,303	49.50	12,652	53.75	14,011	58.00	15,371	62.25	16,725
45.50	11,382	49.75	12,732	54.00	14,091	58.25	15,451	62.50	16,804
45.75	11,461	50.00	12,812	54.25	14,171	58.50	15,530	62.75	16,883
46.00	11,540	50.25	12,891	54.50	14,251	58.75	15,610	63.00	16,963
46.25	11,619	50.50	12,971	54.75	14,331	59.00	15,690	63.25	17,042
46.50	11,698	50.75	13,051	55.00	14,411	59.25	15,770	63.50	17,121



## Capacity/Gauge Table Information

**TCLX 290244**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 044

Reporting Mark: TCLX 290244

Date: 04/09/2015

Capacity: 28,976 US Gallons (109,686 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,200	68.00	18,533	72.25	19,843	76.50	21,119	80.75	22,353
64.00	17,279	68.25	18,611	72.50	19,919	76.75	21,193	81.00	22,424
64.25	17,358	68.50	18,689	72.75	19,995	77.00	21,266	81.25	22,495
64.50	17,437	68.75	18,766	73.00	20,070	77.25	21,340	81.50	22,566
64.75	17,515	69.00	18,844	73.25	20,146	77.50	21,413	81.75	22,636
65.00	17,594	69.25	18,921	73.50	20,222	77.75	21,487	82.00	22,707
65.25	17,673	69.50	18,999	73.75	20,297	78.00	21,560	82.25	22,777
65.50	17,751	69.75	19,076	74.00	20,373	78.25	21,633	82.50	22,847
65.75	17,830	70.00	19,153	74.25	20,448	78.50	21,705	82.75	22,917
66.00	17,908	70.25	19,230	74.50	20,523	78.75	21,778	83.00	22,986
66.25	17,987	70.50	19,307	74.75	20,598	79.00	21,850	83.25	23,056
66.50	18,065	70.75	19,384	75.00	20,673	79.25	21,923	83.50	23,125
66.75	18,143	71.00	19,461	75.25	20,747	79.50	21,995	83.75	23,194
67.00	18,222	71.25	19,537	75.50	20,822	79.75	22,067	84.00	23,263
67.25	18,300	71.50	19,614	75.75	20,896	80.00	22,139	84.25	23,331
67.50	18,378	71.75	19,690	76.00	20,971	80.25	22,210	84.50	23,400
67.75	18,456	72.00	19,766	76.25	21,045	80.50	22,282	84.75	23,468



## Capacity/Gauge Table Information

**TCLX 290244**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 044

Reporting Mark: TCLX 290244

Date: 04/09/2015

Capacity: 28,976 US Gallons (109,686 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,536	89.25	24,656	93.50	25,702	97.75	26,658	102.00	27,504
85.25	23,604	89.50	24,720	93.75	25,761	98.00	26,711	102.25	27,550
85.50	23,671	89.75	24,784	94.00	25,819	98.25	26,763	102.50	27,596
85.75	23,739	90.00	24,847	94.25	25,878	98.50	26,816	102.75	27,641
86.00	23,806	90.25	24,910	94.50	25,936	98.75	26,868	103.00	27,685
86.25	23,872	90.50	24,972	94.75	25,993	99.00	26,919	103.25	27,729
86.50	23,939	90.75	25,035	95.00	26,050	99.25	26,970	103.50	27,772
86.75	24,006	91.00	25,097	95.25	26,107	99.50	27,021	103.75	27,815
87.00	24,072	91.25	25,159	95.50	26,164	99.75	27,071	104.00	27,858
87.25	24,138	91.50	25,220	95.75	26,220	100.00	27,121	104.25	27,900
87.50	24,203	91.75	25,281	96.00	26,276	100.25	27,170	104.50	27,941
87.75	24,269	92.00	25,342	96.25	26,332	100.50	27,219	104.75	27,982
88.00	24,334	92.25	25,403	96.50	26,387	100.75	27,268	105.00	28,022
88.25	24,399	92.50	25,463	96.75	26,442	101.00	27,316	105.25	28,062
88.50	24,464	92.75	25,524	97.00	26,496	101.25	27,364	105.50	28,101
88.75	24,528	93.00	25,583	97.25	26,551	101.50	27,411	105.75	28,139
89.00	24,592	93.25	25,643	97.50	26,604	101.75	27,458	106.00	28,177



## Capacity/Gauge Table Information

**TCLX 290244**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 044

Reporting Mark: TCLX 290244

Date: 04/09/2015

Capacity: 28,976 US Gallons (109,686 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,215	110.50	28,739	114.75	28,962
106.50	28,251	110.75	28,762	115.00	28,966
106.75	28,287	111.00	28,783	115.25	28,969
107.00	28,323	111.25	28,803	115.50	28,972
107.25	28,357	111.50	28,822	115.75	28,974
107.50	28,391	111.75	28,840	116.00	28,975
107.75	28,425	112.00	28,856	116.25	28,976
108.00	28,457	112.25	28,871	116.50	28,976
108.25	28,489	112.50	28,885	116.75	28,976
108.50	28,520	112.75	28,898		
108.75	28,551	113.00	28,910		
109.00	28,580	113.25	28,920		
109.25	28,609	113.50	28,929		
109.50	28,637	113.75	28,938		
109.75	28,664	114.00	28,945		
110.00	28,690	114.25	28,952		
110.25	28,715	114.50	28,957		



## Capacity/Gauge Table Information

**TCLX 290245**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 045

Reporting Mark: TCLX 290245

Date: 12/06/2015

Capacity: 28,990 US Gallons (109,739 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	593	8.50	1,354	12.75	2,242	17.00	3,233
0.25	29	4.50	634	8.75	1,403	13.00	2,298	17.25	3,294
0.50	59	4.75	675	9.00	1,452	13.25	2,354	17.50	3,355
0.75	89	5.00	717	9.25	1,502	13.50	2,410	17.75	3,417
1.00	121	5.25	759	9.50	1,553	13.75	2,467	18.00	3,479
1.25	153	5.50	802	9.75	1,603	14.00	2,524	18.25	3,541
1.50	186	5.75	845	10.00	1,654	14.25	2,581	18.50	3,603
1.75	220	6.00	889	10.25	1,706	14.50	2,639	18.75	3,666
2.00	254	6.25	933	10.50	1,758	14.75	2,697	19.00	3,729
2.25	289	6.50	978	10.75	1,810	15.00	2,755	19.25	3,792
2.50	325	6.75	1,023	11.00	1,863	15.25	2,814	19.50	3,856
2.75	361	7.00	1,069	11.25	1,916	15.50	2,873	19.75	3,920
3.00	398	7.25	1,116	11.50	1,969	15.75	2,932	20.00	3,984
3.25	436	7.50	1,162	11.75	2,023	16.00	2,991	20.25	4,048
3.50	474	7.75	1,210	12.00	2,077	16.25	3,051	20.50	4,113
3.75	513	8.00	1,257	12.25	2,132	16.50	3,111	20.75	4,177
4.00	553	8.25	1,305	12.50	2,187	16.75	3,172	21.00	4,243



## Capacity/Gauge Table Information

**TCLX 290245**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 045

Reporting Mark: TCLX 290245

Date: 12/06/2015

Capacity: 28,990 US Gallons (109,739 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,308	25.50	5,453	29.75	6,658	34.00	7,910	38.25	9,200
21.50	4,373	25.75	5,523	30.00	6,730	34.25	7,985	38.50	9,277
21.75	4,439	26.00	5,592	30.25	6,803	34.50	8,060	38.75	9,354
22.00	4,505	26.25	5,662	30.50	6,875	34.75	8,135	39.00	9,432
22.25	4,572	26.50	5,732	30.75	6,948	35.00	8,210	39.25	9,509
22.50	4,638	26.75	5,802	31.00	7,021	35.25	8,286	39.50	9,586
22.75	4,705	27.00	5,872	31.25	7,094	35.50	8,361	39.75	9,664
23.00	4,772	27.25	5,943	31.50	7,168	35.75	8,437	40.00	9,741
23.25	4,839	27.50	6,013	31.75	7,241	36.00	8,513	40.25	9,819
23.50	4,906	27.75	6,084	32.00	7,315	36.25	8,589	40.50	9,896
23.75	4,974	28.00	6,155	32.25	7,389	36.50	8,665	40.75	9,974
24.00	5,042	28.25	6,227	32.50	7,463	36.75	8,741	41.00	10,052
24.25	5,110	28.50	6,298	32.75	7,537	37.00	8,817	41.25	10,130
24.50	5,178	28.75	6,370	33.00	7,611	37.25	8,894	41.50	10,208
24.75	5,247	29.00	6,441	33.25	7,686	37.50	8,970	41.75	10,286
25.00	5,315	29.25	6,513	33.50	7,760	37.75	9,047	42.00	10,364
25.25	5,384	29.50	6,585	33.75	7,835	38.00	9,124	42.25	10,443



## Capacity/Gauge Table Information

**TCLX 290245**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 045

Reporting Mark: TCLX 290245

Date: 12/06/2015

Capacity: 28,990 US Gallons (109,739 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,521	46.75	11,863	51.00	13,219	55.25	14,581	59.50	15,941
42.75	10,599	47.00	11,943	51.25	13,299	55.50	14,661	59.75	16,021
43.00	10,678	47.25	12,022	51.50	13,379	55.75	14,741	60.00	16,101
43.25	10,757	47.50	12,102	51.75	13,459	56.00	14,821	60.25	16,180
43.50	10,835	47.75	12,181	52.00	13,539	56.25	14,901	60.50	16,260
43.75	10,914	48.00	12,261	52.25	13,619	56.50	14,981	60.75	16,340
44.00	10,993	48.25	12,341	52.50	13,699	56.75	15,062	61.00	16,419
44.25	11,071	48.50	12,420	52.75	13,780	57.00	15,142	61.25	16,499
44.50	11,150	48.75	12,500	53.00	13,860	57.25	15,222	61.50	16,578
44.75	11,229	49.00	12,580	53.25	13,940	57.50	15,302	61.75	16,658
45.00	11,308	49.25	12,660	53.50	14,020	57.75	15,382	62.00	16,737
45.25	11,388	49.50	12,739	53.75	14,100	58.00	15,462	62.25	16,817
45.50	11,467	49.75	12,819	54.00	14,180	58.25	15,542	62.50	16,896
45.75	11,546	50.00	12,899	54.25	14,260	58.50	15,622	62.75	16,975
46.00	11,625	50.25	12,979	54.50	14,341	58.75	15,702	63.00	17,055
46.25	11,704	50.50	13,059	54.75	14,421	59.00	15,781	63.25	17,134
46.50	11,784	50.75	13,139	55.00	14,501	59.25	15,861	63.50	17,213





## Capacity/Gauge Table Information

**TCLX 290245**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 045

Reporting Mark: TCLX 290245

Date: 12/06/2015

Capacity: 28,990 US Gallons (109,739 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,292	68.00	18,626	72.25	19,934	76.50	21,209	80.75	22,441
64.00	17,371	68.25	18,703	72.50	20,010	76.75	21,283	81.00	22,512
64.25	17,450	68.50	18,781	72.75	20,086	77.00	21,356	81.25	22,583
64.50	17,529	68.75	18,859	73.00	20,162	77.25	21,430	81.50	22,654
64.75	17,608	69.00	18,936	73.25	20,237	77.50	21,503	81.75	22,724
65.00	17,686	69.25	19,013	73.50	20,313	77.75	21,576	82.00	22,794
65.25	17,765	69.50	19,091	73.75	20,388	78.00	21,649	82.25	22,864
65.50	17,844	69.75	19,168	74.00	20,464	78.25	21,722	82.50	22,934
65.75	17,922	70.00	19,245	74.25	20,539	78.50	21,795	82.75	23,004
66.00	18,001	70.25	19,322	74.50	20,614	78.75	21,867	83.00	23,073
66.25	18,079	70.50	19,399	74.75	20,689	79.00	21,940	83.25	23,142
66.50	18,157	70.75	19,476	75.00	20,763	79.25	22,012	83.50	23,211
66.75	18,236	71.00	19,552	75.25	20,838	79.50	22,084	83.75	23,280
67.00	18,314	71.25	19,629	75.50	20,912	79.75	22,156	84.00	23,349
67.25	18,392	71.50	19,705	75.75	20,987	80.00	22,227	84.25	23,417
67.50	18,470	71.75	19,782	76.00	21,061	80.25	22,299	84.50	23,485
67.75	18,548	72.00	19,858	76.25	21,135	80.50	22,370	84.75	23,553



## Capacity/Gauge Table Information

**TCLX 290245**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 045

Reporting Mark: TCLX 290245

Date: 12/06/2015

Capacity: 28,990 US Gallons (109,739 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,621	89.25	24,738	93.50	25,778	97.75	26,728	102.00	27,567
85.25	23,689	89.50	24,801	93.75	25,837	98.00	26,781	102.25	27,612
85.50	23,756	89.75	24,864	94.00	25,895	98.25	26,833	102.50	27,657
85.75	23,823	90.00	24,927	94.25	25,953	98.50	26,885	102.75	27,701
86.00	23,890	90.25	24,990	94.50	26,011	98.75	26,936	103.00	27,745
86.25	23,957	90.50	25,052	94.75	26,068	99.00	26,987	103.25	27,788
86.50	24,023	90.75	25,114	95.00	26,125	99.25	27,038	103.50	27,831
86.75	24,089	91.00	25,176	95.25	26,181	99.50	27,088	103.75	27,873
87.00	24,155	91.25	25,238	95.50	26,238	99.75	27,138	104.00	27,915
87.25	24,221	91.50	25,299	95.75	26,294	100.00	27,187	104.25	27,956
87.50	24,286	91.75	25,360	96.00	26,349	100.25	27,236	104.50	27,997
87.75	24,352	92.00	25,421	96.25	26,404	100.50	27,285	104.75	28,037
88.00	24,417	92.25	25,481	96.50	26,459	100.75	27,333	105.00	28,077
88.25	24,481	92.50	25,541	96.75	26,514	101.00	27,380	105.25	28,116
88.50	24,546	92.75	25,601	97.00	26,568	101.25	27,428	105.50	28,154
88.75	24,610	93.00	25,660	97.25	26,622	101.50	27,474	105.75	28,192
89.00	24,674	93.25	25,720	97.50	26,675	101.75	27,521	106.00	28,229



## Capacity/Gauge Table Information

**TCLX 290245**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 045

Reporting Mark: TCLX 290245

Date: 12/06/2015

Capacity: 28,990 US Gallons (109,739 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,266	110.50	28,772	114.75	28,977
106.50	28,302	110.75	28,794	115.00	28,981
106.75	28,337	111.00	28,813	115.25	28,984
107.00	28,372	111.25	28,832	115.50	28,986
107.25	28,406	111.50	28,849	115.75	28,988
107.50	28,439	111.75	28,865	116.00	28,989
107.75	28,471	112.00	28,880	116.25	28,990
108.00	28,503	112.25	28,894	116.50	28,990
108.25	28,534	112.50	28,907	116.75	28,990
108.50	28,564	112.75	28,918		
108.75	28,593	113.00	28,929		
109.00	28,622	113.25	28,939		
109.25	28,650	113.50	28,947		
109.50	28,676	113.75	28,955		
109.75	28,702	114.00	28,962		
110.00	28,727	114.25	28,968		
110.25	28,750	114.50	28,973		



## Capacity/Gauge Table Information

**TCLX 290246**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 046

Reporting Mark: TCLX 290246

Date: 28/05/2015

Capacity: 29,039 US Gallons (109,925 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	576	8.50	1,324	12.75	2,202	17.00	3,185
0.25	28	4.50	616	8.75	1,373	13.00	2,257	17.25	3,245
0.50	56	4.75	656	9.00	1,422	13.25	2,313	17.50	3,306
0.75	86	5.00	697	9.25	1,471	13.50	2,369	17.75	3,367
1.00	116	5.25	739	9.50	1,520	13.75	2,425	18.00	3,429
1.25	147	5.50	781	9.75	1,571	14.00	2,481	18.25	3,490
1.50	179	5.75	823	10.00	1,621	14.25	2,538	18.50	3,552
1.75	212	6.00	866	10.25	1,672	14.50	2,595	18.75	3,615
2.00	245	6.25	910	10.50	1,723	14.75	2,653	19.00	3,677
2.25	280	6.50	954	10.75	1,775	15.00	2,711	19.25	3,740
2.50	314	6.75	999	11.00	1,827	15.25	2,769	19.50	3,803
2.75	350	7.00	1,044	11.25	1,879	15.50	2,827	19.75	3,867
3.00	386	7.25	1,089	11.50	1,932	15.75	2,886	20.00	3,930
3.25	423	7.50	1,135	11.75	1,986	16.00	2,945	20.25	3,994
3.50	460	7.75	1,182	12.00	2,039	16.25	3,004	20.50	4,059
3.75	498	8.00	1,229	12.25	2,093	16.50	3,064	20.75	4,123
4.00	537	8.25	1,276	12.50	2,148	16.75	3,124	21.00	4,188



## Capacity/Gauge Table Information

**TCLX 290246**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 046

Reporting Mark: TCLX 290246

Date: 28/05/2015

Capacity: 29,039 US Gallons (109,925 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,253	25.50	5,392	29.75	6,592	34.00	7,840	38.25	9,127
21.50	4,318	25.75	5,461	30.00	6,664	34.25	7,914	38.50	9,204
21.75	4,383	26.00	5,531	30.25	6,736	34.50	7,989	38.75	9,281
22.00	4,449	26.25	5,600	30.50	6,809	34.75	8,064	39.00	9,358
22.25	4,515	26.50	5,670	30.75	6,881	35.00	8,139	39.25	9,435
22.50	4,581	26.75	5,739	31.00	6,954	35.25	8,215	39.50	9,512
22.75	4,647	27.00	5,809	31.25	7,027	35.50	8,290	39.75	9,590
23.00	4,714	27.25	5,880	31.50	7,100	35.75	8,366	40.00	9,667
23.25	4,781	27.50	5,950	31.75	7,173	36.00	8,441	40.25	9,744
23.50	4,848	27.75	6,021	32.00	7,247	36.25	8,517	40.50	9,822
23.75	4,915	28.00	6,091	32.25	7,320	36.50	8,593	40.75	9,900
24.00	4,983	28.25	6,162	32.50	7,394	36.75	8,669	41.00	9,977
24.25	5,050	28.50	6,233	32.75	7,468	37.00	8,745	41.25	10,055
24.50	5,118	28.75	6,305	33.00	7,542	37.25	8,821	41.50	10,133
24.75	5,187	29.00	6,376	33.25	7,616	37.50	8,898	41.75	10,211
25.00	5,255	29.25	6,448	33.50	7,691	37.75	8,974	42.00	10,289
25.25	5,324	29.50	6,520	33.75	7,765	38.00	9,051	42.25	10,367



## Capacity/Gauge Table Information

**TCLX 290246**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 046

Reporting Mark: TCLX 290246

Date: 28/05/2015

Capacity: 29,039 US Gallons (109,925 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,446	46.75	11,786	51.00	13,141	55.25	14,503	59.50	15,864
42.75	10,524	47.00	11,866	51.25	13,221	55.50	14,583	59.75	15,944
43.00	10,602	47.25	11,945	51.50	13,301	55.75	14,663	60.00	16,024
43.25	10,681	47.50	12,025	51.75	13,381	56.00	14,743	60.25	16,103
43.50	10,759	47.75	12,104	52.00	13,461	56.25	14,824	60.50	16,183
43.75	10,838	48.00	12,184	52.25	13,541	56.50	14,904	60.75	16,263
44.00	10,917	48.25	12,263	52.50	13,622	56.75	14,984	61.00	16,342
44.25	10,995	48.50	12,343	52.75	13,702	57.00	15,064	61.25	16,422
44.50	11,074	48.75	12,423	53.00	13,782	57.25	15,144	61.50	16,502
44.75	11,153	49.00	12,502	53.25	13,862	57.50	15,224	61.75	16,581
45.00	11,232	49.25	12,582	53.50	13,942	57.75	15,304	62.00	16,661
45.25	11,311	49.50	12,662	53.75	14,022	58.00	15,384	62.25	16,740
45.50	11,390	49.75	12,742	54.00	14,102	58.25	15,464	62.50	16,820
45.75	11,469	50.00	12,822	54.25	14,182	58.50	15,544	62.75	16,899
46.00	11,548	50.25	12,901	54.50	14,263	58.75	15,624	63.00	16,978
46.25	11,628	50.50	12,981	54.75	14,343	59.00	15,704	63.25	17,058
46.50	11,707	50.75	13,061	55.00	14,423	59.25	15,784	63.50	17,137



## Capacity/Gauge Table Information

**TCLX 290246**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 046

Reporting Mark: TCLX 290246

Date: 28/05/2015

Capacity: 29,039 US Gallons (109,925 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,216	68.00	18,552	72.25	19,863	76.50	21,142	80.75	22,379
64.00	17,295	68.25	18,630	72.50	19,939	76.75	21,216	81.00	22,450
64.25	17,374	68.50	18,708	72.75	20,016	77.00	21,290	81.25	22,521
64.50	17,453	68.75	18,785	73.00	20,092	77.25	21,364	81.50	22,592
64.75	17,532	69.00	18,863	73.25	20,167	77.50	21,437	81.75	22,663
65.00	17,611	69.25	18,940	73.50	20,243	77.75	21,510	82.00	22,733
65.25	17,690	69.50	19,018	73.75	20,319	78.00	21,584	82.25	22,804
65.50	17,769	69.75	19,095	74.00	20,394	78.25	21,657	82.50	22,874
65.75	17,847	70.00	19,173	74.25	20,470	78.50	21,730	82.75	22,944
66.00	17,926	70.25	19,250	74.50	20,545	78.75	21,803	83.00	23,014
66.25	18,004	70.50	19,327	74.75	20,620	79.00	21,875	83.25	23,083
66.50	18,083	70.75	19,404	75.00	20,695	79.25	21,948	83.50	23,153
66.75	18,161	71.00	19,481	75.25	20,770	79.50	22,020	83.75	23,222
67.00	18,239	71.25	19,557	75.50	20,844	79.75	22,092	84.00	23,291
67.25	18,318	71.50	19,634	75.75	20,919	80.00	22,164	84.25	23,359
67.50	18,396	71.75	19,711	76.00	20,993	80.25	22,236	84.50	23,428
67.75	18,474	72.00	19,787	76.25	21,068	80.50	22,307	84.75	23,496





## Capacity/Gauge Table Information

**TCLX 290246**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 046

Reporting Mark: TCLX 290246

Date: 28/05/2015

Capacity: 29,039 US Gallons (109,925 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,565	89.25	24,688	93.50	25,737	97.75	26,696	102.00	27,547
85.25	23,632	89.50	24,752	93.75	25,796	98.00	26,749	102.25	27,593
85.50	23,700	89.75	24,816	94.00	25,855	98.25	26,802	102.50	27,639
85.75	23,768	90.00	24,879	94.25	25,913	98.50	26,855	102.75	27,684
86.00	23,835	90.25	24,942	94.50	25,971	98.75	26,907	103.00	27,729
86.25	23,902	90.50	25,005	94.75	26,029	99.00	26,959	103.25	27,773
86.50	23,969	90.75	25,067	95.00	26,087	99.25	27,010	103.50	27,817
86.75	24,035	91.00	25,130	95.25	26,144	99.50	27,061	103.75	27,860
87.00	24,102	91.25	25,192	95.50	26,200	99.75	27,111	104.00	27,902
87.25	24,168	91.50	25,253	95.75	26,257	100.00	27,162	104.25	27,945
87.50	24,234	91.75	25,315	96.00	26,313	100.25	27,211	104.50	27,986
87.75	24,299	92.00	25,376	96.25	26,369	100.50	27,260	104.75	28,027
88.00	24,365	92.25	25,437	96.50	26,424	100.75	27,309	105.00	28,068
88.25	24,430	92.50	25,497	96.75	26,479	101.00	27,358	105.25	28,108
88.50	24,495	92.75	25,558	97.00	26,534	101.25	27,406	105.50	28,147
88.75	24,559	93.00	25,618	97.25	26,589	101.50	27,453	105.75	28,186
89.00	24,624	93.25	25,677	97.50	26,643	101.75	27,500	106.00	28,224



## Capacity/Gauge Table Information

**TCLX 290246**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 046

Reporting Mark: TCLX 290246

Date: 28/05/2015

Capacity: 29,039 US Gallons (109,925 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,262	110.50	28,793	114.75	29,025
106.50	28,299	110.75	28,817	115.00	29,029
106.75	28,335	111.00	28,839	115.25	29,032
107.00	28,371	111.25	28,860	115.50	29,035
107.25	28,406	111.50	28,880	115.75	29,037
107.50	28,441	111.75	28,898	116.00	29,038
107.75	28,474	112.00	28,915	116.25	29,039
108.00	28,507	112.25	28,931	116.50	29,039
108.25	28,540	112.50	28,945	116.75	29,039
108.50	28,571	112.75	28,958		
108.75	28,602	113.00	28,970		
109.00	28,632	113.25	28,981		
109.25	28,661	113.50	28,991		
109.50	28,689	113.75	29,000		
109.75	28,717	114.00	29,007		
110.00	28,743	114.25	29,014		
110.25	28,769	114.50	29,020		



## Capacity/Gauge Table Information

**TCLX 290247**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 047

Reporting Mark: TCLX 290247

Date: 03/06/2015

Capacity: 29,029 US Gallons (109,888 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	577	8.50	1,327	12.75	2,205	17.00	3,188
0.25	28	4.50	617	8.75	1,375	13.00	2,260	17.25	3,248
0.50	57	4.75	658	9.00	1,424	13.25	2,316	17.50	3,309
0.75	86	5.00	699	9.25	1,473	13.50	2,372	17.75	3,371
1.00	117	5.25	740	9.50	1,523	13.75	2,428	18.00	3,432
1.25	148	5.50	782	9.75	1,573	14.00	2,484	18.25	3,494
1.50	180	5.75	825	10.00	1,623	14.25	2,541	18.50	3,556
1.75	213	6.00	868	10.25	1,674	14.50	2,598	18.75	3,618
2.00	246	6.25	912	10.50	1,726	14.75	2,656	19.00	3,681
2.25	280	6.50	956	10.75	1,778	15.00	2,714	19.25	3,744
2.50	315	6.75	1,001	11.00	1,830	15.25	2,772	19.50	3,807
2.75	351	7.00	1,046	11.25	1,882	15.50	2,830	19.75	3,870
3.00	387	7.25	1,091	11.50	1,935	15.75	2,889	20.00	3,934
3.25	424	7.50	1,138	11.75	1,988	16.00	2,948	20.25	3,998
3.50	461	7.75	1,184	12.00	2,042	16.25	3,008	20.50	4,062
3.75	499	8.00	1,231	12.25	2,096	16.50	3,067	20.75	4,127
4.00	538	8.25	1,279	12.50	2,150	16.75	3,128	21.00	4,191



## Capacity/Gauge Table Information

**TCLX 290247**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 047

Reporting Mark: TCLX 290247

Date: 03/06/2015

Capacity: 29,029 US Gallons (109,888 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,256	25.50	5,396	29.75	6,595	34.00	7,844	38.25	9,131
21.50	4,322	25.75	5,465	30.00	6,668	34.25	7,918	38.50	9,208
21.75	4,387	26.00	5,534	30.25	6,740	34.50	7,993	38.75	9,285
22.00	4,453	26.25	5,604	30.50	6,812	34.75	8,068	39.00	9,362
22.25	4,519	26.50	5,673	30.75	6,885	35.00	8,143	39.25	9,439
22.50	4,585	26.75	5,743	31.00	6,958	35.25	8,219	39.50	9,516
22.75	4,651	27.00	5,813	31.25	7,031	35.50	8,294	39.75	9,593
23.00	4,718	27.25	5,883	31.50	7,104	35.75	8,370	40.00	9,671
23.25	4,785	27.50	5,954	31.75	7,177	36.00	8,445	40.25	9,748
23.50	4,852	27.75	6,024	32.00	7,251	36.25	8,521	40.50	9,826
23.75	4,919	28.00	6,095	32.25	7,324	36.50	8,597	40.75	9,903
24.00	4,987	28.25	6,166	32.50	7,398	36.75	8,673	41.00	9,981
24.25	5,054	28.50	6,237	32.75	7,472	37.00	8,749	41.25	10,059
24.50	5,122	28.75	6,309	33.00	7,546	37.25	8,825	41.50	10,137
24.75	5,190	29.00	6,380	33.25	7,620	37.50	8,901	41.75	10,215
25.00	5,259	29.25	6,452	33.50	7,695	37.75	8,978	42.00	10,293
25.25	5,327	29.50	6,523	33.75	7,769	38.00	9,054	42.25	10,371



## Capacity/Gauge Table Information

**TCLX 290247**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 047

Reporting Mark: TCLX 290247

Date: 03/06/2015

Capacity: 29,029 US Gallons (109,888 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,449	46.75	11,790	51.00	13,144	55.25	14,506	59.50	15,866
42.75	10,528	47.00	11,869	51.25	13,224	55.50	14,586	59.75	15,946
43.00	10,606	47.25	11,948	51.50	13,304	55.75	14,666	60.00	16,026
43.25	10,684	47.50	12,028	51.75	13,384	56.00	14,746	60.25	16,105
43.50	10,763	47.75	12,107	52.00	13,464	56.25	14,826	60.50	16,185
43.75	10,841	48.00	12,187	52.25	13,544	56.50	14,906	60.75	16,265
44.00	10,920	48.25	12,267	52.50	13,624	56.75	14,986	61.00	16,345
44.25	10,999	48.50	12,346	52.75	13,705	57.00	15,066	61.25	16,424
44.50	11,078	48.75	12,426	53.00	13,785	57.25	15,146	61.50	16,504
44.75	11,157	49.00	12,506	53.25	13,865	57.50	15,227	61.75	16,583
45.00	11,235	49.25	12,585	53.50	13,945	57.75	15,307	62.00	16,663
45.25	11,314	49.50	12,665	53.75	14,025	58.00	15,387	62.25	16,742
45.50	11,394	49.75	12,745	54.00	14,105	58.25	15,467	62.50	16,822
45.75	11,473	50.00	12,825	54.25	14,185	58.50	15,547	62.75	16,901
46.00	11,552	50.25	12,905	54.50	14,265	58.75	15,626	63.00	16,980
46.25	11,631	50.50	12,984	54.75	14,345	59.00	15,706	63.25	17,059
46.50	11,710	50.75	13,064	55.00	14,426	59.25	15,786	63.50	17,139



## Capacity/Gauge Table Information

**TCLX 290247**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 047

Reporting Mark: TCLX 290247

Date: 03/06/2015

Capacity: 29,029 US Gallons (109,888 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,218	68.00	18,553	72.25	19,864	76.50	21,142	80.75	22,378
64.00	17,297	68.25	18,631	72.50	19,940	76.75	21,216	81.00	22,450
64.25	17,376	68.50	18,709	72.75	20,016	77.00	21,290	81.25	22,521
64.50	17,455	68.75	18,786	73.00	20,092	77.25	21,363	81.50	22,591
64.75	17,534	69.00	18,864	73.25	20,168	77.50	21,437	81.75	22,662
65.00	17,613	69.25	18,942	73.50	20,244	77.75	21,510	82.00	22,733
65.25	17,691	69.50	19,019	73.75	20,319	78.00	21,584	82.25	22,803
65.50	17,770	69.75	19,096	74.00	20,395	78.25	21,657	82.50	22,873
65.75	17,849	70.00	19,174	74.25	20,470	78.50	21,730	82.75	22,943
66.00	17,927	70.25	19,251	74.50	20,545	78.75	21,802	83.00	23,013
66.25	18,006	70.50	19,328	74.75	20,620	79.00	21,875	83.25	23,082
66.50	18,084	70.75	19,405	75.00	20,695	79.25	21,947	83.50	23,152
66.75	18,163	71.00	19,481	75.25	20,770	79.50	22,020	83.75	23,221
67.00	18,241	71.25	19,558	75.50	20,845	79.75	22,092	84.00	23,290
67.25	18,319	71.50	19,635	75.75	20,919	80.00	22,164	84.25	23,358
67.50	18,397	71.75	19,711	76.00	20,994	80.25	22,235	84.50	23,427
67.75	18,475	72.00	19,788	76.25	21,068	80.50	22,307	84.75	23,495



## Capacity/Gauge Table Information

**TCLX 290247**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 047

Reporting Mark: TCLX 290247

Date: 03/06/2015

Capacity: 29,029 US Gallons (109,888 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,563	89.25	24,686	93.50	25,734	97.75	26,693	102.00	27,542
85.25	23,631	89.50	24,750	93.75	25,793	98.00	26,746	102.25	27,588
85.50	23,699	89.75	24,813	94.00	25,852	98.25	26,799	102.50	27,634
85.75	23,766	90.00	24,877	94.25	25,910	98.50	26,851	102.75	27,679
86.00	23,833	90.25	24,940	94.50	25,968	98.75	26,903	103.00	27,724
86.25	23,900	90.50	25,003	94.75	26,026	99.00	26,955	103.25	27,768
86.50	23,967	90.75	25,065	95.00	26,083	99.25	27,006	103.50	27,812
86.75	24,034	91.00	25,127	95.25	26,141	99.50	27,057	103.75	27,855
87.00	24,100	91.25	25,189	95.50	26,197	99.75	27,107	104.00	27,897
87.25	24,166	91.50	25,251	95.75	26,254	100.00	27,157	104.25	27,939
87.50	24,232	91.75	25,312	96.00	26,310	100.25	27,207	104.50	27,981
87.75	24,298	92.00	25,374	96.25	26,366	100.50	27,256	104.75	28,022
88.00	24,363	92.25	25,434	96.50	26,421	100.75	27,305	105.00	28,062
88.25	24,428	92.50	25,495	96.75	26,476	101.00	27,353	105.25	28,102
88.50	24,493	92.75	25,555	97.00	26,531	101.25	27,401	105.50	28,142
88.75	24,558	93.00	25,615	97.25	26,585	101.50	27,449	105.75	28,180
89.00	24,622	93.25	25,675	97.50	26,639	101.75	27,496	106.00	28,219





## Capacity/Gauge Table Information

**TCLX 290247**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 047

Reporting Mark: TCLX 290247

Date: 03/06/2015

Capacity: 29,029 US Gallons (109,888 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,256	110.50	28,786	114.75	29,015
106.50	28,293	110.75	28,809	115.00	29,019
106.75	28,329	111.00	28,831	115.25	29,022
107.00	28,365	111.25	28,852	115.50	29,025
107.25	28,400	111.50	28,871	115.75	29,027
107.50	28,434	111.75	28,890	116.00	29,028
107.75	28,468	112.00	28,906	116.25	29,029
108.00	28,501	112.25	28,922	116.50	29,029
108.25	28,533	112.50	28,936	116.75	29,029
108.50	28,565	112.75	28,949		
108.75	28,595	113.00	28,961		
109.00	28,625	113.25	28,972		
109.25	28,654	113.50	28,982		
109.50	28,682	113.75	28,990		
109.75	28,710	114.00	28,998		
110.00	28,736	114.25	29,005		
110.25	28,762	114.50	29,010		



## Capacity/Gauge Table Information

**TCLX 290248**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 048

Reporting Mark: TCLX 290248

Date: 18/06/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	605	8.50	1,375	12.75	2,269	17.00	3,265
0.25	30	4.50	647	8.75	1,424	13.00	2,325	17.25	3,327
0.50	61	4.75	688	9.00	1,474	13.25	2,382	17.50	3,388
0.75	92	5.00	731	9.25	1,524	13.50	2,438	17.75	3,450
1.00	124	5.25	773	9.50	1,575	13.75	2,495	18.00	3,512
1.25	157	5.50	817	9.75	1,626	14.00	2,553	18.25	3,575
1.50	191	5.75	861	10.00	1,678	14.25	2,610	18.50	3,637
1.75	226	6.00	905	10.25	1,730	14.50	2,668	18.75	3,700
2.00	261	6.25	950	10.50	1,782	14.75	2,727	19.00	3,764
2.25	297	6.50	995	10.75	1,835	15.00	2,785	19.25	3,827
2.50	333	6.75	1,041	11.00	1,888	15.25	2,844	19.50	3,891
2.75	370	7.00	1,087	11.25	1,941	15.50	2,903	19.75	3,955
3.00	408	7.25	1,134	11.50	1,995	15.75	2,963	20.00	4,019
3.25	446	7.50	1,181	11.75	2,049	16.00	3,023	20.25	4,084
3.50	485	7.75	1,229	12.00	2,104	16.25	3,083	20.50	4,149
3.75	525	8.00	1,277	12.25	2,159	16.50	3,143	20.75	4,214
4.00	565	8.25	1,326	12.50	2,214	16.75	3,204	21.00	4,279



## Capacity/Gauge Table Information

**TCLX 290248**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 048

Reporting Mark: TCLX 290248

Date: 18/06/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,345	25.50	5,494	29.75	6,701	34.00	7,955	38.25	9,247
21.50	4,410	25.75	5,563	30.00	6,773	34.25	8,030	38.50	9,324
21.75	4,476	26.00	5,633	30.25	6,846	34.50	8,105	38.75	9,401
22.00	4,543	26.25	5,703	30.50	6,919	34.75	8,180	39.00	9,479
22.25	4,609	26.50	5,773	30.75	6,992	35.00	8,256	39.25	9,556
22.50	4,676	26.75	5,843	31.00	7,065	35.25	8,331	39.50	9,633
22.75	4,743	27.00	5,914	31.25	7,138	35.50	8,407	39.75	9,711
23.00	4,810	27.25	5,984	31.50	7,212	35.75	8,483	40.00	9,788
23.25	4,877	27.50	6,055	31.75	7,285	36.00	8,559	40.25	9,866
23.50	4,945	27.75	6,126	32.00	7,359	36.25	8,635	40.50	9,944
23.75	5,013	28.00	6,197	32.25	7,433	36.50	8,711	40.75	10,022
24.00	5,081	28.25	6,269	32.50	7,507	36.75	8,787	41.00	10,100
24.25	5,149	28.50	6,340	32.75	7,582	37.00	8,864	41.25	10,178
24.50	5,218	28.75	6,412	33.00	7,656	37.25	8,940	41.50	10,256
24.75	5,286	29.00	6,484	33.25	7,731	37.50	9,017	41.75	10,334
25.00	5,355	29.25	6,556	33.50	7,805	37.75	9,094	42.00	10,412
25.25	5,424	29.50	6,628	33.75	7,880	38.00	9,170	42.25	10,491



## Capacity/Gauge Table Information

**TCLX 290248**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 048

Reporting Mark: TCLX 290248

Date: 18/06/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,569	46.75	11,912	51.00	13,268	55.25	14,630	59.50	15,989
42.75	10,648	47.00	11,991	51.25	13,348	55.50	14,710	59.75	16,069
43.00	10,726	47.25	12,071	51.50	13,428	55.75	14,790	60.00	16,149
43.25	10,805	47.50	12,151	51.75	13,508	56.00	14,870	60.25	16,229
43.50	10,883	47.75	12,230	52.00	13,588	56.25	14,950	60.50	16,308
43.75	10,962	48.00	12,310	52.25	13,668	56.50	15,030	60.75	16,388
44.00	11,041	48.25	12,390	52.50	13,749	56.75	15,110	61.00	16,467
44.25	11,120	48.50	12,469	52.75	13,829	57.00	15,190	61.25	16,547
44.50	11,199	48.75	12,549	53.00	13,909	57.25	15,270	61.50	16,626
44.75	11,278	49.00	12,629	53.25	13,989	57.50	15,350	61.75	16,706
45.00	11,357	49.25	12,709	53.50	14,069	57.75	15,430	62.00	16,785
45.25	11,436	49.50	12,788	53.75	14,149	58.00	15,510	62.25	16,864
45.50	11,515	49.75	12,868	54.00	14,229	58.25	15,590	62.50	16,944
45.75	11,595	50.00	12,948	54.25	14,309	58.50	15,670	62.75	17,023
46.00	11,674	50.25	13,028	54.50	14,390	58.75	15,750	63.00	17,102
46.25	11,753	50.50	13,108	54.75	14,470	59.00	15,830	63.25	17,181
46.50	11,833	50.75	13,188	55.00	14,550	59.25	15,910	63.50	17,260



## Capacity/Gauge Table Information

**TCLX 290248**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 048

Reporting Mark: TCLX 290248

Date: 18/06/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,339	68.00	18,672	72.25	19,978	76.50	21,251	80.75	22,480
64.00	17,418	68.25	18,749	72.50	20,054	76.75	21,324	81.00	22,551
64.25	17,497	68.50	18,827	72.75	20,130	77.00	21,398	81.25	22,622
64.50	17,576	68.75	18,904	73.00	20,206	77.25	21,471	81.50	22,692
64.75	17,655	69.00	18,982	73.25	20,281	77.50	21,544	81.75	22,762
65.00	17,733	69.25	19,059	73.50	20,356	77.75	21,617	82.00	22,832
65.25	17,812	69.50	19,136	73.75	20,432	78.00	21,690	82.25	22,902
65.50	17,890	69.75	19,213	74.00	20,507	78.25	21,763	82.50	22,972
65.75	17,969	70.00	19,290	74.25	20,582	78.50	21,835	82.75	23,041
66.00	18,047	70.25	19,367	74.50	20,657	78.75	21,908	83.00	23,111
66.25	18,126	70.50	19,444	74.75	20,732	79.00	21,980	83.25	23,180
66.50	18,204	70.75	19,521	75.00	20,806	79.25	22,052	83.50	23,248
66.75	18,282	71.00	19,597	75.25	20,881	79.50	22,124	83.75	23,317
67.00	18,360	71.25	19,674	75.50	20,955	79.75	22,195	84.00	23,385
67.25	18,438	71.50	19,750	75.75	21,029	80.00	22,267	84.25	23,454
67.50	18,516	71.75	19,826	76.00	21,103	80.25	22,338	84.50	23,522
67.75	18,594	72.00	19,902	76.25	21,177	80.50	22,409	84.75	23,589



## Capacity/Gauge Table Information

**TCLX 290248**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 048

Reporting Mark: TCLX 290248

Date: 18/06/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,657	89.25	24,770	93.50	25,806	97.75	26,750	102.00	27,582
85.25	23,724	89.50	24,833	93.75	25,864	98.00	26,802	102.25	27,627
85.50	23,791	89.75	24,896	94.00	25,922	98.25	26,854	102.50	27,671
85.75	23,858	90.00	24,959	94.25	25,980	98.50	26,905	102.75	27,715
86.00	23,925	90.25	25,021	94.50	26,037	98.75	26,957	103.00	27,758
86.25	23,991	90.50	25,083	94.75	26,094	99.00	27,007	103.25	27,801
86.50	24,058	90.75	25,145	95.00	26,150	99.25	27,057	103.50	27,844
86.75	24,124	91.00	25,206	95.25	26,207	99.50	27,107	103.75	27,886
87.00	24,189	91.25	25,268	95.50	26,263	99.75	27,157	104.00	27,927
87.25	24,255	91.50	25,329	95.75	26,318	100.00	27,206	104.25	27,968
87.50	24,320	91.75	25,389	96.00	26,373	100.25	27,254	104.50	28,008
87.75	24,385	92.00	25,450	96.25	26,428	100.50	27,302	104.75	28,047
88.00	24,450	92.25	25,510	96.50	26,483	100.75	27,350	105.00	28,086
88.25	24,514	92.50	25,570	96.75	26,537	101.00	27,397	105.25	28,125
88.50	24,579	92.75	25,629	97.00	26,591	101.25	27,444	105.50	28,163
88.75	24,643	93.00	25,688	97.25	26,644	101.50	27,491	105.75	28,200
89.00	24,706	93.25	25,747	97.50	26,697	101.75	27,536	106.00	28,237



## Capacity/Gauge Table Information

**TCLX 290248**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 048

Reporting Mark: TCLX 290248

Date: 18/06/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,273	110.50	28,767	114.75	28,951
106.50	28,308	110.75	28,787	115.00	28,954
106.75	28,343	111.00	28,806	115.25	28,956
107.00	28,377	111.25	28,823	115.50	28,957
107.25	28,410	111.50	28,839	115.75	28,958
107.50	28,442	111.75	28,854	116.00	28,958
107.75	28,474	112.00	28,868	116.25	28,958
108.00	28,505	112.25	28,881		
108.25	28,536	112.50	28,892		
108.50	28,565	112.75	28,903		
108.75	28,594	113.00	28,912		
109.00	28,622	113.25	28,920		
109.25	28,648	113.50	28,928		
109.50	28,674	113.75	28,934		
109.75	28,699	114.00	28,940		
110.00	28,723	114.25	28,944		
110.25	28,746	114.50	28,948		





## Capacity/Gauge Table Information

**TCLX 290249**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 049

Reporting Mark: TCLX 290249

Date: 17/06/2015

Capacity: 29,009 US Gallons (109,811 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,335	12.75	2,217	17.00	3,202
0.25	28	4.50	622	8.75	1,384	13.00	2,272	17.25	3,262
0.50	57	4.75	663	9.00	1,433	13.25	2,327	17.50	3,324
0.75	87	5.00	704	9.25	1,482	13.50	2,383	17.75	3,385
1.00	118	5.25	746	9.50	1,532	13.75	2,440	18.00	3,446
1.25	149	5.50	788	9.75	1,582	14.00	2,496	18.25	3,508
1.50	182	5.75	831	10.00	1,633	14.25	2,553	18.50	3,571
1.75	215	6.00	874	10.25	1,684	14.50	2,611	18.75	3,633
2.00	249	6.25	918	10.50	1,736	14.75	2,668	19.00	3,696
2.25	283	6.50	963	10.75	1,788	15.00	2,726	19.25	3,759
2.50	318	6.75	1,008	11.00	1,840	15.25	2,785	19.50	3,822
2.75	354	7.00	1,053	11.25	1,893	15.50	2,843	19.75	3,886
3.00	390	7.25	1,099	11.50	1,946	15.75	2,902	20.00	3,949
3.25	428	7.50	1,145	11.75	1,999	16.00	2,962	20.25	4,013
3.50	465	7.75	1,192	12.00	2,053	16.25	3,021	20.50	4,078
3.75	504	8.00	1,239	12.25	2,107	16.50	3,081	20.75	4,142
4.00	543	8.25	1,287	12.50	2,162	16.75	3,141	21.00	4,207



## Capacity/Gauge Table Information

**TCLX 290249**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 049

Reporting Mark: TCLX 290249

Date: 17/06/2015

Capacity: 29,009 US Gallons (109,811 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,272	25.50	5,414	29.75	6,615	34.00	7,864	38.25	9,153
21.50	4,338	25.75	5,483	30.00	6,687	34.25	7,939	38.50	9,230
21.75	4,403	26.00	5,552	30.25	6,759	34.50	8,014	38.75	9,307
22.00	4,469	26.25	5,622	30.50	6,832	34.75	8,089	39.00	9,384
22.25	4,535	26.50	5,692	30.75	6,905	35.00	8,164	39.25	9,461
22.50	4,601	26.75	5,762	31.00	6,978	35.25	8,240	39.50	9,538
22.75	4,668	27.00	5,832	31.25	7,051	35.50	8,315	39.75	9,615
23.00	4,734	27.25	5,902	31.50	7,124	35.75	8,391	40.00	9,693
23.25	4,801	27.50	5,972	31.75	7,197	36.00	8,466	40.25	9,770
23.50	4,869	27.75	6,043	32.00	7,271	36.25	8,542	40.50	9,848
23.75	4,936	28.00	6,114	32.25	7,345	36.50	8,618	40.75	9,925
24.00	5,004	28.25	6,185	32.50	7,418	36.75	8,694	41.00	10,003
24.25	5,072	28.50	6,256	32.75	7,492	37.00	8,770	41.25	10,081
24.50	5,140	28.75	6,328	33.00	7,566	37.25	8,847	41.50	10,159
24.75	5,208	29.00	6,399	33.25	7,641	37.50	8,923	41.75	10,237
25.00	5,276	29.25	6,471	33.50	7,715	37.75	8,999	42.00	10,315
25.25	5,345	29.50	6,543	33.75	7,790	38.00	9,076	42.25	10,393



## Capacity/Gauge Table Information

**TCLX 290249**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 049

Reporting Mark: TCLX 290249

Date: 17/06/2015

Capacity: 29,009 US Gallons (109,811 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,472	46.75	11,813	51.00	13,168	55.25	14,529	59.50	15,890
42.75	10,550	47.00	11,892	51.25	13,248	55.50	14,609	59.75	15,969
43.00	10,628	47.25	11,972	51.50	13,328	55.75	14,690	60.00	16,049
43.25	10,707	47.50	12,051	51.75	13,408	56.00	14,770	60.25	16,129
43.50	10,786	47.75	12,131	52.00	13,488	56.25	14,850	60.50	16,209
43.75	10,864	48.00	12,210	52.25	13,568	56.50	14,930	60.75	16,288
44.00	10,943	48.25	12,290	52.50	13,648	56.75	15,010	61.00	16,368
44.25	11,022	48.50	12,369	52.75	13,728	57.00	15,090	61.25	16,448
44.50	11,100	48.75	12,449	53.00	13,808	57.25	15,170	61.50	16,527
44.75	11,179	49.00	12,529	53.25	13,888	57.50	15,250	61.75	16,607
45.00	11,258	49.25	12,609	53.50	13,968	57.75	15,330	62.00	16,686
45.25	11,337	49.50	12,688	53.75	14,049	58.00	15,410	62.25	16,765
45.50	11,416	49.75	12,768	54.00	14,129	58.25	15,490	62.50	16,845
45.75	11,496	50.00	12,848	54.25	14,209	58.50	15,570	62.75	16,924
46.00	11,575	50.25	12,928	54.50	14,289	58.75	15,650	63.00	17,003
46.25	11,654	50.50	13,008	54.75	14,369	59.00	15,730	63.25	17,083
46.50	11,733	50.75	13,088	55.00	14,449	59.25	15,810	63.50	17,162



## Capacity/Gauge Table Information

**TCLX 290249**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 049

Reporting Mark: TCLX 290249

Date: 17/06/2015

Capacity: 29,009 US Gallons (109,811 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,241	68.00	18,576	72.25	19,886	76.50	21,162	80.75	22,397
64.00	17,320	68.25	18,653	72.50	19,962	76.75	21,236	81.00	22,468
64.25	17,399	68.50	18,731	72.75	20,038	77.00	21,310	81.25	22,539
64.50	17,478	68.75	18,809	73.00	20,114	77.25	21,384	81.50	22,610
64.75	17,557	69.00	18,886	73.25	20,189	77.50	21,457	81.75	22,681
65.00	17,636	69.25	18,964	73.50	20,265	77.75	21,530	82.00	22,751
65.25	17,714	69.50	19,041	73.75	20,340	78.00	21,604	82.25	22,821
65.50	17,793	69.75	19,118	74.00	20,416	78.25	21,676	82.50	22,891
65.75	17,872	70.00	19,196	74.25	20,491	78.50	21,749	82.75	22,961
66.00	17,950	70.25	19,273	74.50	20,566	78.75	21,822	83.00	23,031
66.25	18,029	70.50	19,350	74.75	20,641	79.00	21,894	83.25	23,100
66.50	18,107	70.75	19,427	75.00	20,716	79.25	21,967	83.50	23,169
66.75	18,185	71.00	19,503	75.25	20,791	79.50	22,039	83.75	23,238
67.00	18,263	71.25	19,580	75.50	20,865	79.75	22,111	84.00	23,307
67.25	18,342	71.50	19,657	75.75	20,940	80.00	22,183	84.25	23,376
67.50	18,420	71.75	19,733	76.00	21,014	80.25	22,254	84.50	23,444
67.75	18,498	72.00	19,809	76.25	21,088	80.50	22,326	84.75	23,512



## Capacity/Gauge Table Information

**TCLX 290249**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 049

Reporting Mark: TCLX 290249

Date: 17/06/2015

Capacity: 29,009 US Gallons (109,811 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,580	89.25	24,701	93.50	25,746	97.75	26,701	102.00	27,546
85.25	23,648	89.50	24,764	93.75	25,805	98.00	26,754	102.25	27,592
85.50	23,716	89.75	24,828	94.00	25,863	98.25	26,807	102.50	27,638
85.75	23,783	90.00	24,891	94.25	25,922	98.50	26,859	102.75	27,682
86.00	23,850	90.25	24,954	94.50	25,979	98.75	26,911	103.00	27,727
86.25	23,917	90.50	25,017	94.75	26,037	99.00	26,962	103.25	27,771
86.50	23,983	90.75	25,079	95.00	26,094	99.25	27,013	103.50	27,814
86.75	24,050	91.00	25,141	95.25	26,151	99.50	27,064	103.75	27,857
87.00	24,116	91.25	25,203	95.50	26,208	99.75	27,114	104.00	27,899
87.25	24,182	91.50	25,264	95.75	26,264	100.00	27,164	104.25	27,941
87.50	24,248	91.75	25,326	96.00	26,320	100.25	27,213	104.50	27,982
87.75	24,313	92.00	25,386	96.25	26,375	100.50	27,262	104.75	28,023
88.00	24,378	92.25	25,447	96.50	26,430	100.75	27,311	105.00	28,063
88.25	24,443	92.50	25,508	96.75	26,485	101.00	27,359	105.25	28,103
88.50	24,508	92.75	25,568	97.00	26,540	101.25	27,406	105.50	28,141
88.75	24,573	93.00	25,627	97.25	26,594	101.50	27,453	105.75	28,180
89.00	24,637	93.25	25,687	97.50	26,648	101.75	27,500	106.00	28,218



## Capacity/Gauge Table Information

**TCLX 290249**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 049

Reporting Mark: TCLX 290249

Date: 17/06/2015

Capacity: 29,009 US Gallons (109,811 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,255	110.50	28,776	114.75	28,995
106.50	28,291	110.75	28,799	115.00	28,999
106.75	28,327	111.00	28,820	115.25	29,002
107.00	28,363	111.25	28,839	115.50	29,005
107.25	28,397	111.50	28,858	115.75	29,007
107.50	28,431	111.75	28,875	116.00	29,008
107.75	28,464	112.00	28,891	116.25	29,009
108.00	28,497	112.25	28,906	116.50	29,009
108.25	28,528	112.50	28,920	116.75	29,009
108.50	28,559	112.75	28,932		
108.75	28,590	113.00	28,944		
109.00	28,619	113.25	28,954		
109.25	28,647	113.50	28,963		
109.50	28,675	113.75	28,972		
109.75	28,702	114.00	28,979		
110.00	28,728	114.25	28,985		
110.25	28,752	114.50	28,991		



## Capacity/Gauge Table Information

**TCLX 290250**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 050

Reporting Mark: TCLX 290250

Date: 03/06/2015

Capacity: 29,022 US Gallons (109,862 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,334	12.75	2,215	17.00	3,201
0.25	28	4.50	622	8.75	1,383	13.00	2,271	17.25	3,261
0.50	57	4.75	662	9.00	1,432	13.25	2,326	17.50	3,322
0.75	87	5.00	704	9.25	1,481	13.50	2,382	17.75	3,384
1.00	118	5.25	745	9.50	1,531	13.75	2,439	18.00	3,445
1.25	149	5.50	788	9.75	1,581	14.00	2,495	18.25	3,507
1.50	182	5.75	830	10.00	1,632	14.25	2,552	18.50	3,569
1.75	215	6.00	874	10.25	1,683	14.50	2,610	18.75	3,632
2.00	248	6.25	918	10.50	1,735	14.75	2,667	19.00	3,695
2.25	283	6.50	962	10.75	1,787	15.00	2,725	19.25	3,758
2.50	318	6.75	1,007	11.00	1,839	15.25	2,784	19.50	3,821
2.75	354	7.00	1,052	11.25	1,891	15.50	2,842	19.75	3,884
3.00	390	7.25	1,098	11.50	1,945	15.75	2,901	20.00	3,948
3.25	427	7.50	1,144	11.75	1,998	16.00	2,960	20.25	4,012
3.50	465	7.75	1,191	12.00	2,052	16.25	3,020	20.50	4,077
3.75	503	8.00	1,238	12.25	2,106	16.50	3,080	20.75	4,141
4.00	542	8.25	1,286	12.50	2,161	16.75	3,140	21.00	4,206





## Capacity/Gauge Table Information

**TCLX 290250**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 050

Reporting Mark: TCLX 290250

Date: 03/06/2015

Capacity: 29,022 US Gallons (109,862 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,271	25.50	5,413	29.75	6,614	34.00	7,863	38.25	9,152
21.50	4,336	25.75	5,482	30.00	6,686	34.25	7,938	38.50	9,229
21.75	4,402	26.00	5,551	30.25	6,758	34.50	8,013	38.75	9,306
22.00	4,468	26.25	5,621	30.50	6,831	34.75	8,088	39.00	9,383
22.25	4,534	26.50	5,690	30.75	6,904	35.00	8,163	39.25	9,460
22.50	4,600	26.75	5,760	31.00	6,977	35.25	8,239	39.50	9,537
22.75	4,667	27.00	5,830	31.25	7,050	35.50	8,314	39.75	9,615
23.00	4,733	27.25	5,901	31.50	7,123	35.75	8,390	40.00	9,692
23.25	4,800	27.50	5,971	31.75	7,196	36.00	8,466	40.25	9,770
23.50	4,867	27.75	6,042	32.00	7,270	36.25	8,541	40.50	9,847
23.75	4,935	28.00	6,113	32.25	7,344	36.50	8,617	40.75	9,925
24.00	5,003	28.25	6,184	32.50	7,417	36.75	8,693	41.00	10,003
24.25	5,070	28.50	6,255	32.75	7,491	37.00	8,770	41.25	10,081
24.50	5,138	28.75	6,326	33.00	7,566	37.25	8,846	41.50	10,159
24.75	5,207	29.00	6,398	33.25	7,640	37.50	8,922	41.75	10,237
25.00	5,275	29.25	6,470	33.50	7,714	37.75	8,999	42.00	10,315
25.25	5,344	29.50	6,542	33.75	7,789	38.00	9,075	42.25	10,393



## Capacity/Gauge Table Information

**TCLX 290250**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 050

Reporting Mark: TCLX 290250

Date: 03/06/2015

Capacity: 29,022 US Gallons (109,862 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,471	46.75	11,813	51.00	13,168	55.25	14,530	59.50	15,891
42.75	10,550	47.00	11,892	51.25	13,248	55.50	14,610	59.75	15,971
43.00	10,628	47.25	11,972	51.50	13,328	55.75	14,690	60.00	16,050
43.25	10,707	47.50	12,051	51.75	13,408	56.00	14,771	60.25	16,130
43.50	10,785	47.75	12,131	52.00	13,488	56.25	14,851	60.50	16,210
43.75	10,864	48.00	12,210	52.25	13,568	56.50	14,931	60.75	16,290
44.00	10,943	48.25	12,290	52.50	13,649	56.75	15,011	61.00	16,369
44.25	11,021	48.50	12,370	52.75	13,729	57.00	15,091	61.25	16,449
44.50	11,100	48.75	12,449	53.00	13,809	57.25	15,171	61.50	16,529
44.75	11,179	49.00	12,529	53.25	13,889	57.50	15,251	61.75	16,608
45.00	11,258	49.25	12,609	53.50	13,969	57.75	15,331	62.00	16,688
45.25	11,337	49.50	12,689	53.75	14,049	58.00	15,411	62.25	16,767
45.50	11,416	49.75	12,768	54.00	14,129	58.25	15,491	62.50	16,846
45.75	11,496	50.00	12,848	54.25	14,209	58.50	15,571	62.75	16,926
46.00	11,575	50.25	12,928	54.50	14,290	58.75	15,651	63.00	17,005
46.25	11,654	50.50	13,008	54.75	14,370	59.00	15,731	63.25	17,084
46.50	11,733	50.75	13,088	55.00	14,450	59.25	15,811	63.50	17,164



## Capacity/Gauge Table Information

**TCLX 290250**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 050

Reporting Mark: TCLX 290250

Date: 03/06/2015

Capacity: 29,022 US Gallons (109,862 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,243	68.00	18,578	72.25	19,888	76.50	21,166	80.75	22,401
64.00	17,322	68.25	18,656	72.50	19,965	76.75	21,240	81.00	22,473
64.25	17,401	68.50	18,734	72.75	20,041	77.00	21,314	81.25	22,544
64.50	17,480	68.75	18,811	73.00	20,117	77.25	21,387	81.50	22,614
64.75	17,559	69.00	18,889	73.25	20,192	77.50	21,461	81.75	22,685
65.00	17,637	69.25	18,966	73.50	20,268	77.75	21,534	82.00	22,755
65.25	17,716	69.50	19,044	73.75	20,344	78.00	21,607	82.25	22,826
65.50	17,795	69.75	19,121	74.00	20,419	78.25	21,680	82.50	22,896
65.75	17,874	70.00	19,198	74.25	20,494	78.50	21,753	82.75	22,966
66.00	17,952	70.25	19,275	74.50	20,569	78.75	21,826	83.00	23,035
66.25	18,031	70.50	19,352	74.75	20,644	79.00	21,898	83.25	23,105
66.50	18,109	70.75	19,429	75.00	20,719	79.25	21,971	83.50	23,174
66.75	18,187	71.00	19,506	75.25	20,794	79.50	22,043	83.75	23,243
67.00	18,266	71.25	19,583	75.50	20,869	79.75	22,115	84.00	23,312
67.25	18,344	71.50	19,659	75.75	20,943	80.00	22,187	84.25	23,380
67.50	18,422	71.75	19,736	76.00	21,018	80.25	22,259	84.50	23,449
67.75	18,500	72.00	19,812	76.25	21,092	80.50	22,330	84.75	23,517



## Capacity/Gauge Table Information

**TCLX 290250**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 050

Reporting Mark: TCLX 290250

Date: 03/06/2015

Capacity: 29,022 US Gallons (109,862 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,585	89.25	24,706	93.50	25,752	97.75	26,708	102.00	27,555
85.25	23,653	89.50	24,770	93.75	25,811	98.00	26,761	102.25	27,601
85.50	23,721	89.75	24,834	94.00	25,870	98.25	26,814	102.50	27,646
85.75	23,788	90.00	24,897	94.25	25,928	98.50	26,866	102.75	27,691
86.00	23,855	90.25	24,960	94.50	25,986	98.75	26,918	103.00	27,735
86.25	23,922	90.50	25,022	94.75	26,044	99.00	26,970	103.25	27,779
86.50	23,989	90.75	25,085	95.00	26,101	99.25	27,021	103.50	27,823
86.75	24,055	91.00	25,147	95.25	26,158	99.50	27,071	103.75	27,866
87.00	24,121	91.25	25,209	95.50	26,215	99.75	27,122	104.00	27,908
87.25	24,187	91.50	25,270	95.75	26,271	100.00	27,172	104.25	27,950
87.50	24,253	91.75	25,332	96.00	26,327	100.25	27,221	104.50	27,991
87.75	24,318	92.00	25,393	96.25	26,382	100.50	27,270	104.75	28,032
88.00	24,384	92.25	25,453	96.50	26,438	100.75	27,319	105.00	28,072
88.25	24,449	92.50	25,514	96.75	26,492	101.00	27,367	105.25	28,112
88.50	24,514	92.75	25,574	97.00	26,547	101.25	27,414	105.50	28,151
88.75	24,578	93.00	25,634	97.25	26,601	101.50	27,462	105.75	28,189
89.00	24,642	93.25	25,693	97.50	26,655	101.75	27,509	106.00	28,227



## Capacity/Gauge Table Information

**TCLX 290250**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 050

Reporting Mark: TCLX 290250

Date: 03/06/2015

Capacity: 29,022 US Gallons (109,862 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,264	110.50	28,787	114.75	29,009
106.50	28,301	110.75	28,810	115.00	29,013
106.75	28,337	111.00	28,831	115.25	29,016
107.00	28,372	111.25	28,851	115.50	29,018
107.25	28,407	111.50	28,870	115.75	29,020
107.50	28,441	111.75	28,888	116.00	29,021
107.75	28,474	112.00	28,904	116.25	29,022
108.00	28,507	112.25	28,919	116.50	29,022
108.25	28,539	112.50	28,932	116.75	29,022
108.50	28,570	112.75	28,945		
108.75	28,600	113.00	28,957		
109.00	28,630	113.25	28,967		
109.25	28,658	113.50	28,976		
109.50	28,686	113.75	28,985		
109.75	28,713	114.00	28,992		
110.00	28,739	114.25	28,998		
110.25	28,764	114.50	29,004		



## Capacity/Gauge Table Information

**TCLX 290251**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 051

Reporting Mark: TCLX 290251

Date: 05/06/2015

Capacity: 29,020 US Gallons (109,853 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	581	8.50	1,333	12.75	2,214	17.00	3,199
0.25	28	4.50	621	8.75	1,382	13.00	2,270	17.25	3,260
0.50	57	4.75	662	9.00	1,431	13.25	2,325	17.50	3,321
0.75	87	5.00	703	9.25	1,480	13.50	2,381	17.75	3,382
1.00	118	5.25	745	9.50	1,530	13.75	2,438	18.00	3,444
1.25	149	5.50	787	9.75	1,580	14.00	2,494	18.25	3,506
1.50	181	5.75	830	10.00	1,631	14.25	2,551	18.50	3,568
1.75	214	6.00	873	10.25	1,682	14.50	2,608	18.75	3,630
2.00	248	6.25	917	10.50	1,734	14.75	2,666	19.00	3,693
2.25	282	6.50	961	10.75	1,786	15.00	2,724	19.25	3,756
2.50	317	6.75	1,006	11.00	1,838	15.25	2,782	19.50	3,819
2.75	353	7.00	1,051	11.25	1,890	15.50	2,841	19.75	3,883
3.00	390	7.25	1,097	11.50	1,944	15.75	2,900	20.00	3,947
3.25	427	7.50	1,144	11.75	1,997	16.00	2,959	20.25	4,011
3.50	464	7.75	1,190	12.00	2,051	16.25	3,019	20.50	4,075
3.75	503	8.00	1,238	12.25	2,105	16.50	3,079	20.75	4,140
4.00	542	8.25	1,285	12.50	2,160	16.75	3,139	21.00	4,205



## Capacity/Gauge Table Information

**TCLX 290251**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 051

Reporting Mark: TCLX 290251

Date: 05/06/2015

Capacity: 29,020 US Gallons (109,853 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,270	25.50	5,411	29.75	6,612	34.00	7,862	38.25	9,150
21.50	4,335	25.75	5,480	30.00	6,684	34.25	7,936	38.50	9,227
21.75	4,400	26.00	5,550	30.25	6,757	34.50	8,011	38.75	9,304
22.00	4,466	26.25	5,619	30.50	6,829	34.75	8,086	39.00	9,381
22.25	4,532	26.50	5,689	30.75	6,902	35.00	8,162	39.25	9,458
22.50	4,599	26.75	5,759	31.00	6,975	35.25	8,237	39.50	9,535
22.75	4,665	27.00	5,829	31.25	7,048	35.50	8,312	39.75	9,613
23.00	4,732	27.25	5,899	31.50	7,121	35.75	8,388	40.00	9,690
23.25	4,799	27.50	5,970	31.75	7,195	36.00	8,464	40.25	9,768
23.50	4,866	27.75	6,040	32.00	7,268	36.25	8,539	40.50	9,845
23.75	4,933	28.00	6,111	32.25	7,342	36.50	8,615	40.75	9,923
24.00	5,001	28.25	6,182	32.50	7,416	36.75	8,691	41.00	10,001
24.25	5,069	28.50	6,253	32.75	7,490	37.00	8,768	41.25	10,079
24.50	5,137	28.75	6,325	33.00	7,564	37.25	8,844	41.50	10,157
24.75	5,205	29.00	6,396	33.25	7,638	37.50	8,920	41.75	10,235
25.00	5,274	29.25	6,468	33.50	7,712	37.75	8,997	42.00	10,313
25.25	5,342	29.50	6,540	33.75	7,787	38.00	9,073	42.25	10,391





## Capacity/Gauge Table Information

**TCLX 290251**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 051

Reporting Mark: TCLX 290251

Date: 05/06/2015

Capacity: 29,020 US Gallons (109,853 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,469	46.75	11,811	51.00	13,166	55.25	14,528	59.50	15,889
42.75	10,548	47.00	11,890	51.25	13,246	55.50	14,608	59.75	15,968
43.00	10,626	47.25	11,969	51.50	13,326	55.75	14,688	60.00	16,048
43.25	10,705	47.50	12,049	51.75	13,406	56.00	14,768	60.25	16,128
43.50	10,783	47.75	12,128	52.00	13,486	56.25	14,848	60.50	16,208
43.75	10,862	48.00	12,208	52.25	13,566	56.50	14,929	60.75	16,287
44.00	10,941	48.25	12,288	52.50	13,646	56.75	15,009	61.00	16,367
44.25	11,019	48.50	12,367	52.75	13,726	57.00	15,089	61.25	16,447
44.50	11,098	48.75	12,447	53.00	13,807	57.25	15,169	61.50	16,526
44.75	11,177	49.00	12,527	53.25	13,887	57.50	15,249	61.75	16,606
45.00	11,256	49.25	12,607	53.50	13,967	57.75	15,329	62.00	16,685
45.25	11,335	49.50	12,686	53.75	14,047	58.00	15,409	62.25	16,765
45.50	11,414	49.75	12,766	54.00	14,127	58.25	15,489	62.50	16,844
45.75	11,493	50.00	12,846	54.25	14,207	58.50	15,569	62.75	16,923
46.00	11,573	50.25	12,926	54.50	14,287	58.75	15,649	63.00	17,003
46.25	11,652	50.50	13,006	54.75	14,368	59.00	15,729	63.25	17,082
46.50	11,731	50.75	13,086	55.00	14,448	59.25	15,809	63.50	17,161



## Capacity/Gauge Table Information

**TCLX 290251**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 051

Reporting Mark: TCLX 290251

Date: 05/06/2015

Capacity: 29,020 US Gallons (109,853 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,240	68.00	18,576	72.25	19,886	76.50	21,164	80.75	22,399
64.00	17,319	68.25	18,653	72.50	19,962	76.75	21,237	81.00	22,470
64.25	17,398	68.50	18,731	72.75	20,038	77.00	21,311	81.25	22,541
64.50	17,477	68.75	18,809	73.00	20,114	77.25	21,385	81.50	22,612
64.75	17,556	69.00	18,886	73.25	20,190	77.50	21,458	81.75	22,683
65.00	17,635	69.25	18,964	73.50	20,266	77.75	21,532	82.00	22,753
65.25	17,714	69.50	19,041	73.75	20,341	78.00	21,605	82.25	22,823
65.50	17,793	69.75	19,119	74.00	20,417	78.25	21,678	82.50	22,893
65.75	17,871	70.00	19,196	74.25	20,492	78.50	21,751	82.75	22,963
66.00	17,950	70.25	19,273	74.50	20,567	78.75	21,823	83.00	23,033
66.25	18,028	70.50	19,350	74.75	20,642	79.00	21,896	83.25	23,102
66.50	18,107	70.75	19,427	75.00	20,717	79.25	21,968	83.50	23,171
66.75	18,185	71.00	19,504	75.25	20,792	79.50	22,041	83.75	23,241
67.00	18,263	71.25	19,580	75.50	20,866	79.75	22,113	84.00	23,309
67.25	18,341	71.50	19,657	75.75	20,941	80.00	22,184	84.25	23,378
67.50	18,420	71.75	19,733	76.00	21,015	80.25	22,256	84.50	23,446
67.75	18,498	72.00	19,810	76.25	21,089	80.50	22,328	84.75	23,515



## Capacity/Gauge Table Information

**TCLX 290251**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 051

Reporting Mark: TCLX 290251

Date: 05/06/2015

Capacity: 29,020 US Gallons (109,853 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,583	89.25	24,704	93.50	25,750	97.75	26,706	102.00	27,552
85.25	23,651	89.50	24,768	93.75	25,809	98.00	26,759	102.25	27,598
85.50	23,718	89.75	24,831	94.00	25,867	98.25	26,812	102.50	27,644
85.75	23,785	90.00	24,894	94.25	25,926	98.50	26,864	102.75	27,689
86.00	23,853	90.25	24,957	94.50	25,984	98.75	26,916	103.00	27,733
86.25	23,919	90.50	25,020	94.75	26,041	99.00	26,967	103.25	27,777
86.50	23,986	90.75	25,082	95.00	26,099	99.25	27,018	103.50	27,820
86.75	24,053	91.00	25,144	95.25	26,155	99.50	27,069	103.75	27,863
87.00	24,119	91.25	25,206	95.50	26,212	99.75	27,119	104.00	27,906
87.25	24,185	91.50	25,268	95.75	26,268	100.00	27,169	104.25	27,947
87.50	24,251	91.75	25,329	96.00	26,324	100.25	27,219	104.50	27,989
87.75	24,316	92.00	25,390	96.25	26,380	100.50	27,268	104.75	28,030
88.00	24,381	92.25	25,451	96.50	26,435	100.75	27,316	105.00	28,070
88.25	24,446	92.50	25,511	96.75	26,490	101.00	27,364	105.25	28,109
88.50	24,511	92.75	25,571	97.00	26,545	101.25	27,412	105.50	28,148
88.75	24,576	93.00	25,631	97.25	26,599	101.50	27,459	105.75	28,187
89.00	24,640	93.25	25,691	97.50	26,652	101.75	27,506	106.00	28,225



## Capacity/Gauge Table Information

**TCLX 290251**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 051

Reporting Mark: TCLX 290251

Date: 05/06/2015

Capacity: 29,020 US Gallons (109,853 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,262	110.50	28,785	114.75	29,006
106.50	28,299	110.75	28,808	115.00	29,010
106.75	28,335	111.00	28,829	115.25	29,013
107.00	28,370	111.25	28,849	115.50	29,016
107.25	28,405	111.50	28,868	115.75	29,018
107.50	28,439	111.75	28,885	116.00	29,019
107.75	28,472	112.00	28,901	116.25	29,020
108.00	28,504	112.25	28,916	116.50	29,020
108.25	28,536	112.50	28,930	116.75	29,020
108.50	28,567	112.75	28,943		
108.75	28,598	113.00	28,954		
109.00	28,627	113.25	28,965		
109.25	28,656	113.50	28,974		
109.50	28,683	113.75	28,982		
109.75	28,710	114.00	28,990		
110.00	28,736	114.25	28,996		
110.25	28,761	114.50	29,002		



## Capacity/Gauge Table Information

**TCLX 290252**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 052

Reporting Mark: TCLX 290252

Date: 09/06/2015

Capacity: 29,025 US Gallons (109,871 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,335	12.75	2,217	17.00	3,202
0.25	28	4.50	622	8.75	1,384	13.00	2,272	17.25	3,263
0.50	57	4.75	663	9.00	1,433	13.25	2,327	17.50	3,324
0.75	87	5.00	704	9.25	1,482	13.50	2,383	17.75	3,385
1.00	118	5.25	746	9.50	1,532	13.75	2,440	18.00	3,447
1.25	149	5.50	788	9.75	1,582	14.00	2,496	18.25	3,509
1.50	182	5.75	831	10.00	1,633	14.25	2,553	18.50	3,571
1.75	215	6.00	874	10.25	1,684	14.50	2,611	18.75	3,633
2.00	248	6.25	918	10.50	1,736	14.75	2,669	19.00	3,696
2.25	283	6.50	963	10.75	1,787	15.00	2,727	19.25	3,759
2.50	318	6.75	1,008	11.00	1,840	15.25	2,785	19.50	3,822
2.75	354	7.00	1,053	11.25	1,892	15.50	2,843	19.75	3,886
3.00	390	7.25	1,099	11.50	1,946	15.75	2,902	20.00	3,950
3.25	427	7.50	1,145	11.75	1,999	16.00	2,962	20.25	4,014
3.50	465	7.75	1,192	12.00	2,053	16.25	3,021	20.50	4,078
3.75	504	8.00	1,239	12.25	2,107	16.50	3,081	20.75	4,143
4.00	542	8.25	1,287	12.50	2,162	16.75	3,141	21.00	4,207



## Capacity/Gauge Table Information

**TCLX 290252**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 052

Reporting Mark: TCLX 290252

Date: 09/06/2015

Capacity: 29,025 US Gallons (109,871 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,273	25.50	5,414	29.75	6,616	34.00	7,865	38.25	9,154
21.50	4,338	25.75	5,484	30.00	6,688	34.25	7,940	38.50	9,231
21.75	4,403	26.00	5,553	30.25	6,760	34.50	8,015	38.75	9,308
22.00	4,469	26.25	5,622	30.50	6,833	34.75	8,090	39.00	9,385
22.25	4,535	26.50	5,692	30.75	6,906	35.00	8,165	39.25	9,462
22.50	4,602	26.75	5,762	31.00	6,979	35.25	8,241	39.50	9,539
22.75	4,668	27.00	5,832	31.25	7,052	35.50	8,316	39.75	9,617
23.00	4,735	27.25	5,902	31.50	7,125	35.75	8,392	40.00	9,694
23.25	4,802	27.50	5,973	31.75	7,198	36.00	8,467	40.25	9,772
23.50	4,869	27.75	6,044	32.00	7,272	36.25	8,543	40.50	9,849
23.75	4,936	28.00	6,115	32.25	7,345	36.50	8,619	40.75	9,927
24.00	5,004	28.25	6,186	32.50	7,419	36.75	8,695	41.00	10,005
24.25	5,072	28.50	6,257	32.75	7,493	37.00	8,772	41.25	10,083
24.50	5,140	28.75	6,328	33.00	7,567	37.25	8,848	41.50	10,161
24.75	5,208	29.00	6,400	33.25	7,642	37.50	8,924	41.75	10,239
25.00	5,277	29.25	6,472	33.50	7,716	37.75	9,001	42.00	10,317
25.25	5,346	29.50	6,543	33.75	7,791	38.00	9,077	42.25	10,395



## Capacity/Gauge Table Information

**TCLX 290252**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 052

Reporting Mark: TCLX 290252

Date: 09/06/2015

Capacity: 29,025 US Gallons (109,871 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,473	46.75	11,815	51.00	13,170	55.25	14,532	59.50	15,893
42.75	10,552	47.00	11,894	51.25	13,250	55.50	14,612	59.75	15,973
43.00	10,630	47.25	11,974	51.50	13,330	55.75	14,693	60.00	16,053
43.25	10,709	47.50	12,053	51.75	13,410	56.00	14,773	60.25	16,133
43.50	10,787	47.75	12,133	52.00	13,491	56.25	14,853	60.50	16,212
43.75	10,866	48.00	12,212	52.25	13,571	56.50	14,933	60.75	16,292
44.00	10,945	48.25	12,292	52.50	13,651	56.75	15,013	61.00	16,372
44.25	11,024	48.50	12,372	52.75	13,731	57.00	15,093	61.25	16,451
44.50	11,102	48.75	12,451	53.00	13,811	57.25	15,173	61.50	16,531
44.75	11,181	49.00	12,531	53.25	13,891	57.50	15,253	61.75	16,610
45.00	11,260	49.25	12,611	53.50	13,971	57.75	15,333	62.00	16,690
45.25	11,339	49.50	12,691	53.75	14,051	58.00	15,413	62.25	16,769
45.50	11,418	49.75	12,771	54.00	14,132	58.25	15,493	62.50	16,849
45.75	11,498	50.00	12,851	54.25	14,212	58.50	15,573	62.75	16,928
46.00	11,577	50.25	12,930	54.50	14,292	58.75	15,653	63.00	17,007
46.25	11,656	50.50	13,010	54.75	14,372	59.00	15,733	63.25	17,087
46.50	11,735	50.75	13,090	55.00	14,452	59.25	15,813	63.50	17,166





## Capacity/Gauge Table Information

**TCLX 290252**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 052

Reporting Mark: TCLX 290252

Date: 09/06/2015

Capacity: 29,025 US Gallons (109,871 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,245	68.00	18,580	72.25	19,891	76.50	21,168	80.75	22,404
64.00	17,324	68.25	18,658	72.50	19,967	76.75	21,242	81.00	22,475
64.25	17,403	68.50	18,736	72.75	20,043	77.00	21,316	81.25	22,546
64.50	17,482	68.75	18,814	73.00	20,119	77.25	21,390	81.50	22,617
64.75	17,561	69.00	18,891	73.25	20,195	77.50	21,463	81.75	22,687
65.00	17,640	69.25	18,969	73.50	20,270	77.75	21,536	82.00	22,758
65.25	17,719	69.50	19,046	73.75	20,346	78.00	21,610	82.25	22,828
65.50	17,797	69.75	19,123	74.00	20,421	78.25	21,683	82.50	22,898
65.75	17,876	70.00	19,201	74.25	20,497	78.50	21,756	82.75	22,968
66.00	17,954	70.25	19,278	74.50	20,572	78.75	21,828	83.00	23,038
66.25	18,033	70.50	19,355	74.75	20,647	79.00	21,901	83.25	23,107
66.50	18,111	70.75	19,432	75.00	20,722	79.25	21,973	83.50	23,176
66.75	18,190	71.00	19,508	75.25	20,797	79.50	22,045	83.75	23,245
67.00	18,268	71.25	19,585	75.50	20,871	79.75	22,117	84.00	23,314
67.25	18,346	71.50	19,662	75.75	20,946	80.00	22,189	84.25	23,383
67.50	18,424	71.75	19,738	76.00	21,020	80.25	22,261	84.50	23,451
67.75	18,502	72.00	19,815	76.25	21,094	80.50	22,332	84.75	23,520



## Capacity/Gauge Table Information

**TCLX 290252**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 052

Reporting Mark: TCLX 290252

Date: 09/06/2015

Capacity: 29,025 US Gallons (109,871 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,588	89.25	24,709	93.50	25,755	97.75	26,711	102.00	27,557
85.25	23,655	89.50	24,772	93.75	25,814	98.00	26,764	102.25	27,603
85.50	23,723	89.75	24,836	94.00	25,872	98.25	26,816	102.50	27,648
85.75	23,790	90.00	24,899	94.25	25,931	98.50	26,869	102.75	27,693
86.00	23,857	90.25	24,962	94.50	25,988	98.75	26,921	103.00	27,738
86.25	23,924	90.50	25,025	94.75	26,046	99.00	26,972	103.25	27,782
86.50	23,991	90.75	25,087	95.00	26,103	99.25	27,023	103.50	27,825
86.75	24,057	91.00	25,149	95.25	26,160	99.50	27,074	103.75	27,868
87.00	24,124	91.25	25,211	95.50	26,217	99.75	27,124	104.00	27,910
87.25	24,190	91.50	25,273	95.75	26,273	100.00	27,174	104.25	27,952
87.50	24,255	91.75	25,334	96.00	26,329	100.25	27,223	104.50	27,994
87.75	24,321	92.00	25,395	96.25	26,385	100.50	27,272	104.75	28,034
88.00	24,386	92.25	25,456	96.50	26,440	100.75	27,321	105.00	28,075
88.25	24,451	92.50	25,516	96.75	26,495	101.00	27,369	105.25	28,114
88.50	24,516	92.75	25,576	97.00	26,549	101.25	27,417	105.50	28,153
88.75	24,580	93.00	25,636	97.25	26,604	101.50	27,464	105.75	28,192
89.00	24,645	93.25	25,696	97.50	26,657	101.75	27,511	106.00	28,230



## Capacity/Gauge Table Information

**TCLX 290252**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 052

Reporting Mark: TCLX 290252

Date: 09/06/2015

Capacity: 29,025 US Gallons (109,871 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,267	110.50	28,790	114.75	29,011
106.50	28,303	110.75	28,812	115.00	29,015
106.75	28,339	111.00	28,834	115.25	29,018
107.00	28,375	111.25	28,854	115.50	29,021
107.25	28,409	111.50	28,873	115.75	29,022
107.50	28,443	111.75	28,890	116.00	29,024
107.75	28,477	112.00	28,906	116.25	29,024
108.00	28,509	112.25	28,921	116.50	29,025
108.25	28,541	112.50	28,935	116.75	29,025
108.50	28,572	112.75	28,948		
108.75	28,602	113.00	28,959		
109.00	28,632	113.25	28,969		
109.25	28,661	113.50	28,979		
109.50	28,688	113.75	28,987		
109.75	28,715	114.00	28,994		
110.00	28,741	114.25	29,001		
110.25	28,766	114.50	29,006		



## Capacity/Gauge Table Information

**TCLX 290253**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 053

Reporting Mark: TCLX 290253

Date: 05/06/2015

Capacity: 29,000 US Gallons (109,775 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,345	12.75	2,230	17.00	3,218
0.25	29	4.50	628	8.75	1,394	13.00	2,286	17.25	3,279
0.50	58	4.75	669	9.00	1,443	13.25	2,342	17.50	3,341
0.75	88	5.00	711	9.25	1,493	13.50	2,398	17.75	3,402
1.00	120	5.25	753	9.50	1,543	13.75	2,454	18.00	3,464
1.25	151	5.50	796	9.75	1,594	14.00	2,511	18.25	3,526
1.50	184	5.75	839	10.00	1,645	14.25	2,568	18.50	3,588
1.75	217	6.00	882	10.25	1,696	14.50	2,626	18.75	3,651
2.00	252	6.25	926	10.50	1,748	14.75	2,684	19.00	3,714
2.25	286	6.50	971	10.75	1,800	15.00	2,742	19.25	3,777
2.50	322	6.75	1,016	11.00	1,852	15.25	2,800	19.50	3,840
2.75	358	7.00	1,062	11.25	1,905	15.50	2,859	19.75	3,904
3.00	395	7.25	1,108	11.50	1,958	15.75	2,918	20.00	3,968
3.25	432	7.50	1,155	11.75	2,012	16.00	2,978	20.25	4,032
3.50	470	7.75	1,202	12.00	2,066	16.25	3,037	20.50	4,097
3.75	509	8.00	1,249	12.25	2,121	16.50	3,097	20.75	4,161
4.00	548	8.25	1,297	12.50	2,175	16.75	3,158	21.00	4,226



## Capacity/Gauge Table Information

**TCLX 290253**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 053

Reporting Mark: TCLX 290253

Date: 05/06/2015

Capacity: 29,000 US Gallons (109,775 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,291	25.50	5,435	29.75	6,638	34.00	7,888	38.25	9,178
21.50	4,357	25.75	5,504	30.00	6,710	34.25	7,963	38.50	9,255
21.75	4,422	26.00	5,574	30.25	6,782	34.50	8,038	38.75	9,332
22.00	4,488	26.25	5,643	30.50	6,855	34.75	8,113	39.00	9,409
22.25	4,555	26.50	5,713	30.75	6,928	35.00	8,189	39.25	9,486
22.50	4,621	26.75	5,783	31.00	7,001	35.25	8,264	39.50	9,563
22.75	4,688	27.00	5,853	31.25	7,074	35.50	8,339	39.75	9,641
23.00	4,754	27.25	5,924	31.50	7,147	35.75	8,415	40.00	9,718
23.25	4,822	27.50	5,994	31.75	7,221	36.00	8,491	40.25	9,796
23.50	4,889	27.75	6,065	32.00	7,294	36.25	8,567	40.50	9,873
23.75	4,956	28.00	6,136	32.25	7,368	36.50	8,643	40.75	9,951
24.00	5,024	28.25	6,207	32.50	7,442	36.75	8,719	41.00	10,029
24.25	5,092	28.50	6,278	32.75	7,516	37.00	8,795	41.25	10,107
24.50	5,160	28.75	6,350	33.00	7,590	37.25	8,871	41.50	10,185
24.75	5,229	29.00	6,422	33.25	7,664	37.50	8,948	41.75	10,263
25.00	5,297	29.25	6,493	33.50	7,739	37.75	9,024	42.00	10,341
25.25	5,366	29.50	6,565	33.75	7,814	38.00	9,101	42.25	10,419



## Capacity/Gauge Table Information

**TCLX 290253**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 053

Reporting Mark: TCLX 290253

Date: 05/06/2015

Capacity: 29,000 US Gallons (109,775 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,498	46.75	11,839	51.00	13,194	55.25	14,556	59.50	15,916
42.75	10,576	47.00	11,918	51.25	13,274	55.50	14,636	59.75	15,996
43.00	10,654	47.25	11,998	51.50	13,354	55.75	14,716	60.00	16,076
43.25	10,733	47.50	12,077	51.75	13,434	56.00	14,796	60.25	16,155
43.50	10,812	47.75	12,157	52.00	13,515	56.25	14,876	60.50	16,235
43.75	10,890	48.00	12,237	52.25	13,595	56.50	14,957	60.75	16,315
44.00	10,969	48.25	12,316	52.50	13,675	56.75	15,037	61.00	16,394
44.25	11,048	48.50	12,396	52.75	13,755	57.00	15,117	61.25	16,474
44.50	11,127	48.75	12,476	53.00	13,835	57.25	15,197	61.50	16,553
44.75	11,206	49.00	12,555	53.25	13,915	57.50	15,277	61.75	16,633
45.00	11,285	49.25	12,635	53.50	13,995	57.75	15,357	62.00	16,712
45.25	11,364	49.50	12,715	53.75	14,075	58.00	15,437	62.25	16,792
45.50	11,443	49.75	12,795	54.00	14,155	58.25	15,517	62.50	16,871
45.75	11,522	50.00	12,875	54.25	14,235	58.50	15,597	62.75	16,950
46.00	11,601	50.25	12,955	54.50	14,316	58.75	15,677	63.00	17,030
46.25	11,680	50.50	13,035	54.75	14,396	59.00	15,756	63.25	17,109
46.50	11,760	50.75	13,114	55.00	14,476	59.25	15,836	63.50	17,188



## Capacity/Gauge Table Information

**TCLX 290253**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 053

Reporting Mark: TCLX 290253

Date: 05/06/2015

Capacity: 29,000 US Gallons (109,775 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,267	68.00	18,601	72.25	19,910	76.50	21,186	80.75	22,419
64.00	17,346	68.25	18,679	72.50	19,986	76.75	21,260	81.00	22,490
64.25	17,425	68.50	18,757	72.75	20,062	77.00	21,333	81.25	22,561
64.50	17,504	68.75	18,834	73.00	20,138	77.25	21,407	81.50	22,632
64.75	17,583	69.00	18,912	73.25	20,214	77.50	21,480	81.75	22,702
65.00	17,662	69.25	18,989	73.50	20,289	77.75	21,554	82.00	22,773
65.25	17,740	69.50	19,066	73.75	20,365	78.00	21,627	82.25	22,843
65.50	17,819	69.75	19,144	74.00	20,440	78.25	21,700	82.50	22,913
65.75	17,897	70.00	19,221	74.25	20,515	78.50	21,772	82.75	22,983
66.00	17,976	70.25	19,298	74.50	20,590	78.75	21,845	83.00	23,052
66.25	18,054	70.50	19,375	74.75	20,665	79.00	21,917	83.25	23,121
66.50	18,133	70.75	19,452	75.00	20,740	79.25	21,990	83.50	23,190
66.75	18,211	71.00	19,528	75.25	20,815	79.50	22,062	83.75	23,259
67.00	18,289	71.25	19,605	75.50	20,889	79.75	22,134	84.00	23,328
67.25	18,367	71.50	19,681	75.75	20,964	80.00	22,205	84.25	23,397
67.50	18,445	71.75	19,758	76.00	21,038	80.25	22,277	84.50	23,465
67.75	18,523	72.00	19,834	76.25	21,112	80.50	22,348	84.75	23,533





## Capacity/Gauge Table Information

**TCLX 290253**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 053

Reporting Mark: TCLX 290253

Date: 05/06/2015

Capacity: 29,000 US Gallons (109,775 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,601	89.25	24,719	93.50	25,762	97.75	26,714	102.00	27,556
85.25	23,668	89.50	24,783	93.75	25,821	98.00	26,767	102.25	27,602
85.50	23,736	89.75	24,846	94.00	25,879	98.25	26,820	102.50	27,647
85.75	23,803	90.00	24,909	94.25	25,937	98.50	26,872	102.75	27,692
86.00	23,870	90.25	24,972	94.50	25,995	98.75	26,923	103.00	27,736
86.25	23,937	90.50	25,034	94.75	26,052	99.00	26,975	103.25	27,779
86.50	24,003	90.75	25,097	95.00	26,110	99.25	27,025	103.50	27,823
86.75	24,070	91.00	25,159	95.25	26,166	99.50	27,076	103.75	27,865
87.00	24,136	91.25	25,220	95.50	26,223	99.75	27,126	104.00	27,907
87.25	24,202	91.50	25,282	95.75	26,279	100.00	27,175	104.25	27,949
87.50	24,267	91.75	25,343	96.00	26,334	100.25	27,225	104.50	27,990
87.75	24,332	92.00	25,404	96.25	26,390	100.50	27,273	104.75	28,030
88.00	24,398	92.25	25,464	96.50	26,445	100.75	27,322	105.00	28,070
88.25	24,462	92.50	25,524	96.75	26,499	101.00	27,370	105.25	28,109
88.50	24,527	92.75	25,584	97.00	26,554	101.25	27,417	105.50	28,148
88.75	24,591	93.00	25,644	97.25	26,608	101.50	27,464	105.75	28,186
89.00	24,655	93.25	25,703	97.50	26,661	101.75	27,510	106.00	28,223



## Capacity/Gauge Table Information

**TCLX 290253**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 053

Reporting Mark: TCLX 290253

Date: 05/06/2015

Capacity: 29,000 US Gallons (109,775 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,260	110.50	28,774	114.75	28,986
106.50	28,297	110.75	28,796	115.00	28,990
106.75	28,332	111.00	28,817	115.25	28,993
107.00	28,367	111.25	28,836	115.50	28,995
107.25	28,401	111.50	28,854	115.75	28,997
107.50	28,435	111.75	28,870	116.00	28,998
107.75	28,468	112.00	28,886	116.25	28,999
108.00	28,500	112.25	28,900	116.50	28,999
108.25	28,531	112.50	28,913	116.75	29,000
108.50	28,562	112.75	28,925		
108.75	28,592	113.00	28,936		
109.00	28,620	113.25	28,946		
109.25	28,649	113.50	28,955		
109.50	28,676	113.75	28,963		
109.75	28,702	114.00	28,970		
110.00	28,727	114.25	28,977		
110.25	28,751	114.50	28,982		



## Capacity/Gauge Table Information

**TCLX 290254**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 054

Reporting Mark: TCLX 290254

Date: 05/06/2015

Capacity: 28,993 US Gallons (109,750 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,223	17.00	3,209
0.25	28	4.50	625	8.75	1,388	13.00	2,278	17.25	3,270
0.50	58	4.75	666	9.00	1,437	13.25	2,334	17.50	3,331
0.75	88	5.00	707	9.25	1,487	13.50	2,390	17.75	3,392
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,454
1.25	150	5.50	792	9.75	1,587	14.00	2,503	18.25	3,516
1.50	183	5.75	835	10.00	1,638	14.25	2,560	18.50	3,578
1.75	216	6.00	878	10.25	1,689	14.50	2,617	18.75	3,640
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,703
2.25	285	6.50	967	10.75	1,793	15.00	2,733	19.25	3,766
2.50	320	6.75	1,011	11.00	1,845	15.25	2,791	19.50	3,830
2.75	356	7.00	1,057	11.25	1,898	15.50	2,850	19.75	3,893
3.00	392	7.25	1,103	11.50	1,951	15.75	2,909	20.00	3,957
3.25	430	7.50	1,149	11.75	2,005	16.00	2,968	20.25	4,021
3.50	468	7.75	1,196	12.00	2,059	16.25	3,028	20.50	4,085
3.75	506	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,150
4.00	545	8.25	1,291	12.50	2,168	16.75	3,148	21.00	4,215



## Capacity/Gauge Table Information

**TCLX 290254**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 054

Reporting Mark: TCLX 290254

Date: 05/06/2015

Capacity: 28,993 US Gallons (109,750 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,280	25.50	5,422	29.75	6,623	34.00	7,873	38.25	9,161
21.50	4,345	25.75	5,491	30.00	6,696	34.25	7,948	38.50	9,238
21.75	4,411	26.00	5,561	30.25	6,768	34.50	8,023	38.75	9,315
22.00	4,477	26.25	5,630	30.50	6,841	34.75	8,098	39.00	9,392
22.25	4,543	26.50	5,700	30.75	6,913	35.00	8,173	39.25	9,469
22.50	4,609	26.75	5,770	31.00	6,986	35.25	8,248	39.50	9,546
22.75	4,676	27.00	5,840	31.25	7,059	35.50	8,324	39.75	9,624
23.00	4,742	27.25	5,910	31.50	7,133	35.75	8,399	40.00	9,701
23.25	4,809	27.50	5,981	31.75	7,206	36.00	8,475	40.25	9,779
23.50	4,877	27.75	6,051	32.00	7,279	36.25	8,551	40.50	9,856
23.75	4,944	28.00	6,122	32.25	7,353	36.50	8,627	40.75	9,934
24.00	5,012	28.25	6,193	32.50	7,427	36.75	8,703	41.00	10,012
24.25	5,080	28.50	6,265	32.75	7,501	37.00	8,779	41.25	10,090
24.50	5,148	28.75	6,336	33.00	7,575	37.25	8,855	41.50	10,168
24.75	5,216	29.00	6,408	33.25	7,649	37.50	8,932	41.75	10,246
25.00	5,285	29.25	6,479	33.50	7,724	37.75	9,008	42.00	10,324
25.25	5,353	29.50	6,551	33.75	7,798	38.00	9,085	42.25	10,402



## Capacity/Gauge Table Information

**TCLX 290254**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 054

Reporting Mark: TCLX 290254

Date: 05/06/2015

Capacity: 28,993 US Gallons (109,750 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,480	46.75	11,821	51.00	13,175	55.25	14,536	59.50	15,896
42.75	10,558	47.00	11,900	51.25	13,255	55.50	14,616	59.75	15,976
43.00	10,637	47.25	11,980	51.50	13,335	55.75	14,696	60.00	16,055
43.25	10,715	47.50	12,059	51.75	13,415	56.00	14,777	60.25	16,135
43.50	10,794	47.75	12,138	52.00	13,495	56.25	14,857	60.50	16,215
43.75	10,872	48.00	12,218	52.25	13,575	56.50	14,937	60.75	16,294
44.00	10,951	48.25	12,298	52.50	13,655	56.75	15,017	61.00	16,374
44.25	11,030	48.50	12,377	52.75	13,735	57.00	15,097	61.25	16,454
44.50	11,109	48.75	12,457	53.00	13,815	57.25	15,177	61.50	16,533
44.75	11,188	49.00	12,537	53.25	13,896	57.50	15,257	61.75	16,612
45.00	11,267	49.25	12,616	53.50	13,976	57.75	15,337	62.00	16,692
45.25	11,346	49.50	12,696	53.75	14,056	58.00	15,417	62.25	16,771
45.50	11,425	49.75	12,776	54.00	14,136	58.25	15,497	62.50	16,851
45.75	11,504	50.00	12,856	54.25	14,216	58.50	15,576	62.75	16,930
46.00	11,583	50.25	12,936	54.50	14,296	58.75	15,656	63.00	17,009
46.25	11,662	50.50	13,016	54.75	14,376	59.00	15,736	63.25	17,088
46.50	11,741	50.75	13,095	55.00	14,456	59.25	15,816	63.50	17,167



## Capacity/Gauge Table Information

**TCLX 290254**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 054

Reporting Mark: TCLX 290254

Date: 05/06/2015

Capacity: 28,993 US Gallons (109,750 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,246	68.00	18,580	72.25	19,889	76.50	21,165	80.75	22,399
64.00	17,325	68.25	18,658	72.50	19,965	76.75	21,239	81.00	22,470
64.25	17,404	68.50	18,736	72.75	20,041	77.00	21,313	81.25	22,541
64.50	17,483	68.75	18,813	73.00	20,117	77.25	21,386	81.50	22,611
64.75	17,562	69.00	18,891	73.25	20,193	77.50	21,459	81.75	22,682
65.00	17,641	69.25	18,968	73.50	20,268	77.75	21,533	82.00	22,752
65.25	17,719	69.50	19,045	73.75	20,344	78.00	21,606	82.25	22,822
65.50	17,798	69.75	19,123	74.00	20,419	78.25	21,679	82.50	22,892
65.75	17,877	70.00	19,200	74.25	20,494	78.50	21,751	82.75	22,962
66.00	17,955	70.25	19,277	74.50	20,569	78.75	21,824	83.00	23,031
66.25	18,034	70.50	19,354	74.75	20,644	79.00	21,896	83.25	23,101
66.50	18,112	70.75	19,431	75.00	20,719	79.25	21,969	83.50	23,170
66.75	18,190	71.00	19,507	75.25	20,794	79.50	22,041	83.75	23,239
67.00	18,268	71.25	19,584	75.50	20,868	79.75	22,113	84.00	23,308
67.25	18,346	71.50	19,660	75.75	20,943	80.00	22,184	84.25	23,376
67.50	18,424	71.75	19,737	76.00	21,017	80.25	22,256	84.50	23,444
67.75	18,502	72.00	19,813	76.25	21,091	80.50	22,327	84.75	23,513



## Capacity/Gauge Table Information

**TCLX 290254**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 054

Reporting Mark: TCLX 290254

Date: 05/06/2015

Capacity: 28,993 US Gallons (109,750 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,580	89.25	24,699	93.50	25,743	97.75	26,697	102.00	27,540
85.25	23,648	89.50	24,763	93.75	25,802	98.00	26,749	102.25	27,586
85.50	23,716	89.75	24,826	94.00	25,860	98.25	26,802	102.50	27,631
85.75	23,783	90.00	24,890	94.25	25,919	98.50	26,854	102.75	27,676
86.00	23,850	90.25	24,952	94.50	25,976	98.75	26,906	103.00	27,720
86.25	23,917	90.50	25,015	94.75	26,034	99.00	26,957	103.25	27,764
86.50	23,983	90.75	25,077	95.00	26,091	99.25	27,008	103.50	27,807
86.75	24,050	91.00	25,139	95.25	26,148	99.50	27,059	103.75	27,850
87.00	24,116	91.25	25,201	95.50	26,204	99.75	27,109	104.00	27,892
87.25	24,181	91.50	25,262	95.75	26,260	100.00	27,158	104.25	27,933
87.50	24,247	91.75	25,323	96.00	26,316	100.25	27,208	104.50	27,975
87.75	24,312	92.00	25,384	96.25	26,372	100.50	27,256	104.75	28,015
88.00	24,378	92.25	25,445	96.50	26,427	100.75	27,305	105.00	28,055
88.25	24,442	92.50	25,505	96.75	26,481	101.00	27,353	105.25	28,094
88.50	24,507	92.75	25,565	97.00	26,536	101.25	27,400	105.50	28,133
88.75	24,571	93.00	25,625	97.25	26,590	101.50	27,447	105.75	28,172
89.00	24,636	93.25	25,684	97.50	26,643	101.75	27,494	106.00	28,209





## Capacity/Gauge Table Information

**TCLX 290254**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 054

Reporting Mark: TCLX 290254

Date: 05/06/2015

Capacity: 28,993 US Gallons (109,750 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,246	110.50	28,764	114.75	28,979
106.50	28,283	110.75	28,786	115.00	28,983
106.75	28,318	111.00	28,807	115.25	28,986
107.00	28,353	111.25	28,826	115.50	28,989
107.25	28,388	111.50	28,844	115.75	28,990
107.50	28,421	111.75	28,861	116.00	28,992
107.75	28,455	112.00	28,877	116.25	28,992
108.00	28,487	112.25	28,892	116.50	28,993
108.25	28,518	112.50	28,905	116.75	28,993
108.50	28,549	112.75	28,917		
108.75	28,579	113.00	28,929		
109.00	28,608	113.25	28,939		
109.25	28,637	113.50	28,948		
109.50	28,664	113.75	28,956		
109.75	28,690	114.00	28,963		
110.00	28,716	114.25	28,969		
110.25	28,740	114.50	28,975		



## Capacity/Gauge Table Information

**TCLX 290255**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 055

Reporting Mark: TCLX 290255

Date: 06/06/2015

Capacity: 29,015 US Gallons (109,834 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	581	8.50	1,332	12.75	2,213	17.00	3,197
0.25	28	4.50	621	8.75	1,381	13.00	2,268	17.25	3,258
0.50	57	4.75	661	9.00	1,430	13.25	2,324	17.50	3,319
0.75	87	5.00	702	9.25	1,479	13.50	2,380	17.75	3,380
1.00	118	5.25	744	9.50	1,529	13.75	2,436	18.00	3,442
1.25	149	5.50	786	9.75	1,579	14.00	2,493	18.25	3,504
1.50	181	5.75	829	10.00	1,630	14.25	2,550	18.50	3,566
1.75	214	6.00	873	10.25	1,681	14.50	2,607	18.75	3,628
2.00	248	6.25	916	10.50	1,733	14.75	2,664	19.00	3,691
2.25	282	6.50	961	10.75	1,784	15.00	2,722	19.25	3,754
2.50	317	6.75	1,005	11.00	1,837	15.25	2,781	19.50	3,817
2.75	353	7.00	1,051	11.25	1,889	15.50	2,839	19.75	3,881
3.00	389	7.25	1,097	11.50	1,942	15.75	2,898	20.00	3,944
3.25	426	7.50	1,143	11.75	1,996	16.00	2,957	20.25	4,008
3.50	464	7.75	1,190	12.00	2,049	16.25	3,017	20.50	4,073
3.75	502	8.00	1,237	12.25	2,104	16.50	3,077	20.75	4,137
4.00	541	8.25	1,284	12.50	2,158	16.75	3,137	21.00	4,202



## Capacity/Gauge Table Information

**TCLX 290255**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 055

Reporting Mark: TCLX 290255

Date: 06/06/2015

Capacity: 29,015 US Gallons (109,834 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,267	25.50	5,408	29.75	6,608	34.00	7,857	38.25	9,145
21.50	4,332	25.75	5,477	30.00	6,680	34.25	7,932	38.50	9,222
21.75	4,398	26.00	5,546	30.25	6,753	34.50	8,006	38.75	9,298
22.00	4,463	26.25	5,616	30.50	6,825	34.75	8,081	39.00	9,375
22.25	4,529	26.50	5,685	30.75	6,898	35.00	8,157	39.25	9,453
22.50	4,596	26.75	5,755	31.00	6,971	35.25	8,232	39.50	9,530
22.75	4,662	27.00	5,825	31.25	7,044	35.50	8,307	39.75	9,607
23.00	4,729	27.25	5,895	31.50	7,117	35.75	8,383	40.00	9,684
23.25	4,796	27.50	5,966	31.75	7,190	36.00	8,459	40.25	9,762
23.50	4,863	27.75	6,037	32.00	7,264	36.25	8,534	40.50	9,839
23.75	4,930	28.00	6,107	32.25	7,337	36.50	8,610	40.75	9,917
24.00	4,998	28.25	6,178	32.50	7,411	36.75	8,686	41.00	9,995
24.25	5,066	28.50	6,250	32.75	7,485	37.00	8,762	41.25	10,073
24.50	5,134	28.75	6,321	33.00	7,559	37.25	8,839	41.50	10,151
24.75	5,202	29.00	6,392	33.25	7,633	37.50	8,915	41.75	10,229
25.00	5,270	29.25	6,464	33.50	7,708	37.75	8,991	42.00	10,307
25.25	5,339	29.50	6,536	33.75	7,782	38.00	9,068	42.25	10,385



## Capacity/Gauge Table Information

**TCLX 290255**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 055

Reporting Mark: TCLX 290255

Date: 06/06/2015

Capacity: 29,015 US Gallons (109,834 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,463	46.75	11,804	51.00	13,158	55.25	14,520	59.50	15,880
42.75	10,541	47.00	11,883	51.25	13,238	55.50	14,600	59.75	15,959
43.00	10,620	47.25	11,962	51.50	13,318	55.75	14,680	60.00	16,039
43.25	10,698	47.50	12,042	51.75	13,398	56.00	14,760	60.25	16,119
43.50	10,777	47.75	12,121	52.00	13,478	56.25	14,840	60.50	16,199
43.75	10,855	48.00	12,201	52.25	13,558	56.50	14,920	60.75	16,278
44.00	10,934	48.25	12,281	52.50	13,638	56.75	15,000	61.00	16,358
44.25	11,013	48.50	12,360	52.75	13,719	57.00	15,080	61.25	16,438
44.50	11,092	48.75	12,440	53.00	13,799	57.25	15,160	61.50	16,517
44.75	11,171	49.00	12,520	53.25	13,879	57.50	15,240	61.75	16,597
45.00	11,250	49.25	12,599	53.50	13,959	57.75	15,320	62.00	16,676
45.25	11,328	49.50	12,679	53.75	14,039	58.00	15,400	62.25	16,755
45.50	11,408	49.75	12,759	54.00	14,119	58.25	15,480	62.50	16,835
45.75	11,487	50.00	12,839	54.25	14,199	58.50	15,560	62.75	16,914
46.00	11,566	50.25	12,919	54.50	14,279	58.75	15,640	63.00	16,993
46.25	11,645	50.50	12,999	54.75	14,359	59.00	15,720	63.25	17,073
46.50	11,724	50.75	13,078	55.00	14,439	59.25	15,800	63.50	17,152



## Capacity/Gauge Table Information

**TCLX 290255**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 055

Reporting Mark: TCLX 290255

Date: 06/06/2015

Capacity: 29,015 US Gallons (109,834 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,231	68.00	18,566	72.25	19,876	76.50	21,153	80.75	22,388
64.00	17,310	68.25	18,643	72.50	19,952	76.75	21,227	81.00	22,459
64.25	17,389	68.50	18,721	72.75	20,028	77.00	21,301	81.25	22,530
64.50	17,468	68.75	18,799	73.00	20,104	77.25	21,374	81.50	22,601
64.75	17,547	69.00	18,876	73.25	20,179	77.50	21,448	81.75	22,672
65.00	17,626	69.25	18,954	73.50	20,255	77.75	21,521	82.00	22,742
65.25	17,704	69.50	19,031	73.75	20,331	78.00	21,594	82.25	22,812
65.50	17,783	69.75	19,108	74.00	20,406	78.25	21,667	82.50	22,882
65.75	17,862	70.00	19,186	74.25	20,481	78.50	21,740	82.75	22,952
66.00	17,940	70.25	19,263	74.50	20,556	78.75	21,813	83.00	23,022
66.25	18,019	70.50	19,340	74.75	20,631	79.00	21,885	83.25	23,091
66.50	18,097	70.75	19,417	75.00	20,706	79.25	21,957	83.50	23,160
66.75	18,175	71.00	19,493	75.25	20,781	79.50	22,030	83.75	23,230
67.00	18,253	71.25	19,570	75.50	20,856	79.75	22,102	84.00	23,298
67.25	18,332	71.50	19,647	75.75	20,930	80.00	22,174	84.25	23,367
67.50	18,410	71.75	19,723	76.00	21,005	80.25	22,245	84.50	23,435
67.75	18,488	72.00	19,799	76.25	21,079	80.50	22,317	84.75	23,504



## Capacity/Gauge Table Information

**TCLX 290255**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 055

Reporting Mark: TCLX 290255

Date: 06/06/2015

Capacity: 29,015 US Gallons (109,834 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,572	89.25	24,693	93.50	25,739	97.75	26,695	102.00	27,543
85.25	23,639	89.50	24,757	93.75	25,798	98.00	26,749	102.25	27,589
85.50	23,707	89.75	24,820	94.00	25,857	98.25	26,801	102.50	27,634
85.75	23,774	90.00	24,883	94.25	25,915	98.50	26,854	102.75	27,679
86.00	23,842	90.25	24,946	94.50	25,973	98.75	26,905	103.00	27,723
86.25	23,908	90.50	25,009	94.75	26,031	99.00	26,957	103.25	27,767
86.50	23,975	90.75	25,071	95.00	26,088	99.25	27,008	103.50	27,811
86.75	24,042	91.00	25,134	95.25	26,145	99.50	27,059	103.75	27,854
87.00	24,108	91.25	25,195	95.50	26,201	99.75	27,109	104.00	27,896
87.25	24,174	91.50	25,257	95.75	26,258	100.00	27,159	104.25	27,938
87.50	24,240	91.75	25,318	96.00	26,314	100.25	27,209	104.50	27,979
87.75	24,305	92.00	25,379	96.25	26,369	100.50	27,258	104.75	28,020
88.00	24,370	92.25	25,440	96.50	26,425	100.75	27,306	105.00	28,061
88.25	24,435	92.50	25,500	96.75	26,479	101.00	27,354	105.25	28,100
88.50	24,500	92.75	25,561	97.00	26,534	101.25	27,402	105.50	28,139
88.75	24,565	93.00	25,620	97.25	26,588	101.50	27,449	105.75	28,178
89.00	24,629	93.25	25,680	97.50	26,642	101.75	27,496	106.00	28,216



## Capacity/Gauge Table Information

**TCLX 290255**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 055

Reporting Mark: TCLX 290255

Date: 06/06/2015

Capacity: 29,015 US Gallons (109,834 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,253	110.50	28,778	114.75	29,001
106.50	28,290	110.75	28,801	115.00	29,005
106.75	28,326	111.00	28,822	115.25	29,008
107.00	28,361	111.25	28,842	115.50	29,011
107.25	28,396	111.50	28,861	115.75	29,013
107.50	28,430	111.75	28,879	116.00	29,014
107.75	28,464	112.00	28,895	116.25	29,015
108.00	28,496	112.25	28,910	116.50	29,015
108.25	28,528	112.50	28,924	116.75	29,015
108.50	28,559	112.75	28,937		
108.75	28,590	113.00	28,949		
109.00	28,619	113.25	28,959		
109.25	28,648	113.50	28,968		
109.50	28,676	113.75	28,977		
109.75	28,703	114.00	28,984		
110.00	28,729	114.25	28,991		
110.25	28,754	114.50	28,996		





## Capacity/Gauge Table Information

**TCLX 290256**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 056

Reporting Mark: TCLX 290256

Date: 15/06/2015

Capacity: 29,019 US Gallons (109,849 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	575	8.50	1,322	12.75	2,199	17.00	3,180
0.25	28	4.50	614	8.75	1,370	13.00	2,254	17.25	3,241
0.50	56	4.75	655	9.00	1,419	13.25	2,309	17.50	3,301
0.75	86	5.00	696	9.25	1,468	13.50	2,365	17.75	3,363
1.00	116	5.25	737	9.50	1,518	13.75	2,421	18.00	3,424
1.25	147	5.50	779	9.75	1,568	14.00	2,478	18.25	3,486
1.50	179	5.75	822	10.00	1,618	14.25	2,534	18.50	3,548
1.75	211	6.00	865	10.25	1,669	14.50	2,591	18.75	3,610
2.00	245	6.25	908	10.50	1,720	14.75	2,649	19.00	3,672
2.25	279	6.50	952	10.75	1,772	15.00	2,707	19.25	3,735
2.50	313	6.75	997	11.00	1,824	15.25	2,765	19.50	3,798
2.75	349	7.00	1,042	11.25	1,876	15.50	2,823	19.75	3,862
3.00	385	7.25	1,087	11.50	1,929	15.75	2,882	20.00	3,925
3.25	422	7.50	1,133	11.75	1,982	16.00	2,941	20.25	3,989
3.50	459	7.75	1,180	12.00	2,036	16.25	3,000	20.50	4,053
3.75	497	8.00	1,227	12.25	2,090	16.50	3,060	20.75	4,118
4.00	536	8.25	1,274	12.50	2,144	16.75	3,120	21.00	4,182



## Capacity/Gauge Table Information

**TCLX 290256**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 056

Reporting Mark: TCLX 290256

Date: 15/06/2015

Capacity: 29,019 US Gallons (109,849 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,247	25.50	5,386	29.75	6,584	34.00	7,831	38.25	9,118
21.50	4,312	25.75	5,455	30.00	6,656	34.25	7,906	38.50	9,195
21.75	4,378	26.00	5,524	30.25	6,729	34.50	7,981	38.75	9,272
22.00	4,443	26.25	5,593	30.50	6,801	34.75	8,056	39.00	9,349
22.25	4,509	26.50	5,663	30.75	6,874	35.00	8,131	39.25	9,426
22.50	4,575	26.75	5,733	31.00	6,946	35.25	8,206	39.50	9,503
22.75	4,642	27.00	5,803	31.25	7,019	35.50	8,281	39.75	9,580
23.00	4,708	27.25	5,873	31.50	7,092	35.75	8,357	40.00	9,657
23.25	4,775	27.50	5,943	31.75	7,166	36.00	8,433	40.25	9,735
23.50	4,842	27.75	6,014	32.00	7,239	36.25	8,508	40.50	9,812
23.75	4,909	28.00	6,084	32.25	7,313	36.50	8,584	40.75	9,890
24.00	4,977	28.25	6,155	32.50	7,386	36.75	8,660	41.00	9,967
24.25	5,044	28.50	6,226	32.75	7,460	37.00	8,736	41.25	10,045
24.50	5,112	28.75	6,297	33.00	7,534	37.25	8,812	41.50	10,123
24.75	5,180	29.00	6,369	33.25	7,608	37.50	8,889	41.75	10,201
25.00	5,249	29.25	6,440	33.50	7,682	37.75	8,965	42.00	10,279
25.25	5,317	29.50	6,512	33.75	7,757	38.00	9,041	42.25	10,357



## Capacity/Gauge Table Information

**TCLX 290256**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 056

Reporting Mark: TCLX 290256

Date: 15/06/2015

Capacity: 29,019 US Gallons (109,849 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,435	46.75	11,775	51.00	13,129	55.25	14,490	59.50	15,850
42.75	10,514	47.00	11,854	51.25	13,209	55.50	14,570	59.75	15,930
43.00	10,592	47.25	11,934	51.50	13,289	55.75	14,650	60.00	16,010
43.25	10,670	47.50	12,013	51.75	13,369	56.00	14,730	60.25	16,089
43.50	10,749	47.75	12,093	52.00	13,449	56.25	14,810	60.50	16,169
43.75	10,827	48.00	12,172	52.25	13,529	56.50	14,890	60.75	16,249
44.00	10,906	48.25	12,252	52.50	13,609	56.75	14,971	61.00	16,328
44.25	10,985	48.50	12,331	52.75	13,689	57.00	15,051	61.25	16,408
44.50	11,064	48.75	12,411	53.00	13,769	57.25	15,131	61.50	16,487
44.75	11,142	49.00	12,491	53.25	13,849	57.50	15,211	61.75	16,567
45.00	11,221	49.25	12,570	53.50	13,929	57.75	15,291	62.00	16,646
45.25	11,300	49.50	12,650	53.75	14,009	58.00	15,371	62.25	16,726
45.50	11,379	49.75	12,730	54.00	14,090	58.25	15,451	62.50	16,805
45.75	11,458	50.00	12,810	54.25	14,170	58.50	15,530	62.75	16,885
46.00	11,537	50.25	12,890	54.50	14,250	58.75	15,610	63.00	16,964
46.25	11,617	50.50	12,969	54.75	14,330	59.00	15,690	63.25	17,043
46.50	11,696	50.75	13,049	55.00	14,410	59.25	15,770	63.50	17,122



## Capacity/Gauge Table Information

**TCLX 290256**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 056

Reporting Mark: TCLX 290256

Date: 15/06/2015

Capacity: 29,019 US Gallons (109,849 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,201	68.00	18,536	72.25	19,847	76.50	21,125	80.75	22,361
64.00	17,280	68.25	18,614	72.50	19,923	76.75	21,199	81.00	22,432
64.25	17,359	68.50	18,692	72.75	19,999	77.00	21,273	81.25	22,504
64.50	17,438	68.75	18,770	73.00	20,075	77.25	21,346	81.50	22,574
64.75	17,517	69.00	18,847	73.25	20,151	77.50	21,420	81.75	22,645
65.00	17,596	69.25	18,925	73.50	20,227	77.75	21,493	82.00	22,716
65.25	17,675	69.50	19,002	73.75	20,302	78.00	21,567	82.25	22,786
65.50	17,753	69.75	19,079	74.00	20,378	78.25	21,640	82.50	22,856
65.75	17,832	70.00	19,157	74.25	20,453	78.50	21,712	82.75	22,926
66.00	17,911	70.25	19,234	74.50	20,528	78.75	21,785	83.00	22,996
66.25	17,989	70.50	19,311	74.75	20,603	79.00	21,858	83.25	23,065
66.50	18,068	70.75	19,388	75.00	20,678	79.25	21,930	83.50	23,135
66.75	18,146	71.00	19,465	75.25	20,753	79.50	22,003	83.75	23,204
67.00	18,224	71.25	19,541	75.50	20,828	79.75	22,075	84.00	23,273
67.25	18,302	71.50	19,618	75.75	20,902	80.00	22,147	84.25	23,341
67.50	18,380	71.75	19,694	76.00	20,977	80.25	22,218	84.50	23,410
67.75	18,458	72.00	19,771	76.25	21,051	80.50	22,290	84.75	23,478



## Capacity/Gauge Table Information

**TCLX 290256**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 056

Reporting Mark: TCLX 290256

Date: 15/06/2015

Capacity: 29,019 US Gallons (109,849 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,546	89.25	24,669	93.50	25,718	97.75	26,677	102.00	27,527
85.25	23,614	89.50	24,733	93.75	25,777	98.00	26,730	102.25	27,573
85.50	23,682	89.75	24,797	94.00	25,835	98.25	26,783	102.50	27,619
85.75	23,749	90.00	24,860	94.25	25,894	98.50	26,835	102.75	27,664
86.00	23,817	90.25	24,923	94.50	25,952	98.75	26,887	103.00	27,709
86.25	23,884	90.50	24,986	94.75	26,010	99.00	26,939	103.25	27,753
86.50	23,950	90.75	25,048	95.00	26,067	99.25	26,990	103.50	27,797
86.75	24,017	91.00	25,111	95.25	26,124	99.50	27,041	103.75	27,840
87.00	24,083	91.25	25,173	95.50	26,181	99.75	27,092	104.00	27,882
87.25	24,149	91.50	25,234	95.75	26,238	100.00	27,142	104.25	27,925
87.50	24,215	91.75	25,296	96.00	26,294	100.25	27,191	104.50	27,966
87.75	24,281	92.00	25,357	96.25	26,349	100.50	27,241	104.75	28,007
88.00	24,346	92.25	25,418	96.50	26,405	100.75	27,290	105.00	28,048
88.25	24,411	92.50	25,478	96.75	26,460	101.00	27,338	105.25	28,088
88.50	24,476	92.75	25,539	97.00	26,515	101.25	27,386	105.50	28,127
88.75	24,541	93.00	25,599	97.25	26,569	101.50	27,433	105.75	28,166
89.00	24,605	93.25	25,658	97.50	26,623	101.75	27,480	106.00	28,204



## Capacity/Gauge Table Information

**TCLX 290256**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 056

Reporting Mark: TCLX 290256

Date: 15/06/2015

Capacity: 29,019 US Gallons (109,849 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,242	110.50	28,773	114.75	29,005
106.50	28,279	110.75	28,797	115.00	29,009
106.75	28,315	111.00	28,819	115.25	29,012
107.00	28,351	111.25	28,840	115.50	29,014
107.25	28,386	111.50	28,860	115.75	29,016
107.50	28,420	111.75	28,878	116.00	29,018
107.75	28,454	112.00	28,895	116.25	29,018
108.00	28,487	112.25	28,910	116.50	29,019
108.25	28,519	112.50	28,925	116.75	29,019
108.50	28,551	112.75	28,938		
108.75	28,582	113.00	28,950		
109.00	28,612	113.25	28,961		
109.25	28,641	113.50	28,971		
109.50	28,669	113.75	28,979		
109.75	28,697	114.00	28,987		
110.00	28,723	114.25	28,994		
110.25	28,749	114.50	29,000		



## Capacity/Gauge Table Information

**TCLX 290257**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 057

Reporting Mark: TCLX 290257

Date: 12/06/2015

Capacity: 29,000 US Gallons (109,776 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	580	8.50	1,332	12.75	2,212	17.00	3,196
0.25	28	4.50	620	8.75	1,380	13.00	2,268	17.25	3,257
0.50	57	4.75	661	9.00	1,429	13.25	2,323	17.50	3,318
0.75	87	5.00	702	9.25	1,479	13.50	2,379	17.75	3,379
1.00	117	5.25	744	9.50	1,529	13.75	2,435	18.00	3,441
1.25	149	5.50	786	9.75	1,579	14.00	2,492	18.25	3,503
1.50	181	5.75	829	10.00	1,629	14.25	2,549	18.50	3,565
1.75	214	6.00	872	10.25	1,681	14.50	2,606	18.75	3,627
2.00	248	6.25	916	10.50	1,732	14.75	2,664	19.00	3,690
2.25	282	6.50	960	10.75	1,784	15.00	2,722	19.25	3,753
2.50	317	6.75	1,005	11.00	1,836	15.25	2,780	19.50	3,816
2.75	353	7.00	1,050	11.25	1,889	15.50	2,838	19.75	3,880
3.00	389	7.25	1,096	11.50	1,942	15.75	2,897	20.00	3,943
3.25	426	7.50	1,142	11.75	1,995	16.00	2,956	20.25	4,007
3.50	464	7.75	1,189	12.00	2,049	16.25	3,016	20.50	4,072
3.75	502	8.00	1,236	12.25	2,103	16.50	3,076	20.75	4,136
4.00	541	8.25	1,284	12.50	2,157	16.75	3,136	21.00	4,201





## Capacity/Gauge Table Information

**TCLX 290257**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 057

Reporting Mark: TCLX 290257

Date: 12/06/2015

Capacity: 29,000 US Gallons (109,776 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,266	25.50	5,407	29.75	6,606	34.00	7,855	38.25	9,143
21.50	4,331	25.75	5,476	30.00	6,679	34.25	7,930	38.50	9,219
21.75	4,397	26.00	5,545	30.25	6,751	34.50	8,005	38.75	9,296
22.00	4,462	26.25	5,614	30.50	6,823	34.75	8,080	39.00	9,373
22.25	4,528	26.50	5,684	30.75	6,896	35.00	8,155	39.25	9,450
22.50	4,595	26.75	5,754	31.00	6,969	35.25	8,230	39.50	9,528
22.75	4,661	27.00	5,824	31.25	7,042	35.50	8,305	39.75	9,605
23.00	4,728	27.25	5,894	31.50	7,115	35.75	8,381	40.00	9,682
23.25	4,795	27.50	5,964	31.75	7,188	36.00	8,457	40.25	9,760
23.50	4,862	27.75	6,035	32.00	7,262	36.25	8,532	40.50	9,837
23.75	4,929	28.00	6,106	32.25	7,336	36.50	8,608	40.75	9,915
24.00	4,997	28.25	6,177	32.50	7,409	36.75	8,684	41.00	9,993
24.25	5,064	28.50	6,248	32.75	7,483	37.00	8,760	41.25	10,070
24.50	5,132	28.75	6,319	33.00	7,557	37.25	8,837	41.50	10,148
24.75	5,201	29.00	6,391	33.25	7,632	37.50	8,913	41.75	10,226
25.00	5,269	29.25	6,463	33.50	7,706	37.75	8,989	42.00	10,304
25.25	5,338	29.50	6,534	33.75	7,780	38.00	9,066	42.25	10,382



## Capacity/Gauge Table Information

**TCLX 290257**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 057

Reporting Mark: TCLX 290257

Date: 12/06/2015

Capacity: 29,000 US Gallons (109,776 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,461	46.75	11,801	51.00	13,155	55.25	14,516	59.50	15,876
42.75	10,539	47.00	11,880	51.25	13,235	55.50	14,596	59.75	15,956
43.00	10,617	47.25	11,960	51.50	13,315	55.75	14,676	60.00	16,035
43.25	10,696	47.50	12,039	51.75	13,395	56.00	14,756	60.25	16,115
43.50	10,774	47.75	12,119	52.00	13,475	56.25	14,836	60.50	16,195
43.75	10,853	48.00	12,198	52.25	13,555	56.50	14,916	60.75	16,274
44.00	10,932	48.25	12,278	52.50	13,635	56.75	14,997	61.00	16,354
44.25	11,010	48.50	12,357	52.75	13,715	57.00	15,077	61.25	16,433
44.50	11,089	48.75	12,437	53.00	13,795	57.25	15,157	61.50	16,513
44.75	11,168	49.00	12,517	53.25	13,875	57.50	15,237	61.75	16,592
45.00	11,247	49.25	12,596	53.50	13,955	57.75	15,317	62.00	16,672
45.25	11,326	49.50	12,676	53.75	14,036	58.00	15,396	62.25	16,751
45.50	11,405	49.75	12,756	54.00	14,116	58.25	15,476	62.50	16,831
45.75	11,484	50.00	12,836	54.25	14,196	58.50	15,556	62.75	16,910
46.00	11,563	50.25	12,916	54.50	14,276	58.75	15,636	63.00	16,989
46.25	11,642	50.50	12,995	54.75	14,356	59.00	15,716	63.25	17,068
46.50	11,722	50.75	13,075	55.00	14,436	59.25	15,796	63.50	17,148



## Capacity/Gauge Table Information

**TCLX 290257**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 057

Reporting Mark: TCLX 290257

Date: 12/06/2015

Capacity: 29,000 US Gallons (109,776 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,227	68.00	18,561	72.25	19,870	76.50	21,147	80.75	22,382
64.00	17,306	68.25	18,639	72.50	19,947	76.75	21,221	81.00	22,453
64.25	17,385	68.50	18,716	72.75	20,022	77.00	21,295	81.25	22,524
64.50	17,463	68.75	18,794	73.00	20,098	77.25	21,368	81.50	22,595
64.75	17,542	69.00	18,871	73.25	20,174	77.50	21,442	81.75	22,665
65.00	17,621	69.25	18,949	73.50	20,250	77.75	21,515	82.00	22,735
65.25	17,700	69.50	19,026	73.75	20,325	78.00	21,588	82.25	22,806
65.50	17,778	69.75	19,104	74.00	20,401	78.25	21,661	82.50	22,876
65.75	17,857	70.00	19,181	74.25	20,476	78.50	21,734	82.75	22,945
66.00	17,936	70.25	19,258	74.50	20,551	78.75	21,806	83.00	23,015
66.25	18,014	70.50	19,335	74.75	20,626	79.00	21,879	83.25	23,085
66.50	18,092	70.75	19,412	75.00	20,701	79.25	21,951	83.50	23,154
66.75	18,171	71.00	19,488	75.25	20,775	79.50	22,023	83.75	23,223
67.00	18,249	71.25	19,565	75.50	20,850	79.75	22,095	84.00	23,292
67.25	18,327	71.50	19,641	75.75	20,925	80.00	22,167	84.25	23,360
67.50	18,405	71.75	19,718	76.00	20,999	80.25	22,239	84.50	23,429
67.75	18,483	72.00	19,794	76.25	21,073	80.50	22,310	84.75	23,497



## Capacity/Gauge Table Information

**TCLX 290257**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 057

Reporting Mark: TCLX 290257

Date: 12/06/2015

Capacity: 29,000 US Gallons (109,776 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,565	89.25	24,685	93.50	25,731	97.75	26,686	102.00	27,533
85.25	23,632	89.50	24,749	93.75	25,790	98.00	26,739	102.25	27,578
85.50	23,700	89.75	24,812	94.00	25,848	98.25	26,792	102.50	27,624
85.75	23,767	90.00	24,876	94.25	25,906	98.50	26,844	102.75	27,669
86.00	23,834	90.25	24,939	94.50	25,964	98.75	26,896	103.00	27,713
86.25	23,901	90.50	25,001	94.75	26,022	99.00	26,948	103.25	27,757
86.50	23,968	90.75	25,064	95.00	26,079	99.25	26,999	103.50	27,800
86.75	24,034	91.00	25,126	95.25	26,136	99.50	27,049	103.75	27,843
87.00	24,101	91.25	25,187	95.50	26,193	99.75	27,100	104.00	27,886
87.25	24,166	91.50	25,249	95.75	26,249	100.00	27,149	104.25	27,927
87.50	24,232	91.75	25,310	96.00	26,305	100.25	27,199	104.50	27,969
87.75	24,298	92.00	25,371	96.25	26,360	100.50	27,248	104.75	28,009
88.00	24,363	92.25	25,432	96.50	26,416	100.75	27,296	105.00	28,050
88.25	24,428	92.50	25,492	96.75	26,471	101.00	27,345	105.25	28,089
88.50	24,493	92.75	25,552	97.00	26,525	101.25	27,392	105.50	28,128
88.75	24,557	93.00	25,612	97.25	26,579	101.50	27,439	105.75	28,167
89.00	24,621	93.25	25,672	97.50	26,633	101.75	27,486	106.00	28,205



## Capacity/Gauge Table Information

**TCLX 290257**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 057

Reporting Mark: TCLX 290257

Date: 12/06/2015

Capacity: 29,000 US Gallons (109,776 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,242	110.50	28,765	114.75	28,986
106.50	28,279	110.75	28,788	115.00	28,990
106.75	28,314	111.00	28,809	115.25	28,993
107.00	28,350	111.25	28,829	115.50	28,996
107.25	28,384	111.50	28,848	115.75	28,997
107.50	28,418	111.75	28,865	116.00	28,999
107.75	28,452	112.00	28,881	116.25	28,999
108.00	28,484	112.25	28,896	116.50	29,000
108.25	28,516	112.50	28,910	116.75	29,000
108.50	28,547	112.75	28,923		
108.75	28,577	113.00	28,934		
109.00	28,607	113.25	28,944		
109.25	28,636	113.50	28,954		
109.50	28,663	113.75	28,962		
109.75	28,690	114.00	28,969		
110.00	28,716	114.25	28,976		
110.25	28,741	114.50	28,981		



## Capacity/Gauge Table Information

**TCLX 290258**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 058

Reporting Mark: TCLX 290258

Date: 17/06/2015

Capacity: 29,010 US Gallons (109,815 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	575	8.50	1,323	12.75	2,201	17.00	3,182
0.25	28	4.50	615	8.75	1,372	13.00	2,256	17.25	3,243
0.50	56	4.75	656	9.00	1,420	13.25	2,311	17.50	3,303
0.75	86	5.00	696	9.25	1,469	13.50	2,367	17.75	3,365
1.00	116	5.25	738	9.50	1,519	13.75	2,423	18.00	3,426
1.25	147	5.50	780	9.75	1,569	14.00	2,479	18.25	3,488
1.50	179	5.75	822	10.00	1,620	14.25	2,536	18.50	3,550
1.75	212	6.00	866	10.25	1,670	14.50	2,593	18.75	3,612
2.00	245	6.25	909	10.50	1,722	14.75	2,651	19.00	3,675
2.25	279	6.50	953	10.75	1,773	15.00	2,708	19.25	3,737
2.50	314	6.75	998	11.00	1,825	15.25	2,767	19.50	3,800
2.75	349	7.00	1,043	11.25	1,878	15.50	2,825	19.75	3,864
3.00	385	7.25	1,088	11.50	1,931	15.75	2,884	20.00	3,927
3.25	422	7.50	1,134	11.75	1,984	16.00	2,943	20.25	3,991
3.50	460	7.75	1,181	12.00	2,038	16.25	3,002	20.50	4,055
3.75	498	8.00	1,228	12.25	2,092	16.50	3,062	20.75	4,120
4.00	536	8.25	1,275	12.50	2,146	16.75	3,122	21.00	4,184



## Capacity/Gauge Table Information

**TCLX 290258**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 058

Reporting Mark: TCLX 290258

Date: 17/06/2015

Capacity: 29,010 US Gallons (109,815 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,249	25.50	5,388	29.75	6,587	34.00	7,834	38.25	9,121
21.50	4,315	25.75	5,457	30.00	6,659	34.25	7,909	38.50	9,197
21.75	4,380	26.00	5,526	30.25	6,731	34.50	7,983	38.75	9,274
22.00	4,446	26.25	5,596	30.50	6,803	34.75	8,058	39.00	9,351
22.25	4,511	26.50	5,665	30.75	6,876	35.00	8,133	39.25	9,428
22.50	4,578	26.75	5,735	31.00	6,949	35.25	8,209	39.50	9,505
22.75	4,644	27.00	5,805	31.25	7,022	35.50	8,284	39.75	9,582
23.00	4,710	27.25	5,875	31.50	7,095	35.75	8,359	40.00	9,660
23.25	4,777	27.50	5,945	31.75	7,168	36.00	8,435	40.25	9,737
23.50	4,844	27.75	6,016	32.00	7,241	36.25	8,511	40.50	9,815
23.75	4,911	28.00	6,087	32.25	7,315	36.50	8,587	40.75	9,892
24.00	4,979	28.25	6,158	32.50	7,389	36.75	8,663	41.00	9,970
24.25	5,047	28.50	6,229	32.75	7,463	37.00	8,739	41.25	10,048
24.50	5,115	28.75	6,300	33.00	7,537	37.25	8,815	41.50	10,126
24.75	5,183	29.00	6,371	33.25	7,611	37.50	8,891	41.75	10,204
25.00	5,251	29.25	6,443	33.50	7,685	37.75	8,967	42.00	10,282
25.25	5,320	29.50	6,515	33.75	7,759	38.00	9,044	42.25	10,360





## Capacity/Gauge Table Information

**TCLX 290258**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 058

Reporting Mark: TCLX 290258

Date: 17/06/2015

Capacity: 29,010 US Gallons (109,815 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,438	46.75	11,777	51.00	13,131	55.25	14,492	59.50	15,852
42.75	10,516	47.00	11,857	51.25	13,211	55.50	14,572	59.75	15,932
43.00	10,594	47.25	11,936	51.50	13,291	55.75	14,652	60.00	16,011
43.25	10,673	47.50	12,016	51.75	13,371	56.00	14,732	60.25	16,091
43.50	10,751	47.75	12,095	52.00	13,451	56.25	14,812	60.50	16,171
43.75	10,830	48.00	12,175	52.25	13,531	56.50	14,892	60.75	16,250
44.00	10,908	48.25	12,254	52.50	13,611	56.75	14,972	61.00	16,330
44.25	10,987	48.50	12,334	52.75	13,691	57.00	15,053	61.25	16,410
44.50	11,066	48.75	12,413	53.00	13,771	57.25	15,133	61.50	16,489
44.75	11,145	49.00	12,493	53.25	13,851	57.50	15,213	61.75	16,569
45.00	11,224	49.25	12,573	53.50	13,932	57.75	15,293	62.00	16,648
45.25	11,303	49.50	12,652	53.75	14,012	58.00	15,372	62.25	16,727
45.50	11,382	49.75	12,732	54.00	14,092	58.25	15,452	62.50	16,807
45.75	11,461	50.00	12,812	54.25	14,172	58.50	15,532	62.75	16,886
46.00	11,540	50.25	12,892	54.50	14,252	58.75	15,612	63.00	16,965
46.25	11,619	50.50	12,972	54.75	14,332	59.00	15,692	63.25	17,045
46.50	11,698	50.75	13,052	55.00	14,412	59.25	15,772	63.50	17,124



## Capacity/Gauge Table Information

**TCLX 290258**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 058

Reporting Mark: TCLX 290258

Date: 17/06/2015

Capacity: 29,010 US Gallons (109,815 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,203	68.00	18,538	72.25	19,848	76.50	21,125	80.75	22,361
64.00	17,282	68.25	18,615	72.50	19,924	76.75	21,199	81.00	22,432
64.25	17,361	68.50	18,693	72.75	20,000	77.00	21,273	81.25	22,503
64.50	17,440	68.75	18,771	73.00	20,076	77.25	21,347	81.50	22,574
64.75	17,519	69.00	18,848	73.25	20,152	77.50	21,420	81.75	22,645
65.00	17,597	69.25	18,926	73.50	20,227	77.75	21,494	82.00	22,715
65.25	17,676	69.50	19,003	73.75	20,303	78.00	21,567	82.25	22,786
65.50	17,755	69.75	19,080	74.00	20,378	78.25	21,640	82.50	22,856
65.75	17,833	70.00	19,158	74.25	20,454	78.50	21,713	82.75	22,926
66.00	17,912	70.25	19,235	74.50	20,529	78.75	21,785	83.00	22,995
66.25	17,990	70.50	19,312	74.75	20,604	79.00	21,858	83.25	23,065
66.50	18,069	70.75	19,389	75.00	20,679	79.25	21,930	83.50	23,134
66.75	18,147	71.00	19,465	75.25	20,754	79.50	22,003	83.75	23,203
67.00	18,225	71.25	19,542	75.50	20,828	79.75	22,075	84.00	23,272
67.25	18,304	71.50	19,619	75.75	20,903	80.00	22,147	84.25	23,341
67.50	18,382	71.75	19,695	76.00	20,977	80.25	22,218	84.50	23,409
67.75	18,460	72.00	19,772	76.25	21,051	80.50	22,290	84.75	23,478



## Capacity/Gauge Table Information

**TCLX 290258**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 058

Reporting Mark: TCLX 290258

Date: 17/06/2015

Capacity: 29,010 US Gallons (109,815 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,546	89.25	24,668	93.50	25,716	97.75	26,674	102.00	27,523
85.25	23,614	89.50	24,732	93.75	25,775	98.00	26,727	102.25	27,569
85.50	23,681	89.75	24,795	94.00	25,833	98.25	26,780	102.50	27,615
85.75	23,749	90.00	24,859	94.25	25,892	98.50	26,832	102.75	27,660
86.00	23,816	90.25	24,922	94.50	25,950	98.75	26,884	103.00	27,705
86.25	23,883	90.50	24,985	94.75	26,008	99.00	26,936	103.25	27,749
86.50	23,950	90.75	25,047	95.00	26,065	99.25	26,987	103.50	27,793
86.75	24,016	91.00	25,109	95.25	26,122	99.50	27,038	103.75	27,836
87.00	24,082	91.25	25,171	95.50	26,179	99.75	27,089	104.00	27,878
87.25	24,148	91.50	25,233	95.75	26,235	100.00	27,139	104.25	27,920
87.50	24,214	91.75	25,294	96.00	26,291	100.25	27,188	104.50	27,962
87.75	24,280	92.00	25,355	96.25	26,347	100.50	27,237	104.75	28,003
88.00	24,345	92.25	25,416	96.50	26,402	100.75	27,286	105.00	28,043
88.25	24,410	92.50	25,477	96.75	26,457	101.00	27,335	105.25	28,083
88.50	24,475	92.75	25,537	97.00	26,512	101.25	27,382	105.50	28,123
88.75	24,540	93.00	25,597	97.25	26,566	101.50	27,430	105.75	28,161
89.00	24,604	93.25	25,656	97.50	26,620	101.75	27,477	106.00	28,199



## Capacity/Gauge Table Information

**TCLX 290258**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 058

Reporting Mark: TCLX 290258

Date: 17/06/2015

Capacity: 29,010 US Gallons (109,815 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,237	110.50	28,767	114.75	28,996
106.50	28,274	110.75	28,790	115.00	29,000
106.75	28,310	111.00	28,812	115.25	29,003
107.00	28,346	111.25	28,833	115.50	29,006
107.25	28,381	111.50	28,852	115.75	29,008
107.50	28,415	111.75	28,870	116.00	29,009
107.75	28,449	112.00	28,887	116.25	29,010
108.00	28,482	112.25	28,903	116.50	29,010
108.25	28,514	112.50	28,917	116.75	29,010
108.50	28,545	112.75	28,930		
108.75	28,576	113.00	28,942		
109.00	28,606	113.25	28,953		
109.25	28,635	113.50	28,962		
109.50	28,663	113.75	28,971		
109.75	28,690	114.00	28,979		
110.00	28,717	114.25	28,985		
110.25	28,742	114.50	28,991		



## Capacity/Gauge Table Information

**TCLX 290259**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 059

Reporting Mark: TCLX 290259

Date: 15/06/2015

Capacity: 28,974 US Gallons (109,677 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,350	12.75	2,236	17.00	3,225
0.25	29	4.50	631	8.75	1,398	13.00	2,292	17.25	3,286
0.50	58	4.75	672	9.00	1,448	13.25	2,347	17.50	3,347
0.75	89	5.00	714	9.25	1,498	13.50	2,404	17.75	3,409
1.00	120	5.25	756	9.50	1,548	13.75	2,460	18.00	3,471
1.25	152	5.50	799	9.75	1,598	14.00	2,517	18.25	3,533
1.50	185	5.75	842	10.00	1,649	14.25	2,574	18.50	3,595
1.75	219	6.00	886	10.25	1,701	14.50	2,632	18.75	3,658
2.00	253	6.25	930	10.50	1,753	14.75	2,690	19.00	3,721
2.25	288	6.50	975	10.75	1,805	15.00	2,748	19.25	3,784
2.50	323	6.75	1,020	11.00	1,857	15.25	2,807	19.50	3,847
2.75	360	7.00	1,066	11.25	1,910	15.50	2,865	19.75	3,911
3.00	397	7.25	1,112	11.50	1,964	15.75	2,925	20.00	3,975
3.25	434	7.50	1,158	11.75	2,017	16.00	2,984	20.25	4,039
3.50	472	7.75	1,206	12.00	2,072	16.25	3,044	20.50	4,104
3.75	511	8.00	1,253	12.25	2,126	16.50	3,104	20.75	4,168
4.00	551	8.25	1,301	12.50	2,181	16.75	3,164	21.00	4,233



## Capacity/Gauge Table Information

**TCLX 290259**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 059

Reporting Mark: TCLX 290259

Date: 15/06/2015

Capacity: 28,974 US Gallons (109,677 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,299	25.50	5,443	29.75	6,646	34.00	7,896	38.25	9,186
21.50	4,364	25.75	5,512	30.00	6,718	34.25	7,971	38.50	9,263
21.75	4,430	26.00	5,581	30.25	6,790	34.50	8,046	38.75	9,340
22.00	4,496	26.25	5,651	30.50	6,863	34.75	8,121	39.00	9,417
22.25	4,562	26.50	5,721	30.75	6,936	35.00	8,197	39.25	9,494
22.50	4,628	26.75	5,791	31.00	7,009	35.25	8,272	39.50	9,571
22.75	4,695	27.00	5,861	31.25	7,082	35.50	8,348	39.75	9,649
23.00	4,762	27.25	5,932	31.50	7,155	35.75	8,423	40.00	9,726
23.25	4,829	27.50	6,002	31.75	7,229	36.00	8,499	40.25	9,804
23.50	4,896	27.75	6,073	32.00	7,302	36.25	8,575	40.50	9,881
23.75	4,964	28.00	6,144	32.25	7,376	36.50	8,651	40.75	9,959
24.00	5,032	28.25	6,215	32.50	7,450	36.75	8,727	41.00	10,037
24.25	5,100	28.50	6,286	32.75	7,524	37.00	8,803	41.25	10,115
24.50	5,168	28.75	6,358	33.00	7,598	37.25	8,880	41.50	10,193
24.75	5,236	29.00	6,430	33.25	7,673	37.50	8,956	41.75	10,271
25.00	5,305	29.25	6,501	33.50	7,747	37.75	9,033	42.00	10,349
25.25	5,374	29.50	6,573	33.75	7,822	38.00	9,109	42.25	10,427



## Capacity/Gauge Table Information

**TCLX 290259**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 059

Reporting Mark: TCLX 290259

Date: 15/06/2015

Capacity: 28,974 US Gallons (109,677 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,505	46.75	11,846	51.00	13,201	55.25	14,562	59.50	15,922
42.75	10,584	47.00	11,926	51.25	13,281	55.50	14,642	59.75	16,001
43.00	10,662	47.25	12,005	51.50	13,361	55.75	14,722	60.00	16,081
43.25	10,741	47.50	12,085	51.75	13,441	56.00	14,802	60.25	16,161
43.50	10,819	47.75	12,164	52.00	13,521	56.25	14,882	60.50	16,240
43.75	10,898	48.00	12,244	52.25	13,601	56.50	14,963	60.75	16,320
44.00	10,977	48.25	12,323	52.50	13,681	56.75	15,043	61.00	16,399
44.25	11,055	48.50	12,403	52.75	13,761	57.00	15,123	61.25	16,479
44.50	11,134	48.75	12,483	53.00	13,841	57.25	15,203	61.50	16,558
44.75	11,213	49.00	12,563	53.25	13,922	57.50	15,283	61.75	16,638
45.00	11,292	49.25	12,642	53.50	14,002	57.75	15,363	62.00	16,717
45.25	11,371	49.50	12,722	53.75	14,082	58.00	15,442	62.25	16,797
45.50	11,450	49.75	12,802	54.00	14,162	58.25	15,522	62.50	16,876
45.75	11,529	50.00	12,882	54.25	14,242	58.50	15,602	62.75	16,955
46.00	11,609	50.25	12,962	54.50	14,322	58.75	15,682	63.00	17,034
46.25	11,688	50.50	13,041	54.75	14,402	59.00	15,762	63.25	17,113
46.50	11,767	50.75	13,121	55.00	14,482	59.25	15,842	63.50	17,193





## Capacity/Gauge Table Information

**TCLX 290259**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 059

Reporting Mark: TCLX 290259

Date: 15/06/2015

Capacity: 28,974 US Gallons (109,677 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,272	68.00	18,605	72.25	19,912	76.50	21,187	80.75	22,419
64.00	17,351	68.25	18,682	72.50	19,988	76.75	21,261	81.00	22,490
64.25	17,429	68.50	18,760	72.75	20,064	77.00	21,334	81.25	22,561
64.50	17,508	68.75	18,837	73.00	20,140	77.25	21,408	81.50	22,631
64.75	17,587	69.00	18,915	73.25	20,216	77.50	21,481	81.75	22,702
65.00	17,666	69.25	18,992	73.50	20,291	77.75	21,554	82.00	22,772
65.25	17,744	69.50	19,069	73.75	20,367	78.00	21,627	82.25	22,842
65.50	17,823	69.75	19,147	74.00	20,442	78.25	21,700	82.50	22,912
65.75	17,901	70.00	19,224	74.25	20,517	78.50	21,773	82.75	22,981
66.00	17,980	70.25	19,301	74.50	20,592	78.75	21,845	83.00	23,051
66.25	18,058	70.50	19,377	74.75	20,667	79.00	21,917	83.25	23,120
66.50	18,137	70.75	19,454	75.00	20,741	79.25	21,989	83.50	23,189
66.75	18,215	71.00	19,531	75.25	20,816	79.50	22,061	83.75	23,258
67.00	18,293	71.25	19,607	75.50	20,891	79.75	22,133	84.00	23,326
67.25	18,371	71.50	19,684	75.75	20,965	80.00	22,205	84.25	23,395
67.50	18,449	71.75	19,760	76.00	21,039	80.25	22,276	84.50	23,463
67.75	18,527	72.00	19,836	76.25	21,113	80.50	22,348	84.75	23,531



## Capacity/Gauge Table Information

**TCLX 290259**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 059

Reporting Mark: TCLX 290259

Date: 15/06/2015

Capacity: 28,974 US Gallons (109,677 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,599	89.25	24,715	93.50	25,756	97.75	26,706	102.00	27,545
85.25	23,666	89.50	24,779	93.75	25,815	98.00	26,759	102.25	27,591
85.50	23,733	89.75	24,842	94.00	25,873	98.25	26,811	102.50	27,635
85.75	23,801	90.00	24,905	94.25	25,931	98.50	26,863	102.75	27,680
86.00	23,867	90.25	24,967	94.50	25,988	98.75	26,914	103.00	27,724
86.25	23,934	90.50	25,030	94.75	26,046	99.00	26,965	103.25	27,767
86.50	24,001	90.75	25,092	95.00	26,103	99.25	27,016	103.50	27,810
86.75	24,067	91.00	25,154	95.25	26,159	99.50	27,066	103.75	27,852
87.00	24,133	91.25	25,215	95.50	26,215	99.75	27,116	104.00	27,894
87.25	24,198	91.50	25,277	95.75	26,271	100.00	27,165	104.25	27,936
87.50	24,264	91.75	25,338	96.00	26,327	100.25	27,214	104.50	27,976
87.75	24,329	92.00	25,398	96.25	26,382	100.50	27,263	104.75	28,017
88.00	24,394	92.25	25,459	96.50	26,437	100.75	27,311	105.00	28,056
88.25	24,459	92.50	25,519	96.75	26,492	101.00	27,359	105.25	28,095
88.50	24,523	92.75	25,578	97.00	26,546	101.25	27,406	105.50	28,134
88.75	24,587	93.00	25,638	97.25	26,599	101.50	27,453	105.75	28,172
89.00	24,651	93.25	25,697	97.50	26,653	101.75	27,499	106.00	28,209



## Capacity/Gauge Table Information

**TCLX 290259**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 059

Reporting Mark: TCLX 290259

Date: 15/06/2015

Capacity: 28,974 US Gallons (109,677 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,245	110.50	28,754	114.75	28,961
106.50	28,281	110.75	28,775	115.00	28,964
106.75	28,317	111.00	28,795	115.25	28,967
107.00	28,351	111.25	28,814	115.50	28,970
107.25	28,385	111.50	28,831	115.75	28,971
107.50	28,419	111.75	28,848	116.00	28,972
107.75	28,451	112.00	28,863	116.25	28,973
108.00	28,483	112.25	28,877	116.50	28,973
108.25	28,514	112.50	28,890	116.75	28,974
108.50	28,544	112.75	28,901		
108.75	28,574	113.00	28,912		
109.00	28,603	113.25	28,922		
109.25	28,630	113.50	28,930		
109.50	28,657	113.75	28,938		
109.75	28,683	114.00	28,945		
110.00	28,708	114.25	28,951		
110.25	28,732	114.50	28,956		



## Capacity/Gauge Table Information

**TCLX 290260**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 060

Reporting Mark: TCLX 290260

Date: 17/06/2015

Capacity: 28,943 US Gallons (109,562 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	606	8.50	1,376	12.75	2,270	17.00	3,266
0.25	30	4.50	647	8.75	1,425	13.00	2,326	17.25	3,327
0.50	61	4.75	689	9.00	1,475	13.25	2,383	17.50	3,389
0.75	92	5.00	731	9.25	1,525	13.50	2,439	17.75	3,451
1.00	125	5.25	774	9.50	1,576	13.75	2,496	18.00	3,513
1.25	158	5.50	817	9.75	1,627	14.00	2,554	18.25	3,576
1.50	191	5.75	861	10.00	1,678	14.25	2,611	18.50	3,638
1.75	226	6.00	906	10.25	1,730	14.50	2,669	18.75	3,701
2.00	261	6.25	951	10.50	1,783	14.75	2,728	19.00	3,765
2.25	297	6.50	996	10.75	1,835	15.00	2,786	19.25	3,828
2.50	333	6.75	1,042	11.00	1,888	15.25	2,845	19.50	3,892
2.75	370	7.00	1,088	11.25	1,942	15.50	2,904	19.75	3,956
3.00	408	7.25	1,135	11.50	1,996	15.75	2,964	20.00	4,020
3.25	446	7.50	1,182	11.75	2,050	16.00	3,024	20.25	4,085
3.50	485	7.75	1,230	12.00	2,104	16.25	3,084	20.50	4,150
3.75	525	8.00	1,278	12.25	2,159	16.50	3,144	20.75	4,215
4.00	565	8.25	1,327	12.50	2,215	16.75	3,205	21.00	4,280



## Capacity/Gauge Table Information

**TCLX 290260**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 060

Reporting Mark: TCLX 290260

Date: 17/06/2015

Capacity: 28,943 US Gallons (109,562 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,345	25.50	5,494	29.75	6,701	34.00	7,955	38.25	9,247
21.50	4,411	25.75	5,564	30.00	6,774	34.25	8,030	38.50	9,324
21.75	4,477	26.00	5,634	30.25	6,846	34.50	8,105	38.75	9,401
22.00	4,544	26.25	5,703	30.50	6,919	34.75	8,181	39.00	9,479
22.25	4,610	26.50	5,774	30.75	6,992	35.00	8,256	39.25	9,556
22.50	4,677	26.75	5,844	31.00	7,065	35.25	8,332	39.50	9,633
22.75	4,744	27.00	5,914	31.25	7,139	35.50	8,407	39.75	9,711
23.00	4,811	27.25	5,985	31.50	7,212	35.75	8,483	40.00	9,788
23.25	4,878	27.50	6,056	31.75	7,286	36.00	8,559	40.25	9,866
23.50	4,946	27.75	6,127	32.00	7,360	36.25	8,635	40.50	9,944
23.75	5,014	28.00	6,198	32.25	7,434	36.50	8,711	40.75	10,022
24.00	5,082	28.25	6,269	32.50	7,508	36.75	8,787	41.00	10,099
24.25	5,150	28.50	6,341	32.75	7,582	37.00	8,864	41.25	10,177
24.50	5,218	28.75	6,413	33.00	7,656	37.25	8,940	41.50	10,256
24.75	5,287	29.00	6,484	33.25	7,731	37.50	9,017	41.75	10,334
25.00	5,356	29.25	6,556	33.50	7,805	37.75	9,094	42.00	10,412
25.25	5,425	29.50	6,629	33.75	7,880	38.00	9,170	42.25	10,490



## Capacity/Gauge Table Information

**TCLX 290260**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 060

Reporting Mark: TCLX 290260

Date: 17/06/2015

Capacity: 28,943 US Gallons (109,562 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,569	46.75	11,911	51.00	13,267	55.25	14,628	59.50	15,987
42.75	10,647	47.00	11,991	51.25	13,347	55.50	14,708	59.75	16,067
43.00	10,726	47.25	12,070	51.50	13,427	55.75	14,788	60.00	16,147
43.25	10,804	47.50	12,150	51.75	13,507	56.00	14,868	60.25	16,226
43.50	10,883	47.75	12,229	52.00	13,587	56.25	14,948	60.50	16,306
43.75	10,962	48.00	12,309	52.25	13,667	56.50	15,028	60.75	16,385
44.00	11,041	48.25	12,389	52.50	13,747	56.75	15,108	61.00	16,465
44.25	11,119	48.50	12,468	52.75	13,827	57.00	15,188	61.25	16,544
44.50	11,198	48.75	12,548	53.00	13,907	57.25	15,268	61.50	16,624
44.75	11,277	49.00	12,628	53.25	13,987	57.50	15,348	61.75	16,703
45.00	11,356	49.25	12,708	53.50	14,067	57.75	15,428	62.00	16,783
45.25	11,435	49.50	12,787	53.75	14,148	58.00	15,508	62.25	16,862
45.50	11,515	49.75	12,867	54.00	14,228	58.25	15,588	62.50	16,941
45.75	11,594	50.00	12,947	54.25	14,308	58.50	15,668	62.75	17,020
46.00	11,673	50.25	13,027	54.50	14,388	58.75	15,748	63.00	17,099
46.25	11,752	50.50	13,107	54.75	14,468	59.00	15,828	63.25	17,178
46.50	11,832	50.75	13,187	55.00	14,548	59.25	15,907	63.50	17,258



## Capacity/Gauge Table Information

**TCLX 290260**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 060

Reporting Mark: TCLX 290260

Date: 17/06/2015

Capacity: 28,943 US Gallons (109,562 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,336	68.00	18,668	72.25	19,974	76.50	21,246	80.75	22,475
64.00	17,415	68.25	18,746	72.50	20,050	76.75	21,320	81.00	22,546
64.25	17,494	68.50	18,823	72.75	20,126	77.00	21,393	81.25	22,616
64.50	17,573	68.75	18,901	73.00	20,201	77.25	21,466	81.50	22,687
64.75	17,652	69.00	18,978	73.25	20,277	77.50	21,539	81.75	22,757
65.00	17,730	69.25	19,055	73.50	20,352	77.75	21,612	82.00	22,827
65.25	17,809	69.50	19,132	73.75	20,427	78.00	21,685	82.25	22,897
65.50	17,887	69.75	19,209	74.00	20,503	78.25	21,758	82.50	22,966
65.75	17,966	70.00	19,286	74.25	20,577	78.50	21,830	82.75	23,035
66.00	18,044	70.25	19,363	74.50	20,652	78.75	21,903	83.00	23,105
66.25	18,122	70.50	19,440	74.75	20,727	79.00	21,975	83.25	23,174
66.50	18,201	70.75	19,517	75.00	20,802	79.25	22,047	83.50	23,242
66.75	18,279	71.00	19,593	75.25	20,876	79.50	22,119	83.75	23,311
67.00	18,357	71.25	19,670	75.50	20,950	79.75	22,190	84.00	23,379
67.25	18,435	71.50	19,746	75.75	21,024	80.00	22,262	84.25	23,448
67.50	18,513	71.75	19,822	76.00	21,099	80.25	22,333	84.50	23,516
67.75	18,590	72.00	19,898	76.25	21,172	80.50	22,404	84.75	23,583





## Capacity/Gauge Table Information

**TCLX 290260**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 060

Reporting Mark: TCLX 290260

Date: 17/06/2015

Capacity: 28,943 US Gallons (109,562 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,651	89.25	24,763	93.50	25,798	97.75	26,741	102.00	27,572
85.25	23,718	89.50	24,826	93.75	25,856	98.00	26,793	102.25	27,617
85.50	23,785	89.75	24,889	94.00	25,914	98.25	26,845	102.50	27,661
85.75	23,852	90.00	24,951	94.25	25,972	98.50	26,896	102.75	27,705
86.00	23,919	90.25	25,014	94.50	26,029	98.75	26,947	103.00	27,748
86.25	23,985	90.50	25,076	94.75	26,086	99.00	26,998	103.25	27,791
86.50	24,051	90.75	25,138	95.00	26,142	99.25	27,048	103.50	27,833
86.75	24,117	91.00	25,199	95.25	26,198	99.50	27,098	103.75	27,875
87.00	24,183	91.25	25,260	95.50	26,254	99.75	27,147	104.00	27,916
87.25	24,248	91.50	25,321	95.75	26,310	100.00	27,196	104.25	27,957
87.50	24,313	91.75	25,382	96.00	26,365	100.25	27,245	104.50	27,997
87.75	24,378	92.00	25,442	96.25	26,420	100.50	27,293	104.75	28,037
88.00	24,443	92.25	25,502	96.50	26,474	100.75	27,341	105.00	28,076
88.25	24,507	92.50	25,562	96.75	26,528	101.00	27,388	105.25	28,114
88.50	24,572	92.75	25,621	97.00	26,582	101.25	27,434	105.50	28,152
88.75	24,636	93.00	25,681	97.25	26,635	101.50	27,481	105.75	28,189
89.00	24,699	93.25	25,739	97.50	26,688	101.75	27,527	106.00	28,226



## Capacity/Gauge Table Information

**TCLX 290260**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 060

Reporting Mark: TCLX 290260

Date: 17/06/2015

Capacity: 28,943 US Gallons (109,562 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,261	110.50	28,754	114.75	28,937
106.50	28,297	110.75	28,774	115.00	28,939
106.75	28,331	111.00	28,792	115.25	28,941
107.00	28,365	111.25	28,809	115.50	28,942
107.25	28,398	111.50	28,825	115.75	28,943
107.50	28,431	111.75	28,840	116.00	28,943
107.75	28,463	112.00	28,854	116.25	28,943
108.00	28,493	112.25	28,866		
108.25	28,524	112.50	28,878		
108.50	28,553	112.75	28,888		
108.75	28,582	113.00	28,897		
109.00	28,609	113.25	28,906		
109.25	28,636	113.50	28,913		
109.50	28,662	113.75	28,919		
109.75	28,686	114.00	28,925		
110.00	28,710	114.25	28,930		
110.25	28,733	114.50	28,933		



## Capacity/Gauge Table Information

**TCLX 290261**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 061

Reporting Mark: TCLX 290261

Date: 18/06/2015

Capacity: 28,945 US Gallons (109,569 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	603	8.50	1,370	12.75	2,263	17.00	3,257
0.25	30	4.50	644	8.75	1,420	13.00	2,319	17.25	3,319
0.50	60	4.75	685	9.00	1,469	13.25	2,375	17.50	3,380
0.75	92	5.00	728	9.25	1,519	13.50	2,432	17.75	3,442
1.00	124	5.25	770	9.50	1,570	13.75	2,489	18.00	3,504
1.25	157	5.50	814	9.75	1,621	14.00	2,546	18.25	3,566
1.50	190	5.75	857	10.00	1,672	14.25	2,603	18.50	3,629
1.75	224	6.00	902	10.25	1,724	14.50	2,661	18.75	3,692
2.00	259	6.25	946	10.50	1,776	14.75	2,720	19.00	3,755
2.25	295	6.50	992	10.75	1,829	15.00	2,778	19.25	3,819
2.50	331	6.75	1,037	11.00	1,882	15.25	2,837	19.50	3,882
2.75	368	7.00	1,083	11.25	1,935	15.50	2,896	19.75	3,946
3.00	406	7.25	1,130	11.50	1,989	15.75	2,956	20.00	4,011
3.25	444	7.50	1,177	11.75	2,043	16.00	3,015	20.25	4,075
3.50	483	7.75	1,225	12.00	2,098	16.25	3,075	20.50	4,140
3.75	522	8.00	1,273	12.25	2,152	16.50	3,136	20.75	4,205
4.00	562	8.25	1,321	12.50	2,208	16.75	3,196	21.00	4,270



## Capacity/Gauge Table Information

**TCLX 290261**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 061

Reporting Mark: TCLX 290261

Date: 18/06/2015

Capacity: 28,945 US Gallons (109,569 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,335	25.50	5,483	29.75	6,689	34.00	7,942	38.25	9,234
21.50	4,401	25.75	5,553	30.00	6,761	34.25	8,017	38.50	9,311
21.75	4,467	26.00	5,622	30.25	6,834	34.50	8,092	38.75	9,388
22.00	4,533	26.25	5,692	30.50	6,907	34.75	8,168	39.00	9,465
22.25	4,600	26.50	5,762	30.75	6,980	35.00	8,243	39.25	9,542
22.50	4,666	26.75	5,832	31.00	7,053	35.25	8,319	39.50	9,620
22.75	4,733	27.00	5,903	31.25	7,126	35.50	8,394	39.75	9,697
23.00	4,800	27.25	5,973	31.50	7,200	35.75	8,470	40.00	9,775
23.25	4,868	27.50	6,044	31.75	7,273	36.00	8,546	40.25	9,852
23.50	4,935	27.75	6,115	32.00	7,347	36.25	8,622	40.50	9,930
23.75	5,003	28.00	6,186	32.25	7,421	36.50	8,698	40.75	10,008
24.00	5,071	28.25	6,257	32.50	7,495	36.75	8,774	41.00	10,086
24.25	5,139	28.50	6,329	32.75	7,569	37.00	8,850	41.25	10,164
24.50	5,208	28.75	6,401	33.00	7,644	37.25	8,927	41.50	10,242
24.75	5,276	29.00	6,472	33.25	7,718	37.50	9,003	41.75	10,320
25.00	5,345	29.25	6,544	33.50	7,793	37.75	9,080	42.00	10,398
25.25	5,414	29.50	6,617	33.75	7,867	38.00	9,157	42.25	10,476



## Capacity/Gauge Table Information

**TCLX 290261**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 061

Reporting Mark: TCLX 290261

Date: 18/06/2015

Capacity: 28,945 US Gallons (109,569 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,555	46.75	11,897	51.00	13,252	55.25	14,613	59.50	15,972
42.75	10,633	47.00	11,976	51.25	13,332	55.50	14,693	59.75	16,052
43.00	10,712	47.25	12,056	51.50	13,412	55.75	14,773	60.00	16,132
43.25	10,790	47.50	12,135	51.75	13,492	56.00	14,853	60.25	16,211
43.50	10,869	47.75	12,215	52.00	13,572	56.25	14,933	60.50	16,291
43.75	10,947	48.00	12,294	52.25	13,652	56.50	15,013	60.75	16,370
44.00	11,026	48.25	12,374	52.50	13,732	56.75	15,093	61.00	16,450
44.25	11,105	48.50	12,454	52.75	13,812	57.00	15,173	61.25	16,529
44.50	11,184	48.75	12,533	53.00	13,892	57.25	15,253	61.50	16,609
44.75	11,263	49.00	12,613	53.25	13,973	57.50	15,333	61.75	16,688
45.00	11,342	49.25	12,693	53.50	14,053	57.75	15,413	62.00	16,768
45.25	11,421	49.50	12,773	53.75	14,133	58.00	15,493	62.25	16,847
45.50	11,500	49.75	12,853	54.00	14,213	58.25	15,573	62.50	16,926
45.75	11,579	50.00	12,932	54.25	14,293	58.50	15,653	62.75	17,005
46.00	11,659	50.25	13,012	54.50	14,373	58.75	15,733	63.00	17,085
46.25	11,738	50.50	13,092	54.75	14,453	59.00	15,813	63.25	17,164
46.50	11,817	50.75	13,172	55.00	14,533	59.25	15,892	63.50	17,243



## Capacity/Gauge Table Information

**TCLX 290261**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 061

Reporting Mark: TCLX 290261

Date: 18/06/2015

Capacity: 28,945 US Gallons (109,569 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,322	68.00	18,653	72.25	19,960	76.50	21,232	80.75	22,462
64.00	17,400	68.25	18,731	72.50	20,036	76.75	21,306	81.00	22,532
64.25	17,479	68.50	18,809	72.75	20,111	77.00	21,379	81.25	22,603
64.50	17,558	68.75	18,886	73.00	20,187	77.25	21,453	81.50	22,673
64.75	17,637	69.00	18,963	73.25	20,263	77.50	21,526	81.75	22,744
65.00	17,715	69.25	19,041	73.50	20,338	77.75	21,599	82.00	22,814
65.25	17,794	69.50	19,118	73.75	20,413	78.00	21,671	82.25	22,883
65.50	17,873	69.75	19,195	74.00	20,488	78.25	21,744	82.50	22,953
65.75	17,951	70.00	19,272	74.25	20,563	78.50	21,817	82.75	23,022
66.00	18,029	70.25	19,349	74.50	20,638	78.75	21,889	83.00	23,092
66.25	18,108	70.50	19,426	74.75	20,713	79.00	21,961	83.25	23,161
66.50	18,186	70.75	19,502	75.00	20,788	79.25	22,033	83.50	23,230
66.75	18,264	71.00	19,579	75.25	20,862	79.50	22,105	83.75	23,298
67.00	18,342	71.25	19,655	75.50	20,936	79.75	22,177	84.00	23,367
67.25	18,420	71.50	19,731	75.75	21,010	80.00	22,248	84.25	23,435
67.50	18,498	71.75	19,808	76.00	21,085	80.25	22,319	84.50	23,503
67.75	18,576	72.00	19,884	76.25	21,158	80.50	22,391	84.75	23,571



## Capacity/Gauge Table Information

**TCLX 290261**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 061

Reporting Mark: TCLX 290261

Date: 18/06/2015

Capacity: 28,945 US Gallons (109,569 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,638	89.25	24,751	93.50	25,787	97.75	26,732	102.00	27,564
85.25	23,706	89.50	24,814	93.75	25,846	98.00	26,784	102.25	27,609
85.50	23,773	89.75	24,877	94.00	25,904	98.25	26,836	102.50	27,654
85.75	23,840	90.00	24,940	94.25	25,961	98.50	26,887	102.75	27,698
86.00	23,906	90.25	25,002	94.50	26,018	98.75	26,939	103.00	27,741
86.25	23,973	90.50	25,064	94.75	26,075	99.00	26,989	103.25	27,784
86.50	24,039	90.75	25,126	95.00	26,132	99.25	27,040	103.50	27,827
86.75	24,105	91.00	25,188	95.25	26,188	99.50	27,089	103.75	27,868
87.00	24,171	91.25	25,249	95.50	26,244	99.75	27,139	104.00	27,910
87.25	24,236	91.50	25,310	95.75	26,300	100.00	27,188	104.25	27,951
87.50	24,301	91.75	25,371	96.00	26,355	100.25	27,237	104.50	27,991
87.75	24,366	92.00	25,431	96.25	26,410	100.50	27,285	104.75	28,031
88.00	24,431	92.25	25,491	96.50	26,465	100.75	27,333	105.00	28,070
88.25	24,496	92.50	25,551	96.75	26,519	101.00	27,380	105.25	28,108
88.50	24,560	92.75	25,611	97.00	26,573	101.25	27,427	105.50	28,146
88.75	24,624	93.00	25,670	97.25	26,626	101.50	27,473	105.75	28,183
89.00	24,688	93.25	25,729	97.50	26,679	101.75	27,519	106.00	28,220





## Capacity/Gauge Table Information

**TCLX 290261**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 061

Reporting Mark: TCLX 290261

Date: 18/06/2015

Capacity: 28,945 US Gallons (109,569 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,256	110.50	28,752	114.75	28,938
106.50	28,292	110.75	28,773	115.00	28,941
106.75	28,326	111.00	28,791	115.25	28,943
107.00	28,360	111.25	28,809	115.50	28,944
107.25	28,394	111.50	28,825	115.75	28,945
107.50	28,426	111.75	28,840	116.00	28,945
107.75	28,458	112.00	28,854	116.25	28,945
108.00	28,489	112.25	28,867		
108.25	28,520	112.50	28,879		
108.50	28,549	112.75	28,889		
108.75	28,578	113.00	28,899		
109.00	28,606	113.25	28,907		
109.25	28,633	113.50	28,914		
109.50	28,659	113.75	28,921		
109.75	28,684	114.00	28,927		
110.00	28,708	114.25	28,931		
110.25	28,731	114.50	28,935		



## Capacity/Gauge Table Information

**TCLX 290262**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 062

Reporting Mark: TCLX 290262

Date: 01/07/2015

Capacity: 29,009 US Gallons (109,811 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	580	8.50	1,331	12.75	2,211	17.00	3,195
0.25	28	4.50	620	8.75	1,380	13.00	2,266	17.25	3,256
0.50	57	4.75	661	9.00	1,429	13.25	2,322	17.50	3,317
0.75	87	5.00	702	9.25	1,478	13.50	2,378	17.75	3,378
1.00	117	5.25	743	9.50	1,528	13.75	2,434	18.00	3,440
1.25	149	5.50	786	9.75	1,578	14.00	2,491	18.25	3,501
1.50	181	5.75	828	10.00	1,629	14.25	2,548	18.50	3,563
1.75	214	6.00	872	10.25	1,680	14.50	2,605	18.75	3,626
2.00	247	6.25	915	10.50	1,731	14.75	2,662	19.00	3,689
2.25	282	6.50	960	10.75	1,783	15.00	2,720	19.25	3,751
2.50	317	6.75	1,004	11.00	1,835	15.25	2,779	19.50	3,815
2.75	352	7.00	1,050	11.25	1,888	15.50	2,837	19.75	3,878
3.00	389	7.25	1,095	11.50	1,941	15.75	2,896	20.00	3,942
3.25	426	7.50	1,142	11.75	1,994	16.00	2,955	20.25	4,006
3.50	463	7.75	1,188	12.00	2,048	16.25	3,015	20.50	4,070
3.75	502	8.00	1,235	12.25	2,102	16.50	3,075	20.75	4,135
4.00	541	8.25	1,283	12.50	2,156	16.75	3,135	21.00	4,199



## Capacity/Gauge Table Information

**TCLX 290262**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 062

Reporting Mark: TCLX 290262

Date: 01/07/2015

Capacity: 29,009 US Gallons (109,811 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,264	25.50	5,405	29.75	6,605	34.00	7,853	38.25	9,141
21.50	4,330	25.75	5,474	30.00	6,677	34.25	7,928	38.50	9,218
21.75	4,395	26.00	5,543	30.25	6,749	34.50	8,003	38.75	9,295
22.00	4,461	26.25	5,613	30.50	6,822	34.75	8,078	39.00	9,372
22.25	4,527	26.50	5,682	30.75	6,895	35.00	8,153	39.25	9,449
22.50	4,593	26.75	5,752	31.00	6,968	35.25	8,229	39.50	9,526
22.75	4,660	27.00	5,822	31.25	7,041	35.50	8,304	39.75	9,603
23.00	4,726	27.25	5,893	31.50	7,114	35.75	8,379	40.00	9,681
23.25	4,793	27.50	5,963	31.75	7,187	36.00	8,455	40.25	9,758
23.50	4,860	27.75	6,034	32.00	7,260	36.25	8,531	40.50	9,836
23.75	4,928	28.00	6,104	32.25	7,334	36.50	8,607	40.75	9,913
24.00	4,995	28.25	6,175	32.50	7,408	36.75	8,683	41.00	9,991
24.25	5,063	28.50	6,246	32.75	7,482	37.00	8,759	41.25	10,069
24.50	5,131	28.75	6,318	33.00	7,556	37.25	8,835	41.50	10,147
24.75	5,199	29.00	6,389	33.25	7,630	37.50	8,911	41.75	10,225
25.00	5,268	29.25	6,461	33.50	7,704	37.75	8,988	42.00	10,303
25.25	5,336	29.50	6,533	33.75	7,779	38.00	9,065	42.25	10,381



## Capacity/Gauge Table Information

**TCLX 290262**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 062

Reporting Mark: TCLX 290262

Date: 01/07/2015

Capacity: 29,009 US Gallons (109,811 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,459	46.75	11,800	51.00	13,154	55.25	14,515	59.50	15,875
42.75	10,538	47.00	11,879	51.25	13,234	55.50	14,595	59.75	15,955
43.00	10,616	47.25	11,958	51.50	13,314	55.75	14,676	60.00	16,035
43.25	10,695	47.50	12,038	51.75	13,394	56.00	14,756	60.25	16,115
43.50	10,773	47.75	12,117	52.00	13,474	56.25	14,836	60.50	16,194
43.75	10,852	48.00	12,197	52.25	13,554	56.50	14,916	60.75	16,274
44.00	10,930	48.25	12,277	52.50	13,634	56.75	14,996	61.00	16,354
44.25	11,009	48.50	12,356	52.75	13,714	57.00	15,076	61.25	16,433
44.50	11,088	48.75	12,436	53.00	13,794	57.25	15,156	61.50	16,513
44.75	11,167	49.00	12,516	53.25	13,875	57.50	15,236	61.75	16,592
45.00	11,246	49.25	12,595	53.50	13,955	57.75	15,316	62.00	16,672
45.25	11,325	49.50	12,675	53.75	14,035	58.00	15,396	62.25	16,751
45.50	11,404	49.75	12,755	54.00	14,115	58.25	15,476	62.50	16,830
45.75	11,483	50.00	12,835	54.25	14,195	58.50	15,556	62.75	16,910
46.00	11,562	50.25	12,915	54.50	14,275	58.75	15,636	63.00	16,989
46.25	11,641	50.50	12,994	54.75	14,355	59.00	15,716	63.25	17,068
46.50	11,720	50.75	13,074	55.00	14,435	59.25	15,795	63.50	17,147



## Capacity/Gauge Table Information

**TCLX 290262**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 062

Reporting Mark: TCLX 290262

Date: 01/07/2015

Capacity: 29,009 US Gallons (109,811 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,226	68.00	18,561	72.25	19,871	76.50	21,148	80.75	22,383
64.00	17,305	68.25	18,639	72.50	19,947	76.75	21,222	81.00	22,454
64.25	17,384	68.50	18,716	72.75	20,023	77.00	21,296	81.25	22,525
64.50	17,463	68.75	18,794	73.00	20,099	77.25	21,369	81.50	22,596
64.75	17,542	69.00	18,872	73.25	20,175	77.50	21,443	81.75	22,667
65.00	17,621	69.25	18,949	73.50	20,250	77.75	21,516	82.00	22,737
65.25	17,700	69.50	19,026	73.75	20,326	78.00	21,589	82.25	22,807
65.50	17,778	69.75	19,104	74.00	20,401	78.25	21,662	82.50	22,877
65.75	17,857	70.00	19,181	74.25	20,476	78.50	21,735	82.75	22,947
66.00	17,935	70.25	19,258	74.50	20,552	78.75	21,808	83.00	23,017
66.25	18,014	70.50	19,335	74.75	20,627	79.00	21,880	83.25	23,086
66.50	18,092	70.75	19,412	75.00	20,701	79.25	21,952	83.50	23,155
66.75	18,171	71.00	19,489	75.25	20,776	79.50	22,025	83.75	23,224
67.00	18,249	71.25	19,565	75.50	20,851	79.75	22,097	84.00	23,293
67.25	18,327	71.50	19,642	75.75	20,925	80.00	22,169	84.25	23,362
67.50	18,405	71.75	19,718	76.00	21,000	80.25	22,240	84.50	23,430
67.75	18,483	72.00	19,795	76.25	21,074	80.50	22,312	84.75	23,499



## Capacity/Gauge Table Information

**TCLX 290262**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 062

Reporting Mark: TCLX 290262

Date: 01/07/2015

Capacity: 29,009 US Gallons (109,811 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,567	89.25	24,688	93.50	25,734	97.75	26,690	102.00	27,537
85.25	23,634	89.50	24,751	93.75	25,793	98.00	26,743	102.25	27,583
85.50	23,702	89.75	24,815	94.00	25,851	98.25	26,796	102.50	27,628
85.75	23,769	90.00	24,878	94.25	25,909	98.50	26,848	102.75	27,673
86.00	23,836	90.25	24,941	94.50	25,967	98.75	26,900	103.00	27,718
86.25	23,903	90.50	25,004	94.75	26,025	99.00	26,951	103.25	27,762
86.50	23,970	90.75	25,066	95.00	26,082	99.25	27,003	103.50	27,805
86.75	24,036	91.00	25,128	95.25	26,139	99.50	27,053	103.75	27,848
87.00	24,103	91.25	25,190	95.50	26,196	99.75	27,104	104.00	27,891
87.25	24,169	91.50	25,252	95.75	26,252	100.00	27,153	104.25	27,932
87.50	24,234	91.75	25,313	96.00	26,308	100.25	27,203	104.50	27,974
87.75	24,300	92.00	25,374	96.25	26,364	100.50	27,252	104.75	28,015
88.00	24,365	92.25	25,435	96.50	26,419	100.75	27,301	105.00	28,055
88.25	24,430	92.50	25,495	96.75	26,474	101.00	27,349	105.25	28,095
88.50	24,495	92.75	25,555	97.00	26,529	101.25	27,397	105.50	28,134
88.75	24,559	93.00	25,615	97.25	26,583	101.50	27,444	105.75	28,172
89.00	24,624	93.25	25,675	97.50	26,637	101.75	27,491	106.00	28,210



## Capacity/Gauge Table Information

**TCLX 290262**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 062

Reporting Mark: TCLX 290262

Date: 01/07/2015

Capacity: 29,009 US Gallons (109,811 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,247	110.50	28,772	114.75	28,995
106.50	28,284	110.75	28,795	115.00	28,999
106.75	28,320	111.00	28,816	115.25	29,002
107.00	28,356	111.25	28,837	115.50	29,005
107.25	28,390	111.50	28,855	115.75	29,007
107.50	28,424	111.75	28,873	116.00	29,008
107.75	28,458	112.00	28,889	116.25	29,009
108.00	28,490	112.25	28,904	116.50	29,009
108.25	28,522	112.50	28,918	116.75	29,009
108.50	28,553	112.75	28,931		
108.75	28,584	113.00	28,943		
109.00	28,613	113.25	28,953		
109.25	28,642	113.50	28,963		
109.50	28,670	113.75	28,971		
109.75	28,697	114.00	28,978		
110.00	28,723	114.25	28,985		
110.25	28,748	114.50	28,991		





## Capacity/Gauge Table Information

**TCLX 290263**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 063

Reporting Mark: TCLX 290263

Date: 01/07/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	581	8.50	1,334	12.75	2,215	17.00	3,199
0.25	28	4.50	622	8.75	1,382	13.00	2,270	17.25	3,260
0.50	57	4.75	662	9.00	1,431	13.25	2,326	17.50	3,321
0.75	87	5.00	703	9.25	1,481	13.50	2,382	17.75	3,382
1.00	118	5.25	745	9.50	1,531	13.75	2,438	18.00	3,444
1.25	149	5.50	787	9.75	1,581	14.00	2,495	18.25	3,506
1.50	182	5.75	830	10.00	1,632	14.25	2,551	18.50	3,568
1.75	215	6.00	874	10.25	1,683	14.50	2,609	18.75	3,630
2.00	248	6.25	917	10.50	1,734	14.75	2,666	19.00	3,693
2.25	283	6.50	962	10.75	1,786	15.00	2,724	19.25	3,756
2.50	318	6.75	1,007	11.00	1,838	15.25	2,783	19.50	3,819
2.75	354	7.00	1,052	11.25	1,891	15.50	2,841	19.75	3,883
3.00	390	7.25	1,098	11.50	1,944	15.75	2,900	20.00	3,947
3.25	427	7.50	1,144	11.75	1,997	16.00	2,959	20.25	4,011
3.50	465	7.75	1,191	12.00	2,051	16.25	3,019	20.50	4,075
3.75	503	8.00	1,238	12.25	2,105	16.50	3,079	20.75	4,139
4.00	542	8.25	1,286	12.50	2,160	16.75	3,139	21.00	4,204



## Capacity/Gauge Table Information

**TCLX 290263**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 063

Reporting Mark: TCLX 290263

Date: 01/07/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,269	25.50	5,410	29.75	6,611	34.00	7,860	38.25	9,148
21.50	4,335	25.75	5,480	30.00	6,683	34.25	7,934	38.50	9,224
21.75	4,400	26.00	5,549	30.25	6,755	34.50	8,009	38.75	9,301
22.00	4,466	26.25	5,618	30.50	6,828	34.75	8,084	39.00	9,378
22.25	4,532	26.50	5,688	30.75	6,901	35.00	8,159	39.25	9,455
22.50	4,598	26.75	5,758	31.00	6,973	35.25	8,235	39.50	9,533
22.75	4,665	27.00	5,828	31.25	7,046	35.50	8,310	39.75	9,610
23.00	4,731	27.25	5,898	31.50	7,120	35.75	8,386	40.00	9,687
23.25	4,798	27.50	5,969	31.75	7,193	36.00	8,461	40.25	9,765
23.50	4,865	27.75	6,039	32.00	7,266	36.25	8,537	40.50	9,842
23.75	4,933	28.00	6,110	32.25	7,340	36.50	8,613	40.75	9,920
24.00	5,000	28.25	6,181	32.50	7,414	36.75	8,689	41.00	9,998
24.25	5,068	28.50	6,252	32.75	7,488	37.00	8,765	41.25	10,076
24.50	5,136	28.75	6,324	33.00	7,562	37.25	8,841	41.50	10,153
24.75	5,204	29.00	6,395	33.25	7,636	37.50	8,918	41.75	10,231
25.00	5,273	29.25	6,467	33.50	7,710	37.75	8,994	42.00	10,310
25.25	5,342	29.50	6,539	33.75	7,785	38.00	9,071	42.25	10,388



## Capacity/Gauge Table Information

**TCLX 290263**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 063

Reporting Mark: TCLX 290263

Date: 01/07/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,466	46.75	11,806	51.00	13,161	55.25	14,522	59.50	15,882
42.75	10,544	47.00	11,886	51.25	13,241	55.50	14,602	59.75	15,962
43.00	10,623	47.25	11,965	51.50	13,321	55.75	14,682	60.00	16,041
43.25	10,701	47.50	12,045	51.75	13,401	56.00	14,762	60.25	16,121
43.50	10,780	47.75	12,124	52.00	13,481	56.25	14,842	60.50	16,201
43.75	10,858	48.00	12,204	52.25	13,561	56.50	14,922	60.75	16,281
44.00	10,937	48.25	12,283	52.50	13,641	56.75	15,003	61.00	16,360
44.25	11,016	48.50	12,363	52.75	13,721	57.00	15,083	61.25	16,440
44.50	11,094	48.75	12,443	53.00	13,801	57.25	15,163	61.50	16,519
44.75	11,173	49.00	12,522	53.25	13,881	57.50	15,243	61.75	16,599
45.00	11,252	49.25	12,602	53.50	13,961	57.75	15,323	62.00	16,678
45.25	11,331	49.50	12,682	53.75	14,041	58.00	15,403	62.25	16,758
45.50	11,410	49.75	12,762	54.00	14,122	58.25	15,483	62.50	16,837
45.75	11,489	50.00	12,841	54.25	14,202	58.50	15,562	62.75	16,916
46.00	11,569	50.25	12,921	54.50	14,282	58.75	15,642	63.00	16,996
46.25	11,648	50.50	13,001	54.75	14,362	59.00	15,722	63.25	17,075
46.50	11,727	50.75	13,081	55.00	14,442	59.25	15,802	63.50	17,154



## Capacity/Gauge Table Information

**TCLX 290263**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 063

Reporting Mark: TCLX 290263

Date: 01/07/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,233	68.00	18,567	72.25	19,877	76.50	21,154	80.75	22,389
64.00	17,312	68.25	18,645	72.50	19,953	76.75	21,228	81.00	22,460
64.25	17,391	68.50	18,723	72.75	20,029	77.00	21,301	81.25	22,531
64.50	17,470	68.75	18,800	73.00	20,105	77.25	21,375	81.50	22,601
64.75	17,549	69.00	18,878	73.25	20,181	77.50	21,448	81.75	22,672
65.00	17,627	69.25	18,955	73.50	20,256	77.75	21,522	82.00	22,742
65.25	17,706	69.50	19,033	73.75	20,332	78.00	21,595	82.25	22,813
65.50	17,785	69.75	19,110	74.00	20,407	78.25	21,668	82.50	22,883
65.75	17,863	70.00	19,187	74.25	20,483	78.50	21,741	82.75	22,952
66.00	17,942	70.25	19,264	74.50	20,558	78.75	21,813	83.00	23,022
66.25	18,020	70.50	19,341	74.75	20,633	79.00	21,886	83.25	23,091
66.50	18,099	70.75	19,418	75.00	20,708	79.25	21,958	83.50	23,161
66.75	18,177	71.00	19,495	75.25	20,782	79.50	22,030	83.75	23,230
67.00	18,255	71.25	19,572	75.50	20,857	79.75	22,102	84.00	23,299
67.25	18,333	71.50	19,648	75.75	20,931	80.00	22,174	84.25	23,367
67.50	18,411	71.75	19,725	76.00	21,006	80.25	22,246	84.50	23,436
67.75	18,489	72.00	19,801	76.25	21,080	80.50	22,317	84.75	23,504



## Capacity/Gauge Table Information

**TCLX 290263**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 063

Reporting Mark: TCLX 290263

Date: 01/07/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,572	89.25	24,692	93.50	25,738	97.75	26,693	102.00	27,540
85.25	23,639	89.50	24,756	93.75	25,797	98.00	26,746	102.25	27,585
85.50	23,707	89.75	24,819	94.00	25,855	98.25	26,799	102.50	27,631
85.75	23,774	90.00	24,883	94.25	25,914	98.50	26,851	102.75	27,676
86.00	23,841	90.25	24,946	94.50	25,971	98.75	26,903	103.00	27,720
86.25	23,908	90.50	25,008	94.75	26,029	99.00	26,955	103.25	27,764
86.50	23,975	90.75	25,071	95.00	26,086	99.25	27,006	103.50	27,807
86.75	24,041	91.00	25,133	95.25	26,143	99.50	27,056	103.75	27,850
87.00	24,108	91.25	25,195	95.50	26,200	99.75	27,107	104.00	27,893
87.25	24,173	91.50	25,256	95.75	26,256	100.00	27,157	104.25	27,935
87.50	24,239	91.75	25,317	96.00	26,312	100.25	27,206	104.50	27,976
87.75	24,305	92.00	25,378	96.25	26,368	100.50	27,255	104.75	28,017
88.00	24,370	92.25	25,439	96.50	26,423	100.75	27,303	105.00	28,057
88.25	24,435	92.50	25,499	96.75	26,478	101.00	27,352	105.25	28,096
88.50	24,500	92.75	25,559	97.00	26,532	101.25	27,399	105.50	28,135
88.75	24,564	93.00	25,619	97.25	26,586	101.50	27,447	105.75	28,174
89.00	24,628	93.25	25,679	97.50	26,640	101.75	27,493	106.00	28,212



## Capacity/Gauge Table Information

**TCLX 290263**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 063

Reporting Mark: TCLX 290263

Date: 01/07/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,249	110.50	28,772	114.75	28,993
106.50	28,286	110.75	28,795	115.00	28,997
106.75	28,322	111.00	28,816	115.25	29,000
107.00	28,357	111.25	28,836	115.50	29,003
107.25	28,392	111.50	28,855	115.75	29,005
107.50	28,426	111.75	28,872	116.00	29,006
107.75	28,459	112.00	28,888	116.25	29,007
108.00	28,491	112.25	28,903	116.50	29,007
108.25	28,523	112.50	28,917	116.75	29,007
108.50	28,554	112.75	28,930		
108.75	28,585	113.00	28,941		
109.00	28,614	113.25	28,952		
109.25	28,643	113.50	28,961		
109.50	28,670	113.75	28,969		
109.75	28,697	114.00	28,977		
110.00	28,723	114.25	28,983		
110.25	28,748	114.50	28,989		



## Capacity/Gauge Table Information

**TCLX 290264**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 064

Reporting Mark: TCLX 290264

Date: 18/06/2015

Capacity: 28,948 US Gallons (109,578 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	605	8.50	1,374	12.75	2,268	17.00	3,263
0.25	30	4.50	646	8.75	1,423	13.00	2,324	17.25	3,324
0.50	61	4.75	688	9.00	1,473	13.25	2,380	17.50	3,386
0.75	92	5.00	730	9.25	1,523	13.50	2,437	17.75	3,448
1.00	124	5.25	773	9.50	1,574	13.75	2,494	18.00	3,510
1.25	157	5.50	816	9.75	1,625	14.00	2,551	18.25	3,572
1.50	191	5.75	860	10.00	1,676	14.25	2,608	18.50	3,635
1.75	225	6.00	904	10.25	1,728	14.50	2,666	18.75	3,698
2.00	260	6.25	949	10.50	1,780	14.75	2,725	19.00	3,761
2.25	296	6.50	994	10.75	1,833	15.00	2,783	19.25	3,825
2.50	333	6.75	1,040	11.00	1,886	15.25	2,842	19.50	3,889
2.75	370	7.00	1,086	11.25	1,940	15.50	2,901	19.75	3,953
3.00	407	7.25	1,133	11.50	1,993	15.75	2,961	20.00	4,017
3.25	446	7.50	1,180	11.75	2,048	16.00	3,021	20.25	4,081
3.50	485	7.75	1,228	12.00	2,102	16.25	3,081	20.50	4,146
3.75	524	8.00	1,276	12.25	2,157	16.50	3,141	20.75	4,211
4.00	564	8.25	1,325	12.50	2,212	16.75	3,202	21.00	4,276





## Capacity/Gauge Table Information

**TCLX 290264**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 064

Reporting Mark: TCLX 290264

Date: 18/06/2015

Capacity: 28,948 US Gallons (109,578 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,342	25.50	5,490	29.75	6,697	34.00	7,951	38.25	9,243
21.50	4,408	25.75	5,560	30.00	6,769	34.25	8,026	38.50	9,320
21.75	4,474	26.00	5,630	30.25	6,842	34.50	8,101	38.75	9,397
22.00	4,540	26.25	5,699	30.50	6,915	34.75	8,176	39.00	9,474
22.25	4,606	26.50	5,770	30.75	6,988	35.00	8,252	39.25	9,551
22.50	4,673	26.75	5,840	31.00	7,061	35.25	8,327	39.50	9,629
22.75	4,740	27.00	5,910	31.25	7,134	35.50	8,403	39.75	9,706
23.00	4,807	27.25	5,981	31.50	7,208	35.75	8,479	40.00	9,784
23.25	4,875	27.50	6,052	31.75	7,282	36.00	8,554	40.25	9,861
23.50	4,942	27.75	6,123	32.00	7,355	36.25	8,630	40.50	9,939
23.75	5,010	28.00	6,194	32.25	7,429	36.50	8,707	40.75	10,017
24.00	5,078	28.25	6,265	32.50	7,503	36.75	8,783	41.00	10,095
24.25	5,146	28.50	6,337	32.75	7,578	37.00	8,859	41.25	10,173
24.50	5,215	28.75	6,408	33.00	7,652	37.25	8,936	41.50	10,251
24.75	5,283	29.00	6,480	33.25	7,726	37.50	9,012	41.75	10,329
25.00	5,352	29.25	6,552	33.50	7,801	37.75	9,089	42.00	10,407
25.25	5,421	29.50	6,624	33.75	7,876	38.00	9,166	42.25	10,486



## Capacity/Gauge Table Information

**TCLX 290264**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 064

Reporting Mark: TCLX 290264

Date: 18/06/2015

Capacity: 28,948 US Gallons (109,578 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,564	46.75	11,906	51.00	13,262	55.25	14,623	59.50	15,982
42.75	10,642	47.00	11,986	51.25	13,342	55.50	14,703	59.75	16,062
43.00	10,721	47.25	12,065	51.50	13,422	55.75	14,783	60.00	16,142
43.25	10,800	47.50	12,145	51.75	13,502	56.00	14,864	60.25	16,221
43.50	10,878	47.75	12,224	52.00	13,582	56.25	14,944	60.50	16,301
43.75	10,957	48.00	12,304	52.25	13,662	56.50	15,024	60.75	16,381
44.00	11,036	48.25	12,384	52.50	13,742	56.75	15,104	61.00	16,460
44.25	11,115	48.50	12,463	52.75	13,822	57.00	15,184	61.25	16,540
44.50	11,193	48.75	12,543	53.00	13,902	57.25	15,264	61.50	16,619
44.75	11,272	49.00	12,623	53.25	13,983	57.50	15,344	61.75	16,699
45.00	11,352	49.25	12,703	53.50	14,063	57.75	15,424	62.00	16,778
45.25	11,431	49.50	12,783	53.75	14,143	58.00	15,503	62.25	16,857
45.50	11,510	49.75	12,862	54.00	14,223	58.25	15,583	62.50	16,936
45.75	11,589	50.00	12,942	54.25	14,303	58.50	15,663	62.75	17,016
46.00	11,668	50.25	13,022	54.50	14,383	58.75	15,743	63.00	17,095
46.25	11,748	50.50	13,102	54.75	14,463	59.00	15,823	63.25	17,174
46.50	11,827	50.75	13,182	55.00	14,543	59.25	15,903	63.50	17,253



## Capacity/Gauge Table Information

**TCLX 290264**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 064

Reporting Mark: TCLX 290264

Date: 18/06/2015

Capacity: 28,948 US Gallons (109,578 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,332	68.00	18,664	72.25	19,970	76.50	21,242	80.75	22,471
64.00	17,411	68.25	18,741	72.50	20,046	76.75	21,316	81.00	22,542
64.25	17,490	68.50	18,819	72.75	20,122	77.00	21,389	81.25	22,613
64.50	17,568	68.75	18,896	73.00	20,197	77.25	21,462	81.50	22,683
64.75	17,647	69.00	18,974	73.25	20,273	77.50	21,536	81.75	22,753
65.00	17,726	69.25	19,051	73.50	20,348	77.75	21,609	82.00	22,823
65.25	17,804	69.50	19,128	73.75	20,423	78.00	21,681	82.25	22,893
65.50	17,883	69.75	19,205	74.00	20,498	78.25	21,754	82.50	22,963
65.75	17,961	70.00	19,282	74.25	20,573	78.50	21,827	82.75	23,032
66.00	18,040	70.25	19,359	74.50	20,648	78.75	21,899	83.00	23,101
66.25	18,118	70.50	19,436	74.75	20,723	79.00	21,971	83.25	23,170
66.50	18,196	70.75	19,512	75.00	20,798	79.25	22,043	83.50	23,239
66.75	18,274	71.00	19,589	75.25	20,872	79.50	22,115	83.75	23,308
67.00	18,352	71.25	19,665	75.50	20,946	79.75	22,187	84.00	23,376
67.25	18,430	71.50	19,742	75.75	21,021	80.00	22,258	84.25	23,444
67.50	18,508	71.75	19,818	76.00	21,095	80.25	22,329	84.50	23,512
67.75	18,586	72.00	19,894	76.25	21,168	80.50	22,400	84.75	23,580



## Capacity/Gauge Table Information

**TCLX 290264**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 064

Reporting Mark: TCLX 290264

Date: 18/06/2015

Capacity: 28,948 US Gallons (109,578 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,648	89.25	24,760	93.50	25,796	97.75	26,740	102.00	27,571
85.25	23,715	89.50	24,823	93.75	25,854	98.00	26,792	102.25	27,616
85.50	23,782	89.75	24,886	94.00	25,912	98.25	26,844	102.50	27,661
85.75	23,849	90.00	24,949	94.25	25,970	98.50	26,895	102.75	27,705
86.00	23,916	90.25	25,011	94.50	26,027	98.75	26,946	103.00	27,748
86.25	23,982	90.50	25,073	94.75	26,084	99.00	26,997	103.25	27,791
86.50	24,048	90.75	25,135	95.00	26,140	99.25	27,047	103.50	27,833
86.75	24,114	91.00	25,197	95.25	26,197	99.50	27,097	103.75	27,875
87.00	24,180	91.25	25,258	95.50	26,253	99.75	27,147	104.00	27,916
87.25	24,245	91.50	25,319	95.75	26,308	100.00	27,196	104.25	27,957
87.50	24,311	91.75	25,380	96.00	26,363	100.25	27,244	104.50	27,997
87.75	24,376	92.00	25,440	96.25	26,418	100.50	27,292	104.75	28,037
88.00	24,440	92.25	25,500	96.50	26,473	100.75	27,340	105.00	28,076
88.25	24,505	92.50	25,560	96.75	26,527	101.00	27,387	105.25	28,114
88.50	24,569	92.75	25,619	97.00	26,581	101.25	27,434	105.50	28,152
88.75	24,633	93.00	25,678	97.25	26,634	101.50	27,480	105.75	28,190
89.00	24,697	93.25	25,737	97.50	26,687	101.75	27,526	106.00	28,226



## Capacity/Gauge Table Information

**TCLX 290264**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 064

Reporting Mark: TCLX 290264

Date: 18/06/2015

Capacity: 28,948 US Gallons (109,578 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,262	110.50	28,757	114.75	28,941
106.50	28,298	110.75	28,777	115.00	28,943
106.75	28,332	111.00	28,795	115.25	28,945
107.00	28,366	111.25	28,813	115.50	28,946
107.25	28,399	111.50	28,829	115.75	28,947
107.50	28,432	111.75	28,844	116.00	28,947
107.75	28,464	112.00	28,858	116.25	28,948
108.00	28,495	112.25	28,870		
108.25	28,525	112.50	28,882		
108.50	28,555	112.75	28,892		
108.75	28,583	113.00	28,901		
109.00	28,611	113.25	28,910		
109.25	28,638	113.50	28,917		
109.50	28,664	113.75	28,924		
109.75	28,689	114.00	28,929		
110.00	28,713	114.25	28,934		
110.25	28,735	114.50	28,938		



## Capacity/Gauge Table Information

**TCLX 290265**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 065

Reporting Mark: TCLX 290265

Date: 30/06/2015

Capacity: 29,010 US Gallons (109,813 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	580	8.50	1,331	12.75	2,212	17.00	3,196
0.25	28	4.50	620	8.75	1,380	13.00	2,267	17.25	3,256
0.50	57	4.75	661	9.00	1,429	13.25	2,322	17.50	3,317
0.75	87	5.00	702	9.25	1,478	13.50	2,378	17.75	3,379
1.00	117	5.25	744	9.50	1,528	13.75	2,435	18.00	3,440
1.25	149	5.50	786	9.75	1,578	14.00	2,491	18.25	3,502
1.50	181	5.75	829	10.00	1,629	14.25	2,548	18.50	3,564
1.75	214	6.00	872	10.25	1,680	14.50	2,605	18.75	3,626
2.00	248	6.25	916	10.50	1,731	14.75	2,663	19.00	3,689
2.25	282	6.50	960	10.75	1,783	15.00	2,721	19.25	3,752
2.50	317	6.75	1,005	11.00	1,835	15.25	2,779	19.50	3,815
2.75	353	7.00	1,050	11.25	1,888	15.50	2,838	19.75	3,879
3.00	389	7.25	1,096	11.50	1,941	15.75	2,897	20.00	3,942
3.25	426	7.50	1,142	11.75	1,994	16.00	2,956	20.25	4,006
3.50	464	7.75	1,189	12.00	2,048	16.25	3,015	20.50	4,071
3.75	502	8.00	1,236	12.25	2,102	16.50	3,075	20.75	4,135
4.00	541	8.25	1,283	12.50	2,157	16.75	3,135	21.00	4,200



## Capacity/Gauge Table Information

**TCLX 290265**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 065

Reporting Mark: TCLX 290265

Date: 30/06/2015

Capacity: 29,010 US Gallons (109,813 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,265	25.50	5,406	29.75	6,606	34.00	7,854	38.25	9,142
21.50	4,330	25.75	5,475	30.00	6,678	34.25	7,929	38.50	9,219
21.75	4,396	26.00	5,544	30.25	6,750	34.50	8,004	38.75	9,296
22.00	4,461	26.25	5,613	30.50	6,823	34.75	8,079	39.00	9,372
22.25	4,527	26.50	5,683	30.75	6,895	35.00	8,154	39.25	9,450
22.50	4,594	26.75	5,753	31.00	6,968	35.25	8,229	39.50	9,527
22.75	4,660	27.00	5,823	31.25	7,041	35.50	8,305	39.75	9,604
23.00	4,727	27.25	5,893	31.50	7,114	35.75	8,380	40.00	9,681
23.25	4,794	27.50	5,964	31.75	7,188	36.00	8,456	40.25	9,759
23.50	4,861	27.75	6,034	32.00	7,261	36.25	8,532	40.50	9,836
23.75	4,928	28.00	6,105	32.25	7,335	36.50	8,607	40.75	9,914
24.00	4,996	28.25	6,176	32.50	7,408	36.75	8,683	41.00	9,992
24.25	5,064	28.50	6,247	32.75	7,482	37.00	8,760	41.25	10,070
24.50	5,132	28.75	6,318	33.00	7,556	37.25	8,836	41.50	10,148
24.75	5,200	29.00	6,390	33.25	7,631	37.50	8,912	41.75	10,226
25.00	5,268	29.25	6,462	33.50	7,705	37.75	8,989	42.00	10,304
25.25	5,337	29.50	6,534	33.75	7,779	38.00	9,065	42.25	10,382





## Capacity/Gauge Table Information

**TCLX 290265**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 065

Reporting Mark: TCLX 290265

Date: 30/06/2015

Capacity: 29,010 US Gallons (109,813 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,460	46.75	11,800	51.00	13,155	55.25	14,516	59.50	15,876
42.75	10,538	47.00	11,880	51.25	13,235	55.50	14,596	59.75	15,956
43.00	10,617	47.25	11,959	51.50	13,315	55.75	14,676	60.00	16,035
43.25	10,695	47.50	12,039	51.75	13,395	56.00	14,756	60.25	16,115
43.50	10,774	47.75	12,118	52.00	13,475	56.25	14,836	60.50	16,195
43.75	10,852	48.00	12,198	52.25	13,555	56.50	14,916	60.75	16,274
44.00	10,931	48.25	12,277	52.50	13,635	56.75	14,996	61.00	16,354
44.25	11,010	48.50	12,357	52.75	13,715	57.00	15,076	61.25	16,434
44.50	11,088	48.75	12,436	53.00	13,795	57.25	15,156	61.50	16,513
44.75	11,167	49.00	12,516	53.25	13,875	57.50	15,236	61.75	16,593
45.00	11,246	49.25	12,596	53.50	13,955	57.75	15,316	62.00	16,672
45.25	11,325	49.50	12,676	53.75	14,035	58.00	15,396	62.25	16,752
45.50	11,404	49.75	12,755	54.00	14,115	58.25	15,476	62.50	16,831
45.75	11,483	50.00	12,835	54.25	14,195	58.50	15,556	62.75	16,910
46.00	11,563	50.25	12,915	54.50	14,276	58.75	15,636	63.00	16,989
46.25	11,642	50.50	12,995	54.75	14,356	59.00	15,716	63.25	17,069
46.50	11,721	50.75	13,075	55.00	14,436	59.25	15,796	63.50	17,148



## Capacity/Gauge Table Information

**TCLX 290265**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 065

Reporting Mark: TCLX 290265

Date: 30/06/2015

Capacity: 29,010 US Gallons (109,813 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,227	68.00	18,561	72.25	19,871	76.50	21,148	80.75	22,383
64.00	17,306	68.25	18,639	72.50	19,947	76.75	21,222	81.00	22,455
64.25	17,385	68.50	18,717	72.75	20,023	77.00	21,296	81.25	22,526
64.50	17,464	68.75	18,795	73.00	20,099	77.25	21,370	81.50	22,596
64.75	17,543	69.00	18,872	73.25	20,175	77.50	21,443	81.75	22,667
65.00	17,621	69.25	18,950	73.50	20,251	77.75	21,516	82.00	22,737
65.25	17,700	69.50	19,027	73.75	20,326	78.00	21,590	82.25	22,808
65.50	17,779	69.75	19,104	74.00	20,402	78.25	21,662	82.50	22,878
65.75	17,857	70.00	19,181	74.25	20,477	78.50	21,735	82.75	22,947
66.00	17,936	70.25	19,258	74.50	20,552	78.75	21,808	83.00	23,017
66.25	18,014	70.50	19,335	74.75	20,627	79.00	21,881	83.25	23,087
66.50	18,093	70.75	19,412	75.00	20,702	79.25	21,953	83.50	23,156
66.75	18,171	71.00	19,489	75.25	20,777	79.50	22,025	83.75	23,225
67.00	18,249	71.25	19,566	75.50	20,851	79.75	22,097	84.00	23,294
67.25	18,327	71.50	19,642	75.75	20,926	80.00	22,169	84.25	23,362
67.50	18,406	71.75	19,719	76.00	21,000	80.25	22,241	84.50	23,431
67.75	18,483	72.00	19,795	76.25	21,074	80.50	22,312	84.75	23,499



## Capacity/Gauge Table Information

**TCLX 290265**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 065

Reporting Mark: TCLX 290265

Date: 30/06/2015

Capacity: 29,010 US Gallons (109,813 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,567	89.25	24,688	93.50	25,734	97.75	26,690	102.00	27,537
85.25	23,635	89.50	24,752	93.75	25,793	98.00	26,743	102.25	27,583
85.50	23,702	89.75	24,815	94.00	25,852	98.25	26,796	102.50	27,629
85.75	23,770	90.00	24,878	94.25	25,910	98.50	26,848	102.75	27,674
86.00	23,837	90.25	24,941	94.50	25,968	98.75	26,900	103.00	27,718
86.25	23,904	90.50	25,004	94.75	26,025	99.00	26,952	103.25	27,762
86.50	23,970	90.75	25,066	95.00	26,083	99.25	27,003	103.50	27,806
86.75	24,037	91.00	25,129	95.25	26,140	99.50	27,054	103.75	27,849
87.00	24,103	91.25	25,190	95.50	26,196	99.75	27,104	104.00	27,891
87.25	24,169	91.50	25,252	95.75	26,253	100.00	27,154	104.25	27,933
87.50	24,235	91.75	25,313	96.00	26,309	100.25	27,203	104.50	27,974
87.75	24,300	92.00	25,374	96.25	26,364	100.50	27,252	104.75	28,015
88.00	24,365	92.25	25,435	96.50	26,419	100.75	27,301	105.00	28,055
88.25	24,430	92.50	25,495	96.75	26,474	101.00	27,349	105.25	28,095
88.50	24,495	92.75	25,556	97.00	26,529	101.25	27,397	105.50	28,134
88.75	24,560	93.00	25,615	97.25	26,583	101.50	27,444	105.75	28,173
89.00	24,624	93.25	25,675	97.50	26,637	101.75	27,491	106.00	28,211



## Capacity/Gauge Table Information

**TCLX 290265**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 065

Reporting Mark: TCLX 290265

Date: 30/06/2015

Capacity: 29,010 US Gallons (109,813 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,248	110.50	28,773	114.75	28,996
106.50	28,285	110.75	28,795	115.00	29,000
106.75	28,321	111.00	28,817	115.25	29,003
107.00	28,356	111.25	28,837	115.50	29,005
107.25	28,391	111.50	28,856	115.75	29,007
107.50	28,425	111.75	28,874	116.00	29,008
107.75	28,458	112.00	28,890	116.25	29,009
108.00	28,491	112.25	28,905	116.50	29,010
108.25	28,523	112.50	28,919	116.75	29,010
108.50	28,554	112.75	28,932		
108.75	28,584	113.00	28,943		
109.00	28,614	113.25	28,954		
109.25	28,643	113.50	28,963		
109.50	28,671	113.75	28,972		
109.75	28,698	114.00	28,979		
110.00	28,724	114.25	28,985		
110.25	28,749	114.50	28,991		



## Capacity/Gauge Table Information

**TCLX 290266**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 066

Reporting Mark: TCLX 290266

Date: 26/06/2015

Capacity: 29,025 US Gallons (109,873 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	574	8.50	1,320	12.75	2,197	17.00	3,177
0.25	28	4.50	613	8.75	1,369	13.00	2,252	17.25	3,238
0.50	56	4.75	654	9.00	1,417	13.25	2,307	17.50	3,299
0.75	85	5.00	694	9.25	1,466	13.50	2,363	17.75	3,360
1.00	116	5.25	736	9.50	1,516	13.75	2,419	18.00	3,421
1.25	147	5.50	778	9.75	1,566	14.00	2,475	18.25	3,483
1.50	178	5.75	820	10.00	1,616	14.25	2,532	18.50	3,545
1.75	211	6.00	863	10.25	1,667	14.50	2,589	18.75	3,607
2.00	244	6.25	907	10.50	1,718	14.75	2,646	19.00	3,670
2.25	278	6.50	951	10.75	1,770	15.00	2,704	19.25	3,732
2.50	313	6.75	995	11.00	1,822	15.25	2,762	19.50	3,795
2.75	348	7.00	1,040	11.25	1,874	15.50	2,821	19.75	3,859
3.00	384	7.25	1,086	11.50	1,927	15.75	2,879	20.00	3,922
3.25	421	7.50	1,132	11.75	1,980	16.00	2,938	20.25	3,986
3.50	458	7.75	1,178	12.00	2,034	16.25	2,998	20.50	4,050
3.75	496	8.00	1,225	12.25	2,088	16.50	3,057	20.75	4,115
4.00	535	8.25	1,272	12.50	2,142	16.75	3,117	21.00	4,179



## Capacity/Gauge Table Information

**TCLX 290266**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 066

Reporting Mark: TCLX 290266

Date: 26/06/2015

Capacity: 29,025 US Gallons (109,873 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,244	25.50	5,383	29.75	6,581	34.00	7,828	38.25	9,114
21.50	4,309	25.75	5,452	30.00	6,653	34.25	7,902	38.50	9,191
21.75	4,375	26.00	5,521	30.25	6,725	34.50	7,977	38.75	9,268
22.00	4,440	26.25	5,590	30.50	6,797	34.75	8,052	39.00	9,345
22.25	4,506	26.50	5,660	30.75	6,870	35.00	8,127	39.25	9,422
22.50	4,572	26.75	5,729	31.00	6,943	35.25	8,202	39.50	9,499
22.75	4,638	27.00	5,799	31.25	7,016	35.50	8,278	39.75	9,576
23.00	4,705	27.25	5,869	31.50	7,089	35.75	8,353	40.00	9,653
23.25	4,772	27.50	5,940	31.75	7,162	36.00	8,429	40.25	9,731
23.50	4,839	27.75	6,010	32.00	7,235	36.25	8,504	40.50	9,808
23.75	4,906	28.00	6,081	32.25	7,309	36.50	8,580	40.75	9,886
24.00	4,973	28.25	6,152	32.50	7,383	36.75	8,656	41.00	9,964
24.25	5,041	28.50	6,223	32.75	7,456	37.00	8,732	41.25	10,041
24.50	5,109	28.75	6,294	33.00	7,530	37.25	8,808	41.50	10,119
24.75	5,177	29.00	6,365	33.25	7,604	37.50	8,885	41.75	10,197
25.00	5,245	29.25	6,437	33.50	7,679	37.75	8,961	42.00	10,275
25.25	5,314	29.50	6,509	33.75	7,753	38.00	9,038	42.25	10,353



## Capacity/Gauge Table Information

**TCLX 290266**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 066

Reporting Mark: TCLX 290266

Date: 26/06/2015

Capacity: 29,025 US Gallons (109,873 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,432	46.75	11,771	51.00	13,125	55.25	14,486	59.50	15,846
42.75	10,510	47.00	11,851	51.25	13,205	55.50	14,567	59.75	15,926
43.00	10,588	47.25	11,930	51.50	13,285	55.75	14,647	60.00	16,006
43.25	10,667	47.50	12,009	51.75	13,365	56.00	14,727	60.25	16,086
43.50	10,745	47.75	12,089	52.00	13,445	56.25	14,807	60.50	16,166
43.75	10,824	48.00	12,168	52.25	13,525	56.50	14,887	60.75	16,245
44.00	10,902	48.25	12,248	52.50	13,605	56.75	14,967	61.00	16,325
44.25	10,981	48.50	12,328	52.75	13,685	57.00	15,047	61.25	16,404
44.50	11,060	48.75	12,407	53.00	13,766	57.25	15,127	61.50	16,484
44.75	11,139	49.00	12,487	53.25	13,846	57.50	15,207	61.75	16,564
45.00	11,217	49.25	12,567	53.50	13,926	57.75	15,287	62.00	16,643
45.25	11,296	49.50	12,646	53.75	14,006	58.00	15,367	62.25	16,722
45.50	11,375	49.75	12,726	54.00	14,086	58.25	15,447	62.50	16,802
45.75	11,454	50.00	12,806	54.25	14,166	58.50	15,527	62.75	16,881
46.00	11,534	50.25	12,886	54.50	14,246	58.75	15,607	63.00	16,960
46.25	11,613	50.50	12,966	54.75	14,326	59.00	15,687	63.25	17,040
46.50	11,692	50.75	13,046	55.00	14,406	59.25	15,767	63.50	17,119





## Capacity/Gauge Table Information

**TCLX 290266**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 066

Reporting Mark: TCLX 290266

Date: 26/06/2015

Capacity: 29,025 US Gallons (109,873 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,198	68.00	18,533	72.25	19,844	76.50	21,123	80.75	22,359
64.00	17,277	68.25	18,611	72.50	19,920	76.75	21,197	81.00	22,431
64.25	17,356	68.50	18,689	72.75	19,996	77.00	21,270	81.25	22,502
64.50	17,435	68.75	18,767	73.00	20,072	77.25	21,344	81.50	22,573
64.75	17,514	69.00	18,844	73.25	20,148	77.50	21,418	81.75	22,643
65.00	17,593	69.25	18,922	73.50	20,224	77.75	21,491	82.00	22,714
65.25	17,672	69.50	18,999	73.75	20,300	78.00	21,564	82.25	22,784
65.50	17,750	69.75	19,077	74.00	20,375	78.25	21,637	82.50	22,854
65.75	17,829	70.00	19,154	74.25	20,450	78.50	21,710	82.75	22,924
66.00	17,907	70.25	19,231	74.50	20,526	78.75	21,783	83.00	22,994
66.25	17,986	70.50	19,308	74.75	20,601	79.00	21,856	83.25	23,064
66.50	18,064	70.75	19,385	75.00	20,676	79.25	21,928	83.50	23,133
66.75	18,143	71.00	19,462	75.25	20,750	79.50	22,000	83.75	23,202
67.00	18,221	71.25	19,538	75.50	20,825	79.75	22,073	84.00	23,271
67.25	18,299	71.50	19,615	75.75	20,900	80.00	22,144	84.25	23,340
67.50	18,377	71.75	19,692	76.00	20,974	80.25	22,216	84.50	23,408
67.75	18,455	72.00	19,768	76.25	21,048	80.50	22,288	84.75	23,477



## Capacity/Gauge Table Information

**TCLX 290266**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 066

Reporting Mark: TCLX 290266

Date: 26/06/2015

Capacity: 29,025 US Gallons (109,873 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,545	89.25	24,668	93.50	25,717	97.75	26,677	102.00	27,528
85.25	23,613	89.50	24,732	93.75	25,776	98.00	26,730	102.25	27,575
85.50	23,680	89.75	24,796	94.00	25,835	98.25	26,783	102.50	27,620
85.75	23,748	90.00	24,859	94.25	25,894	98.50	26,836	102.75	27,666
86.00	23,815	90.25	24,922	94.50	25,952	98.75	26,888	103.00	27,710
86.25	23,882	90.50	24,985	94.75	26,010	99.00	26,940	103.25	27,755
86.50	23,949	90.75	25,048	95.00	26,067	99.25	26,991	103.50	27,798
86.75	24,016	91.00	25,110	95.25	26,124	99.50	27,042	103.75	27,842
87.00	24,082	91.25	25,172	95.50	26,181	99.75	27,093	104.00	27,884
87.25	24,148	91.50	25,234	95.75	26,238	100.00	27,143	104.25	27,927
87.50	24,214	91.75	25,295	96.00	26,294	100.25	27,192	104.50	27,968
87.75	24,280	92.00	25,356	96.25	26,350	100.50	27,242	104.75	28,009
88.00	24,345	92.25	25,417	96.50	26,405	100.75	27,291	105.00	28,050
88.25	24,410	92.50	25,478	96.75	26,460	101.00	27,339	105.25	28,090
88.50	24,475	92.75	25,538	97.00	26,515	101.25	27,387	105.50	28,129
88.75	24,540	93.00	25,598	97.25	26,569	101.50	27,435	105.75	28,168
89.00	24,604	93.25	25,658	97.50	26,623	101.75	27,482	106.00	28,207



## Capacity/Gauge Table Information

**TCLX 290266**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 066

Reporting Mark: TCLX 290266

Date: 26/06/2015

Capacity: 29,025 US Gallons (109,873 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,244	110.50	28,777	114.75	29,011
106.50	28,281	110.75	28,801	115.00	29,015
106.75	28,318	111.00	28,823	115.25	29,018
107.00	28,354	111.25	28,845	115.50	29,021
107.25	28,389	111.50	28,864	115.75	29,023
107.50	28,423	111.75	28,883	116.00	29,024
107.75	28,457	112.00	28,900	116.25	29,025
108.00	28,490	112.25	28,916	116.50	29,025
108.25	28,523	112.50	28,930	116.75	29,025
108.50	28,554	112.75	28,944		
108.75	28,585	113.00	28,956		
109.00	28,615	113.25	28,967		
109.25	28,644	113.50	28,977		
109.50	28,673	113.75	28,985		
109.75	28,700	114.00	28,993		
110.00	28,727	114.25	29,000		
110.25	28,753	114.50	29,006		



## Capacity/Gauge Table Information

**TCLX 290267**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 067

Reporting Mark: TCLX 290267

Date: 24/06/2015

Capacity: 29,001 US Gallons (109,780 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	581	8.50	1,332	12.75	2,213	17.00	3,197
0.25	28	4.50	621	8.75	1,381	13.00	2,268	17.25	3,258
0.50	57	4.75	661	9.00	1,430	13.25	2,324	17.50	3,319
0.75	87	5.00	702	9.25	1,479	13.50	2,380	17.75	3,380
1.00	118	5.25	744	9.50	1,529	13.75	2,436	18.00	3,442
1.25	149	5.50	786	9.75	1,579	14.00	2,492	18.25	3,503
1.50	181	5.75	829	10.00	1,630	14.25	2,549	18.50	3,566
1.75	214	6.00	872	10.25	1,681	14.50	2,607	18.75	3,628
2.00	248	6.25	916	10.50	1,732	14.75	2,664	19.00	3,691
2.25	282	6.50	961	10.75	1,784	15.00	2,722	19.25	3,754
2.50	317	6.75	1,005	11.00	1,837	15.25	2,780	19.50	3,817
2.75	353	7.00	1,051	11.25	1,889	15.50	2,839	19.75	3,880
3.00	389	7.25	1,097	11.50	1,942	15.75	2,898	20.00	3,944
3.25	426	7.50	1,143	11.75	1,996	16.00	2,957	20.25	4,008
3.50	464	7.75	1,189	12.00	2,049	16.25	3,017	20.50	4,072
3.75	502	8.00	1,237	12.25	2,104	16.50	3,076	20.75	4,137
4.00	541	8.25	1,284	12.50	2,158	16.75	3,137	21.00	4,202



## Capacity/Gauge Table Information

**TCLX 290267**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 067

Reporting Mark: TCLX 290267

Date: 24/06/2015

Capacity: 29,001 US Gallons (109,780 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,267	25.50	5,407	29.75	6,607	34.00	7,856	38.25	9,144
21.50	4,332	25.75	5,476	30.00	6,680	34.25	7,931	38.50	9,220
21.75	4,397	26.00	5,546	30.25	6,752	34.50	8,006	38.75	9,297
22.00	4,463	26.25	5,615	30.50	6,824	34.75	8,081	39.00	9,374
22.25	4,529	26.50	5,685	30.75	6,897	35.00	8,156	39.25	9,451
22.50	4,595	26.75	5,755	31.00	6,970	35.25	8,231	39.50	9,529
22.75	4,662	27.00	5,825	31.25	7,043	35.50	8,306	39.75	9,606
23.00	4,728	27.25	5,895	31.50	7,116	35.75	8,382	40.00	9,683
23.25	4,795	27.50	5,965	31.75	7,189	36.00	8,458	40.25	9,761
23.50	4,862	27.75	6,036	32.00	7,263	36.25	8,533	40.50	9,838
23.75	4,930	28.00	6,107	32.25	7,337	36.50	8,609	40.75	9,916
24.00	4,997	28.25	6,178	32.50	7,410	36.75	8,685	41.00	9,994
24.25	5,065	28.50	6,249	32.75	7,484	37.00	8,761	41.25	10,071
24.50	5,133	28.75	6,320	33.00	7,558	37.25	8,838	41.50	10,149
24.75	5,201	29.00	6,392	33.25	7,632	37.50	8,914	41.75	10,227
25.00	5,270	29.25	6,463	33.50	7,707	37.75	8,990	42.00	10,305
25.25	5,339	29.50	6,535	33.75	7,781	38.00	9,067	42.25	10,384



## Capacity/Gauge Table Information

**TCLX 290267**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 067

Reporting Mark: TCLX 290267

Date: 24/06/2015

Capacity: 29,001 US Gallons (109,780 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,462	46.75	11,802	51.00	13,156	55.25	14,517	59.50	15,877
42.75	10,540	47.00	11,881	51.25	13,236	55.50	14,597	59.75	15,957
43.00	10,618	47.25	11,961	51.50	13,316	55.75	14,677	60.00	16,036
43.25	10,697	47.50	12,040	51.75	13,396	56.00	14,758	60.25	16,116
43.50	10,775	47.75	12,120	52.00	13,476	56.25	14,838	60.50	16,196
43.75	10,854	48.00	12,199	52.25	13,556	56.50	14,918	60.75	16,276
44.00	10,933	48.25	12,279	52.50	13,636	56.75	14,998	61.00	16,355
44.25	11,011	48.50	12,358	52.75	13,716	57.00	15,078	61.25	16,435
44.50	11,090	48.75	12,438	53.00	13,796	57.25	15,158	61.50	16,514
44.75	11,169	49.00	12,518	53.25	13,877	57.50	15,238	61.75	16,594
45.00	11,248	49.25	12,597	53.50	13,957	57.75	15,318	62.00	16,673
45.25	11,327	49.50	12,677	53.75	14,037	58.00	15,398	62.25	16,753
45.50	11,406	49.75	12,757	54.00	14,117	58.25	15,478	62.50	16,832
45.75	11,485	50.00	12,837	54.25	14,197	58.50	15,558	62.75	16,911
46.00	11,564	50.25	12,917	54.50	14,277	58.75	15,637	63.00	16,990
46.25	11,643	50.50	12,997	54.75	14,357	59.00	15,717	63.25	17,070
46.50	11,723	50.75	13,076	55.00	14,437	59.25	15,797	63.50	17,149



## Capacity/Gauge Table Information

**TCLX 290267**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 067

Reporting Mark: TCLX 290267

Date: 24/06/2015

Capacity: 29,001 US Gallons (109,780 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,228	68.00	18,562	72.25	19,872	76.50	21,148	80.75	22,383
64.00	17,307	68.25	18,640	72.50	19,948	76.75	21,222	81.00	22,454
64.25	17,386	68.50	18,718	72.75	20,024	77.00	21,296	81.25	22,525
64.50	17,465	68.75	18,795	73.00	20,100	77.25	21,369	81.50	22,596
64.75	17,544	69.00	18,873	73.25	20,175	77.50	21,443	81.75	22,666
65.00	17,622	69.25	18,950	73.50	20,251	77.75	21,516	82.00	22,737
65.25	17,701	69.50	19,027	73.75	20,326	78.00	21,589	82.25	22,807
65.50	17,780	69.75	19,105	74.00	20,402	78.25	21,662	82.50	22,877
65.75	17,858	70.00	19,182	74.25	20,477	78.50	21,735	82.75	22,947
66.00	17,937	70.25	19,259	74.50	20,552	78.75	21,808	83.00	23,016
66.25	18,015	70.50	19,336	74.75	20,627	79.00	21,880	83.25	23,086
66.50	18,094	70.75	19,413	75.00	20,702	79.25	21,953	83.50	23,155
66.75	18,172	71.00	19,490	75.25	20,777	79.50	22,025	83.75	23,224
67.00	18,250	71.25	19,566	75.50	20,851	79.75	22,097	84.00	23,293
67.25	18,328	71.50	19,643	75.75	20,926	80.00	22,169	84.25	23,361
67.50	18,406	71.75	19,719	76.00	21,000	80.25	22,240	84.50	23,430
67.75	18,484	72.00	19,795	76.25	21,074	80.50	22,312	84.75	23,498





## Capacity/Gauge Table Information

**TCLX 290267**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 067

Reporting Mark: TCLX 290267

Date: 24/06/2015

Capacity: 29,001 US Gallons (109,780 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,566	89.25	24,686	93.50	25,732	97.75	26,687	102.00	27,534
85.25	23,634	89.50	24,750	93.75	25,791	98.00	26,740	102.25	27,579
85.50	23,701	89.75	24,814	94.00	25,849	98.25	26,793	102.50	27,625
85.75	23,769	90.00	24,877	94.25	25,908	98.50	26,845	102.75	27,670
86.00	23,836	90.25	24,940	94.50	25,965	98.75	26,897	103.00	27,714
86.25	23,902	90.50	25,002	94.75	26,023	99.00	26,949	103.25	27,758
86.50	23,969	90.75	25,065	95.00	26,080	99.25	27,000	103.50	27,801
86.75	24,036	91.00	25,127	95.25	26,137	99.50	27,050	103.75	27,844
87.00	24,102	91.25	25,189	95.50	26,194	99.75	27,101	104.00	27,887
87.25	24,168	91.50	25,250	95.75	26,250	100.00	27,150	104.25	27,928
87.50	24,233	91.75	25,311	96.00	26,306	100.25	27,200	104.50	27,970
87.75	24,299	92.00	25,372	96.25	26,362	100.50	27,249	104.75	28,010
88.00	24,364	92.25	25,433	96.50	26,417	100.75	27,297	105.00	28,051
88.25	24,429	92.50	25,493	96.75	26,472	101.00	27,346	105.25	28,090
88.50	24,494	92.75	25,553	97.00	26,526	101.25	27,393	105.50	28,129
88.75	24,558	93.00	25,613	97.25	26,580	101.50	27,440	105.75	28,168
89.00	24,622	93.25	25,673	97.50	26,634	101.75	27,487	106.00	28,206



## Capacity/Gauge Table Information

**TCLX 290267**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 067

Reporting Mark: TCLX 290267

Date: 24/06/2015

Capacity: 29,001 US Gallons (109,780 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,243	110.50	28,766	114.75	28,987
106.50	28,280	110.75	28,788	115.00	28,991
106.75	28,315	111.00	28,810	115.25	28,994
107.00	28,351	111.25	28,830	115.50	28,997
107.25	28,385	111.50	28,849	115.75	28,998
107.50	28,419	111.75	28,866	116.00	29,000
107.75	28,453	112.00	28,882	116.25	29,000
108.00	28,485	112.25	28,897	116.50	29,001
108.25	28,517	112.50	28,911	116.75	29,001
108.50	28,548	112.75	28,923		
108.75	28,578	113.00	28,935		
109.00	28,608	113.25	28,945		
109.25	28,637	113.50	28,955		
109.50	28,664	113.75	28,963		
109.75	28,691	114.00	28,970		
110.00	28,717	114.25	28,977		
110.25	28,742	114.50	28,982		



## Capacity/Gauge Table Information

**TCLX 290268**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 068

Reporting Mark: TCLX 290268

Date: 24/06/2015

Capacity: 29,003 US Gallons (109,788 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	581	8.50	1,332	12.75	2,213	17.00	3,197
0.25	28	4.50	621	8.75	1,381	13.00	2,268	17.25	3,258
0.50	57	4.75	661	9.00	1,430	13.25	2,324	17.50	3,319
0.75	87	5.00	702	9.25	1,479	13.50	2,380	17.75	3,380
1.00	118	5.25	744	9.50	1,529	13.75	2,436	18.00	3,442
1.25	149	5.50	786	9.75	1,579	14.00	2,492	18.25	3,503
1.50	181	5.75	829	10.00	1,630	14.25	2,549	18.50	3,566
1.75	214	6.00	872	10.25	1,681	14.50	2,607	18.75	3,628
2.00	248	6.25	916	10.50	1,732	14.75	2,664	19.00	3,691
2.25	282	6.50	961	10.75	1,784	15.00	2,722	19.25	3,754
2.50	317	6.75	1,005	11.00	1,836	15.25	2,780	19.50	3,817
2.75	353	7.00	1,051	11.25	1,889	15.50	2,839	19.75	3,880
3.00	389	7.25	1,096	11.50	1,942	15.75	2,898	20.00	3,944
3.25	426	7.50	1,143	11.75	1,996	16.00	2,957	20.25	4,008
3.50	464	7.75	1,189	12.00	2,049	16.25	3,017	20.50	4,072
3.75	502	8.00	1,237	12.25	2,103	16.50	3,076	20.75	4,137
4.00	541	8.25	1,284	12.50	2,158	16.75	3,137	21.00	4,202



## Capacity/Gauge Table Information

**TCLX 290268**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 068

Reporting Mark: TCLX 290268

Date: 24/06/2015

Capacity: 29,003 US Gallons (109,788 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,267	25.50	5,408	29.75	6,608	34.00	7,856	38.25	9,144
21.50	4,332	25.75	5,477	30.00	6,680	34.25	7,931	38.50	9,221
21.75	4,397	26.00	5,546	30.25	6,752	34.50	8,006	38.75	9,298
22.00	4,463	26.25	5,615	30.50	6,825	34.75	8,081	39.00	9,375
22.25	4,529	26.50	5,685	30.75	6,897	35.00	8,156	39.25	9,452
22.50	4,595	26.75	5,755	31.00	6,970	35.25	8,231	39.50	9,529
22.75	4,662	27.00	5,825	31.25	7,043	35.50	8,307	39.75	9,606
23.00	4,729	27.25	5,895	31.50	7,116	35.75	8,382	40.00	9,684
23.25	4,795	27.50	5,966	31.75	7,190	36.00	8,458	40.25	9,761
23.50	4,863	27.75	6,036	32.00	7,263	36.25	8,534	40.50	9,839
23.75	4,930	28.00	6,107	32.25	7,337	36.50	8,610	40.75	9,916
24.00	4,998	28.25	6,178	32.50	7,411	36.75	8,686	41.00	9,994
24.25	5,065	28.50	6,249	32.75	7,485	37.00	8,762	41.25	10,072
24.50	5,133	28.75	6,320	33.00	7,559	37.25	8,838	41.50	10,150
24.75	5,202	29.00	6,392	33.25	7,633	37.50	8,914	41.75	10,228
25.00	5,270	29.25	6,464	33.50	7,707	37.75	8,991	42.00	10,306
25.25	5,339	29.50	6,536	33.75	7,782	38.00	9,067	42.25	10,384



## Capacity/Gauge Table Information

**TCLX 290268**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 068

Reporting Mark: TCLX 290268

Date: 24/06/2015

Capacity: 29,003 US Gallons (109,788 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,462	46.75	11,803	51.00	13,157	55.25	14,518	59.50	15,878
42.75	10,541	47.00	11,882	51.25	13,237	55.50	14,599	59.75	15,958
43.00	10,619	47.25	11,962	51.50	13,317	55.75	14,679	60.00	16,038
43.25	10,698	47.50	12,041	51.75	13,397	56.00	14,759	60.25	16,118
43.50	10,776	47.75	12,121	52.00	13,477	56.25	14,839	60.50	16,197
43.75	10,855	48.00	12,200	52.25	13,557	56.50	14,919	60.75	16,277
44.00	10,933	48.25	12,280	52.50	13,637	56.75	14,999	61.00	16,356
44.25	11,012	48.50	12,359	52.75	13,717	57.00	15,079	61.25	16,436
44.50	11,091	48.75	12,439	53.00	13,798	57.25	15,159	61.50	16,516
44.75	11,170	49.00	12,519	53.25	13,878	57.50	15,239	61.75	16,595
45.00	11,249	49.25	12,598	53.50	13,958	57.75	15,319	62.00	16,675
45.25	11,328	49.50	12,678	53.75	14,038	58.00	15,399	62.25	16,754
45.50	11,407	49.75	12,758	54.00	14,118	58.25	15,479	62.50	16,833
45.75	11,486	50.00	12,838	54.25	14,198	58.50	15,559	62.75	16,913
46.00	11,565	50.25	12,918	54.50	14,278	58.75	15,639	63.00	16,992
46.25	11,644	50.50	12,998	54.75	14,358	59.00	15,719	63.25	17,071
46.50	11,723	50.75	13,077	55.00	14,438	59.25	15,798	63.50	17,150



## Capacity/Gauge Table Information

**TCLX 290268**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 068

Reporting Mark: TCLX 290268

Date: 24/06/2015

Capacity: 29,003 US Gallons (109,788 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,229	68.00	18,564	72.25	19,873	76.50	21,150	80.75	22,385
64.00	17,308	68.25	18,641	72.50	19,949	76.75	21,224	81.00	22,456
64.25	17,387	68.50	18,719	72.75	20,025	77.00	21,298	81.25	22,527
64.50	17,466	68.75	18,797	73.00	20,101	77.25	21,371	81.50	22,598
64.75	17,545	69.00	18,874	73.25	20,177	77.50	21,445	81.75	22,668
65.00	17,624	69.25	18,952	73.50	20,253	77.75	21,518	82.00	22,739
65.25	17,703	69.50	19,029	73.75	20,328	78.00	21,591	82.25	22,809
65.50	17,781	69.75	19,106	74.00	20,404	78.25	21,664	82.50	22,879
65.75	17,860	70.00	19,184	74.25	20,479	78.50	21,737	82.75	22,949
66.00	17,938	70.25	19,261	74.50	20,554	78.75	21,810	83.00	23,018
66.25	18,017	70.50	19,338	74.75	20,629	79.00	21,882	83.25	23,088
66.50	18,095	70.75	19,414	75.00	20,704	79.25	21,954	83.50	23,157
66.75	18,173	71.00	19,491	75.25	20,779	79.50	22,027	83.75	23,226
67.00	18,252	71.25	19,568	75.50	20,853	79.75	22,099	84.00	23,295
67.25	18,330	71.50	19,644	75.75	20,928	80.00	22,170	84.25	23,363
67.50	18,408	71.75	19,721	76.00	21,002	80.25	22,242	84.50	23,432
67.75	18,486	72.00	19,797	76.25	21,076	80.50	22,314	84.75	23,500



## Capacity/Gauge Table Information

**TCLX 290268**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 068

Reporting Mark: TCLX 290268

Date: 24/06/2015

Capacity: 29,003 US Gallons (109,788 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,568	89.25	24,689	93.50	25,734	97.75	26,690	102.00	27,536
85.25	23,636	89.50	24,752	93.75	25,793	98.00	26,743	102.25	27,582
85.50	23,703	89.75	24,816	94.00	25,852	98.25	26,795	102.50	27,627
85.75	23,771	90.00	24,879	94.25	25,910	98.50	26,848	102.75	27,672
86.00	23,838	90.25	24,942	94.50	25,968	98.75	26,899	103.00	27,716
86.25	23,905	90.50	25,004	94.75	26,025	99.00	26,951	103.25	27,760
86.50	23,971	90.75	25,067	95.00	26,083	99.25	27,002	103.50	27,804
86.75	24,038	91.00	25,129	95.25	26,139	99.50	27,053	103.75	27,846
87.00	24,104	91.25	25,191	95.50	26,196	99.75	27,103	104.00	27,889
87.25	24,170	91.50	25,252	95.75	26,252	100.00	27,153	104.25	27,931
87.50	24,235	91.75	25,314	96.00	26,308	100.25	27,202	104.50	27,972
87.75	24,301	92.00	25,375	96.25	26,364	100.50	27,251	104.75	28,013
88.00	24,366	92.25	25,435	96.50	26,419	100.75	27,300	105.00	28,053
88.25	24,431	92.50	25,496	96.75	26,474	101.00	27,348	105.25	28,093
88.50	24,496	92.75	25,556	97.00	26,528	101.25	27,395	105.50	28,132
88.75	24,560	93.00	25,615	97.25	26,582	101.50	27,443	105.75	28,170
89.00	24,625	93.25	25,675	97.50	26,636	101.75	27,489	106.00	28,208





## Capacity/Gauge Table Information

**TCLX 290268**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 068

Reporting Mark: TCLX 290268

Date: 24/06/2015

Capacity: 29,003 US Gallons (109,788 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,245	110.50	28,768	114.75	28,989
106.50	28,282	110.75	28,791	115.00	28,993
106.75	28,318	111.00	28,812	115.25	28,996
107.00	28,353	111.25	28,832	115.50	28,999
107.25	28,388	111.50	28,851	115.75	29,001
107.50	28,422	111.75	28,868	116.00	29,002
107.75	28,455	112.00	28,884	116.25	29,003
108.00	28,487	112.25	28,899	116.50	29,003
108.25	28,519	112.50	28,913	116.75	29,003
108.50	28,550	112.75	28,926		
108.75	28,581	113.00	28,937		
109.00	28,610	113.25	28,948		
109.25	28,639	113.50	28,957		
109.50	28,666	113.75	28,965		
109.75	28,693	114.00	28,973		
110.00	28,719	114.25	28,979		
110.25	28,744	114.50	28,985		



## Capacity/Gauge Table Information

**TCLX 290269**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 069

Reporting Mark: TCLX 290269

Date: 24/06/2015

Capacity: 29,013 US Gallons (109,825 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	577	8.50	1,326	12.75	2,205	17.00	3,187
0.25	28	4.50	617	8.75	1,375	13.00	2,260	17.25	3,248
0.50	57	4.75	657	9.00	1,423	13.25	2,315	17.50	3,309
0.75	86	5.00	698	9.25	1,473	13.50	2,371	17.75	3,370
1.00	117	5.25	740	9.50	1,522	13.75	2,427	18.00	3,431
1.25	148	5.50	782	9.75	1,573	14.00	2,484	18.25	3,493
1.50	180	5.75	825	10.00	1,623	14.25	2,541	18.50	3,555
1.75	213	6.00	868	10.25	1,674	14.50	2,598	18.75	3,617
2.00	246	6.25	911	10.50	1,725	14.75	2,655	19.00	3,680
2.25	280	6.50	956	10.75	1,777	15.00	2,713	19.25	3,743
2.50	315	6.75	1,000	11.00	1,829	15.25	2,771	19.50	3,806
2.75	351	7.00	1,045	11.25	1,882	15.50	2,830	19.75	3,869
3.00	387	7.25	1,091	11.50	1,935	15.75	2,889	20.00	3,933
3.25	424	7.50	1,137	11.75	1,988	16.00	2,948	20.25	3,997
3.50	461	7.75	1,184	12.00	2,042	16.25	3,007	20.50	4,061
3.75	499	8.00	1,231	12.25	2,096	16.50	3,067	20.75	4,126
4.00	538	8.25	1,278	12.50	2,150	16.75	3,127	21.00	4,190



## Capacity/Gauge Table Information

**TCLX 290269**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 069

Reporting Mark: TCLX 290269

Date: 24/06/2015

Capacity: 29,013 US Gallons (109,825 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,255	25.50	5,395	29.75	6,594	34.00	7,842	38.25	9,129
21.50	4,320	25.75	5,464	30.00	6,666	34.25	7,916	38.50	9,206
21.75	4,386	26.00	5,533	30.25	6,738	34.50	7,991	38.75	9,282
22.00	4,452	26.25	5,602	30.50	6,811	34.75	8,066	39.00	9,359
22.25	4,517	26.50	5,672	30.75	6,883	35.00	8,141	39.25	9,436
22.50	4,584	26.75	5,742	31.00	6,956	35.25	8,217	39.50	9,514
22.75	4,650	27.00	5,812	31.25	7,029	35.50	8,292	39.75	9,591
23.00	4,717	27.25	5,882	31.50	7,102	35.75	8,367	40.00	9,668
23.25	4,783	27.50	5,952	31.75	7,176	36.00	8,443	40.25	9,746
23.50	4,851	27.75	6,023	32.00	7,249	36.25	8,519	40.50	9,823
23.75	4,918	28.00	6,094	32.25	7,323	36.50	8,595	40.75	9,901
24.00	4,985	28.25	6,165	32.50	7,396	36.75	8,671	41.00	9,978
24.25	5,053	28.50	6,236	32.75	7,470	37.00	8,747	41.25	10,056
24.50	5,121	28.75	6,307	33.00	7,544	37.25	8,823	41.50	10,134
24.75	5,189	29.00	6,378	33.25	7,618	37.50	8,899	41.75	10,212
25.00	5,258	29.25	6,450	33.50	7,693	37.75	8,976	42.00	10,290
25.25	5,326	29.50	6,522	33.75	7,767	38.00	9,052	42.25	10,368



## Capacity/Gauge Table Information

**TCLX 290269**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 069

Reporting Mark: TCLX 290269

Date: 24/06/2015

Capacity: 29,013 US Gallons (109,825 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,447	46.75	11,786	51.00	13,141	55.25	14,502	59.50	15,862
42.75	10,525	47.00	11,866	51.25	13,221	55.50	14,582	59.75	15,941
43.00	10,603	47.25	11,945	51.50	13,301	55.75	14,662	60.00	16,021
43.25	10,682	47.50	12,025	51.75	13,381	56.00	14,742	60.25	16,101
43.50	10,760	47.75	12,104	52.00	13,461	56.25	14,822	60.50	16,181
43.75	10,839	48.00	12,184	52.25	13,541	56.50	14,902	60.75	16,260
44.00	10,917	48.25	12,263	52.50	13,621	56.75	14,982	61.00	16,340
44.25	10,996	48.50	12,343	52.75	13,701	57.00	15,062	61.25	16,419
44.50	11,075	48.75	12,422	53.00	13,781	57.25	15,142	61.50	16,499
44.75	11,154	49.00	12,502	53.25	13,861	57.50	15,222	61.75	16,578
45.00	11,233	49.25	12,582	53.50	13,941	57.75	15,302	62.00	16,658
45.25	11,311	49.50	12,662	53.75	14,021	58.00	15,382	62.25	16,737
45.50	11,391	49.75	12,741	54.00	14,101	58.25	15,462	62.50	16,817
45.75	11,470	50.00	12,821	54.25	14,181	58.50	15,542	62.75	16,896
46.00	11,549	50.25	12,901	54.50	14,261	58.75	15,622	63.00	16,975
46.25	11,628	50.50	12,981	54.75	14,341	59.00	15,702	63.25	17,054
46.50	11,707	50.75	13,061	55.00	14,422	59.25	15,782	63.50	17,134



## Capacity/Gauge Table Information

**TCLX 290269**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 069

Reporting Mark: TCLX 290269

Date: 24/06/2015

Capacity: 29,013 US Gallons (109,825 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,213	68.00	18,547	72.25	19,858	76.50	21,135	80.75	22,371
64.00	17,292	68.25	18,625	72.50	19,934	76.75	21,209	81.00	22,442
64.25	17,371	68.50	18,703	72.75	20,010	77.00	21,283	81.25	22,513
64.50	17,450	68.75	18,781	73.00	20,086	77.25	21,357	81.50	22,584
64.75	17,529	69.00	18,858	73.25	20,162	77.50	21,430	81.75	22,655
65.00	17,607	69.25	18,936	73.50	20,237	77.75	21,503	82.00	22,725
65.25	17,686	69.50	19,013	73.75	20,313	78.00	21,577	82.25	22,795
65.50	17,765	69.75	19,090	74.00	20,388	78.25	21,650	82.50	22,865
65.75	17,843	70.00	19,168	74.25	20,464	78.50	21,722	82.75	22,935
66.00	17,922	70.25	19,245	74.50	20,539	78.75	21,795	83.00	23,005
66.25	18,000	70.50	19,322	74.75	20,614	79.00	21,868	83.25	23,074
66.50	18,079	70.75	19,399	75.00	20,689	79.25	21,940	83.50	23,144
66.75	18,157	71.00	19,475	75.25	20,763	79.50	22,012	83.75	23,213
67.00	18,235	71.25	19,552	75.50	20,838	79.75	22,084	84.00	23,282
67.25	18,313	71.50	19,629	75.75	20,913	80.00	22,156	84.25	23,350
67.50	18,392	71.75	19,705	76.00	20,987	80.25	22,228	84.50	23,419
67.75	18,470	72.00	19,781	76.25	21,061	80.50	22,300	84.75	23,487



## Capacity/Gauge Table Information

**TCLX 290269**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 069

Reporting Mark: TCLX 290269

Date: 24/06/2015

Capacity: 29,013 US Gallons (109,825 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,555	89.25	24,677	93.50	25,724	97.75	26,682	102.00	27,531
85.25	23,623	89.50	24,741	93.75	25,783	98.00	26,735	102.25	27,577
85.50	23,691	89.75	24,804	94.00	25,842	98.25	26,788	102.50	27,622
85.75	23,758	90.00	24,868	94.25	25,900	98.50	26,840	102.75	27,667
86.00	23,825	90.25	24,931	94.50	25,958	98.75	26,892	103.00	27,712
86.25	23,892	90.50	24,993	94.75	26,016	99.00	26,944	103.25	27,756
86.50	23,959	90.75	25,056	95.00	26,073	99.25	26,995	103.50	27,800
86.75	24,025	91.00	25,118	95.25	26,130	99.50	27,046	103.75	27,843
87.00	24,092	91.25	25,180	95.50	26,187	99.75	27,096	104.00	27,885
87.25	24,158	91.50	25,242	95.75	26,244	100.00	27,146	104.25	27,927
87.50	24,223	91.75	25,303	96.00	26,300	100.25	27,196	104.50	27,969
87.75	24,289	92.00	25,364	96.25	26,355	100.50	27,245	104.75	28,010
88.00	24,354	92.25	25,425	96.50	26,411	100.75	27,294	105.00	28,050
88.25	24,419	92.50	25,485	96.75	26,466	101.00	27,342	105.25	28,090
88.50	24,484	92.75	25,546	97.00	26,520	101.25	27,390	105.50	28,129
88.75	24,549	93.00	25,605	97.25	26,575	101.50	27,437	105.75	28,168
89.00	24,613	93.25	25,665	97.50	26,628	101.75	27,484	106.00	28,206



## Capacity/Gauge Table Information

**TCLX 290269**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 069

Reporting Mark: TCLX 290269

Date: 24/06/2015

Capacity: 29,013 US Gallons (109,825 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,243	110.50	28,771	114.75	28,999
106.50	28,280	110.75	28,795	115.00	29,003
106.75	28,316	111.00	28,816	115.25	29,006
107.00	28,352	111.25	28,837	115.50	29,008
107.25	28,387	111.50	28,856	115.75	29,010
107.50	28,421	111.75	28,874	116.00	29,011
107.75	28,455	112.00	28,891	116.25	29,012
108.00	28,487	112.25	28,906	116.50	29,013
108.25	28,520	112.50	28,920	116.75	29,013
108.50	28,551	112.75	28,933		
108.75	28,581	113.00	28,945		
109.00	28,611	113.25	28,956		
109.25	28,640	113.50	28,965		
109.50	28,668	113.75	28,974		
109.75	28,696	114.00	28,981		
110.00	28,722	114.25	28,988		
110.25	28,747	114.50	28,994		





## Capacity/Gauge Table Information

**TCLX 290270**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 070

Reporting Mark: TCLX 290270

Date: 26/06/2015

Capacity: 28,987 US Gallons (109,729 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,336	12.75	2,218	17.00	3,203
0.25	28	4.50	623	8.75	1,385	13.00	2,273	17.25	3,264
0.50	57	4.75	664	9.00	1,434	13.25	2,329	17.50	3,325
0.75	87	5.00	705	9.25	1,483	13.50	2,385	17.75	3,386
1.00	118	5.25	747	9.50	1,533	13.75	2,441	18.00	3,448
1.25	150	5.50	789	9.75	1,584	14.00	2,498	18.25	3,510
1.50	182	5.75	832	10.00	1,634	14.25	2,555	18.50	3,572
1.75	215	6.00	875	10.25	1,685	14.50	2,612	18.75	3,634
2.00	249	6.25	919	10.50	1,737	14.75	2,670	19.00	3,697
2.25	283	6.50	964	10.75	1,789	15.00	2,728	19.25	3,760
2.50	319	6.75	1,009	11.00	1,841	15.25	2,786	19.50	3,823
2.75	355	7.00	1,054	11.25	1,894	15.50	2,845	19.75	3,887
3.00	391	7.25	1,100	11.50	1,947	15.75	2,904	20.00	3,951
3.25	428	7.50	1,146	11.75	2,000	16.00	2,963	20.25	4,015
3.50	466	7.75	1,193	12.00	2,054	16.25	3,023	20.50	4,079
3.75	504	8.00	1,240	12.25	2,109	16.50	3,082	20.75	4,144
4.00	543	8.25	1,288	12.50	2,163	16.75	3,143	21.00	4,208



## Capacity/Gauge Table Information

**TCLX 290270**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 070

Reporting Mark: TCLX 290270

Date: 26/06/2015

Capacity: 28,987 US Gallons (109,729 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,273	25.50	5,415	29.75	6,615	34.00	7,864	38.25	9,152
21.50	4,339	25.75	5,484	30.00	6,687	34.25	7,939	38.50	9,229
21.75	4,404	26.00	5,553	30.25	6,760	34.50	8,014	38.75	9,305
22.00	4,470	26.25	5,623	30.50	6,832	34.75	8,089	39.00	9,382
22.25	4,536	26.50	5,692	30.75	6,905	35.00	8,164	39.25	9,460
22.50	4,602	26.75	5,762	31.00	6,978	35.25	8,239	39.50	9,537
22.75	4,669	27.00	5,832	31.25	7,051	35.50	8,314	39.75	9,614
23.00	4,736	27.25	5,903	31.50	7,124	35.75	8,390	40.00	9,691
23.25	4,802	27.50	5,973	31.75	7,197	36.00	8,466	40.25	9,769
23.50	4,870	27.75	6,044	32.00	7,271	36.25	8,541	40.50	9,846
23.75	4,937	28.00	6,114	32.25	7,344	36.50	8,617	40.75	9,924
24.00	5,005	28.25	6,185	32.50	7,418	36.75	8,693	41.00	10,002
24.25	5,072	28.50	6,257	32.75	7,492	37.00	8,769	41.25	10,080
24.50	5,141	28.75	6,328	33.00	7,566	37.25	8,846	41.50	10,157
24.75	5,209	29.00	6,399	33.25	7,640	37.50	8,922	41.75	10,235
25.00	5,277	29.25	6,471	33.50	7,715	37.75	8,999	42.00	10,314
25.25	5,346	29.50	6,543	33.75	7,789	38.00	9,075	42.25	10,392



## Capacity/Gauge Table Information

**TCLX 290270**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 070

Reporting Mark: TCLX 290270

Date: 26/06/2015

Capacity: 28,987 US Gallons (109,729 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,470	46.75	11,810	51.00	13,164	55.25	14,525	59.50	15,884
42.75	10,548	47.00	11,889	51.25	13,244	55.50	14,605	59.75	15,964
43.00	10,627	47.25	11,969	51.50	13,324	55.75	14,685	60.00	16,043
43.25	10,705	47.50	12,048	51.75	13,404	56.00	14,765	60.25	16,123
43.50	10,784	47.75	12,128	52.00	13,484	56.25	14,845	60.50	16,203
43.75	10,862	48.00	12,207	52.25	13,564	56.50	14,925	60.75	16,282
44.00	10,941	48.25	12,287	52.50	13,644	56.75	15,005	61.00	16,362
44.25	11,019	48.50	12,366	52.75	13,724	57.00	15,085	61.25	16,441
44.50	11,098	48.75	12,446	53.00	13,804	57.25	15,165	61.50	16,521
44.75	11,177	49.00	12,526	53.25	13,884	57.50	15,245	61.75	16,600
45.00	11,256	49.25	12,605	53.50	13,964	57.75	15,325	62.00	16,680
45.25	11,335	49.50	12,685	53.75	14,044	58.00	15,405	62.25	16,759
45.50	11,414	49.75	12,765	54.00	14,124	58.25	15,485	62.50	16,838
45.75	11,493	50.00	12,845	54.25	14,204	58.50	15,565	62.75	16,918
46.00	11,572	50.25	12,925	54.50	14,284	58.75	15,645	63.00	16,997
46.25	11,651	50.50	13,004	54.75	14,365	59.00	15,724	63.25	17,076
46.50	11,731	50.75	13,084	55.00	14,445	59.25	15,804	63.50	17,155



## Capacity/Gauge Table Information

**TCLX 290270**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 070

Reporting Mark: TCLX 290270

Date: 26/06/2015

Capacity: 28,987 US Gallons (109,729 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,234	68.00	18,568	72.25	19,877	76.50	21,153	80.75	22,386
64.00	17,313	68.25	18,646	72.50	19,953	76.75	21,226	81.00	22,457
64.25	17,392	68.50	18,723	72.75	20,029	77.00	21,300	81.25	22,528
64.50	17,471	68.75	18,801	73.00	20,105	77.25	21,374	81.50	22,599
64.75	17,550	69.00	18,878	73.25	20,180	77.50	21,447	81.75	22,669
65.00	17,629	69.25	18,956	73.50	20,256	77.75	21,520	82.00	22,740
65.25	17,707	69.50	19,033	73.75	20,331	78.00	21,593	82.25	22,810
65.50	17,786	69.75	19,110	74.00	20,407	78.25	21,666	82.50	22,880
65.75	17,864	70.00	19,187	74.25	20,482	78.50	21,739	82.75	22,950
66.00	17,943	70.25	19,264	74.50	20,557	78.75	21,812	83.00	23,019
66.25	18,021	70.50	19,341	74.75	20,632	79.00	21,884	83.25	23,088
66.50	18,100	70.75	19,418	75.00	20,707	79.25	21,956	83.50	23,158
66.75	18,178	71.00	19,495	75.25	20,781	79.50	22,028	83.75	23,227
67.00	18,256	71.25	19,571	75.50	20,856	79.75	22,100	84.00	23,295
67.25	18,334	71.50	19,648	75.75	20,930	80.00	22,172	84.25	23,364
67.50	18,412	71.75	19,724	76.00	21,004	80.25	22,244	84.50	23,432
67.75	18,490	72.00	19,801	76.25	21,079	80.50	22,315	84.75	23,500



## Capacity/Gauge Table Information

**TCLX 290270**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 070

Reporting Mark: TCLX 290270

Date: 26/06/2015

Capacity: 28,987 US Gallons (109,729 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,568	89.25	24,687	93.50	25,732	97.75	26,686	102.00	27,530
85.25	23,636	89.50	24,751	93.75	25,790	98.00	26,738	102.25	27,576
85.50	23,703	89.75	24,815	94.00	25,849	98.25	26,791	102.50	27,621
85.75	23,771	90.00	24,878	94.25	25,907	98.50	26,843	102.75	27,666
86.00	23,838	90.25	24,940	94.50	25,965	98.75	26,895	103.00	27,710
86.25	23,904	90.50	25,003	94.75	26,022	99.00	26,946	103.25	27,754
86.50	23,971	90.75	25,065	95.00	26,080	99.25	26,997	103.50	27,797
86.75	24,037	91.00	25,127	95.25	26,136	99.50	27,048	103.75	27,840
87.00	24,103	91.25	25,189	95.50	26,193	99.75	27,098	104.00	27,882
87.25	24,169	91.50	25,251	95.75	26,249	100.00	27,148	104.25	27,924
87.50	24,235	91.75	25,312	96.00	26,305	100.25	27,197	104.50	27,965
87.75	24,300	92.00	25,373	96.25	26,360	100.50	27,246	104.75	28,005
88.00	24,365	92.25	25,433	96.50	26,415	100.75	27,294	105.00	28,045
88.25	24,430	92.50	25,493	96.75	26,470	101.00	27,342	105.25	28,085
88.50	24,495	92.75	25,553	97.00	26,525	101.25	27,390	105.50	28,124
88.75	24,559	93.00	25,613	97.25	26,579	101.50	27,437	105.75	28,162
89.00	24,624	93.25	25,673	97.50	26,632	101.75	27,484	106.00	28,200



## Capacity/Gauge Table Information

**TCLX 290270**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 070

Reporting Mark: TCLX 290270

Date: 26/06/2015

Capacity: 28,987 US Gallons (109,729 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,237	110.50	28,756	114.75	28,974
106.50	28,273	110.75	28,779	115.00	28,978
106.75	28,309	111.00	28,800	115.25	28,981
107.00	28,344	111.25	28,819	115.50	28,983
107.25	28,379	111.50	28,838	115.75	28,985
107.50	28,413	111.75	28,855	116.00	28,986
107.75	28,446	112.00	28,871	116.25	28,987
108.00	28,478	112.25	28,885	116.50	28,987
108.25	28,510	112.50	28,899	116.75	28,987
108.50	28,541	112.75	28,911		
108.75	28,571	113.00	28,923		
109.00	28,600	113.25	28,933		
109.25	28,628	113.50	28,942		
109.50	28,656	113.75	28,950		
109.75	28,683	114.00	28,957		
110.00	28,708	114.25	28,964		
110.25	28,733	114.50	28,969		



## Capacity/Gauge Table Information

**TCLX 290271**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 071

Reporting Mark: TCLX 290271

Date: 25/06/2015

Capacity: 28,999 US Gallons (109,773 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	579	8.50	1,330	12.75	2,209	17.00	3,192
0.25	28	4.50	619	8.75	1,378	13.00	2,264	17.25	3,253
0.50	57	4.75	660	9.00	1,427	13.25	2,320	17.50	3,314
0.75	87	5.00	701	9.25	1,476	13.50	2,376	17.75	3,375
1.00	117	5.25	742	9.50	1,526	13.75	2,432	18.00	3,437
1.25	148	5.50	784	9.75	1,576	14.00	2,488	18.25	3,499
1.50	181	5.75	827	10.00	1,627	14.25	2,545	18.50	3,561
1.75	213	6.00	870	10.25	1,678	14.50	2,603	18.75	3,623
2.00	247	6.25	914	10.50	1,729	14.75	2,660	19.00	3,686
2.25	281	6.50	958	10.75	1,781	15.00	2,718	19.25	3,749
2.50	316	6.75	1,003	11.00	1,833	15.25	2,776	19.50	3,812
2.75	352	7.00	1,048	11.25	1,886	15.50	2,835	19.75	3,875
3.00	388	7.25	1,094	11.50	1,939	15.75	2,894	20.00	3,939
3.25	425	7.50	1,140	11.75	1,992	16.00	2,953	20.25	4,003
3.50	463	7.75	1,187	12.00	2,046	16.25	3,012	20.50	4,067
3.75	501	8.00	1,234	12.25	2,100	16.50	3,072	20.75	4,131
4.00	540	8.25	1,282	12.50	2,154	16.75	3,132	21.00	4,196





## Capacity/Gauge Table Information

**TCLX 290271**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 071

Reporting Mark: TCLX 290271

Date: 25/06/2015

Capacity: 28,999 US Gallons (109,773 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,261	25.50	5,401	29.75	6,601	34.00	7,849	38.25	9,136
21.50	4,326	25.75	5,470	30.00	6,673	34.25	7,923	38.50	9,213
21.75	4,392	26.00	5,540	30.25	6,745	34.50	7,998	38.75	9,290
22.00	4,458	26.25	5,609	30.50	6,818	34.75	8,073	39.00	9,367
22.25	4,524	26.50	5,679	30.75	6,890	35.00	8,148	39.25	9,444
22.50	4,590	26.75	5,748	31.00	6,963	35.25	8,224	39.50	9,521
22.75	4,656	27.00	5,818	31.25	7,036	35.50	8,299	39.75	9,598
23.00	4,723	27.25	5,889	31.50	7,109	35.75	8,375	40.00	9,675
23.25	4,790	27.50	5,959	31.75	7,183	36.00	8,450	40.25	9,753
23.50	4,857	27.75	6,030	32.00	7,256	36.25	8,526	40.50	9,830
23.75	4,924	28.00	6,100	32.25	7,330	36.50	8,602	40.75	9,908
24.00	4,992	28.25	6,171	32.50	7,403	36.75	8,678	41.00	9,986
24.25	5,059	28.50	6,242	32.75	7,477	37.00	8,754	41.25	10,064
24.50	5,127	28.75	6,314	33.00	7,551	37.25	8,830	41.50	10,141
24.75	5,195	29.00	6,385	33.25	7,625	37.50	8,906	41.75	10,219
25.00	5,264	29.25	6,457	33.50	7,700	37.75	8,983	42.00	10,297
25.25	5,333	29.50	6,529	33.75	7,774	38.00	9,059	42.25	10,376



## Capacity/Gauge Table Information

**TCLX 290271**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 071

Reporting Mark: TCLX 290271

Date: 25/06/2015

Capacity: 28,999 US Gallons (109,773 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,454	46.75	11,794	51.00	13,148	55.25	14,509	59.50	15,868
42.75	10,532	47.00	11,873	51.25	13,228	55.50	14,589	59.75	15,948
43.00	10,610	47.25	11,952	51.50	13,308	55.75	14,669	60.00	16,028
43.25	10,689	47.50	12,032	51.75	13,388	56.00	14,749	60.25	16,107
43.50	10,767	47.75	12,111	52.00	13,468	56.25	14,829	60.50	16,187
43.75	10,846	48.00	12,191	52.25	13,548	56.50	14,909	60.75	16,267
44.00	10,925	48.25	12,270	52.50	13,628	56.75	14,989	61.00	16,346
44.25	11,003	48.50	12,350	52.75	13,708	57.00	15,069	61.25	16,426
44.50	11,082	48.75	12,430	53.00	13,788	57.25	15,149	61.50	16,505
44.75	11,161	49.00	12,509	53.25	13,868	57.50	15,229	61.75	16,585
45.00	11,240	49.25	12,589	53.50	13,948	57.75	15,309	62.00	16,664
45.25	11,319	49.50	12,669	53.75	14,028	58.00	15,389	62.25	16,744
45.50	11,398	49.75	12,749	54.00	14,108	58.25	15,469	62.50	16,823
45.75	11,477	50.00	12,828	54.25	14,188	58.50	15,549	62.75	16,902
46.00	11,556	50.25	12,908	54.50	14,268	58.75	15,629	63.00	16,981
46.25	11,635	50.50	12,988	54.75	14,348	59.00	15,708	63.25	17,061
46.50	11,714	50.75	13,068	55.00	14,428	59.25	15,788	63.50	17,140



## Capacity/Gauge Table Information

**TCLX 290271**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 071

Reporting Mark: TCLX 290271

Date: 25/06/2015

Capacity: 28,999 US Gallons (109,773 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,219	68.00	18,553	72.25	19,863	76.50	21,139	80.75	22,374
64.00	17,298	68.25	18,631	72.50	19,939	76.75	21,213	81.00	22,445
64.25	17,377	68.50	18,708	72.75	20,015	77.00	21,287	81.25	22,516
64.50	17,456	68.75	18,786	73.00	20,091	77.25	21,361	81.50	22,587
64.75	17,534	69.00	18,864	73.25	20,166	77.50	21,434	81.75	22,658
65.00	17,613	69.25	18,941	73.50	20,242	77.75	21,507	82.00	22,728
65.25	17,692	69.50	19,018	73.75	20,317	78.00	21,580	82.25	22,798
65.50	17,771	69.75	19,096	74.00	20,393	78.25	21,653	82.50	22,868
65.75	17,849	70.00	19,173	74.25	20,468	78.50	21,726	82.75	22,938
66.00	17,928	70.25	19,250	74.50	20,543	78.75	21,799	83.00	23,008
66.25	18,006	70.50	19,327	74.75	20,618	79.00	21,871	83.25	23,077
66.50	18,084	70.75	19,404	75.00	20,693	79.25	21,944	83.50	23,146
66.75	18,163	71.00	19,480	75.25	20,768	79.50	22,016	83.75	23,215
67.00	18,241	71.25	19,557	75.50	20,842	79.75	22,088	84.00	23,284
67.25	18,319	71.50	19,634	75.75	20,917	80.00	22,160	84.25	23,353
67.50	18,397	71.75	19,710	76.00	20,991	80.25	22,231	84.50	23,421
67.75	18,475	72.00	19,786	76.25	21,065	80.50	22,303	84.75	23,489



## Capacity/Gauge Table Information

**TCLX 290271**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 071

Reporting Mark: TCLX 290271

Date: 25/06/2015

Capacity: 28,999 US Gallons (109,773 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,557	89.25	24,678	93.50	25,724	97.75	26,680	102.00	27,527
85.25	23,625	89.50	24,742	93.75	25,783	98.00	26,733	102.25	27,573
85.50	23,693	89.75	24,805	94.00	25,842	98.25	26,786	102.50	27,618
85.75	23,760	90.00	24,869	94.25	25,900	98.50	26,838	102.75	27,663
86.00	23,827	90.25	24,932	94.50	25,958	98.75	26,890	103.00	27,708
86.25	23,894	90.50	24,994	94.75	26,015	99.00	26,942	103.25	27,752
86.50	23,961	90.75	25,057	95.00	26,073	99.25	26,993	103.50	27,795
86.75	24,027	91.00	25,119	95.25	26,130	99.50	27,043	103.75	27,838
87.00	24,093	91.25	25,181	95.50	26,186	99.75	27,094	104.00	27,881
87.25	24,159	91.50	25,242	95.75	26,243	100.00	27,144	104.25	27,922
87.50	24,225	91.75	25,303	96.00	26,299	100.25	27,193	104.50	27,964
87.75	24,290	92.00	25,364	96.25	26,354	100.50	27,242	104.75	28,005
88.00	24,356	92.25	25,425	96.50	26,409	100.75	27,291	105.00	28,045
88.25	24,421	92.50	25,486	96.75	26,464	101.00	27,339	105.25	28,085
88.50	24,485	92.75	25,546	97.00	26,519	101.25	27,387	105.50	28,124
88.75	24,550	93.00	25,605	97.25	26,573	101.50	27,434	105.75	28,162
89.00	24,614	93.25	25,665	97.50	26,627	101.75	27,481	106.00	28,200



## Capacity/Gauge Table Information

**TCLX 290271**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 071

Reporting Mark: TCLX 290271

Date: 25/06/2015

Capacity: 28,999 US Gallons (109,773 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,237	110.50	28,762	114.75	28,985
106.50	28,274	110.75	28,785	115.00	28,989
106.75	28,310	111.00	28,806	115.25	28,992
107.00	28,346	111.25	28,827	115.50	28,995
107.25	28,380	111.50	28,845	115.75	28,997
107.50	28,414	111.75	28,863	116.00	28,998
107.75	28,448	112.00	28,879	116.25	28,999
108.00	28,480	112.25	28,894	116.50	28,999
108.25	28,512	112.50	28,908	116.75	28,999
108.50	28,543	112.75	28,921		
108.75	28,574	113.00	28,933		
109.00	28,603	113.25	28,943		
109.25	28,632	113.50	28,952		
109.50	28,660	113.75	28,961		
109.75	28,687	114.00	28,968		
110.00	28,713	114.25	28,975		
110.25	28,738	114.50	28,980		



## Capacity/Gauge Table Information

**TCLX 290272**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 072

Reporting Mark: TCLX 290272

Date: 30/06/2015

Capacity: 28,998 US Gallons (109,770 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,335	12.75	2,216	17.00	3,201
0.25	28	4.50	622	8.75	1,383	13.00	2,271	17.25	3,261
0.50	57	4.75	663	9.00	1,432	13.25	2,327	17.50	3,323
0.75	87	5.00	704	9.25	1,482	13.50	2,383	17.75	3,384
1.00	118	5.25	746	9.50	1,532	13.75	2,439	18.00	3,445
1.25	149	5.50	788	9.75	1,582	14.00	2,496	18.25	3,507
1.50	182	5.75	831	10.00	1,633	14.25	2,553	18.50	3,570
1.75	215	6.00	874	10.25	1,684	14.50	2,610	18.75	3,632
2.00	248	6.25	918	10.50	1,735	14.75	2,668	19.00	3,695
2.25	283	6.50	963	10.75	1,787	15.00	2,726	19.25	3,758
2.50	318	6.75	1,007	11.00	1,839	15.25	2,784	19.50	3,821
2.75	354	7.00	1,053	11.25	1,892	15.50	2,843	19.75	3,884
3.00	390	7.25	1,099	11.50	1,945	15.75	2,902	20.00	3,948
3.25	427	7.50	1,145	11.75	1,999	16.00	2,961	20.25	4,012
3.50	465	7.75	1,192	12.00	2,052	16.25	3,020	20.50	4,077
3.75	504	8.00	1,239	12.25	2,107	16.50	3,080	20.75	4,141
4.00	542	8.25	1,287	12.50	2,161	16.75	3,140	21.00	4,206



## Capacity/Gauge Table Information

**TCLX 290272**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 072

Reporting Mark: TCLX 290272

Date: 30/06/2015

Capacity: 28,998 US Gallons (109,770 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,271	25.50	5,412	29.75	6,613	34.00	7,861	38.25	9,149
21.50	4,336	25.75	5,481	30.00	6,685	34.25	7,936	38.50	9,226
21.75	4,402	26.00	5,551	30.25	6,757	34.50	8,011	38.75	9,303
22.00	4,468	26.25	5,620	30.50	6,830	34.75	8,086	39.00	9,380
22.25	4,534	26.50	5,690	30.75	6,902	35.00	8,161	39.25	9,457
22.50	4,600	26.75	5,760	31.00	6,975	35.25	8,237	39.50	9,534
22.75	4,666	27.00	5,830	31.25	7,048	35.50	8,312	39.75	9,612
23.00	4,733	27.25	5,900	31.50	7,121	35.75	8,388	40.00	9,689
23.25	4,800	27.50	5,970	31.75	7,195	36.00	8,463	40.25	9,767
23.50	4,867	27.75	6,041	32.00	7,268	36.25	8,539	40.50	9,844
23.75	4,934	28.00	6,112	32.25	7,342	36.50	8,615	40.75	9,922
24.00	5,002	28.25	6,183	32.50	7,416	36.75	8,691	41.00	9,999
24.25	5,070	28.50	6,254	32.75	7,490	37.00	8,767	41.25	10,077
24.50	5,138	28.75	6,325	33.00	7,564	37.25	8,843	41.50	10,155
24.75	5,206	29.00	6,397	33.25	7,638	37.50	8,920	41.75	10,233
25.00	5,275	29.25	6,469	33.50	7,712	37.75	8,996	42.00	10,311
25.25	5,343	29.50	6,540	33.75	7,787	38.00	9,073	42.25	10,389





## Capacity/Gauge Table Information

**TCLX 290272**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 072

Reporting Mark: TCLX 290272

Date: 30/06/2015

Capacity: 28,998 US Gallons (109,770 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,468	46.75	11,808	51.00	13,163	55.25	14,523	59.50	15,883
42.75	10,546	47.00	11,887	51.25	13,243	55.50	14,604	59.75	15,963
43.00	10,624	47.25	11,967	51.50	13,322	55.75	14,684	60.00	16,043
43.25	10,703	47.50	12,046	51.75	13,402	56.00	14,764	60.25	16,122
43.50	10,781	47.75	12,126	52.00	13,482	56.25	14,844	60.50	16,202
43.75	10,860	48.00	12,205	52.25	13,563	56.50	14,924	60.75	16,282
44.00	10,939	48.25	12,285	52.50	13,643	56.75	15,004	61.00	16,361
44.25	11,017	48.50	12,365	52.75	13,723	57.00	15,084	61.25	16,441
44.50	11,096	48.75	12,444	53.00	13,803	57.25	15,164	61.50	16,520
44.75	11,175	49.00	12,524	53.25	13,883	57.50	15,244	61.75	16,600
45.00	11,254	49.25	12,604	53.50	13,963	57.75	15,324	62.00	16,679
45.25	11,333	49.50	12,683	53.75	14,043	58.00	15,404	62.25	16,759
45.50	11,412	49.75	12,763	54.00	14,123	58.25	15,484	62.50	16,838
45.75	11,491	50.00	12,843	54.25	14,203	58.50	15,564	62.75	16,917
46.00	11,570	50.25	12,923	54.50	14,283	58.75	15,644	63.00	16,996
46.25	11,649	50.50	13,003	54.75	14,363	59.00	15,723	63.25	17,076
46.50	11,729	50.75	13,083	55.00	14,443	59.25	15,803	63.50	17,155



## Capacity/Gauge Table Information

**TCLX 290272**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 072

Reporting Mark: TCLX 290272

Date: 30/06/2015

Capacity: 28,998 US Gallons (109,770 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,234	68.00	18,568	72.25	19,877	76.50	21,154	80.75	22,388
64.00	17,313	68.25	18,646	72.50	19,953	76.75	21,228	81.00	22,459
64.25	17,392	68.50	18,723	72.75	20,029	77.00	21,301	81.25	22,530
64.50	17,471	68.75	18,801	73.00	20,105	77.25	21,375	81.50	22,601
64.75	17,550	69.00	18,879	73.25	20,181	77.50	21,448	81.75	22,671
65.00	17,628	69.25	18,956	73.50	20,257	77.75	21,522	82.00	22,742
65.25	17,707	69.50	19,033	73.75	20,332	78.00	21,595	82.25	22,812
65.50	17,786	69.75	19,111	74.00	20,407	78.25	21,668	82.50	22,882
65.75	17,864	70.00	19,188	74.25	20,483	78.50	21,740	82.75	22,952
66.00	17,943	70.25	19,265	74.50	20,558	78.75	21,813	83.00	23,021
66.25	18,021	70.50	19,342	74.75	20,633	79.00	21,886	83.25	23,091
66.50	18,100	70.75	19,419	75.00	20,708	79.25	21,958	83.50	23,160
66.75	18,178	71.00	19,495	75.25	20,782	79.50	22,030	83.75	23,229
67.00	18,256	71.25	19,572	75.50	20,857	79.75	22,102	84.00	23,298
67.25	18,334	71.50	19,648	75.75	20,931	80.00	22,174	84.25	23,366
67.50	18,412	71.75	19,725	76.00	21,006	80.25	22,245	84.50	23,435
67.75	18,490	72.00	19,801	76.25	21,080	80.50	22,317	84.75	23,503



## Capacity/Gauge Table Information

**TCLX 290272**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 072

Reporting Mark: TCLX 290272

Date: 30/06/2015

Capacity: 28,998 US Gallons (109,770 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,571	89.25	24,691	93.50	25,736	97.75	26,690	102.00	27,536
85.25	23,638	89.50	24,754	93.75	25,794	98.00	26,743	102.25	27,582
85.50	23,706	89.75	24,818	94.00	25,853	98.25	26,796	102.50	27,627
85.75	23,773	90.00	24,881	94.25	25,911	98.50	26,848	102.75	27,672
86.00	23,840	90.25	24,944	94.50	25,969	98.75	26,900	103.00	27,716
86.25	23,907	90.50	25,006	94.75	26,027	99.00	26,951	103.25	27,760
86.50	23,974	90.75	25,069	95.00	26,084	99.25	27,002	103.50	27,803
86.75	24,040	91.00	25,131	95.25	26,141	99.50	27,053	103.75	27,846
87.00	24,106	91.25	25,193	95.50	26,197	99.75	27,103	104.00	27,888
87.25	24,172	91.50	25,254	95.75	26,253	100.00	27,153	104.25	27,930
87.50	24,238	91.75	25,315	96.00	26,309	100.25	27,202	104.50	27,971
87.75	24,303	92.00	25,376	96.25	26,365	100.50	27,251	104.75	28,012
88.00	24,368	92.25	25,437	96.50	26,420	100.75	27,300	105.00	28,052
88.25	24,433	92.50	25,497	96.75	26,475	101.00	27,348	105.25	28,092
88.50	24,498	92.75	25,557	97.00	26,529	101.25	27,396	105.50	28,131
88.75	24,563	93.00	25,617	97.25	26,583	101.50	27,443	105.75	28,169
89.00	24,627	93.25	25,677	97.50	26,637	101.75	27,489	106.00	28,207



## Capacity/Gauge Table Information

**TCLX 290272**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 072

Reporting Mark: TCLX 290272

Date: 30/06/2015

Capacity: 28,998 US Gallons (109,770 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,244	110.50	28,765	114.75	28,985
106.50	28,281	110.75	28,788	115.00	28,988
106.75	28,316	111.00	28,809	115.25	28,991
107.00	28,352	111.25	28,829	115.50	28,994
107.25	28,386	111.50	28,847	115.75	28,996
107.50	28,420	111.75	28,864	116.00	28,997
107.75	28,453	112.00	28,880	116.25	28,998
108.00	28,486	112.25	28,895	116.50	28,998
108.25	28,518	112.50	28,909	116.75	28,998
108.50	28,548	112.75	28,921		
108.75	28,579	113.00	28,933		
109.00	28,608	113.25	28,943		
109.25	28,637	113.50	28,952		
109.50	28,664	113.75	28,961		
109.75	28,691	114.00	28,968		
110.00	28,717	114.25	28,974		
110.25	28,741	114.50	28,980		



## Capacity/Gauge Table Information

**TCLX 290273**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 073

Reporting Mark: TCLX 290273

Date: 30/06/2015

Capacity: 29,002 US Gallons (109,786 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	581	8.50	1,333	12.75	2,214	17.00	3,198
0.25	28	4.50	621	8.75	1,382	13.00	2,269	17.25	3,259
0.50	57	4.75	662	9.00	1,431	13.25	2,325	17.50	3,320
0.75	87	5.00	703	9.25	1,480	13.50	2,380	17.75	3,381
1.00	118	5.25	745	9.50	1,530	13.75	2,437	18.00	3,443
1.25	149	5.50	787	9.75	1,580	14.00	2,493	18.25	3,504
1.50	181	5.75	830	10.00	1,631	14.25	2,550	18.50	3,567
1.75	214	6.00	873	10.25	1,682	14.50	2,608	18.75	3,629
2.00	248	6.25	917	10.50	1,733	14.75	2,665	19.00	3,692
2.25	282	6.50	961	10.75	1,785	15.00	2,723	19.25	3,755
2.50	317	6.75	1,006	11.00	1,837	15.25	2,781	19.50	3,818
2.75	353	7.00	1,051	11.25	1,890	15.50	2,840	19.75	3,881
3.00	390	7.25	1,097	11.50	1,943	15.75	2,899	20.00	3,945
3.25	427	7.50	1,143	11.75	1,996	16.00	2,958	20.25	4,009
3.50	464	7.75	1,190	12.00	2,050	16.25	3,018	20.50	4,073
3.75	503	8.00	1,237	12.25	2,104	16.50	3,077	20.75	4,138
4.00	542	8.25	1,285	12.50	2,159	16.75	3,138	21.00	4,203



## Capacity/Gauge Table Information

**TCLX 290273**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 073

Reporting Mark: TCLX 290273

Date: 30/06/2015

Capacity: 29,002 US Gallons (109,786 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,268	25.50	5,409	29.75	6,609	34.00	7,857	38.25	9,145
21.50	4,333	25.75	5,478	30.00	6,681	34.25	7,932	38.50	9,222
21.75	4,399	26.00	5,547	30.25	6,753	34.50	8,007	38.75	9,299
22.00	4,464	26.25	5,616	30.50	6,826	34.75	8,082	39.00	9,376
22.25	4,530	26.50	5,686	30.75	6,898	35.00	8,157	39.25	9,453
22.50	4,596	26.75	5,756	31.00	6,971	35.25	8,232	39.50	9,530
22.75	4,663	27.00	5,826	31.25	7,044	35.50	8,308	39.75	9,607
23.00	4,730	27.25	5,896	31.50	7,118	35.75	8,383	40.00	9,685
23.25	4,797	27.50	5,967	31.75	7,191	36.00	8,459	40.25	9,762
23.50	4,864	27.75	6,037	32.00	7,264	36.25	8,535	40.50	9,840
23.75	4,931	28.00	6,108	32.25	7,338	36.50	8,611	40.75	9,917
24.00	4,999	28.25	6,179	32.50	7,412	36.75	8,687	41.00	9,995
24.25	5,066	28.50	6,250	32.75	7,486	37.00	8,763	41.25	10,073
24.50	5,134	28.75	6,322	33.00	7,560	37.25	8,839	41.50	10,151
24.75	5,203	29.00	6,393	33.25	7,634	37.50	8,915	41.75	10,229
25.00	5,271	29.25	6,465	33.50	7,708	37.75	8,992	42.00	10,307
25.25	5,340	29.50	6,537	33.75	7,783	38.00	9,068	42.25	10,385



## Capacity/Gauge Table Information

**TCLX 290273**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 073

Reporting Mark: TCLX 290273

Date: 30/06/2015

Capacity: 29,002 US Gallons (109,786 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,463	46.75	11,804	51.00	13,158	55.25	14,519	59.50	15,879
42.75	10,542	47.00	11,883	51.25	13,238	55.50	14,599	59.75	15,958
43.00	10,620	47.25	11,962	51.50	13,318	55.75	14,679	60.00	16,038
43.25	10,698	47.50	12,042	51.75	13,398	56.00	14,759	60.25	16,118
43.50	10,777	47.75	12,121	52.00	13,478	56.25	14,839	60.50	16,198
43.75	10,856	48.00	12,201	52.25	13,558	56.50	14,919	60.75	16,277
44.00	10,934	48.25	12,280	52.50	13,638	56.75	14,999	61.00	16,357
44.25	11,013	48.50	12,360	52.75	13,718	57.00	15,079	61.25	16,436
44.50	11,092	48.75	12,440	53.00	13,798	57.25	15,159	61.50	16,516
44.75	11,171	49.00	12,519	53.25	13,878	57.50	15,239	61.75	16,595
45.00	11,250	49.25	12,599	53.50	13,958	57.75	15,319	62.00	16,675
45.25	11,329	49.50	12,679	53.75	14,038	58.00	15,399	62.25	16,754
45.50	11,408	49.75	12,759	54.00	14,118	58.25	15,479	62.50	16,834
45.75	11,487	50.00	12,838	54.25	14,199	58.50	15,559	62.75	16,913
46.00	11,566	50.25	12,918	54.50	14,279	58.75	15,639	63.00	16,992
46.25	11,645	50.50	12,998	54.75	14,359	59.00	15,719	63.25	17,071
46.50	11,724	50.75	13,078	55.00	14,439	59.25	15,799	63.50	17,150





## Capacity/Gauge Table Information

**TCLX 290273**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 073

Reporting Mark: TCLX 290273

Date: 30/06/2015

Capacity: 29,002 US Gallons (109,786 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,229	68.00	18,564	72.25	19,873	76.50	21,150	80.75	22,385
64.00	17,309	68.25	18,642	72.50	19,949	76.75	21,224	81.00	22,456
64.25	17,387	68.50	18,719	72.75	20,025	77.00	21,298	81.25	22,527
64.50	17,466	68.75	18,797	73.00	20,101	77.25	21,371	81.50	22,597
64.75	17,545	69.00	18,874	73.25	20,177	77.50	21,445	81.75	22,668
65.00	17,624	69.25	18,952	73.50	20,253	77.75	21,518	82.00	22,738
65.25	17,703	69.50	19,029	73.75	20,328	78.00	21,591	82.25	22,809
65.50	17,781	69.75	19,106	74.00	20,404	78.25	21,664	82.50	22,879
65.75	17,860	70.00	19,184	74.25	20,479	78.50	21,737	82.75	22,948
66.00	17,938	70.25	19,261	74.50	20,554	78.75	21,809	83.00	23,018
66.25	18,017	70.50	19,338	74.75	20,629	79.00	21,882	83.25	23,087
66.50	18,095	70.75	19,414	75.00	20,704	79.25	21,954	83.50	23,157
66.75	18,174	71.00	19,491	75.25	20,778	79.50	22,026	83.75	23,226
67.00	18,252	71.25	19,568	75.50	20,853	79.75	22,098	84.00	23,294
67.25	18,330	71.50	19,644	75.75	20,927	80.00	22,170	84.25	23,363
67.50	18,408	71.75	19,721	76.00	21,002	80.25	22,242	84.50	23,431
67.75	18,486	72.00	19,797	76.25	21,076	80.50	22,313	84.75	23,500



## Capacity/Gauge Table Information

**TCLX 290273**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 073

Reporting Mark: TCLX 290273

Date: 30/06/2015

Capacity: 29,002 US Gallons (109,786 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,568	89.25	24,688	93.50	25,734	97.75	26,689	102.00	27,535
85.25	23,635	89.50	24,752	93.75	25,792	98.00	26,742	102.25	27,581
85.50	23,703	89.75	24,815	94.00	25,851	98.25	26,795	102.50	27,626
85.75	23,770	90.00	24,878	94.25	25,909	98.50	26,847	102.75	27,671
86.00	23,837	90.25	24,941	94.50	25,967	98.75	26,899	103.00	27,716
86.25	23,904	90.50	25,004	94.75	26,025	99.00	26,950	103.25	27,760
86.50	23,971	90.75	25,066	95.00	26,082	99.25	27,001	103.50	27,803
86.75	24,037	91.00	25,128	95.25	26,139	99.50	27,052	103.75	27,846
87.00	24,103	91.25	25,190	95.50	26,195	99.75	27,102	104.00	27,888
87.25	24,169	91.50	25,252	95.75	26,252	100.00	27,152	104.25	27,930
87.50	24,235	91.75	25,313	96.00	26,308	100.25	27,202	104.50	27,971
87.75	24,301	92.00	25,374	96.25	26,363	100.50	27,251	104.75	28,012
88.00	24,366	92.25	25,435	96.50	26,418	100.75	27,299	105.00	28,052
88.25	24,431	92.50	25,495	96.75	26,473	101.00	27,347	105.25	28,092
88.50	24,495	92.75	25,555	97.00	26,528	101.25	27,395	105.50	28,131
88.75	24,560	93.00	25,615	97.25	26,582	101.50	27,442	105.75	28,169
89.00	24,624	93.25	25,674	97.50	26,636	101.75	27,489	106.00	28,207



## Capacity/Gauge Table Information

**TCLX 290273**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 073

Reporting Mark: TCLX 290273

Date: 30/06/2015

Capacity: 29,002 US Gallons (109,786 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,245	110.50	28,767	114.75	28,989
106.50	28,281	110.75	28,790	115.00	28,993
106.75	28,317	111.00	28,811	115.25	28,996
107.00	28,352	111.25	28,831	115.50	28,998
107.25	28,387	111.50	28,850	115.75	29,000
107.50	28,421	111.75	28,868	116.00	29,001
107.75	28,454	112.00	28,884	116.25	29,002
108.00	28,487	112.25	28,899	116.50	29,002
108.25	28,519	112.50	28,912	116.75	29,002
108.50	28,550	112.75	28,925		
108.75	28,580	113.00	28,937		
109.00	28,610	113.25	28,947		
109.25	28,638	113.50	28,956		
109.50	28,666	113.75	28,965		
109.75	28,693	114.00	28,972		
110.00	28,719	114.25	28,978		
110.25	28,744	114.50	28,984		



## Capacity/Gauge Table Information

**TCLX 290274**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 074

Reporting Mark: TCLX 290274

Date: 30/06/2015

Capacity: 29,014 US Gallons (109,831 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	576	8.50	1,324	12.75	2,202	17.00	3,183
0.25	28	4.50	616	8.75	1,372	13.00	2,257	17.25	3,244
0.50	56	4.75	656	9.00	1,421	13.25	2,312	17.50	3,305
0.75	86	5.00	697	9.25	1,470	13.50	2,368	17.75	3,366
1.00	116	5.25	738	9.50	1,520	13.75	2,424	18.00	3,427
1.25	147	5.50	780	9.75	1,570	14.00	2,480	18.25	3,489
1.50	179	5.75	823	10.00	1,620	14.25	2,537	18.50	3,551
1.75	212	6.00	866	10.25	1,671	14.50	2,594	18.75	3,613
2.00	245	6.25	910	10.50	1,723	14.75	2,652	19.00	3,676
2.25	279	6.50	954	10.75	1,774	15.00	2,710	19.25	3,739
2.50	314	6.75	998	11.00	1,826	15.25	2,768	19.50	3,802
2.75	350	7.00	1,044	11.25	1,879	15.50	2,826	19.75	3,865
3.00	386	7.25	1,089	11.50	1,932	15.75	2,885	20.00	3,929
3.25	423	7.50	1,135	11.75	1,985	16.00	2,944	20.25	3,993
3.50	460	7.75	1,182	12.00	2,039	16.25	3,003	20.50	4,057
3.75	498	8.00	1,229	12.25	2,093	16.50	3,063	20.75	4,121
4.00	537	8.25	1,276	12.50	2,147	16.75	3,123	21.00	4,186



## Capacity/Gauge Table Information

**TCLX 290274**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 074

Reporting Mark: TCLX 290274

Date: 30/06/2015

Capacity: 29,014 US Gallons (109,831 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,251	25.50	5,390	29.75	6,588	34.00	7,836	38.25	9,123
21.50	4,316	25.75	5,459	30.00	6,661	34.25	7,911	38.50	9,199
21.75	4,381	26.00	5,528	30.25	6,733	34.50	7,985	38.75	9,276
22.00	4,447	26.25	5,597	30.50	6,805	34.75	8,060	39.00	9,353
22.25	4,513	26.50	5,667	30.75	6,878	35.00	8,135	39.25	9,430
22.50	4,579	26.75	5,737	31.00	6,951	35.25	8,211	39.50	9,507
22.75	4,645	27.00	5,807	31.25	7,024	35.50	8,286	39.75	9,585
23.00	4,712	27.25	5,877	31.50	7,097	35.75	8,361	40.00	9,662
23.25	4,779	27.50	5,947	31.75	7,170	36.00	8,437	40.25	9,739
23.50	4,846	27.75	6,018	32.00	7,243	36.25	8,513	40.50	9,817
23.75	4,913	28.00	6,088	32.25	7,317	36.50	8,589	40.75	9,894
24.00	4,981	28.25	6,159	32.50	7,391	36.75	8,665	41.00	9,972
24.25	5,048	28.50	6,230	32.75	7,464	37.00	8,741	41.25	10,050
24.50	5,116	28.75	6,302	33.00	7,538	37.25	8,817	41.50	10,128
24.75	5,184	29.00	6,373	33.25	7,613	37.50	8,893	41.75	10,206
25.00	5,253	29.25	6,445	33.50	7,687	37.75	8,970	42.00	10,284
25.25	5,321	29.50	6,516	33.75	7,761	38.00	9,046	42.25	10,362



## Capacity/Gauge Table Information

**TCLX 290274**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 074

Reporting Mark: TCLX 290274

Date: 30/06/2015

Capacity: 29,014 US Gallons (109,831 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,440	46.75	11,780	51.00	13,134	55.25	14,495	59.50	15,855
42.75	10,518	47.00	11,859	51.25	13,214	55.50	14,575	59.75	15,934
43.00	10,597	47.25	11,939	51.50	13,294	55.75	14,655	60.00	16,014
43.25	10,675	47.50	12,018	51.75	13,374	56.00	14,735	60.25	16,094
43.50	10,754	47.75	12,097	52.00	13,454	56.25	14,815	60.50	16,174
43.75	10,832	48.00	12,177	52.25	13,534	56.50	14,895	60.75	16,253
44.00	10,911	48.25	12,256	52.50	13,614	56.75	14,975	61.00	16,333
44.25	10,989	48.50	12,336	52.75	13,694	57.00	15,055	61.25	16,412
44.50	11,068	48.75	12,416	53.00	13,774	57.25	15,135	61.50	16,492
44.75	11,147	49.00	12,495	53.25	13,854	57.50	15,215	61.75	16,571
45.00	11,226	49.25	12,575	53.50	13,934	57.75	15,295	62.00	16,651
45.25	11,305	49.50	12,655	53.75	14,014	58.00	15,375	62.25	16,730
45.50	11,384	49.75	12,735	54.00	14,094	58.25	15,455	62.50	16,810
45.75	11,463	50.00	12,814	54.25	14,174	58.50	15,535	62.75	16,889
46.00	11,542	50.25	12,894	54.50	14,254	58.75	15,615	63.00	16,968
46.25	11,621	50.50	12,974	54.75	14,335	59.00	15,695	63.25	17,047
46.50	11,701	50.75	13,054	55.00	14,415	59.25	15,775	63.50	17,127



## Capacity/Gauge Table Information

**TCLX 290274**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 074

Reporting Mark: TCLX 290274

Date: 30/06/2015

Capacity: 29,014 US Gallons (109,831 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,206	68.00	18,541	72.25	19,851	76.50	21,129	80.75	22,364
64.00	17,285	68.25	18,618	72.50	19,927	76.75	21,202	81.00	22,436
64.25	17,364	68.50	18,696	72.75	20,003	77.00	21,276	81.25	22,507
64.50	17,443	68.75	18,774	73.00	20,079	77.25	21,350	81.50	22,578
64.75	17,522	69.00	18,851	73.25	20,155	77.50	21,423	81.75	22,648
65.00	17,600	69.25	18,929	73.50	20,230	77.75	21,497	82.00	22,719
65.25	17,679	69.50	19,006	73.75	20,306	78.00	21,570	82.25	22,789
65.50	17,758	69.75	19,084	74.00	20,381	78.25	21,643	82.50	22,859
65.75	17,836	70.00	19,161	74.25	20,457	78.50	21,716	82.75	22,929
66.00	17,915	70.25	19,238	74.50	20,532	78.75	21,789	83.00	22,999
66.25	17,993	70.50	19,315	74.75	20,607	79.00	21,861	83.25	23,068
66.50	18,072	70.75	19,392	75.00	20,682	79.25	21,934	83.50	23,137
66.75	18,150	71.00	19,469	75.25	20,757	79.50	22,006	83.75	23,207
67.00	18,228	71.25	19,545	75.50	20,831	79.75	22,078	84.00	23,275
67.25	18,306	71.50	19,622	75.75	20,906	80.00	22,150	84.25	23,344
67.50	18,385	71.75	19,698	76.00	20,980	80.25	22,222	84.50	23,413
67.75	18,463	72.00	19,775	76.25	21,054	80.50	22,293	84.75	23,481





## Capacity/Gauge Table Information

**TCLX 290274**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 074

Reporting Mark: TCLX 290274

Date: 30/06/2015

Capacity: 29,014 US Gallons (109,831 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,549	89.25	24,671	93.50	25,719	97.75	26,677	102.00	27,527
85.25	23,617	89.50	24,735	93.75	25,778	98.00	26,731	102.25	27,573
85.50	23,685	89.75	24,799	94.00	25,837	98.25	26,784	102.50	27,619
85.75	23,752	90.00	24,862	94.25	25,895	98.50	26,836	102.75	27,664
86.00	23,819	90.25	24,925	94.50	25,953	98.75	26,888	103.00	27,709
86.25	23,886	90.50	24,988	94.75	26,011	99.00	26,940	103.25	27,753
86.50	23,953	90.75	25,050	95.00	26,069	99.25	26,991	103.50	27,796
86.75	24,019	91.00	25,113	95.25	26,126	99.50	27,042	103.75	27,839
87.00	24,086	91.25	25,175	95.50	26,182	99.75	27,092	104.00	27,882
87.25	24,152	91.50	25,236	95.75	26,239	100.00	27,142	104.25	27,924
87.50	24,218	91.75	25,298	96.00	26,295	100.25	27,192	104.50	27,966
87.75	24,283	92.00	25,359	96.25	26,351	100.50	27,241	104.75	28,007
88.00	24,348	92.25	25,420	96.50	26,406	100.75	27,290	105.00	28,047
88.25	24,414	92.50	25,480	96.75	26,461	101.00	27,338	105.25	28,087
88.50	24,478	92.75	25,540	97.00	26,516	101.25	27,386	105.50	28,126
88.75	24,543	93.00	25,600	97.25	26,570	101.50	27,434	105.75	28,165
89.00	24,607	93.25	25,660	97.50	26,624	101.75	27,481	106.00	28,203



## Capacity/Gauge Table Information

**TCLX 290274**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 074

Reporting Mark: TCLX 290274

Date: 30/06/2015

Capacity: 29,014 US Gallons (109,831 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,241	110.50	28,771	114.75	29,000
106.50	28,278	110.75	28,794	115.00	29,004
106.75	28,314	111.00	28,816	115.25	29,007
107.00	28,350	111.25	28,837	115.50	29,010
107.25	28,385	111.50	28,856	115.75	29,012
107.50	28,419	111.75	28,874	116.00	29,013
107.75	28,453	112.00	28,891	116.25	29,014
108.00	28,486	112.25	28,907	116.50	29,014
108.25	28,518	112.50	28,921	116.75	29,014
108.50	28,549	112.75	28,934		
108.75	28,580	113.00	28,946		
109.00	28,610	113.25	28,957		
109.25	28,639	113.50	28,966		
109.50	28,667	113.75	28,975		
109.75	28,694	114.00	28,983		
110.00	28,721	114.25	28,989		
110.25	28,746	114.50	28,995		



## Capacity/Gauge Table Information

**TCLX 290275**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 075

Reporting Mark: TCLX 290275

Date: 30/06/2015

Capacity: 29,003 US Gallons (109,787 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	579	8.50	1,330	12.75	2,210	17.00	3,193
0.25	28	4.50	619	8.75	1,378	13.00	2,265	17.25	3,254
0.50	57	4.75	660	9.00	1,427	13.25	2,320	17.50	3,315
0.75	87	5.00	701	9.25	1,477	13.50	2,376	17.75	3,376
1.00	117	5.25	742	9.50	1,526	13.75	2,432	18.00	3,437
1.25	148	5.50	785	9.75	1,577	14.00	2,489	18.25	3,499
1.50	181	5.75	827	10.00	1,627	14.25	2,546	18.50	3,561
1.75	213	6.00	871	10.25	1,678	14.50	2,603	18.75	3,624
2.00	247	6.25	914	10.50	1,730	14.75	2,661	19.00	3,686
2.25	281	6.50	959	10.75	1,781	15.00	2,718	19.25	3,749
2.50	316	6.75	1,003	11.00	1,834	15.25	2,777	19.50	3,812
2.75	352	7.00	1,049	11.25	1,886	15.50	2,835	19.75	3,876
3.00	388	7.25	1,094	11.50	1,939	15.75	2,894	20.00	3,940
3.25	425	7.50	1,140	11.75	1,992	16.00	2,953	20.25	4,004
3.50	463	7.75	1,187	12.00	2,046	16.25	3,013	20.50	4,068
3.75	501	8.00	1,234	12.25	2,100	16.50	3,072	20.75	4,132
4.00	540	8.25	1,282	12.50	2,155	16.75	3,133	21.00	4,197



## Capacity/Gauge Table Information

**TCLX 290275**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 075

Reporting Mark: TCLX 290275

Date: 30/06/2015

Capacity: 29,003 US Gallons (109,787 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,262	25.50	5,402	29.75	6,602	34.00	7,850	38.25	9,137
21.50	4,327	25.75	5,471	30.00	6,674	34.25	7,925	38.50	9,214
21.75	4,393	26.00	5,540	30.25	6,746	34.50	8,000	38.75	9,291
22.00	4,458	26.25	5,610	30.50	6,819	34.75	8,075	39.00	9,368
22.25	4,524	26.50	5,680	30.75	6,891	35.00	8,150	39.25	9,445
22.50	4,590	26.75	5,749	31.00	6,964	35.25	8,225	39.50	9,522
22.75	4,657	27.00	5,819	31.25	7,037	35.50	8,300	39.75	9,600
23.00	4,724	27.25	5,890	31.50	7,110	35.75	8,376	40.00	9,677
23.25	4,790	27.50	5,960	31.75	7,184	36.00	8,452	40.25	9,754
23.50	4,858	27.75	6,031	32.00	7,257	36.25	8,527	40.50	9,832
23.75	4,925	28.00	6,101	32.25	7,331	36.50	8,603	40.75	9,910
24.00	4,992	28.25	6,172	32.50	7,404	36.75	8,679	41.00	9,987
24.25	5,060	28.50	6,243	32.75	7,478	37.00	8,755	41.25	10,065
24.50	5,128	28.75	6,315	33.00	7,552	37.25	8,831	41.50	10,143
24.75	5,196	29.00	6,386	33.25	7,627	37.50	8,908	41.75	10,221
25.00	5,265	29.25	6,458	33.50	7,701	37.75	8,984	42.00	10,299
25.25	5,333	29.50	6,530	33.75	7,775	38.00	9,061	42.25	10,377



## Capacity/Gauge Table Information

**TCLX 290275**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 075

Reporting Mark: TCLX 290275

Date: 30/06/2015

Capacity: 29,003 US Gallons (109,787 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,455	46.75	11,795	51.00	13,150	55.25	14,511	59.50	15,870
42.75	10,534	47.00	11,875	51.25	13,230	55.50	14,591	59.75	15,950
43.00	10,612	47.25	11,954	51.50	13,310	55.75	14,671	60.00	16,030
43.25	10,690	47.50	12,034	51.75	13,390	56.00	14,751	60.25	16,109
43.50	10,769	47.75	12,113	52.00	13,470	56.25	14,831	60.50	16,189
43.75	10,848	48.00	12,193	52.25	13,550	56.50	14,911	60.75	16,269
44.00	10,926	48.25	12,272	52.50	13,630	56.75	14,991	61.00	16,348
44.25	11,005	48.50	12,352	52.75	13,710	57.00	15,071	61.25	16,428
44.50	11,084	48.75	12,431	53.00	13,790	57.25	15,151	61.50	16,507
44.75	11,163	49.00	12,511	53.25	13,870	57.50	15,231	61.75	16,587
45.00	11,241	49.25	12,591	53.50	13,950	57.75	15,311	62.00	16,666
45.25	11,320	49.50	12,671	53.75	14,030	58.00	15,391	62.25	16,746
45.50	11,399	49.75	12,750	54.00	14,110	58.25	15,471	62.50	16,825
45.75	11,479	50.00	12,830	54.25	14,190	58.50	15,551	62.75	16,904
46.00	11,558	50.25	12,910	54.50	14,270	58.75	15,631	63.00	16,984
46.25	11,637	50.50	12,990	54.75	14,350	59.00	15,711	63.25	17,063
46.50	11,716	50.75	13,070	55.00	14,430	59.25	15,790	63.50	17,142



## Capacity/Gauge Table Information

**TCLX 290275**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 075

Reporting Mark: TCLX 290275

Date: 30/06/2015

Capacity: 29,003 US Gallons (109,787 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,221	68.00	18,555	72.25	19,865	76.50	21,142	80.75	22,377
64.00	17,300	68.25	18,633	72.50	19,941	76.75	21,216	81.00	22,448
64.25	17,379	68.50	18,711	72.75	20,017	77.00	21,290	81.25	22,519
64.50	17,458	68.75	18,789	73.00	20,093	77.25	21,363	81.50	22,590
64.75	17,537	69.00	18,866	73.25	20,169	77.50	21,437	81.75	22,661
65.00	17,616	69.25	18,944	73.50	20,245	77.75	21,510	82.00	22,731
65.25	17,694	69.50	19,021	73.75	20,320	78.00	21,583	82.25	22,801
65.50	17,773	69.75	19,098	74.00	20,395	78.25	21,656	82.50	22,871
65.75	17,852	70.00	19,175	74.25	20,471	78.50	21,729	82.75	22,941
66.00	17,930	70.25	19,252	74.50	20,546	78.75	21,802	83.00	23,011
66.25	18,009	70.50	19,329	74.75	20,621	79.00	21,874	83.25	23,080
66.50	18,087	70.75	19,406	75.00	20,696	79.25	21,947	83.50	23,149
66.75	18,165	71.00	19,483	75.25	20,770	79.50	22,019	83.75	23,218
67.00	18,243	71.25	19,560	75.50	20,845	79.75	22,091	84.00	23,287
67.25	18,322	71.50	19,636	75.75	20,920	80.00	22,163	84.25	23,356
67.50	18,400	71.75	19,713	76.00	20,994	80.25	22,234	84.50	23,424
67.75	18,478	72.00	19,789	76.25	21,068	80.50	22,306	84.75	23,492



## Capacity/Gauge Table Information

**TCLX 290275**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 075

Reporting Mark: TCLX 290275

Date: 30/06/2015

Capacity: 29,003 US Gallons (109,787 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,560	89.25	24,681	93.50	25,727	97.75	26,684	102.00	27,531
85.25	23,628	89.50	24,745	93.75	25,786	98.00	26,737	102.25	27,577
85.50	23,696	89.75	24,809	94.00	25,845	98.25	26,789	102.50	27,622
85.75	23,763	90.00	24,872	94.25	25,903	98.50	26,842	102.75	27,667
86.00	23,830	90.25	24,935	94.50	25,961	98.75	26,894	103.00	27,711
86.25	23,897	90.50	24,997	94.75	26,019	99.00	26,945	103.25	27,755
86.50	23,964	90.75	25,060	95.00	26,076	99.25	26,996	103.50	27,799
86.75	24,030	91.00	25,122	95.25	26,133	99.50	27,047	103.75	27,842
87.00	24,096	91.25	25,184	95.50	26,190	99.75	27,097	104.00	27,884
87.25	24,162	91.50	25,245	95.75	26,246	100.00	27,147	104.25	27,926
87.50	24,228	91.75	25,307	96.00	26,302	100.25	27,197	104.50	27,967
87.75	24,294	92.00	25,368	96.25	26,358	100.50	27,246	104.75	28,008
88.00	24,359	92.25	25,428	96.50	26,413	100.75	27,294	105.00	28,048
88.25	24,424	92.50	25,489	96.75	26,468	101.00	27,342	105.25	28,088
88.50	24,489	92.75	25,549	97.00	26,522	101.25	27,390	105.50	28,127
88.75	24,553	93.00	25,609	97.25	26,576	101.50	27,437	105.75	28,166
89.00	24,617	93.25	25,668	97.50	26,630	101.75	27,484	106.00	28,204





## Capacity/Gauge Table Information

**TCLX 290275**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 075

Reporting Mark: TCLX 290275

Date: 30/06/2015

Capacity: 29,003 US Gallons (109,787 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,241	110.50	28,766	114.75	28,989
106.50	28,278	110.75	28,788	115.00	28,993
106.75	28,314	111.00	28,810	115.25	28,996
107.00	28,349	111.25	28,830	115.50	28,998
107.25	28,384	111.50	28,849	115.75	29,000
107.50	28,418	111.75	28,867	116.00	29,002
107.75	28,451	112.00	28,883	116.25	29,002
108.00	28,484	112.25	28,898	116.50	29,003
108.25	28,516	112.50	28,912	116.75	29,003
108.50	28,547	112.75	28,925		
108.75	28,577	113.00	28,936		
109.00	28,607	113.25	28,947		
109.25	28,636	113.50	28,956		
109.50	28,664	113.75	28,965		
109.75	28,691	114.00	28,972		
110.00	28,717	114.25	28,979		
110.25	28,742	114.50	28,984		



## Capacity/Gauge Table Information

**TCLX 290276**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 076

Reporting Mark: TCLX 290276

Date: 01/07/2015

Capacity: 28,983 US Gallons (109,713 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,351	12.75	2,239	17.00	3,228
0.25	29	4.50	632	8.75	1,400	13.00	2,294	17.25	3,289
0.50	59	4.75	673	9.00	1,450	13.25	2,350	17.50	3,351
0.75	89	5.00	715	9.25	1,499	13.50	2,406	17.75	3,412
1.00	120	5.25	757	9.50	1,550	13.75	2,463	18.00	3,474
1.25	153	5.50	800	9.75	1,600	14.00	2,520	18.25	3,536
1.50	185	5.75	843	10.00	1,651	14.25	2,577	18.50	3,599
1.75	219	6.00	887	10.25	1,703	14.50	2,635	18.75	3,661
2.00	253	6.25	931	10.50	1,755	14.75	2,693	19.00	3,724
2.25	288	6.50	976	10.75	1,807	15.00	2,751	19.25	3,788
2.50	324	6.75	1,021	11.00	1,860	15.25	2,810	19.50	3,851
2.75	360	7.00	1,067	11.25	1,913	15.50	2,868	19.75	3,915
3.00	397	7.25	1,113	11.50	1,966	15.75	2,928	20.00	3,979
3.25	435	7.50	1,160	11.75	2,020	16.00	2,987	20.25	4,043
3.50	473	7.75	1,207	12.00	2,074	16.25	3,047	20.50	4,108
3.75	512	8.00	1,255	12.25	2,128	16.50	3,107	20.75	4,172
4.00	551	8.25	1,303	12.50	2,183	16.75	3,168	21.00	4,237



## Capacity/Gauge Table Information

**TCLX 290276**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 076

Reporting Mark: TCLX 290276

Date: 01/07/2015

Capacity: 28,983 US Gallons (109,713 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,303	25.50	5,448	29.75	6,651	34.00	7,903	38.25	9,193
21.50	4,368	25.75	5,517	30.00	6,724	34.25	7,978	38.50	9,270
21.75	4,434	26.00	5,586	30.25	6,796	34.50	8,053	38.75	9,347
22.00	4,500	26.25	5,656	30.50	6,869	34.75	8,128	39.00	9,424
22.25	4,566	26.50	5,726	30.75	6,942	35.00	8,203	39.25	9,501
22.50	4,633	26.75	5,796	31.00	7,015	35.25	8,279	39.50	9,579
22.75	4,699	27.00	5,866	31.25	7,088	35.50	8,354	39.75	9,656
23.00	4,766	27.25	5,937	31.50	7,161	35.75	8,430	40.00	9,733
23.25	4,834	27.50	6,007	31.75	7,235	36.00	8,506	40.25	9,811
23.50	4,901	27.75	6,078	32.00	7,308	36.25	8,582	40.50	9,889
23.75	4,968	28.00	6,149	32.25	7,382	36.50	8,658	40.75	9,967
24.00	5,036	28.25	6,220	32.50	7,456	36.75	8,734	41.00	10,044
24.25	5,104	28.50	6,292	32.75	7,530	37.00	8,810	41.25	10,122
24.50	5,173	28.75	6,363	33.00	7,604	37.25	8,886	41.50	10,200
24.75	5,241	29.00	6,435	33.25	7,679	37.50	8,963	41.75	10,278
25.00	5,310	29.25	6,507	33.50	7,753	37.75	9,040	42.00	10,357
25.25	5,379	29.50	6,579	33.75	7,828	38.00	9,116	42.25	10,435



## Capacity/Gauge Table Information

**TCLX 290276**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 076

Reporting Mark: TCLX 290276

Date: 01/07/2015

Capacity: 28,983 US Gallons (109,713 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,513	46.75	11,855	51.00	13,211	55.25	14,572	59.50	15,932
42.75	10,592	47.00	11,934	51.25	13,291	55.50	14,652	59.75	16,012
43.00	10,670	47.25	12,014	51.50	13,371	55.75	14,732	60.00	16,092
43.25	10,749	47.50	12,093	51.75	13,451	56.00	14,812	60.25	16,171
43.50	10,827	47.75	12,173	52.00	13,531	56.25	14,893	60.50	16,251
43.75	10,906	48.00	12,253	52.25	13,611	56.50	14,973	60.75	16,331
44.00	10,985	48.25	12,332	52.50	13,691	56.75	15,053	61.00	16,410
44.25	11,064	48.50	12,412	52.75	13,771	57.00	15,133	61.25	16,490
44.50	11,142	48.75	12,492	53.00	13,851	57.25	15,213	61.50	16,569
44.75	11,221	49.00	12,571	53.25	13,931	57.50	15,293	61.75	16,649
45.00	11,300	49.25	12,651	53.50	14,011	57.75	15,373	62.00	16,728
45.25	11,379	49.50	12,731	53.75	14,091	58.00	15,453	62.25	16,807
45.50	11,459	49.75	12,811	54.00	14,171	58.25	15,533	62.50	16,887
45.75	11,538	50.00	12,891	54.25	14,252	58.50	15,613	62.75	16,966
46.00	11,617	50.25	12,971	54.50	14,332	58.75	15,692	63.00	17,045
46.25	11,696	50.50	13,051	54.75	14,412	59.00	15,772	63.25	17,124
46.50	11,776	50.75	13,131	55.00	14,492	59.25	15,852	63.50	17,204



## Capacity/Gauge Table Information

**TCLX 290276**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 076

Reporting Mark: TCLX 290276

Date: 01/07/2015

Capacity: 28,983 US Gallons (109,713 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,283	68.00	18,616	72.25	19,924	76.50	21,199	80.75	22,432
64.00	17,362	68.25	18,694	72.50	20,000	76.75	21,273	81.00	22,503
64.25	17,441	68.50	18,771	72.75	20,076	77.00	21,347	81.25	22,573
64.50	17,519	68.75	18,849	73.00	20,152	77.25	21,420	81.50	22,644
64.75	17,598	69.00	18,927	73.25	20,228	77.50	21,493	81.75	22,714
65.00	17,677	69.25	19,004	73.50	20,303	77.75	21,567	82.00	22,785
65.25	17,756	69.50	19,081	73.75	20,379	78.00	21,640	82.25	22,855
65.50	17,834	69.75	19,158	74.00	20,454	78.25	21,712	82.50	22,924
65.75	17,913	70.00	19,235	74.25	20,529	78.50	21,785	82.75	22,994
66.00	17,991	70.25	19,312	74.50	20,604	78.75	21,858	83.00	23,063
66.25	18,070	70.50	19,389	74.75	20,679	79.00	21,930	83.25	23,133
66.50	18,148	70.75	19,466	75.00	20,754	79.25	22,002	83.50	23,202
66.75	18,226	71.00	19,543	75.25	20,828	79.50	22,074	83.75	23,271
67.00	18,304	71.25	19,619	75.50	20,903	79.75	22,146	84.00	23,339
67.25	18,382	71.50	19,696	75.75	20,977	80.00	22,218	84.25	23,408
67.50	18,460	71.75	19,772	76.00	21,051	80.25	22,289	84.50	23,476
67.75	18,538	72.00	19,848	76.25	21,125	80.50	22,360	84.75	23,544



## Capacity/Gauge Table Information

**TCLX 290276**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 076

Reporting Mark: TCLX 290276

Date: 01/07/2015

Capacity: 28,983 US Gallons (109,713 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,612	89.25	24,728	93.50	25,769	97.75	26,719	102.00	27,558
85.25	23,679	89.50	24,792	93.75	25,828	98.00	26,771	102.25	27,603
85.50	23,746	89.75	24,855	94.00	25,886	98.25	26,824	102.50	27,648
85.75	23,814	90.00	24,918	94.25	25,944	98.50	26,876	102.75	27,692
86.00	23,880	90.25	24,980	94.50	26,001	98.75	26,927	103.00	27,736
86.25	23,947	90.50	25,043	94.75	26,059	99.00	26,978	103.25	27,780
86.50	24,013	90.75	25,105	95.00	26,116	99.25	27,029	103.50	27,822
86.75	24,080	91.00	25,167	95.25	26,172	99.50	27,079	103.75	27,865
87.00	24,146	91.25	25,228	95.50	26,228	99.75	27,129	104.00	27,907
87.25	24,211	91.50	25,290	95.75	26,284	100.00	27,178	104.25	27,948
87.50	24,277	91.75	25,351	96.00	26,340	100.25	27,227	104.50	27,989
87.75	24,342	92.00	25,411	96.25	26,395	100.50	27,276	104.75	28,029
88.00	24,407	92.25	25,472	96.50	26,450	100.75	27,324	105.00	28,068
88.25	24,472	92.50	25,532	96.75	26,504	101.00	27,372	105.25	28,107
88.50	24,536	92.75	25,592	97.00	26,559	101.25	27,419	105.50	28,146
88.75	24,601	93.00	25,651	97.25	26,612	101.50	27,466	105.75	28,184
89.00	24,665	93.25	25,710	97.50	26,666	101.75	27,512	106.00	28,221



## Capacity/Gauge Table Information

**TCLX 290276**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 076

Reporting Mark: TCLX 290276

Date: 01/07/2015

Capacity: 28,983 US Gallons (109,713 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,257	110.50	28,765	114.75	28,970
106.50	28,293	110.75	28,786	115.00	28,974
106.75	28,329	111.00	28,806	115.25	28,977
107.00	28,363	111.25	28,824	115.50	28,979
107.25	28,397	111.50	28,842	115.75	28,981
107.50	28,430	111.75	28,858	116.00	28,982
107.75	28,463	112.00	28,873	116.25	28,983
108.00	28,495	112.25	28,887	116.50	28,983
108.25	28,526	112.50	28,900	116.75	28,983
108.50	28,556	112.75	28,911		
108.75	28,585	113.00	28,922		
109.00	28,614	113.25	28,932		
109.25	28,642	113.50	28,940		
109.50	28,668	113.75	28,948		
109.75	28,694	114.00	28,955		
110.00	28,719	114.25	28,961		
110.25	28,742	114.50	28,966		





## Capacity/Gauge Table Information

**TCLX 290277**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 077

Reporting Mark: TCLX 290277

Date: 07/07/2015

Capacity: 29,018 US Gallons (109,845 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	575	8.50	1,323	12.75	2,201	17.00	3,183
0.25	28	4.50	615	8.75	1,372	13.00	2,256	17.25	3,243
0.50	56	4.75	656	9.00	1,421	13.25	2,311	17.50	3,304
0.75	86	5.00	697	9.25	1,470	13.50	2,367	17.75	3,365
1.00	116	5.25	738	9.50	1,519	13.75	2,423	18.00	3,427
1.25	147	5.50	780	9.75	1,569	14.00	2,480	18.25	3,488
1.50	179	5.75	823	10.00	1,620	14.25	2,537	18.50	3,550
1.75	212	6.00	866	10.25	1,671	14.50	2,594	18.75	3,613
2.00	245	6.25	909	10.50	1,722	14.75	2,651	19.00	3,675
2.25	279	6.50	953	10.75	1,774	15.00	2,709	19.25	3,738
2.50	314	6.75	998	11.00	1,826	15.25	2,767	19.50	3,801
2.75	349	7.00	1,043	11.25	1,878	15.50	2,826	19.75	3,865
3.00	386	7.25	1,089	11.50	1,931	15.75	2,884	20.00	3,928
3.25	422	7.50	1,135	11.75	1,984	16.00	2,943	20.25	3,992
3.50	460	7.75	1,181	12.00	2,038	16.25	3,003	20.50	4,056
3.75	498	8.00	1,228	12.25	2,092	16.50	3,062	20.75	4,121
4.00	536	8.25	1,276	12.50	2,146	16.75	3,122	21.00	4,185



## Capacity/Gauge Table Information

**TCLX 290277**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 077

Reporting Mark: TCLX 290277

Date: 07/07/2015

Capacity: 29,018 US Gallons (109,845 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,250	25.50	5,390	29.75	6,588	34.00	7,836	38.25	9,123
21.50	4,315	25.75	5,459	30.00	6,660	34.25	7,911	38.50	9,200
21.75	4,381	26.00	5,528	30.25	6,733	34.50	7,985	38.75	9,277
22.00	4,447	26.25	5,597	30.50	6,805	34.75	8,060	39.00	9,353
22.25	4,512	26.50	5,667	30.75	6,878	35.00	8,136	39.25	9,431
22.50	4,579	26.75	5,736	31.00	6,951	35.25	8,211	39.50	9,508
22.75	4,645	27.00	5,806	31.25	7,024	35.50	8,286	39.75	9,585
23.00	4,711	27.25	5,877	31.50	7,097	35.75	8,362	40.00	9,662
23.25	4,778	27.50	5,947	31.75	7,170	36.00	8,437	40.25	9,740
23.50	4,845	27.75	6,017	32.00	7,243	36.25	8,513	40.50	9,817
23.75	4,913	28.00	6,088	32.25	7,317	36.50	8,589	40.75	9,895
24.00	4,980	28.25	6,159	32.50	7,391	36.75	8,665	41.00	9,973
24.25	5,048	28.50	6,230	32.75	7,464	37.00	8,741	41.25	10,050
24.50	5,116	28.75	6,301	33.00	7,538	37.25	8,817	41.50	10,128
24.75	5,184	29.00	6,373	33.25	7,613	37.50	8,893	41.75	10,206
25.00	5,252	29.25	6,444	33.50	7,687	37.75	8,970	42.00	10,284
25.25	5,321	29.50	6,516	33.75	7,761	38.00	9,046	42.25	10,362



## Capacity/Gauge Table Information

**TCLX 290277**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 077

Reporting Mark: TCLX 290277

Date: 07/07/2015

Capacity: 29,018 US Gallons (109,845 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,441	46.75	11,781	51.00	13,135	55.25	14,496	59.50	15,856
42.75	10,519	47.00	11,860	51.25	13,215	55.50	14,576	59.75	15,936
43.00	10,597	47.25	11,939	51.50	13,295	55.75	14,656	60.00	16,016
43.25	10,676	47.50	12,019	51.75	13,375	56.00	14,736	60.25	16,096
43.50	10,754	47.75	12,098	52.00	13,455	56.25	14,817	60.50	16,175
43.75	10,833	48.00	12,178	52.25	13,535	56.50	14,897	60.75	16,255
44.00	10,911	48.25	12,257	52.50	13,615	56.75	14,977	61.00	16,335
44.25	10,990	48.50	12,337	52.75	13,695	57.00	15,057	61.25	16,414
44.50	11,069	48.75	12,417	53.00	13,775	57.25	15,137	61.50	16,494
44.75	11,148	49.00	12,496	53.25	13,855	57.50	15,217	61.75	16,573
45.00	11,227	49.25	12,576	53.50	13,935	57.75	15,297	62.00	16,653
45.25	11,306	49.50	12,656	53.75	14,016	58.00	15,377	62.25	16,732
45.50	11,385	49.75	12,736	54.00	14,096	58.25	15,457	62.50	16,812
45.75	11,464	50.00	12,815	54.25	14,176	58.50	15,537	62.75	16,891
46.00	11,543	50.25	12,895	54.50	14,256	58.75	15,617	63.00	16,970
46.25	11,622	50.50	12,975	54.75	14,336	59.00	15,697	63.25	17,049
46.50	11,701	50.75	13,055	55.00	14,416	59.25	15,776	63.50	17,129



## Capacity/Gauge Table Information

**TCLX 290277**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 077

Reporting Mark: TCLX 290277

Date: 07/07/2015

Capacity: 29,018 US Gallons (109,845 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,208	68.00	18,543	72.25	19,854	76.50	21,131	80.75	22,368
64.00	17,287	68.25	18,621	72.50	19,930	76.75	21,205	81.00	22,439
64.25	17,366	68.50	18,699	72.75	20,006	77.00	21,279	81.25	22,510
64.50	17,445	68.75	18,776	73.00	20,082	77.25	21,353	81.50	22,581
64.75	17,524	69.00	18,854	73.25	20,158	77.50	21,426	81.75	22,651
65.00	17,603	69.25	18,931	73.50	20,233	77.75	21,500	82.00	22,722
65.25	17,681	69.50	19,009	73.75	20,309	78.00	21,573	82.25	22,792
65.50	17,760	69.75	19,086	74.00	20,384	78.25	21,646	82.50	22,862
65.75	17,839	70.00	19,163	74.25	20,460	78.50	21,719	82.75	22,932
66.00	17,917	70.25	19,240	74.50	20,535	78.75	21,792	83.00	23,002
66.25	17,996	70.50	19,317	74.75	20,610	79.00	21,864	83.25	23,072
66.50	18,074	70.75	19,394	75.00	20,685	79.25	21,937	83.50	23,141
66.75	18,152	71.00	19,471	75.25	20,760	79.50	22,009	83.75	23,210
67.00	18,231	71.25	19,548	75.50	20,834	79.75	22,081	84.00	23,279
67.25	18,309	71.50	19,624	75.75	20,909	80.00	22,153	84.25	23,348
67.50	18,387	71.75	19,701	76.00	20,983	80.25	22,225	84.50	23,416
67.75	18,465	72.00	19,777	76.25	21,057	80.50	22,296	84.75	23,484



## Capacity/Gauge Table Information

**TCLX 290277**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 077

Reporting Mark: TCLX 290277

Date: 07/07/2015

Capacity: 29,018 US Gallons (109,845 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,553	89.25	24,675	93.50	25,723	97.75	26,681	102.00	27,531
85.25	23,620	89.50	24,739	93.75	25,782	98.00	26,735	102.25	27,577
85.50	23,688	89.75	24,803	94.00	25,841	98.25	26,787	102.50	27,623
85.75	23,755	90.00	24,866	94.25	25,899	98.50	26,840	102.75	27,668
86.00	23,823	90.25	24,929	94.50	25,957	98.75	26,892	103.00	27,713
86.25	23,890	90.50	24,992	94.75	26,015	99.00	26,944	103.25	27,757
86.50	23,956	90.75	25,054	95.00	26,072	99.25	26,995	103.50	27,800
86.75	24,023	91.00	25,116	95.25	26,130	99.50	27,046	103.75	27,843
87.00	24,089	91.25	25,178	95.50	26,186	99.75	27,096	104.00	27,886
87.25	24,155	91.50	25,240	95.75	26,243	100.00	27,146	104.25	27,928
87.50	24,221	91.75	25,301	96.00	26,299	100.25	27,196	104.50	27,970
87.75	24,287	92.00	25,363	96.25	26,355	100.50	27,245	104.75	28,011
88.00	24,352	92.25	25,423	96.50	26,410	100.75	27,294	105.00	28,051
88.25	24,417	92.50	25,484	96.75	26,465	101.00	27,342	105.25	28,091
88.50	24,482	92.75	25,544	97.00	26,520	101.25	27,390	105.50	28,130
88.75	24,547	93.00	25,604	97.25	26,574	101.50	27,438	105.75	28,169
89.00	24,611	93.25	25,664	97.50	26,628	101.75	27,485	106.00	28,207



## Capacity/Gauge Table Information

**TCLX 290277**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 077

Reporting Mark: TCLX 290277

Date: 07/07/2015

Capacity: 29,018 US Gallons (109,845 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,245	110.50	28,775	114.75	29,004
106.50	28,282	110.75	28,798	115.00	29,008
106.75	28,318	111.00	28,820	115.25	29,011
107.00	28,354	111.25	28,841	115.50	29,014
107.25	28,389	111.50	28,860	115.75	29,016
107.50	28,423	111.75	28,878	116.00	29,017
107.75	28,457	112.00	28,895	116.25	29,018
108.00	28,490	112.25	28,911	116.50	29,018
108.25	28,522	112.50	28,925	116.75	29,018
108.50	28,553	112.75	28,938		
108.75	28,584	113.00	28,950		
109.00	28,614	113.25	28,961		
109.25	28,643	113.50	28,970		
109.50	28,671	113.75	28,979		
109.75	28,698	114.00	28,987		
110.00	28,725	114.25	28,993		
110.25	28,750	114.50	28,999		



## Capacity/Gauge Table Information

**TCLX 290278**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 078

Reporting Mark: TCLX 290278

Date: 06/07/2015

Capacity: 29,010 US Gallons (109,813 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	577	8.50	1,326	12.75	2,204	17.00	3,186
0.25	28	4.50	617	8.75	1,374	13.00	2,259	17.25	3,246
0.50	57	4.75	657	9.00	1,423	13.25	2,314	17.50	3,307
0.75	86	5.00	698	9.25	1,472	13.50	2,370	17.75	3,369
1.00	116	5.25	739	9.50	1,522	13.75	2,426	18.00	3,430
1.25	148	5.50	782	9.75	1,572	14.00	2,483	18.25	3,492
1.50	180	5.75	824	10.00	1,622	14.25	2,540	18.50	3,554
1.75	212	6.00	867	10.25	1,673	14.50	2,597	18.75	3,616
2.00	246	6.25	911	10.50	1,724	14.75	2,654	19.00	3,679
2.25	280	6.50	955	10.75	1,776	15.00	2,712	19.25	3,742
2.50	315	6.75	1,000	11.00	1,828	15.25	2,770	19.50	3,805
2.75	350	7.00	1,045	11.25	1,881	15.50	2,829	19.75	3,868
3.00	386	7.25	1,090	11.50	1,934	15.75	2,887	20.00	3,932
3.25	423	7.50	1,137	11.75	1,987	16.00	2,946	20.25	3,996
3.50	461	7.75	1,183	12.00	2,041	16.25	3,006	20.50	4,060
3.75	499	8.00	1,230	12.25	2,095	16.50	3,066	20.75	4,124
4.00	537	8.25	1,278	12.50	2,149	16.75	3,126	21.00	4,189





## Capacity/Gauge Table Information

**TCLX 290278**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 078

Reporting Mark: TCLX 290278

Date: 06/07/2015

Capacity: 29,010 US Gallons (109,813 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,254	25.50	5,393	29.75	6,592	34.00	7,840	38.25	9,127
21.50	4,319	25.75	5,462	30.00	6,664	34.25	7,915	38.50	9,204
21.75	4,384	26.00	5,531	30.25	6,737	34.50	7,989	38.75	9,280
22.00	4,450	26.25	5,601	30.50	6,809	34.75	8,064	39.00	9,357
22.25	4,516	26.50	5,670	30.75	6,882	35.00	8,139	39.25	9,434
22.50	4,582	26.75	5,740	31.00	6,954	35.25	8,215	39.50	9,512
22.75	4,649	27.00	5,810	31.25	7,027	35.50	8,290	39.75	9,589
23.00	4,715	27.25	5,880	31.50	7,101	35.75	8,365	40.00	9,666
23.25	4,782	27.50	5,951	31.75	7,174	36.00	8,441	40.25	9,744
23.50	4,849	27.75	6,021	32.00	7,247	36.25	8,517	40.50	9,821
23.75	4,916	28.00	6,092	32.25	7,321	36.50	8,593	40.75	9,899
24.00	4,984	28.25	6,163	32.50	7,394	36.75	8,669	41.00	9,976
24.25	5,052	28.50	6,234	32.75	7,468	37.00	8,745	41.25	10,054
24.50	5,119	28.75	6,305	33.00	7,542	37.25	8,821	41.50	10,132
24.75	5,188	29.00	6,377	33.25	7,617	37.50	8,897	41.75	10,210
25.00	5,256	29.25	6,448	33.50	7,691	37.75	8,974	42.00	10,288
25.25	5,325	29.50	6,520	33.75	7,765	38.00	9,050	42.25	10,366



## Capacity/Gauge Table Information

**TCLX 290278**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 078

Reporting Mark: TCLX 290278

Date: 06/07/2015

Capacity: 29,010 US Gallons (109,813 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,444	46.75	11,784	51.00	13,138	55.25	14,499	59.50	15,859
42.75	10,523	47.00	11,864	51.25	13,218	55.50	14,579	59.75	15,939
43.00	10,601	47.25	11,943	51.50	13,298	55.75	14,659	60.00	16,019
43.25	10,679	47.50	12,022	51.75	13,378	56.00	14,739	60.25	16,098
43.50	10,758	47.75	12,102	52.00	13,458	56.25	14,820	60.50	16,178
43.75	10,836	48.00	12,181	52.25	13,538	56.50	14,900	60.75	16,258
44.00	10,915	48.25	12,261	52.50	13,618	56.75	14,980	61.00	16,337
44.25	10,994	48.50	12,341	52.75	13,698	57.00	15,060	61.25	16,417
44.50	11,073	48.75	12,420	53.00	13,778	57.25	15,140	61.50	16,496
44.75	11,151	49.00	12,500	53.25	13,859	57.50	15,220	61.75	16,576
45.00	11,230	49.25	12,580	53.50	13,939	57.75	15,300	62.00	16,655
45.25	11,309	49.50	12,659	53.75	14,019	58.00	15,380	62.25	16,735
45.50	11,388	49.75	12,739	54.00	14,099	58.25	15,460	62.50	16,814
45.75	11,467	50.00	12,819	54.25	14,179	58.50	15,540	62.75	16,893
46.00	11,547	50.25	12,899	54.50	14,259	58.75	15,619	63.00	16,973
46.25	11,626	50.50	12,979	54.75	14,339	59.00	15,699	63.25	17,052
46.50	11,705	50.75	13,059	55.00	14,419	59.25	15,779	63.50	17,131



## Capacity/Gauge Table Information

**TCLX 290278**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 078

Reporting Mark: TCLX 290278

Date: 06/07/2015

Capacity: 29,010 US Gallons (109,813 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,210	68.00	18,545	72.25	19,855	76.50	21,132	80.75	22,368
64.00	17,289	68.25	18,623	72.50	19,931	76.75	21,206	81.00	22,439
64.25	17,368	68.50	18,700	72.75	20,007	77.00	21,280	81.25	22,510
64.50	17,447	68.75	18,778	73.00	20,083	77.25	21,354	81.50	22,581
64.75	17,526	69.00	18,856	73.25	20,159	77.50	21,427	81.75	22,652
65.00	17,605	69.25	18,933	73.50	20,234	77.75	21,501	82.00	22,722
65.25	17,683	69.50	19,010	73.75	20,310	78.00	21,574	82.25	22,792
65.50	17,762	69.75	19,088	74.00	20,385	78.25	21,647	82.50	22,862
65.75	17,841	70.00	19,165	74.25	20,461	78.50	21,720	82.75	22,932
66.00	17,919	70.25	19,242	74.50	20,536	78.75	21,792	83.00	23,002
66.25	17,998	70.50	19,319	74.75	20,611	79.00	21,865	83.25	23,071
66.50	18,076	70.75	19,396	75.00	20,686	79.25	21,937	83.50	23,141
66.75	18,154	71.00	19,473	75.25	20,761	79.50	22,009	83.75	23,210
67.00	18,233	71.25	19,549	75.50	20,835	79.75	22,082	84.00	23,279
67.25	18,311	71.50	19,626	75.75	20,910	80.00	22,153	84.25	23,347
67.50	18,389	71.75	19,702	76.00	20,984	80.25	22,225	84.50	23,416
67.75	18,467	72.00	19,779	76.25	21,058	80.50	22,297	84.75	23,484



## Capacity/Gauge Table Information

**TCLX 290278**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 078

Reporting Mark: TCLX 290278

Date: 06/07/2015

Capacity: 29,010 US Gallons (109,813 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,552	89.25	24,674	93.50	25,721	97.75	26,679	102.00	27,528
85.25	23,620	89.50	24,738	93.75	25,780	98.00	26,732	102.25	27,574
85.50	23,688	89.75	24,801	94.00	25,839	98.25	26,785	102.50	27,619
85.75	23,755	90.00	24,865	94.25	25,897	98.50	26,837	102.75	27,664
86.00	23,822	90.25	24,928	94.50	25,955	98.75	26,889	103.00	27,709
86.25	23,889	90.50	24,991	94.75	26,013	99.00	26,941	103.25	27,753
86.50	23,956	90.75	25,053	95.00	26,070	99.25	26,992	103.50	27,796
86.75	24,022	91.00	25,115	95.25	26,127	99.50	27,043	103.75	27,840
87.00	24,089	91.25	25,177	95.50	26,184	99.75	27,093	104.00	27,882
87.25	24,155	91.50	25,239	95.75	26,241	100.00	27,143	104.25	27,924
87.50	24,220	91.75	25,300	96.00	26,297	100.25	27,193	104.50	27,966
87.75	24,286	92.00	25,361	96.25	26,352	100.50	27,242	104.75	28,007
88.00	24,351	92.25	25,422	96.50	26,408	100.75	27,291	105.00	28,047
88.25	24,416	92.50	25,482	96.75	26,463	101.00	27,339	105.25	28,087
88.50	24,481	92.75	25,543	97.00	26,517	101.25	27,387	105.50	28,126
88.75	24,546	93.00	25,602	97.25	26,571	101.50	27,434	105.75	28,165
89.00	24,610	93.25	25,662	97.50	26,625	101.75	27,481	106.00	28,203



## Capacity/Gauge Table Information

**TCLX 290278**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 078

Reporting Mark: TCLX 290278

Date: 06/07/2015

Capacity: 29,010 US Gallons (109,813 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,240	110.50	28,768	114.75	28,995
106.50	28,277	110.75	28,791	115.00	28,999
106.75	28,313	111.00	28,813	115.25	29,003
107.00	28,349	111.25	28,834	115.50	29,005
107.25	28,384	111.50	28,853	115.75	29,007
107.50	28,418	111.75	28,871	116.00	29,008
107.75	28,452	112.00	28,888	116.25	29,009
108.00	28,484	112.25	28,903	116.50	29,010
108.25	28,517	112.50	28,917	116.75	29,010
108.50	28,548	112.75	28,930		
108.75	28,578	113.00	28,942		
109.00	28,608	113.25	28,953		
109.25	28,637	113.50	28,962		
109.50	28,665	113.75	28,971		
109.75	28,692	114.00	28,978		
110.00	28,719	114.25	28,985		
110.25	28,744	114.50	28,991		



## Capacity/Gauge Table Information

**TCLX 290279**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 079

Reporting Mark: TCLX 290279

Date: 02/07/2015

Capacity: 28,992 US Gallons (109,746 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,339	12.75	2,222	17.00	3,208
0.25	28	4.50	625	8.75	1,388	13.00	2,277	17.25	3,269
0.50	58	4.75	666	9.00	1,437	13.25	2,333	17.50	3,330
0.75	88	5.00	707	9.25	1,487	13.50	2,389	17.75	3,391
1.00	119	5.25	749	9.50	1,536	13.75	2,445	18.00	3,453
1.25	150	5.50	791	9.75	1,587	14.00	2,502	18.25	3,515
1.50	183	5.75	834	10.00	1,638	14.25	2,559	18.50	3,577
1.75	216	6.00	878	10.25	1,689	14.50	2,617	18.75	3,640
2.00	250	6.25	922	10.50	1,740	14.75	2,674	19.00	3,702
2.25	284	6.50	966	10.75	1,792	15.00	2,732	19.25	3,766
2.50	320	6.75	1,011	11.00	1,845	15.25	2,791	19.50	3,829
2.75	356	7.00	1,057	11.25	1,898	15.50	2,849	19.75	3,892
3.00	392	7.25	1,103	11.50	1,951	15.75	2,908	20.00	3,956
3.25	430	7.50	1,149	11.75	2,004	16.00	2,968	20.25	4,020
3.50	467	7.75	1,196	12.00	2,058	16.25	3,027	20.50	4,085
3.75	506	8.00	1,243	12.25	2,112	16.50	3,087	20.75	4,149
4.00	545	8.25	1,291	12.50	2,167	16.75	3,148	21.00	4,214



## Capacity/Gauge Table Information

**TCLX 290279**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 079

Reporting Mark: TCLX 290279

Date: 02/07/2015

Capacity: 28,992 US Gallons (109,746 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,279	25.50	5,421	29.75	6,623	34.00	7,872	38.25	9,160
21.50	4,345	25.75	5,491	30.00	6,695	34.25	7,947	38.50	9,237
21.75	4,410	26.00	5,560	30.25	6,767	34.50	8,022	38.75	9,314
22.00	4,476	26.25	5,629	30.50	6,840	34.75	8,097	39.00	9,391
22.25	4,542	26.50	5,699	30.75	6,913	35.00	8,172	39.25	9,468
22.50	4,608	26.75	5,769	31.00	6,985	35.25	8,247	39.50	9,546
22.75	4,675	27.00	5,839	31.25	7,058	35.50	8,323	39.75	9,623
23.00	4,742	27.25	5,909	31.50	7,132	35.75	8,398	40.00	9,700
23.25	4,809	27.50	5,980	31.75	7,205	36.00	8,474	40.25	9,778
23.50	4,876	27.75	6,051	32.00	7,279	36.25	8,550	40.50	9,855
23.75	4,943	28.00	6,122	32.25	7,352	36.50	8,626	40.75	9,933
24.00	5,011	28.25	6,193	32.50	7,426	36.75	8,702	41.00	10,011
24.25	5,079	28.50	6,264	32.75	7,500	37.00	8,778	41.25	10,089
24.50	5,147	28.75	6,335	33.00	7,574	37.25	8,854	41.50	10,167
24.75	5,215	29.00	6,407	33.25	7,648	37.50	8,931	41.75	10,245
25.00	5,284	29.25	6,478	33.50	7,723	37.75	9,007	42.00	10,323
25.25	5,353	29.50	6,550	33.75	7,797	38.00	9,084	42.25	10,401





## Capacity/Gauge Table Information

**TCLX 290279**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 079

Reporting Mark: TCLX 290279

Date: 02/07/2015

Capacity: 28,992 US Gallons (109,746 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,479	46.75	11,820	51.00	13,174	55.25	14,535	59.50	15,895
42.75	10,557	47.00	11,899	51.25	13,254	55.50	14,615	59.75	15,975
43.00	10,636	47.25	11,979	51.50	13,334	55.75	14,695	60.00	16,054
43.25	10,714	47.50	12,058	51.75	13,414	56.00	14,776	60.25	16,134
43.50	10,793	47.75	12,138	52.00	13,494	56.25	14,856	60.50	16,214
43.75	10,872	48.00	12,217	52.25	13,574	56.50	14,936	60.75	16,293
44.00	10,950	48.25	12,297	52.50	13,654	56.75	15,016	61.00	16,373
44.25	11,029	48.50	12,376	52.75	13,734	57.00	15,096	61.25	16,453
44.50	11,108	48.75	12,456	53.00	13,814	57.25	15,176	61.50	16,532
44.75	11,187	49.00	12,536	53.25	13,895	57.50	15,256	61.75	16,611
45.00	11,266	49.25	12,615	53.50	13,975	57.75	15,336	62.00	16,691
45.25	11,345	49.50	12,695	53.75	14,055	58.00	15,416	62.25	16,770
45.50	11,424	49.75	12,775	54.00	14,135	58.25	15,496	62.50	16,850
45.75	11,503	50.00	12,855	54.25	14,215	58.50	15,576	62.75	16,929
46.00	11,582	50.25	12,935	54.50	14,295	58.75	15,655	63.00	17,008
46.25	11,661	50.50	13,015	54.75	14,375	59.00	15,735	63.25	17,087
46.50	11,740	50.75	13,094	55.00	14,455	59.25	15,815	63.50	17,166



## Capacity/Gauge Table Information

**TCLX 290279**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 079

Reporting Mark: TCLX 290279

Date: 02/07/2015

Capacity: 28,992 US Gallons (109,746 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,245	68.00	18,579	72.25	19,888	76.50	21,164	80.75	22,398
64.00	17,324	68.25	18,657	72.50	19,964	76.75	21,238	81.00	22,469
64.25	17,403	68.50	18,735	72.75	20,040	77.00	21,312	81.25	22,540
64.50	17,482	68.75	18,812	73.00	20,116	77.25	21,385	81.50	22,610
64.75	17,561	69.00	18,890	73.25	20,192	77.50	21,458	81.75	22,681
65.00	17,640	69.25	18,967	73.50	20,267	77.75	21,532	82.00	22,751
65.25	17,719	69.50	19,045	73.75	20,343	78.00	21,605	82.25	22,821
65.50	17,797	69.75	19,122	74.00	20,418	78.25	21,678	82.50	22,891
65.75	17,876	70.00	19,199	74.25	20,493	78.50	21,750	82.75	22,961
66.00	17,954	70.25	19,276	74.50	20,568	78.75	21,823	83.00	23,031
66.25	18,033	70.50	19,353	74.75	20,643	79.00	21,895	83.25	23,100
66.50	18,111	70.75	19,430	75.00	20,718	79.25	21,968	83.50	23,169
66.75	18,189	71.00	19,506	75.25	20,793	79.50	22,040	83.75	23,238
67.00	18,267	71.25	19,583	75.50	20,867	79.75	22,112	84.00	23,307
67.25	18,345	71.50	19,659	75.75	20,942	80.00	22,184	84.25	23,375
67.50	18,423	71.75	19,736	76.00	21,016	80.25	22,255	84.50	23,444
67.75	18,501	72.00	19,812	76.25	21,090	80.50	22,327	84.75	23,512



## Capacity/Gauge Table Information

**TCLX 290279**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 079

Reporting Mark: TCLX 290279

Date: 02/07/2015

Capacity: 28,992 US Gallons (109,746 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,580	89.25	24,699	93.50	25,742	97.75	26,696	102.00	27,539
85.25	23,647	89.50	24,762	93.75	25,801	98.00	26,749	102.25	27,585
85.50	23,715	89.75	24,826	94.00	25,860	98.25	26,801	102.50	27,630
85.75	23,782	90.00	24,889	94.25	25,918	98.50	26,853	102.75	27,675
86.00	23,849	90.25	24,951	94.50	25,975	98.75	26,905	103.00	27,719
86.25	23,916	90.50	25,014	94.75	26,033	99.00	26,956	103.25	27,763
86.50	23,982	90.75	25,076	95.00	26,090	99.25	27,007	103.50	27,806
86.75	24,049	91.00	25,138	95.25	26,147	99.50	27,058	103.75	27,849
87.00	24,115	91.25	25,200	95.50	26,203	99.75	27,108	104.00	27,891
87.25	24,181	91.50	25,261	95.75	26,259	100.00	27,158	104.25	27,933
87.50	24,246	91.75	25,323	96.00	26,315	100.25	27,207	104.50	27,974
87.75	24,312	92.00	25,383	96.25	26,371	100.50	27,256	104.75	28,014
88.00	24,377	92.25	25,444	96.50	26,426	100.75	27,304	105.00	28,054
88.25	24,442	92.50	25,504	96.75	26,480	101.00	27,352	105.25	28,094
88.50	24,506	92.75	25,564	97.00	26,535	101.25	27,399	105.50	28,132
88.75	24,571	93.00	25,624	97.25	26,589	101.50	27,447	105.75	28,171
89.00	24,635	93.25	25,683	97.50	26,642	101.75	27,493	106.00	28,208



## Capacity/Gauge Table Information

**TCLX 290279**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 079

Reporting Mark: TCLX 290279

Date: 02/07/2015

Capacity: 28,992 US Gallons (109,746 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,245	110.50	28,763	114.75	28,978
106.50	28,282	110.75	28,785	115.00	28,982
106.75	28,317	111.00	28,806	115.25	28,985
107.00	28,353	111.25	28,825	115.50	28,988
107.25	28,387	111.50	28,844	115.75	28,989
107.50	28,421	111.75	28,861	116.00	28,991
107.75	28,454	112.00	28,876	116.25	28,991
108.00	28,486	112.25	28,891	116.50	28,992
108.25	28,517	112.50	28,904	116.75	28,992
108.50	28,548	112.75	28,917		
108.75	28,578	113.00	28,928		
109.00	28,607	113.25	28,938		
109.25	28,636	113.50	28,947		
109.50	28,663	113.75	28,955		
109.75	28,690	114.00	28,962		
110.00	28,715	114.25	28,969		
110.25	28,740	114.50	28,974		



## Capacity/Gauge Table Information

**TCLX 290280**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 080

Reporting Mark: TCLX 290280

Date: 06/07/2015

Capacity: 28,991 US Gallons (109,742 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,336	12.75	2,218	17.00	3,203
0.25	28	4.50	623	8.75	1,385	13.00	2,273	17.25	3,264
0.50	57	4.75	664	9.00	1,434	13.25	2,329	17.50	3,325
0.75	87	5.00	705	9.25	1,483	13.50	2,385	17.75	3,386
1.00	118	5.25	747	9.50	1,533	13.75	2,441	18.00	3,448
1.25	150	5.50	789	9.75	1,583	14.00	2,498	18.25	3,510
1.50	182	5.75	832	10.00	1,634	14.25	2,555	18.50	3,572
1.75	215	6.00	875	10.25	1,685	14.50	2,612	18.75	3,634
2.00	249	6.25	919	10.50	1,737	14.75	2,670	19.00	3,697
2.25	283	6.50	964	10.75	1,789	15.00	2,728	19.25	3,760
2.50	319	6.75	1,008	11.00	1,841	15.25	2,786	19.50	3,823
2.75	354	7.00	1,054	11.25	1,894	15.50	2,845	19.75	3,887
3.00	391	7.25	1,100	11.50	1,947	15.75	2,904	20.00	3,951
3.25	428	7.50	1,146	11.75	2,000	16.00	2,963	20.25	4,015
3.50	466	7.75	1,193	12.00	2,054	16.25	3,022	20.50	4,079
3.75	504	8.00	1,240	12.25	2,108	16.50	3,082	20.75	4,143
4.00	543	8.25	1,288	12.50	2,163	16.75	3,142	21.00	4,208



## Capacity/Gauge Table Information

**TCLX 290280**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 080

Reporting Mark: TCLX 290280

Date: 06/07/2015

Capacity: 28,991 US Gallons (109,742 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,273	25.50	5,415	29.75	6,615	34.00	7,864	38.25	9,152
21.50	4,339	25.75	5,484	30.00	6,687	34.25	7,939	38.50	9,229
21.75	4,404	26.00	5,553	30.25	6,760	34.50	8,014	38.75	9,306
22.00	4,470	26.25	5,623	30.50	6,832	34.75	8,089	39.00	9,383
22.25	4,536	26.50	5,692	30.75	6,905	35.00	8,164	39.25	9,460
22.50	4,602	26.75	5,762	31.00	6,978	35.25	8,239	39.50	9,537
22.75	4,669	27.00	5,832	31.25	7,051	35.50	8,315	39.75	9,615
23.00	4,735	27.25	5,903	31.50	7,124	35.75	8,390	40.00	9,692
23.25	4,802	27.50	5,973	31.75	7,198	36.00	8,466	40.25	9,769
23.50	4,870	27.75	6,044	32.00	7,271	36.25	8,542	40.50	9,847
23.75	4,937	28.00	6,114	32.25	7,345	36.50	8,618	40.75	9,925
24.00	5,005	28.25	6,186	32.50	7,419	36.75	8,694	41.00	10,002
24.25	5,072	28.50	6,257	32.75	7,492	37.00	8,770	41.25	10,080
24.50	5,140	28.75	6,328	33.00	7,567	37.25	8,846	41.50	10,158
24.75	5,209	29.00	6,400	33.25	7,641	37.50	8,923	41.75	10,236
25.00	5,277	29.25	6,471	33.50	7,715	37.75	8,999	42.00	10,314
25.25	5,346	29.50	6,543	33.75	7,790	38.00	9,076	42.25	10,392



## Capacity/Gauge Table Information

**TCLX 290280**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 080

Reporting Mark: TCLX 290280

Date: 06/07/2015

Capacity: 28,991 US Gallons (109,742 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,471	46.75	11,811	51.00	13,165	55.25	14,526	59.50	15,886
42.75	10,549	47.00	11,890	51.25	13,245	55.50	14,606	59.75	15,965
43.00	10,627	47.25	11,970	51.50	13,325	55.75	14,686	60.00	16,045
43.25	10,706	47.50	12,049	51.75	13,405	56.00	14,766	60.25	16,125
43.50	10,784	47.75	12,129	52.00	13,485	56.25	14,846	60.50	16,205
43.75	10,863	48.00	12,208	52.25	13,565	56.50	14,927	60.75	16,284
44.00	10,942	48.25	12,288	52.50	13,645	56.75	15,007	61.00	16,364
44.25	11,020	48.50	12,367	52.75	13,725	57.00	15,087	61.25	16,443
44.50	11,099	48.75	12,447	53.00	13,805	57.25	15,167	61.50	16,523
44.75	11,178	49.00	12,527	53.25	13,886	57.50	15,247	61.75	16,602
45.00	11,257	49.25	12,607	53.50	13,966	57.75	15,327	62.00	16,682
45.25	11,336	49.50	12,686	53.75	14,046	58.00	15,406	62.25	16,761
45.50	11,415	49.75	12,766	54.00	14,126	58.25	15,486	62.50	16,840
45.75	11,494	50.00	12,846	54.25	14,206	58.50	15,566	62.75	16,920
46.00	11,573	50.25	12,926	54.50	14,286	58.75	15,646	63.00	16,999
46.25	11,652	50.50	13,006	54.75	14,366	59.00	15,726	63.25	17,078
46.50	11,732	50.75	13,085	55.00	14,446	59.25	15,806	63.50	17,157





## Capacity/Gauge Table Information

**TCLX 290280**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 080

Reporting Mark: TCLX 290280

Date: 06/07/2015

Capacity: 28,991 US Gallons (109,742 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,236	68.00	18,570	72.25	19,879	76.50	21,155	80.75	22,389
64.00	17,315	68.25	18,648	72.50	19,955	76.75	21,229	81.00	22,460
64.25	17,394	68.50	18,726	72.75	20,031	77.00	21,303	81.25	22,531
64.50	17,473	68.75	18,803	73.00	20,107	77.25	21,376	81.50	22,602
64.75	17,552	69.00	18,881	73.25	20,183	77.50	21,450	81.75	22,672
65.00	17,631	69.25	18,958	73.50	20,258	77.75	21,523	82.00	22,743
65.25	17,709	69.50	19,035	73.75	20,334	78.00	21,596	82.25	22,813
65.50	17,788	69.75	19,113	74.00	20,409	78.25	21,669	82.50	22,883
65.75	17,866	70.00	19,190	74.25	20,484	78.50	21,742	82.75	22,952
66.00	17,945	70.25	19,267	74.50	20,559	78.75	21,814	83.00	23,022
66.25	18,023	70.50	19,344	74.75	20,634	79.00	21,887	83.25	23,091
66.50	18,102	70.75	19,420	75.00	20,709	79.25	21,959	83.50	23,161
66.75	18,180	71.00	19,497	75.25	20,784	79.50	22,031	83.75	23,230
67.00	18,258	71.25	19,574	75.50	20,858	79.75	22,103	84.00	23,298
67.25	18,336	71.50	19,650	75.75	20,933	80.00	22,175	84.25	23,367
67.50	18,414	71.75	19,727	76.00	21,007	80.25	22,246	84.50	23,435
67.75	18,492	72.00	19,803	76.25	21,081	80.50	22,318	84.75	23,503



## Capacity/Gauge Table Information

**TCLX 290280**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 080

Reporting Mark: TCLX 290280

Date: 06/07/2015

Capacity: 28,991 US Gallons (109,742 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,571	89.25	24,691	93.50	25,735	97.75	26,689	102.00	27,533
85.25	23,639	89.50	24,754	93.75	25,794	98.00	26,742	102.25	27,579
85.50	23,706	89.75	24,818	94.00	25,852	98.25	26,794	102.50	27,624
85.75	23,774	90.00	24,881	94.25	25,910	98.50	26,847	102.75	27,669
86.00	23,841	90.25	24,944	94.50	25,968	98.75	26,898	103.00	27,713
86.25	23,908	90.50	25,006	94.75	26,026	99.00	26,950	103.25	27,757
86.50	23,974	90.75	25,069	95.00	26,083	99.25	27,001	103.50	27,800
86.75	24,040	91.00	25,131	95.25	26,140	99.50	27,051	103.75	27,843
87.00	24,107	91.25	25,192	95.50	26,196	99.75	27,101	104.00	27,885
87.25	24,172	91.50	25,254	95.75	26,252	100.00	27,151	104.25	27,927
87.50	24,238	91.75	25,315	96.00	26,308	100.25	27,200	104.50	27,968
87.75	24,303	92.00	25,376	96.25	26,364	100.50	27,249	104.75	28,009
88.00	24,369	92.25	25,436	96.50	26,419	100.75	27,298	105.00	28,049
88.25	24,434	92.50	25,497	96.75	26,474	101.00	27,346	105.25	28,088
88.50	24,498	92.75	25,557	97.00	26,528	101.25	27,393	105.50	28,127
88.75	24,563	93.00	25,616	97.25	26,582	101.50	27,441	105.75	28,166
89.00	24,627	93.25	25,676	97.50	26,636	101.75	27,487	106.00	28,203



## Capacity/Gauge Table Information

**TCLX 290280**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 080

Reporting Mark: TCLX 290280

Date: 06/07/2015

Capacity: 28,991 US Gallons (109,742 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,240	110.50	28,760	114.75	28,977
106.50	28,277	110.75	28,782	115.00	28,981
106.75	28,313	111.00	28,803	115.25	28,984
107.00	28,348	111.25	28,823	115.50	28,987
107.25	28,382	111.50	28,841	115.75	28,988
107.50	28,416	111.75	28,858	116.00	28,990
107.75	28,449	112.00	28,874	116.25	28,990
108.00	28,482	112.25	28,889	116.50	28,991
108.25	28,513	112.50	28,902	116.75	28,991
108.50	28,544	112.75	28,915		
108.75	28,574	113.00	28,926		
109.00	28,603	113.25	28,936		
109.25	28,632	113.50	28,945		
109.50	28,659	113.75	28,954		
109.75	28,686	114.00	28,961		
110.00	28,712	114.25	28,967		
110.25	28,736	114.50	28,973		



## Capacity/Gauge Table Information

**TCLX 290281**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 081

Reporting Mark: TCLX 290281

Date: 07/07/2015

Capacity: 28,985 US Gallons (109,718 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,224	17.00	3,210
0.25	28	4.50	626	8.75	1,389	13.00	2,279	17.25	3,271
0.50	58	4.75	666	9.00	1,438	13.25	2,335	17.50	3,332
0.75	88	5.00	708	9.25	1,488	13.50	2,391	17.75	3,393
1.00	119	5.25	750	9.50	1,538	13.75	2,447	18.00	3,455
1.25	151	5.50	792	9.75	1,588	14.00	2,504	18.25	3,517
1.50	183	5.75	835	10.00	1,639	14.25	2,561	18.50	3,579
1.75	216	6.00	879	10.25	1,690	14.50	2,618	18.75	3,642
2.00	250	6.25	923	10.50	1,742	14.75	2,676	19.00	3,705
2.25	285	6.50	967	10.75	1,794	15.00	2,734	19.25	3,768
2.50	320	6.75	1,012	11.00	1,846	15.25	2,793	19.50	3,831
2.75	356	7.00	1,058	11.25	1,899	15.50	2,851	19.75	3,895
3.00	393	7.25	1,104	11.50	1,952	15.75	2,910	20.00	3,958
3.25	430	7.50	1,150	11.75	2,006	16.00	2,970	20.25	4,023
3.50	468	7.75	1,197	12.00	2,060	16.25	3,029	20.50	4,087
3.75	506	8.00	1,244	12.25	2,114	16.50	3,089	20.75	4,152
4.00	546	8.25	1,292	12.50	2,169	16.75	3,149	21.00	4,216



## Capacity/Gauge Table Information

**TCLX 290281**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 081

Reporting Mark: TCLX 290281

Date: 07/07/2015

Capacity: 28,985 US Gallons (109,718 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,282	25.50	5,424	29.75	6,625	34.00	7,875	38.25	9,163
21.50	4,347	25.75	5,493	30.00	6,697	34.25	7,949	38.50	9,240
21.75	4,412	26.00	5,562	30.25	6,770	34.50	8,024	38.75	9,317
22.00	4,478	26.25	5,632	30.50	6,842	34.75	8,099	39.00	9,394
22.25	4,544	26.50	5,702	30.75	6,915	35.00	8,175	39.25	9,471
22.50	4,611	26.75	5,772	31.00	6,988	35.25	8,250	39.50	9,548
22.75	4,677	27.00	5,842	31.25	7,061	35.50	8,325	39.75	9,626
23.00	4,744	27.25	5,912	31.50	7,134	35.75	8,401	40.00	9,703
23.25	4,811	27.50	5,982	31.75	7,208	36.00	8,477	40.25	9,780
23.50	4,878	27.75	6,053	32.00	7,281	36.25	8,553	40.50	9,858
23.75	4,946	28.00	6,124	32.25	7,355	36.50	8,628	40.75	9,936
24.00	5,013	28.25	6,195	32.50	7,429	36.75	8,705	41.00	10,014
24.25	5,081	28.50	6,266	32.75	7,503	37.00	8,781	41.25	10,091
24.50	5,149	28.75	6,338	33.00	7,577	37.25	8,857	41.50	10,169
24.75	5,218	29.00	6,409	33.25	7,651	37.50	8,933	41.75	10,247
25.00	5,286	29.25	6,481	33.50	7,725	37.75	9,010	42.00	10,325
25.25	5,355	29.50	6,553	33.75	7,800	38.00	9,086	42.25	10,404



## Capacity/Gauge Table Information

**TCLX 290281**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 081

Reporting Mark: TCLX 290281

Date: 07/07/2015

Capacity: 28,985 US Gallons (109,718 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,482	46.75	11,822	51.00	13,177	55.25	14,538	59.50	15,897
42.75	10,560	47.00	11,902	51.25	13,257	55.50	14,618	59.75	15,977
43.00	10,639	47.25	11,981	51.50	13,337	55.75	14,698	60.00	16,057
43.25	10,717	47.50	12,061	51.75	13,417	56.00	14,778	60.25	16,136
43.50	10,796	47.75	12,140	52.00	13,497	56.25	14,858	60.50	16,216
43.75	10,874	48.00	12,220	52.25	13,577	56.50	14,938	60.75	16,296
44.00	10,953	48.25	12,299	52.50	13,657	56.75	15,018	61.00	16,375
44.25	11,032	48.50	12,379	52.75	13,737	57.00	15,098	61.25	16,455
44.50	11,110	48.75	12,459	53.00	13,817	57.25	15,178	61.50	16,534
44.75	11,189	49.00	12,538	53.25	13,897	57.50	15,258	61.75	16,614
45.00	11,268	49.25	12,618	53.50	13,977	57.75	15,338	62.00	16,693
45.25	11,347	49.50	12,698	53.75	14,057	58.00	15,418	62.25	16,772
45.50	11,426	49.75	12,778	54.00	14,137	58.25	15,498	62.50	16,852
45.75	11,505	50.00	12,857	54.25	14,217	58.50	15,578	62.75	16,931
46.00	11,585	50.25	12,937	54.50	14,298	58.75	15,658	63.00	17,010
46.25	11,664	50.50	13,017	54.75	14,378	59.00	15,738	63.25	17,089
46.50	11,743	50.75	13,097	55.00	14,458	59.25	15,817	63.50	17,169



## Capacity/Gauge Table Information

**TCLX 290281**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 081

Reporting Mark: TCLX 290281

Date: 07/07/2015

Capacity: 28,985 US Gallons (109,718 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,248	68.00	18,581	72.25	19,890	76.50	21,165	80.75	22,399
64.00	17,327	68.25	18,659	72.50	19,966	76.75	21,239	81.00	22,470
64.25	17,405	68.50	18,737	72.75	20,042	77.00	21,313	81.25	22,540
64.50	17,484	68.75	18,814	73.00	20,118	77.25	21,386	81.50	22,611
64.75	17,563	69.00	18,892	73.25	20,193	77.50	21,460	81.75	22,682
65.00	17,642	69.25	18,969	73.50	20,269	77.75	21,533	82.00	22,752
65.25	17,721	69.50	19,046	73.75	20,344	78.00	21,606	82.25	22,822
65.50	17,799	69.75	19,123	74.00	20,420	78.25	21,679	82.50	22,892
65.75	17,878	70.00	19,201	74.25	20,495	78.50	21,751	82.75	22,962
66.00	17,956	70.25	19,278	74.50	20,570	78.75	21,824	83.00	23,031
66.25	18,035	70.50	19,354	74.75	20,645	79.00	21,896	83.25	23,100
66.50	18,113	70.75	19,431	75.00	20,719	79.25	21,969	83.50	23,170
66.75	18,191	71.00	19,508	75.25	20,794	79.50	22,041	83.75	23,238
67.00	18,269	71.25	19,585	75.50	20,869	79.75	22,113	84.00	23,307
67.25	18,347	71.50	19,661	75.75	20,943	80.00	22,184	84.25	23,376
67.50	18,425	71.75	19,737	76.00	21,017	80.25	22,256	84.50	23,444
67.75	18,503	72.00	19,814	76.25	21,091	80.50	22,327	84.75	23,512





## Capacity/Gauge Table Information

**TCLX 290281**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 081

Reporting Mark: TCLX 290281

Date: 07/07/2015

Capacity: 28,985 US Gallons (109,718 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,580	89.25	24,698	93.50	25,742	97.75	26,694	102.00	27,537
85.25	23,648	89.50	24,762	93.75	25,800	98.00	26,747	102.25	27,582
85.50	23,715	89.75	24,825	94.00	25,859	98.25	26,799	102.50	27,628
85.75	23,782	90.00	24,888	94.25	25,917	98.50	26,852	102.75	27,672
86.00	23,849	90.25	24,951	94.50	25,974	98.75	26,903	103.00	27,716
86.25	23,916	90.50	25,014	94.75	26,032	99.00	26,954	103.25	27,760
86.50	23,982	90.75	25,076	95.00	26,089	99.25	27,005	103.50	27,803
86.75	24,049	91.00	25,138	95.25	26,146	99.50	27,056	103.75	27,846
87.00	24,115	91.25	25,200	95.50	26,202	99.75	27,106	104.00	27,888
87.25	24,181	91.50	25,261	95.75	26,258	100.00	27,156	104.25	27,930
87.50	24,246	91.75	25,322	96.00	26,314	100.25	27,205	104.50	27,971
87.75	24,312	92.00	25,383	96.25	26,369	100.50	27,253	104.75	28,011
88.00	24,377	92.25	25,443	96.50	26,424	100.75	27,302	105.00	28,051
88.25	24,442	92.50	25,504	96.75	26,479	101.00	27,350	105.25	28,090
88.50	24,506	92.75	25,564	97.00	26,533	101.25	27,397	105.50	28,129
88.75	24,570	93.00	25,623	97.25	26,587	101.50	27,444	105.75	28,167
89.00	24,635	93.25	25,683	97.50	26,641	101.75	27,491	106.00	28,205



## Capacity/Gauge Table Information

**TCLX 290281**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 081

Reporting Mark: TCLX 290281

Date: 07/07/2015

Capacity: 28,985 US Gallons (109,718 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,242	110.50	28,758	114.75	28,971
106.50	28,278	110.75	28,780	115.00	28,975
106.75	28,314	111.00	28,800	115.25	28,978
107.00	28,349	111.25	28,819	115.50	28,980
107.25	28,383	111.50	28,837	115.75	28,982
107.50	28,417	111.75	28,854	116.00	28,983
107.75	28,450	112.00	28,870	116.25	28,984
108.00	28,482	112.25	28,884	116.50	28,984
108.25	28,513	112.50	28,898	116.75	28,985
108.50	28,544	112.75	28,910		
108.75	28,574	113.00	28,921		
109.00	28,603	113.25	28,931		
109.25	28,631	113.50	28,940		
109.50	28,658	113.75	28,948		
109.75	28,685	114.00	28,955		
110.00	28,710	114.25	28,961		
110.25	28,734	114.50	28,967		



## Capacity/Gauge Table Information

**TCLX 290282**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 082

Reporting Mark: TCLX 290282

Date: 09/07/2015

Capacity: 29,019 US Gallons (109,848 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	575	8.50	1,322	12.75	2,199	17.00	3,180
0.25	28	4.50	614	8.75	1,370	13.00	2,254	17.25	3,240
0.50	56	4.75	655	9.00	1,419	13.25	2,309	17.50	3,301
0.75	86	5.00	695	9.25	1,468	13.50	2,365	17.75	3,362
1.00	116	5.25	737	9.50	1,517	13.75	2,421	18.00	3,424
1.25	147	5.50	779	9.75	1,567	14.00	2,477	18.25	3,485
1.50	179	5.75	821	10.00	1,618	14.25	2,534	18.50	3,547
1.75	211	6.00	864	10.25	1,669	14.50	2,591	18.75	3,610
2.00	245	6.25	908	10.50	1,720	14.75	2,649	19.00	3,672
2.25	279	6.50	952	10.75	1,772	15.00	2,706	19.25	3,735
2.50	313	6.75	997	11.00	1,824	15.25	2,764	19.50	3,798
2.75	349	7.00	1,042	11.25	1,876	15.50	2,823	19.75	3,861
3.00	385	7.25	1,087	11.50	1,929	15.75	2,881	20.00	3,925
3.25	422	7.50	1,133	11.75	1,982	16.00	2,940	20.25	3,989
3.50	459	7.75	1,180	12.00	2,036	16.25	3,000	20.50	4,053
3.75	497	8.00	1,226	12.25	2,090	16.50	3,059	20.75	4,117
4.00	535	8.25	1,274	12.50	2,144	16.75	3,119	21.00	4,182



## Capacity/Gauge Table Information

**TCLX 290282**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 082

Reporting Mark: TCLX 290282

Date: 09/07/2015

Capacity: 29,019 US Gallons (109,848 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,247	25.50	5,386	29.75	6,584	34.00	7,831	38.25	9,118
21.50	4,312	25.75	5,454	30.00	6,656	34.25	7,906	38.50	9,194
21.75	4,377	26.00	5,524	30.25	6,728	34.50	7,980	38.75	9,271
22.00	4,443	26.25	5,593	30.50	6,801	34.75	8,055	39.00	9,348
22.25	4,509	26.50	5,663	30.75	6,873	35.00	8,130	39.25	9,425
22.50	4,575	26.75	5,732	31.00	6,946	35.25	8,206	39.50	9,502
22.75	4,641	27.00	5,802	31.25	7,019	35.50	8,281	39.75	9,579
23.00	4,708	27.25	5,872	31.50	7,092	35.75	8,356	40.00	9,657
23.25	4,775	27.50	5,943	31.75	7,165	36.00	8,432	40.25	9,734
23.50	4,842	27.75	6,013	32.00	7,239	36.25	8,508	40.50	9,812
23.75	4,909	28.00	6,084	32.25	7,312	36.50	8,584	40.75	9,889
24.00	4,976	28.25	6,155	32.50	7,386	36.75	8,660	41.00	9,967
24.25	5,044	28.50	6,226	32.75	7,460	37.00	8,736	41.25	10,045
24.50	5,112	28.75	6,297	33.00	7,534	37.25	8,812	41.50	10,123
24.75	5,180	29.00	6,368	33.25	7,608	37.50	8,888	41.75	10,201
25.00	5,248	29.25	6,440	33.50	7,682	37.75	8,964	42.00	10,279
25.25	5,317	29.50	6,512	33.75	7,756	38.00	9,041	42.25	10,357



## Capacity/Gauge Table Information

**TCLX 290282**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 082

Reporting Mark: TCLX 290282

Date: 09/07/2015

Capacity: 29,019 US Gallons (109,848 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,435	46.75	11,775	51.00	13,129	55.25	14,490	59.50	15,850
42.75	10,513	47.00	11,854	51.25	13,209	55.50	14,570	59.75	15,929
43.00	10,592	47.25	11,933	51.50	13,289	55.75	14,650	60.00	16,009
43.25	10,670	47.50	12,013	51.75	13,369	56.00	14,730	60.25	16,089
43.50	10,748	47.75	12,092	52.00	13,449	56.25	14,810	60.50	16,169
43.75	10,827	48.00	12,172	52.25	13,529	56.50	14,890	60.75	16,248
44.00	10,906	48.25	12,251	52.50	13,609	56.75	14,970	61.00	16,328
44.25	10,984	48.50	12,331	52.75	13,689	57.00	15,050	61.25	16,408
44.50	11,063	48.75	12,411	53.00	13,769	57.25	15,130	61.50	16,487
44.75	11,142	49.00	12,490	53.25	13,849	57.50	15,210	61.75	16,567
45.00	11,221	49.25	12,570	53.50	13,929	57.75	15,290	62.00	16,646
45.25	11,300	49.50	12,650	53.75	14,009	58.00	15,370	62.25	16,725
45.50	11,379	49.75	12,729	54.00	14,089	58.25	15,450	62.50	16,805
45.75	11,458	50.00	12,809	54.25	14,169	58.50	15,530	62.75	16,884
46.00	11,537	50.25	12,889	54.50	14,249	58.75	15,610	63.00	16,963
46.25	11,616	50.50	12,969	54.75	14,329	59.00	15,690	63.25	17,043
46.50	11,695	50.75	13,049	55.00	14,410	59.25	15,770	63.50	17,122



## Capacity/Gauge Table Information

**TCLX 290282**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 082

Reporting Mark: TCLX 290282

Date: 09/07/2015

Capacity: 29,019 US Gallons (109,848 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,201	68.00	18,536	72.25	19,847	76.50	21,125	80.75	22,361
64.00	17,280	68.25	18,614	72.50	19,923	76.75	21,199	81.00	22,432
64.25	17,359	68.50	18,692	72.75	19,999	77.00	21,272	81.25	22,503
64.50	17,438	68.75	18,769	73.00	20,075	77.25	21,346	81.50	22,574
64.75	17,517	69.00	18,847	73.25	20,151	77.50	21,420	81.75	22,645
65.00	17,596	69.25	18,924	73.50	20,226	77.75	21,493	82.00	22,715
65.25	17,674	69.50	19,002	73.75	20,302	78.00	21,566	82.25	22,786
65.50	17,753	69.75	19,079	74.00	20,377	78.25	21,639	82.50	22,856
65.75	17,832	70.00	19,156	74.25	20,453	78.50	21,712	82.75	22,926
66.00	17,910	70.25	19,233	74.50	20,528	78.75	21,785	83.00	22,995
66.25	17,989	70.50	19,310	74.75	20,603	79.00	21,858	83.25	23,065
66.50	18,067	70.75	19,387	75.00	20,678	79.25	21,930	83.50	23,134
66.75	18,146	71.00	19,464	75.25	20,753	79.50	22,002	83.75	23,203
67.00	18,224	71.25	19,541	75.50	20,827	79.75	22,074	84.00	23,272
67.25	18,302	71.50	19,618	75.75	20,902	80.00	22,146	84.25	23,341
67.50	18,380	71.75	19,694	76.00	20,976	80.25	22,218	84.50	23,410
67.75	18,458	72.00	19,770	76.25	21,051	80.50	22,290	84.75	23,478



## Capacity/Gauge Table Information

**TCLX 290282**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 082

Reporting Mark: TCLX 290282

Date: 09/07/2015

Capacity: 29,019 US Gallons (109,848 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,546	89.25	24,669	93.50	25,717	97.75	26,676	102.00	27,527
85.25	23,614	89.50	24,733	93.75	25,776	98.00	26,730	102.25	27,573
85.50	23,682	89.75	24,796	94.00	25,835	98.25	26,783	102.50	27,619
85.75	23,749	90.00	24,860	94.25	25,894	98.50	26,835	102.75	27,664
86.00	23,816	90.25	24,923	94.50	25,952	98.75	26,887	103.00	27,709
86.25	23,883	90.50	24,986	94.75	26,010	99.00	26,939	103.25	27,753
86.50	23,950	90.75	25,048	95.00	26,067	99.25	26,990	103.50	27,796
86.75	24,017	91.00	25,111	95.25	26,124	99.50	27,041	103.75	27,840
87.00	24,083	91.25	25,173	95.50	26,181	99.75	27,092	104.00	27,882
87.25	24,149	91.50	25,234	95.75	26,237	100.00	27,142	104.25	27,924
87.50	24,215	91.75	25,296	96.00	26,293	100.25	27,191	104.50	27,966
87.75	24,281	92.00	25,357	96.25	26,349	100.50	27,241	104.75	28,007
88.00	24,346	92.25	25,418	96.50	26,405	100.75	27,289	105.00	28,048
88.25	24,411	92.50	25,478	96.75	26,460	101.00	27,338	105.25	28,088
88.50	24,476	92.75	25,538	97.00	26,514	101.25	27,386	105.50	28,127
88.75	24,541	93.00	25,598	97.25	26,569	101.50	27,433	105.75	28,166
89.00	24,605	93.25	25,658	97.50	26,623	101.75	27,480	106.00	28,204





## Capacity/Gauge Table Information

**TCLX 290282**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 082

Reporting Mark: TCLX 290282

Date: 09/07/2015

Capacity: 29,019 US Gallons (109,848 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,242	110.50	28,773	114.75	29,004
106.50	28,279	110.75	28,797	115.00	29,008
106.75	28,315	111.00	28,819	115.25	29,012
107.00	28,351	111.25	28,840	115.50	29,014
107.25	28,386	111.50	28,859	115.75	29,016
107.50	28,420	111.75	28,878	116.00	29,018
107.75	28,454	112.00	28,895	116.25	29,018
108.00	28,487	112.25	28,910	116.50	29,019
108.25	28,519	112.50	28,925	116.75	29,019
108.50	28,551	112.75	28,938		
108.75	28,582	113.00	28,950		
109.00	28,612	113.25	28,961		
109.25	28,641	113.50	28,971		
109.50	28,669	113.75	28,979		
109.75	28,696	114.00	28,987		
110.00	28,723	114.25	28,994		
110.25	28,749	114.50	29,000		



## Capacity/Gauge Table Information

**TCLX 290283**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 083

Reporting Mark: TCLX 290283

Date: 14/07/2015

Capacity: 29,009 US Gallons (109,812 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	578	8.50	1,328	12.75	2,208	17.00	3,191
0.25	28	4.50	618	8.75	1,377	13.00	2,263	17.25	3,251
0.50	57	4.75	659	9.00	1,426	13.25	2,318	17.50	3,312
0.75	86	5.00	700	9.25	1,475	13.50	2,374	17.75	3,373
1.00	117	5.25	741	9.50	1,525	13.75	2,430	18.00	3,435
1.25	148	5.50	784	9.75	1,575	14.00	2,487	18.25	3,497
1.50	180	5.75	826	10.00	1,625	14.25	2,544	18.50	3,559
1.75	213	6.00	869	10.25	1,676	14.50	2,601	18.75	3,621
2.00	247	6.25	913	10.50	1,728	14.75	2,658	19.00	3,684
2.25	281	6.50	957	10.75	1,780	15.00	2,716	19.25	3,747
2.50	316	6.75	1,002	11.00	1,832	15.25	2,775	19.50	3,810
2.75	351	7.00	1,047	11.25	1,884	15.50	2,833	19.75	3,873
3.00	388	7.25	1,093	11.50	1,937	15.75	2,892	20.00	3,937
3.25	425	7.50	1,139	11.75	1,991	16.00	2,951	20.25	4,001
3.50	462	7.75	1,186	12.00	2,044	16.25	3,010	20.50	4,065
3.75	500	8.00	1,233	12.25	2,098	16.50	3,070	20.75	4,130
4.00	539	8.25	1,280	12.50	2,153	16.75	3,130	21.00	4,194



## Capacity/Gauge Table Information

**TCLX 290283**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 083

Reporting Mark: TCLX 290283

Date: 14/07/2015

Capacity: 29,009 US Gallons (109,812 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,259	25.50	5,399	29.75	6,599	34.00	7,847	38.25	9,134
21.50	4,324	25.75	5,468	30.00	6,671	34.25	7,921	38.50	9,211
21.75	4,390	26.00	5,538	30.25	6,743	34.50	7,996	38.75	9,288
22.00	4,456	26.25	5,607	30.50	6,816	34.75	8,071	39.00	9,365
22.25	4,522	26.50	5,677	30.75	6,888	35.00	8,146	39.25	9,442
22.50	4,588	26.75	5,746	31.00	6,961	35.25	8,222	39.50	9,519
22.75	4,654	27.00	5,816	31.25	7,034	35.50	8,297	39.75	9,596
23.00	4,721	27.25	5,887	31.50	7,107	35.75	8,373	40.00	9,674
23.25	4,788	27.50	5,957	31.75	7,180	36.00	8,448	40.25	9,751
23.50	4,855	27.75	6,028	32.00	7,254	36.25	8,524	40.50	9,829
23.75	4,922	28.00	6,098	32.25	7,328	36.50	8,600	40.75	9,906
24.00	4,990	28.25	6,169	32.50	7,401	36.75	8,676	41.00	9,984
24.25	5,057	28.50	6,240	32.75	7,475	37.00	8,752	41.25	10,062
24.50	5,125	28.75	6,312	33.00	7,549	37.25	8,828	41.50	10,140
24.75	5,193	29.00	6,383	33.25	7,623	37.50	8,904	41.75	10,218
25.00	5,262	29.25	6,455	33.50	7,698	37.75	8,981	42.00	10,296
25.25	5,330	29.50	6,527	33.75	7,772	38.00	9,057	42.25	10,374



## Capacity/Gauge Table Information

**TCLX 290283**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 083

Reporting Mark: TCLX 290283

Date: 14/07/2015

Capacity: 29,009 US Gallons (109,812 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,452	46.75	11,792	51.00	13,146	55.25	14,507	59.50	15,867
42.75	10,530	47.00	11,871	51.25	13,226	55.50	14,587	59.75	15,947
43.00	10,609	47.25	11,951	51.50	13,306	55.75	14,667	60.00	16,027
43.25	10,687	47.50	12,030	51.75	13,386	56.00	14,748	60.25	16,106
43.50	10,766	47.75	12,110	52.00	13,466	56.25	14,828	60.50	16,186
43.75	10,844	48.00	12,189	52.25	13,546	56.50	14,908	60.75	16,266
44.00	10,923	48.25	12,269	52.50	13,626	56.75	14,988	61.00	16,345
44.25	11,002	48.50	12,348	52.75	13,706	57.00	15,068	61.25	16,425
44.50	11,080	48.75	12,428	53.00	13,786	57.25	15,148	61.50	16,504
44.75	11,159	49.00	12,508	53.25	13,867	57.50	15,228	61.75	16,584
45.00	11,238	49.25	12,587	53.50	13,947	57.75	15,308	62.00	16,663
45.25	11,317	49.50	12,667	53.75	14,027	58.00	15,388	62.25	16,743
45.50	11,396	49.75	12,747	54.00	14,107	58.25	15,468	62.50	16,822
45.75	11,475	50.00	12,827	54.25	14,187	58.50	15,548	62.75	16,901
46.00	11,554	50.25	12,907	54.50	14,267	58.75	15,628	63.00	16,981
46.25	11,633	50.50	12,987	54.75	14,347	59.00	15,707	63.25	17,060
46.50	11,713	50.75	13,066	55.00	14,427	59.25	15,787	63.50	17,139



## Capacity/Gauge Table Information

**TCLX 290283**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 083

Reporting Mark: TCLX 290283

Date: 14/07/2015

Capacity: 29,009 US Gallons (109,812 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,218	68.00	18,553	72.25	19,863	76.50	21,140	80.75	22,375
64.00	17,297	68.25	18,631	72.50	19,939	76.75	21,214	81.00	22,447
64.25	17,376	68.50	18,708	72.75	20,015	77.00	21,288	81.25	22,518
64.50	17,455	68.75	18,786	73.00	20,091	77.25	21,361	81.50	22,588
64.75	17,534	69.00	18,864	73.25	20,167	77.50	21,435	81.75	22,659
65.00	17,613	69.25	18,941	73.50	20,242	77.75	21,508	82.00	22,729
65.25	17,691	69.50	19,018	73.75	20,318	78.00	21,581	82.25	22,800
65.50	17,770	69.75	19,096	74.00	20,393	78.25	21,654	82.50	22,870
65.75	17,849	70.00	19,173	74.25	20,468	78.50	21,727	82.75	22,940
66.00	17,927	70.25	19,250	74.50	20,544	78.75	21,800	83.00	23,009
66.25	18,006	70.50	19,327	74.75	20,619	79.00	21,872	83.25	23,079
66.50	18,084	70.75	19,404	75.00	20,694	79.25	21,945	83.50	23,148
66.75	18,162	71.00	19,481	75.25	20,768	79.50	22,017	83.75	23,217
67.00	18,241	71.25	19,557	75.50	20,843	79.75	22,089	84.00	23,286
67.25	18,319	71.50	19,634	75.75	20,917	80.00	22,161	84.25	23,355
67.50	18,397	71.75	19,710	76.00	20,992	80.25	22,233	84.50	23,423
67.75	18,475	72.00	19,787	76.25	21,066	80.50	22,304	84.75	23,491



## Capacity/Gauge Table Information

**TCLX 290283**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 083

Reporting Mark: TCLX 290283

Date: 14/07/2015

Capacity: 29,009 US Gallons (109,812 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,559	89.25	24,681	93.50	25,727	97.75	26,684	102.00	27,532
85.25	23,627	89.50	24,744	93.75	25,786	98.00	26,737	102.25	27,578
85.50	23,695	89.75	24,808	94.00	25,845	98.25	26,790	102.50	27,624
85.75	23,762	90.00	24,871	94.25	25,903	98.50	26,842	102.75	27,669
86.00	23,829	90.25	24,934	94.50	25,961	98.75	26,894	103.00	27,713
86.25	23,896	90.50	24,997	94.75	26,019	99.00	26,946	103.25	27,757
86.50	23,963	90.75	25,059	95.00	26,076	99.25	26,997	103.50	27,801
86.75	24,029	91.00	25,122	95.25	26,133	99.50	27,048	103.75	27,844
87.00	24,095	91.25	25,183	95.50	26,190	99.75	27,098	104.00	27,886
87.25	24,161	91.50	25,245	95.75	26,246	100.00	27,148	104.25	27,928
87.50	24,227	91.75	25,306	96.00	26,302	100.25	27,198	104.50	27,970
87.75	24,293	92.00	25,367	96.25	26,358	100.50	27,247	104.75	28,010
88.00	24,358	92.25	25,428	96.50	26,413	100.75	27,296	105.00	28,051
88.25	24,423	92.50	25,489	96.75	26,468	101.00	27,344	105.25	28,091
88.50	24,488	92.75	25,549	97.00	26,523	101.25	27,392	105.50	28,130
88.75	24,552	93.00	25,609	97.25	26,577	101.50	27,439	105.75	28,168
89.00	24,617	93.25	25,668	97.50	26,631	101.75	27,486	106.00	28,206



## Capacity/Gauge Table Information

**TCLX 290283**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 083

Reporting Mark: TCLX 290283

Date: 14/07/2015

Capacity: 29,009 US Gallons (109,812 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,244	110.50	28,770	114.75	28,995
106.50	28,281	110.75	28,793	115.00	28,999
106.75	28,317	111.00	28,815	115.25	29,002
107.00	28,352	111.25	28,835	115.50	29,005
107.25	28,387	111.50	28,854	115.75	29,007
107.50	28,421	111.75	28,872	116.00	29,008
107.75	28,455	112.00	28,888	116.25	29,009
108.00	28,487	112.25	28,904	116.50	29,009
108.25	28,519	112.50	28,918	116.75	29,009
108.50	28,551	112.75	28,931		
108.75	28,581	113.00	28,942		
109.00	28,611	113.25	28,953		
109.25	28,640	113.50	28,962		
109.50	28,668	113.75	28,971		
109.75	28,695	114.00	28,978		
110.00	28,721	114.25	28,985		
110.25	28,746	114.50	28,991		





## Capacity/Gauge Table Information

**TCLX 290284**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 084

Reporting Mark: TCLX 290284

Date: 09/07/2015

Capacity: 28,995 US Gallons (109,757 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,337	12.75	2,219	17.00	3,204
0.25	28	4.50	623	8.75	1,385	13.00	2,274	17.25	3,265
0.50	57	4.75	664	9.00	1,435	13.25	2,330	17.50	3,326
0.75	87	5.00	705	9.25	1,484	13.50	2,386	17.75	3,387
1.00	118	5.25	747	9.50	1,534	13.75	2,442	18.00	3,449
1.25	150	5.50	790	9.75	1,584	14.00	2,499	18.25	3,511
1.50	182	5.75	832	10.00	1,635	14.25	2,556	18.50	3,573
1.75	215	6.00	876	10.25	1,686	14.50	2,613	18.75	3,636
2.00	249	6.25	920	10.50	1,738	14.75	2,671	19.00	3,698
2.25	284	6.50	964	10.75	1,790	15.00	2,729	19.25	3,761
2.50	319	6.75	1,009	11.00	1,842	15.25	2,787	19.50	3,825
2.75	355	7.00	1,055	11.25	1,895	15.50	2,846	19.75	3,888
3.00	391	7.25	1,100	11.50	1,948	15.75	2,905	20.00	3,952
3.25	428	7.50	1,147	11.75	2,001	16.00	2,964	20.25	4,016
3.50	466	7.75	1,194	12.00	2,055	16.25	3,024	20.50	4,080
3.75	505	8.00	1,241	12.25	2,109	16.50	3,084	20.75	4,145
4.00	544	8.25	1,289	12.50	2,164	16.75	3,144	21.00	4,210



## Capacity/Gauge Table Information

**TCLX 290284**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 084

Reporting Mark: TCLX 290284

Date: 09/07/2015

Capacity: 28,995 US Gallons (109,757 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,275	25.50	5,417	29.75	6,617	34.00	7,866	38.25	9,155
21.50	4,340	25.75	5,486	30.00	6,690	34.25	7,941	38.50	9,231
21.75	4,406	26.00	5,555	30.25	6,762	34.50	8,016	38.75	9,308
22.00	4,472	26.25	5,625	30.50	6,834	34.75	8,091	39.00	9,385
22.25	4,538	26.50	5,694	30.75	6,907	35.00	8,166	39.25	9,463
22.50	4,604	26.75	5,764	31.00	6,980	35.25	8,242	39.50	9,540
22.75	4,670	27.00	5,834	31.25	7,053	35.50	8,317	39.75	9,617
23.00	4,737	27.25	5,904	31.50	7,126	35.75	8,393	40.00	9,694
23.25	4,804	27.50	5,975	31.75	7,200	36.00	8,468	40.25	9,772
23.50	4,871	27.75	6,046	32.00	7,273	36.25	8,544	40.50	9,849
23.75	4,939	28.00	6,116	32.25	7,347	36.50	8,620	40.75	9,927
24.00	5,006	28.25	6,187	32.50	7,421	36.75	8,696	41.00	10,005
24.25	5,074	28.50	6,259	32.75	7,495	37.00	8,772	41.25	10,083
24.50	5,142	28.75	6,330	33.00	7,569	37.25	8,849	41.50	10,161
24.75	5,211	29.00	6,402	33.25	7,643	37.50	8,925	41.75	10,239
25.00	5,279	29.25	6,473	33.50	7,717	37.75	9,001	42.00	10,317
25.25	5,348	29.50	6,545	33.75	7,792	38.00	9,078	42.25	10,395



## Capacity/Gauge Table Information

**TCLX 290284**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 084

Reporting Mark: TCLX 290284

Date: 09/07/2015

Capacity: 28,995 US Gallons (109,757 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,473	46.75	11,814	51.00	13,168	55.25	14,529	59.50	15,889
42.75	10,551	47.00	11,893	51.25	13,248	55.50	14,609	59.75	15,968
43.00	10,630	47.25	11,972	51.50	13,328	55.75	14,689	60.00	16,048
43.25	10,708	47.50	12,052	51.75	13,408	56.00	14,769	60.25	16,128
43.50	10,787	47.75	12,131	52.00	13,488	56.25	14,849	60.50	16,208
43.75	10,865	48.00	12,211	52.25	13,568	56.50	14,929	60.75	16,287
44.00	10,944	48.25	12,291	52.50	13,648	56.75	15,009	61.00	16,367
44.25	11,023	48.50	12,370	52.75	13,728	57.00	15,090	61.25	16,446
44.50	11,102	48.75	12,450	53.00	13,808	57.25	15,170	61.50	16,526
44.75	11,181	49.00	12,529	53.25	13,888	57.50	15,250	61.75	16,605
45.00	11,260	49.25	12,609	53.50	13,968	57.75	15,329	62.00	16,685
45.25	11,339	49.50	12,689	53.75	14,049	58.00	15,409	62.25	16,764
45.50	11,418	49.75	12,769	54.00	14,129	58.25	15,489	62.50	16,843
45.75	11,497	50.00	12,849	54.25	14,209	58.50	15,569	62.75	16,923
46.00	11,576	50.25	12,928	54.50	14,289	58.75	15,649	63.00	17,002
46.25	11,655	50.50	13,008	54.75	14,369	59.00	15,729	63.25	17,081
46.50	11,734	50.75	13,088	55.00	14,449	59.25	15,809	63.50	17,160



## Capacity/Gauge Table Information

**TCLX 290284**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 084

Reporting Mark: TCLX 290284

Date: 09/07/2015

Capacity: 28,995 US Gallons (109,757 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,239	68.00	18,573	72.25	19,882	76.50	21,159	80.75	22,393
64.00	17,318	68.25	18,651	72.50	19,959	76.75	21,232	81.00	22,464
64.25	17,397	68.50	18,729	72.75	20,034	77.00	21,306	81.25	22,535
64.50	17,476	68.75	18,806	73.00	20,110	77.25	21,380	81.50	22,605
64.75	17,555	69.00	18,884	73.25	20,186	77.50	21,453	81.75	22,676
65.00	17,634	69.25	18,961	73.50	20,262	77.75	21,526	82.00	22,746
65.25	17,712	69.50	19,039	73.75	20,337	78.00	21,599	82.25	22,816
65.50	17,791	69.75	19,116	74.00	20,412	78.25	21,672	82.50	22,886
65.75	17,870	70.00	19,193	74.25	20,488	78.50	21,745	82.75	22,956
66.00	17,948	70.25	19,270	74.50	20,563	78.75	21,818	83.00	23,026
66.25	18,027	70.50	19,347	74.75	20,638	79.00	21,890	83.25	23,095
66.50	18,105	70.75	19,424	75.00	20,713	79.25	21,962	83.50	23,164
66.75	18,183	71.00	19,500	75.25	20,787	79.50	22,035	83.75	23,233
67.00	18,261	71.25	19,577	75.50	20,862	79.75	22,106	84.00	23,302
67.25	18,339	71.50	19,654	75.75	20,936	80.00	22,178	84.25	23,370
67.50	18,417	71.75	19,730	76.00	21,010	80.25	22,250	84.50	23,439
67.75	18,495	72.00	19,806	76.25	21,085	80.50	22,321	84.75	23,507



## Capacity/Gauge Table Information

**TCLX 290284**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 084

Reporting Mark: TCLX 290284

Date: 09/07/2015

Capacity: 28,995 US Gallons (109,757 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,575	89.25	24,694	93.50	25,739	97.75	26,693	102.00	27,537
85.25	23,642	89.50	24,758	93.75	25,797	98.00	26,746	102.25	27,583
85.50	23,710	89.75	24,821	94.00	25,856	98.25	26,798	102.50	27,628
85.75	23,777	90.00	24,884	94.25	25,914	98.50	26,850	102.75	27,673
86.00	23,844	90.25	24,947	94.50	25,972	98.75	26,902	103.00	27,717
86.25	23,911	90.50	25,010	94.75	26,029	99.00	26,953	103.25	27,761
86.50	23,978	90.75	25,072	95.00	26,087	99.25	27,004	103.50	27,804
86.75	24,044	91.00	25,134	95.25	26,143	99.50	27,055	103.75	27,847
87.00	24,110	91.25	25,196	95.50	26,200	99.75	27,105	104.00	27,889
87.25	24,176	91.50	25,257	95.75	26,256	100.00	27,155	104.25	27,931
87.50	24,242	91.75	25,319	96.00	26,312	100.25	27,204	104.50	27,972
87.75	24,307	92.00	25,380	96.25	26,367	100.50	27,253	104.75	28,013
88.00	24,372	92.25	25,440	96.50	26,423	100.75	27,302	105.00	28,053
88.25	24,437	92.50	25,500	96.75	26,477	101.00	27,350	105.25	28,092
88.50	24,502	92.75	25,560	97.00	26,532	101.25	27,397	105.50	28,131
88.75	24,566	93.00	25,620	97.25	26,586	101.50	27,444	105.75	28,169
89.00	24,630	93.25	25,680	97.50	26,639	101.75	27,491	106.00	28,207



## Capacity/Gauge Table Information

**TCLX 290284**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 084

Reporting Mark: TCLX 290284

Date: 09/07/2015

Capacity: 28,995 US Gallons (109,757 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,244	110.50	28,764	114.75	28,981
106.50	28,281	110.75	28,786	115.00	28,985
106.75	28,317	111.00	28,807	115.25	28,988
107.00	28,352	111.25	28,827	115.50	28,990
107.25	28,386	111.50	28,845	115.75	28,992
107.50	28,420	111.75	28,862	116.00	28,993
107.75	28,453	112.00	28,878	116.25	28,994
108.00	28,485	112.25	28,893	116.50	28,995
108.25	28,517	112.50	28,906	116.75	28,995
108.50	28,548	112.75	28,919		
108.75	28,578	113.00	28,930		
109.00	28,607	113.25	28,940		
109.25	28,636	113.50	28,949		
109.50	28,663	113.75	28,958		
109.75	28,690	114.00	28,965		
110.00	28,716	114.25	28,971		
110.25	28,740	114.50	28,977		



## Capacity/Gauge Table Information

**TCLX 290285**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 085

Reporting Mark: TCLX 290285

Date: 23/07/2015

Capacity: 28,990 US Gallons (109,740 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,339	12.75	2,222	17.00	3,207
0.25	28	4.50	625	8.75	1,388	13.00	2,277	17.25	3,268
0.50	58	4.75	665	9.00	1,437	13.25	2,333	17.50	3,329
0.75	88	5.00	707	9.25	1,486	13.50	2,389	17.75	3,391
1.00	119	5.25	749	9.50	1,536	13.75	2,445	18.00	3,452
1.25	150	5.50	791	9.75	1,586	14.00	2,502	18.25	3,514
1.50	183	5.75	834	10.00	1,637	14.25	2,559	18.50	3,577
1.75	216	6.00	877	10.25	1,688	14.50	2,616	18.75	3,639
2.00	250	6.25	921	10.50	1,740	14.75	2,674	19.00	3,702
2.25	284	6.50	966	10.75	1,792	15.00	2,732	19.25	3,765
2.50	320	6.75	1,011	11.00	1,844	15.25	2,790	19.50	3,828
2.75	356	7.00	1,056	11.25	1,897	15.50	2,849	19.75	3,892
3.00	392	7.25	1,102	11.50	1,950	15.75	2,908	20.00	3,956
3.25	429	7.50	1,149	11.75	2,004	16.00	2,967	20.25	4,020
3.50	467	7.75	1,196	12.00	2,058	16.25	3,027	20.50	4,084
3.75	506	8.00	1,243	12.25	2,112	16.50	3,087	20.75	4,149
4.00	545	8.25	1,291	12.50	2,167	16.75	3,147	21.00	4,214





## Capacity/Gauge Table Information

**TCLX 290285**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 085

Reporting Mark: TCLX 290285

Date: 23/07/2015

Capacity: 28,990 US Gallons (109,740 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,279	25.50	5,421	29.75	6,622	34.00	7,871	38.25	9,159
21.50	4,344	25.75	5,490	30.00	6,694	34.25	7,946	38.50	9,236
21.75	4,410	26.00	5,559	30.25	6,766	34.50	8,021	38.75	9,313
22.00	4,475	26.25	5,629	30.50	6,839	34.75	8,096	39.00	9,390
22.25	4,541	26.50	5,698	30.75	6,912	35.00	8,171	39.25	9,467
22.50	4,608	26.75	5,768	31.00	6,985	35.25	8,246	39.50	9,545
22.75	4,674	27.00	5,838	31.25	7,058	35.50	8,322	39.75	9,622
23.00	4,741	27.25	5,909	31.50	7,131	35.75	8,397	40.00	9,699
23.25	4,808	27.50	5,979	31.75	7,204	36.00	8,473	40.25	9,777
23.50	4,875	27.75	6,050	32.00	7,278	36.25	8,549	40.50	9,854
23.75	4,943	28.00	6,121	32.25	7,351	36.50	8,625	40.75	9,932
24.00	5,010	28.25	6,192	32.50	7,425	36.75	8,701	41.00	10,010
24.25	5,078	28.50	6,263	32.75	7,499	37.00	8,777	41.25	10,088
24.50	5,146	28.75	6,334	33.00	7,573	37.25	8,853	41.50	10,166
24.75	5,215	29.00	6,406	33.25	7,648	37.50	8,930	41.75	10,244
25.00	5,283	29.25	6,478	33.50	7,722	37.75	9,006	42.00	10,322
25.25	5,352	29.50	6,550	33.75	7,796	38.00	9,083	42.25	10,400



## Capacity/Gauge Table Information

**TCLX 290285**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 085

Reporting Mark: TCLX 290285

Date: 23/07/2015

Capacity: 28,990 US Gallons (109,740 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,478	46.75	11,819	51.00	13,173	55.25	14,534	59.50	15,894
42.75	10,556	47.00	11,898	51.25	13,253	55.50	14,614	59.75	15,973
43.00	10,635	47.25	11,977	51.50	13,333	55.75	14,694	60.00	16,053
43.25	10,713	47.50	12,057	51.75	13,413	56.00	14,774	60.25	16,133
43.50	10,792	47.75	12,136	52.00	13,493	56.25	14,854	60.50	16,213
43.75	10,870	48.00	12,216	52.25	13,573	56.50	14,934	60.75	16,292
44.00	10,949	48.25	12,296	52.50	13,653	56.75	15,014	61.00	16,372
44.25	11,028	48.50	12,375	52.75	13,733	57.00	15,095	61.25	16,451
44.50	11,107	48.75	12,455	53.00	13,813	57.25	15,175	61.50	16,531
44.75	11,186	49.00	12,535	53.25	13,893	57.50	15,255	61.75	16,610
45.00	11,265	49.25	12,614	53.50	13,973	57.75	15,334	62.00	16,690
45.25	11,344	49.50	12,694	53.75	14,054	58.00	15,414	62.25	16,769
45.50	11,423	49.75	12,774	54.00	14,134	58.25	15,494	62.50	16,848
45.75	11,502	50.00	12,854	54.25	14,214	58.50	15,574	62.75	16,928
46.00	11,581	50.25	12,934	54.50	14,294	58.75	15,654	63.00	17,007
46.25	11,660	50.50	13,013	54.75	14,374	59.00	15,734	63.25	17,086
46.50	11,739	50.75	13,093	55.00	14,454	59.25	15,814	63.50	17,165



## Capacity/Gauge Table Information

**TCLX 290285**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 085

Reporting Mark: TCLX 290285

Date: 23/07/2015

Capacity: 28,990 US Gallons (109,740 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,244	68.00	18,578	72.25	19,887	76.50	21,163	80.75	22,396
64.00	17,323	68.25	18,656	72.50	19,963	76.75	21,237	81.00	22,467
64.25	17,402	68.50	18,733	72.75	20,039	77.00	21,310	81.25	22,538
64.50	17,481	68.75	18,811	73.00	20,115	77.25	21,384	81.50	22,609
64.75	17,560	69.00	18,888	73.25	20,190	77.50	21,457	81.75	22,679
65.00	17,639	69.25	18,966	73.50	20,266	77.75	21,530	82.00	22,750
65.25	17,717	69.50	19,043	73.75	20,341	78.00	21,603	82.25	22,820
65.50	17,796	69.75	19,120	74.00	20,417	78.25	21,676	82.50	22,890
65.75	17,874	70.00	19,198	74.25	20,492	78.50	21,749	82.75	22,960
66.00	17,953	70.25	19,275	74.50	20,567	78.75	21,822	83.00	23,029
66.25	18,031	70.50	19,351	74.75	20,642	79.00	21,894	83.25	23,098
66.50	18,110	70.75	19,428	75.00	20,717	79.25	21,966	83.50	23,168
66.75	18,188	71.00	19,505	75.25	20,791	79.50	22,038	83.75	23,237
67.00	18,266	71.25	19,582	75.50	20,866	79.75	22,110	84.00	23,305
67.25	18,344	71.50	19,658	75.75	20,940	80.00	22,182	84.25	23,374
67.50	18,422	71.75	19,734	76.00	21,015	80.25	22,254	84.50	23,442
67.75	18,500	72.00	19,811	76.25	21,089	80.50	22,325	84.75	23,510



## Capacity/Gauge Table Information

**TCLX 290285**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 085

Reporting Mark: TCLX 290285

Date: 23/07/2015

Capacity: 28,990 US Gallons (109,740 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,578	89.25	24,697	93.50	25,741	97.75	26,694	102.00	27,538
85.25	23,646	89.50	24,761	93.75	25,800	98.00	26,747	102.25	27,583
85.50	23,713	89.75	24,824	94.00	25,858	98.25	26,800	102.50	27,629
85.75	23,780	90.00	24,887	94.25	25,916	98.50	26,852	102.75	27,673
86.00	23,847	90.25	24,950	94.50	25,974	98.75	26,903	103.00	27,718
86.25	23,914	90.50	25,013	94.75	26,031	99.00	26,955	103.25	27,761
86.50	23,981	90.75	25,075	95.00	26,089	99.25	27,006	103.50	27,805
86.75	24,047	91.00	25,137	95.25	26,145	99.50	27,056	103.75	27,847
87.00	24,113	91.25	25,199	95.50	26,202	99.75	27,106	104.00	27,889
87.25	24,179	91.50	25,260	95.75	26,258	100.00	27,156	104.25	27,931
87.50	24,245	91.75	25,321	96.00	26,314	100.25	27,205	104.50	27,972
87.75	24,310	92.00	25,382	96.25	26,369	100.50	27,254	104.75	28,013
88.00	24,375	92.25	25,443	96.50	26,424	100.75	27,303	105.00	28,053
88.25	24,440	92.50	25,503	96.75	26,479	101.00	27,350	105.25	28,092
88.50	24,505	92.75	25,563	97.00	26,533	101.25	27,398	105.50	28,131
88.75	24,569	93.00	25,622	97.25	26,587	101.50	27,445	105.75	28,169
89.00	24,633	93.25	25,682	97.50	26,641	101.75	27,492	106.00	28,207



## Capacity/Gauge Table Information

**TCLX 290285**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 085

Reporting Mark: TCLX 290285

Date: 23/07/2015

Capacity: 28,990 US Gallons (109,740 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,244	110.50	28,761	114.75	28,977
106.50	28,280	110.75	28,784	115.00	28,981
106.75	28,316	111.00	28,804	115.25	28,984
107.00	28,351	111.25	28,824	115.50	28,986
107.25	28,385	111.50	28,842	115.75	28,988
107.50	28,419	111.75	28,859	116.00	28,989
107.75	28,452	112.00	28,875	116.25	28,990
108.00	28,484	112.25	28,889	116.50	28,990
108.25	28,516	112.50	28,903	116.75	28,990
108.50	28,547	112.75	28,915		
108.75	28,577	113.00	28,926		
109.00	28,606	113.25	28,936		
109.25	28,634	113.50	28,945		
109.50	28,662	113.75	28,954		
109.75	28,688	114.00	28,961		
110.00	28,714	114.25	28,967		
110.25	28,738	114.50	28,972		



## Capacity/Gauge Table Information

**TCLX 290286**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 086

Reporting Mark: TCLX 290286

Date: 16/07/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	578	8.50	1,328	12.75	2,207	17.00	3,190
0.25	28	4.50	618	8.75	1,376	13.00	2,262	17.25	3,250
0.50	57	4.75	658	9.00	1,425	13.25	2,317	17.50	3,311
0.75	86	5.00	699	9.25	1,474	13.50	2,373	17.75	3,372
1.00	117	5.25	741	9.50	1,524	13.75	2,429	18.00	3,434
1.25	148	5.50	783	9.75	1,574	14.00	2,486	18.25	3,496
1.50	180	5.75	826	10.00	1,625	14.25	2,543	18.50	3,558
1.75	213	6.00	869	10.25	1,676	14.50	2,600	18.75	3,620
2.00	246	6.25	913	10.50	1,727	14.75	2,658	19.00	3,683
2.25	281	6.50	957	10.75	1,779	15.00	2,715	19.25	3,746
2.50	316	6.75	1,002	11.00	1,831	15.25	2,774	19.50	3,809
2.75	351	7.00	1,047	11.25	1,884	15.50	2,832	19.75	3,872
3.00	387	7.25	1,093	11.50	1,937	15.75	2,891	20.00	3,936
3.25	424	7.50	1,139	11.75	1,990	16.00	2,950	20.25	4,000
3.50	462	7.75	1,185	12.00	2,044	16.25	3,010	20.50	4,064
3.75	500	8.00	1,232	12.25	2,098	16.50	3,069	20.75	4,129
4.00	539	8.25	1,280	12.50	2,152	16.75	3,129	21.00	4,193



## Capacity/Gauge Table Information

**TCLX 290286**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 086

Reporting Mark: TCLX 290286

Date: 16/07/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,258	25.50	5,398	29.75	6,597	34.00	7,845	38.25	9,133
21.50	4,323	25.75	5,467	30.00	6,669	34.25	7,920	38.50	9,209
21.75	4,389	26.00	5,536	30.25	6,742	34.50	7,995	38.75	9,286
22.00	4,455	26.25	5,606	30.50	6,814	34.75	8,070	39.00	9,363
22.25	4,520	26.50	5,675	30.75	6,887	35.00	8,145	39.25	9,440
22.50	4,587	26.75	5,745	31.00	6,960	35.25	8,220	39.50	9,517
22.75	4,653	27.00	5,815	31.25	7,033	35.50	8,296	39.75	9,595
23.00	4,720	27.25	5,885	31.50	7,106	35.75	8,371	40.00	9,672
23.25	4,787	27.50	5,956	31.75	7,179	36.00	8,447	40.25	9,749
23.50	4,854	27.75	6,026	32.00	7,253	36.25	8,522	40.50	9,827
23.75	4,921	28.00	6,097	32.25	7,326	36.50	8,598	40.75	9,905
24.00	4,988	28.25	6,168	32.50	7,400	36.75	8,674	41.00	9,982
24.25	5,056	28.50	6,239	32.75	7,474	37.00	8,750	41.25	10,060
24.50	5,124	28.75	6,310	33.00	7,548	37.25	8,827	41.50	10,138
24.75	5,192	29.00	6,382	33.25	7,622	37.50	8,903	41.75	10,216
25.00	5,261	29.25	6,453	33.50	7,696	37.75	8,979	42.00	10,294
25.25	5,329	29.50	6,525	33.75	7,771	38.00	9,056	42.25	10,372





## Capacity/Gauge Table Information

**TCLX 290286**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 086

Reporting Mark: TCLX 290286

Date: 16/07/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,450	46.75	11,790	51.00	13,145	55.25	14,505	59.50	15,865
42.75	10,529	47.00	11,870	51.25	13,225	55.50	14,585	59.75	15,945
43.00	10,607	47.25	11,949	51.50	13,304	55.75	14,666	60.00	16,025
43.25	10,685	47.50	12,028	51.75	13,384	56.00	14,746	60.25	16,104
43.50	10,764	47.75	12,108	52.00	13,464	56.25	14,826	60.50	16,184
43.75	10,842	48.00	12,187	52.25	13,544	56.50	14,906	60.75	16,264
44.00	10,921	48.25	12,267	52.50	13,624	56.75	14,986	61.00	16,343
44.25	11,000	48.50	12,347	52.75	13,705	57.00	15,066	61.25	16,423
44.50	11,079	48.75	12,426	53.00	13,785	57.25	15,146	61.50	16,502
44.75	11,157	49.00	12,506	53.25	13,865	57.50	15,226	61.75	16,582
45.00	11,236	49.25	12,586	53.50	13,945	57.75	15,306	62.00	16,661
45.25	11,315	49.50	12,665	53.75	14,025	58.00	15,386	62.25	16,741
45.50	11,394	49.75	12,745	54.00	14,105	58.25	15,466	62.50	16,820
45.75	11,473	50.00	12,825	54.25	14,185	58.50	15,546	62.75	16,899
46.00	11,553	50.25	12,905	54.50	14,265	58.75	15,626	63.00	16,979
46.25	11,632	50.50	12,985	54.75	14,345	59.00	15,705	63.25	17,058
46.50	11,711	50.75	13,065	55.00	14,425	59.25	15,785	63.50	17,137



## Capacity/Gauge Table Information

**TCLX 290286**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 086

Reporting Mark: TCLX 290286

Date: 16/07/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,216	68.00	18,551	72.25	19,861	76.50	21,138	80.75	22,373
64.00	17,295	68.25	18,629	72.50	19,937	76.75	21,212	81.00	22,444
64.25	17,374	68.50	18,706	72.75	20,013	77.00	21,286	81.25	22,515
64.50	17,453	68.75	18,784	73.00	20,089	77.25	21,359	81.50	22,586
64.75	17,532	69.00	18,861	73.25	20,165	77.50	21,433	81.75	22,657
65.00	17,611	69.25	18,939	73.50	20,240	77.75	21,506	82.00	22,727
65.25	17,689	69.50	19,016	73.75	20,316	78.00	21,579	82.25	22,797
65.50	17,768	69.75	19,094	74.00	20,391	78.25	21,652	82.50	22,867
65.75	17,847	70.00	19,171	74.25	20,466	78.50	21,725	82.75	22,937
66.00	17,925	70.25	19,248	74.50	20,542	78.75	21,798	83.00	23,007
66.25	18,004	70.50	19,325	74.75	20,617	79.00	21,870	83.25	23,076
66.50	18,082	70.75	19,402	75.00	20,691	79.25	21,943	83.50	23,146
66.75	18,160	71.00	19,478	75.25	20,766	79.50	22,015	83.75	23,215
67.00	18,239	71.25	19,555	75.50	20,841	79.75	22,087	84.00	23,284
67.25	18,317	71.50	19,632	75.75	20,915	80.00	22,159	84.25	23,352
67.50	18,395	71.75	19,708	76.00	20,990	80.25	22,230	84.50	23,421
67.75	18,473	72.00	19,784	76.25	21,064	80.50	22,302	84.75	23,489



## Capacity/Gauge Table Information

**TCLX 290286**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 086

Reporting Mark: TCLX 290286

Date: 16/07/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,557	89.25	24,678	93.50	25,725	97.75	26,682	102.00	27,530
85.25	23,625	89.50	24,742	93.75	25,784	98.00	26,735	102.25	27,576
85.50	23,692	89.75	24,806	94.00	25,843	98.25	26,788	102.50	27,621
85.75	23,760	90.00	24,869	94.25	25,901	98.50	26,840	102.75	27,666
86.00	23,827	90.25	24,932	94.50	25,959	98.75	26,892	103.00	27,711
86.25	23,894	90.50	24,995	94.75	26,017	99.00	26,944	103.25	27,755
86.50	23,961	90.75	25,057	95.00	26,074	99.25	26,995	103.50	27,798
86.75	24,027	91.00	25,119	95.25	26,131	99.50	27,046	103.75	27,841
87.00	24,093	91.25	25,181	95.50	26,188	99.75	27,096	104.00	27,884
87.25	24,159	91.50	25,243	95.75	26,244	100.00	27,146	104.25	27,926
87.50	24,225	91.75	25,304	96.00	26,300	100.25	27,195	104.50	27,967
87.75	24,291	92.00	25,365	96.25	26,356	100.50	27,245	104.75	28,008
88.00	24,356	92.25	25,426	96.50	26,411	100.75	27,293	105.00	28,048
88.25	24,421	92.50	25,486	96.75	26,466	101.00	27,341	105.25	28,088
88.50	24,486	92.75	25,546	97.00	26,520	101.25	27,389	105.50	28,127
88.75	24,550	93.00	25,606	97.25	26,575	101.50	27,437	105.75	28,166
89.00	24,614	93.25	25,666	97.50	26,629	101.75	27,483	106.00	28,204



## Capacity/Gauge Table Information

**TCLX 290286**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 086

Reporting Mark: TCLX 290286

Date: 16/07/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,241	110.50	28,768	114.75	28,993
106.50	28,278	110.75	28,791	115.00	28,997
106.75	28,314	111.00	28,812	115.25	29,000
107.00	28,350	111.25	28,833	115.50	29,003
107.25	28,385	111.50	28,852	115.75	29,005
107.50	28,419	111.75	28,870	116.00	29,006
107.75	28,452	112.00	28,886	116.25	29,007
108.00	28,485	112.25	28,901	116.50	29,007
108.25	28,517	112.50	28,915	116.75	29,007
108.50	28,548	112.75	28,928		
108.75	28,579	113.00	28,940		
109.00	28,608	113.25	28,951		
109.25	28,637	113.50	28,960		
109.50	28,665	113.75	28,969		
109.75	28,692	114.00	28,976		
110.00	28,718	114.25	28,983		
110.25	28,744	114.50	28,988		



## Capacity/Gauge Table Information

**TCLX 290287**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 087

Reporting Mark: TCLX 290287

Date: 13/07/2015

Capacity: 28,995 US Gallons (109,758 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,334	12.75	2,215	17.00	3,200
0.25	28	4.50	622	8.75	1,383	13.00	2,270	17.25	3,260
0.50	57	4.75	662	9.00	1,432	13.25	2,326	17.50	3,321
0.75	87	5.00	704	9.25	1,481	13.50	2,382	17.75	3,383
1.00	118	5.25	745	9.50	1,531	13.75	2,438	18.00	3,444
1.25	149	5.50	788	9.75	1,581	14.00	2,495	18.25	3,506
1.50	182	5.75	830	10.00	1,632	14.25	2,552	18.50	3,568
1.75	215	6.00	874	10.25	1,683	14.50	2,609	18.75	3,631
2.00	248	6.25	918	10.50	1,734	14.75	2,667	19.00	3,693
2.25	283	6.50	962	10.75	1,786	15.00	2,725	19.25	3,756
2.50	318	6.75	1,007	11.00	1,839	15.25	2,783	19.50	3,820
2.75	354	7.00	1,052	11.25	1,891	15.50	2,842	19.75	3,883
3.00	390	7.25	1,098	11.50	1,944	15.75	2,900	20.00	3,947
3.25	427	7.50	1,144	11.75	1,998	16.00	2,960	20.25	4,011
3.50	465	7.75	1,191	12.00	2,051	16.25	3,019	20.50	4,075
3.75	503	8.00	1,238	12.25	2,106	16.50	3,079	20.75	4,140
4.00	542	8.25	1,286	12.50	2,160	16.75	3,139	21.00	4,205



## Capacity/Gauge Table Information

**TCLX 290287**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 087

Reporting Mark: TCLX 290287

Date: 13/07/2015

Capacity: 28,995 US Gallons (109,758 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,270	25.50	5,411	29.75	6,611	34.00	7,860	38.25	9,148
21.50	4,335	25.75	5,480	30.00	6,683	34.25	7,934	38.50	9,224
21.75	4,400	26.00	5,549	30.25	6,755	34.50	8,009	38.75	9,301
22.00	4,466	26.25	5,619	30.50	6,828	34.75	8,084	39.00	9,378
22.25	4,532	26.50	5,688	30.75	6,901	35.00	8,160	39.25	9,455
22.50	4,598	26.75	5,758	31.00	6,974	35.25	8,235	39.50	9,532
22.75	4,665	27.00	5,828	31.25	7,047	35.50	8,310	39.75	9,610
23.00	4,732	27.25	5,898	31.50	7,120	35.75	8,386	40.00	9,687
23.25	4,799	27.50	5,969	31.75	7,193	36.00	8,461	40.25	9,765
23.50	4,866	27.75	6,039	32.00	7,267	36.25	8,537	40.50	9,842
23.75	4,933	28.00	6,110	32.25	7,340	36.50	8,613	40.75	9,920
24.00	5,001	28.25	6,181	32.50	7,414	36.75	8,689	41.00	9,998
24.25	5,068	28.50	6,252	32.75	7,488	37.00	8,765	41.25	10,075
24.50	5,136	28.75	6,324	33.00	7,562	37.25	8,841	41.50	10,153
24.75	5,205	29.00	6,395	33.25	7,636	37.50	8,918	41.75	10,231
25.00	5,273	29.25	6,467	33.50	7,711	37.75	8,994	42.00	10,309
25.25	5,342	29.50	6,539	33.75	7,785	38.00	9,071	42.25	10,387



## Capacity/Gauge Table Information

**TCLX 290287**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 087

Reporting Mark: TCLX 290287

Date: 13/07/2015

Capacity: 28,995 US Gallons (109,758 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,466	46.75	11,806	51.00	13,160	55.25	14,521	59.50	15,881
42.75	10,544	47.00	11,885	51.25	13,240	55.50	14,601	59.75	15,961
43.00	10,622	47.25	11,965	51.50	13,320	55.75	14,681	60.00	16,040
43.25	10,701	47.50	12,044	51.75	13,400	56.00	14,761	60.25	16,120
43.50	10,779	47.75	12,124	52.00	13,480	56.25	14,841	60.50	16,200
43.75	10,858	48.00	12,203	52.25	13,560	56.50	14,922	60.75	16,279
44.00	10,937	48.25	12,283	52.50	13,640	56.75	15,002	61.00	16,359
44.25	11,015	48.50	12,362	52.75	13,720	57.00	15,082	61.25	16,438
44.50	11,094	48.75	12,442	53.00	13,800	57.25	15,162	61.50	16,518
44.75	11,173	49.00	12,522	53.25	13,880	57.50	15,242	61.75	16,597
45.00	11,252	49.25	12,601	53.50	13,961	57.75	15,322	62.00	16,677
45.25	11,331	49.50	12,681	53.75	14,041	58.00	15,402	62.25	16,756
45.50	11,410	49.75	12,761	54.00	14,121	58.25	15,481	62.50	16,836
45.75	11,489	50.00	12,841	54.25	14,201	58.50	15,561	62.75	16,915
46.00	11,568	50.25	12,921	54.50	14,281	58.75	15,641	63.00	16,994
46.25	11,647	50.50	13,001	54.75	14,361	59.00	15,721	63.25	17,073
46.50	11,727	50.75	13,080	55.00	14,441	59.25	15,801	63.50	17,152





## Capacity/Gauge Table Information

**TCLX 290287**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 087

Reporting Mark: TCLX 290287

Date: 13/07/2015

Capacity: 28,995 US Gallons (109,758 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,231	68.00	18,565	72.25	19,875	76.50	21,151	80.75	22,385
64.00	17,310	68.25	18,643	72.50	19,951	76.75	21,225	81.00	22,456
64.25	17,389	68.50	18,721	72.75	20,027	77.00	21,299	81.25	22,527
64.50	17,468	68.75	18,799	73.00	20,103	77.25	21,372	81.50	22,598
64.75	17,547	69.00	18,876	73.25	20,178	77.50	21,446	81.75	22,669
65.00	17,626	69.25	18,953	73.50	20,254	77.75	21,519	82.00	22,739
65.25	17,705	69.50	19,031	73.75	20,329	78.00	21,592	82.25	22,809
65.50	17,783	69.75	19,108	74.00	20,405	78.25	21,665	82.50	22,879
65.75	17,862	70.00	19,185	74.25	20,480	78.50	21,738	82.75	22,949
66.00	17,940	70.25	19,262	74.50	20,555	78.75	21,810	83.00	23,018
66.25	18,019	70.50	19,339	74.75	20,630	79.00	21,883	83.25	23,088
66.50	18,097	70.75	19,416	75.00	20,705	79.25	21,955	83.50	23,157
66.75	18,175	71.00	19,493	75.25	20,780	79.50	22,027	83.75	23,226
67.00	18,253	71.25	19,569	75.50	20,854	79.75	22,099	84.00	23,295
67.25	18,332	71.50	19,646	75.75	20,929	80.00	22,171	84.25	23,363
67.50	18,410	71.75	19,722	76.00	21,003	80.25	22,243	84.50	23,432
67.75	18,488	72.00	19,799	76.25	21,077	80.50	22,314	84.75	23,500



## Capacity/Gauge Table Information

**TCLX 290287**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 087

Reporting Mark: TCLX 290287

Date: 13/07/2015

Capacity: 28,995 US Gallons (109,758 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,568	89.25	24,688	93.50	25,733	97.75	26,687	102.00	27,533
85.25	23,636	89.50	24,752	93.75	25,792	98.00	26,740	102.25	27,579
85.50	23,703	89.75	24,815	94.00	25,850	98.25	26,793	102.50	27,624
85.75	23,770	90.00	24,878	94.25	25,908	98.50	26,845	102.75	27,669
86.00	23,837	90.25	24,941	94.50	25,966	98.75	26,897	103.00	27,713
86.25	23,904	90.50	25,004	94.75	26,024	99.00	26,948	103.25	27,757
86.50	23,971	90.75	25,066	95.00	26,081	99.25	26,999	103.50	27,800
86.75	24,037	91.00	25,128	95.25	26,138	99.50	27,050	103.75	27,843
87.00	24,103	91.25	25,190	95.50	26,194	99.75	27,100	104.00	27,885
87.25	24,169	91.50	25,251	95.75	26,251	100.00	27,150	104.25	27,927
87.50	24,235	91.75	25,312	96.00	26,306	100.25	27,199	104.50	27,968
87.75	24,300	92.00	25,373	96.25	26,362	100.50	27,248	104.75	28,009
88.00	24,366	92.25	25,434	96.50	26,417	100.75	27,297	105.00	28,049
88.25	24,431	92.50	25,494	96.75	26,472	101.00	27,345	105.25	28,089
88.50	24,495	92.75	25,554	97.00	26,526	101.25	27,393	105.50	28,128
88.75	24,560	93.00	25,614	97.25	26,580	101.50	27,440	105.75	28,166
89.00	24,624	93.25	25,674	97.50	26,634	101.75	27,486	106.00	28,204



## Capacity/Gauge Table Information

**TCLX 290287**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 087

Reporting Mark: TCLX 290287

Date: 13/07/2015

Capacity: 28,995 US Gallons (109,758 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,241	110.50	28,762	114.75	28,981
106.50	28,277	110.75	28,785	115.00	28,985
106.75	28,313	111.00	28,806	115.25	28,988
107.00	28,349	111.25	28,826	115.50	28,991
107.25	28,383	111.50	28,844	115.75	28,993
107.50	28,417	111.75	28,861	116.00	28,994
107.75	28,450	112.00	28,877	116.25	28,995
108.00	28,483	112.25	28,892	116.50	28,995
108.25	28,514	112.50	28,906	116.75	28,995
108.50	28,545	112.75	28,918		
108.75	28,576	113.00	28,930		
109.00	28,605	113.25	28,940		
109.25	28,633	113.50	28,949		
109.50	28,661	113.75	28,958		
109.75	28,688	114.00	28,965		
110.00	28,714	114.25	28,971		
110.25	28,738	114.50	28,977		



## Capacity/Gauge Table Information

**TCLX 290288**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 088

Reporting Mark: TCLX 290288

Date: 13/07/2015

Capacity: 29,000 US Gallons (109,777 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	581	8.50	1,332	12.75	2,213	17.00	3,197
0.25	28	4.50	621	8.75	1,381	13.00	2,268	17.25	3,257
0.50	57	4.75	661	9.00	1,430	13.25	2,323	17.50	3,318
0.75	87	5.00	702	9.25	1,479	13.50	2,379	17.75	3,380
1.00	118	5.25	744	9.50	1,529	13.75	2,436	18.00	3,441
1.25	149	5.50	786	9.75	1,579	14.00	2,492	18.25	3,503
1.50	181	5.75	829	10.00	1,630	14.25	2,549	18.50	3,565
1.75	214	6.00	872	10.25	1,681	14.50	2,606	18.75	3,628
2.00	248	6.25	916	10.50	1,732	14.75	2,664	19.00	3,690
2.25	282	6.50	960	10.75	1,784	15.00	2,722	19.25	3,753
2.50	317	6.75	1,005	11.00	1,836	15.25	2,780	19.50	3,816
2.75	353	7.00	1,051	11.25	1,889	15.50	2,839	19.75	3,880
3.00	389	7.25	1,096	11.50	1,942	15.75	2,898	20.00	3,944
3.25	426	7.50	1,143	11.75	1,995	16.00	2,957	20.25	4,008
3.50	464	7.75	1,189	12.00	2,049	16.25	3,016	20.50	4,072
3.75	502	8.00	1,236	12.25	2,103	16.50	3,076	20.75	4,136
4.00	541	8.25	1,284	12.50	2,158	16.75	3,136	21.00	4,201



## Capacity/Gauge Table Information

**TCLX 290288**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 088

Reporting Mark: TCLX 290288

Date: 13/07/2015

Capacity: 29,000 US Gallons (109,777 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,266	25.50	5,407	29.75	6,607	34.00	7,855	38.25	9,143
21.50	4,331	25.75	5,476	30.00	6,679	34.25	7,930	38.50	9,220
21.75	4,397	26.00	5,545	30.25	6,751	34.50	8,005	38.75	9,297
22.00	4,463	26.25	5,615	30.50	6,824	34.75	8,080	39.00	9,374
22.25	4,529	26.50	5,684	30.75	6,897	35.00	8,155	39.25	9,451
22.50	4,595	26.75	5,754	31.00	6,969	35.25	8,230	39.50	9,528
22.75	4,661	27.00	5,824	31.25	7,042	35.50	8,306	39.75	9,605
23.00	4,728	27.25	5,894	31.50	7,116	35.75	8,381	40.00	9,683
23.25	4,795	27.50	5,965	31.75	7,189	36.00	8,457	40.25	9,760
23.50	4,862	27.75	6,036	32.00	7,262	36.25	8,533	40.50	9,838
23.75	4,929	28.00	6,106	32.25	7,336	36.50	8,609	40.75	9,915
24.00	4,997	28.25	6,177	32.50	7,410	36.75	8,685	41.00	9,993
24.25	5,065	28.50	6,248	32.75	7,484	37.00	8,761	41.25	10,071
24.50	5,133	28.75	6,320	33.00	7,558	37.25	8,837	41.50	10,149
24.75	5,201	29.00	6,391	33.25	7,632	37.50	8,913	41.75	10,227
25.00	5,269	29.25	6,463	33.50	7,706	37.75	8,990	42.00	10,305
25.25	5,338	29.50	6,535	33.75	7,781	38.00	9,066	42.25	10,383



## Capacity/Gauge Table Information

**TCLX 290288**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 088

Reporting Mark: TCLX 290288

Date: 13/07/2015

Capacity: 29,000 US Gallons (109,777 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,461	46.75	11,801	51.00	13,156	55.25	14,517	59.50	15,876
42.75	10,539	47.00	11,881	51.25	13,236	55.50	14,597	59.75	15,956
43.00	10,618	47.25	11,960	51.50	13,316	55.75	14,677	60.00	16,036
43.25	10,696	47.50	12,040	51.75	13,396	56.00	14,757	60.25	16,116
43.50	10,775	47.75	12,119	52.00	13,476	56.25	14,837	60.50	16,195
43.75	10,853	48.00	12,199	52.25	13,556	56.50	14,917	60.75	16,275
44.00	10,932	48.25	12,278	52.50	13,636	56.75	14,997	61.00	16,354
44.25	11,011	48.50	12,358	52.75	13,716	57.00	15,077	61.25	16,434
44.50	11,090	48.75	12,437	53.00	13,796	57.25	15,157	61.50	16,514
44.75	11,168	49.00	12,517	53.25	13,876	57.50	15,237	61.75	16,593
45.00	11,247	49.25	12,597	53.50	13,956	57.75	15,317	62.00	16,672
45.25	11,326	49.50	12,677	53.75	14,036	58.00	15,397	62.25	16,752
45.50	11,405	49.75	12,756	54.00	14,116	58.25	15,477	62.50	16,831
45.75	11,484	50.00	12,836	54.25	14,196	58.50	15,557	62.75	16,910
46.00	11,564	50.25	12,916	54.50	14,276	58.75	15,637	63.00	16,990
46.25	11,643	50.50	12,996	54.75	14,356	59.00	15,717	63.25	17,069
46.50	11,722	50.75	13,076	55.00	14,437	59.25	15,796	63.50	17,148



## Capacity/Gauge Table Information

**TCLX 290288**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 088

Reporting Mark: TCLX 290288

Date: 13/07/2015

Capacity: 29,000 US Gallons (109,777 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,227	68.00	18,561	72.25	19,871	76.50	21,147	80.75	22,382
64.00	17,306	68.25	18,639	72.50	19,947	76.75	21,221	81.00	22,453
64.25	17,385	68.50	18,717	72.75	20,023	77.00	21,295	81.25	22,524
64.50	17,464	68.75	18,794	73.00	20,099	77.25	21,369	81.50	22,595
64.75	17,543	69.00	18,872	73.25	20,175	77.50	21,442	81.75	22,666
65.00	17,622	69.25	18,949	73.50	20,250	77.75	21,515	82.00	22,736
65.25	17,700	69.50	19,027	73.75	20,326	78.00	21,589	82.25	22,806
65.50	17,779	69.75	19,104	74.00	20,401	78.25	21,661	82.50	22,876
65.75	17,858	70.00	19,181	74.25	20,476	78.50	21,734	82.75	22,946
66.00	17,936	70.25	19,258	74.50	20,551	78.75	21,807	83.00	23,016
66.25	18,014	70.50	19,335	74.75	20,626	79.00	21,879	83.25	23,085
66.50	18,093	70.75	19,412	75.00	20,701	79.25	21,952	83.50	23,154
66.75	18,171	71.00	19,489	75.25	20,776	79.50	22,024	83.75	23,223
67.00	18,249	71.25	19,565	75.50	20,851	79.75	22,096	84.00	23,292
67.25	18,327	71.50	19,642	75.75	20,925	80.00	22,168	84.25	23,361
67.50	18,405	71.75	19,718	76.00	20,999	80.25	22,239	84.50	23,429
67.75	18,483	72.00	19,795	76.25	21,073	80.50	22,311	84.75	23,497





## Capacity/Gauge Table Information

**TCLX 290288**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 088

Reporting Mark: TCLX 290288

Date: 13/07/2015

Capacity: 29,000 US Gallons (109,777 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,565	89.25	24,686	93.50	25,731	97.75	26,687	102.00	27,533
85.25	23,633	89.50	24,749	93.75	25,790	98.00	26,740	102.25	27,579
85.50	23,700	89.75	24,813	94.00	25,849	98.25	26,792	102.50	27,624
85.75	23,768	90.00	24,876	94.25	25,907	98.50	26,845	102.75	27,669
86.00	23,835	90.25	24,939	94.50	25,965	98.75	26,896	103.00	27,713
86.25	23,902	90.50	25,002	94.75	26,022	99.00	26,948	103.25	27,757
86.50	23,968	90.75	25,064	95.00	26,080	99.25	26,999	103.50	27,801
86.75	24,035	91.00	25,126	95.25	26,136	99.50	27,050	103.75	27,843
87.00	24,101	91.25	25,188	95.50	26,193	99.75	27,100	104.00	27,886
87.25	24,167	91.50	25,249	95.75	26,249	100.00	27,150	104.25	27,928
87.50	24,233	91.75	25,311	96.00	26,305	100.25	27,199	104.50	27,969
87.75	24,298	92.00	25,372	96.25	26,361	100.50	27,248	104.75	28,010
88.00	24,363	92.25	25,432	96.50	26,416	100.75	27,297	105.00	28,050
88.25	24,428	92.50	25,493	96.75	26,471	101.00	27,345	105.25	28,090
88.50	24,493	92.75	25,553	97.00	26,525	101.25	27,392	105.50	28,129
88.75	24,557	93.00	25,612	97.25	26,579	101.50	27,440	105.75	28,167
89.00	24,622	93.25	25,672	97.50	26,633	101.75	27,486	106.00	28,205



## Capacity/Gauge Table Information

**TCLX 290288**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 088

Reporting Mark: TCLX 290288

Date: 13/07/2015

Capacity: 29,000 US Gallons (109,777 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,242	110.50	28,765	114.75	28,986
106.50	28,279	110.75	28,788	115.00	28,990
106.75	28,315	111.00	28,809	115.25	28,993
107.00	28,350	111.25	28,829	115.50	28,996
107.25	28,385	111.50	28,848	115.75	28,998
107.50	28,419	111.75	28,865	116.00	28,999
107.75	28,452	112.00	28,881	116.25	29,000
108.00	28,485	112.25	28,896	116.50	29,000
108.25	28,516	112.50	28,910	116.75	29,000
108.50	28,547	112.75	28,923		
108.75	28,578	113.00	28,934		
109.00	28,607	113.25	28,945		
109.25	28,636	113.50	28,954		
109.50	28,664	113.75	28,962		
109.75	28,690	114.00	28,970		
110.00	28,716	114.25	28,976		
110.25	28,741	114.50	28,982		



## Capacity/Gauge Table Information

**TCLX 290289**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 089

Reporting Mark: TCLX 290289

Date: 14/07/2015

Capacity: 28,991 US Gallons (109,745 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,336	12.75	2,218	17.00	3,203
0.25	28	4.50	623	8.75	1,385	13.00	2,273	17.25	3,264
0.50	57	4.75	664	9.00	1,434	13.25	2,329	17.50	3,325
0.75	87	5.00	705	9.25	1,483	13.50	2,385	17.75	3,386
1.00	118	5.25	747	9.50	1,533	13.75	2,441	18.00	3,448
1.25	150	5.50	789	9.75	1,584	14.00	2,498	18.25	3,510
1.50	182	5.75	832	10.00	1,634	14.25	2,555	18.50	3,572
1.75	215	6.00	875	10.25	1,685	14.50	2,612	18.75	3,634
2.00	249	6.25	919	10.50	1,737	14.75	2,670	19.00	3,697
2.25	283	6.50	964	10.75	1,789	15.00	2,728	19.25	3,760
2.50	319	6.75	1,009	11.00	1,841	15.25	2,786	19.50	3,823
2.75	354	7.00	1,054	11.25	1,894	15.50	2,845	19.75	3,887
3.00	391	7.25	1,100	11.50	1,947	15.75	2,904	20.00	3,951
3.25	428	7.50	1,146	11.75	2,000	16.00	2,963	20.25	4,015
3.50	466	7.75	1,193	12.00	2,054	16.25	3,023	20.50	4,079
3.75	504	8.00	1,240	12.25	2,108	16.50	3,082	20.75	4,144
4.00	543	8.25	1,288	12.50	2,163	16.75	3,143	21.00	4,209



## Capacity/Gauge Table Information

**TCLX 290289**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 089

Reporting Mark: TCLX 290289

Date: 14/07/2015

Capacity: 28,991 US Gallons (109,745 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,274	25.50	5,415	29.75	6,616	34.00	7,865	38.25	9,153
21.50	4,339	25.75	5,484	30.00	6,688	34.25	7,939	38.50	9,230
21.75	4,404	26.00	5,554	30.25	6,760	34.50	8,014	38.75	9,306
22.00	4,470	26.25	5,623	30.50	6,833	34.75	8,089	39.00	9,383
22.25	4,536	26.50	5,693	30.75	6,906	35.00	8,165	39.25	9,461
22.50	4,603	26.75	5,763	31.00	6,978	35.25	8,240	39.50	9,538
22.75	4,669	27.00	5,833	31.25	7,051	35.50	8,315	39.75	9,615
23.00	4,736	27.25	5,903	31.50	7,125	35.75	8,391	40.00	9,692
23.25	4,803	27.50	5,973	31.75	7,198	36.00	8,467	40.25	9,770
23.50	4,870	27.75	6,044	32.00	7,271	36.25	8,542	40.50	9,847
23.75	4,937	28.00	6,115	32.25	7,345	36.50	8,618	40.75	9,925
24.00	5,005	28.25	6,186	32.50	7,419	36.75	8,694	41.00	10,003
24.25	5,073	28.50	6,257	32.75	7,493	37.00	8,770	41.25	10,081
24.50	5,141	28.75	6,328	33.00	7,567	37.25	8,847	41.50	10,159
24.75	5,209	29.00	6,400	33.25	7,641	37.50	8,923	41.75	10,237
25.00	5,278	29.25	6,472	33.50	7,716	37.75	9,000	42.00	10,315
25.25	5,346	29.50	6,544	33.75	7,790	38.00	9,076	42.25	10,393



## Capacity/Gauge Table Information

**TCLX 290289**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 089

Reporting Mark: TCLX 290289

Date: 14/07/2015

Capacity: 28,991 US Gallons (109,745 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,471	46.75	11,812	51.00	13,166	55.25	14,527	59.50	15,886
42.75	10,549	47.00	11,891	51.25	13,246	55.50	14,607	59.75	15,966
43.00	10,628	47.25	11,970	51.50	13,326	55.75	14,687	60.00	16,046
43.25	10,706	47.50	12,050	51.75	13,406	56.00	14,767	60.25	16,125
43.50	10,785	47.75	12,129	52.00	13,486	56.25	14,847	60.50	16,205
43.75	10,863	48.00	12,209	52.25	13,566	56.50	14,927	60.75	16,285
44.00	10,942	48.25	12,288	52.50	13,646	56.75	15,007	61.00	16,364
44.25	11,021	48.50	12,368	52.75	13,726	57.00	15,087	61.25	16,444
44.50	11,100	48.75	12,448	53.00	13,806	57.25	15,167	61.50	16,523
44.75	11,179	49.00	12,527	53.25	13,886	57.50	15,247	61.75	16,603
45.00	11,257	49.25	12,607	53.50	13,966	57.75	15,327	62.00	16,682
45.25	11,336	49.50	12,687	53.75	14,046	58.00	15,407	62.25	16,762
45.50	11,415	49.75	12,767	54.00	14,126	58.25	15,487	62.50	16,841
45.75	11,495	50.00	12,846	54.25	14,206	58.50	15,567	62.75	16,920
46.00	11,574	50.25	12,926	54.50	14,286	58.75	15,647	63.00	16,999
46.25	11,653	50.50	13,006	54.75	14,367	59.00	15,727	63.25	17,079
46.50	11,732	50.75	13,086	55.00	14,447	59.25	15,806	63.50	17,158



## Capacity/Gauge Table Information

**TCLX 290289**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 089

Reporting Mark: TCLX 290289

Date: 14/07/2015

Capacity: 28,991 US Gallons (109,745 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,237	68.00	18,571	72.25	19,880	76.50	21,156	80.75	22,390
64.00	17,316	68.25	18,648	72.50	19,956	76.75	21,230	81.00	22,461
64.25	17,395	68.50	18,726	72.75	20,032	77.00	21,303	81.25	22,532
64.50	17,474	68.75	18,804	73.00	20,108	77.25	21,377	81.50	22,602
64.75	17,552	69.00	18,881	73.25	20,183	77.50	21,450	81.75	22,673
65.00	17,631	69.25	18,959	73.50	20,259	77.75	21,524	82.00	22,743
65.25	17,710	69.50	19,036	73.75	20,334	78.00	21,597	82.25	22,813
65.50	17,789	69.75	19,113	74.00	20,410	78.25	21,670	82.50	22,883
65.75	17,867	70.00	19,190	74.25	20,485	78.50	21,742	82.75	22,953
66.00	17,946	70.25	19,267	74.50	20,560	78.75	21,815	83.00	23,023
66.25	18,024	70.50	19,344	74.75	20,635	79.00	21,887	83.25	23,092
66.50	18,102	70.75	19,421	75.00	20,710	79.25	21,960	83.50	23,161
66.75	18,181	71.00	19,498	75.25	20,784	79.50	22,032	83.75	23,230
67.00	18,259	71.25	19,574	75.50	20,859	79.75	22,104	84.00	23,299
67.25	18,337	71.50	19,651	75.75	20,933	80.00	22,176	84.25	23,368
67.50	18,415	71.75	19,727	76.00	21,008	80.25	22,247	84.50	23,436
67.75	18,493	72.00	19,804	76.25	21,082	80.50	22,319	84.75	23,504



## Capacity/Gauge Table Information

**TCLX 290289**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 089

Reporting Mark: TCLX 290289

Date: 14/07/2015

Capacity: 28,991 US Gallons (109,745 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,572	89.25	24,691	93.50	25,736	97.75	26,690	102.00	27,534
85.25	23,640	89.50	24,755	93.75	25,794	98.00	26,743	102.25	27,580
85.50	23,707	89.75	24,818	94.00	25,853	98.25	26,795	102.50	27,625
85.75	23,774	90.00	24,882	94.25	25,911	98.50	26,847	102.75	27,670
86.00	23,841	90.25	24,944	94.50	25,969	98.75	26,899	103.00	27,714
86.25	23,908	90.50	25,007	94.75	26,026	99.00	26,951	103.25	27,758
86.50	23,975	90.75	25,069	95.00	26,084	99.25	27,001	103.50	27,801
86.75	24,041	91.00	25,131	95.25	26,140	99.50	27,052	103.75	27,844
87.00	24,107	91.25	25,193	95.50	26,197	99.75	27,102	104.00	27,886
87.25	24,173	91.50	25,255	95.75	26,253	100.00	27,152	104.25	27,928
87.50	24,239	91.75	25,316	96.00	26,309	100.25	27,201	104.50	27,969
87.75	24,304	92.00	25,377	96.25	26,364	100.50	27,250	104.75	28,010
88.00	24,369	92.25	25,437	96.50	26,420	100.75	27,299	105.00	28,050
88.25	24,434	92.50	25,497	96.75	26,474	101.00	27,347	105.25	28,089
88.50	24,499	92.75	25,557	97.00	26,529	101.25	27,394	105.50	28,128
88.75	24,563	93.00	25,617	97.25	26,583	101.50	27,441	105.75	28,166
89.00	24,627	93.25	25,677	97.50	26,636	101.75	27,488	106.00	28,204





## Capacity/Gauge Table Information

**TCLX 290289**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 089

Reporting Mark: TCLX 290289

Date: 14/07/2015

Capacity: 28,991 US Gallons (109,745 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,241	110.50	28,761	114.75	28,978
106.50	28,278	110.75	28,783	115.00	28,982
106.75	28,313	111.00	28,804	115.25	28,985
107.00	28,349	111.25	28,824	115.50	28,987
107.25	28,383	111.50	28,842	115.75	28,989
107.50	28,417	111.75	28,859	116.00	28,990
107.75	28,450	112.00	28,875	116.25	28,991
108.00	28,482	112.25	28,890	116.50	28,991
108.25	28,514	112.50	28,903	116.75	28,991
108.50	28,545	112.75	28,916		
108.75	28,575	113.00	28,927		
109.00	28,604	113.25	28,937		
109.25	28,633	113.50	28,946		
109.50	28,660	113.75	28,954		
109.75	28,687	114.00	28,962		
110.00	28,712	114.25	28,968		
110.25	28,737	114.50	28,973		



## Capacity/Gauge Table Information

**TCLX 290290**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 290

Reporting Mark: TCLX 290290

Date: 28/05/2015

Capacity: 28,938 US Gallons (109,543 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,232	17.00	3,220
0.25	29	4.50	630	8.75	1,396	13.00	2,288	17.25	3,281
0.50	58	4.75	671	9.00	1,445	13.25	2,344	17.50	3,342
0.75	89	5.00	712	9.25	1,495	13.50	2,400	17.75	3,403
1.00	120	5.25	755	9.50	1,545	13.75	2,456	18.00	3,465
1.25	152	5.50	797	9.75	1,596	14.00	2,513	18.25	3,527
1.50	185	5.75	840	10.00	1,647	14.25	2,570	18.50	3,589
1.75	218	6.00	884	10.25	1,698	14.50	2,628	18.75	3,652
2.00	252	6.25	928	10.50	1,750	14.75	2,685	19.00	3,715
2.25	287	6.50	973	10.75	1,802	15.00	2,744	19.25	3,778
2.50	323	6.75	1,018	11.00	1,854	15.25	2,802	19.50	3,841
2.75	359	7.00	1,064	11.25	1,907	15.50	2,861	19.75	3,905
3.00	396	7.25	1,110	11.50	1,960	15.75	2,920	20.00	3,969
3.25	433	7.50	1,156	11.75	2,014	16.00	2,979	20.25	4,033
3.50	471	7.75	1,203	12.00	2,068	16.25	3,039	20.50	4,097
3.75	510	8.00	1,251	12.25	2,122	16.50	3,099	20.75	4,162
4.00	549	8.25	1,299	12.50	2,177	16.75	3,159	21.00	4,227



## Capacity/Gauge Table Information

**TCLX 290290**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 290

Reporting Mark: TCLX 290290

Date: 28/05/2015

Capacity: 28,938 US Gallons (109,543 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,292	25.50	5,434	29.75	6,635	34.00	7,884	38.25	9,172
21.50	4,357	25.75	5,504	30.00	6,708	34.25	7,959	38.50	9,249
21.75	4,423	26.00	5,573	30.25	6,780	34.50	8,034	38.75	9,325
22.00	4,489	26.25	5,642	30.50	6,853	34.75	8,109	39.00	9,402
22.25	4,555	26.50	5,712	30.75	6,925	35.00	8,184	39.25	9,479
22.50	4,621	26.75	5,782	31.00	6,998	35.25	8,259	39.50	9,557
22.75	4,688	27.00	5,852	31.25	7,071	35.50	8,335	39.75	9,634
23.00	4,755	27.25	5,922	31.50	7,144	35.75	8,410	40.00	9,711
23.25	4,822	27.50	5,993	31.75	7,218	36.00	8,486	40.25	9,789
23.50	4,889	27.75	6,064	32.00	7,291	36.25	8,562	40.50	9,866
23.75	4,956	28.00	6,134	32.25	7,365	36.50	8,638	40.75	9,944
24.00	5,024	28.25	6,205	32.50	7,439	36.75	8,714	41.00	10,021
24.25	5,092	28.50	6,277	32.75	7,513	37.00	8,790	41.25	10,099
24.50	5,160	28.75	6,348	33.00	7,587	37.25	8,866	41.50	10,177
24.75	5,228	29.00	6,420	33.25	7,661	37.50	8,942	41.75	10,255
25.00	5,297	29.25	6,491	33.50	7,735	37.75	9,019	42.00	10,333
25.25	5,365	29.50	6,563	33.75	7,810	38.00	9,095	42.25	10,411



## Capacity/Gauge Table Information

**TCLX 290290**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 290

Reporting Mark: TCLX 290290

Date: 28/05/2015

Capacity: 28,938 US Gallons (109,543 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,489	46.75	11,828	51.00	13,181	55.25	14,540	59.50	15,898
42.75	10,568	47.00	11,908	51.25	13,261	55.50	14,620	59.75	15,977
43.00	10,646	47.25	11,987	51.50	13,341	55.75	14,700	60.00	16,057
43.25	10,724	47.50	12,066	51.75	13,421	56.00	14,780	60.25	16,136
43.50	10,803	47.75	12,146	52.00	13,501	56.25	14,860	60.50	16,216
43.75	10,881	48.00	12,225	52.25	13,581	56.50	14,940	60.75	16,295
44.00	10,960	48.25	12,305	52.50	13,661	56.75	15,020	61.00	16,375
44.25	11,039	48.50	12,384	52.75	13,741	57.00	15,100	61.25	16,454
44.50	11,117	48.75	12,464	53.00	13,820	57.25	15,180	61.50	16,534
44.75	11,196	49.00	12,543	53.25	13,900	57.50	15,259	61.75	16,613
45.00	11,275	49.25	12,623	53.50	13,980	57.75	15,339	62.00	16,692
45.25	11,354	49.50	12,703	53.75	14,060	58.00	15,419	62.25	16,771
45.50	11,433	49.75	12,782	54.00	14,140	58.25	15,499	62.50	16,851
45.75	11,512	50.00	12,862	54.25	14,220	58.50	15,579	62.75	16,930
46.00	11,591	50.25	12,942	54.50	14,300	58.75	15,658	63.00	17,009
46.25	11,670	50.50	13,022	54.75	14,380	59.00	15,738	63.25	17,088
46.50	11,749	50.75	13,101	55.00	14,460	59.25	15,818	63.50	17,167



## Capacity/Gauge Table Information

**TCLX 290290**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 290

Reporting Mark: TCLX 290290

Date: 28/05/2015

Capacity: 28,938 US Gallons (109,543 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,246	68.00	18,577	72.25	19,883	76.50	21,156	80.75	22,387
64.00	17,325	68.25	18,654	72.50	19,959	76.75	21,230	81.00	22,457
64.25	17,403	68.50	18,732	72.75	20,035	77.00	21,303	81.25	22,528
64.50	17,482	68.75	18,809	73.00	20,110	77.25	21,376	81.50	22,599
64.75	17,561	69.00	18,887	73.25	20,186	77.50	21,450	81.75	22,669
65.00	17,639	69.25	18,964	73.50	20,261	77.75	21,523	82.00	22,739
65.25	17,718	69.50	19,041	73.75	20,337	78.00	21,596	82.25	22,809
65.50	17,796	69.75	19,118	74.00	20,412	78.25	21,668	82.50	22,879
65.75	17,875	70.00	19,195	74.25	20,487	78.50	21,741	82.75	22,948
66.00	17,953	70.25	19,272	74.50	20,562	78.75	21,813	83.00	23,018
66.25	18,031	70.50	19,349	74.75	20,636	79.00	21,886	83.25	23,087
66.50	18,109	70.75	19,425	75.00	20,711	79.25	21,958	83.50	23,156
66.75	18,188	71.00	19,502	75.25	20,786	79.50	22,030	83.75	23,224
67.00	18,266	71.25	19,578	75.50	20,860	79.75	22,101	84.00	23,293
67.25	18,344	71.50	19,655	75.75	20,934	80.00	22,173	84.25	23,361
67.50	18,421	71.75	19,731	76.00	21,008	80.25	22,244	84.50	23,429
67.75	18,499	72.00	19,807	76.25	21,082	80.50	22,315	84.75	23,497



## Capacity/Gauge Table Information

**TCLX 290290**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 290

Reporting Mark: TCLX 290290

Date: 28/05/2015

Capacity: 28,938 US Gallons (109,543 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,565	89.25	24,681	93.50	25,721	97.75	26,670	102.00	27,509
85.25	23,633	89.50	24,744	93.75	25,779	98.00	26,723	102.25	27,554
85.50	23,700	89.75	24,807	94.00	25,837	98.25	26,775	102.50	27,599
85.75	23,767	90.00	24,870	94.25	25,895	98.50	26,827	102.75	27,644
86.00	23,834	90.25	24,933	94.50	25,953	98.75	26,878	103.00	27,687
86.25	23,900	90.50	24,995	94.75	26,010	99.00	26,929	103.25	27,731
86.50	23,967	90.75	25,057	95.00	26,067	99.25	26,980	103.50	27,774
86.75	24,033	91.00	25,119	95.25	26,123	99.50	27,030	103.75	27,816
87.00	24,099	91.25	25,180	95.50	26,180	99.75	27,080	104.00	27,858
87.25	24,164	91.50	25,242	95.75	26,236	100.00	27,129	104.25	27,899
87.50	24,230	91.75	25,302	96.00	26,291	100.25	27,178	104.50	27,940
87.75	24,295	92.00	25,363	96.25	26,346	100.50	27,227	104.75	27,980
88.00	24,360	92.25	25,423	96.50	26,401	100.75	27,275	105.00	28,020
88.25	24,424	92.50	25,483	96.75	26,456	101.00	27,323	105.25	28,059
88.50	24,489	92.75	25,543	97.00	26,510	101.25	27,370	105.50	28,097
88.75	24,553	93.00	25,603	97.25	26,564	101.50	27,417	105.75	28,135
89.00	24,617	93.25	25,662	97.50	26,617	101.75	27,463	106.00	28,173



## Capacity/Gauge Table Information

**TCLX 290290**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 290

Reporting Mark: TCLX 290290

Date: 28/05/2015

Capacity: 28,938 US Gallons (109,543 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,209	110.50	28,718	114.75	28,925
106.50	28,245	110.75	28,739	115.00	28,929
106.75	28,281	111.00	28,759	115.25	28,932
107.00	28,315	111.25	28,778	115.50	28,934
107.25	28,349	111.50	28,796	115.75	28,936
107.50	28,383	111.75	28,812	116.00	28,937
107.75	28,415	112.00	28,827	116.25	28,938
108.00	28,447	112.25	28,841	116.50	28,938
108.25	28,478	112.50	28,854	116.75	28,938
108.50	28,508	112.75	28,866		
108.75	28,538	113.00	28,876		
109.00	28,567	113.25	28,886		
109.25	28,594	113.50	28,895		
109.50	28,621	113.75	28,903		
109.75	28,647	114.00	28,910		
110.00	28,672	114.25	28,916		
110.25	28,696	114.50	28,921		





## Capacity/Gauge Table Information

**TCLX 290291**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 091

Reporting Mark: TCLX 290291

Date: 16/07/2015

Capacity: 29,002 US Gallons (109,783 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	581	8.50	1,333	12.75	2,213	17.00	3,197
0.25	28	4.50	621	8.75	1,381	13.00	2,268	17.25	3,258
0.50	57	4.75	661	9.00	1,430	13.25	2,324	17.50	3,319
0.75	87	5.00	703	9.25	1,479	13.50	2,380	17.75	3,380
1.00	118	5.25	744	9.50	1,529	13.75	2,436	18.00	3,442
1.25	149	5.50	787	9.75	1,580	14.00	2,493	18.25	3,504
1.50	181	5.75	829	10.00	1,630	14.25	2,550	18.50	3,566
1.75	214	6.00	873	10.25	1,681	14.50	2,607	18.75	3,628
2.00	248	6.25	916	10.50	1,733	14.75	2,665	19.00	3,691
2.25	282	6.50	961	10.75	1,785	15.00	2,723	19.25	3,754
2.50	317	6.75	1,006	11.00	1,837	15.25	2,781	19.50	3,817
2.75	353	7.00	1,051	11.25	1,889	15.50	2,839	19.75	3,881
3.00	389	7.25	1,097	11.50	1,942	15.75	2,898	20.00	3,944
3.25	426	7.50	1,143	11.75	1,996	16.00	2,957	20.25	4,008
3.50	464	7.75	1,190	12.00	2,050	16.25	3,017	20.50	4,073
3.75	502	8.00	1,237	12.25	2,104	16.50	3,077	20.75	4,137
4.00	541	8.25	1,285	12.50	2,158	16.75	3,137	21.00	4,202



## Capacity/Gauge Table Information

**TCLX 290291**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 091

Reporting Mark: TCLX 290291

Date: 16/07/2015

Capacity: 29,002 US Gallons (109,783 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,267	25.50	5,408	29.75	6,608	34.00	7,856	38.25	9,144
21.50	4,332	25.75	5,477	30.00	6,680	34.25	7,931	38.50	9,221
21.75	4,398	26.00	5,546	30.25	6,752	34.50	8,006	38.75	9,298
22.00	4,464	26.25	5,616	30.50	6,825	34.75	8,081	39.00	9,375
22.25	4,530	26.50	5,685	30.75	6,898	35.00	8,156	39.25	9,452
22.50	4,596	26.75	5,755	31.00	6,970	35.25	8,232	39.50	9,529
22.75	4,662	27.00	5,825	31.25	7,043	35.50	8,307	39.75	9,606
23.00	4,729	27.25	5,895	31.50	7,117	35.75	8,382	40.00	9,684
23.25	4,796	27.50	5,966	31.75	7,190	36.00	8,458	40.25	9,761
23.50	4,863	27.75	6,036	32.00	7,263	36.25	8,534	40.50	9,839
23.75	4,930	28.00	6,107	32.25	7,337	36.50	8,610	40.75	9,916
24.00	4,998	28.25	6,178	32.50	7,411	36.75	8,686	41.00	9,994
24.25	5,066	28.50	6,249	32.75	7,485	37.00	8,762	41.25	10,072
24.50	5,134	28.75	6,321	33.00	7,559	37.25	8,838	41.50	10,150
24.75	5,202	29.00	6,392	33.25	7,633	37.50	8,915	41.75	10,228
25.00	5,270	29.25	6,464	33.50	7,707	37.75	8,991	42.00	10,306
25.25	5,339	29.50	6,536	33.75	7,782	38.00	9,068	42.25	10,384



## Capacity/Gauge Table Information

**TCLX 290291**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 091

Reporting Mark: TCLX 290291

Date: 16/07/2015

Capacity: 29,002 US Gallons (109,783 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,462	46.75	11,803	51.00	13,157	55.25	14,518	59.50	15,878
42.75	10,541	47.00	11,882	51.25	13,237	55.50	14,598	59.75	15,957
43.00	10,619	47.25	11,961	51.50	13,317	55.75	14,678	60.00	16,037
43.25	10,698	47.50	12,041	51.75	13,397	56.00	14,758	60.25	16,117
43.50	10,776	47.75	12,120	52.00	13,477	56.25	14,838	60.50	16,197
43.75	10,855	48.00	12,200	52.25	13,557	56.50	14,918	60.75	16,276
44.00	10,933	48.25	12,279	52.50	13,637	56.75	14,998	61.00	16,356
44.25	11,012	48.50	12,359	52.75	13,717	57.00	15,078	61.25	16,435
44.50	11,091	48.75	12,439	53.00	13,797	57.25	15,158	61.50	16,515
44.75	11,170	49.00	12,518	53.25	13,877	57.50	15,238	61.75	16,594
45.00	11,249	49.25	12,598	53.50	13,957	57.75	15,318	62.00	16,674
45.25	11,328	49.50	12,678	53.75	14,037	58.00	15,398	62.25	16,753
45.50	11,407	49.75	12,758	54.00	14,117	58.25	15,478	62.50	16,833
45.75	11,486	50.00	12,838	54.25	14,198	58.50	15,558	62.75	16,912
46.00	11,565	50.25	12,917	54.50	14,278	58.75	15,638	63.00	16,991
46.25	11,644	50.50	12,997	54.75	14,358	59.00	15,718	63.25	17,070
46.50	11,723	50.75	13,077	55.00	14,438	59.25	15,798	63.50	17,149



## Capacity/Gauge Table Information

**TCLX 290291**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 091

Reporting Mark: TCLX 290291

Date: 16/07/2015

Capacity: 29,002 US Gallons (109,783 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,229	68.00	18,563	72.25	19,872	76.50	21,149	80.75	22,384
64.00	17,308	68.25	18,641	72.50	19,949	76.75	21,223	81.00	22,455
64.25	17,387	68.50	18,718	72.75	20,024	77.00	21,297	81.25	22,526
64.50	17,465	68.75	18,796	73.00	20,100	77.25	21,370	81.50	22,597
64.75	17,544	69.00	18,873	73.25	20,176	77.50	21,444	81.75	22,667
65.00	17,623	69.25	18,951	73.50	20,252	77.75	21,517	82.00	22,737
65.25	17,702	69.50	19,028	73.75	20,327	78.00	21,590	82.25	22,808
65.50	17,780	69.75	19,105	74.00	20,403	78.25	21,663	82.50	22,878
65.75	17,859	70.00	19,183	74.25	20,478	78.50	21,736	82.75	22,947
66.00	17,937	70.25	19,260	74.50	20,553	78.75	21,809	83.00	23,017
66.25	18,016	70.50	19,337	74.75	20,628	79.00	21,881	83.25	23,087
66.50	18,094	70.75	19,414	75.00	20,703	79.25	21,953	83.50	23,156
66.75	18,173	71.00	19,490	75.25	20,777	79.50	22,025	83.75	23,225
67.00	18,251	71.25	19,567	75.50	20,852	79.75	22,097	84.00	23,294
67.25	18,329	71.50	19,643	75.75	20,927	80.00	22,169	84.25	23,362
67.50	18,407	71.75	19,720	76.00	21,001	80.25	22,241	84.50	23,431
67.75	18,485	72.00	19,796	76.25	21,075	80.50	22,312	84.75	23,499



## Capacity/Gauge Table Information

**TCLX 290291**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 091

Reporting Mark: TCLX 290291

Date: 16/07/2015

Capacity: 29,002 US Gallons (109,783 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,567	89.25	24,687	93.50	25,733	97.75	26,688	102.00	27,534
85.25	23,634	89.50	24,751	93.75	25,792	98.00	26,741	102.25	27,580
85.50	23,702	89.75	24,814	94.00	25,850	98.25	26,794	102.50	27,626
85.75	23,769	90.00	24,878	94.25	25,908	98.50	26,846	102.75	27,670
86.00	23,836	90.25	24,940	94.50	25,966	98.75	26,898	103.00	27,715
86.25	23,903	90.50	25,003	94.75	26,024	99.00	26,949	103.25	27,759
86.50	23,970	90.75	25,065	95.00	26,081	99.25	27,001	103.50	27,802
86.75	24,036	91.00	25,128	95.25	26,138	99.50	27,051	103.75	27,845
87.00	24,103	91.25	25,189	95.50	26,195	99.75	27,101	104.00	27,887
87.25	24,168	91.50	25,251	95.75	26,251	100.00	27,151	104.25	27,929
87.50	24,234	91.75	25,312	96.00	26,307	100.25	27,201	104.50	27,971
87.75	24,300	92.00	25,373	96.25	26,362	100.50	27,250	104.75	28,011
88.00	24,365	92.25	25,434	96.50	26,418	100.75	27,298	105.00	28,051
88.25	24,430	92.50	25,494	96.75	26,472	101.00	27,346	105.25	28,091
88.50	24,495	92.75	25,554	97.00	26,527	101.25	27,394	105.50	28,130
88.75	24,559	93.00	25,614	97.25	26,581	101.50	27,441	105.75	28,169
89.00	24,623	93.25	25,674	97.50	26,635	101.75	27,488	106.00	28,206



## Capacity/Gauge Table Information

**TCLX 290291**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 091

Reporting Mark: TCLX 290291

Date: 16/07/2015

Capacity: 29,002 US Gallons (109,783 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,244	110.50	28,767	114.75	28,988
106.50	28,280	110.75	28,789	115.00	28,992
106.75	28,316	111.00	28,811	115.25	28,995
107.00	28,352	111.25	28,831	115.50	28,997
107.25	28,386	111.50	28,849	115.75	28,999
107.50	28,420	111.75	28,867	116.00	29,000
107.75	28,454	112.00	28,883	116.25	29,001
108.00	28,486	112.25	28,898	116.50	29,001
108.25	28,518	112.50	28,912	116.75	29,002
108.50	28,549	112.75	28,924		
108.75	28,579	113.00	28,936		
109.00	28,609	113.25	28,946		
109.25	28,637	113.50	28,955		
109.50	28,665	113.75	28,964		
109.75	28,692	114.00	28,971		
110.00	28,718	114.25	28,978		
110.25	28,743	114.50	28,983		



## Capacity/Gauge Table Information

**TCLX 290292**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 092

Reporting Mark: TCLX 290292

Date: 16/07/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	578	8.50	1,328	12.75	2,207	17.00	3,190
0.25	28	4.50	618	8.75	1,376	13.00	2,262	17.25	3,250
0.50	57	4.75	658	9.00	1,425	13.25	2,317	17.50	3,311
0.75	86	5.00	699	9.25	1,474	13.50	2,373	17.75	3,372
1.00	117	5.25	741	9.50	1,524	13.75	2,429	18.00	3,434
1.25	148	5.50	783	9.75	1,574	14.00	2,486	18.25	3,496
1.50	180	5.75	826	10.00	1,625	14.25	2,543	18.50	3,558
1.75	213	6.00	869	10.25	1,676	14.50	2,600	18.75	3,620
2.00	246	6.25	913	10.50	1,727	14.75	2,658	19.00	3,683
2.25	281	6.50	957	10.75	1,779	15.00	2,715	19.25	3,746
2.50	316	6.75	1,002	11.00	1,831	15.25	2,774	19.50	3,809
2.75	351	7.00	1,047	11.25	1,884	15.50	2,832	19.75	3,872
3.00	387	7.25	1,093	11.50	1,937	15.75	2,891	20.00	3,936
3.25	424	7.50	1,139	11.75	1,990	16.00	2,950	20.25	4,000
3.50	462	7.75	1,185	12.00	2,044	16.25	3,010	20.50	4,064
3.75	500	8.00	1,232	12.25	2,098	16.50	3,069	20.75	4,129
4.00	539	8.25	1,280	12.50	2,152	16.75	3,129	21.00	4,193





## Capacity/Gauge Table Information

**TCLX 290292**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 092

Reporting Mark: TCLX 290292

Date: 16/07/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,258	25.50	5,398	29.75	6,597	34.00	7,845	38.25	9,133
21.50	4,323	25.75	5,467	30.00	6,669	34.25	7,920	38.50	9,209
21.75	4,389	26.00	5,536	30.25	6,742	34.50	7,995	38.75	9,286
22.00	4,455	26.25	5,606	30.50	6,814	34.75	8,070	39.00	9,363
22.25	4,520	26.50	5,675	30.75	6,887	35.00	8,145	39.25	9,440
22.50	4,587	26.75	5,745	31.00	6,960	35.25	8,220	39.50	9,517
22.75	4,653	27.00	5,815	31.25	7,033	35.50	8,296	39.75	9,595
23.00	4,720	27.25	5,885	31.50	7,106	35.75	8,371	40.00	9,672
23.25	4,787	27.50	5,956	31.75	7,179	36.00	8,447	40.25	9,749
23.50	4,854	27.75	6,026	32.00	7,253	36.25	8,522	40.50	9,827
23.75	4,921	28.00	6,097	32.25	7,326	36.50	8,598	40.75	9,905
24.00	4,988	28.25	6,168	32.50	7,400	36.75	8,674	41.00	9,982
24.25	5,056	28.50	6,239	32.75	7,474	37.00	8,750	41.25	10,060
24.50	5,124	28.75	6,310	33.00	7,548	37.25	8,827	41.50	10,138
24.75	5,192	29.00	6,382	33.25	7,622	37.50	8,903	41.75	10,216
25.00	5,261	29.25	6,454	33.50	7,696	37.75	8,979	42.00	10,294
25.25	5,329	29.50	6,525	33.75	7,771	38.00	9,056	42.25	10,372



## Capacity/Gauge Table Information

**TCLX 290292**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 092

Reporting Mark: TCLX 290292

Date: 16/07/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,450	46.75	11,790	51.00	13,145	55.25	14,505	59.50	15,865
42.75	10,529	47.00	11,870	51.25	13,225	55.50	14,586	59.75	15,945
43.00	10,607	47.25	11,949	51.50	13,304	55.75	14,666	60.00	16,025
43.25	10,685	47.50	12,028	51.75	13,384	56.00	14,746	60.25	16,104
43.50	10,764	47.75	12,108	52.00	13,464	56.25	14,826	60.50	16,184
43.75	10,842	48.00	12,187	52.25	13,544	56.50	14,906	60.75	16,264
44.00	10,921	48.25	12,267	52.50	13,625	56.75	14,986	61.00	16,343
44.25	11,000	48.50	12,347	52.75	13,705	57.00	15,066	61.25	16,423
44.50	11,079	48.75	12,426	53.00	13,785	57.25	15,146	61.50	16,503
44.75	11,157	49.00	12,506	53.25	13,865	57.50	15,226	61.75	16,582
45.00	11,236	49.25	12,586	53.50	13,945	57.75	15,306	62.00	16,661
45.25	11,315	49.50	12,665	53.75	14,025	58.00	15,386	62.25	16,741
45.50	11,394	49.75	12,745	54.00	14,105	58.25	15,466	62.50	16,820
45.75	11,473	50.00	12,825	54.25	14,185	58.50	15,546	62.75	16,900
46.00	11,553	50.25	12,905	54.50	14,265	58.75	15,626	63.00	16,979
46.25	11,632	50.50	12,985	54.75	14,345	59.00	15,706	63.25	17,058
46.50	11,711	50.75	13,065	55.00	14,425	59.25	15,785	63.50	17,137



## Capacity/Gauge Table Information

**TCLX 290292**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 092

Reporting Mark: TCLX 290292

Date: 16/07/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,216	68.00	18,551	72.25	19,861	76.50	21,138	80.75	22,373
64.00	17,295	68.25	18,629	72.50	19,937	76.75	21,212	81.00	22,444
64.25	17,374	68.50	18,706	72.75	20,013	77.00	21,286	81.25	22,515
64.50	17,453	68.75	18,784	73.00	20,089	77.25	21,359	81.50	22,586
64.75	17,532	69.00	18,861	73.25	20,165	77.50	21,433	81.75	22,657
65.00	17,611	69.25	18,939	73.50	20,240	77.75	21,506	82.00	22,727
65.25	17,690	69.50	19,016	73.75	20,316	78.00	21,579	82.25	22,797
65.50	17,768	69.75	19,094	74.00	20,391	78.25	21,652	82.50	22,867
65.75	17,847	70.00	19,171	74.25	20,466	78.50	21,725	82.75	22,937
66.00	17,925	70.25	19,248	74.50	20,542	78.75	21,798	83.00	23,007
66.25	18,004	70.50	19,325	74.75	20,617	79.00	21,870	83.25	23,076
66.50	18,082	70.75	19,402	75.00	20,691	79.25	21,943	83.50	23,146
66.75	18,160	71.00	19,478	75.25	20,766	79.50	22,015	83.75	23,215
67.00	18,239	71.25	19,555	75.50	20,841	79.75	22,087	84.00	23,284
67.25	18,317	71.50	19,632	75.75	20,915	80.00	22,159	84.25	23,352
67.50	18,395	71.75	19,708	76.00	20,990	80.25	22,230	84.50	23,421
67.75	18,473	72.00	19,785	76.25	21,064	80.50	22,302	84.75	23,489



## Capacity/Gauge Table Information

**TCLX 290292**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 092

Reporting Mark: TCLX 290292

Date: 16/07/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,557	89.25	24,678	93.50	25,725	97.75	26,682	102.00	27,530
85.25	23,625	89.50	24,742	93.75	25,784	98.00	26,735	102.25	27,576
85.50	23,692	89.75	24,806	94.00	25,843	98.25	26,788	102.50	27,621
85.75	23,760	90.00	24,869	94.25	25,901	98.50	26,840	102.75	27,666
86.00	23,827	90.25	24,932	94.50	25,959	98.75	26,892	103.00	27,711
86.25	23,894	90.50	24,995	94.75	26,017	99.00	26,944	103.25	27,755
86.50	23,961	90.75	25,057	95.00	26,074	99.25	26,995	103.50	27,798
86.75	24,027	91.00	25,119	95.25	26,131	99.50	27,046	103.75	27,841
87.00	24,093	91.25	25,181	95.50	26,188	99.75	27,096	104.00	27,884
87.25	24,159	91.50	25,243	95.75	26,244	100.00	27,146	104.25	27,926
87.50	24,225	91.75	25,304	96.00	26,300	100.25	27,195	104.50	27,967
87.75	24,291	92.00	25,365	96.25	26,356	100.50	27,245	104.75	28,008
88.00	24,356	92.25	25,426	96.50	26,411	100.75	27,293	105.00	28,048
88.25	24,421	92.50	25,486	96.75	26,466	101.00	27,341	105.25	28,088
88.50	24,486	92.75	25,546	97.00	26,520	101.25	27,389	105.50	28,127
88.75	24,550	93.00	25,606	97.25	26,575	101.50	27,437	105.75	28,166
89.00	24,614	93.25	25,666	97.50	26,629	101.75	27,483	106.00	28,204



## Capacity/Gauge Table Information

**TCLX 290292**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 092

Reporting Mark: TCLX 290292

Date: 16/07/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,241	110.50	28,768	114.75	28,993
106.50	28,278	110.75	28,791	115.00	28,997
106.75	28,314	111.00	28,812	115.25	29,000
107.00	28,350	111.25	28,833	115.50	29,003
107.25	28,385	111.50	28,852	115.75	29,004
107.50	28,419	111.75	28,870	116.00	29,006
107.75	28,452	112.00	28,886	116.25	29,007
108.00	28,485	112.25	28,901	116.50	29,007
108.25	28,517	112.50	28,915	116.75	29,007
108.50	28,548	112.75	28,928		
108.75	28,579	113.00	28,940		
109.00	28,608	113.25	28,951		
109.25	28,637	113.50	28,960		
109.50	28,665	113.75	28,969		
109.75	28,692	114.00	28,976		
110.00	28,718	114.25	28,983		
110.25	28,744	114.50	28,988		



## Capacity/Gauge Table Information

**TCLX 290293**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 093

Reporting Mark: TCLX 290293

Date: 23/07/2015

Capacity: 29,030 US Gallons (109,891 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	572	8.50	1,318	12.75	2,193	17.00	3,174
0.25	27	4.50	612	8.75	1,366	13.00	2,248	17.25	3,234
0.50	56	4.75	652	9.00	1,415	13.25	2,304	17.50	3,295
0.75	85	5.00	693	9.25	1,464	13.50	2,359	17.75	3,356
1.00	115	5.25	734	9.50	1,513	13.75	2,415	18.00	3,417
1.25	146	5.50	776	9.75	1,563	14.00	2,472	18.25	3,479
1.50	178	5.75	818	10.00	1,614	14.25	2,528	18.50	3,541
1.75	210	6.00	861	10.25	1,664	14.50	2,586	18.75	3,603
2.00	243	6.25	905	10.50	1,715	14.75	2,643	19.00	3,666
2.25	277	6.50	949	10.75	1,767	15.00	2,701	19.25	3,728
2.50	312	6.75	993	11.00	1,819	15.25	2,759	19.50	3,791
2.75	347	7.00	1,038	11.25	1,871	15.50	2,817	19.75	3,855
3.00	383	7.25	1,084	11.50	1,924	15.75	2,876	20.00	3,918
3.25	420	7.50	1,130	11.75	1,977	16.00	2,935	20.25	3,982
3.50	457	7.75	1,176	12.00	2,031	16.25	2,994	20.50	4,046
3.75	495	8.00	1,223	12.25	2,085	16.50	3,053	20.75	4,110
4.00	533	8.25	1,270	12.50	2,139	16.75	3,113	21.00	4,175



## Capacity/Gauge Table Information

**TCLX 290293**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 093

Reporting Mark: TCLX 290293

Date: 23/07/2015

Capacity: 29,030 US Gallons (109,891 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,240	25.50	5,378	29.75	6,576	34.00	7,822	38.25	9,109
21.50	4,305	25.75	5,447	30.00	6,648	34.25	7,897	38.50	9,186
21.75	4,370	26.00	5,516	30.25	6,720	34.50	7,972	38.75	9,262
22.00	4,436	26.25	5,585	30.50	6,792	34.75	8,047	39.00	9,339
22.25	4,502	26.50	5,655	30.75	6,865	35.00	8,122	39.25	9,416
22.50	4,568	26.75	5,724	31.00	6,938	35.25	8,197	39.50	9,493
22.75	4,634	27.00	5,794	31.25	7,011	35.50	8,272	39.75	9,571
23.00	4,700	27.25	5,864	31.50	7,084	35.75	8,348	40.00	9,648
23.25	4,767	27.50	5,935	31.75	7,157	36.00	8,423	40.25	9,725
23.50	4,834	27.75	6,005	32.00	7,230	36.25	8,499	40.50	9,803
23.75	4,901	28.00	6,076	32.25	7,304	36.50	8,575	40.75	9,881
24.00	4,969	28.25	6,147	32.50	7,377	36.75	8,651	41.00	9,958
24.25	5,036	28.50	6,218	32.75	7,451	37.00	8,727	41.25	10,036
24.50	5,104	28.75	6,289	33.00	7,525	37.25	8,803	41.50	10,114
24.75	5,172	29.00	6,360	33.25	7,599	37.50	8,879	41.75	10,192
25.00	5,241	29.25	6,432	33.50	7,674	37.75	8,956	42.00	10,270
25.25	5,309	29.50	6,504	33.75	7,748	38.00	9,032	42.25	10,348





## Capacity/Gauge Table Information

**TCLX 290293**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 093

Reporting Mark: TCLX 290293

Date: 23/07/2015

Capacity: 29,030 US Gallons (109,891 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,426	46.75	11,766	51.00	13,120	55.25	14,481	59.50	15,841
42.75	10,504	47.00	11,845	51.25	13,200	55.50	14,561	59.75	15,921
43.00	10,583	47.25	11,924	51.50	13,280	55.75	14,641	60.00	16,001
43.25	10,661	47.50	12,004	51.75	13,360	56.00	14,721	60.25	16,081
43.50	10,740	47.75	12,083	52.00	13,440	56.25	14,801	60.50	16,160
43.75	10,818	48.00	12,163	52.25	13,520	56.50	14,882	60.75	16,240
44.00	10,897	48.25	12,242	52.50	13,600	56.75	14,962	61.00	16,320
44.25	10,975	48.50	12,322	52.75	13,680	57.00	15,042	61.25	16,399
44.50	11,054	48.75	12,402	53.00	13,760	57.25	15,122	61.50	16,479
44.75	11,133	49.00	12,481	53.25	13,840	57.50	15,202	61.75	16,558
45.00	11,212	49.25	12,561	53.50	13,920	57.75	15,282	62.00	16,638
45.25	11,291	49.50	12,641	53.75	14,000	58.00	15,362	62.25	16,717
45.50	11,370	49.75	12,721	54.00	14,080	58.25	15,442	62.50	16,797
45.75	11,449	50.00	12,800	54.25	14,161	58.50	15,522	62.75	16,876
46.00	11,528	50.25	12,880	54.50	14,241	58.75	15,602	63.00	16,955
46.25	11,607	50.50	12,960	54.75	14,321	59.00	15,681	63.25	17,035
46.50	11,686	50.75	13,040	55.00	14,401	59.25	15,761	63.50	17,114



## Capacity/Gauge Table Information

**TCLX 290293**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 093

Reporting Mark: TCLX 290293

Date: 23/07/2015

Capacity: 29,030 US Gallons (109,891 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,193	68.00	18,528	72.25	19,840	76.50	21,118	80.75	22,356
64.00	17,272	68.25	18,606	72.50	19,916	76.75	21,192	81.00	22,427
64.25	17,351	68.50	18,684	72.75	19,992	77.00	21,266	81.25	22,498
64.50	17,430	68.75	18,762	73.00	20,068	77.25	21,340	81.50	22,569
64.75	17,509	69.00	18,839	73.25	20,144	77.50	21,414	81.75	22,640
65.00	17,588	69.25	18,917	73.50	20,220	77.75	21,487	82.00	22,710
65.25	17,667	69.50	18,994	73.75	20,295	78.00	21,560	82.25	22,781
65.50	17,745	69.75	19,072	74.00	20,371	78.25	21,633	82.50	22,851
65.75	17,824	70.00	19,149	74.25	20,446	78.50	21,706	82.75	22,921
66.00	17,903	70.25	19,226	74.50	20,521	78.75	21,779	83.00	22,990
66.25	17,981	70.50	19,303	74.75	20,596	79.00	21,852	83.25	23,060
66.50	18,059	70.75	19,380	75.00	20,671	79.25	21,924	83.50	23,129
66.75	18,138	71.00	19,457	75.25	20,746	79.50	21,997	83.75	23,199
67.00	18,216	71.25	19,534	75.50	20,821	79.75	22,069	84.00	23,268
67.25	18,294	71.50	19,610	75.75	20,896	80.00	22,141	84.25	23,336
67.50	18,372	71.75	19,687	76.00	20,970	80.25	22,212	84.50	23,405
67.75	18,451	72.00	19,763	76.25	21,044	80.50	22,284	84.75	23,473



## Capacity/Gauge Table Information

**TCLX 290293**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 093

Reporting Mark: TCLX 290293

Date: 23/07/2015

Capacity: 29,030 US Gallons (109,891 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,542	89.25	24,666	93.50	25,715	97.75	26,676	102.00	27,528
85.25	23,610	89.50	24,730	93.75	25,774	98.00	26,729	102.25	27,574
85.50	23,677	89.75	24,793	94.00	25,833	98.25	26,782	102.50	27,620
85.75	23,745	90.00	24,857	94.25	25,892	98.50	26,835	102.75	27,665
86.00	23,812	90.25	24,920	94.50	25,950	98.75	26,887	103.00	27,710
86.25	23,879	90.50	24,983	94.75	26,008	99.00	26,939	103.25	27,755
86.50	23,946	90.75	25,045	95.00	26,065	99.25	26,990	103.50	27,798
86.75	24,013	91.00	25,108	95.25	26,123	99.50	27,041	103.75	27,842
87.00	24,079	91.25	25,170	95.50	26,179	99.75	27,092	104.00	27,884
87.25	24,145	91.50	25,231	95.75	26,236	100.00	27,142	104.25	27,927
87.50	24,211	91.75	25,293	96.00	26,292	100.25	27,192	104.50	27,969
87.75	24,277	92.00	25,354	96.25	26,348	100.50	27,241	104.75	28,010
88.00	24,342	92.25	25,415	96.50	26,404	100.75	27,290	105.00	28,050
88.25	24,407	92.50	25,476	96.75	26,459	101.00	27,338	105.25	28,091
88.50	24,472	92.75	25,536	97.00	26,514	101.25	27,387	105.50	28,130
88.75	24,537	93.00	25,596	97.25	26,568	101.50	27,434	105.75	28,169
89.00	24,601	93.25	25,656	97.50	26,622	101.75	27,481	106.00	28,207



## Capacity/Gauge Table Information

**TCLX 290293**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 093

Reporting Mark: TCLX 290293

Date: 23/07/2015

Capacity: 29,030 US Gallons (109,891 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,245	110.50	28,780	114.75	29,015
106.50	28,282	110.75	28,804	115.00	29,020
106.75	28,319	111.00	28,826	115.25	29,023
107.00	28,355	111.25	28,848	115.50	29,025
107.25	28,390	111.50	28,868	115.75	29,027
107.50	28,425	111.75	28,886	116.00	29,029
107.75	28,458	112.00	28,903	116.25	29,030
108.00	28,492	112.25	28,919	116.50	29,030
108.25	28,524	112.50	28,934	116.75	29,030
108.50	28,556	112.75	28,948		
108.75	28,587	113.00	28,960		
109.00	28,617	113.25	28,971		
109.25	28,646	113.50	28,981		
109.50	28,675	113.75	28,990		
109.75	28,703	114.00	28,998		
110.00	28,729	114.25	29,004		
110.25	28,755	114.50	29,010		



## Capacity/Gauge Table Information

**TCLX 290294**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 094

Reporting Mark: TCLX 290294

Date: 23/07/2015

Capacity: 28,981 US Gallons (109,705 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,343	12.75	2,227	17.00	3,214
0.25	29	4.50	627	8.75	1,391	13.00	2,282	17.25	3,274
0.50	58	4.75	668	9.00	1,441	13.25	2,338	17.50	3,336
0.75	88	5.00	709	9.25	1,490	13.50	2,394	17.75	3,397
1.00	119	5.25	751	9.50	1,540	13.75	2,450	18.00	3,459
1.25	151	5.50	794	9.75	1,591	14.00	2,507	18.25	3,521
1.50	183	5.75	837	10.00	1,641	14.25	2,564	18.50	3,583
1.75	217	6.00	880	10.25	1,693	14.50	2,622	18.75	3,646
2.00	251	6.25	924	10.50	1,744	14.75	2,679	19.00	3,708
2.25	286	6.50	969	10.75	1,796	15.00	2,737	19.25	3,771
2.50	321	6.75	1,014	11.00	1,849	15.25	2,796	19.50	3,835
2.75	357	7.00	1,060	11.25	1,902	15.50	2,855	19.75	3,898
3.00	394	7.25	1,106	11.50	1,955	15.75	2,914	20.00	3,962
3.25	431	7.50	1,152	11.75	2,009	16.00	2,973	20.25	4,026
3.50	469	7.75	1,199	12.00	2,062	16.25	3,033	20.50	4,091
3.75	508	8.00	1,246	12.25	2,117	16.50	3,093	20.75	4,155
4.00	547	8.25	1,294	12.50	2,172	16.75	3,153	21.00	4,220



## Capacity/Gauge Table Information

**TCLX 290294**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 094

Reporting Mark: TCLX 290294

Date: 23/07/2015

Capacity: 28,981 US Gallons (109,705 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,286	25.50	5,428	29.75	6,630	34.00	7,880	38.25	9,168
21.50	4,351	25.75	5,497	30.00	6,702	34.25	7,955	38.50	9,245
21.75	4,417	26.00	5,567	30.25	6,775	34.50	8,030	38.75	9,322
22.00	4,482	26.25	5,636	30.50	6,847	34.75	8,105	39.00	9,399
22.25	4,549	26.50	5,706	30.75	6,920	35.00	8,180	39.25	9,476
22.50	4,615	26.75	5,776	31.00	6,993	35.25	8,255	39.50	9,554
22.75	4,681	27.00	5,846	31.25	7,066	35.50	8,331	39.75	9,631
23.00	4,748	27.25	5,917	31.50	7,139	35.75	8,406	40.00	9,708
23.25	4,815	27.50	5,987	31.75	7,213	36.00	8,482	40.25	9,786
23.50	4,883	27.75	6,058	32.00	7,286	36.25	8,558	40.50	9,863
23.75	4,950	28.00	6,129	32.25	7,360	36.50	8,634	40.75	9,941
24.00	5,018	28.25	6,200	32.50	7,434	36.75	8,710	41.00	10,019
24.25	5,086	28.50	6,271	32.75	7,508	37.00	8,786	41.25	10,097
24.50	5,154	28.75	6,342	33.00	7,582	37.25	8,862	41.50	10,175
24.75	5,222	29.00	6,414	33.25	7,656	37.50	8,939	41.75	10,253
25.00	5,291	29.25	6,486	33.50	7,731	37.75	9,015	42.00	10,331
25.25	5,359	29.50	6,558	33.75	7,805	38.00	9,092	42.25	10,409



## Capacity/Gauge Table Information

**TCLX 290294**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 094

Reporting Mark: TCLX 290294

Date: 23/07/2015

Capacity: 28,981 US Gallons (109,705 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,487	46.75	11,828	51.00	13,183	55.25	14,543	59.50	15,903
42.75	10,566	47.00	11,907	51.25	13,263	55.50	14,623	59.75	15,983
43.00	10,644	47.25	11,987	51.50	13,343	55.75	14,704	60.00	16,062
43.25	10,723	47.50	12,066	51.75	13,423	56.00	14,784	60.25	16,142
43.50	10,801	47.75	12,146	52.00	13,503	56.25	14,864	60.50	16,222
43.75	10,880	48.00	12,225	52.25	13,583	56.50	14,944	60.75	16,301
44.00	10,958	48.25	12,305	52.50	13,663	56.75	15,024	61.00	16,381
44.25	11,037	48.50	12,385	52.75	13,743	57.00	15,104	61.25	16,460
44.50	11,116	48.75	12,464	53.00	13,823	57.25	15,184	61.50	16,540
44.75	11,195	49.00	12,544	53.25	13,903	57.50	15,264	61.75	16,619
45.00	11,274	49.25	12,624	53.50	13,983	57.75	15,344	62.00	16,699
45.25	11,353	49.50	12,703	53.75	14,063	58.00	15,424	62.25	16,778
45.50	11,432	49.75	12,783	54.00	14,143	58.25	15,504	62.50	16,857
45.75	11,511	50.00	12,863	54.25	14,223	58.50	15,583	62.75	16,937
46.00	11,590	50.25	12,943	54.50	14,303	58.75	15,663	63.00	17,016
46.25	11,669	50.50	13,023	54.75	14,383	59.00	15,743	63.25	17,095
46.50	11,749	50.75	13,103	55.00	14,463	59.25	15,823	63.50	17,174





## Capacity/Gauge Table Information

**TCLX 290294**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 094

Reporting Mark: TCLX 290294

Date: 23/07/2015

Capacity: 28,981 US Gallons (109,705 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,253	68.00	18,586	72.25	19,895	76.50	21,170	80.75	22,403
64.00	17,332	68.25	18,664	72.50	19,971	76.75	21,244	81.00	22,474
64.25	17,411	68.50	18,742	72.75	20,047	77.00	21,318	81.25	22,545
64.50	17,490	68.75	18,819	73.00	20,123	77.25	21,391	81.50	22,615
64.75	17,569	69.00	18,897	73.25	20,198	77.50	21,464	81.75	22,686
65.00	17,647	69.25	18,974	73.50	20,274	77.75	21,538	82.00	22,756
65.25	17,726	69.50	19,052	73.75	20,349	78.00	21,611	82.25	22,826
65.50	17,805	69.75	19,129	74.00	20,425	78.25	21,683	82.50	22,896
65.75	17,883	70.00	19,206	74.25	20,500	78.50	21,756	82.75	22,966
66.00	17,962	70.25	19,283	74.50	20,575	78.75	21,829	83.00	23,035
66.25	18,040	70.50	19,360	74.75	20,650	79.00	21,901	83.25	23,105
66.50	18,118	70.75	19,436	75.00	20,724	79.25	21,973	83.50	23,174
66.75	18,196	71.00	19,513	75.25	20,799	79.50	22,045	83.75	23,243
67.00	18,275	71.25	19,590	75.50	20,874	79.75	22,117	84.00	23,311
67.25	18,353	71.50	19,666	75.75	20,948	80.00	22,189	84.25	23,380
67.50	18,431	71.75	19,743	76.00	21,022	80.25	22,260	84.50	23,448
67.75	18,509	72.00	19,819	76.25	21,096	80.50	22,332	84.75	23,516



## Capacity/Gauge Table Information

**TCLX 290294**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 094

Reporting Mark: TCLX 290294

Date: 23/07/2015

Capacity: 28,981 US Gallons (109,705 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,584	89.25	24,702	93.50	25,744	97.75	26,696	102.00	27,538
85.25	23,652	89.50	24,766	93.75	25,803	98.00	26,749	102.25	27,584
85.50	23,719	89.75	24,829	94.00	25,862	98.25	26,802	102.50	27,629
85.75	23,786	90.00	24,892	94.25	25,920	98.50	26,854	102.75	27,673
86.00	23,853	90.25	24,955	94.50	25,977	98.75	26,905	103.00	27,718
86.25	23,920	90.50	25,017	94.75	26,035	99.00	26,956	103.25	27,761
86.50	23,986	90.75	25,079	95.00	26,092	99.25	27,007	103.50	27,804
86.75	24,053	91.00	25,141	95.25	26,148	99.50	27,058	103.75	27,847
87.00	24,119	91.25	25,203	95.50	26,205	99.75	27,108	104.00	27,889
87.25	24,184	91.50	25,264	95.75	26,261	100.00	27,157	104.25	27,930
87.50	24,250	91.75	25,325	96.00	26,317	100.25	27,206	104.50	27,971
87.75	24,315	92.00	25,386	96.25	26,372	100.50	27,255	104.75	28,012
88.00	24,380	92.25	25,447	96.50	26,427	100.75	27,303	105.00	28,052
88.25	24,445	92.50	25,507	96.75	26,482	101.00	27,351	105.25	28,091
88.50	24,510	92.75	25,567	97.00	26,536	101.25	27,399	105.50	28,130
88.75	24,574	93.00	25,626	97.25	26,590	101.50	27,446	105.75	28,168
89.00	24,638	93.25	25,686	97.50	26,643	101.75	27,492	106.00	28,205



## Capacity/Gauge Table Information

**TCLX 290294**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 094

Reporting Mark: TCLX 290294

Date: 23/07/2015

Capacity: 28,981 US Gallons (109,705 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,242	110.50	28,756	114.75	28,968
106.50	28,278	110.75	28,778	115.00	28,972
106.75	28,314	111.00	28,798	115.25	28,975
107.00	28,349	111.25	28,817	115.50	28,977
107.25	28,383	111.50	28,835	115.75	28,979
107.50	28,416	111.75	28,852	116.00	28,980
107.75	28,449	112.00	28,867	116.25	28,981
108.00	28,481	112.25	28,882	116.50	28,981
108.25	28,513	112.50	28,895	116.75	28,981
108.50	28,543	112.75	28,907		
108.75	28,573	113.00	28,918		
109.00	28,602	113.25	28,928		
109.25	28,630	113.50	28,937		
109.50	28,657	113.75	28,945		
109.75	28,683	114.00	28,952		
110.00	28,709	114.25	28,958		
110.25	28,733	114.50	28,963		



## Capacity/Gauge Table Information

**TCLX 290295**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 095

Reporting Mark: TCLX 290295

Date: 23/07/2015

Capacity: 28,996 US Gallons (109,761 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,334	12.75	2,215	17.00	3,200
0.25	28	4.50	622	8.75	1,383	13.00	2,271	17.25	3,261
0.50	57	4.75	662	9.00	1,432	13.25	2,326	17.50	3,322
0.75	87	5.00	704	9.25	1,481	13.50	2,382	17.75	3,383
1.00	118	5.25	745	9.50	1,531	13.75	2,438	18.00	3,445
1.25	149	5.50	788	9.75	1,581	14.00	2,495	18.25	3,506
1.50	182	5.75	831	10.00	1,632	14.25	2,552	18.50	3,569
1.75	215	6.00	874	10.25	1,683	14.50	2,609	18.75	3,631
2.00	248	6.25	918	10.50	1,735	14.75	2,667	19.00	3,694
2.25	283	6.50	962	10.75	1,786	15.00	2,725	19.25	3,757
2.50	318	6.75	1,007	11.00	1,839	15.25	2,783	19.50	3,820
2.75	354	7.00	1,052	11.25	1,891	15.50	2,842	19.75	3,883
3.00	390	7.25	1,098	11.50	1,944	15.75	2,901	20.00	3,947
3.25	427	7.50	1,144	11.75	1,998	16.00	2,960	20.25	4,011
3.50	465	7.75	1,191	12.00	2,052	16.25	3,020	20.50	4,076
3.75	503	8.00	1,238	12.25	2,106	16.50	3,079	20.75	4,140
4.00	542	8.25	1,286	12.50	2,160	16.75	3,139	21.00	4,205



## Capacity/Gauge Table Information

**TCLX 290295**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 095

Reporting Mark: TCLX 290295

Date: 23/07/2015

Capacity: 28,996 US Gallons (109,761 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,270	25.50	5,411	29.75	6,611	34.00	7,860	38.25	9,148
21.50	4,335	25.75	5,480	30.00	6,684	34.25	7,935	38.50	9,225
21.75	4,401	26.00	5,549	30.25	6,756	34.50	8,010	38.75	9,302
22.00	4,467	26.25	5,619	30.50	6,828	34.75	8,085	39.00	9,379
22.25	4,533	26.50	5,689	30.75	6,901	35.00	8,160	39.25	9,456
22.50	4,599	26.75	5,758	31.00	6,974	35.25	8,235	39.50	9,533
22.75	4,665	27.00	5,829	31.25	7,047	35.50	8,311	39.75	9,610
23.00	4,732	27.25	5,899	31.50	7,120	35.75	8,386	40.00	9,688
23.25	4,799	27.50	5,969	31.75	7,194	36.00	8,462	40.25	9,765
23.50	4,866	27.75	6,040	32.00	7,267	36.25	8,538	40.50	9,843
23.75	4,933	28.00	6,111	32.25	7,341	36.50	8,614	40.75	9,920
24.00	5,001	28.25	6,182	32.50	7,414	36.75	8,690	41.00	9,998
24.25	5,069	28.50	6,253	32.75	7,488	37.00	8,766	41.25	10,076
24.50	5,137	28.75	6,324	33.00	7,562	37.25	8,842	41.50	10,154
24.75	5,205	29.00	6,396	33.25	7,637	37.50	8,918	41.75	10,232
25.00	5,274	29.25	6,467	33.50	7,711	37.75	8,995	42.00	10,310
25.25	5,342	29.50	6,539	33.75	7,785	38.00	9,071	42.25	10,388



## Capacity/Gauge Table Information

**TCLX 290295**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 095

Reporting Mark: TCLX 290295

Date: 23/07/2015

Capacity: 28,996 US Gallons (109,761 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,466	46.75	11,806	51.00	13,161	55.25	14,522	59.50	15,881
42.75	10,545	47.00	11,886	51.25	13,241	55.50	14,602	59.75	15,961
43.00	10,623	47.25	11,965	51.50	13,321	55.75	14,682	60.00	16,041
43.25	10,701	47.50	12,045	51.75	13,401	56.00	14,762	60.25	16,121
43.50	10,780	47.75	12,124	52.00	13,481	56.25	14,842	60.50	16,200
43.75	10,858	48.00	12,204	52.25	13,561	56.50	14,922	60.75	16,280
44.00	10,937	48.25	12,283	52.50	13,641	56.75	15,002	61.00	16,359
44.25	11,016	48.50	12,363	52.75	13,721	57.00	15,082	61.25	16,439
44.50	11,095	48.75	12,443	53.00	13,801	57.25	15,162	61.50	16,519
44.75	11,174	49.00	12,522	53.25	13,881	57.50	15,242	61.75	16,598
45.00	11,252	49.25	12,602	53.50	13,961	57.75	15,322	62.00	16,677
45.25	11,331	49.50	12,682	53.75	14,041	58.00	15,402	62.25	16,757
45.50	11,410	49.75	12,762	54.00	14,121	58.25	15,482	62.50	16,836
45.75	11,490	50.00	12,841	54.25	14,201	58.50	15,562	62.75	16,915
46.00	11,569	50.25	12,921	54.50	14,281	58.75	15,642	63.00	16,995
46.25	11,648	50.50	13,001	54.75	14,362	59.00	15,722	63.25	17,074
46.50	11,727	50.75	13,081	55.00	14,442	59.25	15,802	63.50	17,153



## Capacity/Gauge Table Information

**TCLX 290295**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 095

Reporting Mark: TCLX 290295

Date: 23/07/2015

Capacity: 28,996 US Gallons (109,761 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,232	68.00	18,566	72.25	19,875	76.50	21,152	80.75	22,386
64.00	17,311	68.25	18,644	72.50	19,952	76.75	21,226	81.00	22,457
64.25	17,390	68.50	18,722	72.75	20,027	77.00	21,299	81.25	22,528
64.50	17,469	68.75	18,799	73.00	20,103	77.25	21,373	81.50	22,599
64.75	17,548	69.00	18,877	73.25	20,179	77.50	21,446	81.75	22,669
65.00	17,626	69.25	18,954	73.50	20,255	77.75	21,520	82.00	22,740
65.25	17,705	69.50	19,031	73.75	20,330	78.00	21,593	82.25	22,810
65.50	17,784	69.75	19,109	74.00	20,405	78.25	21,666	82.50	22,880
65.75	17,862	70.00	19,186	74.25	20,481	78.50	21,738	82.75	22,950
66.00	17,941	70.25	19,263	74.50	20,556	78.75	21,811	83.00	23,019
66.25	18,019	70.50	19,340	74.75	20,631	79.00	21,883	83.25	23,089
66.50	18,098	70.75	19,417	75.00	20,706	79.25	21,956	83.50	23,158
66.75	18,176	71.00	19,493	75.25	20,780	79.50	22,028	83.75	23,227
67.00	18,254	71.25	19,570	75.50	20,855	79.75	22,100	84.00	23,296
67.25	18,332	71.50	19,647	75.75	20,929	80.00	22,172	84.25	23,364
67.50	18,410	71.75	19,723	76.00	21,004	80.25	22,243	84.50	23,432
67.75	18,488	72.00	19,799	76.25	21,078	80.50	22,315	84.75	23,501





## Capacity/Gauge Table Information

**TCLX 290295**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 095

Reporting Mark: TCLX 290295

Date: 23/07/2015

Capacity: 28,996 US Gallons (109,761 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,569	89.25	24,689	93.50	25,733	97.75	26,688	102.00	27,533
85.25	23,636	89.50	24,752	93.75	25,792	98.00	26,741	102.25	27,579
85.50	23,704	89.75	24,816	94.00	25,851	98.25	26,794	102.50	27,625
85.75	23,771	90.00	24,879	94.25	25,909	98.50	26,846	102.75	27,669
86.00	23,838	90.25	24,942	94.50	25,967	98.75	26,898	103.00	27,714
86.25	23,905	90.50	25,004	94.75	26,024	99.00	26,949	103.25	27,758
86.50	23,972	90.75	25,067	95.00	26,082	99.25	27,000	103.50	27,801
86.75	24,038	91.00	25,129	95.25	26,138	99.50	27,051	103.75	27,844
87.00	24,104	91.25	25,190	95.50	26,195	99.75	27,101	104.00	27,886
87.25	24,170	91.50	25,252	95.75	26,251	100.00	27,151	104.25	27,928
87.50	24,236	91.75	25,313	96.00	26,307	100.25	27,200	104.50	27,969
87.75	24,301	92.00	25,374	96.25	26,363	100.50	27,249	104.75	28,010
88.00	24,366	92.25	25,435	96.50	26,418	100.75	27,298	105.00	28,050
88.25	24,431	92.50	25,495	96.75	26,473	101.00	27,346	105.25	28,089
88.50	24,496	92.75	25,555	97.00	26,527	101.25	27,393	105.50	28,128
88.75	24,560	93.00	25,615	97.25	26,581	101.50	27,441	105.75	28,167
89.00	24,625	93.25	25,674	97.50	26,635	101.75	27,487	106.00	28,205



## Capacity/Gauge Table Information

**TCLX 290295**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 095

Reporting Mark: TCLX 290295

Date: 23/07/2015

Capacity: 28,996 US Gallons (109,761 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,242	110.50	28,763	114.75	28,982
106.50	28,278	110.75	28,785	115.00	28,986
106.75	28,314	111.00	28,806	115.25	28,989
107.00	28,349	111.25	28,826	115.50	28,992
107.25	28,384	111.50	28,845	115.75	28,993
107.50	28,418	111.75	28,862	116.00	28,995
107.75	28,451	112.00	28,878	116.25	28,995
108.00	28,483	112.25	28,893	116.50	28,996
108.25	28,515	112.50	28,907	116.75	28,996
108.50	28,546	112.75	28,919		
108.75	28,576	113.00	28,930		
109.00	28,606	113.25	28,941		
109.25	28,634	113.50	28,950		
109.50	28,662	113.75	28,958		
109.75	28,689	114.00	28,966		
110.00	28,714	114.25	28,972		
110.25	28,739	114.50	28,978		



## Capacity/Gauge Table Information

**TCLX 290296**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 096

Reporting Mark: TCLX 290296

Date: 23/07/2015

Capacity: 29,050 US Gallons (109,967 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,348	12.75	2,234	17.00	3,222
0.25	29	4.50	630	8.75	1,397	13.00	2,289	17.25	3,283
0.50	58	4.75	671	9.00	1,446	13.25	2,345	17.50	3,345
0.75	89	5.00	712	9.25	1,496	13.50	2,401	17.75	3,406
1.00	120	5.25	755	9.50	1,546	13.75	2,458	18.00	3,468
1.25	152	5.50	797	9.75	1,596	14.00	2,515	18.25	3,530
1.50	185	5.75	840	10.00	1,647	14.25	2,572	18.50	3,593
1.75	218	6.00	884	10.25	1,699	14.50	2,629	18.75	3,655
2.00	252	6.25	928	10.50	1,750	14.75	2,687	19.00	3,718
2.25	287	6.50	973	10.75	1,803	15.00	2,746	19.25	3,781
2.50	323	6.75	1,018	11.00	1,855	15.25	2,804	19.50	3,845
2.75	359	7.00	1,064	11.25	1,908	15.50	2,863	19.75	3,909
3.00	396	7.25	1,110	11.50	1,961	15.75	2,922	20.00	3,973
3.25	433	7.50	1,157	11.75	2,015	16.00	2,982	20.25	4,037
3.50	471	7.75	1,204	12.00	2,069	16.25	3,041	20.50	4,101
3.75	510	8.00	1,251	12.25	2,124	16.50	3,101	20.75	4,166
4.00	549	8.25	1,299	12.50	2,178	16.75	3,162	21.00	4,231



## Capacity/Gauge Table Information

**TCLX 290296**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 096

Reporting Mark: TCLX 290296

Date: 23/07/2015

Capacity: 29,050 US Gallons (109,967 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,296	25.50	5,441	29.75	6,644	34.00	7,896	38.25	9,187
21.50	4,362	25.75	5,510	30.00	6,717	34.25	7,971	38.50	9,264
21.75	4,428	26.00	5,580	30.25	6,789	34.50	8,046	38.75	9,341
22.00	4,494	26.25	5,649	30.50	6,862	34.75	8,121	39.00	9,418
22.25	4,560	26.50	5,719	30.75	6,935	35.00	8,197	39.25	9,495
22.50	4,626	26.75	5,789	31.00	7,008	35.25	8,272	39.50	9,573
22.75	4,693	27.00	5,860	31.25	7,081	35.50	8,348	39.75	9,650
23.00	4,760	27.25	5,930	31.50	7,155	35.75	8,423	40.00	9,728
23.25	4,827	27.50	6,001	31.75	7,228	36.00	8,499	40.25	9,805
23.50	4,894	27.75	6,071	32.00	7,302	36.25	8,575	40.50	9,883
23.75	4,962	28.00	6,142	32.25	7,376	36.50	8,651	40.75	9,961
24.00	5,030	28.25	6,214	32.50	7,450	36.75	8,727	41.00	10,039
24.25	5,098	28.50	6,285	32.75	7,524	37.00	8,804	41.25	10,117
24.50	5,166	28.75	6,357	33.00	7,598	37.25	8,880	41.50	10,195
24.75	5,234	29.00	6,428	33.25	7,672	37.50	8,957	41.75	10,273
25.00	5,303	29.25	6,500	33.50	7,747	37.75	9,033	42.00	10,351
25.25	5,372	29.50	6,572	33.75	7,821	38.00	9,110	42.25	10,429



## Capacity/Gauge Table Information

**TCLX 290296**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 096

Reporting Mark: TCLX 290296

Date: 23/07/2015

Capacity: 29,050 US Gallons (109,967 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,508	46.75	11,850	51.00	13,207	55.25	14,570	59.50	15,931
42.75	10,586	47.00	11,930	51.25	13,287	55.50	14,650	59.75	16,011
43.00	10,665	47.25	12,009	51.50	13,367	55.75	14,730	60.00	16,091
43.25	10,743	47.50	12,089	51.75	13,447	56.00	14,810	60.25	16,171
43.50	10,822	47.75	12,169	52.00	13,527	56.25	14,891	60.50	16,251
43.75	10,901	48.00	12,248	52.25	13,608	56.50	14,971	60.75	16,330
44.00	10,979	48.25	12,328	52.50	13,688	56.75	15,051	61.00	16,410
44.25	11,058	48.50	12,408	52.75	13,768	57.00	15,131	61.25	16,490
44.50	11,137	48.75	12,488	53.00	13,848	57.25	15,211	61.50	16,569
44.75	11,216	49.00	12,567	53.25	13,928	57.50	15,291	61.75	16,649
45.00	11,295	49.25	12,647	53.50	14,008	57.75	15,371	62.00	16,728
45.25	11,374	49.50	12,727	53.75	14,089	58.00	15,451	62.25	16,808
45.50	11,454	49.75	12,807	54.00	14,169	58.25	15,531	62.50	16,887
45.75	11,533	50.00	12,887	54.25	14,249	58.50	15,612	62.75	16,967
46.00	11,612	50.25	12,967	54.50	14,329	58.75	15,692	63.00	17,046
46.25	11,692	50.50	13,047	54.75	14,409	59.00	15,771	63.25	17,125
46.50	11,771	50.75	13,127	55.00	14,490	59.25	15,851	63.50	17,205



## Capacity/Gauge Table Information

**TCLX 290296**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 096

Reporting Mark: TCLX 290296

Date: 23/07/2015

Capacity: 29,050 US Gallons (109,967 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,284	68.00	18,619	72.25	19,930	76.50	21,208	80.75	22,443
64.00	17,363	68.25	18,697	72.50	20,006	76.75	21,281	81.00	22,514
64.25	17,442	68.50	18,775	72.75	20,082	77.00	21,355	81.25	22,585
64.50	17,521	68.75	18,853	73.00	20,158	77.25	21,429	81.50	22,656
64.75	17,600	69.00	18,930	73.25	20,234	77.50	21,502	81.75	22,726
65.00	17,679	69.25	19,008	73.50	20,310	77.75	21,576	82.00	22,797
65.25	17,757	69.50	19,085	73.75	20,385	78.00	21,649	82.25	22,867
65.50	17,836	69.75	19,162	74.00	20,461	78.25	21,722	82.50	22,937
65.75	17,915	70.00	19,240	74.25	20,536	78.50	21,795	82.75	23,007
66.00	17,993	70.25	19,317	74.50	20,611	78.75	21,867	83.00	23,076
66.25	18,072	70.50	19,394	74.75	20,686	79.00	21,940	83.25	23,146
66.50	18,150	70.75	19,471	75.00	20,761	79.25	22,012	83.50	23,215
66.75	18,229	71.00	19,548	75.25	20,836	79.50	22,084	83.75	23,284
67.00	18,307	71.25	19,624	75.50	20,910	79.75	22,156	84.00	23,353
67.25	18,385	71.50	19,701	75.75	20,985	80.00	22,228	84.25	23,422
67.50	18,463	71.75	19,777	76.00	21,059	80.25	22,300	84.50	23,490
67.75	18,541	72.00	19,854	76.25	21,133	80.50	22,371	84.75	23,558



## Capacity/Gauge Table Information

**TCLX 290296**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 096

Reporting Mark: TCLX 290296

Date: 23/07/2015

Capacity: 29,050 US Gallons (109,967 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,626	89.25	24,747	93.50	25,792	97.75	26,747	102.00	27,592
85.25	23,694	89.50	24,810	93.75	25,851	98.00	26,800	102.25	27,638
85.50	23,761	89.75	24,874	94.00	25,909	98.25	26,852	102.50	27,683
85.75	23,829	90.00	24,937	94.25	25,968	98.50	26,905	102.75	27,728
86.00	23,896	90.25	25,000	94.50	26,025	98.75	26,956	103.00	27,772
86.25	23,963	90.50	25,063	94.75	26,083	99.00	27,008	103.25	27,816
86.50	24,029	90.75	25,125	95.00	26,140	99.25	27,059	103.50	27,859
86.75	24,096	91.00	25,187	95.25	26,197	99.50	27,109	103.75	27,902
87.00	24,162	91.25	25,249	95.50	26,254	99.75	27,160	104.00	27,944
87.25	24,228	91.50	25,310	95.75	26,310	100.00	27,209	104.25	27,986
87.50	24,294	91.75	25,372	96.00	26,366	100.25	27,259	104.50	28,027
87.75	24,359	92.00	25,433	96.25	26,421	100.50	27,308	104.75	28,068
88.00	24,424	92.25	25,493	96.50	26,476	100.75	27,356	105.00	28,108
88.25	24,489	92.50	25,554	96.75	26,531	101.00	27,404	105.25	28,147
88.50	24,554	92.75	25,614	97.00	26,586	101.25	27,452	105.50	28,186
88.75	24,619	93.00	25,673	97.25	26,640	101.50	27,499	105.75	28,225
89.00	24,683	93.25	25,733	97.50	26,694	101.75	27,546	106.00	28,262





## Capacity/Gauge Table Information

**TCLX 290296**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 096

Reporting Mark: TCLX 290296

Date: 23/07/2015

Capacity: 29,050 US Gallons (109,967 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,299	110.50	28,819	114.75	29,037
106.50	28,336	110.75	28,841	115.00	29,041
106.75	28,372	111.00	28,862	115.25	29,044
107.00	28,407	111.25	28,882	115.50	29,046
107.25	28,442	111.50	28,901	115.75	29,048
107.50	28,475	111.75	28,918	116.00	29,049
107.75	28,508	112.00	28,934	116.25	29,050
108.00	28,541	112.25	28,948	116.50	29,050
108.25	28,572	112.50	28,962	116.75	29,050
108.50	28,603	112.75	28,974		
108.75	28,633	113.00	28,985		
109.00	28,663	113.25	28,996		
109.25	28,691	113.50	29,005		
109.50	28,719	113.75	29,013		
109.75	28,745	114.00	29,020		
110.00	28,771	114.25	29,027		
110.25	28,796	114.50	29,032		



## Capacity/Gauge Table Information

**TCLX 290297**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 097

Reporting Mark: TCLX 290297

Date: 23/07/2015

Capacity: 28,993 US Gallons (109,751 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,233	17.00	3,221
0.25	29	4.50	630	8.75	1,396	13.00	2,288	17.25	3,282
0.50	58	4.75	671	9.00	1,445	13.25	2,344	17.50	3,344
0.75	89	5.00	712	9.25	1,495	13.50	2,401	17.75	3,405
1.00	120	5.25	754	9.50	1,545	13.75	2,457	18.00	3,467
1.25	152	5.50	797	9.75	1,596	14.00	2,514	18.25	3,529
1.50	185	5.75	840	10.00	1,647	14.25	2,571	18.50	3,591
1.75	218	6.00	884	10.25	1,698	14.50	2,629	18.75	3,654
2.00	252	6.25	928	10.50	1,750	14.75	2,687	19.00	3,717
2.25	287	6.50	973	10.75	1,802	15.00	2,745	19.25	3,780
2.50	323	6.75	1,018	11.00	1,855	15.25	2,803	19.50	3,844
2.75	359	7.00	1,064	11.25	1,908	15.50	2,862	19.75	3,907
3.00	396	7.25	1,110	11.50	1,961	15.75	2,921	20.00	3,971
3.25	433	7.50	1,156	11.75	2,015	16.00	2,981	20.25	4,035
3.50	471	7.75	1,203	12.00	2,069	16.25	3,040	20.50	4,100
3.75	510	8.00	1,251	12.25	2,123	16.50	3,100	20.75	4,165
4.00	549	8.25	1,299	12.50	2,178	16.75	3,161	21.00	4,230



## Capacity/Gauge Table Information

**TCLX 290297**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 097

Reporting Mark: TCLX 290297

Date: 23/07/2015

Capacity: 28,993 US Gallons (109,751 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,295	25.50	5,439	29.75	6,641	34.00	7,892	38.25	9,182
21.50	4,360	25.75	5,508	30.00	6,714	34.25	7,967	38.50	9,259
21.75	4,426	26.00	5,577	30.25	6,786	34.50	8,042	38.75	9,336
22.00	4,492	26.25	5,647	30.50	6,859	34.75	8,117	39.00	9,413
22.25	4,558	26.50	5,717	30.75	6,932	35.00	8,193	39.25	9,490
22.50	4,625	26.75	5,787	31.00	7,005	35.25	8,268	39.50	9,567
22.75	4,691	27.00	5,857	31.25	7,078	35.50	8,344	39.75	9,645
23.00	4,758	27.25	5,928	31.50	7,151	35.75	8,419	40.00	9,722
23.25	4,825	27.50	5,998	31.75	7,225	36.00	8,495	40.25	9,800
23.50	4,892	27.75	6,069	32.00	7,298	36.25	8,571	40.50	9,877
23.75	4,960	28.00	6,140	32.25	7,372	36.50	8,647	40.75	9,955
24.00	5,028	28.25	6,211	32.50	7,446	36.75	8,723	41.00	10,033
24.25	5,096	28.50	6,282	32.75	7,520	37.00	8,799	41.25	10,111
24.50	5,164	28.75	6,354	33.00	7,594	37.25	8,876	41.50	10,189
24.75	5,232	29.00	6,425	33.25	7,669	37.50	8,952	41.75	10,267
25.00	5,301	29.25	6,497	33.50	7,743	37.75	9,029	42.00	10,345
25.25	5,370	29.50	6,569	33.75	7,818	38.00	9,105	42.25	10,423



## Capacity/Gauge Table Information

**TCLX 290297**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 097

Reporting Mark: TCLX 290297

Date: 23/07/2015

Capacity: 28,993 US Gallons (109,751 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,502	46.75	11,843	51.00	13,198	55.25	14,560	59.50	15,920
42.75	10,580	47.00	11,922	51.25	13,278	55.50	14,640	59.75	15,999
43.00	10,658	47.25	12,002	51.50	13,358	55.75	14,720	60.00	16,079
43.25	10,737	47.50	12,081	51.75	13,438	56.00	14,800	60.25	16,159
43.50	10,816	47.75	12,161	52.00	13,518	56.25	14,880	60.50	16,238
43.75	10,894	48.00	12,241	52.25	13,598	56.50	14,960	60.75	16,318
44.00	10,973	48.25	12,320	52.50	13,678	56.75	15,040	61.00	16,398
44.25	11,052	48.50	12,400	52.75	13,759	57.00	15,120	61.25	16,477
44.50	11,131	48.75	12,480	53.00	13,839	57.25	15,200	61.50	16,557
44.75	11,210	49.00	12,559	53.25	13,919	57.50	15,280	61.75	16,636
45.00	11,289	49.25	12,639	53.50	13,999	57.75	15,360	62.00	16,716
45.25	11,368	49.50	12,719	53.75	14,079	58.00	15,440	62.25	16,795
45.50	11,447	49.75	12,799	54.00	14,159	58.25	15,520	62.50	16,874
45.75	11,526	50.00	12,879	54.25	14,239	58.50	15,600	62.75	16,954
46.00	11,605	50.25	12,958	54.50	14,319	58.75	15,680	63.00	17,033
46.25	11,684	50.50	13,038	54.75	14,399	59.00	15,760	63.25	17,112
46.50	11,764	50.75	13,118	55.00	14,480	59.25	15,840	63.50	17,191



## Capacity/Gauge Table Information

**TCLX 290297**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 097

Reporting Mark: TCLX 290297

Date: 23/07/2015

Capacity: 28,993 US Gallons (109,751 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,270	68.00	18,604	72.25	19,913	76.50	21,188	80.75	22,421
64.00	17,349	68.25	18,682	72.50	19,989	76.75	21,262	81.00	22,492
64.25	17,428	68.50	18,759	72.75	20,065	77.00	21,336	81.25	22,563
64.50	17,507	68.75	18,837	73.00	20,140	77.25	21,409	81.50	22,634
64.75	17,586	69.00	18,914	73.25	20,216	77.50	21,482	81.75	22,704
65.00	17,665	69.25	18,992	73.50	20,292	77.75	21,556	82.00	22,774
65.25	17,743	69.50	19,069	73.75	20,367	78.00	21,629	82.25	22,844
65.50	17,822	69.75	19,146	74.00	20,442	78.25	21,701	82.50	22,914
65.75	17,900	70.00	19,223	74.25	20,518	78.50	21,774	82.75	22,984
66.00	17,979	70.25	19,300	74.50	20,593	78.75	21,847	83.00	23,053
66.25	18,057	70.50	19,377	74.75	20,668	79.00	21,919	83.25	23,123
66.50	18,136	70.75	19,454	75.00	20,742	79.25	21,991	83.50	23,192
66.75	18,214	71.00	19,531	75.25	20,817	79.50	22,063	83.75	23,261
67.00	18,292	71.25	19,607	75.50	20,891	79.75	22,135	84.00	23,329
67.25	18,370	71.50	19,684	75.75	20,966	80.00	22,207	84.25	23,398
67.50	18,448	71.75	19,760	76.00	21,040	80.25	22,279	84.50	23,466
67.75	18,526	72.00	19,837	76.25	21,114	80.50	22,350	84.75	23,534



## Capacity/Gauge Table Information

**TCLX 290297**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 097

Reporting Mark: TCLX 290297

Date: 23/07/2015

Capacity: 28,993 US Gallons (109,751 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,602	89.25	24,720	93.50	25,762	97.75	26,714	102.00	27,555
85.25	23,670	89.50	24,783	93.75	25,821	98.00	26,766	102.25	27,600
85.50	23,737	89.75	24,847	94.00	25,879	98.25	26,819	102.50	27,645
85.75	23,804	90.00	24,910	94.25	25,937	98.50	26,871	102.75	27,690
86.00	23,871	90.25	24,972	94.50	25,995	98.75	26,922	103.00	27,734
86.25	23,938	90.50	25,035	94.75	26,052	99.00	26,974	103.25	27,778
86.50	24,004	90.75	25,097	95.00	26,109	99.25	27,024	103.50	27,821
86.75	24,071	91.00	25,159	95.25	26,166	99.50	27,075	103.75	27,863
87.00	24,137	91.25	25,221	95.50	26,222	99.75	27,125	104.00	27,905
87.25	24,202	91.50	25,282	95.75	26,278	100.00	27,174	104.25	27,947
87.50	24,268	91.75	25,343	96.00	26,334	100.25	27,223	104.50	27,987
87.75	24,333	92.00	25,404	96.25	26,389	100.50	27,272	104.75	28,028
88.00	24,398	92.25	25,464	96.50	26,444	100.75	27,320	105.00	28,068
88.25	24,463	92.50	25,525	96.75	26,499	101.00	27,368	105.25	28,107
88.50	24,528	92.75	25,584	97.00	26,553	101.25	27,416	105.50	28,145
88.75	24,592	93.00	25,644	97.25	26,607	101.50	27,462	105.75	28,183
89.00	24,656	93.25	25,703	97.50	26,661	101.75	27,509	106.00	28,221



## Capacity/Gauge Table Information

**TCLX 290297**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 097

Reporting Mark: TCLX 290297

Date: 23/07/2015

Capacity: 28,993 US Gallons (109,751 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,258	110.50	28,770	114.75	28,980
106.50	28,294	110.75	28,792	115.00	28,984
106.75	28,329	111.00	28,812	115.25	28,987
107.00	28,364	111.25	28,831	115.50	28,989
107.25	28,398	111.50	28,849	115.75	28,991
107.50	28,432	111.75	28,865	116.00	28,992
107.75	28,465	112.00	28,881	116.25	28,993
108.00	28,497	112.25	28,895	116.50	28,993
108.25	28,528	112.50	28,908	116.75	28,993
108.50	28,558	112.75	28,920		
108.75	28,588	113.00	28,931		
109.00	28,617	113.25	28,941		
109.25	28,645	113.50	28,949		
109.50	28,672	113.75	28,957		
109.75	28,698	114.00	28,964		
110.00	28,723	114.25	28,970		
110.25	28,747	114.50	28,976		





## Capacity/Gauge Table Information

**TCLX 290298**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 098

Reporting Mark: TCLX 290298

Date: 24/07/2015

Capacity: 29,011 US Gallons (109,819 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	581	8.50	1,333	12.75	2,214	17.00	3,198
0.25	28	4.50	621	8.75	1,381	13.00	2,269	17.25	3,259
0.50	57	4.75	661	9.00	1,430	13.25	2,324	17.50	3,320
0.75	87	5.00	703	9.25	1,480	13.50	2,380	17.75	3,381
1.00	118	5.25	744	9.50	1,530	13.75	2,437	18.00	3,443
1.25	149	5.50	787	9.75	1,580	14.00	2,493	18.25	3,505
1.50	181	5.75	829	10.00	1,630	14.25	2,550	18.50	3,567
1.75	214	6.00	873	10.25	1,682	14.50	2,608	18.75	3,629
2.00	248	6.25	917	10.50	1,733	14.75	2,665	19.00	3,692
2.25	282	6.50	961	10.75	1,785	15.00	2,723	19.25	3,755
2.50	317	6.75	1,006	11.00	1,837	15.25	2,781	19.50	3,818
2.75	353	7.00	1,051	11.25	1,890	15.50	2,840	19.75	3,882
3.00	389	7.25	1,097	11.50	1,943	15.75	2,899	20.00	3,945
3.25	427	7.50	1,143	11.75	1,996	16.00	2,958	20.25	4,009
3.50	464	7.75	1,190	12.00	2,050	16.25	3,018	20.50	4,074
3.75	502	8.00	1,237	12.25	2,104	16.50	3,077	20.75	4,138
4.00	541	8.25	1,285	12.50	2,159	16.75	3,138	21.00	4,203



## Capacity/Gauge Table Information

**TCLX 290298**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 098

Reporting Mark: TCLX 290298

Date: 24/07/2015

Capacity: 29,011 US Gallons (109,819 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,268	25.50	5,409	29.75	6,610	34.00	7,859	38.25	9,147
21.50	4,333	25.75	5,478	30.00	6,682	34.25	7,934	38.50	9,224
21.75	4,399	26.00	5,548	30.25	6,754	34.50	8,009	38.75	9,301
22.00	4,465	26.25	5,617	30.50	6,827	34.75	8,084	39.00	9,378
22.25	4,531	26.50	5,687	30.75	6,900	35.00	8,159	39.25	9,455
22.50	4,597	26.75	5,757	31.00	6,972	35.25	8,234	39.50	9,532
22.75	4,663	27.00	5,827	31.25	7,046	35.50	8,309	39.75	9,609
23.00	4,730	27.25	5,897	31.50	7,119	35.75	8,385	40.00	9,687
23.25	4,797	27.50	5,967	31.75	7,192	36.00	8,461	40.25	9,764
23.50	4,864	27.75	6,038	32.00	7,266	36.25	8,537	40.50	9,842
23.75	4,932	28.00	6,109	32.25	7,339	36.50	8,612	40.75	9,920
24.00	4,999	28.25	6,180	32.50	7,413	36.75	8,688	41.00	9,997
24.25	5,067	28.50	6,251	32.75	7,487	37.00	8,765	41.25	10,075
24.50	5,135	28.75	6,323	33.00	7,561	37.25	8,841	41.50	10,153
24.75	5,203	29.00	6,394	33.25	7,635	37.50	8,917	41.75	10,231
25.00	5,272	29.25	6,466	33.50	7,710	37.75	8,994	42.00	10,309
25.25	5,340	29.50	6,538	33.75	7,784	38.00	9,070	42.25	10,387



## Capacity/Gauge Table Information

**TCLX 290298**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 098

Reporting Mark: TCLX 290298

Date: 24/07/2015

Capacity: 29,011 US Gallons (109,819 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,466	46.75	11,807	51.00	13,162	55.25	14,523	59.50	15,883
42.75	10,544	47.00	11,886	51.25	13,242	55.50	14,603	59.75	15,963
43.00	10,623	47.25	11,965	51.50	13,322	55.75	14,683	60.00	16,043
43.25	10,701	47.50	12,045	51.75	13,402	56.00	14,763	60.25	16,123
43.50	10,780	47.75	12,124	52.00	13,482	56.25	14,843	60.50	16,202
43.75	10,858	48.00	12,204	52.25	13,562	56.50	14,924	60.75	16,282
44.00	10,937	48.25	12,284	52.50	13,642	56.75	15,004	61.00	16,362
44.25	11,016	48.50	12,363	52.75	13,722	57.00	15,084	61.25	16,441
44.50	11,094	48.75	12,443	53.00	13,802	57.25	15,164	61.50	16,521
44.75	11,173	49.00	12,523	53.25	13,882	57.50	15,244	61.75	16,600
45.00	11,252	49.25	12,602	53.50	13,962	57.75	15,324	62.00	16,680
45.25	11,331	49.50	12,682	53.75	14,042	58.00	15,404	62.25	16,759
45.50	11,410	49.75	12,762	54.00	14,122	58.25	15,484	62.50	16,839
45.75	11,490	50.00	12,842	54.25	14,202	58.50	15,564	62.75	16,918
46.00	11,569	50.25	12,922	54.50	14,283	58.75	15,644	63.00	16,997
46.25	11,648	50.50	13,002	54.75	14,363	59.00	15,723	63.25	17,076
46.50	11,727	50.75	13,082	55.00	14,443	59.25	15,803	63.50	17,155



## Capacity/Gauge Table Information

**TCLX 290298**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 098

Reporting Mark: TCLX 290298

Date: 24/07/2015

Capacity: 29,011 US Gallons (109,819 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,235	68.00	18,569	72.25	19,879	76.50	21,157	80.75	22,392
64.00	17,314	68.25	18,647	72.50	19,956	76.75	21,230	81.00	22,463
64.25	17,393	68.50	18,725	72.75	20,032	77.00	21,304	81.25	22,534
64.50	17,472	68.75	18,803	73.00	20,108	77.25	21,378	81.50	22,605
64.75	17,550	69.00	18,880	73.25	20,183	77.50	21,451	81.75	22,675
65.00	17,629	69.25	18,958	73.50	20,259	77.75	21,525	82.00	22,746
65.25	17,708	69.50	19,035	73.75	20,334	78.00	21,598	82.25	22,816
65.50	17,787	69.75	19,112	74.00	20,410	78.25	21,671	82.50	22,886
65.75	17,865	70.00	19,189	74.25	20,485	78.50	21,744	82.75	22,956
66.00	17,944	70.25	19,267	74.50	20,560	78.75	21,816	83.00	23,025
66.25	18,022	70.50	19,344	74.75	20,635	79.00	21,889	83.25	23,095
66.50	18,101	70.75	19,420	75.00	20,710	79.25	21,961	83.50	23,164
66.75	18,179	71.00	19,497	75.25	20,785	79.50	22,033	83.75	23,233
67.00	18,257	71.25	19,574	75.50	20,860	79.75	22,105	84.00	23,302
67.25	18,335	71.50	19,650	75.75	20,934	80.00	22,177	84.25	23,370
67.50	18,413	71.75	19,727	76.00	21,008	80.25	22,249	84.50	23,439
67.75	18,491	72.00	19,803	76.25	21,083	80.50	22,320	84.75	23,507



## Capacity/Gauge Table Information

**TCLX 290298**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 098

Reporting Mark: TCLX 290298

Date: 24/07/2015

Capacity: 29,011 US Gallons (109,819 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,575	89.25	24,696	93.50	25,742	97.75	26,697	102.00	27,544
85.25	23,643	89.50	24,760	93.75	25,801	98.00	26,750	102.25	27,590
85.50	23,710	89.75	24,823	94.00	25,859	98.25	26,803	102.50	27,635
85.75	23,778	90.00	24,886	94.25	25,917	98.50	26,855	102.75	27,680
86.00	23,845	90.25	24,949	94.50	25,975	98.75	26,907	103.00	27,724
86.25	23,912	90.50	25,012	94.75	26,033	99.00	26,959	103.25	27,768
86.50	23,978	90.75	25,074	95.00	26,090	99.25	27,010	103.50	27,812
86.75	24,045	91.00	25,136	95.25	26,147	99.50	27,060	103.75	27,854
87.00	24,111	91.25	25,198	95.50	26,204	99.75	27,111	104.00	27,897
87.25	24,177	91.50	25,260	95.75	26,260	100.00	27,161	104.25	27,939
87.50	24,243	91.75	25,321	96.00	26,316	100.25	27,210	104.50	27,980
87.75	24,308	92.00	25,382	96.25	26,371	100.50	27,259	104.75	28,021
88.00	24,373	92.25	25,443	96.50	26,427	100.75	27,308	105.00	28,061
88.25	24,438	92.50	25,503	96.75	26,482	101.00	27,356	105.25	28,100
88.50	24,503	92.75	25,563	97.00	26,536	101.25	27,403	105.50	28,140
88.75	24,568	93.00	25,623	97.25	26,590	101.50	27,451	105.75	28,178
89.00	24,632	93.25	25,682	97.50	26,644	101.75	27,497	106.00	28,216



## Capacity/Gauge Table Information

**TCLX 290298**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 098

Reporting Mark: TCLX 290298

Date: 24/07/2015

Capacity: 29,011 US Gallons (109,819 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,253	110.50	28,776	114.75	28,997
106.50	28,290	110.75	28,799	115.00	29,001
106.75	28,326	111.00	28,820	115.25	29,004
107.00	28,361	111.25	28,840	115.50	29,007
107.25	28,396	111.50	28,859	115.75	29,009
107.50	28,430	111.75	28,876	116.00	29,010
107.75	28,463	112.00	28,892	116.25	29,011
108.00	28,496	112.25	28,907	116.50	29,011
108.25	28,527	112.50	28,921	116.75	29,011
108.50	28,558	112.75	28,934		
108.75	28,589	113.00	28,945		
109.00	28,618	113.25	28,956		
109.25	28,647	113.50	28,965		
109.50	28,675	113.75	28,973		
109.75	28,701	114.00	28,981		
110.00	28,727	114.25	28,987		
110.25	28,752	114.50	28,993		



## Capacity/Gauge Table Information

**TCLX 290299**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 099

Reporting Mark: TCLX 290299

Date: 27/07/2015

Capacity: 28,987 US Gallons (109,729 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,338	12.75	2,221	17.00	3,207
0.25	28	4.50	624	8.75	1,387	13.00	2,276	17.25	3,268
0.50	58	4.75	665	9.00	1,436	13.25	2,332	17.50	3,329
0.75	88	5.00	706	9.25	1,486	13.50	2,388	17.75	3,390
1.00	118	5.25	748	9.50	1,536	13.75	2,444	18.00	3,452
1.25	150	5.50	791	9.75	1,586	14.00	2,501	18.25	3,514
1.50	183	5.75	834	10.00	1,637	14.25	2,558	18.50	3,576
1.75	216	6.00	877	10.25	1,688	14.50	2,616	18.75	3,638
2.00	250	6.25	921	10.50	1,740	14.75	2,673	19.00	3,701
2.25	284	6.50	966	10.75	1,791	15.00	2,731	19.25	3,764
2.50	319	6.75	1,010	11.00	1,844	15.25	2,790	19.50	3,827
2.75	355	7.00	1,056	11.25	1,897	15.50	2,848	19.75	3,891
3.00	392	7.25	1,102	11.50	1,950	15.75	2,907	20.00	3,955
3.25	429	7.50	1,148	11.75	2,003	16.00	2,967	20.25	4,019
3.50	467	7.75	1,195	12.00	2,057	16.25	3,026	20.50	4,083
3.75	505	8.00	1,242	12.25	2,111	16.50	3,086	20.75	4,148
4.00	544	8.25	1,290	12.50	2,166	16.75	3,146	21.00	4,213





## Capacity/Gauge Table Information

**TCLX 290299**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 099

Reporting Mark: TCLX 290299

Date: 27/07/2015

Capacity: 28,987 US Gallons (109,729 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,278	25.50	5,420	29.75	6,620	34.00	7,870	38.25	9,158
21.50	4,343	25.75	5,489	30.00	6,693	34.25	7,945	38.50	9,235
21.75	4,409	26.00	5,558	30.25	6,765	34.50	8,020	38.75	9,312
22.00	4,474	26.25	5,628	30.50	6,838	34.75	8,095	39.00	9,389
22.25	4,540	26.50	5,697	30.75	6,910	35.00	8,170	39.25	9,466
22.50	4,607	26.75	5,767	31.00	6,983	35.25	8,245	39.50	9,543
22.75	4,673	27.00	5,837	31.25	7,056	35.50	8,320	39.75	9,620
23.00	4,740	27.25	5,908	31.50	7,130	35.75	8,396	40.00	9,698
23.25	4,807	27.50	5,978	31.75	7,203	36.00	8,472	40.25	9,775
23.50	4,874	27.75	6,049	32.00	7,276	36.25	8,548	40.50	9,853
23.75	4,942	28.00	6,120	32.25	7,350	36.50	8,623	40.75	9,931
24.00	5,009	28.25	6,191	32.50	7,424	36.75	8,699	41.00	10,008
24.25	5,077	28.50	6,262	32.75	7,498	37.00	8,776	41.25	10,086
24.50	5,145	28.75	6,333	33.00	7,572	37.25	8,852	41.50	10,164
24.75	5,214	29.00	6,405	33.25	7,646	37.50	8,928	41.75	10,242
25.00	5,282	29.25	6,477	33.50	7,721	37.75	9,005	42.00	10,320
25.25	5,351	29.50	6,548	33.75	7,795	38.00	9,081	42.25	10,398



## Capacity/Gauge Table Information

**TCLX 290299**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 099

Reporting Mark: TCLX 290299

Date: 27/07/2015

Capacity: 28,987 US Gallons (109,729 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,477	46.75	11,817	51.00	13,171	55.25	14,532	59.50	15,892
42.75	10,555	47.00	11,896	51.25	13,251	55.50	14,612	59.75	15,971
43.00	10,633	47.25	11,976	51.50	13,331	55.75	14,692	60.00	16,051
43.25	10,712	47.50	12,055	51.75	13,411	56.00	14,772	60.25	16,131
43.50	10,790	47.75	12,135	52.00	13,491	56.25	14,852	60.50	16,210
43.75	10,869	48.00	12,214	52.25	13,571	56.50	14,933	60.75	16,290
44.00	10,948	48.25	12,294	52.50	13,651	56.75	15,013	61.00	16,370
44.25	11,026	48.50	12,373	52.75	13,731	57.00	15,093	61.25	16,449
44.50	11,105	48.75	12,453	53.00	13,811	57.25	15,173	61.50	16,529
44.75	11,184	49.00	12,533	53.25	13,892	57.50	15,253	61.75	16,608
45.00	11,263	49.25	12,613	53.50	13,972	57.75	15,333	62.00	16,688
45.25	11,342	49.50	12,692	53.75	14,052	58.00	15,412	62.25	16,767
45.50	11,421	49.75	12,772	54.00	14,132	58.25	15,492	62.50	16,846
45.75	11,500	50.00	12,852	54.25	14,212	58.50	15,572	62.75	16,926
46.00	11,579	50.25	12,932	54.50	14,292	58.75	15,652	63.00	17,005
46.25	11,658	50.50	13,012	54.75	14,372	59.00	15,732	63.25	17,084
46.50	11,738	50.75	13,092	55.00	14,452	59.25	15,812	63.50	17,163



## Capacity/Gauge Table Information

**TCLX 290299**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 099

Reporting Mark: TCLX 290299

Date: 27/07/2015

Capacity: 28,987 US Gallons (109,729 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,242	68.00	18,576	72.25	19,885	76.50	21,160	80.75	22,394
64.00	17,321	68.25	18,653	72.50	19,961	76.75	21,234	81.00	22,465
64.25	17,400	68.50	18,731	72.75	20,037	77.00	21,308	81.25	22,536
64.50	17,479	68.75	18,809	73.00	20,112	77.25	21,381	81.50	22,606
64.75	17,558	69.00	18,886	73.25	20,188	77.50	21,455	81.75	22,677
65.00	17,636	69.25	18,964	73.50	20,264	77.75	21,528	82.00	22,747
65.25	17,715	69.50	19,041	73.75	20,339	78.00	21,601	82.25	22,817
65.50	17,794	69.75	19,118	74.00	20,414	78.25	21,674	82.50	22,887
65.75	17,872	70.00	19,195	74.25	20,490	78.50	21,747	82.75	22,957
66.00	17,951	70.25	19,272	74.50	20,565	78.75	21,819	83.00	23,027
66.25	18,029	70.50	19,349	74.75	20,640	79.00	21,892	83.25	23,096
66.50	18,107	70.75	19,426	75.00	20,714	79.25	21,964	83.50	23,165
66.75	18,186	71.00	19,503	75.25	20,789	79.50	22,036	83.75	23,234
67.00	18,264	71.25	19,579	75.50	20,864	79.75	22,108	84.00	23,303
67.25	18,342	71.50	19,656	75.75	20,938	80.00	22,180	84.25	23,371
67.50	18,420	71.75	19,732	76.00	21,012	80.25	22,251	84.50	23,439
67.75	18,498	72.00	19,808	76.25	21,086	80.50	22,323	84.75	23,508



## Capacity/Gauge Table Information

**TCLX 290299**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 099

Reporting Mark: TCLX 290299

Date: 27/07/2015

Capacity: 28,987 US Gallons (109,729 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,575	89.25	24,694	93.50	25,738	97.75	26,691	102.00	27,535
85.25	23,643	89.50	24,758	93.75	25,797	98.00	26,744	102.25	27,581
85.50	23,711	89.75	24,821	94.00	25,855	98.25	26,797	102.50	27,626
85.75	23,778	90.00	24,884	94.25	25,913	98.50	26,849	102.75	27,670
86.00	23,845	90.25	24,947	94.50	25,971	98.75	26,901	103.00	27,715
86.25	23,912	90.50	25,010	94.75	26,029	99.00	26,952	103.25	27,758
86.50	23,978	90.75	25,072	95.00	26,086	99.25	27,003	103.50	27,802
86.75	24,044	91.00	25,134	95.25	26,143	99.50	27,053	103.75	27,844
87.00	24,111	91.25	25,196	95.50	26,199	99.75	27,103	104.00	27,886
87.25	24,176	91.50	25,257	95.75	26,255	100.00	27,153	104.25	27,928
87.50	24,242	91.75	25,318	96.00	26,311	100.25	27,202	104.50	27,969
87.75	24,307	92.00	25,379	96.25	26,366	100.50	27,251	104.75	28,010
88.00	24,373	92.25	25,440	96.50	26,421	100.75	27,300	105.00	28,050
88.25	24,437	92.50	25,500	96.75	26,476	101.00	27,348	105.25	28,089
88.50	24,502	92.75	25,560	97.00	26,531	101.25	27,395	105.50	28,128
88.75	24,566	93.00	25,620	97.25	26,585	101.50	27,442	105.75	28,166
89.00	24,631	93.25	25,679	97.50	26,638	101.75	27,489	106.00	28,204



## Capacity/Gauge Table Information

**TCLX 290299**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 099

Reporting Mark: TCLX 290299

Date: 27/07/2015

Capacity: 28,987 US Gallons (109,729 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,241	110.50	28,758	114.75	28,974
106.50	28,277	110.75	28,781	115.00	28,978
106.75	28,313	111.00	28,801	115.25	28,981
107.00	28,348	111.25	28,821	115.50	28,983
107.25	28,382	111.50	28,839	115.75	28,985
107.50	28,416	111.75	28,856	116.00	28,986
107.75	28,449	112.00	28,872	116.25	28,987
108.00	28,481	112.25	28,886	116.50	28,987
108.25	28,513	112.50	28,900	116.75	28,987
108.50	28,544	112.75	28,912		
108.75	28,574	113.00	28,923		
109.00	28,603	113.25	28,933		
109.25	28,631	113.50	28,942		
109.50	28,659	113.75	28,951		
109.75	28,685	114.00	28,958		
110.00	28,711	114.25	28,964		
110.25	28,735	114.50	28,969		



## Capacity/Gauge Table Information

**TCLX 290300**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 100

Reporting Mark: TCLX 290300

Date: 12/08/2015

Capacity: 29,003 US Gallons (109,788 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,336	12.75	2,218	17.00	3,203
0.25	28	4.50	623	8.75	1,385	13.00	2,273	17.25	3,264
0.50	57	4.75	664	9.00	1,434	13.25	2,329	17.50	3,325
0.75	87	5.00	705	9.25	1,483	13.50	2,385	17.75	3,387
1.00	118	5.25	747	9.50	1,533	13.75	2,441	18.00	3,448
1.25	150	5.50	789	9.75	1,584	14.00	2,498	18.25	3,510
1.50	182	5.75	832	10.00	1,634	14.25	2,555	18.50	3,572
1.75	215	6.00	876	10.25	1,686	14.50	2,612	18.75	3,635
2.00	249	6.25	919	10.50	1,737	14.75	2,670	19.00	3,697
2.25	284	6.50	964	10.75	1,789	15.00	2,728	19.25	3,761
2.50	319	6.75	1,009	11.00	1,841	15.25	2,786	19.50	3,824
2.75	355	7.00	1,054	11.25	1,894	15.50	2,845	19.75	3,887
3.00	391	7.25	1,100	11.50	1,947	15.75	2,904	20.00	3,951
3.25	428	7.50	1,146	11.75	2,001	16.00	2,963	20.25	4,015
3.50	466	7.75	1,193	12.00	2,054	16.25	3,023	20.50	4,079
3.75	504	8.00	1,240	12.25	2,109	16.50	3,083	20.75	4,144
4.00	543	8.25	1,288	12.50	2,163	16.75	3,143	21.00	4,209



## Capacity/Gauge Table Information

**TCLX 290300**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 100

Reporting Mark: TCLX 290300

Date: 12/08/2015

Capacity: 29,003 US Gallons (109,788 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,274	25.50	5,416	29.75	6,616	34.00	7,865	38.25	9,153
21.50	4,339	25.75	5,485	30.00	6,688	34.25	7,940	38.50	9,230
21.75	4,405	26.00	5,554	30.25	6,761	34.50	8,015	38.75	9,307
22.00	4,471	26.25	5,623	30.50	6,833	34.75	8,090	39.00	9,384
22.25	4,537	26.50	5,693	30.75	6,906	35.00	8,165	39.25	9,461
22.50	4,603	26.75	5,763	31.00	6,979	35.25	8,240	39.50	9,538
22.75	4,669	27.00	5,833	31.25	7,052	35.50	8,316	39.75	9,616
23.00	4,736	27.25	5,903	31.50	7,125	35.75	8,391	40.00	9,693
23.25	4,803	27.50	5,974	31.75	7,199	36.00	8,467	40.25	9,771
23.50	4,870	27.75	6,044	32.00	7,272	36.25	8,543	40.50	9,848
23.75	4,938	28.00	6,115	32.25	7,346	36.50	8,619	40.75	9,926
24.00	5,005	28.25	6,186	32.50	7,419	36.75	8,695	41.00	10,004
24.25	5,073	28.50	6,258	32.75	7,493	37.00	8,771	41.25	10,081
24.50	5,141	28.75	6,329	33.00	7,567	37.25	8,847	41.50	10,159
24.75	5,209	29.00	6,400	33.25	7,642	37.50	8,924	41.75	10,237
25.00	5,278	29.25	6,472	33.50	7,716	37.75	9,000	42.00	10,316
25.25	5,347	29.50	6,544	33.75	7,791	38.00	9,077	42.25	10,394





## Capacity/Gauge Table Information

**TCLX 290300**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 100

Reporting Mark: TCLX 290300

Date: 12/08/2015

Capacity: 29,003 US Gallons (109,788 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,472	46.75	11,812	51.00	13,167	55.25	14,528	59.50	15,888
42.75	10,550	47.00	11,892	51.25	13,247	55.50	14,608	59.75	15,968
43.00	10,629	47.25	11,971	51.50	13,327	55.75	14,688	60.00	16,047
43.25	10,707	47.50	12,051	51.75	13,407	56.00	14,768	60.25	16,127
43.50	10,786	47.75	12,130	52.00	13,487	56.25	14,848	60.50	16,207
43.75	10,864	48.00	12,210	52.25	13,567	56.50	14,928	60.75	16,286
44.00	10,943	48.25	12,289	52.50	13,647	56.75	15,008	61.00	16,366
44.25	11,022	48.50	12,369	52.75	13,727	57.00	15,089	61.25	16,446
44.50	11,101	48.75	12,449	53.00	13,807	57.25	15,169	61.50	16,525
44.75	11,179	49.00	12,528	53.25	13,887	57.50	15,249	61.75	16,605
45.00	11,258	49.25	12,608	53.50	13,967	57.75	15,329	62.00	16,684
45.25	11,337	49.50	12,688	53.75	14,047	58.00	15,409	62.25	16,763
45.50	11,416	49.75	12,768	54.00	14,128	58.25	15,488	62.50	16,843
45.75	11,495	50.00	12,847	54.25	14,208	58.50	15,568	62.75	16,922
46.00	11,575	50.25	12,927	54.50	14,288	58.75	15,648	63.00	17,001
46.25	11,654	50.50	13,007	54.75	14,368	59.00	15,728	63.25	17,080
46.50	11,733	50.75	13,087	55.00	14,448	59.25	15,808	63.50	17,160



## Capacity/Gauge Table Information

**TCLX 290300**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 100

Reporting Mark: TCLX 290300

Date: 12/08/2015

Capacity: 29,003 US Gallons (109,788 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,239	68.00	18,573	72.25	19,882	76.50	21,159	80.75	22,393
64.00	17,318	68.25	18,651	72.50	19,958	76.75	21,232	81.00	22,464
64.25	17,397	68.50	18,728	72.75	20,034	77.00	21,306	81.25	22,535
64.50	17,475	68.75	18,806	73.00	20,110	77.25	21,380	81.50	22,606
64.75	17,554	69.00	18,883	73.25	20,186	77.50	21,453	81.75	22,676
65.00	17,633	69.25	18,961	73.50	20,261	77.75	21,526	82.00	22,747
65.25	17,712	69.50	19,038	73.75	20,337	78.00	21,600	82.25	22,817
65.50	17,790	69.75	19,115	74.00	20,412	78.25	21,672	82.50	22,887
65.75	17,869	70.00	19,193	74.25	20,488	78.50	21,745	82.75	22,957
66.00	17,948	70.25	19,270	74.50	20,563	78.75	21,818	83.00	23,026
66.25	18,026	70.50	19,347	74.75	20,638	79.00	21,890	83.25	23,096
66.50	18,104	70.75	19,423	75.00	20,712	79.25	21,963	83.50	23,165
66.75	18,183	71.00	19,500	75.25	20,787	79.50	22,035	83.75	23,234
67.00	18,261	71.25	19,577	75.50	20,862	79.75	22,107	84.00	23,303
67.25	18,339	71.50	19,653	75.75	20,936	80.00	22,179	84.25	23,371
67.50	18,417	71.75	19,730	76.00	21,010	80.25	22,250	84.50	23,439
67.75	18,495	72.00	19,806	76.25	21,085	80.50	22,322	84.75	23,508



## Capacity/Gauge Table Information

**TCLX 290300**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 100

Reporting Mark: TCLX 290300

Date: 12/08/2015

Capacity: 29,003 US Gallons (109,788 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,576	89.25	24,696	93.50	25,741	97.75	26,695	102.00	27,541
85.25	23,643	89.50	24,759	93.75	25,799	98.00	26,748	102.25	27,586
85.50	23,711	89.75	24,823	94.00	25,858	98.25	26,801	102.50	27,632
85.75	23,778	90.00	24,886	94.25	25,916	98.50	26,853	102.75	27,677
86.00	23,845	90.25	24,949	94.50	25,974	98.75	26,905	103.00	27,721
86.25	23,912	90.50	25,011	94.75	26,031	99.00	26,956	103.25	27,765
86.50	23,979	90.75	25,074	95.00	26,089	99.25	27,007	103.50	27,808
86.75	24,045	91.00	25,136	95.25	26,146	99.50	27,058	103.75	27,851
87.00	24,111	91.25	25,198	95.50	26,202	99.75	27,108	104.00	27,893
87.25	24,177	91.50	25,259	95.75	26,258	100.00	27,158	104.25	27,935
87.50	24,243	91.75	25,320	96.00	26,314	100.25	27,207	104.50	27,976
87.75	24,308	92.00	25,381	96.25	26,370	100.50	27,256	104.75	28,017
88.00	24,373	92.25	25,442	96.50	26,425	100.75	27,305	105.00	28,057
88.25	24,438	92.50	25,502	96.75	26,480	101.00	27,353	105.25	28,096
88.50	24,503	92.75	25,562	97.00	26,534	101.25	27,400	105.50	28,135
88.75	24,567	93.00	25,622	97.25	26,588	101.50	27,448	105.75	28,174
89.00	24,632	93.25	25,681	97.50	26,642	101.75	27,494	106.00	28,212



## Capacity/Gauge Table Information

**TCLX 290300**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 100

Reporting Mark: TCLX 290300

Date: 12/08/2015

Capacity: 29,003 US Gallons (109,788 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,249	110.50	28,770	114.75	28,989
106.50	28,285	110.75	28,792	115.00	28,993
106.75	28,321	111.00	28,814	115.25	28,996
107.00	28,356	111.25	28,833	115.50	28,999
107.25	28,391	111.50	28,852	115.75	29,000
107.50	28,425	111.75	28,869	116.00	29,002
107.75	28,458	112.00	28,885	116.25	29,002
108.00	28,491	112.25	28,900	116.50	29,003
108.25	28,522	112.50	28,914	116.75	29,003
108.50	28,553	112.75	28,926		
108.75	28,583	113.00	28,938		
109.00	28,613	113.25	28,948		
109.25	28,641	113.50	28,957		
109.50	28,669	113.75	28,965		
109.75	28,696	114.00	28,973		
110.00	28,721	114.25	28,979		
110.25	28,746	114.50	28,985		



## Capacity/Gauge Table Information

**TCLX 290301**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 101

Reporting Mark: TCLX 290301

Date: 11/08/2015

Capacity: 28,994 US Gallons (109,756 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,223	17.00	3,209
0.25	28	4.50	625	8.75	1,388	13.00	2,278	17.25	3,270
0.50	58	4.75	666	9.00	1,437	13.25	2,334	17.50	3,331
0.75	88	5.00	707	9.25	1,487	13.50	2,390	17.75	3,392
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,454
1.25	150	5.50	792	9.75	1,587	14.00	2,503	18.25	3,516
1.50	183	5.75	835	10.00	1,638	14.25	2,560	18.50	3,578
1.75	216	6.00	878	10.25	1,689	14.50	2,617	18.75	3,641
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,703
2.25	285	6.50	966	10.75	1,793	15.00	2,733	19.25	3,766
2.50	320	6.75	1,011	11.00	1,845	15.25	2,791	19.50	3,830
2.75	356	7.00	1,057	11.25	1,898	15.50	2,850	19.75	3,893
3.00	392	7.25	1,103	11.50	1,951	15.75	2,909	20.00	3,957
3.25	430	7.50	1,149	11.75	2,005	16.00	2,968	20.25	4,021
3.50	468	7.75	1,196	12.00	2,059	16.25	3,028	20.50	4,086
3.75	506	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,150
4.00	545	8.25	1,291	12.50	2,168	16.75	3,148	21.00	4,215



## Capacity/Gauge Table Information

**TCLX 290301**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 101

Reporting Mark: TCLX 290301

Date: 11/08/2015

Capacity: 28,994 US Gallons (109,756 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,280	25.50	5,422	29.75	6,624	34.00	7,873	38.25	9,162
21.50	4,346	25.75	5,492	30.00	6,696	34.25	7,948	38.50	9,239
21.75	4,411	26.00	5,561	30.25	6,768	34.50	8,023	38.75	9,315
22.00	4,477	26.25	5,630	30.50	6,841	34.75	8,098	39.00	9,393
22.25	4,543	26.50	5,700	30.75	6,914	35.00	8,173	39.25	9,470
22.50	4,609	26.75	5,770	31.00	6,987	35.25	8,249	39.50	9,547
22.75	4,676	27.00	5,840	31.25	7,060	35.50	8,324	39.75	9,624
23.00	4,743	27.25	5,911	31.50	7,133	35.75	8,400	40.00	9,702
23.25	4,810	27.50	5,981	31.75	7,206	36.00	8,475	40.25	9,779
23.50	4,877	27.75	6,052	32.00	7,280	36.25	8,551	40.50	9,857
23.75	4,944	28.00	6,123	32.25	7,353	36.50	8,627	40.75	9,934
24.00	5,012	28.25	6,194	32.50	7,427	36.75	8,703	41.00	10,012
24.25	5,080	28.50	6,265	32.75	7,501	37.00	8,779	41.25	10,090
24.50	5,148	28.75	6,336	33.00	7,575	37.25	8,856	41.50	10,168
24.75	5,216	29.00	6,408	33.25	7,650	37.50	8,932	41.75	10,246
25.00	5,285	29.25	6,480	33.50	7,724	37.75	9,008	42.00	10,324
25.25	5,353	29.50	6,551	33.75	7,799	38.00	9,085	42.25	10,402



## Capacity/Gauge Table Information

**TCLX 290301**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 101

Reporting Mark: TCLX 290301

Date: 11/08/2015

Capacity: 28,994 US Gallons (109,756 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,481	46.75	11,821	51.00	13,176	55.25	14,537	59.50	15,897
42.75	10,559	47.00	11,901	51.25	13,256	55.50	14,617	59.75	15,976
43.00	10,637	47.25	11,980	51.50	13,336	55.75	14,697	60.00	16,056
43.25	10,716	47.50	12,059	51.75	13,416	56.00	14,777	60.25	16,136
43.50	10,794	47.75	12,139	52.00	13,496	56.25	14,857	60.50	16,215
43.75	10,873	48.00	12,219	52.25	13,576	56.50	14,937	60.75	16,295
44.00	10,952	48.25	12,298	52.50	13,656	56.75	15,017	61.00	16,375
44.25	11,030	48.50	12,378	52.75	13,736	57.00	15,097	61.25	16,454
44.50	11,109	48.75	12,457	53.00	13,816	57.25	15,177	61.50	16,534
44.75	11,188	49.00	12,537	53.25	13,896	57.50	15,257	61.75	16,613
45.00	11,267	49.25	12,617	53.50	13,976	57.75	15,337	62.00	16,693
45.25	11,346	49.50	12,697	53.75	14,056	58.00	15,417	62.25	16,772
45.50	11,425	49.75	12,776	54.00	14,136	58.25	15,497	62.50	16,851
45.75	11,504	50.00	12,856	54.25	14,217	58.50	15,577	62.75	16,931
46.00	11,583	50.25	12,936	54.50	14,297	58.75	15,657	63.00	17,010
46.25	11,663	50.50	13,016	54.75	14,377	59.00	15,737	63.25	17,089
46.50	11,742	50.75	13,096	55.00	14,457	59.25	15,817	63.50	17,168





## Capacity/Gauge Table Information

**TCLX 290301**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 101

Reporting Mark: TCLX 290301

Date: 11/08/2015

Capacity: 28,994 US Gallons (109,756 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,247	68.00	18,581	72.25	19,890	76.50	21,166	80.75	22,400
64.00	17,326	68.25	18,659	72.50	19,966	76.75	21,240	81.00	22,471
64.25	17,405	68.50	18,737	72.75	20,042	77.00	21,314	81.25	22,542
64.50	17,484	68.75	18,814	73.00	20,118	77.25	21,387	81.50	22,612
64.75	17,563	69.00	18,892	73.25	20,194	77.50	21,460	81.75	22,683
65.00	17,642	69.25	18,969	73.50	20,269	77.75	21,534	82.00	22,753
65.25	17,720	69.50	19,046	73.75	20,345	78.00	21,607	82.25	22,823
65.50	17,799	69.75	19,124	74.00	20,420	78.25	21,680	82.50	22,893
65.75	17,877	70.00	19,201	74.25	20,495	78.50	21,752	82.75	22,963
66.00	17,956	70.25	19,278	74.50	20,570	78.75	21,825	83.00	23,033
66.25	18,034	70.50	19,355	74.75	20,645	79.00	21,897	83.25	23,102
66.50	18,113	70.75	19,431	75.00	20,720	79.25	21,970	83.50	23,171
66.75	18,191	71.00	19,508	75.25	20,795	79.50	22,042	83.75	23,240
67.00	18,269	71.25	19,585	75.50	20,869	79.75	22,114	84.00	23,309
67.25	18,347	71.50	19,661	75.75	20,944	80.00	22,186	84.25	23,377
67.50	18,425	71.75	19,738	76.00	21,018	80.25	22,257	84.50	23,446
67.75	18,503	72.00	19,814	76.25	21,092	80.50	22,329	84.75	23,514



## Capacity/Gauge Table Information

**TCLX 290301**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 101

Reporting Mark: TCLX 290301

Date: 11/08/2015

Capacity: 28,994 US Gallons (109,756 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,582	89.25	24,701	93.50	25,745	97.75	26,698	102.00	27,542
85.25	23,649	89.50	24,764	93.75	25,803	98.00	26,751	102.25	27,587
85.50	23,717	89.75	24,828	94.00	25,862	98.25	26,803	102.50	27,633
85.75	23,784	90.00	24,891	94.25	25,920	98.50	26,856	102.75	27,677
86.00	23,851	90.25	24,954	94.50	25,978	98.75	26,907	103.00	27,721
86.25	23,918	90.50	25,016	94.75	26,035	99.00	26,959	103.25	27,765
86.50	23,984	90.75	25,078	95.00	26,092	99.25	27,010	103.50	27,808
86.75	24,051	91.00	25,140	95.25	26,149	99.50	27,060	103.75	27,851
87.00	24,117	91.25	25,202	95.50	26,206	99.75	27,110	104.00	27,893
87.25	24,183	91.50	25,264	95.75	26,262	100.00	27,160	104.25	27,935
87.50	24,248	91.75	25,325	96.00	26,318	100.25	27,209	104.50	27,976
87.75	24,314	92.00	25,386	96.25	26,373	100.50	27,258	104.75	28,017
88.00	24,379	92.25	25,446	96.50	26,428	100.75	27,306	105.00	28,057
88.25	24,444	92.50	25,507	96.75	26,483	101.00	27,354	105.25	28,096
88.50	24,508	92.75	25,566	97.00	26,537	101.25	27,402	105.50	28,135
88.75	24,573	93.00	25,626	97.25	26,591	101.50	27,449	105.75	28,173
89.00	24,637	93.25	25,686	97.50	26,645	101.75	27,496	106.00	28,211



## Capacity/Gauge Table Information

**TCLX 290301**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 101

Reporting Mark: TCLX 290301

Date: 11/08/2015

Capacity: 28,994 US Gallons (109,756 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,248	110.50	28,765	114.75	28,981
106.50	28,284	110.75	28,788	115.00	28,985
106.75	28,320	111.00	28,808	115.25	28,988
107.00	28,355	111.25	28,828	115.50	28,990
107.25	28,389	111.50	28,846	115.75	28,992
107.50	28,423	111.75	28,863	116.00	28,993
107.75	28,456	112.00	28,879	116.25	28,994
108.00	28,488	112.25	28,893	116.50	28,994
108.25	28,520	112.50	28,907	116.75	28,994
108.50	28,551	112.75	28,919		
108.75	28,581	113.00	28,930		
109.00	28,610	113.25	28,940		
109.25	28,638	113.50	28,949		
109.50	28,666	113.75	28,958		
109.75	28,692	114.00	28,965		
110.00	28,718	114.25	28,971		
110.25	28,742	114.50	28,976		



## Capacity/Gauge Table Information

**TCLX 290302**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 102

Reporting Mark: TCLX 290302

Date: 12/08/2015

Capacity: 28,998 US Gallons (109,770 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	581	8.50	1,333	12.75	2,213	17.00	3,197
0.25	28	4.50	621	8.75	1,381	13.00	2,268	17.25	3,258
0.50	57	4.75	662	9.00	1,430	13.25	2,324	17.50	3,319
0.75	87	5.00	703	9.25	1,480	13.50	2,380	17.75	3,380
1.00	118	5.25	744	9.50	1,529	13.75	2,436	18.00	3,442
1.25	149	5.50	787	9.75	1,580	14.00	2,493	18.25	3,504
1.50	181	5.75	829	10.00	1,630	14.25	2,550	18.50	3,566
1.75	214	6.00	873	10.25	1,681	14.50	2,607	18.75	3,628
2.00	248	6.25	917	10.50	1,733	14.75	2,665	19.00	3,691
2.25	282	6.50	961	10.75	1,785	15.00	2,723	19.25	3,754
2.50	317	6.75	1,006	11.00	1,837	15.25	2,781	19.50	3,817
2.75	353	7.00	1,051	11.25	1,890	15.50	2,839	19.75	3,881
3.00	390	7.25	1,097	11.50	1,943	15.75	2,898	20.00	3,944
3.25	427	7.50	1,143	11.75	1,996	16.00	2,958	20.25	4,008
3.50	464	7.75	1,190	12.00	2,050	16.25	3,017	20.50	4,073
3.75	503	8.00	1,237	12.25	2,104	16.50	3,077	20.75	4,137
4.00	541	8.25	1,285	12.50	2,158	16.75	3,137	21.00	4,202



## Capacity/Gauge Table Information

**TCLX 290302**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 102

Reporting Mark: TCLX 290302

Date: 12/08/2015

Capacity: 28,998 US Gallons (109,770 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,267	25.50	5,408	29.75	6,608	34.00	7,856	38.25	9,144
21.50	4,332	25.75	5,477	30.00	6,680	34.25	7,931	38.50	9,220
21.75	4,398	26.00	5,546	30.25	6,752	34.50	8,006	38.75	9,297
22.00	4,463	26.25	5,615	30.50	6,825	34.75	8,081	39.00	9,374
22.25	4,529	26.50	5,685	30.75	6,897	35.00	8,156	39.25	9,451
22.50	4,596	26.75	5,755	31.00	6,970	35.25	8,231	39.50	9,528
22.75	4,662	27.00	5,825	31.25	7,043	35.50	8,306	39.75	9,606
23.00	4,729	27.25	5,895	31.50	7,116	35.75	8,382	40.00	9,683
23.25	4,796	27.50	5,966	31.75	7,190	36.00	8,458	40.25	9,761
23.50	4,863	27.75	6,036	32.00	7,263	36.25	8,533	40.50	9,838
23.75	4,930	28.00	6,107	32.25	7,337	36.50	8,609	40.75	9,916
24.00	4,998	28.25	6,178	32.50	7,410	36.75	8,685	41.00	9,994
24.25	5,066	28.50	6,249	32.75	7,484	37.00	8,761	41.25	10,071
24.50	5,134	28.75	6,320	33.00	7,558	37.25	8,838	41.50	10,149
24.75	5,202	29.00	6,392	33.25	7,633	37.50	8,914	41.75	10,227
25.00	5,270	29.25	6,464	33.50	7,707	37.75	8,990	42.00	10,305
25.25	5,339	29.50	6,536	33.75	7,781	38.00	9,067	42.25	10,383



## Capacity/Gauge Table Information

**TCLX 290302**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 102

Reporting Mark: TCLX 290302

Date: 12/08/2015

Capacity: 28,998 US Gallons (109,770 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,462	46.75	11,802	51.00	13,156	55.25	14,517	59.50	15,876
42.75	10,540	47.00	11,881	51.25	13,236	55.50	14,597	59.75	15,956
43.00	10,618	47.25	11,960	51.50	13,316	55.75	14,677	60.00	16,036
43.25	10,697	47.50	12,040	51.75	13,396	56.00	14,757	60.25	16,115
43.50	10,775	47.75	12,119	52.00	13,476	56.25	14,837	60.50	16,195
43.75	10,854	48.00	12,199	52.25	13,556	56.50	14,917	60.75	16,275
44.00	10,932	48.25	12,278	52.50	13,636	56.75	14,997	61.00	16,354
44.25	11,011	48.50	12,358	52.75	13,716	57.00	15,077	61.25	16,434
44.50	11,090	48.75	12,438	53.00	13,796	57.25	15,157	61.50	16,513
44.75	11,169	49.00	12,517	53.25	13,876	57.50	15,237	61.75	16,593
45.00	11,248	49.25	12,597	53.50	13,956	57.75	15,317	62.00	16,672
45.25	11,327	49.50	12,677	53.75	14,036	58.00	15,397	62.25	16,752
45.50	11,406	49.75	12,757	54.00	14,116	58.25	15,477	62.50	16,831
45.75	11,485	50.00	12,836	54.25	14,196	58.50	15,557	62.75	16,910
46.00	11,564	50.25	12,916	54.50	14,276	58.75	15,637	63.00	16,989
46.25	11,643	50.50	12,996	54.75	14,356	59.00	15,717	63.25	17,069
46.50	11,722	50.75	13,076	55.00	14,437	59.25	15,796	63.50	17,148



## Capacity/Gauge Table Information

**TCLX 290302**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 102

Reporting Mark: TCLX 290302

Date: 12/08/2015

Capacity: 28,998 US Gallons (109,770 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,227	68.00	18,561	72.25	19,870	76.50	21,147	80.75	22,381
64.00	17,306	68.25	18,639	72.50	19,946	76.75	21,221	81.00	22,452
64.25	17,385	68.50	18,716	72.75	20,022	77.00	21,294	81.25	22,523
64.50	17,464	68.75	18,794	73.00	20,098	77.25	21,368	81.50	22,594
64.75	17,542	69.00	18,871	73.25	20,174	77.50	21,441	81.75	22,665
65.00	17,621	69.25	18,949	73.50	20,250	77.75	21,515	82.00	22,735
65.25	17,700	69.50	19,026	73.75	20,325	78.00	21,588	82.25	22,805
65.50	17,779	69.75	19,103	74.00	20,400	78.25	21,661	82.50	22,875
65.75	17,857	70.00	19,181	74.25	20,476	78.50	21,733	82.75	22,945
66.00	17,936	70.25	19,258	74.50	20,551	78.75	21,806	83.00	23,015
66.25	18,014	70.50	19,335	74.75	20,626	79.00	21,879	83.25	23,084
66.50	18,092	70.75	19,411	75.00	20,701	79.25	21,951	83.50	23,153
66.75	18,171	71.00	19,488	75.25	20,775	79.50	22,023	83.75	23,222
67.00	18,249	71.25	19,565	75.50	20,850	79.75	22,095	84.00	23,291
67.25	18,327	71.50	19,641	75.75	20,924	80.00	22,167	84.25	23,360
67.50	18,405	71.75	19,718	76.00	20,999	80.25	22,238	84.50	23,428
67.75	18,483	72.00	19,794	76.25	21,073	80.50	22,310	84.75	23,496





## Capacity/Gauge Table Information

**TCLX 290302**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 102

Reporting Mark: TCLX 290302

Date: 12/08/2015

Capacity: 28,998 US Gallons (109,770 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,564	89.25	24,684	93.50	25,730	97.75	26,685	102.00	27,531
85.25	23,632	89.50	24,748	93.75	25,789	98.00	26,738	102.25	27,577
85.50	23,699	89.75	24,812	94.00	25,847	98.25	26,791	102.50	27,622
85.75	23,767	90.00	24,875	94.25	25,905	98.50	26,843	102.75	27,667
86.00	23,834	90.25	24,938	94.50	25,963	98.75	26,895	103.00	27,712
86.25	23,901	90.50	25,000	94.75	26,021	99.00	26,946	103.25	27,756
86.50	23,967	90.75	25,063	95.00	26,078	99.25	26,997	103.50	27,799
86.75	24,034	91.00	25,125	95.25	26,135	99.50	27,048	103.75	27,842
87.00	24,100	91.25	25,187	95.50	26,192	99.75	27,098	104.00	27,884
87.25	24,166	91.50	25,248	95.75	26,248	100.00	27,148	104.25	27,926
87.50	24,231	91.75	25,309	96.00	26,304	100.25	27,198	104.50	27,967
87.75	24,297	92.00	25,370	96.25	26,359	100.50	27,247	104.75	28,008
88.00	24,362	92.25	25,431	96.50	26,415	100.75	27,295	105.00	28,048
88.25	24,427	92.50	25,491	96.75	26,469	101.00	27,343	105.25	28,088
88.50	24,492	92.75	25,551	97.00	26,524	101.25	27,391	105.50	28,127
88.75	24,556	93.00	25,611	97.25	26,578	101.50	27,438	105.75	28,165
89.00	24,620	93.25	25,671	97.50	26,632	101.75	27,485	106.00	28,203



## Capacity/Gauge Table Information

**TCLX 290302**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 102

Reporting Mark: TCLX 290302

Date: 12/08/2015

Capacity: 28,998 US Gallons (109,770 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,240	110.50	28,763	114.75	28,985
106.50	28,277	110.75	28,786	115.00	28,988
106.75	28,313	111.00	28,807	115.25	28,992
107.00	28,348	111.25	28,827	115.50	28,994
107.25	28,383	111.50	28,846	115.75	28,996
107.50	28,417	111.75	28,863	116.00	28,997
107.75	28,450	112.00	28,880	116.25	28,998
108.00	28,483	112.25	28,895	116.50	28,998
108.25	28,515	112.50	28,908	116.75	28,998
108.50	28,546	112.75	28,921		
108.75	28,576	113.00	28,932		
109.00	28,605	113.25	28,943		
109.25	28,634	113.50	28,952		
109.50	28,662	113.75	28,960		
109.75	28,689	114.00	28,968		
110.00	28,715	114.25	28,974		
110.25	28,739	114.50	28,980		



## Capacity/Gauge Table Information

**TCLX290303**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 103

Reporting Mark: TCLX290303

Date: 06/10/2015

Capacity: 28,997 US Gallons (109,767 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,335	12.75	2,216	17.00	3,201
0.25	28	4.50	622	8.75	1,383	13.00	2,271	17.25	3,261
0.50	57	4.75	663	9.00	1,432	13.25	2,327	17.50	3,322
0.75	87	5.00	704	9.25	1,482	13.50	2,383	17.75	3,384
1.00	118	5.25	746	9.50	1,531	13.75	2,439	18.00	3,445
1.25	149	5.50	788	9.75	1,582	14.00	2,496	18.25	3,507
1.50	182	5.75	831	10.00	1,632	14.25	2,553	18.50	3,569
1.75	215	6.00	874	10.25	1,684	14.50	2,610	18.75	3,632
2.00	248	6.25	918	10.50	1,735	14.75	2,668	19.00	3,694
2.25	283	6.50	962	10.75	1,787	15.00	2,725	19.25	3,757
2.50	318	6.75	1,007	11.00	1,839	15.25	2,784	19.50	3,821
2.75	354	7.00	1,053	11.25	1,892	15.50	2,842	19.75	3,884
3.00	390	7.25	1,098	11.50	1,945	15.75	2,901	20.00	3,948
3.25	427	7.50	1,145	11.75	1,998	16.00	2,961	20.25	4,012
3.50	465	7.75	1,192	12.00	2,052	16.25	3,020	20.50	4,076
3.75	503	8.00	1,239	12.25	2,106	16.50	3,080	20.75	4,141
4.00	542	8.25	1,286	12.50	2,161	16.75	3,140	21.00	4,206



## Capacity/Gauge Table Information

**TCLX290303**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 103

Reporting Mark: TCLX290303

Date: 06/10/2015

Capacity: 28,997 US Gallons (109,767 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,271	25.50	5,412	29.75	6,612	34.00	7,861	38.25	9,149
21.50	4,336	25.75	5,481	30.00	6,684	34.25	7,936	38.50	9,226
21.75	4,401	26.00	5,550	30.25	6,757	34.50	8,011	38.75	9,303
22.00	4,467	26.25	5,620	30.50	6,829	34.75	8,086	39.00	9,380
22.25	4,533	26.50	5,689	30.75	6,902	35.00	8,161	39.25	9,457
22.50	4,599	26.75	5,759	31.00	6,975	35.25	8,236	39.50	9,534
22.75	4,666	27.00	5,829	31.25	7,048	35.50	8,312	39.75	9,611
23.00	4,733	27.25	5,900	31.50	7,121	35.75	8,387	40.00	9,689
23.25	4,800	27.50	5,970	31.75	7,194	36.00	8,463	40.25	9,766
23.50	4,867	27.75	6,041	32.00	7,268	36.25	8,539	40.50	9,844
23.75	4,934	28.00	6,111	32.25	7,342	36.50	8,615	40.75	9,921
24.00	5,002	28.25	6,182	32.50	7,415	36.75	8,691	41.00	9,999
24.25	5,070	28.50	6,254	32.75	7,489	37.00	8,767	41.25	10,077
24.50	5,138	28.75	6,325	33.00	7,563	37.25	8,843	41.50	10,155
24.75	5,206	29.00	6,397	33.25	7,638	37.50	8,919	41.75	10,233
25.00	5,274	29.25	6,468	33.50	7,712	37.75	8,996	42.00	10,311
25.25	5,343	29.50	6,540	33.75	7,786	38.00	9,072	42.25	10,389



## Capacity/Gauge Table Information

**TCLX290303**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 103

Reporting Mark: TCLX290303

Date: 06/10/2015

Capacity: 28,997 US Gallons (109,767 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,467	46.75	11,808	51.00	13,162	55.25	14,523	59.50	15,883
42.75	10,546	47.00	11,887	51.25	13,242	55.50	14,603	59.75	15,962
43.00	10,624	47.25	11,966	51.50	13,322	55.75	14,683	60.00	16,042
43.25	10,702	47.50	12,046	51.75	13,402	56.00	14,763	60.25	16,122
43.50	10,781	47.75	12,125	52.00	13,482	56.25	14,843	60.50	16,202
43.75	10,860	48.00	12,205	52.25	13,562	56.50	14,923	60.75	16,281
44.00	10,938	48.25	12,284	52.50	13,642	56.75	15,003	61.00	16,361
44.25	11,017	48.50	12,364	52.75	13,722	57.00	15,083	61.25	16,440
44.50	11,096	48.75	12,444	53.00	13,802	57.25	15,163	61.50	16,520
44.75	11,175	49.00	12,523	53.25	13,882	57.50	15,243	61.75	16,599
45.00	11,254	49.25	12,603	53.50	13,962	57.75	15,323	62.00	16,679
45.25	11,333	49.50	12,683	53.75	14,042	58.00	15,403	62.25	16,758
45.50	11,412	49.75	12,763	54.00	14,123	58.25	15,483	62.50	16,837
45.75	11,491	50.00	12,843	54.25	14,203	58.50	15,563	62.75	16,917
46.00	11,570	50.25	12,922	54.50	14,283	58.75	15,643	63.00	16,996
46.25	11,649	50.50	13,002	54.75	14,363	59.00	15,723	63.25	17,075
46.50	11,728	50.75	13,082	55.00	14,443	59.25	15,803	63.50	17,154



## Capacity/Gauge Table Information

**TCLX290303**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 103

Reporting Mark: TCLX290303

Date: 06/10/2015

Capacity: 28,997 US Gallons (109,767 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,233	68.00	18,567	72.25	19,877	76.50	21,153	80.75	22,387
64.00	17,312	68.25	18,645	72.50	19,953	76.75	21,227	81.00	22,459
64.25	17,391	68.50	18,723	72.75	20,029	77.00	21,301	81.25	22,529
64.50	17,470	68.75	18,801	73.00	20,105	77.25	21,374	81.50	22,600
64.75	17,549	69.00	18,878	73.25	20,180	77.50	21,448	81.75	22,671
65.00	17,628	69.25	18,955	73.50	20,256	77.75	21,521	82.00	22,741
65.25	17,706	69.50	19,033	73.75	20,331	78.00	21,594	82.25	22,811
65.50	17,785	69.75	19,110	74.00	20,407	78.25	21,667	82.50	22,881
65.75	17,864	70.00	19,187	74.25	20,482	78.50	21,740	82.75	22,951
66.00	17,942	70.25	19,264	74.50	20,557	78.75	21,812	83.00	23,021
66.25	18,021	70.50	19,341	74.75	20,632	79.00	21,885	83.25	23,090
66.50	18,099	70.75	19,418	75.00	20,707	79.25	21,957	83.50	23,159
66.75	18,177	71.00	19,495	75.25	20,782	79.50	22,029	83.75	23,228
67.00	18,255	71.25	19,571	75.50	20,856	79.75	22,101	84.00	23,297
67.25	18,334	71.50	19,648	75.75	20,931	80.00	22,173	84.25	23,366
67.50	18,412	71.75	19,724	76.00	21,005	80.25	22,245	84.50	23,434
67.75	18,490	72.00	19,801	76.25	21,079	80.50	22,316	84.75	23,502



## Capacity/Gauge Table Information

**TCLX290303**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 103

Reporting Mark: TCLX290303

Date: 06/10/2015

Capacity: 28,997 US Gallons (109,767 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,570	89.25	24,690	93.50	25,735	97.75	26,690	102.00	27,535
85.25	23,638	89.50	24,754	93.75	25,794	98.00	26,743	102.25	27,581
85.50	23,705	89.75	24,817	94.00	25,852	98.25	26,795	102.50	27,626
85.75	23,773	90.00	24,880	94.25	25,910	98.50	26,847	102.75	27,671
86.00	23,840	90.25	24,943	94.50	25,968	98.75	26,899	103.00	27,715
86.25	23,906	90.50	25,006	94.75	26,026	99.00	26,951	103.25	27,759
86.50	23,973	90.75	25,068	95.00	26,083	99.25	27,002	103.50	27,802
86.75	24,039	91.00	25,130	95.25	26,140	99.50	27,052	103.75	27,845
87.00	24,106	91.25	25,192	95.50	26,197	99.75	27,103	104.00	27,888
87.25	24,172	91.50	25,253	95.75	26,253	100.00	27,152	104.25	27,929
87.50	24,237	91.75	25,315	96.00	26,309	100.25	27,202	104.50	27,971
87.75	24,303	92.00	25,376	96.25	26,364	100.50	27,251	104.75	28,011
88.00	24,368	92.25	25,436	96.50	26,419	100.75	27,299	105.00	28,051
88.25	24,433	92.50	25,497	96.75	26,474	101.00	27,347	105.25	28,091
88.50	24,497	92.75	25,557	97.00	26,529	101.25	27,395	105.50	28,130
88.75	24,562	93.00	25,616	97.25	26,583	101.50	27,442	105.75	28,168
89.00	24,626	93.25	25,676	97.50	26,636	101.75	27,489	106.00	28,206





## Capacity/Gauge Table Information

**TCLX290303**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 103

Reporting Mark: TCLX290303

Date: 06/10/2015

Capacity: 28,997 US Gallons (109,767 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,243	110.50	28,764	114.75	28,984
106.50	28,280	110.75	28,787	115.00	28,988
106.75	28,316	111.00	28,808	115.25	28,991
107.00	28,351	111.25	28,828	115.50	28,993
107.25	28,385	111.50	28,846	115.75	28,995
107.50	28,419	111.75	28,864	116.00	28,996
107.75	28,453	112.00	28,880	116.25	28,997
108.00	28,485	112.25	28,894	116.50	28,997
108.25	28,517	112.50	28,908	116.75	28,997
108.50	28,548	112.75	28,921		
108.75	28,578	113.00	28,932		
109.00	28,607	113.25	28,942		
109.25	28,636	113.50	28,952		
109.50	28,663	113.75	28,960		
109.75	28,690	114.00	28,967		
110.00	28,716	114.25	28,974		
110.25	28,741	114.50	28,979		



## Capacity/Gauge Table Information

**TCLX 290304**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 104

Reporting Mark: TCLX 290304

Date: 14/08/2015

Capacity: 28,967 US Gallons (109,653 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	594	8.50	1,355	12.75	2,243	17.00	3,234
0.25	29	4.50	634	8.75	1,404	13.00	2,299	17.25	3,295
0.50	59	4.75	675	9.00	1,453	13.25	2,355	17.50	3,356
0.75	90	5.00	717	9.25	1,503	13.50	2,411	17.75	3,418
1.00	121	5.25	760	9.50	1,554	13.75	2,468	18.00	3,479
1.25	153	5.50	802	9.75	1,604	14.00	2,525	18.25	3,542
1.50	186	5.75	846	10.00	1,655	14.25	2,582	18.50	3,604
1.75	220	6.00	890	10.25	1,707	14.50	2,640	18.75	3,667
2.00	254	6.25	934	10.50	1,759	14.75	2,698	19.00	3,730
2.25	290	6.50	979	10.75	1,811	15.00	2,756	19.25	3,793
2.50	325	6.75	1,024	11.00	1,864	15.25	2,815	19.50	3,857
2.75	362	7.00	1,070	11.25	1,917	15.50	2,874	19.75	3,920
3.00	399	7.25	1,116	11.50	1,970	15.75	2,933	20.00	3,984
3.25	437	7.50	1,163	11.75	2,024	16.00	2,992	20.25	4,049
3.50	475	7.75	1,210	12.00	2,078	16.25	3,052	20.50	4,113
3.75	514	8.00	1,258	12.25	2,133	16.50	3,112	20.75	4,178
4.00	553	8.25	1,306	12.50	2,188	16.75	3,173	21.00	4,243



## Capacity/Gauge Table Information

**TCLX 290304**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 104

Reporting Mark: TCLX 290304

Date: 14/08/2015

Capacity: 28,967 US Gallons (109,653 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,308	25.50	5,454	29.75	6,657	34.00	7,909	38.25	9,199
21.50	4,374	25.75	5,523	30.00	6,729	34.25	7,983	38.50	9,275
21.75	4,440	26.00	5,592	30.25	6,802	34.50	8,058	38.75	9,352
22.00	4,506	26.25	5,662	30.50	6,875	34.75	8,134	39.00	9,430
22.25	4,572	26.50	5,732	30.75	6,948	35.00	8,209	39.25	9,507
22.50	4,638	26.75	5,802	31.00	7,021	35.25	8,284	39.50	9,584
22.75	4,705	27.00	5,872	31.25	7,094	35.50	8,360	39.75	9,661
23.00	4,772	27.25	5,943	31.50	7,167	35.75	8,436	40.00	9,739
23.25	4,839	27.50	6,013	31.75	7,241	36.00	8,511	40.25	9,816
23.50	4,907	27.75	6,084	32.00	7,314	36.25	8,587	40.50	9,894
23.75	4,974	28.00	6,155	32.25	7,388	36.50	8,663	40.75	9,972
24.00	5,042	28.25	6,226	32.50	7,462	36.75	8,739	41.00	10,050
24.25	5,110	28.50	6,298	32.75	7,536	37.00	8,816	41.25	10,128
24.50	5,178	28.75	6,369	33.00	7,610	37.25	8,892	41.50	10,206
24.75	5,247	29.00	6,441	33.25	7,685	37.50	8,968	41.75	10,284
25.00	5,316	29.25	6,513	33.50	7,759	37.75	9,045	42.00	10,362
25.25	5,384	29.50	6,585	33.75	7,834	38.00	9,122	42.25	10,440



## Capacity/Gauge Table Information

**TCLX 290304**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 104

Reporting Mark: TCLX 290304

Date: 14/08/2015

Capacity: 28,967 US Gallons (109,653 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,518	46.75	11,860	51.00	13,215	55.25	14,575	59.50	15,935
42.75	10,597	47.00	11,939	51.25	13,295	55.50	14,656	59.75	16,014
43.00	10,675	47.25	12,018	51.50	13,375	55.75	14,736	60.00	16,094
43.25	10,754	47.50	12,098	51.75	13,455	56.00	14,816	60.25	16,174
43.50	10,832	47.75	12,177	52.00	13,535	56.25	14,896	60.50	16,253
43.75	10,911	48.00	12,257	52.25	13,615	56.50	14,976	60.75	16,333
44.00	10,990	48.25	12,337	52.50	13,695	56.75	15,056	61.00	16,412
44.25	11,068	48.50	12,416	52.75	13,775	57.00	15,136	61.25	16,492
44.50	11,147	48.75	12,496	53.00	13,855	57.25	15,216	61.50	16,571
44.75	11,226	49.00	12,576	53.25	13,935	57.50	15,296	61.75	16,651
45.00	11,305	49.25	12,656	53.50	14,015	57.75	15,376	62.00	16,730
45.25	11,384	49.50	12,735	53.75	14,095	58.00	15,456	62.25	16,809
45.50	11,463	49.75	12,815	54.00	14,175	58.25	15,535	62.50	16,889
45.75	11,543	50.00	12,895	54.25	14,255	58.50	15,615	62.75	16,968
46.00	11,622	50.25	12,975	54.50	14,335	58.75	15,695	63.00	17,047
46.25	11,701	50.50	13,055	54.75	14,415	59.00	15,775	63.25	17,126
46.50	11,780	50.75	13,135	55.00	14,495	59.25	15,855	63.50	17,205



## Capacity/Gauge Table Information

**TCLX 290304**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 104

Reporting Mark: TCLX 290304

Date: 14/08/2015

Capacity: 28,967 US Gallons (109,653 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,284	68.00	18,617	72.25	19,924	76.50	21,198	80.75	22,429
64.00	17,363	68.25	18,695	72.50	20,000	76.75	21,272	81.00	22,500
64.25	17,442	68.50	18,772	72.75	20,076	77.00	21,345	81.25	22,571
64.50	17,521	68.75	18,850	73.00	20,152	77.25	21,419	81.50	22,641
64.75	17,600	69.00	18,927	73.25	20,227	77.50	21,492	81.75	22,712
65.00	17,678	69.25	19,004	73.50	20,303	77.75	21,565	82.00	22,782
65.25	17,757	69.50	19,082	73.75	20,378	78.00	21,638	82.25	22,852
65.50	17,836	69.75	19,159	74.00	20,453	78.25	21,711	82.50	22,922
65.75	17,914	70.00	19,236	74.25	20,528	78.50	21,783	82.75	22,991
66.00	17,992	70.25	19,313	74.50	20,603	78.75	21,856	83.00	23,061
66.25	18,071	70.50	19,390	74.75	20,678	79.00	21,928	83.25	23,130
66.50	18,149	70.75	19,466	75.00	20,753	79.25	22,000	83.50	23,199
66.75	18,227	71.00	19,543	75.25	20,827	79.50	22,072	83.75	23,267
67.00	18,305	71.25	19,619	75.50	20,902	79.75	22,144	84.00	23,336
67.25	18,383	71.50	19,696	75.75	20,976	80.00	22,216	84.25	23,404
67.50	18,461	71.75	19,772	76.00	21,050	80.25	22,287	84.50	23,472
67.75	18,539	72.00	19,848	76.25	21,124	80.50	22,358	84.75	23,540



## Capacity/Gauge Table Information

**TCLX 290304**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 104

Reporting Mark: TCLX 290304

Date: 14/08/2015

Capacity: 28,967 US Gallons (109,653 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,608	89.25	24,724	93.50	25,763	97.75	26,711	102.00	27,549
85.25	23,676	89.50	24,787	93.75	25,822	98.00	26,764	102.25	27,594
85.50	23,743	89.75	24,850	94.00	25,880	98.25	26,816	102.50	27,639
85.75	23,810	90.00	24,913	94.25	25,938	98.50	26,868	102.75	27,683
86.00	23,877	90.25	24,976	94.50	25,995	98.75	26,919	103.00	27,727
86.25	23,943	90.50	25,038	94.75	26,052	99.00	26,970	103.25	27,770
86.50	24,010	90.75	25,100	95.00	26,109	99.25	27,021	103.50	27,813
86.75	24,076	91.00	25,162	95.25	26,166	99.50	27,071	103.75	27,855
87.00	24,142	91.25	25,223	95.50	26,222	99.75	27,121	104.00	27,897
87.25	24,207	91.50	25,284	95.75	26,278	100.00	27,170	104.25	27,938
87.50	24,273	91.75	25,345	96.00	26,333	100.25	27,219	104.50	27,979
87.75	24,338	92.00	25,406	96.25	26,388	100.50	27,267	104.75	28,019
88.00	24,403	92.25	25,466	96.50	26,443	100.75	27,315	105.00	28,058
88.25	24,467	92.50	25,526	96.75	26,497	101.00	27,363	105.25	28,097
88.50	24,532	92.75	25,586	97.00	26,551	101.25	27,410	105.50	28,135
88.75	24,596	93.00	25,645	97.25	26,605	101.50	27,457	105.75	28,173
89.00	24,660	93.25	25,704	97.50	26,658	101.75	27,503	106.00	28,210



## Capacity/Gauge Table Information

**TCLX 290304**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 104

Reporting Mark: TCLX 290304

Date: 14/08/2015

Capacity: 28,967 US Gallons (109,653 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,247	110.50	28,751	114.75	28,955
106.50	28,283	110.75	28,772	115.00	28,958
106.75	28,318	111.00	28,792	115.25	28,961
107.00	28,352	111.25	28,810	115.50	28,963
107.25	28,386	111.50	28,827	115.75	28,965
107.50	28,419	111.75	28,843	116.00	28,966
107.75	28,452	112.00	28,858	116.25	28,967
108.00	28,483	112.25	28,872	116.50	28,967
108.25	28,514	112.50	28,885	116.75	28,967
108.50	28,544	112.75	28,896		
108.75	28,573	113.00	28,907		
109.00	28,602	113.25	28,916		
109.25	28,629	113.50	28,925		
109.50	28,656	113.75	28,933		
109.75	28,681	114.00	28,939		
110.00	28,706	114.25	28,945		
110.25	28,729	114.50	28,950		





## Capacity/Gauge Table Information

**TCLX 290305**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 105

Reporting Mark: TCLX 290305

Date: 12/08/2015

Capacity: 29,010 US Gallons (109,815 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	580	8.50	1,332	12.75	2,212	17.00	3,196
0.25	28	4.50	620	8.75	1,380	13.00	2,267	17.25	3,257
0.50	57	4.75	661	9.00	1,429	13.25	2,323	17.50	3,318
0.75	87	5.00	702	9.25	1,478	13.50	2,379	17.75	3,379
1.00	117	5.25	744	9.50	1,528	13.75	2,435	18.00	3,440
1.25	149	5.50	786	9.75	1,579	14.00	2,491	18.25	3,502
1.50	181	5.75	829	10.00	1,629	14.25	2,548	18.50	3,564
1.75	214	6.00	872	10.25	1,680	14.50	2,606	18.75	3,627
2.00	248	6.25	916	10.50	1,732	14.75	2,663	19.00	3,689
2.25	282	6.50	960	10.75	1,783	15.00	2,721	19.25	3,752
2.50	317	6.75	1,005	11.00	1,836	15.25	2,779	19.50	3,816
2.75	353	7.00	1,050	11.25	1,888	15.50	2,838	19.75	3,879
3.00	389	7.25	1,096	11.50	1,941	15.75	2,897	20.00	3,943
3.25	426	7.50	1,142	11.75	1,995	16.00	2,956	20.25	4,007
3.50	464	7.75	1,189	12.00	2,048	16.25	3,016	20.50	4,071
3.75	502	8.00	1,236	12.25	2,103	16.50	3,075	20.75	4,136
4.00	541	8.25	1,284	12.50	2,157	16.75	3,135	21.00	4,200



## Capacity/Gauge Table Information

**TCLX 290305**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 105

Reporting Mark: TCLX 290305

Date: 12/08/2015

Capacity: 29,010 US Gallons (109,815 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,265	25.50	5,406	29.75	6,606	34.00	7,854	38.25	9,142
21.50	4,331	25.75	5,475	30.00	6,678	34.25	7,929	38.50	9,219
21.75	4,396	26.00	5,544	30.25	6,750	34.50	8,004	38.75	9,296
22.00	4,462	26.25	5,614	30.50	6,823	34.75	8,079	39.00	9,373
22.25	4,528	26.50	5,683	30.75	6,896	35.00	8,154	39.25	9,450
22.50	4,594	26.75	5,753	31.00	6,968	35.25	8,230	39.50	9,527
22.75	4,660	27.00	5,823	31.25	7,041	35.50	8,305	39.75	9,604
23.00	4,727	27.25	5,894	31.50	7,115	35.75	8,380	40.00	9,682
23.25	4,794	27.50	5,964	31.75	7,188	36.00	8,456	40.25	9,759
23.50	4,861	27.75	6,035	32.00	7,261	36.25	8,532	40.50	9,837
23.75	4,928	28.00	6,105	32.25	7,335	36.50	8,608	40.75	9,914
24.00	4,996	28.25	6,176	32.50	7,409	36.75	8,684	41.00	9,992
24.25	5,064	28.50	6,247	32.75	7,483	37.00	8,760	41.25	10,070
24.50	5,132	28.75	6,319	33.00	7,557	37.25	8,836	41.50	10,148
24.75	5,200	29.00	6,390	33.25	7,631	37.50	8,912	41.75	10,226
25.00	5,269	29.25	6,462	33.50	7,705	37.75	8,989	42.00	10,304
25.25	5,337	29.50	6,534	33.75	7,780	38.00	9,066	42.25	10,382



## Capacity/Gauge Table Information

**TCLX 290305**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 105

Reporting Mark: TCLX 290305

Date: 12/08/2015

Capacity: 29,010 US Gallons (109,815 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,460	46.75	11,801	51.00	13,155	55.25	14,516	59.50	15,876
42.75	10,539	47.00	11,880	51.25	13,235	55.50	14,596	59.75	15,956
43.00	10,617	47.25	11,959	51.50	13,315	55.75	14,676	60.00	16,036
43.25	10,695	47.50	12,039	51.75	13,395	56.00	14,756	60.25	16,115
43.50	10,774	47.75	12,118	52.00	13,475	56.25	14,837	60.50	16,195
43.75	10,853	48.00	12,198	52.25	13,555	56.50	14,917	60.75	16,275
44.00	10,931	48.25	12,277	52.50	13,635	56.75	14,997	61.00	16,354
44.25	11,010	48.50	12,357	52.75	13,715	57.00	15,077	61.25	16,434
44.50	11,089	48.75	12,437	53.00	13,795	57.25	15,157	61.50	16,513
44.75	11,168	49.00	12,516	53.25	13,875	57.50	15,237	61.75	16,593
45.00	11,247	49.25	12,596	53.50	13,955	57.75	15,317	62.00	16,672
45.25	11,326	49.50	12,676	53.75	14,036	58.00	15,397	62.25	16,752
45.50	11,405	49.75	12,756	54.00	14,116	58.25	15,477	62.50	16,831
45.75	11,484	50.00	12,836	54.25	14,196	58.50	15,557	62.75	16,910
46.00	11,563	50.25	12,915	54.50	14,276	58.75	15,637	63.00	16,990
46.25	11,642	50.50	12,995	54.75	14,356	59.00	15,716	63.25	17,069
46.50	11,721	50.75	13,075	55.00	14,436	59.25	15,796	63.50	17,148



## Capacity/Gauge Table Information

**TCLX 290305**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 105

Reporting Mark: TCLX 290305

Date: 12/08/2015

Capacity: 29,010 US Gallons (109,815 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,227	68.00	18,562	72.25	19,872	76.50	21,149	80.75	22,384
64.00	17,306	68.25	18,639	72.50	19,948	76.75	21,222	81.00	22,455
64.25	17,385	68.50	18,717	72.75	20,024	77.00	21,296	81.25	22,526
64.50	17,464	68.75	18,795	73.00	20,100	77.25	21,370	81.50	22,597
64.75	17,543	69.00	18,872	73.25	20,175	77.50	21,443	81.75	22,667
65.00	17,622	69.25	18,950	73.50	20,251	77.75	21,517	82.00	22,738
65.25	17,700	69.50	19,027	73.75	20,326	78.00	21,590	82.25	22,808
65.50	17,779	69.75	19,104	74.00	20,402	78.25	21,663	82.50	22,878
65.75	17,858	70.00	19,182	74.25	20,477	78.50	21,736	82.75	22,948
66.00	17,936	70.25	19,259	74.50	20,552	78.75	21,808	83.00	23,017
66.25	18,015	70.50	19,336	74.75	20,627	79.00	21,881	83.25	23,087
66.50	18,093	70.75	19,413	75.00	20,702	79.25	21,953	83.50	23,156
66.75	18,171	71.00	19,489	75.25	20,777	79.50	22,025	83.75	23,225
67.00	18,250	71.25	19,566	75.50	20,852	79.75	22,097	84.00	23,294
67.25	18,328	71.50	19,643	75.75	20,926	80.00	22,169	84.25	23,362
67.50	18,406	71.75	19,719	76.00	21,000	80.25	22,241	84.50	23,431
67.75	18,484	72.00	19,795	76.25	21,074	80.50	22,312	84.75	23,499



## Capacity/Gauge Table Information

**TCLX 290305**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 105

Reporting Mark: TCLX 290305

Date: 12/08/2015

Capacity: 29,010 US Gallons (109,815 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,567	89.25	24,688	93.50	25,734	97.75	26,691	102.00	27,538
85.25	23,635	89.50	24,752	93.75	25,793	98.00	26,744	102.25	27,584
85.50	23,702	89.75	24,815	94.00	25,852	98.25	26,796	102.50	27,629
85.75	23,770	90.00	24,879	94.25	25,910	98.50	26,849	102.75	27,674
86.00	23,837	90.25	24,942	94.50	25,968	98.75	26,901	103.00	27,718
86.25	23,904	90.50	25,004	94.75	26,026	99.00	26,952	103.25	27,762
86.50	23,971	90.75	25,067	95.00	26,083	99.25	27,003	103.50	27,806
86.75	24,037	91.00	25,129	95.25	26,140	99.50	27,054	103.75	27,849
87.00	24,103	91.25	25,191	95.50	26,197	99.75	27,104	104.00	27,891
87.25	24,169	91.50	25,252	95.75	26,253	100.00	27,154	104.25	27,933
87.50	24,235	91.75	25,314	96.00	26,309	100.25	27,204	104.50	27,974
87.75	24,300	92.00	25,375	96.25	26,364	100.50	27,253	104.75	28,015
88.00	24,366	92.25	25,435	96.50	26,420	100.75	27,301	105.00	28,056
88.25	24,431	92.50	25,496	96.75	26,475	101.00	27,349	105.25	28,095
88.50	24,495	92.75	25,556	97.00	26,529	101.25	27,397	105.50	28,134
88.75	24,560	93.00	25,616	97.25	26,583	101.50	27,444	105.75	28,173
89.00	24,624	93.25	25,675	97.50	26,637	101.75	27,491	106.00	28,211



## Capacity/Gauge Table Information

**TCLX 290305**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 105

Reporting Mark: TCLX 290305

Date: 12/08/2015

Capacity: 29,010 US Gallons (109,815 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,248	110.50	28,773	114.75	28,996
106.50	28,285	110.75	28,796	115.00	29,000
106.75	28,321	111.00	28,817	115.25	29,003
107.00	28,356	111.25	28,837	115.50	29,006
107.25	28,391	111.50	28,856	115.75	29,007
107.50	28,425	111.75	28,874	116.00	29,009
107.75	28,459	112.00	28,890	116.25	29,009
108.00	28,491	112.25	28,905	116.50	29,010
108.25	28,523	112.50	28,919	116.75	29,010
108.50	28,554	112.75	28,932		
108.75	28,585	113.00	28,943		
109.00	28,614	113.25	28,954		
109.25	28,643	113.50	28,963		
109.50	28,671	113.75	28,972		
109.75	28,698	114.00	28,979		
110.00	28,724	114.25	28,986		
110.25	28,749	114.50	28,991		



## Capacity/Gauge Table Information

**TCLX 290306**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 106

Reporting Mark: TCLX 290306

Date: 13/08/2015

Capacity: 29,012 US Gallons (109,823 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	575	8.50	1,323	12.75	2,201	17.00	3,182
0.25	28	4.50	615	8.75	1,372	13.00	2,256	17.25	3,243
0.50	56	4.75	656	9.00	1,420	13.25	2,311	17.50	3,303
0.75	86	5.00	696	9.25	1,469	13.50	2,367	17.75	3,365
1.00	116	5.25	738	9.50	1,519	13.75	2,423	18.00	3,426
1.25	147	5.50	780	9.75	1,569	14.00	2,479	18.25	3,488
1.50	179	5.75	822	10.00	1,620	14.25	2,536	18.50	3,550
1.75	212	6.00	865	10.25	1,670	14.50	2,593	18.75	3,612
2.00	245	6.25	909	10.50	1,722	14.75	2,651	19.00	3,675
2.25	279	6.50	953	10.75	1,773	15.00	2,708	19.25	3,737
2.50	314	6.75	998	11.00	1,825	15.25	2,767	19.50	3,801
2.75	349	7.00	1,043	11.25	1,878	15.50	2,825	19.75	3,864
3.00	385	7.25	1,088	11.50	1,931	15.75	2,884	20.00	3,928
3.25	422	7.50	1,134	11.75	1,984	16.00	2,943	20.25	3,991
3.50	460	7.75	1,181	12.00	2,038	16.25	3,002	20.50	4,056
3.75	498	8.00	1,228	12.25	2,092	16.50	3,062	20.75	4,120
4.00	536	8.25	1,275	12.50	2,146	16.75	3,122	21.00	4,185





## Capacity/Gauge Table Information

**TCLX 290306**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 106

Reporting Mark: TCLX 290306

Date: 13/08/2015

Capacity: 29,012 US Gallons (109,823 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,249	25.50	5,388	29.75	6,587	34.00	7,834	38.25	9,121
21.50	4,315	25.75	5,457	30.00	6,659	34.25	7,909	38.50	9,198
21.75	4,380	26.00	5,527	30.25	6,731	34.50	7,984	38.75	9,275
22.00	4,446	26.25	5,596	30.50	6,804	34.75	8,059	39.00	9,351
22.25	4,512	26.50	5,666	30.75	6,876	35.00	8,134	39.25	9,429
22.50	4,578	26.75	5,735	31.00	6,949	35.25	8,209	39.50	9,506
22.75	4,644	27.00	5,805	31.25	7,022	35.50	8,284	39.75	9,583
23.00	4,711	27.25	5,875	31.50	7,095	35.75	8,360	40.00	9,660
23.25	4,777	27.50	5,946	31.75	7,168	36.00	8,435	40.25	9,738
23.50	4,844	27.75	6,016	32.00	7,242	36.25	8,511	40.50	9,815
23.75	4,912	28.00	6,087	32.25	7,315	36.50	8,587	40.75	9,893
24.00	4,979	28.25	6,158	32.50	7,389	36.75	8,663	41.00	9,970
24.25	5,047	28.50	6,229	32.75	7,463	37.00	8,739	41.25	10,048
24.50	5,115	28.75	6,300	33.00	7,537	37.25	8,815	41.50	10,126
24.75	5,183	29.00	6,372	33.25	7,611	37.50	8,891	41.75	10,204
25.00	5,251	29.25	6,443	33.50	7,685	37.75	8,968	42.00	10,282
25.25	5,320	29.50	6,515	33.75	7,760	38.00	9,044	42.25	10,360



## Capacity/Gauge Table Information

**TCLX 290306**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 106

Reporting Mark: TCLX 290306

Date: 13/08/2015

Capacity: 29,012 US Gallons (109,823 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,438	46.75	11,778	51.00	13,132	55.25	14,493	59.50	15,853
42.75	10,517	47.00	11,857	51.25	13,212	55.50	14,573	59.75	15,933
43.00	10,595	47.25	11,937	51.50	13,292	55.75	14,653	60.00	16,012
43.25	10,673	47.50	12,016	51.75	13,372	56.00	14,733	60.25	16,092
43.50	10,752	47.75	12,096	52.00	13,452	56.25	14,813	60.50	16,172
43.75	10,830	48.00	12,175	52.25	13,532	56.50	14,893	60.75	16,251
44.00	10,909	48.25	12,255	52.50	13,612	56.75	14,973	61.00	16,331
44.25	10,988	48.50	12,334	52.75	13,692	57.00	15,053	61.25	16,411
44.50	11,067	48.75	12,414	53.00	13,772	57.25	15,133	61.50	16,490
44.75	11,145	49.00	12,494	53.25	13,852	57.50	15,213	61.75	16,570
45.00	11,224	49.25	12,573	53.50	13,932	57.75	15,293	62.00	16,649
45.25	11,303	49.50	12,653	53.75	14,012	58.00	15,373	62.25	16,729
45.50	11,382	49.75	12,733	54.00	14,093	58.25	15,453	62.50	16,808
45.75	11,461	50.00	12,813	54.25	14,173	58.50	15,533	62.75	16,887
46.00	11,540	50.25	12,893	54.50	14,253	58.75	15,613	63.00	16,966
46.25	11,620	50.50	12,972	54.75	14,333	59.00	15,693	63.25	17,046
46.50	11,699	50.75	13,052	55.00	14,413	59.25	15,773	63.50	17,125



## Capacity/Gauge Table Information

**TCLX 290306**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 106

Reporting Mark: TCLX 290306

Date: 13/08/2015

Capacity: 29,012 US Gallons (109,823 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,204	68.00	18,539	72.25	19,849	76.50	21,127	80.75	22,363
64.00	17,283	68.25	18,617	72.50	19,925	76.75	21,201	81.00	22,434
64.25	17,362	68.50	18,694	72.75	20,001	77.00	21,275	81.25	22,505
64.50	17,441	68.75	18,772	73.00	20,077	77.25	21,348	81.50	22,576
64.75	17,520	69.00	18,850	73.25	20,153	77.50	21,422	81.75	22,646
65.00	17,599	69.25	18,927	73.50	20,229	77.75	21,495	82.00	22,717
65.25	17,677	69.50	19,004	73.75	20,304	78.00	21,568	82.25	22,787
65.50	17,756	69.75	19,082	74.00	20,380	78.25	21,641	82.50	22,857
65.75	17,835	70.00	19,159	74.25	20,455	78.50	21,714	82.75	22,927
66.00	17,913	70.25	19,236	74.50	20,530	78.75	21,787	83.00	22,997
66.25	17,992	70.50	19,313	74.75	20,605	79.00	21,859	83.25	23,066
66.50	18,070	70.75	19,390	75.00	20,680	79.25	21,932	83.50	23,136
66.75	18,148	71.00	19,467	75.25	20,755	79.50	22,004	83.75	23,205
67.00	18,227	71.25	19,543	75.50	20,830	79.75	22,076	84.00	23,274
67.25	18,305	71.50	19,620	75.75	20,904	80.00	22,148	84.25	23,342
67.50	18,383	71.75	19,697	76.00	20,978	80.25	22,220	84.50	23,411
67.75	18,461	72.00	19,773	76.25	21,053	80.50	22,291	84.75	23,479



## Capacity/Gauge Table Information

**TCLX 290306**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 106

Reporting Mark: TCLX 290306

Date: 13/08/2015

Capacity: 29,012 US Gallons (109,823 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,547	89.25	24,670	93.50	25,718	97.75	26,676	102.00	27,525
85.25	23,615	89.50	24,734	93.75	25,777	98.00	26,729	102.25	27,571
85.50	23,683	89.75	24,797	94.00	25,835	98.25	26,782	102.50	27,617
85.75	23,750	90.00	24,860	94.25	25,894	98.50	26,834	102.75	27,662
86.00	23,817	90.25	24,924	94.50	25,952	98.75	26,886	103.00	27,707
86.25	23,884	90.50	24,986	94.75	26,009	99.00	26,938	103.25	27,751
86.50	23,951	90.75	25,049	95.00	26,067	99.25	26,989	103.50	27,795
86.75	24,018	91.00	25,111	95.25	26,124	99.50	27,040	103.75	27,838
87.00	24,084	91.25	25,173	95.50	26,181	99.75	27,091	104.00	27,880
87.25	24,150	91.50	25,235	95.75	26,237	100.00	27,141	104.25	27,922
87.50	24,216	91.75	25,296	96.00	26,293	100.25	27,190	104.50	27,964
87.75	24,281	92.00	25,357	96.25	26,349	100.50	27,239	104.75	28,005
88.00	24,347	92.25	25,418	96.50	26,404	100.75	27,288	105.00	28,045
88.25	24,412	92.50	25,478	96.75	26,459	101.00	27,336	105.25	28,085
88.50	24,477	92.75	25,539	97.00	26,514	101.25	27,384	105.50	28,125
88.75	24,541	93.00	25,599	97.25	26,568	101.50	27,432	105.75	28,163
89.00	24,606	93.25	25,658	97.50	26,622	101.75	27,479	106.00	28,202



## Capacity/Gauge Table Information

**TCLX 290306**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 106

Reporting Mark: TCLX 290306

Date: 13/08/2015

Capacity: 29,012 US Gallons (109,823 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,239	110.50	28,769	114.75	28,998
106.50	28,276	110.75	28,792	115.00	29,002
106.75	28,312	111.00	28,814	115.25	29,005
107.00	28,348	111.25	28,835	115.50	29,008
107.25	28,383	111.50	28,854	115.75	29,010
107.50	28,417	111.75	28,872	116.00	29,011
107.75	28,451	112.00	28,889	116.25	29,012
108.00	28,484	112.25	28,905	116.50	29,012
108.25	28,516	112.50	28,919	116.75	29,012
108.50	28,547	112.75	28,932		
108.75	28,578	113.00	28,944		
109.00	28,608	113.25	28,955		
109.25	28,637	113.50	28,964		
109.50	28,665	113.75	28,973		
109.75	28,693	114.00	28,981		
110.00	28,719	114.25	28,987		
110.25	28,744	114.50	28,993		



## Capacity/Gauge Table Information

**TCLX 290307**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 107

Reporting Mark: TCLX 290307

Date: 19/08/2015

Capacity: 29,002 US Gallons (109,786 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,341	12.75	2,225	17.00	3,211
0.25	28	4.50	626	8.75	1,390	13.00	2,280	17.25	3,272
0.50	58	4.75	667	9.00	1,439	13.25	2,336	17.50	3,333
0.75	88	5.00	708	9.25	1,489	13.50	2,392	17.75	3,395
1.00	119	5.25	750	9.50	1,539	13.75	2,448	18.00	3,456
1.25	151	5.50	793	9.75	1,589	14.00	2,505	18.25	3,518
1.50	183	5.75	836	10.00	1,640	14.25	2,562	18.50	3,581
1.75	216	6.00	879	10.25	1,691	14.50	2,620	18.75	3,643
2.00	250	6.25	923	10.50	1,743	14.75	2,677	19.00	3,706
2.25	285	6.50	968	10.75	1,795	15.00	2,735	19.25	3,769
2.50	320	6.75	1,013	11.00	1,847	15.25	2,794	19.50	3,832
2.75	356	7.00	1,058	11.25	1,900	15.50	2,853	19.75	3,896
3.00	393	7.25	1,104	11.50	1,953	15.75	2,912	20.00	3,960
3.25	430	7.50	1,151	11.75	2,007	16.00	2,971	20.25	4,024
3.50	468	7.75	1,198	12.00	2,061	16.25	3,031	20.50	4,088
3.75	507	8.00	1,245	12.25	2,115	16.50	3,090	20.75	4,153
4.00	546	8.25	1,293	12.50	2,170	16.75	3,151	21.00	4,218



## Capacity/Gauge Table Information

**TCLX 290307**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 107

Reporting Mark: TCLX 290307

Date: 19/08/2015

Capacity: 29,002 US Gallons (109,786 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,283	25.50	5,426	29.75	6,627	34.00	7,877	38.25	9,166
21.50	4,348	25.75	5,495	30.00	6,700	34.25	7,952	38.50	9,243
21.75	4,414	26.00	5,564	30.25	6,772	34.50	8,027	38.75	9,320
22.00	4,480	26.25	5,634	30.50	6,845	34.75	8,102	39.00	9,397
22.25	4,546	26.50	5,704	30.75	6,917	35.00	8,177	39.25	9,474
22.50	4,612	26.75	5,774	31.00	6,990	35.25	8,253	39.50	9,551
22.75	4,679	27.00	5,844	31.25	7,063	35.50	8,328	39.75	9,629
23.00	4,746	27.25	5,914	31.50	7,137	35.75	8,404	40.00	9,706
23.25	4,813	27.50	5,985	31.75	7,210	36.00	8,480	40.25	9,784
23.50	4,880	27.75	6,055	32.00	7,284	36.25	8,555	40.50	9,861
23.75	4,947	28.00	6,126	32.25	7,357	36.50	8,631	40.75	9,939
24.00	5,015	28.25	6,197	32.50	7,431	36.75	8,707	41.00	10,017
24.25	5,083	28.50	6,268	32.75	7,505	37.00	8,784	41.25	10,095
24.50	5,151	28.75	6,340	33.00	7,579	37.25	8,860	41.50	10,173
24.75	5,220	29.00	6,412	33.25	7,654	37.50	8,936	41.75	10,251
25.00	5,288	29.25	6,483	33.50	7,728	37.75	9,013	42.00	10,329
25.25	5,357	29.50	6,555	33.75	7,803	38.00	9,090	42.25	10,407





## Capacity/Gauge Table Information

**TCLX 290307**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 107

Reporting Mark: TCLX 290307

Date: 19/08/2015

Capacity: 29,002 US Gallons (109,786 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,485	46.75	11,826	51.00	13,181	55.25	14,543	59.50	15,903
42.75	10,564	47.00	11,906	51.25	13,261	55.50	14,623	59.75	15,982
43.00	10,642	47.25	11,985	51.50	13,341	55.75	14,703	60.00	16,062
43.25	10,721	47.50	12,065	51.75	13,421	56.00	14,783	60.25	16,142
43.50	10,799	47.75	12,144	52.00	13,501	56.25	14,863	60.50	16,222
43.75	10,878	48.00	12,224	52.25	13,581	56.50	14,943	60.75	16,301
44.00	10,957	48.25	12,303	52.50	13,662	56.75	15,023	61.00	16,381
44.25	11,035	48.50	12,383	52.75	13,742	57.00	15,103	61.25	16,460
44.50	11,114	48.75	12,463	53.00	13,822	57.25	15,183	61.50	16,540
44.75	11,193	49.00	12,542	53.25	13,902	57.50	15,263	61.75	16,619
45.00	11,272	49.25	12,622	53.50	13,982	57.75	15,343	62.00	16,699
45.25	11,351	49.50	12,702	53.75	14,062	58.00	15,423	62.25	16,778
45.50	11,430	49.75	12,782	54.00	14,142	58.25	15,503	62.50	16,858
45.75	11,509	50.00	12,862	54.25	14,222	58.50	15,583	62.75	16,937
46.00	11,588	50.25	12,942	54.50	14,302	58.75	15,663	63.00	17,016
46.25	11,668	50.50	13,021	54.75	14,382	59.00	15,743	63.25	17,095
46.50	11,747	50.75	13,101	55.00	14,463	59.25	15,823	63.50	17,174



## Capacity/Gauge Table Information

**TCLX 290307**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 107

Reporting Mark: TCLX 290307

Date: 19/08/2015

Capacity: 29,002 US Gallons (109,786 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,254	68.00	18,588	72.25	19,897	76.50	21,173	80.75	22,407
64.00	17,333	68.25	18,665	72.50	19,973	76.75	21,247	81.00	22,478
64.25	17,412	68.50	18,743	72.75	20,049	77.00	21,321	81.25	22,549
64.50	17,490	68.75	18,821	73.00	20,125	77.25	21,394	81.50	22,620
64.75	17,569	69.00	18,898	73.25	20,201	77.50	21,468	81.75	22,690
65.00	17,648	69.25	18,976	73.50	20,276	77.75	21,541	82.00	22,761
65.25	17,727	69.50	19,053	73.75	20,352	78.00	21,614	82.25	22,831
65.50	17,805	69.75	19,130	74.00	20,427	78.25	21,687	82.50	22,901
65.75	17,884	70.00	19,207	74.25	20,502	78.50	21,760	82.75	22,970
66.00	17,962	70.25	19,284	74.50	20,577	78.75	21,832	83.00	23,040
66.25	18,041	70.50	19,361	74.75	20,652	79.00	21,905	83.25	23,109
66.50	18,119	70.75	19,438	75.00	20,727	79.25	21,977	83.50	23,178
66.75	18,197	71.00	19,515	75.25	20,802	79.50	22,049	83.75	23,247
67.00	18,276	71.25	19,592	75.50	20,876	79.75	22,121	84.00	23,316
67.25	18,354	71.50	19,668	75.75	20,951	80.00	22,193	84.25	23,385
67.50	18,432	71.75	19,744	76.00	21,025	80.25	22,264	84.50	23,453
67.75	18,510	72.00	19,821	76.25	21,099	80.50	22,336	84.75	23,521



## Capacity/Gauge Table Information

**TCLX 290307**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 107

Reporting Mark: TCLX 290307

Date: 19/08/2015

Capacity: 29,002 US Gallons (109,786 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,589	89.25	24,708	93.50	25,752	97.75	26,706	102.00	27,550
85.25	23,657	89.50	24,772	93.75	25,811	98.00	26,759	102.25	27,595
85.50	23,724	89.75	24,835	94.00	25,870	98.25	26,811	102.50	27,641
85.75	23,791	90.00	24,898	94.25	25,928	98.50	26,863	102.75	27,685
86.00	23,858	90.25	24,961	94.50	25,985	98.75	26,915	103.00	27,729
86.25	23,925	90.50	25,024	94.75	26,043	99.00	26,966	103.25	27,773
86.50	23,992	90.75	25,086	95.00	26,100	99.25	27,017	103.50	27,816
86.75	24,058	91.00	25,148	95.25	26,157	99.50	27,068	103.75	27,859
87.00	24,124	91.25	25,210	95.50	26,213	99.75	27,118	104.00	27,901
87.25	24,190	91.50	25,271	95.75	26,270	100.00	27,168	104.25	27,943
87.50	24,256	91.75	25,332	96.00	26,325	100.25	27,217	104.50	27,984
87.75	24,321	92.00	25,393	96.25	26,381	100.50	27,266	104.75	28,025
88.00	24,386	92.25	25,454	96.50	26,436	100.75	27,314	105.00	28,065
88.25	24,451	92.50	25,514	96.75	26,491	101.00	27,362	105.25	28,104
88.50	24,516	92.75	25,574	97.00	26,545	101.25	27,410	105.50	28,143
88.75	24,580	93.00	25,634	97.25	26,599	101.50	27,457	105.75	28,181
89.00	24,644	93.25	25,693	97.50	26,653	101.75	27,503	106.00	28,219



## Capacity/Gauge Table Information

**TCLX 290307**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 107

Reporting Mark: TCLX 290307

Date: 19/08/2015

Capacity: 29,002 US Gallons (109,786 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,256	110.50	28,774	114.75	28,989
106.50	28,292	110.75	28,796	115.00	28,993
106.75	28,328	111.00	28,816	115.25	28,996
107.00	28,363	111.25	28,836	115.50	28,998
107.25	28,397	111.50	28,854	115.75	29,000
107.50	28,431	111.75	28,871	116.00	29,001
107.75	28,464	112.00	28,887	116.25	29,002
108.00	28,496	112.25	28,901	116.50	29,002
108.25	28,528	112.50	28,915	116.75	29,002
108.50	28,559	112.75	28,927		
108.75	28,589	113.00	28,938		
109.00	28,618	113.25	28,948		
109.25	28,646	113.50	28,958		
109.50	28,674	113.75	28,966		
109.75	28,700	114.00	28,973		
110.00	28,726	114.25	28,979		
110.25	28,750	114.50	28,985		



## Capacity/Gauge Table Information

**TCLX 290308**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 108

Reporting Mark: TCLX 290308

Date: 25/08/2015

Capacity: 29,005 US Gallons (109,796 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,339	12.75	2,221	17.00	3,207
0.25	28	4.50	624	8.75	1,387	13.00	2,277	17.25	3,268
0.50	58	4.75	665	9.00	1,436	13.25	2,332	17.50	3,329
0.75	88	5.00	707	9.25	1,486	13.50	2,388	17.75	3,391
1.00	118	5.25	748	9.50	1,536	13.75	2,445	18.00	3,452
1.25	150	5.50	791	9.75	1,586	14.00	2,501	18.25	3,514
1.50	183	5.75	834	10.00	1,637	14.25	2,558	18.50	3,576
1.75	216	6.00	877	10.25	1,688	14.50	2,616	18.75	3,639
2.00	250	6.25	921	10.50	1,740	14.75	2,674	19.00	3,702
2.25	284	6.50	966	10.75	1,792	15.00	2,732	19.25	3,765
2.50	319	6.75	1,011	11.00	1,844	15.25	2,790	19.50	3,828
2.75	355	7.00	1,056	11.25	1,897	15.50	2,849	19.75	3,892
3.00	392	7.25	1,102	11.50	1,950	15.75	2,908	20.00	3,955
3.25	429	7.50	1,148	11.75	2,003	16.00	2,967	20.25	4,020
3.50	467	7.75	1,195	12.00	2,057	16.25	3,027	20.50	4,084
3.75	505	8.00	1,243	12.25	2,112	16.50	3,086	20.75	4,148
4.00	545	8.25	1,290	12.50	2,166	16.75	3,147	21.00	4,213



## Capacity/Gauge Table Information

**TCLX 290308**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 108

Reporting Mark: TCLX 290308

Date: 25/08/2015

Capacity: 29,005 US Gallons (109,796 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,278	25.50	5,421	29.75	6,622	34.00	7,872	38.25	9,160
21.50	4,344	25.75	5,490	30.00	6,694	34.25	7,946	38.50	9,237
21.75	4,409	26.00	5,559	30.25	6,767	34.50	8,021	38.75	9,314
22.00	4,475	26.25	5,629	30.50	6,839	34.75	8,096	39.00	9,391
22.25	4,541	26.50	5,698	30.75	6,912	35.00	8,172	39.25	9,468
22.50	4,608	26.75	5,768	31.00	6,985	35.25	8,247	39.50	9,545
22.75	4,674	27.00	5,838	31.25	7,058	35.50	8,322	39.75	9,623
23.00	4,741	27.25	5,909	31.50	7,131	35.75	8,398	40.00	9,700
23.25	4,808	27.50	5,979	31.75	7,205	36.00	8,474	40.25	9,778
23.50	4,875	27.75	6,050	32.00	7,278	36.25	8,550	40.50	9,855
23.75	4,943	28.00	6,121	32.25	7,352	36.50	8,626	40.75	9,933
24.00	5,010	28.25	6,192	32.50	7,426	36.75	8,702	41.00	10,011
24.25	5,078	28.50	6,263	32.75	7,500	37.00	8,778	41.25	10,089
24.50	5,146	28.75	6,335	33.00	7,574	37.25	8,854	41.50	10,167
24.75	5,215	29.00	6,406	33.25	7,648	37.50	8,930	41.75	10,245
25.00	5,283	29.25	6,478	33.50	7,722	37.75	9,007	42.00	10,323
25.25	5,352	29.50	6,550	33.75	7,797	38.00	9,084	42.25	10,401



## Capacity/Gauge Table Information

**TCLX 290308**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 108

Reporting Mark: TCLX 290308

Date: 25/08/2015

Capacity: 29,005 US Gallons (109,796 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,479	46.75	11,820	51.00	13,175	55.25	14,537	59.50	15,897
42.75	10,558	47.00	11,900	51.25	13,255	55.50	14,617	59.75	15,976
43.00	10,636	47.25	11,979	51.50	13,335	55.75	14,697	60.00	16,056
43.25	10,715	47.50	12,059	51.75	13,415	56.00	14,777	60.25	16,136
43.50	10,793	47.75	12,138	52.00	13,495	56.25	14,857	60.50	16,216
43.75	10,872	48.00	12,218	52.25	13,575	56.50	14,937	60.75	16,295
44.00	10,950	48.25	12,297	52.50	13,655	56.75	15,017	61.00	16,375
44.25	11,029	48.50	12,377	52.75	13,735	57.00	15,097	61.25	16,454
44.50	11,108	48.75	12,457	53.00	13,816	57.25	15,177	61.50	16,534
44.75	11,187	49.00	12,536	53.25	13,896	57.50	15,257	61.75	16,613
45.00	11,266	49.25	12,616	53.50	13,976	57.75	15,337	62.00	16,693
45.25	11,345	49.50	12,696	53.75	14,056	58.00	15,417	62.25	16,772
45.50	11,424	49.75	12,776	54.00	14,136	58.25	15,497	62.50	16,852
45.75	11,503	50.00	12,856	54.25	14,216	58.50	15,577	62.75	16,931
46.00	11,582	50.25	12,935	54.50	14,296	58.75	15,657	63.00	17,010
46.25	11,662	50.50	13,015	54.75	14,376	59.00	15,737	63.25	17,089
46.50	11,741	50.75	13,095	55.00	14,456	59.25	15,817	63.50	17,169





## Capacity/Gauge Table Information

**TCLX 290308**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 108

Reporting Mark: TCLX 290308

Date: 25/08/2015

Capacity: 29,005 US Gallons (109,796 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,248	68.00	18,582	72.25	19,891	76.50	21,168	80.75	22,402
64.00	17,327	68.25	18,660	72.50	19,968	76.75	21,242	81.00	22,473
64.25	17,406	68.50	18,737	72.75	20,044	77.00	21,315	81.25	22,544
64.50	17,485	68.75	18,815	73.00	20,119	77.25	21,389	81.50	22,615
64.75	17,563	69.00	18,893	73.25	20,195	77.50	21,462	81.75	22,685
65.00	17,642	69.25	18,970	73.50	20,271	77.75	21,536	82.00	22,756
65.25	17,721	69.50	19,047	73.75	20,346	78.00	21,609	82.25	22,826
65.50	17,800	69.75	19,125	74.00	20,422	78.25	21,682	82.50	22,896
65.75	17,878	70.00	19,202	74.25	20,497	78.50	21,754	82.75	22,966
66.00	17,957	70.25	19,279	74.50	20,572	78.75	21,827	83.00	23,035
66.25	18,035	70.50	19,356	74.75	20,647	79.00	21,900	83.25	23,105
66.50	18,113	70.75	19,433	75.00	20,722	79.25	21,972	83.50	23,174
66.75	18,192	71.00	19,509	75.25	20,796	79.50	22,044	83.75	23,243
67.00	18,270	71.25	19,586	75.50	20,871	79.75	22,116	84.00	23,312
67.25	18,348	71.50	19,663	75.75	20,945	80.00	22,188	84.25	23,380
67.50	18,426	71.75	19,739	76.00	21,020	80.25	22,259	84.50	23,448
67.75	18,504	72.00	19,815	76.25	21,094	80.50	22,331	84.75	23,517



## Capacity/Gauge Table Information

**TCLX 290308**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 108

Reporting Mark: TCLX 290308

Date: 25/08/2015

Capacity: 29,005 US Gallons (109,796 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,585	89.25	24,704	93.50	25,749	97.75	26,703	102.00	27,548
85.25	23,652	89.50	24,768	93.75	25,808	98.00	26,756	102.25	27,593
85.50	23,720	89.75	24,831	94.00	25,866	98.25	26,808	102.50	27,638
85.75	23,787	90.00	24,894	94.25	25,924	98.50	26,861	102.75	27,683
86.00	23,854	90.25	24,957	94.50	25,982	98.75	26,912	103.00	27,728
86.25	23,921	90.50	25,020	94.75	26,040	99.00	26,964	103.25	27,771
86.50	23,988	90.75	25,082	95.00	26,097	99.25	27,015	103.50	27,815
86.75	24,054	91.00	25,144	95.25	26,154	99.50	27,065	103.75	27,857
87.00	24,120	91.25	25,206	95.50	26,210	99.75	27,115	104.00	27,900
87.25	24,186	91.50	25,268	95.75	26,266	100.00	27,165	104.25	27,941
87.50	24,252	91.75	25,329	96.00	26,322	100.25	27,215	104.50	27,982
87.75	24,317	92.00	25,390	96.25	26,378	100.50	27,263	104.75	28,023
88.00	24,382	92.25	25,450	96.50	26,433	100.75	27,312	105.00	28,063
88.25	24,447	92.50	25,511	96.75	26,488	101.00	27,360	105.25	28,103
88.50	24,512	92.75	25,571	97.00	26,542	101.25	27,408	105.50	28,142
88.75	24,576	93.00	25,630	97.25	26,596	101.50	27,455	105.75	28,180
89.00	24,640	93.25	25,690	97.50	26,650	101.75	27,501	106.00	28,218



## Capacity/Gauge Table Information

**TCLX 290308**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 108

Reporting Mark: TCLX 290308

Date: 25/08/2015

Capacity: 29,005 US Gallons (109,796 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,255	110.50	28,774	114.75	28,991
106.50	28,291	110.75	28,796	115.00	28,995
106.75	28,327	111.00	28,817	115.25	28,998
107.00	28,362	111.25	28,837	115.50	29,001
107.25	28,397	111.50	28,855	115.75	29,003
107.50	28,430	111.75	28,872	116.00	29,004
107.75	28,463	112.00	28,888	116.25	29,005
108.00	28,496	112.25	28,903	116.50	29,005
108.25	28,527	112.50	28,917	116.75	29,005
108.50	28,558	112.75	28,929		
108.75	28,588	113.00	28,940		
109.00	28,618	113.25	28,950		
109.25	28,646	113.50	28,960		
109.50	28,674	113.75	28,968		
109.75	28,700	114.00	28,975		
110.00	28,726	114.25	28,981		
110.25	28,750	114.50	28,987		



## Capacity/Gauge Table Information

**TCLX 290309**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 109

Reporting Mark: TCLX 290309

Date: 25/08/2015

Capacity: 28,990 US Gallons (109,740 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,337	12.75	2,219	17.00	3,204
0.25	28	4.50	623	8.75	1,385	13.00	2,274	17.25	3,265
0.50	57	4.75	664	9.00	1,434	13.25	2,329	17.50	3,326
0.75	87	5.00	705	9.25	1,484	13.50	2,385	17.75	3,387
1.00	118	5.25	747	9.50	1,534	13.75	2,442	18.00	3,449
1.25	150	5.50	789	9.75	1,584	14.00	2,498	18.25	3,510
1.50	182	5.75	832	10.00	1,635	14.25	2,555	18.50	3,573
1.75	215	6.00	876	10.25	1,686	14.50	2,613	18.75	3,635
2.00	249	6.25	920	10.50	1,737	14.75	2,671	19.00	3,698
2.25	284	6.50	964	10.75	1,789	15.00	2,729	19.25	3,761
2.50	319	6.75	1,009	11.00	1,842	15.25	2,787	19.50	3,824
2.75	355	7.00	1,054	11.25	1,894	15.50	2,845	19.75	3,888
3.00	391	7.25	1,100	11.50	1,947	15.75	2,904	20.00	3,951
3.25	428	7.50	1,147	11.75	2,001	16.00	2,964	20.25	4,015
3.50	466	7.75	1,193	12.00	2,055	16.25	3,023	20.50	4,080
3.75	505	8.00	1,241	12.25	2,109	16.50	3,083	20.75	4,144
4.00	544	8.25	1,288	12.50	2,164	16.75	3,143	21.00	4,209



## Capacity/Gauge Table Information

**TCLX 290309**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 109

Reporting Mark: TCLX 290309

Date: 25/08/2015

Capacity: 28,990 US Gallons (109,740 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,274	25.50	5,416	29.75	6,616	34.00	7,865	38.25	9,153
21.50	4,340	25.75	5,485	30.00	6,688	34.25	7,940	38.50	9,230
21.75	4,405	26.00	5,554	30.25	6,761	34.50	8,015	38.75	9,307
22.00	4,471	26.25	5,624	30.50	6,833	34.75	8,090	39.00	9,384
22.25	4,537	26.50	5,693	30.75	6,906	35.00	8,165	39.25	9,461
22.50	4,603	26.75	5,763	31.00	6,979	35.25	8,240	39.50	9,538
22.75	4,670	27.00	5,833	31.25	7,052	35.50	8,316	39.75	9,615
23.00	4,736	27.25	5,903	31.50	7,125	35.75	8,391	40.00	9,693
23.25	4,803	27.50	5,974	31.75	7,198	36.00	8,467	40.25	9,770
23.50	4,870	27.75	6,045	32.00	7,272	36.25	8,543	40.50	9,848
23.75	4,938	28.00	6,115	32.25	7,346	36.50	8,619	40.75	9,925
24.00	5,005	28.25	6,186	32.50	7,419	36.75	8,695	41.00	10,003
24.25	5,073	28.50	6,258	32.75	7,493	37.00	8,771	41.25	10,081
24.50	5,141	28.75	6,329	33.00	7,567	37.25	8,847	41.50	10,159
24.75	5,210	29.00	6,400	33.25	7,642	37.50	8,923	41.75	10,237
25.00	5,278	29.25	6,472	33.50	7,716	37.75	9,000	42.00	10,315
25.25	5,347	29.50	6,544	33.75	7,790	38.00	9,076	42.25	10,393



## Capacity/Gauge Table Information

**TCLX 290309**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 109

Reporting Mark: TCLX 290309

Date: 25/08/2015

Capacity: 28,990 US Gallons (109,740 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,471	46.75	11,811	51.00	13,166	55.25	14,526	59.50	15,886
42.75	10,550	47.00	11,891	51.25	13,246	55.50	14,606	59.75	15,966
43.00	10,628	47.25	11,970	51.50	13,326	55.75	14,687	60.00	16,045
43.25	10,706	47.50	12,050	51.75	13,406	56.00	14,767	60.25	16,125
43.50	10,785	47.75	12,129	52.00	13,486	56.25	14,847	60.50	16,205
43.75	10,864	48.00	12,209	52.25	13,566	56.50	14,927	60.75	16,284
44.00	10,942	48.25	12,288	52.50	13,646	56.75	15,007	61.00	16,364
44.25	11,021	48.50	12,368	52.75	13,726	57.00	15,087	61.25	16,443
44.50	11,100	48.75	12,448	53.00	13,806	57.25	15,167	61.50	16,523
44.75	11,179	49.00	12,527	53.25	13,886	57.50	15,247	61.75	16,602
45.00	11,257	49.25	12,607	53.50	13,966	57.75	15,327	62.00	16,682
45.25	11,336	49.50	12,687	53.75	14,046	58.00	15,407	62.25	16,761
45.50	11,415	49.75	12,766	54.00	14,126	58.25	15,487	62.50	16,840
45.75	11,495	50.00	12,846	54.25	14,206	58.50	15,566	62.75	16,920
46.00	11,574	50.25	12,926	54.50	14,286	58.75	15,646	63.00	16,999
46.25	11,653	50.50	13,006	54.75	14,366	59.00	15,726	63.25	17,078
46.50	11,732	50.75	13,086	55.00	14,446	59.25	15,806	63.50	17,157



## Capacity/Gauge Table Information

**TCLX 290309**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 109

Reporting Mark: TCLX 290309

Date: 25/08/2015

Capacity: 28,990 US Gallons (109,740 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,236	68.00	18,570	72.25	19,879	76.50	21,155	80.75	22,389
64.00	17,315	68.25	18,648	72.50	19,955	76.75	21,229	81.00	22,460
64.25	17,394	68.50	18,725	72.75	20,031	77.00	21,302	81.25	22,530
64.50	17,473	68.75	18,803	73.00	20,107	77.25	21,376	81.50	22,601
64.75	17,552	69.00	18,880	73.25	20,182	77.50	21,449	81.75	22,672
65.00	17,631	69.25	18,958	73.50	20,258	77.75	21,522	82.00	22,742
65.25	17,709	69.50	19,035	73.75	20,333	78.00	21,595	82.25	22,812
65.50	17,788	69.75	19,112	74.00	20,409	78.25	21,668	82.50	22,882
65.75	17,866	70.00	19,189	74.25	20,484	78.50	21,741	82.75	22,952
66.00	17,945	70.25	19,266	74.50	20,559	78.75	21,814	83.00	23,021
66.25	18,023	70.50	19,343	74.75	20,634	79.00	21,886	83.25	23,091
66.50	18,102	70.75	19,420	75.00	20,709	79.25	21,958	83.50	23,160
66.75	18,180	71.00	19,497	75.25	20,783	79.50	22,031	83.75	23,229
67.00	18,258	71.25	19,574	75.50	20,858	79.75	22,103	84.00	23,298
67.25	18,336	71.50	19,650	75.75	20,932	80.00	22,174	84.25	23,366
67.50	18,414	71.75	19,726	76.00	21,007	80.25	22,246	84.50	23,435
67.75	18,492	72.00	19,803	76.25	21,081	80.50	22,317	84.75	23,503





## Capacity/Gauge Table Information

**TCLX 290309**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 109

Reporting Mark: TCLX 290309

Date: 25/08/2015

Capacity: 28,990 US Gallons (109,740 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,571	89.25	24,690	93.50	25,734	97.75	26,688	102.00	27,533
85.25	23,638	89.50	24,754	93.75	25,793	98.00	26,741	102.25	27,578
85.50	23,706	89.75	24,817	94.00	25,851	98.25	26,794	102.50	27,624
85.75	23,773	90.00	24,880	94.25	25,910	98.50	26,846	102.75	27,668
86.00	23,840	90.25	24,943	94.50	25,967	98.75	26,898	103.00	27,713
86.25	23,907	90.50	25,006	94.75	26,025	99.00	26,949	103.25	27,756
86.50	23,973	90.75	25,068	95.00	26,082	99.25	27,000	103.50	27,800
86.75	24,040	91.00	25,130	95.25	26,139	99.50	27,050	103.75	27,842
87.00	24,106	91.25	25,192	95.50	26,195	99.75	27,101	104.00	27,885
87.25	24,172	91.50	25,253	95.75	26,252	100.00	27,150	104.25	27,926
87.50	24,237	91.75	25,314	96.00	26,307	100.25	27,200	104.50	27,968
87.75	24,303	92.00	25,375	96.25	26,363	100.50	27,249	104.75	28,008
88.00	24,368	92.25	25,436	96.50	26,418	100.75	27,297	105.00	28,048
88.25	24,433	92.50	25,496	96.75	26,473	101.00	27,345	105.25	28,088
88.50	24,498	92.75	25,556	97.00	26,527	101.25	27,393	105.50	28,127
88.75	24,562	93.00	25,616	97.25	26,581	101.50	27,440	105.75	28,165
89.00	24,626	93.25	25,675	97.50	26,635	101.75	27,486	106.00	28,203



## Capacity/Gauge Table Information

**TCLX 290309**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 109

Reporting Mark: TCLX 290309

Date: 25/08/2015

Capacity: 28,990 US Gallons (109,740 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,240	110.50	28,759	114.75	28,977
106.50	28,276	110.75	28,782	115.00	28,981
106.75	28,312	111.00	28,803	115.25	28,984
107.00	28,347	111.25	28,822	115.50	28,986
107.25	28,382	111.50	28,841	115.75	28,988
107.50	28,415	111.75	28,858	116.00	28,989
107.75	28,449	112.00	28,874	116.25	28,990
108.00	28,481	112.25	28,888	116.50	28,990
108.25	28,513	112.50	28,902	116.75	28,990
108.50	28,543	112.75	28,914		
108.75	28,574	113.00	28,926		
109.00	28,603	113.25	28,936		
109.25	28,631	113.50	28,945		
109.50	28,659	113.75	28,953		
109.75	28,685	114.00	28,960		
110.00	28,711	114.25	28,967		
110.25	28,736	114.50	28,972		



## Capacity/Gauge Table Information

**TCLX 290310**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 110

Reporting Mark: TCLX 290310

Date: 20/08/2015

Capacity: 29,007 US Gallons (109,802 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,335	12.75	2,217	17.00	3,202
0.25	28	4.50	622	8.75	1,384	13.00	2,272	17.25	3,263
0.50	57	4.75	663	9.00	1,433	13.25	2,328	17.50	3,324
0.75	87	5.00	704	9.25	1,482	13.50	2,384	17.75	3,385
1.00	118	5.25	746	9.50	1,532	13.75	2,440	18.00	3,447
1.25	149	5.50	788	9.75	1,582	14.00	2,497	18.25	3,509
1.50	182	5.75	831	10.00	1,633	14.25	2,554	18.50	3,571
1.75	215	6.00	875	10.25	1,684	14.50	2,611	18.75	3,633
2.00	249	6.25	918	10.50	1,736	14.75	2,669	19.00	3,696
2.25	283	6.50	963	10.75	1,788	15.00	2,727	19.25	3,759
2.50	318	6.75	1,008	11.00	1,840	15.25	2,785	19.50	3,822
2.75	354	7.00	1,053	11.25	1,893	15.50	2,844	19.75	3,886
3.00	391	7.25	1,099	11.50	1,946	15.75	2,903	20.00	3,950
3.25	428	7.50	1,145	11.75	1,999	16.00	2,962	20.25	4,014
3.50	465	7.75	1,192	12.00	2,053	16.25	3,021	20.50	4,078
3.75	504	8.00	1,239	12.25	2,107	16.50	3,081	20.75	4,143
4.00	543	8.25	1,287	12.50	2,162	16.75	3,141	21.00	4,207



## Capacity/Gauge Table Information

**TCLX 290310**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 110

Reporting Mark: TCLX 290310

Date: 20/08/2015

Capacity: 29,007 US Gallons (109,802 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,272	25.50	5,414	29.75	6,615	34.00	7,864	38.25	9,153
21.50	4,338	25.75	5,483	30.00	6,687	34.25	7,939	38.50	9,229
21.75	4,403	26.00	5,552	30.25	6,759	34.50	8,014	38.75	9,306
22.00	4,469	26.25	5,622	30.50	6,832	34.75	8,089	39.00	9,383
22.25	4,535	26.50	5,692	30.75	6,905	35.00	8,164	39.25	9,460
22.50	4,601	26.75	5,762	31.00	6,978	35.25	8,239	39.50	9,538
22.75	4,668	27.00	5,832	31.25	7,051	35.50	8,315	39.75	9,615
23.00	4,735	27.25	5,902	31.50	7,124	35.75	8,390	40.00	9,692
23.25	4,802	27.50	5,972	31.75	7,197	36.00	8,466	40.25	9,770
23.50	4,869	27.75	6,043	32.00	7,271	36.25	8,542	40.50	9,847
23.75	4,936	28.00	6,114	32.25	7,344	36.50	8,618	40.75	9,925
24.00	5,004	28.25	6,185	32.50	7,418	36.75	8,694	41.00	10,003
24.25	5,072	28.50	6,256	32.75	7,492	37.00	8,770	41.25	10,081
24.50	5,140	28.75	6,328	33.00	7,566	37.25	8,846	41.50	10,159
24.75	5,208	29.00	6,399	33.25	7,641	37.50	8,923	41.75	10,237
25.00	5,276	29.25	6,471	33.50	7,715	37.75	8,999	42.00	10,315
25.25	5,345	29.50	6,543	33.75	7,789	38.00	9,076	42.25	10,393



## Capacity/Gauge Table Information

**TCLX 290310**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 110

Reporting Mark: TCLX 290310

Date: 20/08/2015

Capacity: 29,007 US Gallons (109,802 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,471	46.75	11,812	51.00	13,167	55.25	14,528	59.50	15,888
42.75	10,550	47.00	11,891	51.25	13,247	55.50	14,608	59.75	15,968
43.00	10,628	47.25	11,971	51.50	13,327	55.75	14,689	60.00	16,048
43.25	10,707	47.50	12,050	51.75	13,407	56.00	14,769	60.25	16,128
43.50	10,785	47.75	12,130	52.00	13,487	56.25	14,849	60.50	16,207
43.75	10,864	48.00	12,209	52.25	13,567	56.50	14,929	60.75	16,287
44.00	10,942	48.25	12,289	52.50	13,647	56.75	15,009	61.00	16,367
44.25	11,021	48.50	12,369	52.75	13,727	57.00	15,089	61.25	16,446
44.50	11,100	48.75	12,448	53.00	13,807	57.25	15,169	61.50	16,526
44.75	11,179	49.00	12,528	53.25	13,887	57.50	15,249	61.75	16,605
45.00	11,258	49.25	12,608	53.50	13,968	57.75	15,329	62.00	16,685
45.25	11,337	49.50	12,688	53.75	14,048	58.00	15,409	62.25	16,764
45.50	11,416	49.75	12,768	54.00	14,128	58.25	15,489	62.50	16,844
45.75	11,495	50.00	12,847	54.25	14,208	58.50	15,569	62.75	16,923
46.00	11,574	50.25	12,927	54.50	14,288	58.75	15,649	63.00	17,002
46.25	11,653	50.50	13,007	54.75	14,368	59.00	15,729	63.25	17,081
46.50	11,733	50.75	13,087	55.00	14,448	59.25	15,809	63.50	17,161



## Capacity/Gauge Table Information

**TCLX 290310**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 110

Reporting Mark: TCLX 290310

Date: 20/08/2015

Capacity: 29,007 US Gallons (109,802 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,240	68.00	18,574	72.25	19,884	76.50	21,161	80.75	22,395
64.00	17,319	68.25	18,652	72.50	19,960	76.75	21,235	81.00	22,467
64.25	17,398	68.50	18,730	72.75	20,036	77.00	21,308	81.25	22,537
64.50	17,477	68.75	18,807	73.00	20,112	77.25	21,382	81.50	22,608
64.75	17,555	69.00	18,885	73.25	20,188	77.50	21,455	81.75	22,679
65.00	17,634	69.25	18,962	73.50	20,263	77.75	21,529	82.00	22,749
65.25	17,713	69.50	19,040	73.75	20,339	78.00	21,602	82.25	22,819
65.50	17,792	69.75	19,117	74.00	20,414	78.25	21,675	82.50	22,889
65.75	17,870	70.00	19,194	74.25	20,489	78.50	21,748	82.75	22,959
66.00	17,949	70.25	19,271	74.50	20,565	78.75	21,820	83.00	23,029
66.25	18,027	70.50	19,348	74.75	20,640	79.00	21,893	83.25	23,098
66.50	18,106	70.75	19,425	75.00	20,714	79.25	21,965	83.50	23,167
66.75	18,184	71.00	19,502	75.25	20,789	79.50	22,037	83.75	23,236
67.00	18,262	71.25	19,578	75.50	20,864	79.75	22,109	84.00	23,305
67.25	18,340	71.50	19,655	75.75	20,938	80.00	22,181	84.25	23,374
67.50	18,418	71.75	19,731	76.00	21,013	80.25	22,253	84.50	23,442
67.75	18,496	72.00	19,808	76.25	21,087	80.50	22,324	84.75	23,510



## Capacity/Gauge Table Information

**TCLX 290310**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 110

Reporting Mark: TCLX 290310

Date: 20/08/2015

Capacity: 29,007 US Gallons (109,802 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,578	89.25	24,699	93.50	25,744	97.75	26,699	102.00	27,544
85.25	23,646	89.50	24,762	93.75	25,803	98.00	26,752	102.25	27,590
85.50	23,714	89.75	24,826	94.00	25,861	98.25	26,804	102.50	27,635
85.75	23,781	90.00	24,889	94.25	25,919	98.50	26,857	102.75	27,680
86.00	23,848	90.25	24,952	94.50	25,977	98.75	26,908	103.00	27,724
86.25	23,915	90.50	25,014	94.75	26,035	99.00	26,960	103.25	27,768
86.50	23,981	90.75	25,077	95.00	26,092	99.25	27,011	103.50	27,812
86.75	24,048	91.00	25,139	95.25	26,149	99.50	27,061	103.75	27,854
87.00	24,114	91.25	25,201	95.50	26,205	99.75	27,112	104.00	27,897
87.25	24,180	91.50	25,262	95.75	26,262	100.00	27,161	104.25	27,939
87.50	24,246	91.75	25,323	96.00	26,318	100.25	27,211	104.50	27,980
87.75	24,311	92.00	25,384	96.25	26,373	100.50	27,260	104.75	28,020
88.00	24,376	92.25	25,445	96.50	26,428	100.75	27,308	105.00	28,061
88.25	24,441	92.50	25,505	96.75	26,483	101.00	27,356	105.25	28,100
88.50	24,506	92.75	25,565	97.00	26,538	101.25	27,404	105.50	28,139
88.75	24,570	93.00	25,625	97.25	26,592	101.50	27,451	105.75	28,178
89.00	24,635	93.25	25,685	97.50	26,645	101.75	27,498	106.00	28,215





## Capacity/Gauge Table Information

**TCLX 290310**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 110

Reporting Mark: TCLX 290310

Date: 20/08/2015

Capacity: 29,007 US Gallons (109,802 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,252	110.50	28,774	114.75	28,993
106.50	28,289	110.75	28,796	115.00	28,997
106.75	28,325	111.00	28,817	115.25	29,000
107.00	28,360	111.25	28,837	115.50	29,002
107.25	28,395	111.50	28,856	115.75	29,004
107.50	28,429	111.75	28,873	116.00	29,005
107.75	28,462	112.00	28,889	116.25	29,006
108.00	28,494	112.25	28,904	116.50	29,007
108.25	28,526	112.50	28,917	116.75	29,007
108.50	28,557	112.75	28,930		
108.75	28,587	113.00	28,941		
109.00	28,617	113.25	28,952		
109.25	28,645	113.50	28,961		
109.50	28,673	113.75	28,969		
109.75	28,699	114.00	28,977		
110.00	28,725	114.25	28,983		
110.25	28,750	114.50	28,988		



## Capacity/Gauge Table Information

**TCLX 290311**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 111

Reporting Mark: TCLX 290311

Date: 21/08/2015

Capacity: 28,997 US Gallons (109,765 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	581	8.50	1,332	12.75	2,213	17.00	3,197
0.25	28	4.50	621	8.75	1,381	13.00	2,268	17.25	3,257
0.50	57	4.75	661	9.00	1,430	13.25	2,323	17.50	3,318
0.75	87	5.00	702	9.25	1,479	13.50	2,379	17.75	3,380
1.00	118	5.25	744	9.50	1,529	13.75	2,436	18.00	3,441
1.25	149	5.50	786	9.75	1,579	14.00	2,492	18.25	3,503
1.50	181	5.75	829	10.00	1,630	14.25	2,549	18.50	3,565
1.75	214	6.00	872	10.25	1,681	14.50	2,606	18.75	3,627
2.00	248	6.25	916	10.50	1,732	14.75	2,664	19.00	3,690
2.25	282	6.50	961	10.75	1,784	15.00	2,722	19.25	3,753
2.50	317	6.75	1,005	11.00	1,836	15.25	2,780	19.50	3,816
2.75	353	7.00	1,051	11.25	1,889	15.50	2,839	19.75	3,880
3.00	389	7.25	1,096	11.50	1,942	15.75	2,898	20.00	3,944
3.25	426	7.50	1,143	11.75	1,995	16.00	2,957	20.25	4,008
3.50	464	7.75	1,189	12.00	2,049	16.25	3,016	20.50	4,072
3.75	502	8.00	1,237	12.25	2,103	16.50	3,076	20.75	4,136
4.00	541	8.25	1,284	12.50	2,158	16.75	3,136	21.00	4,201



## Capacity/Gauge Table Information

**TCLX 290311**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 111

Reporting Mark: TCLX 290311

Date: 21/08/2015

Capacity: 28,997 US Gallons (109,765 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,266	25.50	5,407	29.75	6,606	34.00	7,855	38.25	9,142
21.50	4,331	25.75	5,476	30.00	6,679	34.25	7,930	38.50	9,219
21.75	4,397	26.00	5,545	30.25	6,751	34.50	8,004	38.75	9,296
22.00	4,463	26.25	5,614	30.50	6,824	34.75	8,079	39.00	9,373
22.25	4,529	26.50	5,684	30.75	6,896	35.00	8,155	39.25	9,450
22.50	4,595	26.75	5,754	31.00	6,969	35.25	8,230	39.50	9,527
22.75	4,661	27.00	5,824	31.25	7,042	35.50	8,305	39.75	9,605
23.00	4,728	27.25	5,894	31.50	7,115	35.75	8,381	40.00	9,682
23.25	4,795	27.50	5,965	31.75	7,188	36.00	8,456	40.25	9,759
23.50	4,862	27.75	6,035	32.00	7,262	36.25	8,532	40.50	9,837
23.75	4,929	28.00	6,106	32.25	7,336	36.50	8,608	40.75	9,915
24.00	4,997	28.25	6,177	32.50	7,409	36.75	8,684	41.00	9,992
24.25	5,065	28.50	6,248	32.75	7,483	37.00	8,760	41.25	10,070
24.50	5,133	28.75	6,319	33.00	7,557	37.25	8,836	41.50	10,148
24.75	5,201	29.00	6,391	33.25	7,631	37.50	8,913	41.75	10,226
25.00	5,269	29.25	6,463	33.50	7,706	37.75	8,989	42.00	10,304
25.25	5,338	29.50	6,534	33.75	7,780	38.00	9,066	42.25	10,382



## Capacity/Gauge Table Information

**TCLX 290311**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 111

Reporting Mark: TCLX 290311

Date: 21/08/2015

Capacity: 28,997 US Gallons (109,765 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,460	46.75	11,800	51.00	13,155	55.25	14,515	59.50	15,875
42.75	10,539	47.00	11,880	51.25	13,234	55.50	14,595	59.75	15,954
43.00	10,617	47.25	11,959	51.50	13,314	55.75	14,675	60.00	16,034
43.25	10,695	47.50	12,039	51.75	13,394	56.00	14,755	60.25	16,114
43.50	10,774	47.75	12,118	52.00	13,474	56.25	14,835	60.50	16,194
43.75	10,853	48.00	12,198	52.25	13,554	56.50	14,915	60.75	16,273
44.00	10,931	48.25	12,277	52.50	13,634	56.75	14,996	61.00	16,353
44.25	11,010	48.50	12,357	52.75	13,714	57.00	15,076	61.25	16,432
44.50	11,089	48.75	12,436	53.00	13,795	57.25	15,156	61.50	16,512
44.75	11,167	49.00	12,516	53.25	13,875	57.50	15,236	61.75	16,591
45.00	11,246	49.25	12,596	53.50	13,955	57.75	15,316	62.00	16,671
45.25	11,325	49.50	12,675	53.75	14,035	58.00	15,395	62.25	16,750
45.50	11,404	49.75	12,755	54.00	14,115	58.25	15,475	62.50	16,829
45.75	11,483	50.00	12,835	54.25	14,195	58.50	15,555	62.75	16,909
46.00	11,563	50.25	12,915	54.50	14,275	58.75	15,635	63.00	16,988
46.25	11,642	50.50	12,995	54.75	14,355	59.00	15,715	63.25	17,067
46.50	11,721	50.75	13,075	55.00	14,435	59.25	15,795	63.50	17,146



## Capacity/Gauge Table Information

**TCLX 290311**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 111

Reporting Mark: TCLX 290311

Date: 21/08/2015

Capacity: 28,997 US Gallons (109,765 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,225	68.00	18,559	72.25	19,869	76.50	21,145	80.75	22,380
64.00	17,304	68.25	18,637	72.50	19,945	76.75	21,219	81.00	22,451
64.25	17,383	68.50	18,715	72.75	20,021	77.00	21,293	81.25	22,522
64.50	17,462	68.75	18,792	73.00	20,097	77.25	21,366	81.50	22,592
64.75	17,541	69.00	18,870	73.25	20,172	77.50	21,440	81.75	22,663
65.00	17,620	69.25	18,947	73.50	20,248	77.75	21,513	82.00	22,733
65.25	17,698	69.50	19,025	73.75	20,323	78.00	21,586	82.25	22,804
65.50	17,777	69.75	19,102	74.00	20,399	78.25	21,659	82.50	22,874
65.75	17,856	70.00	19,179	74.25	20,474	78.50	21,732	82.75	22,943
66.00	17,934	70.25	19,256	74.50	20,549	78.75	21,805	83.00	23,013
66.25	18,013	70.50	19,333	74.75	20,624	79.00	21,877	83.25	23,082
66.50	18,091	70.75	19,410	75.00	20,699	79.25	21,949	83.50	23,152
66.75	18,169	71.00	19,487	75.25	20,774	79.50	22,021	83.75	23,221
67.00	18,247	71.25	19,563	75.50	20,848	79.75	22,093	84.00	23,289
67.25	18,325	71.50	19,640	75.75	20,923	80.00	22,165	84.25	23,358
67.50	18,404	71.75	19,716	76.00	20,997	80.25	22,237	84.50	23,426
67.75	18,481	72.00	19,793	76.25	21,071	80.50	22,308	84.75	23,495



## Capacity/Gauge Table Information

**TCLX 290311**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 111

Reporting Mark: TCLX 290311

Date: 21/08/2015

Capacity: 28,997 US Gallons (109,765 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,563	89.25	24,683	93.50	25,728	97.75	26,684	102.00	27,530
85.25	23,630	89.50	24,747	93.75	25,787	98.00	26,737	102.25	27,576
85.50	23,698	89.75	24,810	94.00	25,846	98.25	26,789	102.50	27,621
85.75	23,765	90.00	24,873	94.25	25,904	98.50	26,842	102.75	27,666
86.00	23,832	90.25	24,936	94.50	25,962	98.75	26,893	103.00	27,710
86.25	23,899	90.50	24,999	94.75	26,019	99.00	26,945	103.25	27,754
86.50	23,966	90.75	25,061	95.00	26,077	99.25	26,996	103.50	27,798
86.75	24,032	91.00	25,123	95.25	26,134	99.50	27,047	103.75	27,840
87.00	24,098	91.25	25,185	95.50	26,190	99.75	27,097	104.00	27,883
87.25	24,164	91.50	25,247	95.75	26,246	100.00	27,147	104.25	27,925
87.50	24,230	91.75	25,308	96.00	26,302	100.25	27,196	104.50	27,966
87.75	24,295	92.00	25,369	96.25	26,358	100.50	27,245	104.75	28,007
88.00	24,361	92.25	25,429	96.50	26,413	100.75	27,294	105.00	28,047
88.25	24,426	92.50	25,490	96.75	26,468	101.00	27,342	105.25	28,086
88.50	24,490	92.75	25,550	97.00	26,522	101.25	27,389	105.50	28,125
88.75	24,555	93.00	25,610	97.25	26,577	101.50	27,437	105.75	28,164
89.00	24,619	93.25	25,669	97.50	26,630	101.75	27,483	106.00	28,202



## Capacity/Gauge Table Information

**TCLX 290311**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 111

Reporting Mark: TCLX 290311

Date: 21/08/2015

Capacity: 28,997 US Gallons (109,765 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,239	110.50	28,762	114.75	28,983
106.50	28,276	110.75	28,785	115.00	28,987
106.75	28,312	111.00	28,806	115.25	28,990
107.00	28,347	111.25	28,826	115.50	28,993
107.25	28,382	111.50	28,845	115.75	28,994
107.50	28,416	111.75	28,862	116.00	28,996
107.75	28,449	112.00	28,878	116.25	28,996
108.00	28,481	112.25	28,893	116.50	28,997
108.25	28,513	112.50	28,907	116.75	28,997
108.50	28,544	112.75	28,920		
108.75	28,575	113.00	28,931		
109.00	28,604	113.25	28,941		
109.25	28,633	113.50	28,951		
109.50	28,660	113.75	28,959		
109.75	28,687	114.00	28,967		
110.00	28,713	114.25	28,973		
110.25	28,738	114.50	28,978		





## Capacity/Gauge Table Information

**TCLX 290312**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 112

Reporting Mark: TCLX 290312

Date: 26/08/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	578	8.50	1,328	12.75	2,207	17.00	3,190
0.25	28	4.50	618	8.75	1,376	13.00	2,262	17.25	3,250
0.50	57	4.75	658	9.00	1,425	13.25	2,317	17.50	3,311
0.75	86	5.00	700	9.25	1,474	13.50	2,373	17.75	3,372
1.00	117	5.25	741	9.50	1,524	13.75	2,430	18.00	3,434
1.25	148	5.50	783	9.75	1,574	14.00	2,486	18.25	3,496
1.50	180	5.75	826	10.00	1,625	14.25	2,543	18.50	3,558
1.75	213	6.00	869	10.25	1,676	14.50	2,600	18.75	3,620
2.00	246	6.25	913	10.50	1,727	14.75	2,658	19.00	3,683
2.25	281	6.50	957	10.75	1,779	15.00	2,716	19.25	3,746
2.50	316	6.75	1,002	11.00	1,831	15.25	2,774	19.50	3,809
2.75	351	7.00	1,047	11.25	1,884	15.50	2,832	19.75	3,872
3.00	387	7.25	1,093	11.50	1,937	15.75	2,891	20.00	3,936
3.25	424	7.50	1,139	11.75	1,990	16.00	2,950	20.25	4,000
3.50	462	7.75	1,185	12.00	2,044	16.25	3,010	20.50	4,064
3.75	500	8.00	1,232	12.25	2,098	16.50	3,069	20.75	4,129
4.00	539	8.25	1,280	12.50	2,152	16.75	3,129	21.00	4,193



## Capacity/Gauge Table Information

**TCLX 290312**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 112

Reporting Mark: TCLX 290312

Date: 26/08/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,258	25.50	5,398	29.75	6,597	34.00	7,845	38.25	9,133
21.50	4,323	25.75	5,467	30.00	6,670	34.25	7,920	38.50	9,209
21.75	4,389	26.00	5,536	30.25	6,742	34.50	7,995	38.75	9,286
22.00	4,455	26.25	5,606	30.50	6,814	34.75	8,070	39.00	9,363
22.25	4,521	26.50	5,675	30.75	6,887	35.00	8,145	39.25	9,440
22.50	4,587	26.75	5,745	31.00	6,960	35.25	8,220	39.50	9,517
22.75	4,653	27.00	5,815	31.25	7,033	35.50	8,296	39.75	9,595
23.00	4,720	27.25	5,885	31.50	7,106	35.75	8,371	40.00	9,672
23.25	4,787	27.50	5,956	31.75	7,179	36.00	8,447	40.25	9,749
23.50	4,854	27.75	6,026	32.00	7,253	36.25	8,523	40.50	9,827
23.75	4,921	28.00	6,097	32.25	7,326	36.50	8,598	40.75	9,905
24.00	4,988	28.25	6,168	32.50	7,400	36.75	8,674	41.00	9,982
24.25	5,056	28.50	6,239	32.75	7,474	37.00	8,750	41.25	10,060
24.50	5,124	28.75	6,310	33.00	7,548	37.25	8,827	41.50	10,138
24.75	5,192	29.00	6,382	33.25	7,622	37.50	8,903	41.75	10,216
25.00	5,261	29.25	6,454	33.50	7,696	37.75	8,979	42.00	10,294
25.25	5,329	29.50	6,525	33.75	7,771	38.00	9,056	42.25	10,372



## Capacity/Gauge Table Information

**TCLX 290312**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 112

Reporting Mark: TCLX 290312

Date: 26/08/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,450	46.75	11,790	51.00	13,145	55.25	14,505	59.50	15,865
42.75	10,529	47.00	11,870	51.25	13,225	55.50	14,586	59.75	15,945
43.00	10,607	47.25	11,949	51.50	13,305	55.75	14,666	60.00	16,025
43.25	10,685	47.50	12,029	51.75	13,385	56.00	14,746	60.25	16,104
43.50	10,764	47.75	12,108	52.00	13,465	56.25	14,826	60.50	16,184
43.75	10,843	48.00	12,188	52.25	13,545	56.50	14,906	60.75	16,264
44.00	10,921	48.25	12,267	52.50	13,625	56.75	14,986	61.00	16,343
44.25	11,000	48.50	12,347	52.75	13,705	57.00	15,066	61.25	16,423
44.50	11,079	48.75	12,426	53.00	13,785	57.25	15,146	61.50	16,503
44.75	11,158	49.00	12,506	53.25	13,865	57.50	15,226	61.75	16,582
45.00	11,236	49.25	12,586	53.50	13,945	57.75	15,306	62.00	16,661
45.25	11,315	49.50	12,666	53.75	14,025	58.00	15,386	62.25	16,741
45.50	11,394	49.75	12,745	54.00	14,105	58.25	15,466	62.50	16,820
45.75	11,473	50.00	12,825	54.25	14,185	58.50	15,546	62.75	16,900
46.00	11,553	50.25	12,905	54.50	14,265	58.75	15,626	63.00	16,979
46.25	11,632	50.50	12,985	54.75	14,345	59.00	15,706	63.25	17,058
46.50	11,711	50.75	13,065	55.00	14,425	59.25	15,785	63.50	17,137



## Capacity/Gauge Table Information

**TCLX 290312**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 112

Reporting Mark: TCLX 290312

Date: 26/08/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,216	68.00	18,551	72.25	19,861	76.50	21,138	80.75	22,373
64.00	17,295	68.25	18,629	72.50	19,937	76.75	21,212	81.00	22,444
64.25	17,374	68.50	18,706	72.75	20,013	77.00	21,286	81.25	22,515
64.50	17,453	68.75	18,784	73.00	20,089	77.25	21,359	81.50	22,586
64.75	17,532	69.00	18,862	73.25	20,165	77.50	21,433	81.75	22,657
65.00	17,611	69.25	18,939	73.50	20,240	77.75	21,506	82.00	22,727
65.25	17,690	69.50	19,016	73.75	20,316	78.00	21,579	82.25	22,797
65.50	17,768	69.75	19,094	74.00	20,391	78.25	21,652	82.50	22,868
65.75	17,847	70.00	19,171	74.25	20,466	78.50	21,725	82.75	22,937
66.00	17,925	70.25	19,248	74.50	20,542	78.75	21,798	83.00	23,007
66.25	18,004	70.50	19,325	74.75	20,617	79.00	21,870	83.25	23,076
66.50	18,082	70.75	19,402	75.00	20,691	79.25	21,943	83.50	23,146
66.75	18,160	71.00	19,479	75.25	20,766	79.50	22,015	83.75	23,215
67.00	18,239	71.25	19,555	75.50	20,841	79.75	22,087	84.00	23,284
67.25	18,317	71.50	19,632	75.75	20,915	80.00	22,159	84.25	23,352
67.50	18,395	71.75	19,708	76.00	20,990	80.25	22,230	84.50	23,421
67.75	18,473	72.00	19,785	76.25	21,064	80.50	22,302	84.75	23,489



## Capacity/Gauge Table Information

**TCLX 290312**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 112

Reporting Mark: TCLX 290312

Date: 26/08/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,557	89.25	24,679	93.50	25,725	97.75	26,682	102.00	27,530
85.25	23,625	89.50	24,742	93.75	25,784	98.00	26,735	102.25	27,576
85.50	23,692	89.75	24,806	94.00	25,843	98.25	26,788	102.50	27,621
85.75	23,760	90.00	24,869	94.25	25,901	98.50	26,840	102.75	27,666
86.00	23,827	90.25	24,932	94.50	25,959	98.75	26,892	103.00	27,711
86.25	23,894	90.50	24,995	94.75	26,017	99.00	26,944	103.25	27,755
86.50	23,961	90.75	25,057	95.00	26,074	99.25	26,995	103.50	27,798
86.75	24,027	91.00	25,119	95.25	26,131	99.50	27,046	103.75	27,841
87.00	24,093	91.25	25,181	95.50	26,188	99.75	27,096	104.00	27,884
87.25	24,159	91.50	25,243	95.75	26,244	100.00	27,146	104.25	27,926
87.50	24,225	91.75	25,304	96.00	26,300	100.25	27,195	104.50	27,967
87.75	24,291	92.00	25,365	96.25	26,356	100.50	27,245	104.75	28,008
88.00	24,356	92.25	25,426	96.50	26,411	100.75	27,293	105.00	28,048
88.25	24,421	92.50	25,486	96.75	26,466	101.00	27,341	105.25	28,088
88.50	24,486	92.75	25,547	97.00	26,520	101.25	27,389	105.50	28,127
88.75	24,550	93.00	25,606	97.25	26,575	101.50	27,437	105.75	28,166
89.00	24,614	93.25	25,666	97.50	26,629	101.75	27,483	106.00	28,204



## Capacity/Gauge Table Information

**TCLX 290312**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 112

Reporting Mark: TCLX 290312

Date: 26/08/2015

Capacity: 29,007 US Gallons (109,803 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,241	110.50	28,768	114.75	28,993
106.50	28,278	110.75	28,791	115.00	28,997
106.75	28,314	111.00	28,812	115.25	29,000
107.00	28,350	111.25	28,833	115.50	29,003
107.25	28,385	111.50	28,852	115.75	29,004
107.50	28,419	111.75	28,870	116.00	29,006
107.75	28,452	112.00	28,886	116.25	29,006
108.00	28,485	112.25	28,901	116.50	29,007
108.25	28,517	112.50	28,915	116.75	29,007
108.50	28,548	112.75	28,928		
108.75	28,579	113.00	28,940		
109.00	28,608	113.25	28,950		
109.25	28,637	113.50	28,960		
109.50	28,665	113.75	28,969		
109.75	28,692	114.00	28,976		
110.00	28,718	114.25	28,983		
110.25	28,744	114.50	28,988		



## Capacity/Gauge Table Information

**TCLX 290313**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 113

Reporting Mark: TCLX 290313

Date: 28/08/2015

Capacity: 29,002 US Gallons (109,784 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	581	8.50	1,333	12.75	2,213	17.00	3,197
0.25	28	4.50	621	8.75	1,381	13.00	2,268	17.25	3,258
0.50	57	4.75	661	9.00	1,430	13.25	2,324	17.50	3,319
0.75	87	5.00	703	9.25	1,480	13.50	2,380	17.75	3,380
1.00	118	5.25	744	9.50	1,529	13.75	2,436	18.00	3,442
1.25	149	5.50	787	9.75	1,580	14.00	2,493	18.25	3,504
1.50	181	5.75	829	10.00	1,630	14.25	2,550	18.50	3,566
1.75	214	6.00	873	10.25	1,681	14.50	2,607	18.75	3,628
2.00	248	6.25	917	10.50	1,733	14.75	2,665	19.00	3,691
2.25	282	6.50	961	10.75	1,785	15.00	2,723	19.25	3,754
2.50	317	6.75	1,006	11.00	1,837	15.25	2,781	19.50	3,817
2.75	353	7.00	1,051	11.25	1,890	15.50	2,839	19.75	3,881
3.00	390	7.25	1,097	11.50	1,943	15.75	2,898	20.00	3,945
3.25	427	7.50	1,143	11.75	1,996	16.00	2,958	20.25	4,009
3.50	464	7.75	1,190	12.00	2,050	16.25	3,017	20.50	4,073
3.75	502	8.00	1,237	12.25	2,104	16.50	3,077	20.75	4,137
4.00	541	8.25	1,285	12.50	2,158	16.75	3,137	21.00	4,202





## Capacity/Gauge Table Information

**TCLX 290313**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 113

Reporting Mark: TCLX 290313

Date: 28/08/2015

Capacity: 29,002 US Gallons (109,784 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,267	25.50	5,408	29.75	6,608	34.00	7,857	38.25	9,144
21.50	4,332	25.75	5,477	30.00	6,680	34.25	7,931	38.50	9,221
21.75	4,398	26.00	5,546	30.25	6,752	34.50	8,006	38.75	9,298
22.00	4,464	26.25	5,616	30.50	6,825	34.75	8,081	39.00	9,375
22.25	4,530	26.50	5,685	30.75	6,898	35.00	8,156	39.25	9,452
22.50	4,596	26.75	5,755	31.00	6,971	35.25	8,232	39.50	9,529
22.75	4,662	27.00	5,825	31.25	7,044	35.50	8,307	39.75	9,606
23.00	4,729	27.25	5,896	31.50	7,117	35.75	8,383	40.00	9,684
23.25	4,796	27.50	5,966	31.75	7,190	36.00	8,458	40.25	9,761
23.50	4,863	27.75	6,037	32.00	7,264	36.25	8,534	40.50	9,839
23.75	4,930	28.00	6,107	32.25	7,337	36.50	8,610	40.75	9,917
24.00	4,998	28.25	6,178	32.50	7,411	36.75	8,686	41.00	9,994
24.25	5,066	28.50	6,249	32.75	7,485	37.00	8,762	41.25	10,072
24.50	5,134	28.75	6,321	33.00	7,559	37.25	8,838	41.50	10,150
24.75	5,202	29.00	6,392	33.25	7,633	37.50	8,915	41.75	10,228
25.00	5,270	29.25	6,464	33.50	7,707	37.75	8,991	42.00	10,306
25.25	5,339	29.50	6,536	33.75	7,782	38.00	9,068	42.25	10,384



## Capacity/Gauge Table Information

**TCLX 290313**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 113

Reporting Mark: TCLX 290313

Date: 28/08/2015

Capacity: 29,002 US Gallons (109,784 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,462	46.75	11,803	51.00	13,157	55.25	14,518	59.50	15,878
42.75	10,541	47.00	11,882	51.25	13,237	55.50	14,598	59.75	15,957
43.00	10,619	47.25	11,961	51.50	13,317	55.75	14,678	60.00	16,037
43.25	10,698	47.50	12,041	51.75	13,397	56.00	14,758	60.25	16,117
43.50	10,776	47.75	12,120	52.00	13,477	56.25	14,838	60.50	16,197
43.75	10,855	48.00	12,200	52.25	13,557	56.50	14,918	60.75	16,276
44.00	10,933	48.25	12,279	52.50	13,637	56.75	14,998	61.00	16,356
44.25	11,012	48.50	12,359	52.75	13,717	57.00	15,078	61.25	16,435
44.50	11,091	48.75	12,439	53.00	13,797	57.25	15,158	61.50	16,515
44.75	11,170	49.00	12,518	53.25	13,877	57.50	15,238	61.75	16,594
45.00	11,249	49.25	12,598	53.50	13,957	57.75	15,318	62.00	16,674
45.25	11,328	49.50	12,678	53.75	14,037	58.00	15,398	62.25	16,753
45.50	11,407	49.75	12,758	54.00	14,117	58.25	15,478	62.50	16,833
45.75	11,486	50.00	12,838	54.25	14,198	58.50	15,558	62.75	16,912
46.00	11,565	50.25	12,917	54.50	14,278	58.75	15,638	63.00	16,991
46.25	11,644	50.50	12,997	54.75	14,358	59.00	15,718	63.25	17,070
46.50	11,723	50.75	13,077	55.00	14,438	59.25	15,798	63.50	17,149



## Capacity/Gauge Table Information

**TCLX 290313**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 113

Reporting Mark: TCLX 290313

Date: 28/08/2015

Capacity: 29,002 US Gallons (109,784 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,228	68.00	18,563	72.25	19,872	76.50	21,149	80.75	22,384
64.00	17,307	68.25	18,640	72.50	19,948	76.75	21,223	81.00	22,455
64.25	17,386	68.50	18,718	72.75	20,024	77.00	21,297	81.25	22,526
64.50	17,465	68.75	18,796	73.00	20,100	77.25	21,370	81.50	22,596
64.75	17,544	69.00	18,873	73.25	20,176	77.50	21,444	81.75	22,667
65.00	17,623	69.25	18,951	73.50	20,252	77.75	21,517	82.00	22,737
65.25	17,702	69.50	19,028	73.75	20,327	78.00	21,590	82.25	22,808
65.50	17,780	69.75	19,105	74.00	20,402	78.25	21,663	82.50	22,878
65.75	17,859	70.00	19,183	74.25	20,478	78.50	21,736	82.75	22,947
66.00	17,937	70.25	19,260	74.50	20,553	78.75	21,808	83.00	23,017
66.25	18,016	70.50	19,337	74.75	20,628	79.00	21,881	83.25	23,086
66.50	18,094	70.75	19,413	75.00	20,703	79.25	21,953	83.50	23,156
66.75	18,172	71.00	19,490	75.25	20,777	79.50	22,025	83.75	23,225
67.00	18,251	71.25	19,567	75.50	20,852	79.75	22,097	84.00	23,293
67.25	18,329	71.50	19,643	75.75	20,926	80.00	22,169	84.25	23,362
67.50	18,407	71.75	19,720	76.00	21,001	80.25	22,241	84.50	23,430
67.75	18,485	72.00	19,796	76.25	21,075	80.50	22,312	84.75	23,499



## Capacity/Gauge Table Information

**TCLX 290313**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 113

Reporting Mark: TCLX 290313

Date: 28/08/2015

Capacity: 29,002 US Gallons (109,784 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,567	89.25	24,687	93.50	25,733	97.75	26,688	102.00	27,534
85.25	23,634	89.50	24,751	93.75	25,792	98.00	26,741	102.25	27,580
85.50	23,702	89.75	24,814	94.00	25,850	98.25	26,794	102.50	27,626
85.75	23,769	90.00	24,877	94.25	25,908	98.50	26,846	102.75	27,670
86.00	23,836	90.25	24,940	94.50	25,966	98.75	26,898	103.00	27,715
86.25	23,903	90.50	25,003	94.75	26,024	99.00	26,949	103.25	27,759
86.50	23,970	90.75	25,065	95.00	26,081	99.25	27,000	103.50	27,802
86.75	24,036	91.00	25,127	95.25	26,138	99.50	27,051	103.75	27,845
87.00	24,102	91.25	25,189	95.50	26,195	99.75	27,101	104.00	27,887
87.25	24,168	91.50	25,251	95.75	26,251	100.00	27,151	104.25	27,929
87.50	24,234	91.75	25,312	96.00	26,307	100.25	27,201	104.50	27,971
87.75	24,300	92.00	25,373	96.25	26,362	100.50	27,250	104.75	28,011
88.00	24,365	92.25	25,434	96.50	26,417	100.75	27,298	105.00	28,052
88.25	24,430	92.50	25,494	96.75	26,472	101.00	27,346	105.25	28,091
88.50	24,494	92.75	25,554	97.00	26,527	101.25	27,394	105.50	28,130
88.75	24,559	93.00	25,614	97.25	26,581	101.50	27,441	105.75	28,169
89.00	24,623	93.25	25,673	97.50	26,635	101.75	27,488	106.00	28,207



## Capacity/Gauge Table Information

**TCLX 290313**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 113

Reporting Mark: TCLX 290313

Date: 28/08/2015

Capacity: 29,002 US Gallons (109,784 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,244	110.50	28,767	114.75	28,988
106.50	28,280	110.75	28,789	115.00	28,992
106.75	28,316	111.00	28,811	115.25	28,995
107.00	28,352	111.25	28,831	115.50	28,998
107.25	28,386	111.50	28,850	115.75	28,999
107.50	28,420	111.75	28,867	116.00	29,001
107.75	28,454	112.00	28,883	116.25	29,001
108.00	28,486	112.25	28,898	116.50	29,002
108.25	28,518	112.50	28,912	116.75	29,002
108.50	28,549	112.75	28,925		
108.75	28,579	113.00	28,936		
109.00	28,609	113.25	28,946		
109.25	28,637	113.50	28,956		
109.50	28,665	113.75	28,964		
109.75	28,692	114.00	28,972		
110.00	28,718	114.25	28,978		
110.25	28,743	114.50	28,983		



## Capacity/Gauge Table Information

**TCLX 290314**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 114

Reporting Mark: TCLX 290314

Date: 01/09/2015

Capacity: 29,093 US Gallons (110,129 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	595	8.50	1,357	12.75	2,246	17.00	3,238
0.25	29	4.50	635	8.75	1,406	13.00	2,302	17.25	3,299
0.50	59	4.75	677	9.00	1,456	13.25	2,358	17.50	3,361
0.75	90	5.00	719	9.25	1,506	13.50	2,415	17.75	3,422
1.00	121	5.25	761	9.50	1,556	13.75	2,471	18.00	3,484
1.25	154	5.50	804	9.75	1,607	14.00	2,528	18.25	3,547
1.50	187	5.75	847	10.00	1,658	14.25	2,586	18.50	3,609
1.75	221	6.00	891	10.25	1,710	14.50	2,644	18.75	3,672
2.00	255	6.25	936	10.50	1,761	14.75	2,702	19.00	3,735
2.25	290	6.50	981	10.75	1,814	15.00	2,760	19.25	3,799
2.50	326	6.75	1,026	11.00	1,867	15.25	2,819	19.50	3,862
2.75	363	7.00	1,072	11.25	1,920	15.50	2,878	19.75	3,926
3.00	400	7.25	1,118	11.50	1,973	15.75	2,937	20.00	3,990
3.25	438	7.50	1,165	11.75	2,027	16.00	2,997	20.25	4,055
3.50	476	7.75	1,212	12.00	2,081	16.25	3,057	20.50	4,119
3.75	515	8.00	1,260	12.25	2,136	16.50	3,117	20.75	4,184
4.00	555	8.25	1,308	12.50	2,191	16.75	3,177	21.00	4,249



## Capacity/Gauge Table Information

**TCLX 290314**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 114

Reporting Mark: TCLX 290314

Date: 01/09/2015

Capacity: 29,093 US Gallons (110,129 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,315	25.50	5,462	29.75	6,667	34.00	7,921	38.25	9,214
21.50	4,380	25.75	5,531	30.00	6,740	34.25	7,996	38.50	9,291
21.75	4,446	26.00	5,601	30.25	6,812	34.50	8,071	38.75	9,368
22.00	4,512	26.25	5,670	30.50	6,885	34.75	8,147	39.00	9,445
22.25	4,579	26.50	5,740	30.75	6,958	35.00	8,222	39.25	9,522
22.50	4,645	26.75	5,811	31.00	7,031	35.25	8,298	39.50	9,600
22.75	4,712	27.00	5,881	31.25	7,105	35.50	8,373	39.75	9,677
23.00	4,779	27.25	5,952	31.50	7,178	35.75	8,449	40.00	9,755
23.25	4,846	27.50	6,022	31.75	7,252	36.00	8,525	40.25	9,833
23.50	4,914	27.75	6,093	32.00	7,326	36.25	8,601	40.50	9,910
23.75	4,982	28.00	6,164	32.25	7,400	36.50	8,677	40.75	9,988
24.00	5,050	28.25	6,236	32.50	7,474	36.75	8,753	41.00	10,066
24.25	5,118	28.50	6,307	32.75	7,548	37.00	8,830	41.25	10,144
24.50	5,186	28.75	6,379	33.00	7,622	37.25	8,906	41.50	10,223
24.75	5,255	29.00	6,451	33.25	7,697	37.50	8,983	41.75	10,301
25.00	5,323	29.25	6,523	33.50	7,771	37.75	9,060	42.00	10,379
25.25	5,392	29.50	6,595	33.75	7,846	38.00	9,137	42.25	10,458





## Capacity/Gauge Table Information

**TCLX 290314**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 114

Reporting Mark: TCLX 290314

Date: 01/09/2015

Capacity: 29,093 US Gallons (110,129 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,536	46.75	11,880	51.00	13,238	55.25	14,603	59.50	15,965
42.75	10,615	47.00	11,960	51.25	13,318	55.50	14,683	59.75	16,045
43.00	10,693	47.25	12,039	51.50	13,399	55.75	14,763	60.00	16,125
43.25	10,772	47.50	12,119	51.75	13,479	56.00	14,843	60.25	16,205
43.50	10,851	47.75	12,199	52.00	13,559	56.25	14,924	60.50	16,285
43.75	10,929	48.00	12,279	52.25	13,639	56.50	15,004	60.75	16,365
44.00	11,008	48.25	12,358	52.50	13,719	56.75	15,084	61.00	16,444
44.25	11,087	48.50	12,438	52.75	13,800	57.00	15,164	61.25	16,524
44.50	11,166	48.75	12,518	53.00	13,880	57.25	15,244	61.50	16,604
44.75	11,245	49.00	12,598	53.25	13,960	57.50	15,325	61.75	16,683
45.00	11,325	49.25	12,678	53.50	14,041	57.75	15,405	62.00	16,763
45.25	11,404	49.50	12,758	53.75	14,121	58.00	15,485	62.25	16,843
45.50	11,483	49.75	12,838	54.00	14,201	58.25	15,565	62.50	16,922
45.75	11,562	50.00	12,918	54.25	14,281	58.50	15,645	62.75	17,002
46.00	11,642	50.25	12,998	54.50	14,362	58.75	15,725	63.00	17,081
46.25	11,721	50.50	13,078	54.75	14,442	59.00	15,805	63.25	17,160
46.50	11,801	50.75	13,158	55.00	14,522	59.25	15,885	63.50	17,240



## Capacity/Gauge Table Information

**TCLX 290314**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 114

Reporting Mark: TCLX 290314

Date: 01/09/2015

Capacity: 29,093 US Gallons (110,129 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,319	68.00	18,655	72.25	19,967	76.50	21,246	80.75	22,482
64.00	17,398	68.25	18,733	72.50	20,043	76.75	21,320	81.00	22,553
64.25	17,477	68.50	18,811	72.75	20,119	77.00	21,393	81.25	22,624
64.50	17,556	68.75	18,889	73.00	20,195	77.25	21,467	81.50	22,695
64.75	17,635	69.00	18,967	73.25	20,271	77.50	21,541	81.75	22,765
65.00	17,714	69.25	19,044	73.50	20,347	77.75	21,614	82.00	22,836
65.25	17,793	69.50	19,122	73.75	20,423	78.00	21,687	82.25	22,906
65.50	17,872	69.75	19,199	74.00	20,498	78.25	21,760	82.50	22,976
65.75	17,950	70.00	19,276	74.25	20,573	78.50	21,833	82.75	23,046
66.00	18,029	70.25	19,354	74.50	20,649	78.75	21,906	83.00	23,116
66.25	18,108	70.50	19,431	74.75	20,724	79.00	21,978	83.25	23,185
66.50	18,186	70.75	19,508	75.00	20,799	79.25	22,051	83.50	23,255
66.75	18,265	71.00	19,584	75.25	20,874	79.50	22,123	83.75	23,324
67.00	18,343	71.25	19,661	75.50	20,948	79.75	22,195	84.00	23,393
67.25	18,421	71.50	19,738	75.75	21,023	80.00	22,267	84.25	23,461
67.50	18,499	71.75	19,814	76.00	21,097	80.25	22,339	84.50	23,530
67.75	18,577	72.00	19,891	76.25	21,171	80.50	22,410	84.75	23,598



## Capacity/Gauge Table Information

**TCLX 290314**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 114

Reporting Mark: TCLX 290314

Date: 01/09/2015

Capacity: 29,093 US Gallons (110,129 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,666	89.25	24,787	93.50	25,833	97.75	26,788	102.00	27,634
85.25	23,734	89.50	24,851	93.75	25,892	98.00	26,841	102.25	27,680
85.50	23,801	89.75	24,914	94.00	25,950	98.25	26,894	102.50	27,725
85.75	23,869	90.00	24,978	94.25	26,009	98.50	26,946	102.75	27,770
86.00	23,936	90.25	25,041	94.50	26,067	98.75	26,998	103.00	27,814
86.25	24,003	90.50	25,103	94.75	26,124	99.00	27,050	103.25	27,858
86.50	24,069	90.75	25,166	95.00	26,181	99.25	27,101	103.50	27,901
86.75	24,136	91.00	25,228	95.25	26,238	99.50	27,151	103.75	27,944
87.00	24,202	91.25	25,290	95.50	26,295	99.75	27,201	104.00	27,987
87.25	24,268	91.50	25,351	95.75	26,351	100.00	27,251	104.25	28,028
87.50	24,334	91.75	25,412	96.00	26,407	100.25	27,301	104.50	28,069
87.75	24,399	92.00	25,473	96.25	26,463	100.50	27,350	104.75	28,110
88.00	24,465	92.25	25,534	96.50	26,518	100.75	27,398	105.00	28,150
88.25	24,530	92.50	25,594	96.75	26,573	101.00	27,446	105.25	28,190
88.50	24,594	92.75	25,655	97.00	26,627	101.25	27,494	105.50	28,229
88.75	24,659	93.00	25,714	97.25	26,681	101.50	27,541	105.75	28,267
89.00	24,723	93.25	25,774	97.50	26,735	101.75	27,588	106.00	28,305



## Capacity/Gauge Table Information

**TCLX 290314**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 114

Reporting Mark: TCLX 290314

Date: 01/09/2015

Capacity: 29,093 US Gallons (110,129 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,342	110.50	28,862	114.75	29,080
106.50	28,378	110.75	28,884	115.00	29,083
106.75	28,414	111.00	28,905	115.25	29,087
107.00	28,450	111.25	28,925	115.50	29,089
107.25	28,484	111.50	28,943	115.75	29,091
107.50	28,518	111.75	28,960	116.00	29,092
107.75	28,551	112.00	28,976	116.25	29,093
108.00	28,583	112.25	28,991	116.50	29,093
108.25	28,615	112.50	29,005	116.75	29,093
108.50	28,646	112.75	29,017		
108.75	28,676	113.00	29,028		
109.00	28,705	113.25	29,039		
109.25	28,734	113.50	29,048		
109.50	28,761	113.75	29,056		
109.75	28,788	114.00	29,063		
110.00	28,814	114.25	29,070		
110.25	28,838	114.50	29,075		



## Capacity/Gauge Table Information

**TCLX 290315**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 115

Reporting Mark: TCLX 290315

Date: 01/09/2015

Capacity: 29,081 US Gallons (110,084 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,349	12.75	2,235	17.00	3,224
0.25	29	4.50	631	8.75	1,398	13.00	2,290	17.25	3,285
0.50	58	4.75	672	9.00	1,447	13.25	2,346	17.50	3,346
0.75	89	5.00	713	9.25	1,497	13.50	2,402	17.75	3,408
1.00	120	5.25	755	9.50	1,547	13.75	2,459	18.00	3,469
1.25	152	5.50	798	9.75	1,597	14.00	2,516	18.25	3,532
1.50	185	5.75	841	10.00	1,648	14.25	2,573	18.50	3,594
1.75	218	6.00	885	10.25	1,700	14.50	2,631	18.75	3,657
2.00	253	6.25	929	10.50	1,752	14.75	2,689	19.00	3,720
2.25	288	6.50	974	10.75	1,804	15.00	2,747	19.25	3,783
2.50	323	6.75	1,019	11.00	1,856	15.25	2,805	19.50	3,846
2.75	359	7.00	1,065	11.25	1,909	15.50	2,864	19.75	3,910
3.00	396	7.25	1,111	11.50	1,963	15.75	2,923	20.00	3,974
3.25	434	7.50	1,158	11.75	2,016	16.00	2,983	20.25	4,038
3.50	472	7.75	1,205	12.00	2,070	16.25	3,043	20.50	4,103
3.75	511	8.00	1,252	12.25	2,125	16.50	3,103	20.75	4,168
4.00	550	8.25	1,300	12.50	2,180	16.75	3,163	21.00	4,233



## Capacity/Gauge Table Information

**TCLX 290315**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 115

Reporting Mark: TCLX 290315

Date: 01/09/2015

Capacity: 29,081 US Gallons (110,084 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,298	25.50	5,442	29.75	6,646	34.00	7,898	38.25	9,189
21.50	4,363	25.75	5,512	30.00	6,718	34.25	7,973	38.50	9,265
21.75	4,429	26.00	5,581	30.25	6,791	34.50	8,048	38.75	9,343
22.00	4,495	26.25	5,651	30.50	6,864	34.75	8,123	39.00	9,420
22.25	4,561	26.50	5,721	30.75	6,937	35.00	8,198	39.25	9,497
22.50	4,628	26.75	5,791	31.00	7,010	35.25	8,274	39.50	9,574
22.75	4,694	27.00	5,861	31.25	7,083	35.50	8,349	39.75	9,652
23.00	4,761	27.25	5,932	31.50	7,156	35.75	8,425	40.00	9,729
23.25	4,828	27.50	6,002	31.75	7,230	36.00	8,501	40.25	9,807
23.50	4,896	27.75	6,073	32.00	7,303	36.25	8,577	40.50	9,885
23.75	4,963	28.00	6,144	32.25	7,377	36.50	8,653	40.75	9,962
24.00	5,031	28.25	6,215	32.50	7,451	36.75	8,729	41.00	10,040
24.25	5,099	28.50	6,287	32.75	7,525	37.00	8,805	41.25	10,118
24.50	5,167	28.75	6,358	33.00	7,599	37.25	8,882	41.50	10,196
24.75	5,236	29.00	6,430	33.25	7,674	37.50	8,958	41.75	10,275
25.00	5,305	29.25	6,502	33.50	7,748	37.75	9,035	42.00	10,353
25.25	5,373	29.50	6,574	33.75	7,823	38.00	9,112	42.25	10,431



## Capacity/Gauge Table Information

**TCLX 290315**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 115

Reporting Mark: TCLX 290315

Date: 01/09/2015

Capacity: 29,081 US Gallons (110,084 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,509	46.75	11,852	51.00	13,209	55.25	14,572	59.50	15,934
42.75	10,588	47.00	11,932	51.25	13,289	55.50	14,652	59.75	16,014
43.00	10,666	47.25	12,011	51.50	13,369	55.75	14,733	60.00	16,094
43.25	10,745	47.50	12,091	51.75	13,449	56.00	14,813	60.25	16,174
43.50	10,824	47.75	12,171	52.00	13,530	56.25	14,893	60.50	16,253
43.75	10,902	48.00	12,250	52.25	13,610	56.50	14,973	60.75	16,333
44.00	10,981	48.25	12,330	52.50	13,690	56.75	15,053	61.00	16,413
44.25	11,060	48.50	12,410	52.75	13,770	57.00	15,134	61.25	16,493
44.50	11,139	48.75	12,490	53.00	13,850	57.25	15,214	61.50	16,572
44.75	11,218	49.00	12,569	53.25	13,930	57.50	15,294	61.75	16,652
45.00	11,297	49.25	12,649	53.50	14,011	57.75	15,374	62.00	16,731
45.25	11,376	49.50	12,729	53.75	14,091	58.00	15,454	62.25	16,811
45.50	11,456	49.75	12,809	54.00	14,171	58.25	15,534	62.50	16,890
45.75	11,535	50.00	12,889	54.25	14,251	58.50	15,614	62.75	16,970
46.00	11,614	50.25	12,969	54.50	14,332	58.75	15,694	63.00	17,049
46.25	11,693	50.50	13,049	54.75	14,412	59.00	15,774	63.25	17,128
46.50	11,773	50.75	13,129	55.00	14,492	59.25	15,854	63.50	17,208





## Capacity/Gauge Table Information

**TCLX 290315**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 115

Reporting Mark: TCLX 290315

Date: 01/09/2015

Capacity: 29,081 US Gallons (110,084 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,287	68.00	18,623	72.25	19,935	76.50	21,213	80.75	22,449
64.00	17,366	68.25	18,701	72.50	20,011	76.75	21,287	81.00	22,520
64.25	17,445	68.50	18,779	72.75	20,087	77.00	21,361	81.25	22,591
64.50	17,524	68.75	18,857	73.00	20,163	77.25	21,434	81.50	22,662
64.75	17,603	69.00	18,934	73.25	20,239	77.50	21,508	81.75	22,733
65.00	17,682	69.25	19,012	73.50	20,314	77.75	21,581	82.00	22,803
65.25	17,761	69.50	19,089	73.75	20,390	78.00	21,655	82.25	22,874
65.50	17,840	69.75	19,167	74.00	20,465	78.25	21,728	82.50	22,944
65.75	17,918	70.00	19,244	74.25	20,541	78.50	21,800	82.75	23,014
66.00	17,997	70.25	19,321	74.50	20,616	78.75	21,873	83.00	23,083
66.25	18,075	70.50	19,398	74.75	20,691	79.00	21,946	83.25	23,153
66.50	18,154	70.75	19,475	75.00	20,766	79.25	22,018	83.50	23,222
66.75	18,232	71.00	19,552	75.25	20,841	79.50	22,090	83.75	23,291
67.00	18,311	71.25	19,629	75.50	20,916	79.75	22,163	84.00	23,360
67.25	18,389	71.50	19,705	75.75	20,990	80.00	22,234	84.25	23,429
67.50	18,467	71.75	19,782	76.00	21,064	80.25	22,306	84.50	23,497
67.75	18,545	72.00	19,858	76.25	21,139	80.50	22,378	84.75	23,566



## Capacity/Gauge Table Information

**TCLX 290315**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 115

Reporting Mark: TCLX 290315

Date: 01/09/2015

Capacity: 29,081 US Gallons (110,084 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,634	89.25	24,756	93.50	25,803	97.75	26,760	102.00	27,608
85.25	23,702	89.50	24,820	93.75	25,862	98.00	26,813	102.25	27,654
85.50	23,769	89.75	24,883	94.00	25,921	98.25	26,866	102.50	27,699
85.75	23,837	90.00	24,947	94.25	25,979	98.50	26,918	102.75	27,744
86.00	23,904	90.25	25,010	94.50	26,037	98.75	26,970	103.00	27,789
86.25	23,971	90.50	25,072	94.75	26,095	99.00	27,022	103.25	27,833
86.50	24,038	90.75	25,135	95.00	26,152	99.25	27,073	103.50	27,876
86.75	24,104	91.00	25,197	95.25	26,209	99.50	27,124	103.75	27,919
87.00	24,170	91.25	25,259	95.50	26,266	99.75	27,174	104.00	27,962
87.25	24,236	91.50	25,320	95.75	26,322	100.00	27,224	104.25	28,003
87.50	24,302	91.75	25,382	96.00	26,378	100.25	27,273	104.50	28,045
87.75	24,368	92.00	25,443	96.25	26,434	100.50	27,322	104.75	28,086
88.00	24,433	92.25	25,504	96.50	26,489	100.75	27,371	105.00	28,126
88.25	24,498	92.50	25,564	96.75	26,544	101.00	27,419	105.25	28,166
88.50	24,563	92.75	25,624	97.00	26,598	101.25	27,467	105.50	28,205
88.75	24,628	93.00	25,684	97.25	26,653	101.50	27,514	105.75	28,243
89.00	24,692	93.25	25,744	97.50	26,706	101.75	27,561	106.00	28,281



## Capacity/Gauge Table Information

**TCLX 290315**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 115

Reporting Mark: TCLX 290315

Date: 01/09/2015

Capacity: 29,081 US Gallons (110,084 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,319	110.50	28,844	114.75	29,067
106.50	28,355	110.75	28,867	115.00	29,071
106.75	28,392	111.00	28,888	115.25	29,074
107.00	28,427	111.25	28,908	115.50	29,077
107.25	28,462	111.50	28,927	115.75	29,079
107.50	28,496	111.75	28,945	116.00	29,080
107.75	28,529	112.00	28,961	116.25	29,081
108.00	28,562	112.25	28,976	116.50	29,081
108.25	28,594	112.50	28,990	116.75	29,081
108.50	28,625	112.75	29,003		
108.75	28,655	113.00	29,015		
109.00	28,685	113.25	29,025		
109.25	28,714	113.50	29,035		
109.50	28,742	113.75	29,043		
109.75	28,769	114.00	29,050		
110.00	28,795	114.25	29,057		
110.25	28,820	114.50	29,062		



## Capacity/Gauge Table Information

**TCLX 290316**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 116

Reporting Mark: TCLX 290316

Date: 01/09/2015

Capacity: 29,093 US Gallons (110,131 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,233	17.00	3,222
0.25	29	4.50	630	8.75	1,396	13.00	2,288	17.25	3,283
0.50	58	4.75	671	9.00	1,445	13.25	2,344	17.50	3,344
0.75	89	5.00	712	9.25	1,495	13.50	2,401	17.75	3,405
1.00	120	5.25	754	9.50	1,545	13.75	2,457	18.00	3,467
1.25	152	5.50	797	9.75	1,596	14.00	2,514	18.25	3,529
1.50	185	5.75	840	10.00	1,647	14.25	2,571	18.50	3,592
1.75	218	6.00	884	10.25	1,698	14.50	2,629	18.75	3,654
2.00	252	6.25	928	10.50	1,750	14.75	2,687	19.00	3,717
2.25	287	6.50	973	10.75	1,802	15.00	2,745	19.25	3,781
2.50	323	6.75	1,018	11.00	1,855	15.25	2,803	19.50	3,844
2.75	359	7.00	1,063	11.25	1,907	15.50	2,862	19.75	3,908
3.00	396	7.25	1,110	11.50	1,961	15.75	2,921	20.00	3,972
3.25	433	7.50	1,156	11.75	2,014	16.00	2,981	20.25	4,036
3.50	471	7.75	1,203	12.00	2,069	16.25	3,041	20.50	4,100
3.75	510	8.00	1,251	12.25	2,123	16.50	3,101	20.75	4,165
4.00	549	8.25	1,299	12.50	2,178	16.75	3,161	21.00	4,230



## Capacity/Gauge Table Information

**TCLX 290316**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 116

Reporting Mark: TCLX 290316

Date: 01/09/2015

Capacity: 29,093 US Gallons (110,131 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,295	25.50	5,440	29.75	6,644	34.00	7,896	38.25	9,187
21.50	4,361	25.75	5,509	30.00	6,716	34.25	7,971	38.50	9,264
21.75	4,427	26.00	5,579	30.25	6,789	34.50	8,046	38.75	9,341
22.00	4,493	26.25	5,649	30.50	6,861	34.75	8,121	39.00	9,418
22.25	4,559	26.50	5,718	30.75	6,934	35.00	8,196	39.25	9,495
22.50	4,625	26.75	5,789	31.00	7,007	35.25	8,272	39.50	9,572
22.75	4,692	27.00	5,859	31.25	7,081	35.50	8,347	39.75	9,650
23.00	4,759	27.25	5,929	31.50	7,154	35.75	8,423	40.00	9,727
23.25	4,826	27.50	6,000	31.75	7,227	36.00	8,499	40.25	9,805
23.50	4,893	27.75	6,071	32.00	7,301	36.25	8,575	40.50	9,883
23.75	4,961	28.00	6,142	32.25	7,375	36.50	8,651	40.75	9,961
24.00	5,029	28.25	6,213	32.50	7,449	36.75	8,727	41.00	10,039
24.25	5,097	28.50	6,284	32.75	7,523	37.00	8,803	41.25	10,117
24.50	5,165	28.75	6,356	33.00	7,597	37.25	8,880	41.50	10,195
24.75	5,234	29.00	6,428	33.25	7,672	37.50	8,956	41.75	10,273
25.00	5,302	29.25	6,499	33.50	7,746	37.75	9,033	42.00	10,351
25.25	5,371	29.50	6,571	33.75	7,821	38.00	9,110	42.25	10,429



## Capacity/Gauge Table Information

**TCLX 290316**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 116

Reporting Mark: TCLX 290316

Date: 01/09/2015

Capacity: 29,093 US Gallons (110,131 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,508	46.75	11,851	51.00	13,208	55.25	14,572	59.50	15,934
42.75	10,586	47.00	11,930	51.25	13,288	55.50	14,652	59.75	16,014
43.00	10,665	47.25	12,010	51.50	13,368	55.75	14,732	60.00	16,094
43.25	10,743	47.50	12,090	51.75	13,449	56.00	14,812	60.25	16,174
43.50	10,822	47.75	12,169	52.00	13,529	56.25	14,893	60.50	16,254
43.75	10,901	48.00	12,249	52.25	13,609	56.50	14,973	60.75	16,333
44.00	10,980	48.25	12,329	52.50	13,689	56.75	15,053	61.00	16,413
44.25	11,059	48.50	12,409	52.75	13,769	57.00	15,133	61.25	16,493
44.50	11,138	48.75	12,488	53.00	13,850	57.25	15,213	61.50	16,573
44.75	11,217	49.00	12,568	53.25	13,930	57.50	15,294	61.75	16,652
45.00	11,296	49.25	12,648	53.50	14,010	57.75	15,374	62.00	16,732
45.25	11,375	49.50	12,728	53.75	14,090	58.00	15,454	62.25	16,811
45.50	11,454	49.75	12,808	54.00	14,170	58.25	15,534	62.50	16,891
45.75	11,533	50.00	12,888	54.25	14,251	58.50	15,614	62.75	16,970
46.00	11,613	50.25	12,968	54.50	14,331	58.75	15,694	63.00	17,050
46.25	11,692	50.50	13,048	54.75	14,411	59.00	15,774	63.25	17,129
46.50	11,771	50.75	13,128	55.00	14,491	59.25	15,854	63.50	17,208



## Capacity/Gauge Table Information

**TCLX 290316**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 116

Reporting Mark: TCLX 290316

Date: 01/09/2015

Capacity: 29,093 US Gallons (110,131 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,287	68.00	18,624	72.25	19,936	76.50	21,215	80.75	22,452
64.00	17,367	68.25	18,702	72.50	20,012	76.75	21,289	81.00	22,523
64.25	17,446	68.50	18,780	72.75	20,089	77.00	21,363	81.25	22,595
64.50	17,525	68.75	18,858	73.00	20,165	77.25	21,437	81.50	22,665
64.75	17,604	69.00	18,935	73.25	20,240	77.50	21,510	81.75	22,736
65.00	17,683	69.25	19,013	73.50	20,316	77.75	21,584	82.00	22,807
65.25	17,762	69.50	19,090	73.75	20,392	78.00	21,657	82.25	22,877
65.50	17,840	69.75	19,168	74.00	20,467	78.25	21,730	82.50	22,947
65.75	17,919	70.00	19,245	74.25	20,543	78.50	21,803	82.75	23,017
66.00	17,998	70.25	19,322	74.50	20,618	78.75	21,876	83.00	23,087
66.25	18,076	70.50	19,399	74.75	20,693	79.00	21,949	83.25	23,156
66.50	18,155	70.75	19,476	75.00	20,768	79.25	22,021	83.50	23,226
66.75	18,233	71.00	19,553	75.25	20,843	79.50	22,093	83.75	23,295
67.00	18,312	71.25	19,630	75.50	20,918	79.75	22,165	84.00	23,364
67.25	18,390	71.50	19,707	75.75	20,992	80.00	22,237	84.25	23,433
67.50	18,468	71.75	19,783	76.00	21,067	80.25	22,309	84.50	23,501
67.75	18,546	72.00	19,860	76.25	21,141	80.50	22,381	84.75	23,569





## Capacity/Gauge Table Information

**TCLX 290316**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 116

Reporting Mark: TCLX 290316

Date: 01/09/2015

Capacity: 29,093 US Gallons (110,131 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,638	89.25	24,760	93.50	25,808	97.75	26,766	102.00	27,615
85.25	23,705	89.50	24,824	93.75	25,867	98.00	26,819	102.25	27,661
85.50	23,773	89.75	24,888	94.00	25,926	98.25	26,872	102.50	27,707
85.75	23,841	90.00	24,951	94.25	25,984	98.50	26,925	102.75	27,752
86.00	23,908	90.25	25,014	94.50	26,042	98.75	26,977	103.00	27,796
86.25	23,975	90.50	25,077	94.75	26,100	99.00	27,028	103.25	27,840
86.50	24,042	90.75	25,139	95.00	26,157	99.25	27,079	103.50	27,884
86.75	24,108	91.00	25,202	95.25	26,215	99.50	27,130	103.75	27,927
87.00	24,174	91.25	25,264	95.50	26,271	99.75	27,181	104.00	27,969
87.25	24,241	91.50	25,325	95.75	26,328	100.00	27,231	104.25	28,011
87.50	24,306	91.75	25,387	96.00	26,384	100.25	27,280	104.50	28,053
87.75	24,372	92.00	25,448	96.25	26,439	100.50	27,329	104.75	28,094
88.00	24,437	92.25	25,509	96.50	26,495	100.75	27,378	105.00	28,134
88.25	24,502	92.50	25,569	96.75	26,550	101.00	27,426	105.25	28,174
88.50	24,567	92.75	25,629	97.00	26,604	101.25	27,474	105.50	28,213
88.75	24,632	93.00	25,689	97.25	26,659	101.50	27,522	105.75	28,252
89.00	24,696	93.25	25,749	97.50	26,713	101.75	27,568	106.00	28,290



## Capacity/Gauge Table Information

**TCLX 290316**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 116

Reporting Mark: TCLX 290316

Date: 01/09/2015

Capacity: 29,093 US Gallons (110,131 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,327	110.50	28,854	114.75	29,079
106.50	28,364	110.75	28,877	115.00	29,083
106.75	28,400	111.00	28,899	115.25	29,087
107.00	28,436	111.25	28,919	115.50	29,089
107.25	28,471	111.50	28,938	115.75	29,091
107.50	28,505	111.75	28,956	116.00	29,092
107.75	28,538	112.00	28,973	116.25	29,093
108.00	28,571	112.25	28,988	116.50	29,093
108.25	28,603	112.50	29,002	116.75	29,093
108.50	28,634	112.75	29,015		
108.75	28,665	113.00	29,026		
109.00	28,695	113.25	29,037		
109.25	28,723	113.50	29,047		
109.50	28,751	113.75	29,055		
109.75	28,779	114.00	29,063		
110.00	28,805	114.25	29,069		
110.25	28,830	114.50	29,075		



## Capacity/Gauge Table Information

**TCLX 290317**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 117

Reporting Mark: TCLX 290317

Date: 03/09/2015

Capacity: 29,114 US Gallons (110,210 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,339	12.75	2,222	17.00	3,209
0.25	28	4.50	625	8.75	1,388	13.00	2,278	17.25	3,270
0.50	58	4.75	666	9.00	1,437	13.25	2,333	17.50	3,331
0.75	88	5.00	707	9.25	1,487	13.50	2,389	17.75	3,392
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,454
1.25	150	5.50	791	9.75	1,587	14.00	2,503	18.25	3,516
1.50	183	5.75	834	10.00	1,638	14.25	2,560	18.50	3,578
1.75	216	6.00	878	10.25	1,689	14.50	2,617	18.75	3,641
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,704
2.25	284	6.50	966	10.75	1,793	15.00	2,733	19.25	3,767
2.50	320	6.75	1,011	11.00	1,845	15.25	2,791	19.50	3,830
2.75	356	7.00	1,057	11.25	1,898	15.50	2,850	19.75	3,894
3.00	392	7.25	1,102	11.50	1,951	15.75	2,909	20.00	3,958
3.25	430	7.50	1,149	11.75	2,004	16.00	2,969	20.25	4,022
3.50	467	7.75	1,196	12.00	2,058	16.25	3,028	20.50	4,086
3.75	506	8.00	1,243	12.25	2,113	16.50	3,088	20.75	4,151
4.00	545	8.25	1,291	12.50	2,167	16.75	3,148	21.00	4,216



## Capacity/Gauge Table Information

**TCLX 290317**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 117

Reporting Mark: TCLX 290317

Date: 03/09/2015

Capacity: 29,114 US Gallons (110,210 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,281	25.50	5,424	29.75	6,627	34.00	7,878	38.25	9,168
21.50	4,346	25.75	5,494	30.00	6,699	34.25	7,953	38.50	9,245
21.75	4,412	26.00	5,563	30.25	6,772	34.50	8,028	38.75	9,322
22.00	4,478	26.25	5,633	30.50	6,844	34.75	8,103	39.00	9,399
22.25	4,544	26.50	5,702	30.75	6,917	35.00	8,178	39.25	9,477
22.50	4,610	26.75	5,772	31.00	6,990	35.25	8,254	39.50	9,554
22.75	4,677	27.00	5,843	31.25	7,063	35.50	8,329	39.75	9,632
23.00	4,744	27.25	5,913	31.50	7,137	35.75	8,405	40.00	9,709
23.25	4,811	27.50	5,983	31.75	7,210	36.00	8,481	40.25	9,787
23.50	4,878	27.75	6,054	32.00	7,284	36.25	8,557	40.50	9,864
23.75	4,946	28.00	6,125	32.25	7,358	36.50	8,633	40.75	9,942
24.00	5,013	28.25	6,196	32.50	7,431	36.75	8,709	41.00	10,020
24.25	5,081	28.50	6,268	32.75	7,506	37.00	8,785	41.25	10,098
24.50	5,150	28.75	6,339	33.00	7,580	37.25	8,862	41.50	10,176
24.75	5,218	29.00	6,411	33.25	7,654	37.50	8,938	41.75	10,254
25.00	5,287	29.25	6,483	33.50	7,729	37.75	9,015	42.00	10,333
25.25	5,355	29.50	6,555	33.75	7,803	38.00	9,092	42.25	10,411



## Capacity/Gauge Table Information

**TCLX 290317**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 117

Reporting Mark: TCLX 290317

Date: 03/09/2015

Capacity: 29,114 US Gallons (110,210 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,489	46.75	11,832	51.00	13,190	55.25	14,553	59.50	15,916
42.75	10,568	47.00	11,912	51.25	13,270	55.50	14,634	59.75	15,996
43.00	10,646	47.25	11,991	51.50	13,350	55.75	14,714	60.00	16,076
43.25	10,725	47.50	12,071	51.75	13,430	56.00	14,794	60.25	16,156
43.50	10,804	47.75	12,151	52.00	13,510	56.25	14,875	60.50	16,236
43.75	10,882	48.00	12,230	52.25	13,590	56.50	14,955	60.75	16,316
44.00	10,961	48.25	12,310	52.50	13,671	56.75	15,035	61.00	16,396
44.25	11,040	48.50	12,390	52.75	13,751	57.00	15,115	61.25	16,475
44.50	11,119	48.75	12,470	53.00	13,831	57.25	15,195	61.50	16,555
44.75	11,198	49.00	12,550	53.25	13,911	57.50	15,276	61.75	16,635
45.00	11,277	49.25	12,629	53.50	13,992	57.75	15,356	62.00	16,714
45.25	11,356	49.50	12,709	53.75	14,072	58.00	15,436	62.25	16,794
45.50	11,435	49.75	12,789	54.00	14,152	58.25	15,516	62.50	16,874
45.75	11,515	50.00	12,869	54.25	14,232	58.50	15,596	62.75	16,953
46.00	11,594	50.25	12,949	54.50	14,313	58.75	15,676	63.00	17,032
46.25	11,673	50.50	13,029	54.75	14,393	59.00	15,756	63.25	17,112
46.50	11,753	50.75	13,110	55.00	14,473	59.25	15,836	63.50	17,191



## Capacity/Gauge Table Information

**TCLX 290317**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 117

Reporting Mark: TCLX 290317

Date: 03/09/2015

Capacity: 29,114 US Gallons (110,210 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,270	68.00	18,608	72.25	19,921	76.50	21,202	80.75	22,440
64.00	17,350	68.25	18,686	72.50	19,998	76.75	21,276	81.00	22,512
64.25	17,429	68.50	18,764	72.75	20,074	77.00	21,350	81.25	22,583
64.50	17,508	68.75	18,842	73.00	20,150	77.25	21,423	81.50	22,654
64.75	17,587	69.00	18,920	73.25	20,226	77.50	21,497	81.75	22,725
65.00	17,666	69.25	18,997	73.50	20,302	77.75	21,571	82.00	22,795
65.25	17,745	69.50	19,075	73.75	20,377	78.00	21,644	82.25	22,866
65.50	17,824	69.75	19,152	74.00	20,453	78.25	21,717	82.50	22,936
65.75	17,902	70.00	19,230	74.25	20,528	78.50	21,790	82.75	23,006
66.00	17,981	70.25	19,307	74.50	20,604	78.75	21,863	83.00	23,076
66.25	18,060	70.50	19,384	74.75	20,679	79.00	21,936	83.25	23,145
66.50	18,138	70.75	19,461	75.00	20,754	79.25	22,008	83.50	23,215
66.75	18,217	71.00	19,538	75.25	20,829	79.50	22,081	83.75	23,284
67.00	18,295	71.25	19,615	75.50	20,904	79.75	22,153	84.00	23,353
67.25	18,374	71.50	19,692	75.75	20,978	80.00	22,225	84.25	23,422
67.50	18,452	71.75	19,768	76.00	21,053	80.25	22,297	84.50	23,491
67.75	18,530	72.00	19,845	76.25	21,127	80.50	22,369	84.75	23,559



## Capacity/Gauge Table Information

**TCLX 290317**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 117

Reporting Mark: TCLX 290317

Date: 03/09/2015

Capacity: 29,114 US Gallons (110,210 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,627	89.25	24,752	93.50	25,803	97.75	26,764	102.00	27,616
85.25	23,695	89.50	24,816	93.75	25,862	98.00	26,817	102.25	27,662
85.50	23,763	89.75	24,880	94.00	25,921	98.25	26,870	102.50	27,708
85.75	23,831	90.00	24,944	94.25	25,979	98.50	26,923	102.75	27,753
86.00	23,898	90.25	25,007	94.50	26,038	98.75	26,975	103.00	27,798
86.25	23,965	90.50	25,070	94.75	26,095	99.00	27,027	103.25	27,842
86.50	24,032	90.75	25,132	95.00	26,153	99.25	27,078	103.50	27,886
86.75	24,099	91.00	25,195	95.25	26,210	99.50	27,129	103.75	27,929
87.00	24,165	91.25	25,257	95.50	26,267	99.75	27,180	104.00	27,972
87.25	24,231	91.50	25,319	95.75	26,324	100.00	27,230	104.25	28,015
87.50	24,297	91.75	25,380	96.00	26,380	100.25	27,280	104.50	28,056
87.75	24,363	92.00	25,441	96.25	26,436	100.50	27,329	104.75	28,097
88.00	24,429	92.25	25,502	96.50	26,491	100.75	27,378	105.00	28,138
88.25	24,494	92.50	25,563	96.75	26,547	101.00	27,426	105.25	28,178
88.50	24,559	92.75	25,623	97.00	26,601	101.25	27,474	105.50	28,218
88.75	24,624	93.00	25,684	97.25	26,656	101.50	27,522	105.75	28,257
89.00	24,688	93.25	25,743	97.50	26,710	101.75	27,569	106.00	28,295





## Capacity/Gauge Table Information

**TCLX 290317**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 117

Reporting Mark: TCLX 290317

Date: 03/09/2015

Capacity: 29,114 US Gallons (110,210 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,333	110.50	28,866	114.75	29,100
106.50	28,370	110.75	28,890	115.00	29,104
106.75	28,406	111.00	28,912	115.25	29,107
107.00	28,442	111.25	28,934	115.50	29,110
107.25	28,477	111.50	28,953	115.75	29,112
107.50	28,512	111.75	28,972	116.00	29,113
107.75	28,546	112.00	28,989	116.25	29,114
108.00	28,579	112.25	29,005	116.50	29,114
108.25	28,611	112.50	29,019	116.75	29,114
108.50	28,643	112.75	29,033		
108.75	28,674	113.00	29,045		
109.00	28,704	113.25	29,056		
109.25	28,733	113.50	29,066		
109.50	28,762	113.75	29,074		
109.75	28,789	114.00	29,082		
110.00	28,816	114.25	29,089		
110.25	28,842	114.50	29,095		



## Capacity/Gauge Table Information

**TCLX 290318**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 118

Reporting Mark: TCLX 290318

Date: 04/09/2015

Capacity: 29,103 US Gallons (110,167 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,338	12.75	2,221	17.00	3,207
0.25	28	4.50	624	8.75	1,387	13.00	2,276	17.25	3,268
0.50	58	4.75	665	9.00	1,436	13.25	2,332	17.50	3,329
0.75	88	5.00	706	9.25	1,486	13.50	2,388	17.75	3,391
1.00	119	5.25	748	9.50	1,536	13.75	2,445	18.00	3,452
1.25	150	5.50	791	9.75	1,586	14.00	2,501	18.25	3,514
1.50	183	5.75	834	10.00	1,637	14.25	2,558	18.50	3,576
1.75	216	6.00	877	10.25	1,688	14.50	2,616	18.75	3,639
2.00	250	6.25	921	10.50	1,740	14.75	2,673	19.00	3,702
2.25	284	6.50	965	10.75	1,791	15.00	2,732	19.25	3,765
2.50	320	6.75	1,010	11.00	1,844	15.25	2,790	19.50	3,828
2.75	355	7.00	1,056	11.25	1,897	15.50	2,849	19.75	3,892
3.00	392	7.25	1,102	11.50	1,950	15.75	2,908	20.00	3,956
3.25	429	7.50	1,148	11.75	2,003	16.00	2,967	20.25	4,020
3.50	467	7.75	1,195	12.00	2,057	16.25	3,027	20.50	4,084
3.75	505	8.00	1,242	12.25	2,111	16.50	3,086	20.75	4,149
4.00	545	8.25	1,290	12.50	2,166	16.75	3,147	21.00	4,214



## Capacity/Gauge Table Information

**TCLX 290318**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 118

Reporting Mark: TCLX 290318

Date: 04/09/2015

Capacity: 29,103 US Gallons (110,167 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,279	25.50	5,422	29.75	6,624	34.00	7,874	38.25	9,164
21.50	4,344	25.75	5,491	30.00	6,696	34.25	7,949	38.50	9,241
21.75	4,410	26.00	5,560	30.25	6,768	34.50	8,024	38.75	9,318
22.00	4,476	26.25	5,630	30.50	6,841	34.75	8,099	39.00	9,395
22.25	4,542	26.50	5,699	30.75	6,914	35.00	8,174	39.25	9,472
22.50	4,608	26.75	5,769	31.00	6,987	35.25	8,250	39.50	9,549
22.75	4,675	27.00	5,840	31.25	7,060	35.50	8,325	39.75	9,627
23.00	4,741	27.25	5,910	31.50	7,133	35.75	8,401	40.00	9,704
23.25	4,809	27.50	5,981	31.75	7,207	36.00	8,477	40.25	9,782
23.50	4,876	27.75	6,051	32.00	7,280	36.25	8,553	40.50	9,860
23.75	4,943	28.00	6,122	32.25	7,354	36.50	8,629	40.75	9,937
24.00	5,011	28.25	6,193	32.50	7,428	36.75	8,705	41.00	10,015
24.25	5,079	28.50	6,265	32.75	7,502	37.00	8,781	41.25	10,093
24.50	5,147	28.75	6,336	33.00	7,576	37.25	8,857	41.50	10,171
24.75	5,215	29.00	6,408	33.25	7,650	37.50	8,934	41.75	10,249
25.00	5,284	29.25	6,479	33.50	7,725	37.75	9,010	42.00	10,328
25.25	5,353	29.50	6,551	33.75	7,799	38.00	9,087	42.25	10,406



## Capacity/Gauge Table Information

**TCLX 290318**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 118

Reporting Mark: TCLX 290318

Date: 04/09/2015

Capacity: 29,103 US Gallons (110,167 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,484	46.75	11,827	51.00	13,183	55.25	14,547	59.50	15,909
42.75	10,563	47.00	11,906	51.25	13,264	55.50	14,627	59.75	15,989
43.00	10,641	47.25	11,986	51.50	13,344	55.75	14,707	60.00	16,069
43.25	10,720	47.50	12,065	51.75	13,424	56.00	14,787	60.25	16,149
43.50	10,798	47.75	12,145	52.00	13,504	56.25	14,868	60.50	16,229
43.75	10,877	48.00	12,225	52.25	13,584	56.50	14,948	60.75	16,308
44.00	10,956	48.25	12,304	52.50	13,664	56.75	15,028	61.00	16,388
44.25	11,035	48.50	12,384	52.75	13,744	57.00	15,108	61.25	16,468
44.50	11,114	48.75	12,464	53.00	13,825	57.25	15,188	61.50	16,547
44.75	11,193	49.00	12,544	53.25	13,905	57.50	15,269	61.75	16,627
45.00	11,272	49.25	12,624	53.50	13,985	57.75	15,349	62.00	16,707
45.25	11,351	49.50	12,703	53.75	14,065	58.00	15,429	62.25	16,786
45.50	11,430	49.75	12,783	54.00	14,146	58.25	15,509	62.50	16,866
45.75	11,509	50.00	12,863	54.25	14,226	58.50	15,589	62.75	16,945
46.00	11,589	50.25	12,943	54.50	14,306	58.75	15,669	63.00	17,025
46.25	11,668	50.50	13,023	54.75	14,386	59.00	15,749	63.25	17,104
46.50	11,747	50.75	13,103	55.00	14,466	59.25	15,829	63.50	17,183



## Capacity/Gauge Table Information

**TCLX 290318**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 118

Reporting Mark: TCLX 290318

Date: 04/09/2015

Capacity: 29,103 US Gallons (110,167 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,262	68.00	18,600	72.25	19,912	76.50	21,192	80.75	22,430
64.00	17,342	68.25	18,678	72.50	19,989	76.75	21,266	81.00	22,502
64.25	17,421	68.50	18,755	72.75	20,065	77.00	21,340	81.25	22,573
64.50	17,500	68.75	18,833	73.00	20,141	77.25	21,414	81.50	22,644
64.75	17,579	69.00	18,911	73.25	20,217	77.50	21,488	81.75	22,715
65.00	17,658	69.25	18,989	73.50	20,292	77.75	21,561	82.00	22,785
65.25	17,737	69.50	19,066	73.75	20,368	78.00	21,634	82.25	22,856
65.50	17,816	69.75	19,144	74.00	20,444	78.25	21,708	82.50	22,926
65.75	17,894	70.00	19,221	74.25	20,519	78.50	21,781	82.75	22,996
66.00	17,973	70.25	19,298	74.50	20,594	78.75	21,853	83.00	23,066
66.25	18,052	70.50	19,375	74.75	20,670	79.00	21,926	83.25	23,135
66.50	18,130	70.75	19,452	75.00	20,745	79.25	21,999	83.50	23,205
66.75	18,209	71.00	19,529	75.25	20,820	79.50	22,071	83.75	23,274
67.00	18,287	71.25	19,606	75.50	20,894	79.75	22,143	84.00	23,343
67.25	18,365	71.50	19,683	75.75	20,969	80.00	22,215	84.25	23,412
67.50	18,443	71.75	19,759	76.00	21,044	80.25	22,287	84.50	23,480
67.75	18,522	72.00	19,836	76.25	21,118	80.50	22,359	84.75	23,549



## Capacity/Gauge Table Information

**TCLX 290318**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 118

Reporting Mark: TCLX 290318

Date: 04/09/2015

Capacity: 29,103 US Gallons (110,167 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,617	89.25	24,742	93.50	25,792	97.75	26,752	102.00	27,605
85.25	23,685	89.50	24,806	93.75	25,851	98.00	26,806	102.25	27,651
85.50	23,753	89.75	24,869	94.00	25,910	98.25	26,859	102.50	27,697
85.75	23,820	90.00	24,933	94.25	25,968	98.50	26,911	102.75	27,742
86.00	23,888	90.25	24,996	94.50	26,027	98.75	26,964	103.00	27,787
86.25	23,955	90.50	25,059	94.75	26,084	99.00	27,015	103.25	27,831
86.50	24,022	90.75	25,122	95.00	26,142	99.25	27,067	103.50	27,875
86.75	24,088	91.00	25,184	95.25	26,199	99.50	27,118	103.75	27,918
87.00	24,155	91.25	25,246	95.50	26,256	99.75	27,168	104.00	27,961
87.25	24,221	91.50	25,308	95.75	26,313	100.00	27,219	104.25	28,003
87.50	24,287	91.75	25,369	96.00	26,369	100.25	27,268	104.50	28,045
87.75	24,353	92.00	25,431	96.25	26,425	100.50	27,318	104.75	28,086
88.00	24,418	92.25	25,492	96.50	26,480	100.75	27,367	105.00	28,127
88.25	24,483	92.50	25,552	96.75	26,535	101.00	27,415	105.25	28,167
88.50	24,548	92.75	25,613	97.00	26,590	101.25	27,463	105.50	28,206
88.75	24,613	93.00	25,673	97.25	26,645	101.50	27,511	105.75	28,245
89.00	24,677	93.25	25,732	97.50	26,699	101.75	27,558	106.00	28,284



## Capacity/Gauge Table Information

**TCLX 290318**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 118

Reporting Mark: TCLX 290318

Date: 04/09/2015

Capacity: 29,103 US Gallons (110,167 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,321	110.50	28,855	114.75	29,089
106.50	28,358	110.75	28,879	115.00	29,093
106.75	28,395	111.00	28,901	115.25	29,096
107.00	28,431	111.25	28,922	115.50	29,099
107.25	28,466	111.50	28,942	115.75	29,101
107.50	28,500	111.75	28,960	116.00	29,102
107.75	28,534	112.00	28,978	116.25	29,103
108.00	28,567	112.25	28,993	116.50	29,103
108.25	28,600	112.50	29,008	116.75	29,103
108.50	28,631	112.75	29,021		
108.75	28,662	113.00	29,033		
109.00	28,692	113.25	29,044		
109.25	28,722	113.50	29,054		
109.50	28,750	113.75	29,063		
109.75	28,778	114.00	29,071		
110.00	28,804	114.25	29,078		
110.25	28,830	114.50	29,084		





## Capacity/Gauge Table Information

**TCLX 290319**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 119

Reporting Mark: TCLX 290319

Date: 03/09/2015

Capacity: 29,083 US Gallons (110,093 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,343	12.75	2,228	17.00	3,215
0.25	29	4.50	627	8.75	1,392	13.00	2,283	17.25	3,276
0.50	58	4.75	668	9.00	1,441	13.25	2,339	17.50	3,337
0.75	88	5.00	710	9.25	1,491	13.50	2,395	17.75	3,399
1.00	119	5.25	752	9.50	1,541	13.75	2,451	18.00	3,460
1.25	151	5.50	794	9.75	1,591	14.00	2,508	18.25	3,522
1.50	184	5.75	837	10.00	1,642	14.25	2,565	18.50	3,585
1.75	217	6.00	881	10.25	1,694	14.50	2,623	18.75	3,647
2.00	251	6.25	925	10.50	1,745	14.75	2,681	19.00	3,710
2.25	286	6.50	970	10.75	1,797	15.00	2,739	19.25	3,773
2.50	321	6.75	1,015	11.00	1,850	15.25	2,797	19.50	3,837
2.75	357	7.00	1,060	11.25	1,903	15.50	2,856	19.75	3,900
3.00	394	7.25	1,106	11.50	1,956	15.75	2,915	20.00	3,964
3.25	431	7.50	1,153	11.75	2,010	16.00	2,975	20.25	4,029
3.50	469	7.75	1,200	12.00	2,064	16.25	3,034	20.50	4,093
3.75	508	8.00	1,247	12.25	2,118	16.50	3,094	20.75	4,158
4.00	547	8.25	1,295	12.50	2,173	16.75	3,155	21.00	4,223



## Capacity/Gauge Table Information

**TCLX 290319**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 119

Reporting Mark: TCLX 290319

Date: 03/09/2015

Capacity: 29,083 US Gallons (110,093 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,288	25.50	5,431	29.75	6,634	34.00	7,885	38.25	9,175
21.50	4,353	25.75	5,501	30.00	6,706	34.25	7,960	38.50	9,252
21.75	4,419	26.00	5,570	30.25	6,779	34.50	8,035	38.75	9,329
22.00	4,485	26.25	5,640	30.50	6,852	34.75	8,110	39.00	9,406
22.25	4,551	26.50	5,709	30.75	6,924	35.00	8,185	39.25	9,483
22.50	4,617	26.75	5,779	31.00	6,997	35.25	8,261	39.50	9,561
22.75	4,684	27.00	5,850	31.25	7,071	35.50	8,336	39.75	9,638
23.00	4,751	27.25	5,920	31.50	7,144	35.75	8,412	40.00	9,716
23.25	4,818	27.50	5,991	31.75	7,217	36.00	8,488	40.25	9,793
23.50	4,885	27.75	6,061	32.00	7,291	36.25	8,564	40.50	9,871
23.75	4,953	28.00	6,132	32.25	7,365	36.50	8,640	40.75	9,949
24.00	5,020	28.25	6,203	32.50	7,439	36.75	8,716	41.00	10,027
24.25	5,088	28.50	6,275	32.75	7,513	37.00	8,792	41.25	10,105
24.50	5,157	28.75	6,346	33.00	7,587	37.25	8,869	41.50	10,183
24.75	5,225	29.00	6,418	33.25	7,661	37.50	8,945	41.75	10,261
25.00	5,294	29.25	6,490	33.50	7,736	37.75	9,022	42.00	10,339
25.25	5,362	29.50	6,562	33.75	7,810	38.00	9,098	42.25	10,417



## Capacity/Gauge Table Information

**TCLX 290319**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 119

Reporting Mark: TCLX 290319

Date: 03/09/2015

Capacity: 29,083 US Gallons (110,093 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,496	46.75	11,838	51.00	13,195	55.25	14,558	59.50	15,919
42.75	10,574	47.00	11,917	51.25	13,275	55.50	14,638	59.75	15,999
43.00	10,652	47.25	11,997	51.50	13,355	55.75	14,718	60.00	16,079
43.25	10,731	47.50	12,077	51.75	13,435	56.00	14,798	60.25	16,159
43.50	10,810	47.75	12,156	52.00	13,515	56.25	14,878	60.50	16,239
43.75	10,888	48.00	12,236	52.25	13,595	56.50	14,959	60.75	16,319
44.00	10,967	48.25	12,316	52.50	13,675	56.75	15,039	61.00	16,398
44.25	11,046	48.50	12,395	52.75	13,755	57.00	15,119	61.25	16,478
44.50	11,125	48.75	12,475	53.00	13,836	57.25	15,199	61.50	16,558
44.75	11,204	49.00	12,555	53.25	13,916	57.50	15,279	61.75	16,637
45.00	11,283	49.25	12,635	53.50	13,996	57.75	15,359	62.00	16,717
45.25	11,362	49.50	12,715	53.75	14,076	58.00	15,439	62.25	16,796
45.50	11,441	49.75	12,795	54.00	14,156	58.25	15,519	62.50	16,876
45.75	11,521	50.00	12,875	54.25	14,237	58.50	15,599	62.75	16,955
46.00	11,600	50.25	12,954	54.50	14,317	58.75	15,679	63.00	17,035
46.25	11,679	50.50	13,034	54.75	14,397	59.00	15,759	63.25	17,114
46.50	11,759	50.75	13,115	55.00	14,477	59.25	15,839	63.50	17,193



## Capacity/Gauge Table Information

**TCLX 290319**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 119

Reporting Mark: TCLX 290319

Date: 03/09/2015

Capacity: 29,083 US Gallons (110,093 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,272	68.00	18,609	72.25	19,920	76.50	21,199	80.75	22,436
64.00	17,351	68.25	18,687	72.50	19,997	76.75	21,273	81.00	22,507
64.25	17,431	68.50	18,764	72.75	20,073	77.00	21,347	81.25	22,578
64.50	17,510	68.75	18,842	73.00	20,149	77.25	21,421	81.50	22,649
64.75	17,589	69.00	18,920	73.25	20,225	77.50	21,494	81.75	22,720
65.00	17,667	69.25	18,997	73.50	20,300	77.75	21,568	82.00	22,791
65.25	17,746	69.50	19,075	73.75	20,376	78.00	21,641	82.25	22,861
65.50	17,825	69.75	19,152	74.00	20,451	78.25	21,714	82.50	22,931
65.75	17,904	70.00	19,230	74.25	20,527	78.50	21,787	82.75	23,001
66.00	17,982	70.25	19,307	74.50	20,602	78.75	21,860	83.00	23,071
66.25	18,061	70.50	19,384	74.75	20,677	79.00	21,932	83.25	23,140
66.50	18,139	70.75	19,461	75.00	20,752	79.25	22,005	83.50	23,210
66.75	18,218	71.00	19,538	75.25	20,827	79.50	22,077	83.75	23,279
67.00	18,296	71.25	19,614	75.50	20,902	79.75	22,149	84.00	23,348
67.25	18,374	71.50	19,691	75.75	20,976	80.00	22,221	84.25	23,416
67.50	18,453	71.75	19,768	76.00	21,051	80.25	22,293	84.50	23,485
67.75	18,531	72.00	19,844	76.25	21,125	80.50	22,365	84.75	23,553



## Capacity/Gauge Table Information

**TCLX 290319**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 119

Reporting Mark: TCLX 290319

Date: 03/09/2015

Capacity: 29,083 US Gallons (110,093 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,621	89.25	24,744	93.50	25,793	97.75	26,751	102.00	27,600
85.25	23,689	89.50	24,808	93.75	25,852	98.00	26,804	102.25	27,646
85.50	23,757	89.75	24,872	94.00	25,910	98.25	26,857	102.50	27,692
85.75	23,824	90.00	24,935	94.25	25,969	98.50	26,909	102.75	27,737
86.00	23,892	90.25	24,998	94.50	26,027	98.75	26,961	103.00	27,782
86.25	23,959	90.50	25,061	94.75	26,085	99.00	27,013	103.25	27,826
86.50	24,026	90.75	25,124	95.00	26,142	99.25	27,064	103.50	27,869
86.75	24,092	91.00	25,186	95.25	26,199	99.50	27,115	103.75	27,913
87.00	24,158	91.25	25,248	95.50	26,256	99.75	27,166	104.00	27,955
87.25	24,224	91.50	25,310	95.75	26,312	100.00	27,216	104.25	27,997
87.50	24,290	91.75	25,371	96.00	26,368	100.25	27,265	104.50	28,039
87.75	24,356	92.00	25,432	96.25	26,424	100.50	27,314	104.75	28,080
88.00	24,421	92.25	25,493	96.50	26,479	100.75	27,363	105.00	28,120
88.25	24,486	92.50	25,553	96.75	26,534	101.00	27,412	105.25	28,160
88.50	24,551	92.75	25,614	97.00	26,589	101.25	27,459	105.50	28,199
88.75	24,616	93.00	25,674	97.25	26,643	101.50	27,507	105.75	28,238
89.00	24,680	93.25	25,733	97.50	26,697	101.75	27,554	106.00	28,276



## Capacity/Gauge Table Information

**TCLX 290319**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 119

Reporting Mark: TCLX 290319

Date: 03/09/2015

Capacity: 29,083 US Gallons (110,093 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,314	110.50	28,842	114.75	29,069
106.50	28,350	110.75	28,865	115.00	29,073
106.75	28,387	111.00	28,887	115.25	29,077
107.00	28,422	111.25	28,908	115.50	29,079
107.25	28,457	111.50	28,927	115.75	29,081
107.50	28,491	111.75	28,945	116.00	29,082
107.75	28,525	112.00	28,961	116.25	29,083
108.00	28,558	112.25	28,977	116.50	29,083
108.25	28,590	112.50	28,991	116.75	29,083
108.50	28,621	112.75	29,004		
108.75	28,652	113.00	29,016		
109.00	28,682	113.25	29,026		
109.25	28,711	113.50	29,036		
109.50	28,739	113.75	29,045		
109.75	28,766	114.00	29,052		
110.00	28,792	114.25	29,059		
110.25	28,818	114.50	29,065		



## Capacity/Gauge Table Information

**TCLX 290320**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 320

Reporting Mark: TCLX 290320

Date: 11/09/2015

Capacity: 29,079 US Gallons (110,077 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,348	12.75	2,234	17.00	3,223
0.25	29	4.50	630	8.75	1,397	13.00	2,290	17.25	3,284
0.50	58	4.75	671	9.00	1,446	13.25	2,346	17.50	3,345
0.75	89	5.00	713	9.25	1,496	13.50	2,402	17.75	3,407
1.00	120	5.25	755	9.50	1,546	13.75	2,458	18.00	3,469
1.25	152	5.50	798	9.75	1,597	14.00	2,515	18.25	3,531
1.50	185	5.75	841	10.00	1,648	14.25	2,572	18.50	3,593
1.75	218	6.00	885	10.25	1,699	14.50	2,630	18.75	3,656
2.00	253	6.25	929	10.50	1,751	14.75	2,688	19.00	3,719
2.25	287	6.50	973	10.75	1,803	15.00	2,746	19.25	3,782
2.50	323	6.75	1,019	11.00	1,856	15.25	2,805	19.50	3,845
2.75	359	7.00	1,064	11.25	1,909	15.50	2,863	19.75	3,909
3.00	396	7.25	1,110	11.50	1,962	15.75	2,923	20.00	3,973
3.25	434	7.50	1,157	11.75	2,016	16.00	2,982	20.25	4,037
3.50	472	7.75	1,204	12.00	2,070	16.25	3,042	20.50	4,102
3.75	511	8.00	1,252	12.25	2,124	16.50	3,102	20.75	4,167
4.00	550	8.25	1,300	12.50	2,179	16.75	3,162	21.00	4,232





## Capacity/Gauge Table Information

**TCLX 290320**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 320

Reporting Mark: TCLX 290320

Date: 11/09/2015

Capacity: 29,079 US Gallons (110,077 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,297	25.50	5,441	29.75	6,645	34.00	7,897	38.25	9,187
21.50	4,362	25.75	5,511	30.00	6,717	34.25	7,972	38.50	9,264
21.75	4,428	26.00	5,580	30.25	6,790	34.50	8,047	38.75	9,341
22.00	4,494	26.25	5,650	30.50	6,863	34.75	8,122	39.00	9,418
22.25	4,560	26.50	5,720	30.75	6,935	35.00	8,197	39.25	9,496
22.50	4,627	26.75	5,790	31.00	7,008	35.25	8,273	39.50	9,573
22.75	4,693	27.00	5,860	31.25	7,082	35.50	8,348	39.75	9,650
23.00	4,760	27.25	5,930	31.50	7,155	35.75	8,424	40.00	9,728
23.25	4,827	27.50	6,001	31.75	7,228	36.00	8,500	40.25	9,806
23.50	4,895	27.75	6,072	32.00	7,302	36.25	8,576	40.50	9,883
23.75	4,962	28.00	6,143	32.25	7,376	36.50	8,652	40.75	9,961
24.00	5,030	28.25	6,214	32.50	7,450	36.75	8,728	41.00	10,039
24.25	5,098	28.50	6,285	32.75	7,524	37.00	8,804	41.25	10,117
24.50	5,166	28.75	6,357	33.00	7,598	37.25	8,881	41.50	10,195
24.75	5,235	29.00	6,429	33.25	7,673	37.50	8,957	41.75	10,273
25.00	5,304	29.25	6,501	33.50	7,747	37.75	9,034	42.00	10,351
25.25	5,372	29.50	6,573	33.75	7,822	38.00	9,110	42.25	10,430



## Capacity/Gauge Table Information

**TCLX 290320**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 320

Reporting Mark: TCLX 290320

Date: 11/09/2015

Capacity: 29,079 US Gallons (110,077 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,508	46.75	11,851	51.00	13,208	55.25	14,571	59.50	15,933
42.75	10,587	47.00	11,930	51.25	13,288	55.50	14,651	59.75	16,013
43.00	10,665	47.25	12,010	51.50	13,368	55.75	14,731	60.00	16,092
43.25	10,744	47.50	12,090	51.75	13,448	56.00	14,811	60.25	16,172
43.50	10,822	47.75	12,169	52.00	13,528	56.25	14,892	60.50	16,252
43.75	10,901	48.00	12,249	52.25	13,608	56.50	14,972	60.75	16,332
44.00	10,980	48.25	12,329	52.50	13,688	56.75	15,052	61.00	16,411
44.25	11,059	48.50	12,408	52.75	13,769	57.00	15,132	61.25	16,491
44.50	11,138	48.75	12,488	53.00	13,849	57.25	15,212	61.50	16,571
44.75	11,217	49.00	12,568	53.25	13,929	57.50	15,292	61.75	16,650
45.00	11,296	49.25	12,648	53.50	14,009	57.75	15,373	62.00	16,730
45.25	11,375	49.50	12,728	53.75	14,089	58.00	15,453	62.25	16,809
45.50	11,454	49.75	12,808	54.00	14,170	58.25	15,533	62.50	16,889
45.75	11,533	50.00	12,888	54.25	14,250	58.50	15,613	62.75	16,968
46.00	11,613	50.25	12,968	54.50	14,330	58.75	15,693	63.00	17,048
46.25	11,692	50.50	13,048	54.75	14,410	59.00	15,773	63.25	17,127
46.50	11,771	50.75	13,128	55.00	14,491	59.25	15,853	63.50	17,206



## Capacity/Gauge Table Information

**TCLX 290320**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 320

Reporting Mark: TCLX 290320

Date: 11/09/2015

Capacity: 29,079 US Gallons (110,077 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,285	68.00	18,622	72.25	19,933	76.50	21,211	80.75	22,448
64.00	17,365	68.25	18,699	72.50	20,009	76.75	21,285	81.00	22,519
64.25	17,444	68.50	18,777	72.75	20,085	77.00	21,359	81.25	22,590
64.50	17,523	68.75	18,855	73.00	20,161	77.25	21,433	81.50	22,661
64.75	17,602	69.00	18,933	73.25	20,237	77.50	21,506	81.75	22,731
65.00	17,681	69.25	19,010	73.50	20,313	77.75	21,580	82.00	22,802
65.25	17,759	69.50	19,088	73.75	20,388	78.00	21,653	82.25	22,872
65.50	17,838	69.75	19,165	74.00	20,464	78.25	21,726	82.50	22,942
65.75	17,917	70.00	19,242	74.25	20,539	78.50	21,799	82.75	23,012
66.00	17,995	70.25	19,319	74.50	20,614	78.75	21,872	83.00	23,082
66.25	18,074	70.50	19,397	74.75	20,690	79.00	21,944	83.25	23,151
66.50	18,152	70.75	19,473	75.00	20,764	79.25	22,017	83.50	23,221
66.75	18,231	71.00	19,550	75.25	20,839	79.50	22,089	83.75	23,290
67.00	18,309	71.25	19,627	75.50	20,914	79.75	22,161	84.00	23,359
67.25	18,387	71.50	19,704	75.75	20,989	80.00	22,233	84.25	23,427
67.50	18,466	71.75	19,780	76.00	21,063	80.25	22,305	84.50	23,496
67.75	18,544	72.00	19,857	76.25	21,137	80.50	22,376	84.75	23,564



## Capacity/Gauge Table Information

**TCLX 290320**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 320

Reporting Mark: TCLX 290320

Date: 11/09/2015

Capacity: 29,079 US Gallons (110,077 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,632	89.25	24,754	93.50	25,801	97.75	26,758	102.00	27,606
85.25	23,700	89.50	24,818	93.75	25,860	98.00	26,811	102.25	27,652
85.50	23,768	89.75	24,882	94.00	25,919	98.25	26,864	102.50	27,697
85.75	23,835	90.00	24,945	94.25	25,977	98.50	26,916	102.75	27,742
86.00	23,902	90.25	25,008	94.50	26,035	98.75	26,968	103.00	27,787
86.25	23,969	90.50	25,071	94.75	26,093	99.00	27,020	103.25	27,831
86.50	24,036	90.75	25,133	95.00	26,150	99.25	27,071	103.50	27,874
86.75	24,102	91.00	25,195	95.25	26,207	99.50	27,122	103.75	27,917
87.00	24,169	91.25	25,257	95.50	26,264	99.75	27,172	104.00	27,960
87.25	24,235	91.50	25,319	95.75	26,320	100.00	27,222	104.25	28,002
87.50	24,301	91.75	25,380	96.00	26,376	100.25	27,272	104.50	28,043
87.75	24,366	92.00	25,441	96.25	26,432	100.50	27,321	104.75	28,084
88.00	24,431	92.25	25,502	96.50	26,487	100.75	27,369	105.00	28,124
88.25	24,497	92.50	25,562	96.75	26,542	101.00	27,418	105.25	28,164
88.50	24,561	92.75	25,623	97.00	26,597	101.25	27,465	105.50	28,203
88.75	24,626	93.00	25,682	97.25	26,651	101.50	27,513	105.75	28,242
89.00	24,690	93.25	25,742	97.50	26,705	101.75	27,560	106.00	28,280



## Capacity/Gauge Table Information

**TCLX 290320**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 320

Reporting Mark: TCLX 290320

Date: 11/09/2015

Capacity: 29,079 US Gallons (110,077 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,317	110.50	28,842	114.75	29,065
106.50	28,354	110.75	28,865	115.00	29,069
106.75	28,390	111.00	28,886	115.25	29,072
107.00	28,425	111.25	28,907	115.50	29,075
107.25	28,460	111.50	28,925	115.75	29,077
107.50	28,494	111.75	28,943	116.00	29,078
107.75	28,527	112.00	28,959	116.25	29,079
108.00	28,560	112.25	28,975	116.50	29,079
108.25	28,592	112.50	28,988	116.75	29,079
108.50	28,623	112.75	29,001		
108.75	28,654	113.00	29,013		
109.00	28,683	113.25	29,023		
109.25	28,712	113.50	29,033		
109.50	28,740	113.75	29,041		
109.75	28,767	114.00	29,049		
110.00	28,793	114.25	29,055		
110.25	28,818	114.50	29,061		



## Capacity/Gauge Table Information

**TCLX 290321**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 121

Reporting Mark: TCLX 290321

Date: 08/09/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,349	12.75	2,236	17.00	3,225
0.25	29	4.50	631	8.75	1,398	13.00	2,291	17.25	3,286
0.50	58	4.75	672	9.00	1,448	13.25	2,347	17.50	3,347
0.75	89	5.00	714	9.25	1,497	13.50	2,403	17.75	3,408
1.00	120	5.25	756	9.50	1,548	13.75	2,460	18.00	3,470
1.25	152	5.50	799	9.75	1,598	14.00	2,517	18.25	3,532
1.50	185	5.75	842	10.00	1,649	14.25	2,574	18.50	3,595
1.75	219	6.00	886	10.25	1,701	14.50	2,632	18.75	3,657
2.00	253	6.25	930	10.50	1,752	14.75	2,690	19.00	3,720
2.25	288	6.50	975	10.75	1,805	15.00	2,748	19.25	3,784
2.50	323	6.75	1,020	11.00	1,857	15.25	2,806	19.50	3,847
2.75	360	7.00	1,065	11.25	1,910	15.50	2,865	19.75	3,911
3.00	397	7.25	1,112	11.50	1,964	15.75	2,924	20.00	3,975
3.25	434	7.50	1,158	11.75	2,017	16.00	2,984	20.25	4,039
3.50	472	7.75	1,205	12.00	2,071	16.25	3,044	20.50	4,103
3.75	511	8.00	1,253	12.25	2,126	16.50	3,104	20.75	4,168
4.00	551	8.25	1,301	12.50	2,181	16.75	3,164	21.00	4,233



## Capacity/Gauge Table Information

**TCLX 290321**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 121

Reporting Mark: TCLX 290321

Date: 08/09/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,298	25.50	5,443	29.75	6,645	34.00	7,896	38.25	9,186
21.50	4,364	25.75	5,512	30.00	6,718	34.25	7,971	38.50	9,263
21.75	4,430	26.00	5,581	30.25	6,790	34.50	8,046	38.75	9,340
22.00	4,496	26.25	5,651	30.50	6,863	34.75	8,121	39.00	9,417
22.25	4,562	26.50	5,721	30.75	6,936	35.00	8,197	39.25	9,494
22.50	4,628	26.75	5,791	31.00	7,009	35.25	8,272	39.50	9,571
22.75	4,695	27.00	5,861	31.25	7,082	35.50	8,347	39.75	9,649
23.00	4,762	27.25	5,931	31.50	7,155	35.75	8,423	40.00	9,726
23.25	4,829	27.50	6,002	31.75	7,229	36.00	8,499	40.25	9,804
23.50	4,896	27.75	6,073	32.00	7,302	36.25	8,575	40.50	9,881
23.75	4,964	28.00	6,144	32.25	7,376	36.50	8,651	40.75	9,959
24.00	5,031	28.25	6,215	32.50	7,450	36.75	8,727	41.00	10,037
24.25	5,099	28.50	6,286	32.75	7,524	37.00	8,803	41.25	10,115
24.50	5,168	28.75	6,358	33.00	7,598	37.25	8,879	41.50	10,193
24.75	5,236	29.00	6,429	33.25	7,672	37.50	8,956	41.75	10,271
25.00	5,305	29.25	6,501	33.50	7,747	37.75	9,032	42.00	10,349
25.25	5,374	29.50	6,573	33.75	7,821	38.00	9,109	42.25	10,427





## Capacity/Gauge Table Information

**TCLX 290321**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 121

Reporting Mark: TCLX 290321

Date: 08/09/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,505	46.75	11,847	51.00	13,201	55.25	14,562	59.50	15,922
42.75	10,584	47.00	11,926	51.25	13,281	55.50	14,643	59.75	16,002
43.00	10,662	47.25	12,005	51.50	13,361	55.75	14,723	60.00	16,081
43.25	10,741	47.50	12,085	51.75	13,441	56.00	14,803	60.25	16,161
43.50	10,819	47.75	12,164	52.00	13,521	56.25	14,883	60.50	16,241
43.75	10,898	48.00	12,244	52.25	13,601	56.50	14,963	60.75	16,320
44.00	10,977	48.25	12,324	52.50	13,682	56.75	15,043	61.00	16,400
44.25	11,055	48.50	12,403	52.75	13,762	57.00	15,123	61.25	16,479
44.50	11,134	48.75	12,483	53.00	13,842	57.25	15,203	61.50	16,559
44.75	11,213	49.00	12,563	53.25	13,922	57.50	15,283	61.75	16,638
45.00	11,292	49.25	12,642	53.50	14,002	57.75	15,363	62.00	16,718
45.25	11,371	49.50	12,722	53.75	14,082	58.00	15,443	62.25	16,797
45.50	11,450	49.75	12,802	54.00	14,162	58.25	15,523	62.50	16,876
45.75	11,529	50.00	12,882	54.25	14,242	58.50	15,603	62.75	16,955
46.00	11,609	50.25	12,962	54.50	14,322	58.75	15,682	63.00	17,035
46.25	11,688	50.50	13,042	54.75	14,402	59.00	15,762	63.25	17,114
46.50	11,767	50.75	13,122	55.00	14,482	59.25	15,842	63.50	17,193



## Capacity/Gauge Table Information

**TCLX 290321**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 121

Reporting Mark: TCLX 290321

Date: 08/09/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,272	68.00	18,605	72.25	19,913	76.50	21,187	80.75	22,419
64.00	17,351	68.25	18,683	72.50	19,989	76.75	21,261	81.00	22,490
64.25	17,430	68.50	18,760	72.75	20,065	77.00	21,334	81.25	22,561
64.50	17,509	68.75	18,838	73.00	20,140	77.25	21,408	81.50	22,631
64.75	17,587	69.00	18,915	73.25	20,216	77.50	21,481	81.75	22,702
65.00	17,666	69.25	18,993	73.50	20,291	77.75	21,554	82.00	22,772
65.25	17,745	69.50	19,070	73.75	20,367	78.00	21,627	82.25	22,842
65.50	17,823	69.75	19,147	74.00	20,442	78.25	21,700	82.50	22,912
65.75	17,902	70.00	19,224	74.25	20,517	78.50	21,773	82.75	22,981
66.00	17,980	70.25	19,301	74.50	20,592	78.75	21,845	83.00	23,051
66.25	18,059	70.50	19,378	74.75	20,667	79.00	21,917	83.25	23,120
66.50	18,137	70.75	19,455	75.00	20,742	79.25	21,990	83.50	23,189
66.75	18,215	71.00	19,531	75.25	20,816	79.50	22,062	83.75	23,258
67.00	18,293	71.25	19,608	75.50	20,891	79.75	22,133	84.00	23,326
67.25	18,371	71.50	19,684	75.75	20,965	80.00	22,205	84.25	23,395
67.50	18,449	71.75	19,760	76.00	21,039	80.25	22,277	84.50	23,463
67.75	18,527	72.00	19,837	76.25	21,113	80.50	22,348	84.75	23,531



## Capacity/Gauge Table Information

**TCLX 290321**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 121

Reporting Mark: TCLX 290321

Date: 08/09/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,599	89.25	24,715	93.50	25,755	97.75	26,705	102.00	27,544
85.25	23,666	89.50	24,778	93.75	25,814	98.00	26,758	102.25	27,589
85.50	23,733	89.75	24,842	94.00	25,872	98.25	26,810	102.50	27,634
85.75	23,800	90.00	24,904	94.25	25,930	98.50	26,862	102.75	27,678
86.00	23,867	90.25	24,967	94.50	25,988	98.75	26,913	103.00	27,722
86.25	23,934	90.50	25,029	94.75	26,045	99.00	26,964	103.25	27,766
86.50	24,000	90.75	25,092	95.00	26,102	99.25	27,015	103.50	27,809
86.75	24,067	91.00	25,153	95.25	26,158	99.50	27,065	103.75	27,851
87.00	24,132	91.25	25,215	95.50	26,215	99.75	27,115	104.00	27,893
87.25	24,198	91.50	25,276	95.75	26,271	100.00	27,164	104.25	27,934
87.50	24,264	91.75	25,337	96.00	26,326	100.25	27,213	104.50	27,975
87.75	24,329	92.00	25,398	96.25	26,381	100.50	27,262	104.75	28,015
88.00	24,394	92.25	25,458	96.50	26,436	100.75	27,310	105.00	28,055
88.25	24,459	92.50	25,518	96.75	26,491	101.00	27,358	105.25	28,094
88.50	24,523	92.75	25,578	97.00	26,545	101.25	27,405	105.50	28,132
88.75	24,587	93.00	25,637	97.25	26,599	101.50	27,452	105.75	28,170
89.00	24,651	93.25	25,697	97.50	26,652	101.75	27,498	106.00	28,207



## Capacity/Gauge Table Information

**TCLX 290321**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 121

Reporting Mark: TCLX 290321

Date: 08/09/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,244	110.50	28,752	114.75	28,959
106.50	28,280	110.75	28,773	115.00	28,962
106.75	28,315	111.00	28,793	115.25	28,965
107.00	28,350	111.25	28,812	115.50	28,967
107.25	28,384	111.50	28,829	115.75	28,969
107.50	28,417	111.75	28,846	116.00	28,970
107.75	28,450	112.00	28,861	116.25	28,971
108.00	28,481	112.25	28,875	116.50	28,971
108.25	28,512	112.50	28,887	116.75	28,971
108.50	28,543	112.75	28,899		
108.75	28,572	113.00	28,910		
109.00	28,601	113.25	28,920		
109.25	28,628	113.50	28,928		
109.50	28,655	113.75	28,936		
109.75	28,681	114.00	28,943		
110.00	28,706	114.25	28,949		
110.25	28,730	114.50	28,954		



## Capacity/Gauge Table Information

**TCLX 290322**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 122

Reporting Mark: TCLX 290322

Date: 04/09/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,346	12.75	2,231	17.00	3,218
0.25	29	4.50	629	8.75	1,395	13.00	2,286	17.25	3,279
0.50	58	4.75	670	9.00	1,444	13.25	2,342	17.50	3,340
0.75	89	5.00	711	9.25	1,493	13.50	2,398	17.75	3,402
1.00	120	5.25	753	9.50	1,544	13.75	2,454	18.00	3,463
1.25	152	5.50	796	9.75	1,594	14.00	2,511	18.25	3,525
1.50	184	5.75	839	10.00	1,645	14.25	2,568	18.50	3,588
1.75	218	6.00	883	10.25	1,696	14.50	2,626	18.75	3,650
2.00	252	6.25	927	10.50	1,748	14.75	2,684	19.00	3,713
2.25	287	6.50	972	10.75	1,800	15.00	2,742	19.25	3,776
2.50	322	6.75	1,017	11.00	1,853	15.25	2,800	19.50	3,840
2.75	358	7.00	1,062	11.25	1,905	15.50	2,859	19.75	3,903
3.00	395	7.25	1,108	11.50	1,959	15.75	2,918	20.00	3,967
3.25	433	7.50	1,155	11.75	2,012	16.00	2,978	20.25	4,031
3.50	471	7.75	1,202	12.00	2,066	16.25	3,037	20.50	4,096
3.75	509	8.00	1,249	12.25	2,121	16.50	3,097	20.75	4,160
4.00	549	8.25	1,297	12.50	2,175	16.75	3,158	21.00	4,225



## Capacity/Gauge Table Information

**TCLX 290322**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 122

Reporting Mark: TCLX 290322

Date: 04/09/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,290	25.50	5,433	29.75	6,635	34.00	7,884	38.25	9,173
21.50	4,356	25.75	5,502	30.00	6,707	34.25	7,959	38.50	9,250
21.75	4,421	26.00	5,572	30.25	6,779	34.50	8,034	38.75	9,327
22.00	4,487	26.25	5,641	30.50	6,852	34.75	8,109	39.00	9,404
22.25	4,553	26.50	5,711	30.75	6,925	35.00	8,184	39.25	9,481
22.50	4,620	26.75	5,781	31.00	6,998	35.25	8,260	39.50	9,558
22.75	4,686	27.00	5,851	31.25	7,071	35.50	8,335	39.75	9,635
23.00	4,753	27.25	5,922	31.50	7,144	35.75	8,411	40.00	9,713
23.25	4,820	27.50	5,992	31.75	7,217	36.00	8,486	40.25	9,790
23.50	4,887	27.75	6,063	32.00	7,291	36.25	8,562	40.50	9,868
23.75	4,955	28.00	6,134	32.25	7,365	36.50	8,638	40.75	9,945
24.00	5,023	28.25	6,205	32.50	7,438	36.75	8,714	41.00	10,023
24.25	5,091	28.50	6,276	32.75	7,512	37.00	8,790	41.25	10,101
24.50	5,159	28.75	6,347	33.00	7,587	37.25	8,867	41.50	10,179
24.75	5,227	29.00	6,419	33.25	7,661	37.50	8,943	41.75	10,257
25.00	5,296	29.25	6,491	33.50	7,735	37.75	9,020	42.00	10,335
25.25	5,364	29.50	6,563	33.75	7,810	38.00	9,096	42.25	10,413



## Capacity/Gauge Table Information

**TCLX 290322**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 122

Reporting Mark: TCLX 290322

Date: 04/09/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,491	46.75	11,831	51.00	13,185	55.25	14,545	59.50	15,904
42.75	10,569	47.00	11,911	51.25	13,265	55.50	14,625	59.75	15,983
43.00	10,648	47.25	11,990	51.50	13,345	55.75	14,705	60.00	16,063
43.25	10,726	47.50	12,069	51.75	13,425	56.00	14,785	60.25	16,143
43.50	10,805	47.75	12,149	52.00	13,505	56.25	14,865	60.50	16,222
43.75	10,883	48.00	12,228	52.25	13,585	56.50	14,945	60.75	16,302
44.00	10,962	48.25	12,308	52.50	13,665	56.75	15,025	61.00	16,381
44.25	11,041	48.50	12,388	52.75	13,745	57.00	15,105	61.25	16,461
44.50	11,120	48.75	12,467	53.00	13,825	57.25	15,185	61.50	16,540
44.75	11,198	49.00	12,547	53.25	13,905	57.50	15,265	61.75	16,620
45.00	11,277	49.25	12,627	53.50	13,985	57.75	15,345	62.00	16,699
45.25	11,356	49.50	12,706	53.75	14,065	58.00	15,425	62.25	16,778
45.50	11,435	49.75	12,786	54.00	14,145	58.25	15,505	62.50	16,858
45.75	11,514	50.00	12,866	54.25	14,225	58.50	15,585	62.75	16,937
46.00	11,594	50.25	12,946	54.50	14,305	58.75	15,664	63.00	17,016
46.25	11,673	50.50	13,025	54.75	14,385	59.00	15,744	63.25	17,095
46.50	11,752	50.75	13,105	55.00	14,465	59.25	15,824	63.50	17,174





## Capacity/Gauge Table Information

**TCLX 290322**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 122

Reporting Mark: TCLX 290322

Date: 04/09/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,253	68.00	18,585	72.25	19,893	76.50	21,167	80.75	22,398
64.00	17,332	68.25	18,663	72.50	19,969	76.75	21,240	81.00	22,469
64.25	17,411	68.50	18,741	72.75	20,044	77.00	21,314	81.25	22,540
64.50	17,490	68.75	18,818	73.00	20,120	77.25	21,387	81.50	22,610
64.75	17,568	69.00	18,895	73.25	20,196	77.50	21,461	81.75	22,681
65.00	17,647	69.25	18,973	73.50	20,271	77.75	21,534	82.00	22,751
65.25	17,726	69.50	19,050	73.75	20,347	78.00	21,607	82.25	22,821
65.50	17,804	69.75	19,127	74.00	20,422	78.25	21,679	82.50	22,891
65.75	17,883	70.00	19,204	74.25	20,497	78.50	21,752	82.75	22,960
66.00	17,961	70.25	19,281	74.50	20,572	78.75	21,824	83.00	23,030
66.25	18,039	70.50	19,358	74.75	20,647	79.00	21,897	83.25	23,099
66.50	18,118	70.75	19,435	75.00	20,721	79.25	21,969	83.50	23,168
66.75	18,196	71.00	19,511	75.25	20,796	79.50	22,041	83.75	23,237
67.00	18,274	71.25	19,588	75.50	20,870	79.75	22,113	84.00	23,305
67.25	18,352	71.50	19,664	75.75	20,945	80.00	22,184	84.25	23,374
67.50	18,430	71.75	19,740	76.00	21,019	80.25	22,256	84.50	23,442
67.75	18,508	72.00	19,817	76.25	21,093	80.50	22,327	84.75	23,510



## Capacity/Gauge Table Information

**TCLX 290322**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 122

Reporting Mark: TCLX 290322

Date: 04/09/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,578	89.25	24,694	93.50	25,735	97.75	26,685	102.00	27,525
85.25	23,645	89.50	24,758	93.75	25,794	98.00	26,738	102.25	27,570
85.50	23,712	89.75	24,821	94.00	25,852	98.25	26,790	102.50	27,615
85.75	23,780	90.00	24,884	94.25	25,910	98.50	26,842	102.75	27,660
86.00	23,846	90.25	24,946	94.50	25,967	98.75	26,893	103.00	27,704
86.25	23,913	90.50	25,009	94.75	26,025	99.00	26,945	103.25	27,747
86.50	23,980	90.75	25,071	95.00	26,082	99.25	26,995	103.50	27,790
86.75	24,046	91.00	25,133	95.25	26,138	99.50	27,046	103.75	27,832
87.00	24,112	91.25	25,194	95.50	26,194	99.75	27,095	104.00	27,874
87.25	24,177	91.50	25,255	95.75	26,250	100.00	27,145	104.25	27,916
87.50	24,243	91.75	25,316	96.00	26,306	100.25	27,194	104.50	27,956
87.75	24,308	92.00	25,377	96.25	26,361	100.50	27,243	104.75	27,997
88.00	24,373	92.25	25,438	96.50	26,416	100.75	27,291	105.00	28,036
88.25	24,438	92.50	25,498	96.75	26,471	101.00	27,338	105.25	28,076
88.50	24,502	92.75	25,557	97.00	26,525	101.25	27,386	105.50	28,114
88.75	24,566	93.00	25,617	97.25	26,579	101.50	27,433	105.75	28,152
89.00	24,630	93.25	25,676	97.50	26,632	101.75	27,479	106.00	28,189



## Capacity/Gauge Table Information

**TCLX 290322**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 122

Reporting Mark: TCLX 290322

Date: 04/09/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,226	110.50	28,736	114.75	28,945
106.50	28,262	110.75	28,758	115.00	28,949
106.75	28,297	111.00	28,778	115.25	28,952
107.00	28,332	111.25	28,797	115.50	28,954
107.25	28,366	111.50	28,814	115.75	28,956
107.50	28,400	111.75	28,831	116.00	28,957
107.75	28,432	112.00	28,846	116.25	28,958
108.00	28,464	112.25	28,860	116.50	28,958
108.25	28,495	112.50	28,873	116.75	28,958
108.50	28,526	112.75	28,885		
108.75	28,555	113.00	28,896		
109.00	28,584	113.25	28,906		
109.25	28,612	113.50	28,914		
109.50	28,639	113.75	28,922		
109.75	28,665	114.00	28,929		
110.00	28,690	114.25	28,935		
110.25	28,714	114.50	28,941		



## Capacity/Gauge Table Information

**TCLX 290323**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 123

Reporting Mark: TCLX 290323

Date: 04/09/2015

Capacity: 28,922 US Gallons (109,482 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,348	12.75	2,234	17.00	3,221
0.25	29	4.50	631	8.75	1,397	13.00	2,289	17.25	3,282
0.50	58	4.75	672	9.00	1,447	13.25	2,345	17.50	3,343
0.75	89	5.00	713	9.25	1,496	13.50	2,401	17.75	3,405
1.00	120	5.25	755	9.50	1,546	13.75	2,458	18.00	3,467
1.25	152	5.50	798	9.75	1,597	14.00	2,515	18.25	3,529
1.50	185	5.75	841	10.00	1,648	14.25	2,572	18.50	3,591
1.75	219	6.00	885	10.25	1,699	14.50	2,629	18.75	3,654
2.00	253	6.25	929	10.50	1,751	14.75	2,687	19.00	3,716
2.25	288	6.50	974	10.75	1,803	15.00	2,745	19.25	3,779
2.50	323	6.75	1,019	11.00	1,856	15.25	2,804	19.50	3,843
2.75	360	7.00	1,065	11.25	1,909	15.50	2,862	19.75	3,906
3.00	396	7.25	1,111	11.50	1,962	15.75	2,921	20.00	3,970
3.25	434	7.50	1,157	11.75	2,015	16.00	2,981	20.25	4,034
3.50	472	7.75	1,205	12.00	2,070	16.25	3,041	20.50	4,099
3.75	511	8.00	1,252	12.25	2,124	16.50	3,101	20.75	4,163
4.00	550	8.25	1,300	12.50	2,179	16.75	3,161	21.00	4,228



## Capacity/Gauge Table Information

**TCLX 290323**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 123

Reporting Mark: TCLX 290323

Date: 04/09/2015

Capacity: 28,922 US Gallons (109,482 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,294	25.50	5,436	29.75	6,637	34.00	7,886	38.25	9,173
21.50	4,359	25.75	5,505	30.00	6,709	34.25	7,960	38.50	9,250
21.75	4,425	26.00	5,574	30.25	6,781	34.50	8,035	38.75	9,327
22.00	4,490	26.25	5,644	30.50	6,854	34.75	8,110	39.00	9,404
22.25	4,556	26.50	5,714	30.75	6,927	35.00	8,185	39.25	9,481
22.50	4,623	26.75	5,784	31.00	7,000	35.25	8,261	39.50	9,558
22.75	4,689	27.00	5,854	31.25	7,073	35.50	8,336	39.75	9,635
23.00	4,756	27.25	5,924	31.50	7,146	35.75	8,412	40.00	9,712
23.25	4,823	27.50	5,994	31.75	7,219	36.00	8,487	40.25	9,790
23.50	4,890	27.75	6,065	32.00	7,293	36.25	8,563	40.50	9,867
23.75	4,958	28.00	6,136	32.25	7,366	36.50	8,639	40.75	9,945
24.00	5,026	28.25	6,207	32.50	7,440	36.75	8,715	41.00	10,022
24.25	5,093	28.50	6,278	32.75	7,514	37.00	8,791	41.25	10,100
24.50	5,161	28.75	6,350	33.00	7,588	37.25	8,867	41.50	10,178
24.75	5,230	29.00	6,421	33.25	7,662	37.50	8,943	41.75	10,256
25.00	5,298	29.25	6,493	33.50	7,737	37.75	9,020	42.00	10,334
25.25	5,367	29.50	6,565	33.75	7,811	38.00	9,096	42.25	10,412



## Capacity/Gauge Table Information

**TCLX 290323**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 123

Reporting Mark: TCLX 290323

Date: 04/09/2015

Capacity: 28,922 US Gallons (109,482 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,490	46.75	11,829	51.00	13,182	55.25	14,540	59.50	15,897
42.75	10,568	47.00	11,908	51.25	13,261	55.50	14,620	59.75	15,977
43.00	10,647	47.25	11,988	51.50	13,341	55.75	14,700	60.00	16,056
43.25	10,725	47.50	12,067	51.75	13,421	56.00	14,780	60.25	16,136
43.50	10,804	47.75	12,146	52.00	13,501	56.25	14,860	60.50	16,215
43.75	10,882	48.00	12,226	52.25	13,581	56.50	14,940	60.75	16,295
44.00	10,961	48.25	12,305	52.50	13,661	56.75	15,020	61.00	16,374
44.25	11,039	48.50	12,385	52.75	13,741	57.00	15,099	61.25	16,453
44.50	11,118	48.75	12,464	53.00	13,821	57.25	15,179	61.50	16,533
44.75	11,197	49.00	12,544	53.25	13,901	57.50	15,259	61.75	16,612
45.00	11,276	49.25	12,624	53.50	13,980	57.75	15,339	62.00	16,691
45.25	11,355	49.50	12,703	53.75	14,060	58.00	15,419	62.25	16,771
45.50	11,434	49.75	12,783	54.00	14,140	58.25	15,499	62.50	16,850
45.75	11,513	50.00	12,863	54.25	14,220	58.50	15,578	62.75	16,929
46.00	11,592	50.25	12,942	54.50	14,300	58.75	15,658	63.00	17,008
46.25	11,671	50.50	13,022	54.75	14,380	59.00	15,738	63.25	17,087
46.50	11,750	50.75	13,102	55.00	14,460	59.25	15,817	63.50	17,166



## Capacity/Gauge Table Information

**TCLX 290323**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 123

Reporting Mark: TCLX 290323

Date: 04/09/2015

Capacity: 28,922 US Gallons (109,482 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,245	68.00	18,575	72.25	19,881	76.50	21,153	80.75	22,383
64.00	17,323	68.25	18,653	72.50	19,957	76.75	21,227	81.00	22,453
64.25	17,402	68.50	18,730	72.75	20,032	77.00	21,300	81.25	22,524
64.50	17,481	68.75	18,808	73.00	20,108	77.25	21,373	81.50	22,595
64.75	17,560	69.00	18,885	73.25	20,183	77.50	21,446	81.75	22,665
65.00	17,638	69.25	18,962	73.50	20,259	77.75	21,519	82.00	22,735
65.25	17,717	69.50	19,039	73.75	20,334	78.00	21,592	82.25	22,805
65.50	17,795	69.75	19,116	74.00	20,409	78.25	21,665	82.50	22,874
65.75	17,873	70.00	19,193	74.25	20,484	78.50	21,737	82.75	22,944
66.00	17,952	70.25	19,270	74.50	20,559	78.75	21,810	83.00	23,013
66.25	18,030	70.50	19,347	74.75	20,634	79.00	21,882	83.25	23,082
66.50	18,108	70.75	19,423	75.00	20,708	79.25	21,954	83.50	23,151
66.75	18,186	71.00	19,500	75.25	20,783	79.50	22,026	83.75	23,220
67.00	18,264	71.25	19,576	75.50	20,857	79.75	22,098	84.00	23,288
67.25	18,342	71.50	19,653	75.75	20,931	80.00	22,169	84.25	23,357
67.50	18,420	71.75	19,729	76.00	21,005	80.25	22,240	84.50	23,425
67.75	18,498	72.00	19,805	76.25	21,079	80.50	22,312	84.75	23,493





## Capacity/Gauge Table Information

**TCLX 290323**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 123

Reporting Mark: TCLX 290323

Date: 04/09/2015

Capacity: 28,922 US Gallons (109,482 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,560	89.25	24,675	93.50	25,713	97.75	26,661	102.00	27,499
85.25	23,628	89.50	24,738	93.75	25,772	98.00	26,714	102.25	27,544
85.50	23,695	89.75	24,801	94.00	25,830	98.25	26,766	102.50	27,589
85.75	23,762	90.00	24,864	94.25	25,888	98.50	26,818	102.75	27,633
86.00	23,829	90.25	24,926	94.50	25,945	98.75	26,869	103.00	27,677
86.25	23,895	90.50	24,989	94.75	26,003	99.00	26,920	103.25	27,720
86.50	23,961	90.75	25,051	95.00	26,059	99.25	26,971	103.50	27,763
86.75	24,027	91.00	25,112	95.25	26,116	99.50	27,021	103.75	27,805
87.00	24,093	91.25	25,174	95.50	26,172	99.75	27,071	104.00	27,847
87.25	24,159	91.50	25,235	95.75	26,228	100.00	27,120	104.25	27,888
87.50	24,224	91.75	25,296	96.00	26,283	100.25	27,169	104.50	27,929
87.75	24,289	92.00	25,356	96.25	26,338	100.50	27,217	104.75	27,969
88.00	24,354	92.25	25,417	96.50	26,393	100.75	27,265	105.00	28,009
88.25	24,419	92.50	25,477	96.75	26,448	101.00	27,313	105.25	28,048
88.50	24,483	92.75	25,536	97.00	26,502	101.25	27,360	105.50	28,086
88.75	24,547	93.00	25,596	97.25	26,555	101.50	27,407	105.75	28,124
89.00	24,611	93.25	25,655	97.50	26,609	101.75	27,453	106.00	28,161



## Capacity/Gauge Table Information

**TCLX 290323**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 123

Reporting Mark: TCLX 290323

Date: 04/09/2015

Capacity: 28,922 US Gallons (109,482 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,198	110.50	28,704	114.75	28,909
106.50	28,233	110.75	28,725	115.00	28,913
106.75	28,269	111.00	28,745	115.25	28,916
107.00	28,303	111.25	28,764	115.50	28,918
107.25	28,337	111.50	28,781	115.75	28,920
107.50	28,370	111.75	28,797	116.00	28,921
107.75	28,403	112.00	28,812	116.25	28,922
108.00	28,434	112.25	28,826	116.50	28,922
108.25	28,465	112.50	28,839	116.75	28,922
108.50	28,496	112.75	28,850		
108.75	28,525	113.00	28,861		
109.00	28,553	113.25	28,871		
109.25	28,581	113.50	28,879		
109.50	28,608	113.75	28,887		
109.75	28,634	114.00	28,894		
110.00	28,658	114.25	28,900		
110.25	28,682	114.50	28,905		



## Capacity/Gauge Table Information

**TCLX 290324**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 124

Reporting Mark: TCLX 290324

Date: 03/09/2015

Capacity: 28,983 US Gallons (109,714 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,300 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	593	8.50	1,354	12.75	2,242	17.00	3,232
0.25	29	4.50	633	8.75	1,403	13.00	2,297	17.25	3,293
0.50	59	4.75	675	9.00	1,452	13.25	2,353	17.50	3,355
0.75	89	5.00	716	9.25	1,502	13.50	2,410	17.75	3,416
1.00	121	5.25	759	9.50	1,552	13.75	2,466	18.00	3,478
1.25	153	5.50	801	9.75	1,603	14.00	2,523	18.25	3,540
1.50	186	5.75	845	10.00	1,654	14.25	2,581	18.50	3,603
1.75	220	6.00	889	10.25	1,705	14.50	2,638	18.75	3,666
2.00	254	6.25	933	10.50	1,757	14.75	2,696	19.00	3,729
2.25	289	6.50	978	10.75	1,810	15.00	2,755	19.25	3,792
2.50	325	6.75	1,023	11.00	1,862	15.25	2,813	19.50	3,855
2.75	361	7.00	1,069	11.25	1,915	15.50	2,872	19.75	3,919
3.00	398	7.25	1,115	11.50	1,969	15.75	2,931	20.00	3,983
3.25	436	7.50	1,162	11.75	2,023	16.00	2,991	20.25	4,048
3.50	474	7.75	1,209	12.00	2,077	16.25	3,051	20.50	4,112
3.75	513	8.00	1,257	12.25	2,131	16.50	3,111	20.75	4,177
4.00	553	8.25	1,305	12.50	2,186	16.75	3,171	21.00	4,242



## Capacity/Gauge Table Information

**TCLX 290324**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 124

Reporting Mark: TCLX 290324

Date: 03/09/2015

Capacity: 28,983 US Gallons (109,714 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,300 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,307	25.50	5,453	29.75	6,657	34.00	7,909	38.25	9,200
21.50	4,373	25.75	5,522	30.00	6,729	34.25	7,984	38.50	9,277
21.75	4,439	26.00	5,592	30.25	6,802	34.50	8,059	38.75	9,354
22.00	4,505	26.25	5,661	30.50	6,875	34.75	8,134	39.00	9,431
22.25	4,571	26.50	5,731	30.75	6,948	35.00	8,209	39.25	9,508
22.50	4,637	26.75	5,801	31.00	7,021	35.25	8,285	39.50	9,585
22.75	4,704	27.00	5,872	31.25	7,094	35.50	8,361	39.75	9,663
23.00	4,771	27.25	5,942	31.50	7,167	35.75	8,436	40.00	9,740
23.25	4,838	27.50	6,013	31.75	7,241	36.00	8,512	40.25	9,818
23.50	4,906	27.75	6,084	32.00	7,314	36.25	8,588	40.50	9,896
23.75	4,973	28.00	6,155	32.25	7,388	36.50	8,664	40.75	9,973
24.00	5,041	28.25	6,226	32.50	7,462	36.75	8,740	41.00	10,051
24.25	5,109	28.50	6,297	32.75	7,536	37.00	8,817	41.25	10,129
24.50	5,178	28.75	6,369	33.00	7,611	37.25	8,893	41.50	10,207
24.75	5,246	29.00	6,441	33.25	7,685	37.50	8,969	41.75	10,285
25.00	5,315	29.25	6,513	33.50	7,759	37.75	9,046	42.00	10,363
25.25	5,384	29.50	6,585	33.75	7,834	38.00	9,123	42.25	10,442



## Capacity/Gauge Table Information

**TCLX 290324**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 124

Reporting Mark: TCLX 290324

Date: 03/09/2015

Capacity: 28,983 US Gallons (109,714 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,300 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,520	46.75	11,862	51.00	13,218	55.25	14,580	59.50	15,940
42.75	10,599	47.00	11,942	51.25	13,298	55.50	14,660	59.75	16,020
43.00	10,677	47.25	12,021	51.50	13,378	55.75	14,740	60.00	16,099
43.25	10,756	47.50	12,101	51.75	13,458	56.00	14,820	60.25	16,179
43.50	10,834	47.75	12,180	52.00	13,538	56.25	14,900	60.50	16,259
43.75	10,913	48.00	12,260	52.25	13,618	56.50	14,980	60.75	16,338
44.00	10,992	48.25	12,340	52.50	13,698	56.75	15,060	61.00	16,418
44.25	11,071	48.50	12,419	52.75	13,778	57.00	15,140	61.25	16,497
44.50	11,149	48.75	12,499	53.00	13,859	57.25	15,220	61.50	16,577
44.75	11,228	49.00	12,579	53.25	13,939	57.50	15,300	61.75	16,656
45.00	11,307	49.25	12,659	53.50	14,019	57.75	15,380	62.00	16,736
45.25	11,387	49.50	12,738	53.75	14,099	58.00	15,460	62.25	16,815
45.50	11,466	49.75	12,818	54.00	14,179	58.25	15,540	62.50	16,895
45.75	11,545	50.00	12,898	54.25	14,259	58.50	15,620	62.75	16,974
46.00	11,624	50.25	12,978	54.50	14,339	58.75	15,700	63.00	17,053
46.25	11,703	50.50	13,058	54.75	14,419	59.00	15,780	63.25	17,132
46.50	11,783	50.75	13,138	55.00	14,500	59.25	15,860	63.50	17,211



## Capacity/Gauge Table Information

**TCLX 290324**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 124

Reporting Mark: TCLX 290324

Date: 03/09/2015

Capacity: 28,983 US Gallons (109,714 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,300 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,290	68.00	18,624	72.25	19,932	76.50	21,207	80.75	22,439
64.00	17,369	68.25	18,702	72.50	20,008	76.75	21,281	81.00	22,510
64.25	17,448	68.50	18,779	72.75	20,084	77.00	21,354	81.25	22,581
64.50	17,527	68.75	18,857	73.00	20,160	77.25	21,428	81.50	22,651
64.75	17,606	69.00	18,934	73.25	20,236	77.50	21,501	81.75	22,722
65.00	17,685	69.25	19,012	73.50	20,311	77.75	21,574	82.00	22,792
65.25	17,763	69.50	19,089	73.75	20,386	78.00	21,647	82.25	22,862
65.50	17,842	69.75	19,166	74.00	20,462	78.25	21,720	82.50	22,932
65.75	17,921	70.00	19,243	74.25	20,537	78.50	21,793	82.75	23,001
66.00	17,999	70.25	19,320	74.50	20,612	78.75	21,865	83.00	23,071
66.25	18,077	70.50	19,397	74.75	20,687	79.00	21,938	83.25	23,140
66.50	18,156	70.75	19,474	75.00	20,761	79.25	22,010	83.50	23,209
66.75	18,234	71.00	19,551	75.25	20,836	79.50	22,082	83.75	23,278
67.00	18,312	71.25	19,627	75.50	20,911	79.75	22,154	84.00	23,347
67.25	18,390	71.50	19,704	75.75	20,985	80.00	22,225	84.25	23,415
67.50	18,468	71.75	19,780	76.00	21,059	80.25	22,297	84.50	23,483
67.75	18,546	72.00	19,856	76.25	21,133	80.50	22,368	84.75	23,551



## Capacity/Gauge Table Information

**TCLX 290324**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 124

Reporting Mark: TCLX 290324

Date: 03/09/2015

Capacity: 28,983 US Gallons (109,714 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,300 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,619	89.25	24,735	93.50	25,776	97.75	26,725	102.00	27,563
85.25	23,686	89.50	24,799	93.75	25,834	98.00	26,777	102.25	27,608
85.50	23,754	89.75	24,862	94.00	25,892	98.25	26,830	102.50	27,653
85.75	23,821	90.00	24,925	94.25	25,950	98.50	26,881	102.75	27,697
86.00	23,888	90.25	24,987	94.50	26,008	98.75	26,933	103.00	27,741
86.25	23,954	90.50	25,050	94.75	26,065	99.00	26,984	103.25	27,785
86.50	24,021	90.75	25,112	95.00	26,122	99.25	27,035	103.50	27,827
86.75	24,087	91.00	25,174	95.25	26,179	99.50	27,085	103.75	27,870
87.00	24,153	91.25	25,235	95.50	26,235	99.75	27,135	104.00	27,911
87.25	24,219	91.50	25,296	95.75	26,291	100.00	27,184	104.25	27,953
87.50	24,284	91.75	25,357	96.00	26,346	100.25	27,233	104.50	27,993
87.75	24,349	92.00	25,418	96.25	26,401	100.50	27,281	104.75	28,033
88.00	24,414	92.25	25,478	96.50	26,456	100.75	27,329	105.00	28,073
88.25	24,479	92.50	25,538	96.75	26,511	101.00	27,377	105.25	28,112
88.50	24,543	92.75	25,598	97.00	26,565	101.25	27,424	105.50	28,150
88.75	24,608	93.00	25,658	97.25	26,618	101.50	27,471	105.75	28,188
89.00	24,672	93.25	25,717	97.50	26,672	101.75	27,517	106.00	28,225





## Capacity/Gauge Table Information

**TCLX 290324**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 124

Reporting Mark: TCLX 290324

Date: 03/09/2015

Capacity: 28,983 US Gallons (109,714 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,300 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,262	110.50	28,767	114.75	28,971
106.50	28,298	110.75	28,788	115.00	28,974
106.75	28,333	111.00	28,808	115.25	28,977
107.00	28,367	111.25	28,826	115.50	28,980
107.25	28,401	111.50	28,843	115.75	28,981
107.50	28,434	111.75	28,859	116.00	28,982
107.75	28,467	112.00	28,874	116.25	28,983
108.00	28,498	112.25	28,888	116.50	28,983
108.25	28,529	112.50	28,901	116.75	28,983
108.50	28,559	112.75	28,912		
108.75	28,589	113.00	28,923		
109.00	28,617	113.25	28,932		
109.25	28,645	113.50	28,941		
109.50	28,671	113.75	28,949		
109.75	28,697	114.00	28,955		
110.00	28,722	114.25	28,961		
110.25	28,745	114.50	28,966		



## Capacity/Gauge Table Information

**TCLX 290325**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 125

Reporting Mark: TCLX 290325

Date: 03/09/2015

Capacity: 28,957 US Gallons (109,613 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,350	12.75	2,237	17.00	3,225
0.25	29	4.50	631	8.75	1,399	13.00	2,292	17.25	3,286
0.50	58	4.75	672	9.00	1,448	13.25	2,348	17.50	3,348
0.75	89	5.00	714	9.25	1,498	13.50	2,404	17.75	3,409
1.00	120	5.25	756	9.50	1,548	13.75	2,461	18.00	3,471
1.25	152	5.50	799	9.75	1,599	14.00	2,518	18.25	3,533
1.50	185	5.75	842	10.00	1,650	14.25	2,575	18.50	3,595
1.75	219	6.00	886	10.25	1,701	14.50	2,632	18.75	3,658
2.00	253	6.25	930	10.50	1,753	14.75	2,690	19.00	3,721
2.25	288	6.50	975	10.75	1,805	15.00	2,749	19.25	3,784
2.50	324	6.75	1,020	11.00	1,858	15.25	2,807	19.50	3,848
2.75	360	7.00	1,066	11.25	1,911	15.50	2,866	19.75	3,911
3.00	397	7.25	1,112	11.50	1,964	15.75	2,925	20.00	3,975
3.25	435	7.50	1,159	11.75	2,018	16.00	2,985	20.25	4,040
3.50	473	7.75	1,206	12.00	2,072	16.25	3,044	20.50	4,104
3.75	511	8.00	1,254	12.25	2,127	16.50	3,104	20.75	4,169
4.00	551	8.25	1,302	12.50	2,181	16.75	3,165	21.00	4,234



## Capacity/Gauge Table Information

**TCLX 290325**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 125

Reporting Mark: TCLX 290325

Date: 03/09/2015

Capacity: 28,957 US Gallons (109,613 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,299	25.50	5,443	29.75	6,645	34.00	7,896	38.25	9,185
21.50	4,364	25.75	5,512	30.00	6,718	34.25	7,971	38.50	9,262
21.75	4,430	26.00	5,582	30.25	6,790	34.50	8,046	38.75	9,339
22.00	4,496	26.25	5,651	30.50	6,863	34.75	8,121	39.00	9,416
22.25	4,562	26.50	5,721	30.75	6,936	35.00	8,196	39.25	9,493
22.50	4,629	26.75	5,791	31.00	7,009	35.25	8,272	39.50	9,570
22.75	4,695	27.00	5,861	31.25	7,082	35.50	8,347	39.75	9,648
23.00	4,762	27.25	5,932	31.50	7,155	35.75	8,423	40.00	9,725
23.25	4,829	27.50	6,002	31.75	7,229	36.00	8,498	40.25	9,803
23.50	4,897	27.75	6,073	32.00	7,302	36.25	8,574	40.50	9,880
23.75	4,964	28.00	6,144	32.25	7,376	36.50	8,650	40.75	9,958
24.00	5,032	28.25	6,215	32.50	7,450	36.75	8,726	41.00	10,036
24.25	5,100	28.50	6,286	32.75	7,524	37.00	8,803	41.25	10,114
24.50	5,168	28.75	6,358	33.00	7,598	37.25	8,879	41.50	10,192
24.75	5,236	29.00	6,429	33.25	7,672	37.50	8,955	41.75	10,270
25.00	5,305	29.25	6,501	33.50	7,747	37.75	9,032	42.00	10,348
25.25	5,374	29.50	6,573	33.75	7,821	38.00	9,108	42.25	10,426



## Capacity/Gauge Table Information

**TCLX 290325**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 125

Reporting Mark: TCLX 290325

Date: 03/09/2015

Capacity: 28,957 US Gallons (109,613 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,504	46.75	11,845	51.00	13,199	55.25	14,560	59.50	15,918
42.75	10,583	47.00	11,924	51.25	13,279	55.50	14,640	59.75	15,998
43.00	10,661	47.25	12,004	51.50	13,359	55.75	14,720	60.00	16,078
43.25	10,739	47.50	12,083	51.75	13,439	56.00	14,800	60.25	16,157
43.50	10,818	47.75	12,163	52.00	13,519	56.25	14,880	60.50	16,237
43.75	10,897	48.00	12,242	52.25	13,599	56.50	14,960	60.75	16,317
44.00	10,975	48.25	12,322	52.50	13,679	56.75	15,040	61.00	16,396
44.25	11,054	48.50	12,401	52.75	13,759	57.00	15,120	61.25	16,476
44.50	11,133	48.75	12,481	53.00	13,839	57.25	15,200	61.50	16,555
44.75	11,212	49.00	12,561	53.25	13,919	57.50	15,280	61.75	16,634
45.00	11,291	49.25	12,640	53.50	13,999	57.75	15,360	62.00	16,714
45.25	11,370	49.50	12,720	53.75	14,079	58.00	15,440	62.25	16,793
45.50	11,449	49.75	12,800	54.00	14,159	58.25	15,519	62.50	16,872
45.75	11,528	50.00	12,880	54.25	14,239	58.50	15,599	62.75	16,952
46.00	11,607	50.25	12,960	54.50	14,320	58.75	15,679	63.00	17,031
46.25	11,686	50.50	13,039	54.75	14,400	59.00	15,759	63.25	17,110
46.50	11,766	50.75	13,119	55.00	14,480	59.25	15,839	63.50	17,189



## Capacity/Gauge Table Information

**TCLX 290325**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 125

Reporting Mark: TCLX 290325

Date: 03/09/2015

Capacity: 28,957 US Gallons (109,613 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,268	68.00	18,600	72.25	19,907	76.50	21,181	80.75	22,412
64.00	17,347	68.25	18,678	72.50	19,983	76.75	21,255	81.00	22,483
64.25	17,426	68.50	18,755	72.75	20,059	77.00	21,328	81.25	22,554
64.50	17,504	68.75	18,833	73.00	20,135	77.25	21,402	81.50	22,624
64.75	17,583	69.00	18,910	73.25	20,210	77.50	21,475	81.75	22,695
65.00	17,662	69.25	18,988	73.50	20,286	77.75	21,548	82.00	22,765
65.25	17,740	69.50	19,065	73.75	20,361	78.00	21,621	82.25	22,835
65.50	17,819	69.75	19,142	74.00	20,436	78.25	21,694	82.50	22,905
65.75	17,897	70.00	19,219	74.25	20,512	78.50	21,766	82.75	22,974
66.00	17,976	70.25	19,296	74.50	20,586	78.75	21,839	83.00	23,044
66.25	18,054	70.50	19,373	74.75	20,661	79.00	21,911	83.25	23,113
66.50	18,132	70.75	19,449	75.00	20,736	79.25	21,983	83.50	23,182
66.75	18,211	71.00	19,526	75.25	20,811	79.50	22,055	83.75	23,251
67.00	18,289	71.25	19,603	75.50	20,885	79.75	22,127	84.00	23,319
67.25	18,367	71.50	19,679	75.75	20,959	80.00	22,199	84.25	23,387
67.50	18,445	71.75	19,755	76.00	21,033	80.25	22,270	84.50	23,456
67.75	18,522	72.00	19,831	76.25	21,107	80.50	22,341	84.75	23,524



## Capacity/Gauge Table Information

**TCLX 290325**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 125

Reporting Mark: TCLX 290325

Date: 03/09/2015

Capacity: 28,957 US Gallons (109,613 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,591	89.25	24,707	93.50	25,747	97.75	26,696	102.00	27,534
85.25	23,659	89.50	24,770	93.75	25,805	98.00	26,748	102.25	27,579
85.50	23,726	89.75	24,833	94.00	25,863	98.25	26,800	102.50	27,624
85.75	23,793	90.00	24,896	94.25	25,921	98.50	26,852	102.75	27,668
86.00	23,860	90.25	24,959	94.50	25,979	98.75	26,904	103.00	27,712
86.25	23,926	90.50	25,021	94.75	26,036	99.00	26,955	103.25	27,755
86.50	23,993	90.75	25,083	95.00	26,093	99.25	27,005	103.50	27,798
86.75	24,059	91.00	25,145	95.25	26,149	99.50	27,055	103.75	27,840
87.00	24,125	91.25	25,207	95.50	26,206	99.75	27,105	104.00	27,882
87.25	24,191	91.50	25,268	95.75	26,261	100.00	27,154	104.25	27,923
87.50	24,256	91.75	25,329	96.00	26,317	100.25	27,203	104.50	27,964
87.75	24,321	92.00	25,389	96.25	26,372	100.50	27,252	104.75	28,004
88.00	24,386	92.25	25,450	96.50	26,427	100.75	27,300	105.00	28,044
88.25	24,451	92.50	25,510	96.75	26,481	101.00	27,348	105.25	28,083
88.50	24,515	92.75	25,569	97.00	26,535	101.25	27,395	105.50	28,121
88.75	24,579	93.00	25,629	97.25	26,589	101.50	27,442	105.75	28,159
89.00	24,643	93.25	25,688	97.50	26,643	101.75	27,488	106.00	28,196



## Capacity/Gauge Table Information

**TCLX 290325**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 125

Reporting Mark: TCLX 290325

Date: 03/09/2015

Capacity: 28,957 US Gallons (109,613 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,233	110.50	28,739	114.75	28,944
106.50	28,268	110.75	28,760	115.00	28,948
106.75	28,304	111.00	28,780	115.25	28,951
107.00	28,338	111.25	28,798	115.50	28,953
107.25	28,372	111.50	28,816	115.75	28,955
107.50	28,405	111.75	28,832	116.00	28,956
107.75	28,438	112.00	28,847	116.25	28,956
108.00	28,469	112.25	28,861	116.50	28,957
108.25	28,500	112.50	28,873	116.75	28,957
108.50	28,531	112.75	28,885		
108.75	28,560	113.00	28,896		
109.00	28,588	113.25	28,905		
109.25	28,616	113.50	28,914		
109.50	28,643	113.75	28,922		
109.75	28,668	114.00	28,929		
110.00	28,693	114.25	28,935		
110.25	28,717	114.50	28,940		





## Capacity/Gauge Table Information

**TCLX 290326**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 126

Reporting Mark: TCLX 290326

Date: 01/09/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,345	12.75	2,230	17.00	3,217
0.25	29	4.50	628	8.75	1,394	13.00	2,285	17.25	3,278
0.50	58	4.75	669	9.00	1,443	13.25	2,341	17.50	3,339
0.75	88	5.00	711	9.25	1,493	13.50	2,397	17.75	3,401
1.00	120	5.25	753	9.50	1,543	13.75	2,453	18.00	3,462
1.25	151	5.50	795	9.75	1,593	14.00	2,510	18.25	3,524
1.50	184	5.75	838	10.00	1,644	14.25	2,567	18.50	3,587
1.75	217	6.00	882	10.25	1,695	14.50	2,625	18.75	3,649
2.00	252	6.25	926	10.50	1,747	14.75	2,683	19.00	3,712
2.25	286	6.50	971	10.75	1,799	15.00	2,741	19.25	3,775
2.50	322	6.75	1,016	11.00	1,852	15.25	2,799	19.50	3,839
2.75	358	7.00	1,061	11.25	1,904	15.50	2,858	19.75	3,902
3.00	395	7.25	1,108	11.50	1,958	15.75	2,917	20.00	3,966
3.25	432	7.50	1,154	11.75	2,011	16.00	2,976	20.25	4,030
3.50	470	7.75	1,201	12.00	2,065	16.25	3,036	20.50	4,095
3.75	509	8.00	1,249	12.25	2,120	16.50	3,096	20.75	4,159
4.00	548	8.25	1,296	12.50	2,174	16.75	3,156	21.00	4,224



## Capacity/Gauge Table Information

**TCLX 290326**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 126

Reporting Mark: TCLX 290326

Date: 01/09/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,289	25.50	5,432	29.75	6,634	34.00	7,884	38.25	9,173
21.50	4,355	25.75	5,502	30.00	6,707	34.25	7,959	38.50	9,250
21.75	4,420	26.00	5,571	30.25	6,779	34.50	8,034	38.75	9,327
22.00	4,486	26.25	5,641	30.50	6,852	34.75	8,109	39.00	9,404
22.25	4,552	26.50	5,710	30.75	6,924	35.00	8,184	39.25	9,481
22.50	4,619	26.75	5,780	31.00	6,997	35.25	8,260	39.50	9,558
22.75	4,685	27.00	5,851	31.25	7,070	35.50	8,335	39.75	9,636
23.00	4,752	27.25	5,921	31.50	7,144	35.75	8,411	40.00	9,713
23.25	4,819	27.50	5,991	31.75	7,217	36.00	8,487	40.25	9,791
23.50	4,887	27.75	6,062	32.00	7,291	36.25	8,562	40.50	9,868
23.75	4,954	28.00	6,133	32.25	7,364	36.50	8,638	40.75	9,946
24.00	5,022	28.25	6,204	32.50	7,438	36.75	8,714	41.00	10,024
24.25	5,090	28.50	6,275	32.75	7,512	37.00	8,791	41.25	10,102
24.50	5,158	28.75	6,347	33.00	7,586	37.25	8,867	41.50	10,179
24.75	5,226	29.00	6,418	33.25	7,661	37.50	8,943	41.75	10,258
25.00	5,295	29.25	6,490	33.50	7,735	37.75	9,020	42.00	10,336
25.25	5,364	29.50	6,562	33.75	7,810	38.00	9,096	42.25	10,414



## Capacity/Gauge Table Information

**TCLX 290326**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 126

Reporting Mark: TCLX 290326

Date: 01/09/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,492	46.75	11,833	51.00	13,187	55.25	14,548	59.50	15,907
42.75	10,570	47.00	11,912	51.25	13,267	55.50	14,628	59.75	15,987
43.00	10,649	47.25	11,992	51.50	13,347	55.75	14,708	60.00	16,067
43.25	10,727	47.50	12,071	51.75	13,427	56.00	14,788	60.25	16,146
43.50	10,806	47.75	12,151	52.00	13,507	56.25	14,868	60.50	16,226
43.75	10,884	48.00	12,230	52.25	13,587	56.50	14,948	60.75	16,305
44.00	10,963	48.25	12,310	52.50	13,667	56.75	15,028	61.00	16,385
44.25	11,042	48.50	12,389	52.75	13,747	57.00	15,108	61.25	16,465
44.50	11,121	48.75	12,469	53.00	13,827	57.25	15,188	61.50	16,544
44.75	11,200	49.00	12,549	53.25	13,907	57.50	15,268	61.75	16,623
45.00	11,279	49.25	12,628	53.50	13,987	57.75	15,348	62.00	16,703
45.25	11,358	49.50	12,708	53.75	14,068	58.00	15,428	62.25	16,782
45.50	11,437	49.75	12,788	54.00	14,148	58.25	15,508	62.50	16,861
45.75	11,516	50.00	12,868	54.25	14,228	58.50	15,588	62.75	16,941
46.00	11,595	50.25	12,948	54.50	14,308	58.75	15,668	63.00	17,020
46.25	11,674	50.50	13,027	54.75	14,388	59.00	15,748	63.25	17,099
46.50	11,753	50.75	13,107	55.00	14,468	59.25	15,827	63.50	17,178



## Capacity/Gauge Table Information

**TCLX 290326**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 126

Reporting Mark: TCLX 290326

Date: 01/09/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,257	68.00	18,590	72.25	19,898	76.50	21,173	80.75	22,405
64.00	17,336	68.25	18,668	72.50	19,974	76.75	21,247	81.00	22,476
64.25	17,415	68.50	18,745	72.75	20,050	77.00	21,320	81.25	22,547
64.50	17,494	68.75	18,823	73.00	20,126	77.25	21,394	81.50	22,618
64.75	17,573	69.00	18,900	73.25	20,201	77.50	21,467	81.75	22,688
65.00	17,651	69.25	18,978	73.50	20,277	77.75	21,540	82.00	22,758
65.25	17,730	69.50	19,055	73.75	20,352	78.00	21,613	82.25	22,828
65.50	17,809	69.75	19,132	74.00	20,428	78.25	21,686	82.50	22,898
65.75	17,887	70.00	19,209	74.25	20,503	78.50	21,759	82.75	22,968
66.00	17,965	70.25	19,286	74.50	20,578	78.75	21,831	83.00	23,037
66.25	18,044	70.50	19,363	74.75	20,653	79.00	21,904	83.25	23,106
66.50	18,122	70.75	19,440	75.00	20,727	79.25	21,976	83.50	23,176
66.75	18,200	71.00	19,517	75.25	20,802	79.50	22,048	83.75	23,244
67.00	18,278	71.25	19,593	75.50	20,876	79.75	22,120	84.00	23,313
67.25	18,356	71.50	19,670	75.75	20,951	80.00	22,191	84.25	23,381
67.50	18,434	71.75	19,746	76.00	21,025	80.25	22,263	84.50	23,450
67.75	18,512	72.00	19,822	76.25	21,099	80.50	22,334	84.75	23,518



## Capacity/Gauge Table Information

**TCLX 290326**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 126

Reporting Mark: TCLX 290326

Date: 01/09/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,585	89.25	24,703	93.50	25,744	97.75	26,695	102.00	27,536
85.25	23,653	89.50	24,766	93.75	25,803	98.00	26,748	102.25	27,581
85.50	23,720	89.75	24,829	94.00	25,861	98.25	26,800	102.50	27,626
85.75	23,788	90.00	24,892	94.25	25,919	98.50	26,852	102.75	27,671
86.00	23,854	90.25	24,955	94.50	25,977	98.75	26,904	103.00	27,715
86.25	23,921	90.50	25,017	94.75	26,034	99.00	26,955	103.25	27,758
86.50	23,988	90.75	25,080	95.00	26,091	99.25	27,006	103.50	27,801
86.75	24,054	91.00	25,142	95.25	26,148	99.50	27,056	103.75	27,844
87.00	24,120	91.25	25,203	95.50	26,204	99.75	27,106	104.00	27,886
87.25	24,186	91.50	25,264	95.75	26,260	100.00	27,155	104.25	27,927
87.50	24,251	91.75	25,325	96.00	26,316	100.25	27,205	104.50	27,968
87.75	24,316	92.00	25,386	96.25	26,371	100.50	27,253	104.75	28,008
88.00	24,381	92.25	25,447	96.50	26,426	100.75	27,301	105.00	28,048
88.25	24,446	92.50	25,507	96.75	26,481	101.00	27,349	105.25	28,087
88.50	24,511	92.75	25,567	97.00	26,535	101.25	27,396	105.50	28,126
88.75	24,575	93.00	25,626	97.25	26,589	101.50	27,443	105.75	28,164
89.00	24,639	93.25	25,685	97.50	26,642	101.75	27,490	106.00	28,201



## Capacity/Gauge Table Information

**TCLX 290326**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 126

Reporting Mark: TCLX 290326

Date: 01/09/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,238	110.50	28,750	114.75	28,960
106.50	28,274	110.75	28,771	115.00	28,964
106.75	28,310	111.00	28,792	115.25	28,967
107.00	28,344	111.25	28,811	115.50	28,969
107.25	28,379	111.50	28,828	115.75	28,971
107.50	28,412	111.75	28,845	116.00	28,972
107.75	28,445	112.00	28,860	116.25	28,973
108.00	28,477	112.25	28,874	116.50	28,973
108.25	28,508	112.50	28,888	116.75	28,973
108.50	28,538	112.75	28,900		
108.75	28,568	113.00	28,910		
109.00	28,597	113.25	28,920		
109.25	28,625	113.50	28,929		
109.50	28,652	113.75	28,937		
109.75	28,678	114.00	28,944		
110.00	28,703	114.25	28,950		
110.25	28,727	114.50	28,955		



## Capacity/Gauge Table Information

**TCLX 290327**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 127

Reporting Mark: TCLX 290327

Date: 02/09/2015

Capacity: 28,905 US Gallons (109,417 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	579	8.50	1,330	12.75	2,210	17.00	3,193
0.25	28	4.50	619	8.75	1,378	13.00	2,265	17.25	3,254
0.50	57	4.75	660	9.00	1,427	13.25	2,320	17.50	3,315
0.75	86	5.00	701	9.25	1,477	13.50	2,376	17.75	3,376
1.00	117	5.25	742	9.50	1,527	13.75	2,433	18.00	3,438
1.25	148	5.50	785	9.75	1,577	14.00	2,489	18.25	3,499
1.50	180	5.75	827	10.00	1,627	14.25	2,546	18.50	3,561
1.75	213	6.00	871	10.25	1,678	14.50	2,603	18.75	3,624
2.00	247	6.25	914	10.50	1,730	14.75	2,661	19.00	3,686
2.25	281	6.50	959	10.75	1,782	15.00	2,719	19.25	3,749
2.50	316	6.75	1,003	11.00	1,834	15.25	2,777	19.50	3,813
2.75	352	7.00	1,049	11.25	1,886	15.50	2,835	19.75	3,876
3.00	388	7.25	1,094	11.50	1,939	15.75	2,894	20.00	3,940
3.25	425	7.50	1,141	11.75	1,993	16.00	2,953	20.25	4,004
3.50	463	7.75	1,187	12.00	2,046	16.25	3,013	20.50	4,068
3.75	501	8.00	1,234	12.25	2,100	16.50	3,073	20.75	4,132
4.00	540	8.25	1,282	12.50	2,155	16.75	3,133	21.00	4,197





## Capacity/Gauge Table Information

**TCLX 290327**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 127

Reporting Mark: TCLX 290327

Date: 02/09/2015

Capacity: 28,905 US Gallons (109,417 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,262	25.50	5,402	29.75	6,601	34.00	7,849	38.25	9,135
21.50	4,327	25.75	5,471	30.00	6,673	34.25	7,923	38.50	9,212
21.75	4,393	26.00	5,540	30.25	6,745	34.50	7,998	38.75	9,289
22.00	4,458	26.25	5,610	30.50	6,818	34.75	8,073	39.00	9,365
22.25	4,524	26.50	5,679	30.75	6,891	35.00	8,148	39.25	9,443
22.50	4,590	26.75	5,749	31.00	6,963	35.25	8,223	39.50	9,520
22.75	4,657	27.00	5,819	31.25	7,036	35.50	8,299	39.75	9,597
23.00	4,724	27.25	5,889	31.50	7,109	35.75	8,374	40.00	9,674
23.25	4,790	27.50	5,960	31.75	7,183	36.00	8,450	40.25	9,751
23.50	4,857	27.75	6,030	32.00	7,256	36.25	8,525	40.50	9,829
23.75	4,925	28.00	6,101	32.25	7,330	36.50	8,601	40.75	9,907
24.00	4,992	28.25	6,172	32.50	7,403	36.75	8,677	41.00	9,984
24.25	5,060	28.50	6,243	32.75	7,477	37.00	8,753	41.25	10,062
24.50	5,128	28.75	6,314	33.00	7,551	37.25	8,829	41.50	10,140
24.75	5,196	29.00	6,386	33.25	7,625	37.50	8,906	41.75	10,218
25.00	5,265	29.25	6,457	33.50	7,700	37.75	8,982	42.00	10,296
25.25	5,333	29.50	6,529	33.75	7,774	38.00	9,058	42.25	10,374



## Capacity/Gauge Table Information

**TCLX 290327**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 127

Reporting Mark: TCLX 290327

Date: 02/09/2015

Capacity: 28,905 US Gallons (109,417 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,452	46.75	11,791	51.00	13,143	55.25	14,502	59.50	15,860
42.75	10,530	47.00	11,870	51.25	13,223	55.50	14,582	59.75	15,940
43.00	10,608	47.25	11,949	51.50	13,303	55.75	14,662	60.00	16,019
43.25	10,687	47.50	12,029	51.75	13,383	56.00	14,742	60.25	16,099
43.50	10,765	47.75	12,108	52.00	13,463	56.25	14,822	60.50	16,178
43.75	10,844	48.00	12,187	52.25	13,543	56.50	14,902	60.75	16,258
44.00	10,922	48.25	12,267	52.50	13,623	56.75	14,982	61.00	16,337
44.25	11,001	48.50	12,346	52.75	13,703	57.00	15,062	61.25	16,417
44.50	11,080	48.75	12,426	53.00	13,783	57.25	15,142	61.50	16,496
44.75	11,158	49.00	12,506	53.25	13,863	57.50	15,222	61.75	16,576
45.00	11,237	49.25	12,585	53.50	13,943	57.75	15,302	62.00	16,655
45.25	11,316	49.50	12,665	53.75	14,023	58.00	15,382	62.25	16,734
45.50	11,395	49.75	12,745	54.00	14,103	58.25	15,461	62.50	16,813
45.75	11,474	50.00	12,824	54.25	14,183	58.50	15,541	62.75	16,893
46.00	11,553	50.25	12,904	54.50	14,262	58.75	15,621	63.00	16,972
46.25	11,632	50.50	12,984	54.75	14,342	59.00	15,701	63.25	17,051
46.50	11,711	50.75	13,064	55.00	14,422	59.25	15,780	63.50	17,130



## Capacity/Gauge Table Information

**TCLX 290327**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 127

Reporting Mark: TCLX 290327

Date: 02/09/2015

Capacity: 28,905 US Gallons (109,417 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,209	68.00	18,540	72.25	19,847	76.50	21,121	80.75	22,352
64.00	17,288	68.25	18,618	72.50	19,923	76.75	21,194	81.00	22,423
64.25	17,366	68.50	18,696	72.75	19,999	77.00	21,268	81.25	22,493
64.50	17,445	68.75	18,773	73.00	20,075	77.25	21,341	81.50	22,564
64.75	17,524	69.00	18,850	73.25	20,150	77.50	21,414	81.75	22,634
65.00	17,602	69.25	18,928	73.50	20,226	77.75	21,488	82.00	22,704
65.25	17,681	69.50	19,005	73.75	20,301	78.00	21,560	82.25	22,774
65.50	17,759	69.75	19,082	74.00	20,376	78.25	21,633	82.50	22,844
65.75	17,838	70.00	19,159	74.25	20,451	78.50	21,706	82.75	22,914
66.00	17,916	70.25	19,236	74.50	20,526	78.75	21,778	83.00	22,983
66.25	17,995	70.50	19,313	74.75	20,601	79.00	21,851	83.25	23,052
66.50	18,073	70.75	19,389	75.00	20,676	79.25	21,923	83.50	23,121
66.75	18,151	71.00	19,466	75.25	20,750	79.50	21,995	83.75	23,190
67.00	18,229	71.25	19,542	75.50	20,824	79.75	22,066	84.00	23,259
67.25	18,307	71.50	19,619	75.75	20,899	80.00	22,138	84.25	23,327
67.50	18,385	71.75	19,695	76.00	20,973	80.25	22,209	84.50	23,395
67.75	18,463	72.00	19,771	76.25	21,047	80.50	22,281	84.75	23,463



## Capacity/Gauge Table Information

**TCLX 290327**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 127

Reporting Mark: TCLX 290327

Date: 02/09/2015

Capacity: 28,905 US Gallons (109,417 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,531	89.25	24,647	93.50	25,687	97.75	26,637	102.00	27,476
85.25	23,598	89.50	24,710	93.75	25,746	98.00	26,689	102.25	27,521
85.50	23,666	89.75	24,773	94.00	25,804	98.25	26,742	102.50	27,566
85.75	23,733	90.00	24,836	94.25	25,862	98.50	26,794	102.75	27,611
86.00	23,800	90.25	24,899	94.50	25,919	98.75	26,845	103.00	27,654
86.25	23,866	90.50	24,961	94.75	25,977	99.00	26,896	103.25	27,698
86.50	23,933	90.75	25,023	95.00	26,034	99.25	26,947	103.50	27,741
86.75	23,999	91.00	25,085	95.25	26,090	99.50	26,997	103.75	27,783
87.00	24,065	91.25	25,147	95.50	26,146	99.75	27,047	104.00	27,825
87.25	24,130	91.50	25,208	95.75	26,202	100.00	27,096	104.25	27,866
87.50	24,196	91.75	25,269	96.00	26,258	100.25	27,145	104.50	27,907
87.75	24,261	92.00	25,330	96.25	26,313	100.50	27,194	104.75	27,947
88.00	24,326	92.25	25,390	96.50	26,368	100.75	27,242	105.00	27,987
88.25	24,391	92.50	25,450	96.75	26,422	101.00	27,290	105.25	28,026
88.50	24,455	92.75	25,510	97.00	26,477	101.25	27,337	105.50	28,064
88.75	24,519	93.00	25,569	97.25	26,530	101.50	27,384	105.75	28,102
89.00	24,583	93.25	25,628	97.50	26,584	101.75	27,430	106.00	28,140



## Capacity/Gauge Table Information

**TCLX 290327**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 127

Reporting Mark: TCLX 290327

Date: 02/09/2015

Capacity: 28,905 US Gallons (109,417 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,176	110.50	28,685	114.75	28,892
106.50	28,212	110.75	28,706	115.00	28,896
106.75	28,248	111.00	28,726	115.25	28,899
107.00	28,282	111.25	28,745	115.50	28,901
107.25	28,316	111.50	28,762	115.75	28,903
107.50	28,350	111.75	28,779	116.00	28,904
107.75	28,382	112.00	28,794	116.25	28,904
108.00	28,414	112.25	28,808	116.50	28,905
108.25	28,445	112.50	28,821	116.75	28,905
108.50	28,475	112.75	28,833		
108.75	28,505	113.00	28,843		
109.00	28,533	113.25	28,853		
109.25	28,561	113.50	28,862		
109.50	28,588	113.75	28,870		
109.75	28,614	114.00	28,876		
110.00	28,639	114.25	28,882		
110.25	28,663	114.50	28,888		



## Capacity/Gauge Table Information

**TCLX290328**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 128

Reporting Mark: TCLX290328

Date: 01/09/2015

Capacity: 29,058 US Gallons (109,998 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	595	8.50	1,358	12.75	2,247	17.00	3,238
0.25	29	4.50	636	8.75	1,407	13.00	2,302	17.25	3,299
0.50	59	4.75	677	9.00	1,456	13.25	2,358	17.50	3,361
0.75	90	5.00	719	9.25	1,506	13.50	2,415	17.75	3,422
1.00	122	5.25	762	9.50	1,557	13.75	2,472	18.00	3,484
1.25	154	5.50	804	9.75	1,607	14.00	2,529	18.25	3,546
1.50	187	5.75	848	10.00	1,658	14.25	2,586	18.50	3,609
1.75	221	6.00	892	10.25	1,710	14.50	2,644	18.75	3,672
2.00	255	6.25	936	10.50	1,762	14.75	2,702	19.00	3,735
2.25	291	6.50	981	10.75	1,814	15.00	2,760	19.25	3,798
2.50	327	6.75	1,027	11.00	1,867	15.25	2,819	19.50	3,862
2.75	363	7.00	1,073	11.25	1,920	15.50	2,878	19.75	3,925
3.00	400	7.25	1,119	11.50	1,974	15.75	2,937	20.00	3,990
3.25	438	7.50	1,166	11.75	2,028	16.00	2,997	20.25	4,054
3.50	476	7.75	1,213	12.00	2,082	16.25	3,057	20.50	4,119
3.75	516	8.00	1,261	12.25	2,136	16.50	3,117	20.75	4,183
4.00	555	8.25	1,309	12.50	2,191	16.75	3,177	21.00	4,249



## Capacity/Gauge Table Information

**TCLX290328**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 128

Reporting Mark: TCLX290328

Date: 01/09/2015

Capacity: 29,058 US Gallons (109,998 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,314	25.50	5,460	29.75	6,665	34.00	7,917	38.25	9,208
21.50	4,379	25.75	5,529	30.00	6,737	34.25	7,992	38.50	9,285
21.75	4,445	26.00	5,599	30.25	6,810	34.50	8,067	38.75	9,363
22.00	4,511	26.25	5,669	30.50	6,882	34.75	8,143	39.00	9,440
22.25	4,578	26.50	5,739	30.75	6,955	35.00	8,218	39.25	9,517
22.50	4,644	26.75	5,809	31.00	7,028	35.25	8,293	39.50	9,594
22.75	4,711	27.00	5,879	31.25	7,102	35.50	8,369	39.75	9,672
23.00	4,778	27.25	5,950	31.50	7,175	35.75	8,445	40.00	9,749
23.25	4,845	27.50	6,020	31.75	7,249	36.00	8,521	40.25	9,827
23.50	4,913	27.75	6,091	32.00	7,322	36.25	8,597	40.50	9,905
23.75	4,980	28.00	6,162	32.25	7,396	36.50	8,673	40.75	9,983
24.00	5,048	28.25	6,233	32.50	7,470	36.75	8,749	41.00	10,060
24.25	5,116	28.50	6,305	32.75	7,544	37.00	8,825	41.25	10,138
24.50	5,185	28.75	6,376	33.00	7,619	37.25	8,902	41.50	10,217
24.75	5,253	29.00	6,448	33.25	7,693	37.50	8,978	41.75	10,295
25.00	5,322	29.25	6,520	33.50	7,768	37.75	9,055	42.00	10,373
25.25	5,391	29.50	6,592	33.75	7,842	38.00	9,132	42.25	10,451





## Capacity/Gauge Table Information

**TCLX290328**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 128

Reporting Mark: TCLX290328

Date: 01/09/2015

Capacity: 29,058 US Gallons (109,998 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,530	46.75	11,873	51.00	13,229	55.25	14,592	59.50	15,953
42.75	10,608	47.00	11,952	51.25	13,309	55.50	14,672	59.75	16,033
43.00	10,687	47.25	12,032	51.50	13,389	55.75	14,752	60.00	16,113
43.25	10,765	47.50	12,111	51.75	13,469	56.00	14,832	60.25	16,192
43.50	10,844	47.75	12,191	52.00	13,550	56.25	14,913	60.50	16,272
43.75	10,923	48.00	12,270	52.25	13,630	56.50	14,993	60.75	16,352
44.00	11,002	48.25	12,350	52.50	13,710	56.75	15,073	61.00	16,432
44.25	11,080	48.50	12,430	52.75	13,790	57.00	15,153	61.25	16,511
44.50	11,159	48.75	12,510	53.00	13,870	57.25	15,233	61.50	16,591
44.75	11,238	49.00	12,589	53.25	13,950	57.50	15,313	61.75	16,670
45.00	11,317	49.25	12,669	53.50	14,030	57.75	15,393	62.00	16,750
45.25	11,397	49.50	12,749	53.75	14,111	58.00	15,473	62.25	16,829
45.50	11,476	49.75	12,829	54.00	14,191	58.25	15,553	62.50	16,909
45.75	11,555	50.00	12,909	54.25	14,271	58.50	15,633	62.75	16,988
46.00	11,634	50.25	12,989	54.50	14,351	58.75	15,713	63.00	17,067
46.25	11,714	50.50	13,069	54.75	14,431	59.00	15,793	63.25	17,147
46.50	11,793	50.75	13,149	55.00	14,512	59.25	15,873	63.50	17,226



## Capacity/Gauge Table Information

**TCLX290328**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 128

Reporting Mark: TCLX290328

Date: 01/09/2015

Capacity: 29,058 US Gallons (109,998 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,305	68.00	18,640	72.25	19,950	76.50	21,227	80.75	22,461
64.00	17,384	68.25	18,718	72.50	20,026	76.75	21,301	81.00	22,532
64.25	17,463	68.50	18,796	72.75	20,102	77.00	21,374	81.25	22,603
64.50	17,542	68.75	18,873	73.00	20,178	77.25	21,448	81.50	22,674
64.75	17,621	69.00	18,951	73.25	20,254	77.50	21,522	81.75	22,745
65.00	17,700	69.25	19,028	73.50	20,329	77.75	21,595	82.00	22,815
65.25	17,779	69.50	19,106	73.75	20,405	78.00	21,668	82.25	22,885
65.50	17,857	69.75	19,183	74.00	20,480	78.25	21,741	82.50	22,955
65.75	17,936	70.00	19,260	74.25	20,556	78.50	21,814	82.75	23,025
66.00	18,014	70.25	19,337	74.50	20,631	78.75	21,886	83.00	23,095
66.25	18,093	70.50	19,414	74.75	20,706	79.00	21,959	83.25	23,164
66.50	18,171	70.75	19,491	75.00	20,781	79.25	22,031	83.50	23,233
66.75	18,250	71.00	19,568	75.25	20,855	79.50	22,103	83.75	23,302
67.00	18,328	71.25	19,645	75.50	20,930	79.75	22,175	84.00	23,371
67.25	18,406	71.50	19,721	75.75	21,004	80.00	22,247	84.25	23,439
67.50	18,484	71.75	19,798	76.00	21,079	80.25	22,319	84.50	23,508
67.75	18,562	72.00	19,874	76.25	21,153	80.50	22,390	84.75	23,576



## Capacity/Gauge Table Information

**TCLX290328**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 128

Reporting Mark: TCLX290328

Date: 01/09/2015

Capacity: 29,058 US Gallons (109,998 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,644	89.25	24,764	93.50	25,808	97.75	26,762	102.00	27,605
85.25	23,712	89.50	24,827	93.75	25,867	98.00	26,814	102.25	27,651
85.50	23,779	89.75	24,891	94.00	25,925	98.25	26,867	102.50	27,696
85.75	23,846	90.00	24,954	94.25	25,983	98.50	26,919	102.75	27,741
86.00	23,913	90.25	25,017	94.50	26,041	98.75	26,971	103.00	27,785
86.25	23,980	90.50	25,079	94.75	26,098	99.00	27,022	103.25	27,829
86.50	24,047	90.75	25,141	95.00	26,156	99.25	27,073	103.50	27,872
86.75	24,113	91.00	25,203	95.25	26,212	99.50	27,124	103.75	27,915
87.00	24,179	91.25	25,265	95.50	26,269	99.75	27,174	104.00	27,957
87.25	24,245	91.50	25,327	95.75	26,325	100.00	27,223	104.25	27,999
87.50	24,311	91.75	25,388	96.00	26,381	100.25	27,273	104.50	28,040
87.75	24,376	92.00	25,449	96.25	26,436	100.50	27,322	104.75	28,080
88.00	24,441	92.25	25,509	96.50	26,491	100.75	27,370	105.00	28,120
88.25	24,506	92.50	25,570	96.75	26,546	101.00	27,418	105.25	28,160
88.50	24,571	92.75	25,630	97.00	26,601	101.25	27,466	105.50	28,199
88.75	24,635	93.00	25,689	97.25	26,655	101.50	27,513	105.75	28,237
89.00	24,700	93.25	25,749	97.50	26,708	101.75	27,559	106.00	28,275



## Capacity/Gauge Table Information

**TCLX290328**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 128

Reporting Mark: TCLX290328

Date: 01/09/2015

Capacity: 29,058 US Gallons (109,998 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,312	110.50	28,829	114.75	29,045
106.50	28,348	110.75	28,852	115.00	29,049
106.75	28,384	111.00	28,872	115.25	29,052
107.00	28,419	111.25	28,892	115.50	29,054
107.25	28,453	111.50	28,910	115.75	29,056
107.50	28,487	111.75	28,927	116.00	29,057
107.75	28,520	112.00	28,943	116.25	29,058
108.00	28,552	112.25	28,957	116.50	29,058
108.25	28,584	112.50	28,971	116.75	29,058
108.50	28,615	112.75	28,983		
108.75	28,645	113.00	28,994		
109.00	28,674	113.25	29,004		
109.25	28,702	113.50	29,014		
109.50	28,730	113.75	29,022		
109.75	28,756	114.00	29,029		
110.00	28,782	114.25	29,035		
110.25	28,806	114.50	29,041		



## Capacity/Gauge Table Information

**TCLX 290329**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 129

Reporting Mark: TCLX 290329

Date: 01/09/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,336	12.75	2,218	17.00	3,203
0.25	28	4.50	623	8.75	1,385	13.00	2,273	17.25	3,263
0.50	57	4.75	664	9.00	1,434	13.25	2,329	17.50	3,324
0.75	87	5.00	705	9.25	1,483	13.50	2,385	17.75	3,386
1.00	118	5.25	747	9.50	1,533	13.75	2,441	18.00	3,447
1.25	150	5.50	789	9.75	1,583	14.00	2,497	18.25	3,509
1.50	182	5.75	832	10.00	1,634	14.25	2,554	18.50	3,571
1.75	215	6.00	875	10.25	1,685	14.50	2,612	18.75	3,634
2.00	249	6.25	919	10.50	1,737	14.75	2,669	19.00	3,696
2.25	283	6.50	964	10.75	1,789	15.00	2,727	19.25	3,759
2.50	319	6.75	1,009	11.00	1,841	15.25	2,786	19.50	3,823
2.75	355	7.00	1,054	11.25	1,894	15.50	2,844	19.75	3,886
3.00	391	7.25	1,100	11.50	1,947	15.75	2,903	20.00	3,950
3.25	428	7.50	1,146	11.75	2,000	16.00	2,963	20.25	4,014
3.50	466	7.75	1,193	12.00	2,054	16.25	3,022	20.50	4,078
3.75	504	8.00	1,240	12.25	2,108	16.50	3,082	20.75	4,143
4.00	543	8.25	1,288	12.50	2,163	16.75	3,142	21.00	4,208



## Capacity/Gauge Table Information

**TCLX 290329**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 129

Reporting Mark: TCLX 290329

Date: 01/09/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,273	25.50	5,414	29.75	6,614	34.00	7,862	38.25	9,150
21.50	4,338	25.75	5,483	30.00	6,686	34.25	7,937	38.50	9,227
21.75	4,403	26.00	5,552	30.25	6,758	34.50	8,012	38.75	9,304
22.00	4,469	26.25	5,622	30.50	6,831	34.75	8,087	39.00	9,381
22.25	4,535	26.50	5,691	30.75	6,904	35.00	8,162	39.25	9,458
22.50	4,601	26.75	5,761	31.00	6,976	35.25	8,237	39.50	9,535
22.75	4,668	27.00	5,831	31.25	7,049	35.50	8,313	39.75	9,612
23.00	4,735	27.25	5,901	31.50	7,123	35.75	8,388	40.00	9,689
23.25	4,802	27.50	5,972	31.75	7,196	36.00	8,464	40.25	9,767
23.50	4,869	27.75	6,042	32.00	7,269	36.25	8,540	40.50	9,844
23.75	4,936	28.00	6,113	32.25	7,343	36.50	8,616	40.75	9,922
24.00	5,004	28.25	6,184	32.50	7,417	36.75	8,692	41.00	10,000
24.25	5,071	28.50	6,255	32.75	7,491	37.00	8,768	41.25	10,078
24.50	5,140	28.75	6,327	33.00	7,565	37.25	8,844	41.50	10,155
24.75	5,208	29.00	6,398	33.25	7,639	37.50	8,920	41.75	10,233
25.00	5,276	29.25	6,470	33.50	7,713	37.75	8,997	42.00	10,312
25.25	5,345	29.50	6,542	33.75	7,788	38.00	9,073	42.25	10,390



## Capacity/Gauge Table Information

**TCLX 290329**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 129

Reporting Mark: TCLX 290329

Date: 01/09/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,468	46.75	11,808	51.00	13,162	55.25	14,522	59.50	15,881
42.75	10,546	47.00	11,887	51.25	13,242	55.50	14,602	59.75	15,961
43.00	10,625	47.25	11,966	51.50	13,321	55.75	14,682	60.00	16,040
43.25	10,703	47.50	12,046	51.75	13,401	56.00	14,762	60.25	16,120
43.50	10,781	47.75	12,125	52.00	13,481	56.25	14,842	60.50	16,200
43.75	10,860	48.00	12,205	52.25	13,561	56.50	14,922	60.75	16,279
44.00	10,939	48.25	12,284	52.50	13,641	56.75	15,002	61.00	16,359
44.25	11,017	48.50	12,364	52.75	13,721	57.00	15,082	61.25	16,438
44.50	11,096	48.75	12,444	53.00	13,801	57.25	15,162	61.50	16,518
44.75	11,175	49.00	12,523	53.25	13,881	57.50	15,242	61.75	16,597
45.00	11,254	49.25	12,603	53.50	13,962	57.75	15,322	62.00	16,677
45.25	11,333	49.50	12,683	53.75	14,042	58.00	15,402	62.25	16,756
45.50	11,412	49.75	12,762	54.00	14,122	58.25	15,482	62.50	16,835
45.75	11,491	50.00	12,842	54.25	14,202	58.50	15,562	62.75	16,914
46.00	11,570	50.25	12,922	54.50	14,282	58.75	15,641	63.00	16,994
46.25	11,649	50.50	13,002	54.75	14,362	59.00	15,721	63.25	17,073
46.50	11,728	50.75	13,082	55.00	14,442	59.25	15,801	63.50	17,152





## Capacity/Gauge Table Information

**TCLX 290329**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 129

Reporting Mark: TCLX 290329

Date: 01/09/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,231	68.00	18,564	72.25	19,873	76.50	21,148	80.75	22,382
64.00	17,310	68.25	18,642	72.50	19,949	76.75	21,222	81.00	22,453
64.25	17,389	68.50	18,720	72.75	20,025	77.00	21,296	81.25	22,523
64.50	17,468	68.75	18,797	73.00	20,100	77.25	21,369	81.50	22,594
64.75	17,546	69.00	18,875	73.25	20,176	77.50	21,443	81.75	22,665
65.00	17,625	69.25	18,952	73.50	20,252	77.75	21,516	82.00	22,735
65.25	17,704	69.50	19,029	73.75	20,327	78.00	21,589	82.25	22,805
65.50	17,782	69.75	19,106	74.00	20,402	78.25	21,662	82.50	22,875
65.75	17,861	70.00	19,184	74.25	20,478	78.50	21,734	82.75	22,945
66.00	17,939	70.25	19,261	74.50	20,553	78.75	21,807	83.00	23,014
66.25	18,018	70.50	19,337	74.75	20,628	79.00	21,879	83.25	23,084
66.50	18,096	70.75	19,414	75.00	20,702	79.25	21,952	83.50	23,153
66.75	18,174	71.00	19,491	75.25	20,777	79.50	22,024	83.75	23,222
67.00	18,252	71.25	19,568	75.50	20,852	79.75	22,096	84.00	23,290
67.25	18,330	71.50	19,644	75.75	20,926	80.00	22,167	84.25	23,359
67.50	18,408	71.75	19,720	76.00	21,000	80.25	22,239	84.50	23,427
67.75	18,486	72.00	19,797	76.25	21,074	80.50	22,310	84.75	23,495



## Capacity/Gauge Table Information

**TCLX 290329**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 129

Reporting Mark: TCLX 290329

Date: 01/09/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,563	89.25	24,682	93.50	25,726	97.75	26,679	102.00	27,523
85.25	23,631	89.50	24,746	93.75	25,785	98.00	26,732	102.25	27,569
85.50	23,698	89.75	24,809	94.00	25,843	98.25	26,785	102.50	27,614
85.75	23,766	90.00	24,872	94.25	25,901	98.50	26,837	102.75	27,659
86.00	23,833	90.25	24,935	94.50	25,959	98.75	26,889	103.00	27,703
86.25	23,899	90.50	24,998	94.75	26,016	99.00	26,940	103.25	27,747
86.50	23,966	90.75	25,060	95.00	26,074	99.25	26,991	103.50	27,790
86.75	24,032	91.00	25,122	95.25	26,130	99.50	27,042	103.75	27,833
87.00	24,098	91.25	25,184	95.50	26,187	99.75	27,092	104.00	27,875
87.25	24,164	91.50	25,245	95.75	26,243	100.00	27,141	104.25	27,917
87.50	24,230	91.75	25,306	96.00	26,299	100.25	27,191	104.50	27,958
87.75	24,295	92.00	25,367	96.25	26,354	100.50	27,240	104.75	27,999
88.00	24,360	92.25	25,428	96.50	26,409	100.75	27,288	105.00	28,039
88.25	24,425	92.50	25,488	96.75	26,464	101.00	27,336	105.25	28,078
88.50	24,490	92.75	25,548	97.00	26,518	101.25	27,383	105.50	28,117
88.75	24,554	93.00	25,607	97.25	26,573	101.50	27,431	105.75	28,155
89.00	24,618	93.25	25,667	97.50	26,626	101.75	27,477	106.00	28,193



## Capacity/Gauge Table Information

**TCLX 290329**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 129

Reporting Mark: TCLX 290329

Date: 01/09/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,230	110.50	28,749	114.75	28,967
106.50	28,267	110.75	28,771	115.00	28,970
106.75	28,302	111.00	28,792	115.25	28,974
107.00	28,337	111.25	28,812	115.50	28,976
107.25	28,372	111.50	28,830	115.75	28,978
107.50	28,406	111.75	28,848	116.00	28,979
107.75	28,439	112.00	28,863	116.25	28,980
108.00	28,471	112.25	28,878	116.50	28,980
108.25	28,503	112.50	28,892	116.75	28,980
108.50	28,534	112.75	28,904		
108.75	28,564	113.00	28,915		
109.00	28,593	113.25	28,926		
109.25	28,621	113.50	28,935		
109.50	28,649	113.75	28,943		
109.75	28,675	114.00	28,950		
110.00	28,701	114.25	28,957		
110.25	28,726	114.50	28,962		



## Capacity/Gauge Table Information

**TCLX 290330**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 130

Reporting Mark: TCLX 290330

Date: 28/08/2015

Capacity: 28,971 US Gallons (109,669 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,336	12.75	2,217	17.00	3,202
0.25	28	4.50	623	8.75	1,384	13.00	2,272	17.25	3,262
0.50	57	4.75	664	9.00	1,433	13.25	2,328	17.50	3,323
0.75	87	5.00	705	9.25	1,483	13.50	2,384	17.75	3,385
1.00	118	5.25	747	9.50	1,533	13.75	2,440	18.00	3,446
1.25	150	5.50	789	9.75	1,583	14.00	2,497	18.25	3,508
1.50	182	5.75	832	10.00	1,634	14.25	2,554	18.50	3,570
1.75	215	6.00	875	10.25	1,685	14.50	2,611	18.75	3,633
2.00	249	6.25	919	10.50	1,736	14.75	2,669	19.00	3,695
2.25	283	6.50	963	10.75	1,788	15.00	2,727	19.25	3,758
2.50	319	6.75	1,008	11.00	1,840	15.25	2,785	19.50	3,821
2.75	354	7.00	1,054	11.25	1,893	15.50	2,844	19.75	3,885
3.00	391	7.25	1,100	11.50	1,946	15.75	2,902	20.00	3,949
3.25	428	7.50	1,146	11.75	2,000	16.00	2,962	20.25	4,013
3.50	466	7.75	1,193	12.00	2,053	16.25	3,021	20.50	4,077
3.75	504	8.00	1,240	12.25	2,108	16.50	3,081	20.75	4,141
4.00	543	8.25	1,288	12.50	2,162	16.75	3,141	21.00	4,206



## Capacity/Gauge Table Information

**TCLX 290330**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 130

Reporting Mark: TCLX 290330

Date: 28/08/2015

Capacity: 28,971 US Gallons (109,669 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,271	25.50	5,412	29.75	6,612	34.00	7,860	38.25	9,147
21.50	4,337	25.75	5,481	30.00	6,684	34.25	7,934	38.50	9,223
21.75	4,402	26.00	5,550	30.25	6,756	34.50	8,009	38.75	9,300
22.00	4,468	26.25	5,620	30.50	6,829	34.75	8,084	39.00	9,377
22.25	4,534	26.50	5,689	30.75	6,901	35.00	8,159	39.25	9,454
22.50	4,600	26.75	5,759	31.00	6,974	35.25	8,234	39.50	9,531
22.75	4,666	27.00	5,829	31.25	7,047	35.50	8,310	39.75	9,609
23.00	4,733	27.25	5,899	31.50	7,120	35.75	8,385	40.00	9,686
23.25	4,800	27.50	5,970	31.75	7,193	36.00	8,461	40.25	9,763
23.50	4,867	27.75	6,040	32.00	7,267	36.25	8,537	40.50	9,841
23.75	4,934	28.00	6,111	32.25	7,340	36.50	8,613	40.75	9,918
24.00	5,002	28.25	6,182	32.50	7,414	36.75	8,688	41.00	9,996
24.25	5,070	28.50	6,253	32.75	7,488	37.00	8,765	41.25	10,074
24.50	5,138	28.75	6,325	33.00	7,562	37.25	8,841	41.50	10,152
24.75	5,206	29.00	6,396	33.25	7,636	37.50	8,917	41.75	10,230
25.00	5,274	29.25	6,468	33.50	7,711	37.75	8,993	42.00	10,308
25.25	5,343	29.50	6,540	33.75	7,785	38.00	9,070	42.25	10,386



## Capacity/Gauge Table Information

**TCLX 290330**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 130

Reporting Mark: TCLX 290330

Date: 28/08/2015

Capacity: 28,971 US Gallons (109,669 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,464	46.75	11,803	51.00	13,157	55.25	14,516	59.50	15,875
42.75	10,542	47.00	11,883	51.25	13,236	55.50	14,596	59.75	15,954
43.00	10,621	47.25	11,962	51.50	13,316	55.75	14,676	60.00	16,034
43.25	10,699	47.50	12,041	51.75	13,396	56.00	14,756	60.25	16,114
43.50	10,777	47.75	12,121	52.00	13,476	56.25	14,836	60.50	16,193
43.75	10,856	48.00	12,200	52.25	13,556	56.50	14,916	60.75	16,273
44.00	10,935	48.25	12,280	52.50	13,636	56.75	14,996	61.00	16,352
44.25	11,013	48.50	12,359	52.75	13,716	57.00	15,076	61.25	16,432
44.50	11,092	48.75	12,439	53.00	13,796	57.25	15,156	61.50	16,511
44.75	11,171	49.00	12,518	53.25	13,876	57.50	15,236	61.75	16,591
45.00	11,250	49.25	12,598	53.50	13,956	57.75	15,316	62.00	16,670
45.25	11,329	49.50	12,678	53.75	14,036	58.00	15,396	62.25	16,749
45.50	11,407	49.75	12,758	54.00	14,116	58.25	15,476	62.50	16,829
45.75	11,487	50.00	12,837	54.25	14,196	58.50	15,556	62.75	16,908
46.00	11,566	50.25	12,917	54.50	14,276	58.75	15,635	63.00	16,987
46.25	11,645	50.50	12,997	54.75	14,356	59.00	15,715	63.25	17,066
46.50	11,724	50.75	13,077	55.00	14,436	59.25	15,795	63.50	17,145



## Capacity/Gauge Table Information

**TCLX 290330**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 130

Reporting Mark: TCLX 290330

Date: 28/08/2015

Capacity: 28,971 US Gallons (109,669 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,224	68.00	18,557	72.25	19,865	76.50	21,140	80.75	22,373
64.00	17,303	68.25	18,635	72.50	19,941	76.75	21,214	81.00	22,444
64.25	17,382	68.50	18,712	72.75	20,017	77.00	21,287	81.25	22,515
64.50	17,461	68.75	18,790	73.00	20,093	77.25	21,361	81.50	22,586
64.75	17,540	69.00	18,867	73.25	20,168	77.50	21,434	81.75	22,656
65.00	17,618	69.25	18,945	73.50	20,244	77.75	21,507	82.00	22,726
65.25	17,697	69.50	19,022	73.75	20,319	78.00	21,580	82.25	22,796
65.50	17,775	69.75	19,099	74.00	20,395	78.25	21,653	82.50	22,866
65.75	17,854	70.00	19,176	74.25	20,470	78.50	21,726	82.75	22,936
66.00	17,932	70.25	19,253	74.50	20,545	78.75	21,799	83.00	23,006
66.25	18,011	70.50	19,330	74.75	20,620	79.00	21,871	83.25	23,075
66.50	18,089	70.75	19,407	75.00	20,694	79.25	21,943	83.50	23,144
66.75	18,167	71.00	19,483	75.25	20,769	79.50	22,015	83.75	23,213
67.00	18,245	71.25	19,560	75.50	20,843	79.75	22,087	84.00	23,282
67.25	18,323	71.50	19,636	75.75	20,918	80.00	22,159	84.25	23,350
67.50	18,401	71.75	19,713	76.00	20,992	80.25	22,230	84.50	23,418
67.75	18,479	72.00	19,789	76.25	21,066	80.50	22,302	84.75	23,486





## Capacity/Gauge Table Information

**TCLX 290330**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 130

Reporting Mark: TCLX 290330

Date: 28/08/2015

Capacity: 28,971 US Gallons (109,669 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,554	89.25	24,673	93.50	25,717	97.75	26,670	102.00	27,514
85.25	23,622	89.50	24,737	93.75	25,775	98.00	26,723	102.25	27,560
85.50	23,689	89.75	24,800	94.00	25,834	98.25	26,775	102.50	27,605
85.75	23,757	90.00	24,863	94.25	25,892	98.50	26,828	102.75	27,650
86.00	23,824	90.25	24,926	94.50	25,950	98.75	26,879	103.00	27,694
86.25	23,890	90.50	24,988	94.75	26,007	99.00	26,931	103.25	27,738
86.50	23,957	90.75	25,051	95.00	26,064	99.25	26,982	103.50	27,781
86.75	24,023	91.00	25,113	95.25	26,121	99.50	27,032	103.75	27,824
87.00	24,089	91.25	25,174	95.50	26,177	99.75	27,082	104.00	27,866
87.25	24,155	91.50	25,236	95.75	26,234	100.00	27,132	104.25	27,907
87.50	24,221	91.75	25,297	96.00	26,289	100.25	27,181	104.50	27,949
87.75	24,286	92.00	25,358	96.25	26,345	100.50	27,230	104.75	27,989
88.00	24,351	92.25	25,418	96.50	26,400	100.75	27,278	105.00	28,029
88.25	24,416	92.50	25,478	96.75	26,455	101.00	27,326	105.25	28,069
88.50	24,481	92.75	25,538	97.00	26,509	101.25	27,374	105.50	28,108
88.75	24,545	93.00	25,598	97.25	26,563	101.50	27,421	105.75	28,146
89.00	24,609	93.25	25,657	97.50	26,617	101.75	27,468	106.00	28,184



## Capacity/Gauge Table Information

**TCLX 290330**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 130

Reporting Mark: TCLX 290330

Date: 28/08/2015

Capacity: 28,971 US Gallons (109,669 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,221	110.50	28,740	114.75	28,958
106.50	28,257	110.75	28,762	115.00	28,962
106.75	28,293	111.00	28,783	115.25	28,965
107.00	28,328	111.25	28,803	115.50	28,967
107.25	28,363	111.50	28,822	115.75	28,969
107.50	28,396	111.75	28,839	116.00	28,970
107.75	28,429	112.00	28,855	116.25	28,971
108.00	28,462	112.25	28,869	116.50	28,971
108.25	28,493	112.50	28,883	116.75	28,971
108.50	28,524	112.75	28,895		
108.75	28,554	113.00	28,907		
109.00	28,584	113.25	28,917		
109.25	28,612	113.50	28,926		
109.50	28,640	113.75	28,934		
109.75	28,666	114.00	28,941		
110.00	28,692	114.25	28,948		
110.25	28,717	114.50	28,953		



## Capacity/Gauge Table Information

**TCLX 290331**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 131

Reporting Mark: TCLX 290331

Date: 02/09/2015

Capacity: 28,975 US Gallons (109,683 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,338	12.75	2,220	17.00	3,205
0.25	28	4.50	624	8.75	1,386	13.00	2,275	17.25	3,266
0.50	58	4.75	665	9.00	1,435	13.25	2,331	17.50	3,327
0.75	88	5.00	706	9.25	1,485	13.50	2,387	17.75	3,388
1.00	118	5.25	748	9.50	1,535	13.75	2,443	18.00	3,450
1.25	150	5.50	790	9.75	1,585	14.00	2,500	18.25	3,512
1.50	182	5.75	833	10.00	1,636	14.25	2,557	18.50	3,574
1.75	216	6.00	877	10.25	1,687	14.50	2,614	18.75	3,636
2.00	249	6.25	920	10.50	1,738	14.75	2,672	19.00	3,699
2.25	284	6.50	965	10.75	1,790	15.00	2,730	19.25	3,762
2.50	319	6.75	1,010	11.00	1,843	15.25	2,788	19.50	3,825
2.75	355	7.00	1,055	11.25	1,895	15.50	2,847	19.75	3,889
3.00	392	7.25	1,101	11.50	1,949	15.75	2,906	20.00	3,953
3.25	429	7.50	1,148	11.75	2,002	16.00	2,965	20.25	4,017
3.50	467	7.75	1,194	12.00	2,056	16.25	3,024	20.50	4,081
3.75	505	8.00	1,242	12.25	2,110	16.50	3,084	20.75	4,146
4.00	544	8.25	1,289	12.50	2,165	16.75	3,144	21.00	4,210



## Capacity/Gauge Table Information

**TCLX 290331**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 131

Reporting Mark: TCLX 290331

Date: 02/09/2015

Capacity: 28,975 US Gallons (109,683 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,276	25.50	5,417	29.75	6,617	34.00	7,866	38.25	9,154
21.50	4,341	25.75	5,486	30.00	6,690	34.25	7,941	38.50	9,231
21.75	4,406	26.00	5,555	30.25	6,762	34.50	8,016	38.75	9,308
22.00	4,472	26.25	5,625	30.50	6,835	34.75	8,091	39.00	9,385
22.25	4,538	26.50	5,695	30.75	6,907	35.00	8,166	39.25	9,462
22.50	4,604	26.75	5,764	31.00	6,980	35.25	8,242	39.50	9,539
22.75	4,671	27.00	5,835	31.25	7,053	35.50	8,317	39.75	9,616
23.00	4,738	27.25	5,905	31.50	7,126	35.75	8,392	40.00	9,694
23.25	4,805	27.50	5,975	31.75	7,200	36.00	8,468	40.25	9,771
23.50	4,872	27.75	6,046	32.00	7,273	36.25	8,544	40.50	9,849
23.75	4,939	28.00	6,117	32.25	7,347	36.50	8,620	40.75	9,927
24.00	5,007	28.25	6,188	32.50	7,421	36.75	8,696	41.00	10,004
24.25	5,075	28.50	6,259	32.75	7,495	37.00	8,772	41.25	10,082
24.50	5,143	28.75	6,330	33.00	7,569	37.25	8,848	41.50	10,160
24.75	5,211	29.00	6,402	33.25	7,643	37.50	8,925	41.75	10,238
25.00	5,279	29.25	6,474	33.50	7,717	37.75	9,001	42.00	10,316
25.25	5,348	29.50	6,545	33.75	7,792	38.00	9,078	42.25	10,394



## Capacity/Gauge Table Information

**TCLX 290331**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 131

Reporting Mark: TCLX 290331

Date: 02/09/2015

Capacity: 28,975 US Gallons (109,683 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,472	46.75	11,812	51.00	13,167	55.25	14,527	59.50	15,886
42.75	10,551	47.00	11,892	51.25	13,247	55.50	14,607	59.75	15,966
43.00	10,629	47.25	11,971	51.50	13,326	55.75	14,687	60.00	16,046
43.25	10,708	47.50	12,051	51.75	13,406	56.00	14,767	60.25	16,125
43.50	10,786	47.75	12,130	52.00	13,486	56.25	14,847	60.50	16,205
43.75	10,865	48.00	12,210	52.25	13,566	56.50	14,927	60.75	16,284
44.00	10,943	48.25	12,289	52.50	13,646	56.75	15,007	61.00	16,364
44.25	11,022	48.50	12,369	52.75	13,726	57.00	15,087	61.25	16,444
44.50	11,101	48.75	12,448	53.00	13,806	57.25	15,167	61.50	16,523
44.75	11,180	49.00	12,528	53.25	13,887	57.50	15,247	61.75	16,602
45.00	11,259	49.25	12,608	53.50	13,967	57.75	15,327	62.00	16,682
45.25	11,338	49.50	12,688	53.75	14,047	58.00	15,407	62.25	16,761
45.50	11,417	49.75	12,767	54.00	14,127	58.25	15,487	62.50	16,840
45.75	11,496	50.00	12,847	54.25	14,207	58.50	15,567	62.75	16,920
46.00	11,575	50.25	12,927	54.50	14,287	58.75	15,647	63.00	16,999
46.25	11,654	50.50	13,007	54.75	14,367	59.00	15,727	63.25	17,078
46.50	11,733	50.75	13,087	55.00	14,447	59.25	15,806	63.50	17,157



## Capacity/Gauge Table Information

**TCLX 290331**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 131

Reporting Mark: TCLX 290331

Date: 02/09/2015

Capacity: 28,975 US Gallons (109,683 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,236	68.00	18,569	72.25	19,878	76.50	21,153	80.75	22,386
64.00	17,315	68.25	18,647	72.50	19,954	76.75	21,227	81.00	22,457
64.25	17,394	68.50	18,725	72.75	20,030	77.00	21,300	81.25	22,528
64.50	17,473	68.75	18,802	73.00	20,106	77.25	21,374	81.50	22,599
64.75	17,552	69.00	18,880	73.25	20,181	77.50	21,447	81.75	22,669
65.00	17,630	69.25	18,957	73.50	20,257	77.75	21,520	82.00	22,739
65.25	17,709	69.50	19,034	73.75	20,332	78.00	21,594	82.25	22,809
65.50	17,788	69.75	19,112	74.00	20,407	78.25	21,666	82.50	22,879
65.75	17,866	70.00	19,189	74.25	20,483	78.50	21,739	82.75	22,949
66.00	17,945	70.25	19,266	74.50	20,558	78.75	21,812	83.00	23,018
66.25	18,023	70.50	19,343	74.75	20,633	79.00	21,884	83.25	23,088
66.50	18,101	70.75	19,419	75.00	20,707	79.25	21,956	83.50	23,157
66.75	18,179	71.00	19,496	75.25	20,782	79.50	22,028	83.75	23,226
67.00	18,258	71.25	19,573	75.50	20,856	79.75	22,100	84.00	23,294
67.25	18,336	71.50	19,649	75.75	20,931	80.00	22,172	84.25	23,363
67.50	18,414	71.75	19,725	76.00	21,005	80.25	22,243	84.50	23,431
67.75	18,492	72.00	19,802	76.25	21,079	80.50	22,315	84.75	23,499



## Capacity/Gauge Table Information

**TCLX 290331**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 131

Reporting Mark: TCLX 290331

Date: 02/09/2015

Capacity: 28,975 US Gallons (109,683 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,567	89.25	24,686	93.50	25,729	97.75	26,681	102.00	27,524
85.25	23,635	89.50	24,749	93.75	25,787	98.00	26,734	102.25	27,570
85.50	23,702	89.75	24,812	94.00	25,846	98.25	26,787	102.50	27,615
85.75	23,769	90.00	24,875	94.25	25,904	98.50	26,839	102.75	27,660
86.00	23,836	90.25	24,938	94.50	25,961	98.75	26,890	103.00	27,704
86.25	23,903	90.50	25,001	94.75	26,019	99.00	26,942	103.25	27,747
86.50	23,970	90.75	25,063	95.00	26,076	99.25	26,992	103.50	27,791
86.75	24,036	91.00	25,125	95.25	26,133	99.50	27,043	103.75	27,833
87.00	24,102	91.25	25,187	95.50	26,189	99.75	27,093	104.00	27,875
87.25	24,168	91.50	25,248	95.75	26,245	100.00	27,143	104.25	27,917
87.50	24,233	91.75	25,309	96.00	26,301	100.25	27,192	104.50	27,958
87.75	24,299	92.00	25,370	96.25	26,356	100.50	27,241	104.75	27,998
88.00	24,364	92.25	25,430	96.50	26,411	100.75	27,289	105.00	28,038
88.25	24,429	92.50	25,491	96.75	26,466	101.00	27,337	105.25	28,078
88.50	24,493	92.75	25,551	97.00	26,520	101.25	27,384	105.50	28,117
88.75	24,558	93.00	25,610	97.25	26,574	101.50	27,431	105.75	28,155
89.00	24,622	93.25	25,670	97.50	26,628	101.75	27,478	106.00	28,192





## Capacity/Gauge Table Information

**TCLX 290331**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 131

Reporting Mark: TCLX 290331

Date: 02/09/2015

Capacity: 28,975 US Gallons (109,683 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,229	110.50	28,746	114.75	28,962
106.50	28,266	110.75	28,769	115.00	28,966
106.75	28,301	111.00	28,789	115.25	28,969
107.00	28,336	111.25	28,809	115.50	28,971
107.25	28,371	111.50	28,827	115.75	28,973
107.50	28,405	111.75	28,844	116.00	28,974
107.75	28,437	112.00	28,860	116.25	28,975
108.00	28,470	112.25	28,874	116.50	28,975
108.25	28,501	112.50	28,888	116.75	28,975
108.50	28,532	112.75	28,900		
108.75	28,562	113.00	28,911		
109.00	28,591	113.25	28,921		
109.25	28,619	113.50	28,930		
109.50	28,647	113.75	28,939		
109.75	28,673	114.00	28,946		
110.00	28,699	114.25	28,952		
110.25	28,723	114.50	28,957		



## Capacity/Gauge Table Information

**TCLX 290332**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 132

Reporting Mark: TCLX 290332

Date: 01/09/2015

Capacity: 28,958 US Gallons (109,619 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,345	12.75	2,229	17.00	3,217
0.25	29	4.50	628	8.75	1,393	13.00	2,285	17.25	3,277
0.50	58	4.75	669	9.00	1,443	13.25	2,340	17.50	3,339
0.75	88	5.00	711	9.25	1,492	13.50	2,397	17.75	3,400
1.00	119	5.25	753	9.50	1,542	13.75	2,453	18.00	3,462
1.25	151	5.50	795	9.75	1,593	14.00	2,510	18.25	3,524
1.50	184	5.75	838	10.00	1,644	14.25	2,567	18.50	3,586
1.75	217	6.00	882	10.25	1,695	14.50	2,624	18.75	3,649
2.00	251	6.25	926	10.50	1,747	14.75	2,682	19.00	3,712
2.25	286	6.50	971	10.75	1,799	15.00	2,740	19.25	3,775
2.50	322	6.75	1,016	11.00	1,851	15.25	2,799	19.50	3,838
2.75	358	7.00	1,061	11.25	1,904	15.50	2,858	19.75	3,902
3.00	395	7.25	1,107	11.50	1,957	15.75	2,917	20.00	3,966
3.25	432	7.50	1,154	11.75	2,011	16.00	2,976	20.25	4,030
3.50	470	7.75	1,201	12.00	2,065	16.25	3,036	20.50	4,094
3.75	509	8.00	1,248	12.25	2,119	16.50	3,096	20.75	4,159
4.00	548	8.25	1,296	12.50	2,174	16.75	3,156	21.00	4,224



## Capacity/Gauge Table Information

**TCLX 290332**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 132

Reporting Mark: TCLX 290332

Date: 01/09/2015

Capacity: 28,958 US Gallons (109,619 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,289	25.50	5,432	29.75	6,633	34.00	7,883	38.25	9,172
21.50	4,354	25.75	5,501	30.00	6,706	34.25	7,958	38.50	9,248
21.75	4,420	26.00	5,570	30.25	6,778	34.50	8,033	38.75	9,325
22.00	4,486	26.25	5,640	30.50	6,851	34.75	8,108	39.00	9,402
22.25	4,552	26.50	5,710	30.75	6,923	35.00	8,183	39.25	9,480
22.50	4,618	26.75	5,780	31.00	6,996	35.25	8,258	39.50	9,557
22.75	4,685	27.00	5,850	31.25	7,069	35.50	8,334	39.75	9,634
23.00	4,752	27.25	5,920	31.50	7,143	35.75	8,409	40.00	9,711
23.25	4,819	27.50	5,991	31.75	7,216	36.00	8,485	40.25	9,789
23.50	4,886	27.75	6,061	32.00	7,290	36.25	8,561	40.50	9,867
23.75	4,953	28.00	6,132	32.25	7,363	36.50	8,637	40.75	9,944
24.00	5,021	28.25	6,203	32.50	7,437	36.75	8,713	41.00	10,022
24.25	5,089	28.50	6,274	32.75	7,511	37.00	8,789	41.25	10,100
24.50	5,157	28.75	6,346	33.00	7,585	37.25	8,865	41.50	10,178
24.75	5,225	29.00	6,417	33.25	7,659	37.50	8,942	41.75	10,256
25.00	5,294	29.25	6,489	33.50	7,734	37.75	9,018	42.00	10,334
25.25	5,363	29.50	6,561	33.75	7,808	38.00	9,095	42.25	10,412



## Capacity/Gauge Table Information

**TCLX 290332**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 132

Reporting Mark: TCLX 290332

Date: 01/09/2015

Capacity: 28,958 US Gallons (109,619 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,490	46.75	11,831	51.00	13,185	55.25	14,545	59.50	15,904
42.75	10,569	47.00	11,910	51.25	13,265	55.50	14,625	59.75	15,983
43.00	10,647	47.25	11,989	51.50	13,345	55.75	14,705	60.00	16,063
43.25	10,725	47.50	12,069	51.75	13,425	56.00	14,785	60.25	16,143
43.50	10,804	47.75	12,148	52.00	13,505	56.25	14,865	60.50	16,222
43.75	10,883	48.00	12,228	52.25	13,584	56.50	14,945	60.75	16,302
44.00	10,961	48.25	12,307	52.50	13,665	56.75	15,025	61.00	16,381
44.25	11,040	48.50	12,387	52.75	13,745	57.00	15,105	61.25	16,461
44.50	11,119	48.75	12,467	53.00	13,825	57.25	15,185	61.50	16,540
44.75	11,198	49.00	12,546	53.25	13,905	57.50	15,265	61.75	16,620
45.00	11,277	49.25	12,626	53.50	13,985	57.75	15,345	62.00	16,699
45.25	11,356	49.50	12,706	53.75	14,065	58.00	15,425	62.25	16,778
45.50	11,435	49.75	12,785	54.00	14,145	58.25	15,505	62.50	16,858
45.75	11,514	50.00	12,865	54.25	14,225	58.50	15,585	62.75	16,937
46.00	11,593	50.25	12,945	54.50	14,305	58.75	15,664	63.00	17,016
46.25	11,672	50.50	13,025	54.75	14,385	59.00	15,744	63.25	17,095
46.50	11,751	50.75	13,105	55.00	14,465	59.25	15,824	63.50	17,174



## Capacity/Gauge Table Information

**TCLX 290332**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 132

Reporting Mark: TCLX 290332

Date: 01/09/2015

Capacity: 28,958 US Gallons (109,619 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,253	68.00	18,586	72.25	19,893	76.50	21,167	80.75	22,399
64.00	17,332	68.25	18,664	72.50	19,969	76.75	21,241	81.00	22,470
64.25	17,411	68.50	18,741	72.75	20,045	77.00	21,315	81.25	22,541
64.50	17,490	68.75	18,819	73.00	20,121	77.25	21,388	81.50	22,611
64.75	17,569	69.00	18,896	73.25	20,196	77.50	21,461	81.75	22,682
65.00	17,647	69.25	18,973	73.50	20,272	77.75	21,535	82.00	22,752
65.25	17,726	69.50	19,051	73.75	20,347	78.00	21,608	82.25	22,822
65.50	17,804	69.75	19,128	74.00	20,423	78.25	21,680	82.50	22,892
65.75	17,883	70.00	19,205	74.25	20,498	78.50	21,753	82.75	22,961
66.00	17,961	70.25	19,282	74.50	20,573	78.75	21,825	83.00	23,031
66.25	18,040	70.50	19,359	74.75	20,647	79.00	21,898	83.25	23,100
66.50	18,118	70.75	19,435	75.00	20,722	79.25	21,970	83.50	23,169
66.75	18,196	71.00	19,512	75.25	20,797	79.50	22,042	83.75	23,238
67.00	18,274	71.25	19,588	75.50	20,871	79.75	22,114	84.00	23,307
67.25	18,352	71.50	19,665	75.75	20,945	80.00	22,185	84.25	23,375
67.50	18,430	71.75	19,741	76.00	21,020	80.25	22,257	84.50	23,443
67.75	18,508	72.00	19,817	76.25	21,094	80.50	22,328	84.75	23,511



## Capacity/Gauge Table Information

**TCLX 290332**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 132

Reporting Mark: TCLX 290332

Date: 01/09/2015

Capacity: 28,958 US Gallons (109,619 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,579	89.25	24,695	93.50	25,736	97.75	26,686	102.00	27,526
85.25	23,646	89.50	24,759	93.75	25,795	98.00	26,739	102.25	27,571
85.50	23,714	89.75	24,822	94.00	25,853	98.25	26,791	102.50	27,616
85.75	23,781	90.00	24,885	94.25	25,911	98.50	26,843	102.75	27,661
86.00	23,848	90.25	24,948	94.50	25,969	98.75	26,895	103.00	27,705
86.25	23,914	90.50	25,010	94.75	26,026	99.00	26,946	103.25	27,748
86.50	23,981	90.75	25,072	95.00	26,083	99.25	26,996	103.50	27,791
86.75	24,047	91.00	25,134	95.25	26,139	99.50	27,047	103.75	27,833
87.00	24,113	91.25	25,195	95.50	26,196	99.75	27,097	104.00	27,875
87.25	24,179	91.50	25,257	95.75	26,252	100.00	27,146	104.25	27,917
87.50	24,244	91.75	25,318	96.00	26,307	100.25	27,195	104.50	27,957
87.75	24,309	92.00	25,378	96.25	26,362	100.50	27,244	104.75	27,998
88.00	24,374	92.25	25,439	96.50	26,417	100.75	27,292	105.00	28,037
88.25	24,439	92.50	25,499	96.75	26,472	101.00	27,340	105.25	28,076
88.50	24,503	92.75	25,559	97.00	26,526	101.25	27,387	105.50	28,115
88.75	24,568	93.00	25,618	97.25	26,580	101.50	27,434	105.75	28,153
89.00	24,632	93.25	25,677	97.50	26,633	101.75	27,480	106.00	28,190



## Capacity/Gauge Table Information

**TCLX 290332**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 132

Reporting Mark: TCLX 290332

Date: 01/09/2015

Capacity: 28,958 US Gallons (109,619 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,227	110.50	28,737	114.75	28,945
106.50	28,263	110.75	28,758	115.00	28,949
106.75	28,298	111.00	28,779	115.25	28,952
107.00	28,333	111.25	28,797	115.50	28,954
107.25	28,367	111.50	28,815	115.75	28,956
107.50	28,400	111.75	28,831	116.00	28,957
107.75	28,433	112.00	28,847	116.25	28,958
108.00	28,465	112.25	28,861	116.50	28,958
108.25	28,496	112.50	28,874	116.75	28,958
108.50	28,527	112.75	28,886		
108.75	28,556	113.00	28,896		
109.00	28,585	113.25	28,906		
109.25	28,613	113.50	28,915		
109.50	28,640	113.75	28,923		
109.75	28,666	114.00	28,930		
110.00	28,691	114.25	28,936		
110.25	28,714	114.50	28,941		





## Capacity/Gauge Table Information

**TCLX 290333**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 133

Reporting Mark: TCLX 290333

Date: 28/08/2015

Capacity: 28,963 US Gallons (109,636 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,300 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,343	12.75	2,227	17.00	3,213
0.25	29	4.50	627	8.75	1,391	13.00	2,282	17.25	3,274
0.50	58	4.75	668	9.00	1,441	13.25	2,338	17.50	3,335
0.75	88	5.00	709	9.25	1,490	13.50	2,394	17.75	3,397
1.00	119	5.25	751	9.50	1,540	13.75	2,450	18.00	3,458
1.25	151	5.50	794	9.75	1,591	14.00	2,507	18.25	3,520
1.50	184	5.75	837	10.00	1,642	14.25	2,564	18.50	3,583
1.75	217	6.00	880	10.25	1,693	14.50	2,622	18.75	3,645
2.00	251	6.25	924	10.50	1,744	14.75	2,679	19.00	3,708
2.25	286	6.50	969	10.75	1,796	15.00	2,737	19.25	3,771
2.50	321	6.75	1,014	11.00	1,849	15.25	2,796	19.50	3,834
2.75	357	7.00	1,060	11.25	1,902	15.50	2,855	19.75	3,898
3.00	394	7.25	1,106	11.50	1,955	15.75	2,914	20.00	3,962
3.25	431	7.50	1,152	11.75	2,009	16.00	2,973	20.25	4,026
3.50	469	7.75	1,199	12.00	2,062	16.25	3,033	20.50	4,090
3.75	508	8.00	1,247	12.25	2,117	16.50	3,093	20.75	4,155
4.00	547	8.25	1,294	12.50	2,172	16.75	3,153	21.00	4,220



## Capacity/Gauge Table Information

**TCLX 290333**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 133

Reporting Mark: TCLX 290333

Date: 28/08/2015

Capacity: 28,963 US Gallons (109,636 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,300 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,285	25.50	5,428	29.75	6,629	34.00	7,878	38.25	9,167
21.50	4,350	25.75	5,497	30.00	6,701	34.25	7,953	38.50	9,243
21.75	4,416	26.00	5,566	30.25	6,773	34.50	8,028	38.75	9,320
22.00	4,482	26.25	5,636	30.50	6,846	34.75	8,103	39.00	9,397
22.25	4,548	26.50	5,705	30.75	6,919	35.00	8,178	39.25	9,474
22.50	4,614	26.75	5,775	31.00	6,992	35.25	8,254	39.50	9,552
22.75	4,681	27.00	5,845	31.25	7,065	35.50	8,329	39.75	9,629
23.00	4,748	27.25	5,916	31.50	7,138	35.75	8,405	40.00	9,706
23.25	4,815	27.50	5,986	31.75	7,211	36.00	8,480	40.25	9,784
23.50	4,882	27.75	6,057	32.00	7,285	36.25	8,556	40.50	9,861
23.75	4,949	28.00	6,128	32.25	7,359	36.50	8,632	40.75	9,939
24.00	5,017	28.25	6,199	32.50	7,432	36.75	8,708	41.00	10,017
24.25	5,085	28.50	6,270	32.75	7,506	37.00	8,784	41.25	10,095
24.50	5,153	28.75	6,341	33.00	7,580	37.25	8,860	41.50	10,173
24.75	5,221	29.00	6,413	33.25	7,655	37.50	8,937	41.75	10,251
25.00	5,290	29.25	6,485	33.50	7,729	37.75	9,013	42.00	10,329
25.25	5,359	29.50	6,557	33.75	7,804	38.00	9,090	42.25	10,407



## Capacity/Gauge Table Information

**TCLX 290333**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 133

Reporting Mark: TCLX 290333

Date: 28/08/2015

Capacity: 28,963 US Gallons (109,636 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,300 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,485	46.75	11,825	51.00	13,179	55.25	14,540	59.50	15,898
42.75	10,563	47.00	11,905	51.25	13,259	55.50	14,620	59.75	15,978
43.00	10,642	47.25	11,984	51.50	13,339	55.75	14,700	60.00	16,058
43.25	10,720	47.50	12,063	51.75	13,419	56.00	14,780	60.25	16,137
43.50	10,799	47.75	12,143	52.00	13,499	56.25	14,860	60.50	16,217
43.75	10,877	48.00	12,222	52.25	13,579	56.50	14,940	60.75	16,297
44.00	10,956	48.25	12,302	52.50	13,659	56.75	15,020	61.00	16,376
44.25	11,035	48.50	12,382	52.75	13,739	57.00	15,100	61.25	16,456
44.50	11,113	48.75	12,461	53.00	13,819	57.25	15,180	61.50	16,535
44.75	11,192	49.00	12,541	53.25	13,899	57.50	15,260	61.75	16,614
45.00	11,271	49.25	12,621	53.50	13,979	57.75	15,340	62.00	16,694
45.25	11,350	49.50	12,700	53.75	14,059	58.00	15,419	62.25	16,773
45.50	11,429	49.75	12,780	54.00	14,139	58.25	15,499	62.50	16,852
45.75	11,508	50.00	12,860	54.25	14,219	58.50	15,579	62.75	16,932
46.00	11,587	50.25	12,940	54.50	14,299	58.75	15,659	63.00	17,011
46.25	11,667	50.50	13,020	54.75	14,379	59.00	15,739	63.25	17,090
46.50	11,746	50.75	13,099	55.00	14,460	59.25	15,819	63.50	17,169



## Capacity/Gauge Table Information

**TCLX 290333**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 133

Reporting Mark: TCLX 290333

Date: 28/08/2015

Capacity: 28,963 US Gallons (109,636 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,300 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,248	68.00	18,581	72.25	19,888	76.50	21,163	80.75	22,395
64.00	17,327	68.25	18,658	72.50	19,964	76.75	21,237	81.00	22,466
64.25	17,406	68.50	18,736	72.75	20,040	77.00	21,310	81.25	22,537
64.50	17,485	68.75	18,814	73.00	20,116	77.25	21,384	81.50	22,607
64.75	17,563	69.00	18,891	73.25	20,192	77.50	21,457	81.75	22,678
65.00	17,642	69.25	18,968	73.50	20,267	77.75	21,530	82.00	22,748
65.25	17,721	69.50	19,046	73.75	20,343	78.00	21,603	82.25	22,818
65.50	17,799	69.75	19,123	74.00	20,418	78.25	21,676	82.50	22,888
65.75	17,878	70.00	19,200	74.25	20,493	78.50	21,749	82.75	22,957
66.00	17,956	70.25	19,277	74.50	20,568	78.75	21,821	83.00	23,027
66.25	18,034	70.50	19,354	74.75	20,643	79.00	21,893	83.25	23,096
66.50	18,113	70.75	19,430	75.00	20,717	79.25	21,966	83.50	23,165
66.75	18,191	71.00	19,507	75.25	20,792	79.50	22,038	83.75	23,234
67.00	18,269	71.25	19,583	75.50	20,866	79.75	22,109	84.00	23,303
67.25	18,347	71.50	19,660	75.75	20,941	80.00	22,181	84.25	23,371
67.50	18,425	71.75	19,736	76.00	21,015	80.25	22,253	84.50	23,439
67.75	18,503	72.00	19,812	76.25	21,089	80.50	22,324	84.75	23,507



## Capacity/Gauge Table Information

**TCLX 290333**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 133

Reporting Mark: TCLX 290333

Date: 28/08/2015

Capacity: 28,963 US Gallons (109,636 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,300 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,575	89.25	24,692	93.50	25,734	97.75	26,685	102.00	27,525
85.25	23,643	89.50	24,756	93.75	25,792	98.00	26,737	102.25	27,571
85.50	23,710	89.75	24,819	94.00	25,851	98.25	26,790	102.50	27,616
85.75	23,777	90.00	24,882	94.25	25,909	98.50	26,842	102.75	27,660
86.00	23,844	90.25	24,945	94.50	25,966	98.75	26,893	103.00	27,704
86.25	23,911	90.50	25,007	94.75	26,024	99.00	26,944	103.25	27,748
86.50	23,977	90.75	25,069	95.00	26,081	99.25	26,995	103.50	27,791
86.75	24,043	91.00	25,131	95.25	26,137	99.50	27,045	103.75	27,833
87.00	24,109	91.25	25,193	95.50	26,194	99.75	27,095	104.00	27,875
87.25	24,175	91.50	25,254	95.75	26,250	100.00	27,145	104.25	27,917
87.50	24,241	91.75	25,315	96.00	26,305	100.25	27,194	104.50	27,957
87.75	24,306	92.00	25,376	96.25	26,360	100.50	27,243	104.75	27,998
88.00	24,371	92.25	25,436	96.50	26,415	100.75	27,291	105.00	28,038
88.25	24,436	92.50	25,496	96.75	26,470	101.00	27,339	105.25	28,077
88.50	24,500	92.75	25,556	97.00	26,524	101.25	27,386	105.50	28,115
88.75	24,564	93.00	25,616	97.25	26,578	101.50	27,433	105.75	28,153
89.00	24,628	93.25	25,675	97.50	26,631	101.75	27,479	106.00	28,191



## Capacity/Gauge Table Information

**TCLX 290333**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 133

Reporting Mark: TCLX 290333

Date: 28/08/2015

Capacity: 28,963 US Gallons (109,636 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,300 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,228	110.50	28,740	114.75	28,950
106.50	28,264	110.75	28,761	115.00	28,954
106.75	28,299	111.00	28,781	115.25	28,957
107.00	28,334	111.25	28,800	115.50	28,959
107.25	28,368	111.50	28,818	115.75	28,961
107.50	28,402	111.75	28,835	116.00	28,962
107.75	28,434	112.00	28,850	116.25	28,962
108.00	28,466	112.25	28,864	116.50	28,963
108.25	28,498	112.50	28,877	116.75	28,963
108.50	28,528	112.75	28,889		
108.75	28,558	113.00	28,900		
109.00	28,586	113.25	28,910		
109.25	28,614	113.50	28,919		
109.50	28,641	113.75	28,927		
109.75	28,668	114.00	28,934		
110.00	28,693	114.25	28,940		
110.25	28,717	114.50	28,945		



## Capacity/Gauge Table Information

**TCLX 290334**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 134

Reporting Mark: TCLX 290334

Date: 26/08/2015

Capacity: 28,989 US Gallons (109,737 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,335	12.75	2,216	17.00	3,201
0.25	28	4.50	622	8.75	1,383	13.00	2,271	17.25	3,262
0.50	57	4.75	663	9.00	1,432	13.25	2,327	17.50	3,323
0.75	87	5.00	704	9.25	1,482	13.50	2,383	17.75	3,384
1.00	118	5.25	746	9.50	1,532	13.75	2,439	18.00	3,446
1.25	149	5.50	788	9.75	1,582	14.00	2,496	18.25	3,507
1.50	182	5.75	831	10.00	1,633	14.25	2,553	18.50	3,570
1.75	215	6.00	874	10.25	1,684	14.50	2,610	18.75	3,632
2.00	248	6.25	918	10.50	1,735	14.75	2,668	19.00	3,695
2.25	283	6.50	963	10.75	1,787	15.00	2,726	19.25	3,758
2.50	318	6.75	1,007	11.00	1,839	15.25	2,784	19.50	3,821
2.75	354	7.00	1,053	11.25	1,892	15.50	2,843	19.75	3,884
3.00	390	7.25	1,099	11.50	1,945	15.75	2,902	20.00	3,948
3.25	427	7.50	1,145	11.75	1,999	16.00	2,961	20.25	4,012
3.50	465	7.75	1,192	12.00	2,052	16.25	3,020	20.50	4,077
3.75	504	8.00	1,239	12.25	2,107	16.50	3,080	20.75	4,141
4.00	542	8.25	1,287	12.50	2,161	16.75	3,140	21.00	4,206





## Capacity/Gauge Table Information

**TCLX 290334**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 134

Reporting Mark: TCLX 290334

Date: 26/08/2015

Capacity: 28,989 US Gallons (109,737 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,271	25.50	5,412	29.75	6,613	34.00	7,862	38.25	9,150
21.50	4,336	25.75	5,481	30.00	6,685	34.25	7,936	38.50	9,227
21.75	4,402	26.00	5,551	30.25	6,757	34.50	8,011	38.75	9,303
22.00	4,468	26.25	5,620	30.50	6,830	34.75	8,086	39.00	9,380
22.25	4,534	26.50	5,690	30.75	6,903	35.00	8,162	39.25	9,458
22.50	4,600	26.75	5,760	31.00	6,975	35.25	8,237	39.50	9,535
22.75	4,666	27.00	5,830	31.25	7,048	35.50	8,312	39.75	9,612
23.00	4,733	27.25	5,900	31.50	7,122	35.75	8,388	40.00	9,689
23.25	4,800	27.50	5,971	31.75	7,195	36.00	8,464	40.25	9,767
23.50	4,867	27.75	6,041	32.00	7,269	36.25	8,539	40.50	9,844
23.75	4,935	28.00	6,112	32.25	7,342	36.50	8,615	40.75	9,922
24.00	5,002	28.25	6,183	32.50	7,416	36.75	8,691	41.00	10,000
24.25	5,070	28.50	6,254	32.75	7,490	37.00	8,767	41.25	10,078
24.50	5,138	28.75	6,326	33.00	7,564	37.25	8,844	41.50	10,156
24.75	5,206	29.00	6,397	33.25	7,638	37.50	8,920	41.75	10,234
25.00	5,275	29.25	6,469	33.50	7,713	37.75	8,996	42.00	10,312
25.25	5,343	29.50	6,541	33.75	7,787	38.00	9,073	42.25	10,390



## Capacity/Gauge Table Information

**TCLX 290334**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 134

Reporting Mark: TCLX 290334

Date: 26/08/2015

Capacity: 28,989 US Gallons (109,737 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,468	46.75	11,809	51.00	13,163	55.25	14,524	59.50	15,884
42.75	10,546	47.00	11,888	51.25	13,243	55.50	14,604	59.75	15,963
43.00	10,625	47.25	11,967	51.50	13,323	55.75	14,684	60.00	16,043
43.25	10,703	47.50	12,047	51.75	13,403	56.00	14,764	60.25	16,123
43.50	10,782	47.75	12,126	52.00	13,483	56.25	14,844	60.50	16,202
43.75	10,860	48.00	12,206	52.25	13,563	56.50	14,924	60.75	16,282
44.00	10,939	48.25	12,285	52.50	13,643	56.75	15,004	61.00	16,362
44.25	11,018	48.50	12,365	52.75	13,723	57.00	15,084	61.25	16,441
44.50	11,097	48.75	12,445	53.00	13,803	57.25	15,164	61.50	16,521
44.75	11,176	49.00	12,524	53.25	13,883	57.50	15,244	61.75	16,600
45.00	11,254	49.25	12,604	53.50	13,963	57.75	15,324	62.00	16,680
45.25	11,333	49.50	12,684	53.75	14,043	58.00	15,404	62.25	16,759
45.50	11,412	49.75	12,764	54.00	14,123	58.25	15,484	62.50	16,838
45.75	11,492	50.00	12,844	54.25	14,204	58.50	15,564	62.75	16,918
46.00	11,571	50.25	12,923	54.50	14,284	58.75	15,644	63.00	16,997
46.25	11,650	50.50	13,003	54.75	14,364	59.00	15,724	63.25	17,076
46.50	11,729	50.75	13,083	55.00	14,444	59.25	15,804	63.50	17,155



## Capacity/Gauge Table Information

**TCLX 290334**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 134

Reporting Mark: TCLX 290334

Date: 26/08/2015

Capacity: 28,989 US Gallons (109,737 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,234	68.00	18,568	72.25	19,877	76.50	21,154	80.75	22,387
64.00	17,313	68.25	18,646	72.50	19,954	76.75	21,227	81.00	22,459
64.25	17,392	68.50	18,724	72.75	20,029	77.00	21,301	81.25	22,529
64.50	17,471	68.75	18,801	73.00	20,105	77.25	21,375	81.50	22,600
64.75	17,550	69.00	18,879	73.25	20,181	77.50	21,448	81.75	22,671
65.00	17,629	69.25	18,956	73.50	20,257	77.75	21,521	82.00	22,741
65.25	17,707	69.50	19,034	73.75	20,332	78.00	21,594	82.25	22,811
65.50	17,786	69.75	19,111	74.00	20,407	78.25	21,667	82.50	22,881
65.75	17,865	70.00	19,188	74.25	20,483	78.50	21,740	82.75	22,951
66.00	17,943	70.25	19,265	74.50	20,558	78.75	21,813	83.00	23,020
66.25	18,021	70.50	19,342	74.75	20,633	79.00	21,885	83.25	23,090
66.50	18,100	70.75	19,419	75.00	20,707	79.25	21,957	83.50	23,159
66.75	18,178	71.00	19,495	75.25	20,782	79.50	22,029	83.75	23,228
67.00	18,256	71.25	19,572	75.50	20,857	79.75	22,101	84.00	23,297
67.25	18,334	71.50	19,649	75.75	20,931	80.00	22,173	84.25	23,365
67.50	18,412	71.75	19,725	76.00	21,005	80.25	22,245	84.50	23,434
67.75	18,490	72.00	19,801	76.25	21,080	80.50	22,316	84.75	23,502



## Capacity/Gauge Table Information

**TCLX 290334**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 134

Reporting Mark: TCLX 290334

Date: 26/08/2015

Capacity: 28,989 US Gallons (109,737 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,570	89.25	24,689	93.50	25,733	97.75	26,687	102.00	27,532
85.25	23,637	89.50	24,753	93.75	25,792	98.00	26,740	102.25	27,577
85.50	23,705	89.75	24,816	94.00	25,851	98.25	26,793	102.50	27,623
85.75	23,772	90.00	24,879	94.25	25,909	98.50	26,845	102.75	27,667
86.00	23,839	90.25	24,942	94.50	25,967	98.75	26,897	103.00	27,712
86.25	23,906	90.50	25,005	94.75	26,024	99.00	26,948	103.25	27,755
86.50	23,973	90.75	25,067	95.00	26,081	99.25	26,999	103.50	27,799
86.75	24,039	91.00	25,129	95.25	26,138	99.50	27,050	103.75	27,841
87.00	24,105	91.25	25,191	95.50	26,195	99.75	27,100	104.00	27,884
87.25	24,171	91.50	25,252	95.75	26,251	100.00	27,149	104.25	27,925
87.50	24,236	91.75	25,313	96.00	26,307	100.25	27,199	104.50	27,967
87.75	24,302	92.00	25,374	96.25	26,362	100.50	27,248	104.75	28,007
88.00	24,367	92.25	25,435	96.50	26,417	100.75	27,296	105.00	28,047
88.25	24,432	92.50	25,495	96.75	26,472	101.00	27,344	105.25	28,087
88.50	24,497	92.75	25,555	97.00	26,526	101.25	27,392	105.50	28,126
88.75	24,561	93.00	25,615	97.25	26,580	101.50	27,439	105.75	28,164
89.00	24,625	93.25	25,674	97.50	26,634	101.75	27,485	106.00	28,202



## Capacity/Gauge Table Information

**TCLX 290334**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 134

Reporting Mark: TCLX 290334

Date: 26/08/2015

Capacity: 28,989 US Gallons (109,737 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,239	110.50	28,758	114.75	28,976
106.50	28,275	110.75	28,780	115.00	28,980
106.75	28,311	111.00	28,801	115.25	28,983
107.00	28,346	111.25	28,821	115.50	28,985
107.25	28,381	111.50	28,840	115.75	28,987
107.50	28,414	111.75	28,857	116.00	28,988
107.75	28,447	112.00	28,873	116.25	28,989
108.00	28,480	112.25	28,887	116.50	28,989
108.25	28,511	112.50	28,901	116.75	28,989
108.50	28,542	112.75	28,913		
108.75	28,572	113.00	28,925		
109.00	28,602	113.25	28,935		
109.25	28,630	113.50	28,944		
109.50	28,658	113.75	28,952		
109.75	28,684	114.00	28,959		
110.00	28,710	114.25	28,966		
110.25	28,735	114.50	28,971		



## Capacity/Gauge Table Information

**TCLX 290335**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 135

Reporting Mark: TCLX 290335

Date: 02/09/2015

Capacity: 28,954 US Gallons (109,604 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,336	12.75	2,217	17.00	3,202
0.25	28	4.50	623	8.75	1,385	13.00	2,272	17.25	3,262
0.50	57	4.75	664	9.00	1,434	13.25	2,328	17.50	3,323
0.75	87	5.00	705	9.25	1,483	13.50	2,384	17.75	3,385
1.00	118	5.25	747	9.50	1,533	13.75	2,440	18.00	3,446
1.25	150	5.50	789	9.75	1,583	14.00	2,497	18.25	3,508
1.50	182	5.75	832	10.00	1,634	14.25	2,554	18.50	3,570
1.75	215	6.00	875	10.25	1,685	14.50	2,611	18.75	3,633
2.00	249	6.25	919	10.50	1,736	14.75	2,669	19.00	3,695
2.25	284	6.50	964	10.75	1,788	15.00	2,727	19.25	3,758
2.50	319	6.75	1,009	11.00	1,841	15.25	2,785	19.50	3,821
2.75	355	7.00	1,054	11.25	1,893	15.50	2,844	19.75	3,885
3.00	391	7.25	1,100	11.50	1,946	15.75	2,903	20.00	3,949
3.25	428	7.50	1,146	11.75	2,000	16.00	2,962	20.25	4,013
3.50	466	7.75	1,193	12.00	2,054	16.25	3,021	20.50	4,077
3.75	504	8.00	1,240	12.25	2,108	16.50	3,081	20.75	4,141
4.00	543	8.25	1,288	12.50	2,162	16.75	3,141	21.00	4,206



## Capacity/Gauge Table Information

**TCLX 290335**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 135

Reporting Mark: TCLX 290335

Date: 02/09/2015

Capacity: 28,954 US Gallons (109,604 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,271	25.50	5,412	29.75	6,611	34.00	7,859	38.25	9,145
21.50	4,336	25.75	5,481	30.00	6,683	34.25	7,933	38.50	9,222
21.75	4,402	26.00	5,550	30.25	6,755	34.50	8,008	38.75	9,299
22.00	4,468	26.25	5,619	30.50	6,828	34.75	8,083	39.00	9,376
22.25	4,534	26.50	5,689	30.75	6,901	35.00	8,158	39.25	9,453
22.50	4,600	26.75	5,759	31.00	6,973	35.25	8,233	39.50	9,530
22.75	4,666	27.00	5,829	31.25	7,046	35.50	8,309	39.75	9,607
23.00	4,733	27.25	5,899	31.50	7,119	35.75	8,384	40.00	9,684
23.25	4,800	27.50	5,969	31.75	7,193	36.00	8,460	40.25	9,762
23.50	4,867	27.75	6,040	32.00	7,266	36.25	8,536	40.50	9,839
23.75	4,934	28.00	6,111	32.25	7,340	36.50	8,611	40.75	9,917
24.00	5,002	28.25	6,182	32.50	7,413	36.75	8,687	41.00	9,994
24.25	5,070	28.50	6,253	32.75	7,487	37.00	8,763	41.25	10,072
24.50	5,138	28.75	6,324	33.00	7,561	37.25	8,840	41.50	10,150
24.75	5,206	29.00	6,395	33.25	7,635	37.50	8,916	41.75	10,228
25.00	5,274	29.25	6,467	33.50	7,710	37.75	8,992	42.00	10,306
25.25	5,343	29.50	6,539	33.75	7,784	38.00	9,069	42.25	10,384





## Capacity/Gauge Table Information

**TCLX 290335**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 135

Reporting Mark: TCLX 290335

Date: 02/09/2015

Capacity: 28,954 US Gallons (109,604 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,462	46.75	11,801	51.00	13,154	55.25	14,513	59.50	15,871
42.75	10,540	47.00	11,880	51.25	13,234	55.50	14,593	59.75	15,951
43.00	10,619	47.25	11,960	51.50	13,314	55.75	14,673	60.00	16,030
43.25	10,697	47.50	12,039	51.75	13,393	56.00	14,753	60.25	16,110
43.50	10,776	47.75	12,118	52.00	13,473	56.25	14,833	60.50	16,189
43.75	10,854	48.00	12,198	52.25	13,553	56.50	14,913	60.75	16,269
44.00	10,933	48.25	12,277	52.50	13,633	56.75	14,993	61.00	16,348
44.25	11,011	48.50	12,357	52.75	13,713	57.00	15,073	61.25	16,428
44.50	11,090	48.75	12,436	53.00	13,793	57.25	15,153	61.50	16,507
44.75	11,169	49.00	12,516	53.25	13,873	57.50	15,232	61.75	16,587
45.00	11,248	49.25	12,596	53.50	13,953	57.75	15,312	62.00	16,666
45.25	11,326	49.50	12,675	53.75	14,033	58.00	15,392	62.25	16,745
45.50	11,405	49.75	12,755	54.00	14,113	58.25	15,472	62.50	16,824
45.75	11,484	50.00	12,835	54.25	14,193	58.50	15,552	62.75	16,904
46.00	11,564	50.25	12,914	54.50	14,273	58.75	15,632	63.00	16,983
46.25	11,643	50.50	12,994	54.75	14,353	59.00	15,711	63.25	17,062
46.50	11,722	50.75	13,074	55.00	14,433	59.25	15,791	63.50	17,141



## Capacity/Gauge Table Information

**TCLX 290335**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 135

Reporting Mark: TCLX 290335

Date: 02/09/2015

Capacity: 28,954 US Gallons (109,604 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,220	68.00	18,552	72.25	19,859	76.50	21,134	80.75	22,366
64.00	17,299	68.25	18,630	72.50	19,935	76.75	21,207	81.00	22,437
64.25	17,377	68.50	18,707	72.75	20,011	77.00	21,281	81.25	22,508
64.50	17,456	68.75	18,785	73.00	20,087	77.25	21,354	81.50	22,578
64.75	17,535	69.00	18,862	73.25	20,162	77.50	21,428	81.75	22,649
65.00	17,614	69.25	18,939	73.50	20,238	77.75	21,501	82.00	22,719
65.25	17,692	69.50	19,017	73.75	20,313	78.00	21,574	82.25	22,789
65.50	17,771	69.75	19,094	74.00	20,389	78.25	21,647	82.50	22,859
65.75	17,849	70.00	19,171	74.25	20,464	78.50	21,719	82.75	22,928
66.00	17,928	70.25	19,248	74.50	20,539	78.75	21,792	83.00	22,998
66.25	18,006	70.50	19,324	74.75	20,613	79.00	21,864	83.25	23,067
66.50	18,084	70.75	19,401	75.00	20,688	79.25	21,936	83.50	23,136
66.75	18,162	71.00	19,478	75.25	20,763	79.50	22,008	83.75	23,205
67.00	18,240	71.25	19,554	75.50	20,837	79.75	22,080	84.00	23,274
67.25	18,318	71.50	19,631	75.75	20,912	80.00	22,152	84.25	23,342
67.50	18,396	71.75	19,707	76.00	20,986	80.25	22,223	84.50	23,411
67.75	18,474	72.00	19,783	76.25	21,060	80.50	22,295	84.75	23,479



## Capacity/Gauge Table Information

**TCLX 290335**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 135

Reporting Mark: TCLX 290335

Date: 02/09/2015

Capacity: 28,954 US Gallons (109,604 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,546	89.25	24,664	93.50	25,707	97.75	26,659	102.00	27,502
85.25	23,614	89.50	24,728	93.75	25,766	98.00	26,712	102.25	27,548
85.50	23,681	89.75	24,791	94.00	25,824	98.25	26,765	102.50	27,593
85.75	23,749	90.00	24,854	94.25	25,882	98.50	26,817	102.75	27,638
86.00	23,815	90.25	24,917	94.50	25,940	98.75	26,869	103.00	27,682
86.25	23,882	90.50	24,979	94.75	25,997	99.00	26,920	103.25	27,726
86.50	23,949	90.75	25,042	95.00	26,054	99.25	26,971	103.50	27,769
86.75	24,015	91.00	25,104	95.25	26,111	99.50	27,021	103.75	27,812
87.00	24,081	91.25	25,165	95.50	26,168	99.75	27,071	104.00	27,854
87.25	24,147	91.50	25,227	95.75	26,224	100.00	27,121	104.25	27,895
87.50	24,212	91.75	25,288	96.00	26,279	100.25	27,170	104.50	27,936
87.75	24,278	92.00	25,348	96.25	26,335	100.50	27,219	104.75	27,977
88.00	24,343	92.25	25,409	96.50	26,390	100.75	27,267	105.00	28,017
88.25	24,407	92.50	25,469	96.75	26,444	101.00	27,315	105.25	28,056
88.50	24,472	92.75	25,529	97.00	26,499	101.25	27,363	105.50	28,095
88.75	24,536	93.00	25,589	97.25	26,553	101.50	27,410	105.75	28,133
89.00	24,600	93.25	25,648	97.50	26,606	101.75	27,456	106.00	28,171



## Capacity/Gauge Table Information

**TCLX 290335**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 135

Reporting Mark: TCLX 290335

Date: 02/09/2015

Capacity: 28,954 US Gallons (109,604 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,208	110.50	28,725	114.75	28,941
106.50	28,244	110.75	28,747	115.00	28,945
106.75	28,280	111.00	28,768	115.25	28,948
107.00	28,315	111.25	28,788	115.50	28,950
107.25	28,349	111.50	28,806	115.75	28,952
107.50	28,383	111.75	28,823	116.00	28,953
107.75	28,416	112.00	28,839	116.25	28,954
108.00	28,448	112.25	28,853	116.50	28,954
108.25	28,480	112.50	28,867	116.75	28,954
108.50	28,511	112.75	28,879		
108.75	28,541	113.00	28,890		
109.00	28,570	113.25	28,900		
109.25	28,598	113.50	28,909		
109.50	28,625	113.75	28,918		
109.75	28,652	114.00	28,925		
110.00	28,677	114.25	28,931		
110.25	28,702	114.50	28,936		



## Capacity/Gauge Table Information

**TCLX 290336**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 136

Reporting Mark: TCLX 290336

Date: 28/08/2015

Capacity: 28,956 US Gallons (109,609 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	592	8.50	1,351	12.75	2,238	17.00	3,228
0.25	29	4.50	632	8.75	1,400	13.00	2,294	17.25	3,289
0.50	59	4.75	673	9.00	1,450	13.25	2,350	17.50	3,350
0.75	89	5.00	715	9.25	1,499	13.50	2,406	17.75	3,411
1.00	120	5.25	757	9.50	1,550	13.75	2,463	18.00	3,473
1.25	153	5.50	800	9.75	1,600	14.00	2,519	18.25	3,535
1.50	185	5.75	843	10.00	1,651	14.25	2,577	18.50	3,598
1.75	219	6.00	887	10.25	1,703	14.50	2,634	18.75	3,660
2.00	253	6.25	931	10.50	1,755	14.75	2,692	19.00	3,723
2.25	288	6.50	976	10.75	1,807	15.00	2,750	19.25	3,787
2.50	324	6.75	1,021	11.00	1,859	15.25	2,809	19.50	3,850
2.75	360	7.00	1,067	11.25	1,912	15.50	2,868	19.75	3,914
3.00	397	7.25	1,113	11.50	1,966	15.75	2,927	20.00	3,978
3.25	435	7.50	1,160	11.75	2,020	16.00	2,987	20.25	4,042
3.50	473	7.75	1,207	12.00	2,074	16.25	3,046	20.50	4,106
3.75	512	8.00	1,255	12.25	2,128	16.50	3,106	20.75	4,171
4.00	552	8.25	1,303	12.50	2,183	16.75	3,167	21.00	4,236



## Capacity/Gauge Table Information

**TCLX 290336**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 136

Reporting Mark: TCLX 290336

Date: 28/08/2015

Capacity: 28,956 US Gallons (109,609 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,301	25.50	5,446	29.75	6,649	34.00	7,899	38.25	9,189
21.50	4,367	25.75	5,515	30.00	6,721	34.25	7,974	38.50	9,266
21.75	4,433	26.00	5,584	30.25	6,793	34.50	8,049	38.75	9,343
22.00	4,499	26.25	5,654	30.50	6,866	34.75	8,124	39.00	9,420
22.25	4,565	26.50	5,724	30.75	6,939	35.00	8,200	39.25	9,497
22.50	4,631	26.75	5,794	31.00	7,012	35.25	8,275	39.50	9,574
22.75	4,698	27.00	5,864	31.25	7,085	35.50	8,351	39.75	9,652
23.00	4,765	27.25	5,935	31.50	7,158	35.75	8,426	40.00	9,729
23.25	4,832	27.50	6,005	31.75	7,232	36.00	8,502	40.25	9,807
23.50	4,899	27.75	6,076	32.00	7,305	36.25	8,578	40.50	9,884
23.75	4,967	28.00	6,147	32.25	7,379	36.50	8,654	40.75	9,962
24.00	5,035	28.25	6,218	32.50	7,453	36.75	8,730	41.00	10,040
24.25	5,103	28.50	6,289	32.75	7,527	37.00	8,806	41.25	10,118
24.50	5,171	28.75	6,361	33.00	7,601	37.25	8,882	41.50	10,196
24.75	5,239	29.00	6,433	33.25	7,676	37.50	8,959	41.75	10,274
25.00	5,308	29.25	6,504	33.50	7,750	37.75	9,035	42.00	10,352
25.25	5,377	29.50	6,576	33.75	7,825	38.00	9,112	42.25	10,430



## Capacity/Gauge Table Information

**TCLX 290336**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 136

Reporting Mark: TCLX 290336

Date: 28/08/2015

Capacity: 28,956 US Gallons (109,609 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,508	46.75	11,849	51.00	13,204	55.25	14,564	59.50	15,923
42.75	10,587	47.00	11,928	51.25	13,284	55.50	14,644	59.75	16,003
43.00	10,665	47.25	12,008	51.50	13,364	55.75	14,724	60.00	16,082
43.25	10,743	47.50	12,087	51.75	13,444	56.00	14,804	60.25	16,162
43.50	10,822	47.75	12,167	52.00	13,524	56.25	14,884	60.50	16,242
43.75	10,901	48.00	12,246	52.25	13,604	56.50	14,964	60.75	16,321
44.00	10,979	48.25	12,326	52.50	13,684	56.75	15,044	61.00	16,401
44.25	11,058	48.50	12,406	52.75	13,764	57.00	15,124	61.25	16,480
44.50	11,137	48.75	12,485	53.00	13,844	57.25	15,204	61.50	16,560
44.75	11,216	49.00	12,565	53.25	13,924	57.50	15,284	61.75	16,639
45.00	11,295	49.25	12,645	53.50	14,004	57.75	15,364	62.00	16,718
45.25	11,374	49.50	12,724	53.75	14,084	58.00	15,444	62.25	16,798
45.50	11,453	49.75	12,804	54.00	14,164	58.25	15,524	62.50	16,877
45.75	11,532	50.00	12,884	54.25	14,244	58.50	15,604	62.75	16,956
46.00	11,611	50.25	12,964	54.50	14,324	58.75	15,684	63.00	17,035
46.25	11,690	50.50	13,044	54.75	14,404	59.00	15,763	63.25	17,115
46.50	11,770	50.75	13,124	55.00	14,484	59.25	15,843	63.50	17,194





## Capacity/Gauge Table Information

**TCLX 290336**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 136

Reporting Mark: TCLX 290336

Date: 28/08/2015

Capacity: 28,956 US Gallons (109,609 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,273	68.00	18,605	72.25	19,912	76.50	21,186	80.75	22,417
64.00	17,351	68.25	18,683	72.50	19,988	76.75	21,259	81.00	22,488
64.25	17,430	68.50	18,760	72.75	20,064	77.00	21,333	81.25	22,558
64.50	17,509	68.75	18,838	73.00	20,140	77.25	21,406	81.50	22,629
64.75	17,588	69.00	18,915	73.25	20,215	77.50	21,480	81.75	22,699
65.00	17,667	69.25	18,992	73.50	20,291	77.75	21,553	82.00	22,769
65.25	17,745	69.50	19,070	73.75	20,366	78.00	21,626	82.25	22,839
65.50	17,824	69.75	19,147	74.00	20,441	78.25	21,698	82.50	22,909
65.75	17,902	70.00	19,224	74.25	20,516	78.50	21,771	82.75	22,979
66.00	17,981	70.25	19,301	74.50	20,591	78.75	21,843	83.00	23,048
66.25	18,059	70.50	19,377	74.75	20,666	79.00	21,916	83.25	23,117
66.50	18,137	70.75	19,454	75.00	20,741	79.25	21,988	83.50	23,186
66.75	18,215	71.00	19,531	75.25	20,815	79.50	22,060	83.75	23,255
67.00	18,293	71.25	19,607	75.50	20,890	79.75	22,131	84.00	23,323
67.25	18,371	71.50	19,684	75.75	20,964	80.00	22,203	84.25	23,392
67.50	18,449	71.75	19,760	76.00	21,038	80.25	22,274	84.50	23,460
67.75	18,527	72.00	19,836	76.25	21,112	80.50	22,346	84.75	23,528



## Capacity/Gauge Table Information

**TCLX 290336**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 136

Reporting Mark: TCLX 290336

Date: 28/08/2015

Capacity: 28,956 US Gallons (109,609 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,595	89.25	24,711	93.50	25,750	97.75	26,699	102.00	27,536
85.25	23,663	89.50	24,774	93.75	25,809	98.00	26,751	102.25	27,581
85.50	23,730	89.75	24,837	94.00	25,867	98.25	26,803	102.50	27,626
85.75	23,797	90.00	24,900	94.25	25,925	98.50	26,855	102.75	27,670
86.00	23,864	90.25	24,963	94.50	25,982	98.75	26,907	103.00	27,714
86.25	23,931	90.50	25,025	94.75	26,039	99.00	26,957	103.25	27,757
86.50	23,997	90.75	25,087	95.00	26,096	99.25	27,008	103.50	27,800
86.75	24,063	91.00	25,149	95.25	26,153	99.50	27,058	103.75	27,843
87.00	24,129	91.25	25,210	95.50	26,209	99.75	27,108	104.00	27,884
87.25	24,195	91.50	25,272	95.75	26,265	100.00	27,157	104.25	27,925
87.50	24,260	91.75	25,332	96.00	26,320	100.25	27,206	104.50	27,966
87.75	24,325	92.00	25,393	96.25	26,375	100.50	27,255	104.75	28,006
88.00	24,390	92.25	25,453	96.50	26,430	100.75	27,303	105.00	28,046
88.25	24,455	92.50	25,513	96.75	26,485	101.00	27,350	105.25	28,085
88.50	24,519	92.75	25,573	97.00	26,539	101.25	27,397	105.50	28,123
88.75	24,583	93.00	25,632	97.25	26,592	101.50	27,444	105.75	28,161
89.00	24,647	93.25	25,692	97.50	26,646	101.75	27,490	106.00	28,198



## Capacity/Gauge Table Information

**TCLX 290336**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 136

Reporting Mark: TCLX 290336

Date: 28/08/2015

Capacity: 28,956 US Gallons (109,609 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,234	110.50	28,739	114.75	28,943
106.50	28,270	110.75	28,760	115.00	28,947
106.75	28,305	111.00	28,780	115.25	28,950
107.00	28,340	111.25	28,798	115.50	28,952
107.25	28,374	111.50	28,816	115.75	28,953
107.50	28,407	111.75	28,832	116.00	28,955
107.75	28,439	112.00	28,846	116.25	28,955
108.00	28,471	112.25	28,860	116.50	28,956
108.25	28,502	112.50	28,873	116.75	28,956
108.50	28,532	112.75	28,885		
108.75	28,561	113.00	28,895		
109.00	28,589	113.25	28,905		
109.25	28,617	113.50	28,913		
109.50	28,643	113.75	28,921		
109.75	28,669	114.00	28,928		
110.00	28,694	114.25	28,934		
110.25	28,717	114.50	28,939		



## Capacity/Gauge Table Information

**TCLX 290337**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 137

Reporting Mark: TCLX 290337

Date: 28/08/2015

Capacity: 28,940 US Gallons (109,550 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,348	12.75	2,234	17.00	3,222
0.25	29	4.50	630	8.75	1,397	13.00	2,289	17.25	3,283
0.50	58	4.75	671	9.00	1,446	13.25	2,345	17.50	3,344
0.75	89	5.00	713	9.25	1,496	13.50	2,401	17.75	3,405
1.00	120	5.25	755	9.50	1,546	13.75	2,458	18.00	3,467
1.25	152	5.50	798	9.75	1,597	14.00	2,515	18.25	3,529
1.50	185	5.75	841	10.00	1,648	14.25	2,572	18.50	3,592
1.75	218	6.00	885	10.25	1,699	14.50	2,629	18.75	3,654
2.00	253	6.25	929	10.50	1,751	14.75	2,687	19.00	3,717
2.25	288	6.50	974	10.75	1,803	15.00	2,745	19.25	3,780
2.50	323	6.75	1,019	11.00	1,856	15.25	2,804	19.50	3,844
2.75	359	7.00	1,064	11.25	1,908	15.50	2,863	19.75	3,907
3.00	396	7.25	1,111	11.50	1,962	15.75	2,922	20.00	3,971
3.25	434	7.50	1,157	11.75	2,015	16.00	2,981	20.25	4,035
3.50	472	7.75	1,204	12.00	2,069	16.25	3,041	20.50	4,100
3.75	511	8.00	1,252	12.25	2,124	16.50	3,101	20.75	4,164
4.00	550	8.25	1,300	12.50	2,179	16.75	3,161	21.00	4,229



## Capacity/Gauge Table Information

**TCLX 290337**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 137

Reporting Mark: TCLX 290337

Date: 28/08/2015

Capacity: 28,940 US Gallons (109,550 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,295	25.50	5,438	29.75	6,639	34.00	7,889	38.25	9,177
21.50	4,360	25.75	5,507	30.00	6,712	34.25	7,964	38.50	9,254
21.75	4,426	26.00	5,576	30.25	6,784	34.50	8,039	38.75	9,331
22.00	4,492	26.25	5,646	30.50	6,857	34.75	8,114	39.00	9,408
22.25	4,558	26.50	5,716	30.75	6,929	35.00	8,189	39.25	9,485
22.50	4,624	26.75	5,786	31.00	7,002	35.25	8,264	39.50	9,562
22.75	4,691	27.00	5,856	31.25	7,075	35.50	8,340	39.75	9,640
23.00	4,757	27.25	5,926	31.50	7,149	35.75	8,415	40.00	9,717
23.25	4,824	27.50	5,997	31.75	7,222	36.00	8,491	40.25	9,794
23.50	4,892	27.75	6,067	32.00	7,296	36.25	8,567	40.50	9,872
23.75	4,959	28.00	6,138	32.25	7,369	36.50	8,643	40.75	9,950
24.00	5,027	28.25	6,209	32.50	7,443	36.75	8,719	41.00	10,027
24.25	5,095	28.50	6,280	32.75	7,517	37.00	8,795	41.25	10,105
24.50	5,163	28.75	6,352	33.00	7,591	37.25	8,871	41.50	10,183
24.75	5,231	29.00	6,423	33.25	7,665	37.50	8,948	41.75	10,261
25.00	5,300	29.25	6,495	33.50	7,740	37.75	9,024	42.00	10,339
25.25	5,369	29.50	6,567	33.75	7,814	38.00	9,101	42.25	10,417



## Capacity/Gauge Table Information

**TCLX 290337**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 137

Reporting Mark: TCLX 290337

Date: 28/08/2015

Capacity: 28,940 US Gallons (109,550 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,496	46.75	11,835	51.00	13,189	55.25	14,549	59.50	15,906
42.75	10,574	47.00	11,915	51.25	13,269	55.50	14,629	59.75	15,986
43.00	10,652	47.25	11,994	51.50	13,349	55.75	14,708	60.00	16,066
43.25	10,731	47.50	12,073	51.75	13,429	56.00	14,788	60.25	16,145
43.50	10,809	47.75	12,153	52.00	13,509	56.25	14,868	60.50	16,225
43.75	10,888	48.00	12,232	52.25	13,589	56.50	14,948	60.75	16,304
44.00	10,966	48.25	12,312	52.50	13,668	56.75	15,028	61.00	16,384
44.25	11,045	48.50	12,391	52.75	13,748	57.00	15,108	61.25	16,463
44.50	11,124	48.75	12,471	53.00	13,828	57.25	15,188	61.50	16,543
44.75	11,203	49.00	12,551	53.25	13,908	57.50	15,268	61.75	16,622
45.00	11,282	49.25	12,630	53.50	13,988	57.75	15,348	62.00	16,701
45.25	11,361	49.50	12,710	53.75	14,068	58.00	15,428	62.25	16,781
45.50	11,440	49.75	12,790	54.00	14,148	58.25	15,508	62.50	16,860
45.75	11,519	50.00	12,870	54.25	14,228	58.50	15,587	62.75	16,939
46.00	11,598	50.25	12,949	54.50	14,308	58.75	15,667	63.00	17,018
46.25	11,677	50.50	13,029	54.75	14,388	59.00	15,747	63.25	17,097
46.50	11,756	50.75	13,109	55.00	14,469	59.25	15,827	63.50	17,176



## Capacity/Gauge Table Information

**TCLX 290337**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 137

Reporting Mark: TCLX 290337

Date: 28/08/2015

Capacity: 28,940 US Gallons (109,550 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,255	68.00	18,587	72.25	19,893	76.50	21,166	80.75	22,397
64.00	17,334	68.25	18,664	72.50	19,969	76.75	21,240	81.00	22,468
64.25	17,413	68.50	18,742	72.75	20,045	77.00	21,314	81.25	22,539
64.50	17,492	68.75	18,819	73.00	20,121	77.25	21,387	81.50	22,609
64.75	17,570	69.00	18,897	73.25	20,196	77.50	21,460	81.75	22,679
65.00	17,649	69.25	18,974	73.50	20,272	77.75	21,533	82.00	22,749
65.25	17,727	69.50	19,051	73.75	20,347	78.00	21,606	82.25	22,819
65.50	17,806	69.75	19,128	74.00	20,422	78.25	21,679	82.50	22,889
65.75	17,884	70.00	19,205	74.25	20,497	78.50	21,751	82.75	22,959
66.00	17,963	70.25	19,282	74.50	20,572	78.75	21,824	83.00	23,028
66.25	18,041	70.50	19,359	74.75	20,647	79.00	21,896	83.25	23,097
66.50	18,119	70.75	19,436	75.00	20,721	79.25	21,968	83.50	23,166
66.75	18,197	71.00	19,512	75.25	20,796	79.50	22,040	83.75	23,235
67.00	18,275	71.25	19,589	75.50	20,870	79.75	22,112	84.00	23,303
67.25	18,353	71.50	19,665	75.75	20,945	80.00	22,183	84.25	23,372
67.50	18,431	71.75	19,741	76.00	21,019	80.25	22,255	84.50	23,440
67.75	18,509	72.00	19,817	76.25	21,093	80.50	22,326	84.75	23,508





## Capacity/Gauge Table Information

**TCLX 290337**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 137

Reporting Mark: TCLX 290337

Date: 28/08/2015

Capacity: 28,940 US Gallons (109,550 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,575	89.25	24,691	93.50	25,730	97.75	26,679	102.00	27,516
85.25	23,643	89.50	24,754	93.75	25,789	98.00	26,731	102.25	27,562
85.50	23,710	89.75	24,817	94.00	25,847	98.25	26,783	102.50	27,606
85.75	23,777	90.00	24,880	94.25	25,905	98.50	26,835	102.75	27,651
86.00	23,844	90.25	24,942	94.50	25,962	98.75	26,886	103.00	27,695
86.25	23,910	90.50	25,005	94.75	26,019	99.00	26,937	103.25	27,738
86.50	23,977	90.75	25,067	95.00	26,076	99.25	26,988	103.50	27,781
86.75	24,043	91.00	25,129	95.25	26,133	99.50	27,038	103.75	27,823
87.00	24,109	91.25	25,190	95.50	26,189	99.75	27,088	104.00	27,865
87.25	24,174	91.50	25,251	95.75	26,245	100.00	27,137	104.25	27,906
87.50	24,240	91.75	25,312	96.00	26,300	100.25	27,186	104.50	27,947
87.75	24,305	92.00	25,373	96.25	26,355	100.50	27,235	104.75	27,987
88.00	24,370	92.25	25,433	96.50	26,410	100.75	27,283	105.00	28,026
88.25	24,434	92.50	25,493	96.75	26,464	101.00	27,330	105.25	28,065
88.50	24,499	92.75	25,553	97.00	26,519	101.25	27,378	105.50	28,104
88.75	24,563	93.00	25,612	97.25	26,572	101.50	27,424	105.75	28,142
89.00	24,627	93.25	25,671	97.50	26,626	101.75	27,471	106.00	28,179



## Capacity/Gauge Table Information

**TCLX 290337**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 137

Reporting Mark: TCLX 290337

Date: 28/08/2015

Capacity: 28,940 US Gallons (109,550 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,400 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,215	110.50	28,722	114.75	28,927
106.50	28,251	110.75	28,743	115.00	28,931
106.75	28,286	111.00	28,763	115.25	28,934
107.00	28,321	111.25	28,781	115.50	28,936
107.25	28,355	111.50	28,799	115.75	28,938
107.50	28,388	111.75	28,815	116.00	28,939
107.75	28,421	112.00	28,830	116.25	28,940
108.00	28,452	112.25	28,844	116.50	28,940
108.25	28,483	112.50	28,857	116.75	28,940
108.50	28,513	112.75	28,868		
108.75	28,543	113.00	28,879		
109.00	28,571	113.25	28,889		
109.25	28,599	113.50	28,897		
109.50	28,626	113.75	28,905		
109.75	28,651	114.00	28,912		
110.00	28,676	114.25	28,918		
110.25	28,700	114.50	28,923		



## Capacity/Gauge Table Information

**TCLX 290338**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 138

Reporting Mark: TCLX 290338

Date: 27/08/2015

Capacity: 28,962 US Gallons (109,634 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,341	12.75	2,224	17.00	3,210
0.25	28	4.50	626	8.75	1,389	13.00	2,279	17.25	3,270
0.50	58	4.75	667	9.00	1,438	13.25	2,335	17.50	3,332
0.75	88	5.00	708	9.25	1,488	13.50	2,391	17.75	3,393
1.00	119	5.25	750	9.50	1,538	13.75	2,447	18.00	3,455
1.25	151	5.50	792	9.75	1,588	14.00	2,504	18.25	3,517
1.50	183	5.75	835	10.00	1,639	14.25	2,561	18.50	3,579
1.75	216	6.00	879	10.25	1,690	14.50	2,618	18.75	3,641
2.00	250	6.25	923	10.50	1,742	14.75	2,676	19.00	3,704
2.25	285	6.50	967	10.75	1,794	15.00	2,734	19.25	3,767
2.50	320	6.75	1,012	11.00	1,846	15.25	2,792	19.50	3,830
2.75	356	7.00	1,058	11.25	1,899	15.50	2,851	19.75	3,894
3.00	393	7.25	1,104	11.50	1,952	15.75	2,910	20.00	3,958
3.25	430	7.50	1,150	11.75	2,006	16.00	2,969	20.25	4,022
3.50	468	7.75	1,197	12.00	2,060	16.25	3,029	20.50	4,086
3.75	507	8.00	1,244	12.25	2,114	16.50	3,089	20.75	4,151
4.00	546	8.25	1,292	12.50	2,169	16.75	3,149	21.00	4,216



## Capacity/Gauge Table Information

**TCLX 290338**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 138

Reporting Mark: TCLX 290338

Date: 27/08/2015

Capacity: 28,962 US Gallons (109,634 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,281	25.50	5,423	29.75	6,623	34.00	7,872	38.25	9,160
21.50	4,346	25.75	5,492	30.00	6,696	34.25	7,947	38.50	9,237
21.75	4,412	26.00	5,561	30.25	6,768	34.50	8,022	38.75	9,314
22.00	4,477	26.25	5,631	30.50	6,841	34.75	8,097	39.00	9,391
22.25	4,544	26.50	5,700	30.75	6,913	35.00	8,172	39.25	9,468
22.50	4,610	26.75	5,770	31.00	6,986	35.25	8,248	39.50	9,545
22.75	4,676	27.00	5,840	31.25	7,059	35.50	8,323	39.75	9,622
23.00	4,743	27.25	5,911	31.50	7,132	35.75	8,398	40.00	9,700
23.25	4,810	27.50	5,981	31.75	7,206	36.00	8,474	40.25	9,777
23.50	4,877	27.75	6,052	32.00	7,279	36.25	8,550	40.50	9,855
23.75	4,945	28.00	6,123	32.25	7,353	36.50	8,626	40.75	9,932
24.00	5,012	28.25	6,194	32.50	7,427	36.75	8,702	41.00	10,010
24.25	5,080	28.50	6,265	32.75	7,501	37.00	8,778	41.25	10,088
24.50	5,148	28.75	6,336	33.00	7,575	37.25	8,854	41.50	10,166
24.75	5,217	29.00	6,408	33.25	7,649	37.50	8,931	41.75	10,244
25.00	5,285	29.25	6,479	33.50	7,723	37.75	9,007	42.00	10,322
25.25	5,354	29.50	6,551	33.75	7,798	38.00	9,084	42.25	10,400



## Capacity/Gauge Table Information

**TCLX 290338**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 138

Reporting Mark: TCLX 290338

Date: 27/08/2015

Capacity: 28,962 US Gallons (109,634 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,478	46.75	11,818	51.00	13,172	55.25	14,532	59.50	15,891
42.75	10,557	47.00	11,898	51.25	13,252	55.50	14,612	59.75	15,970
43.00	10,635	47.25	11,977	51.50	13,332	55.75	14,692	60.00	16,050
43.25	10,713	47.50	12,056	51.75	13,412	56.00	14,772	60.25	16,130
43.50	10,792	47.75	12,136	52.00	13,492	56.25	14,852	60.50	16,209
43.75	10,870	48.00	12,215	52.25	13,572	56.50	14,932	60.75	16,289
44.00	10,949	48.25	12,295	52.50	13,652	56.75	15,012	61.00	16,368
44.25	11,028	48.50	12,374	52.75	13,732	57.00	15,092	61.25	16,448
44.50	11,107	48.75	12,454	53.00	13,812	57.25	15,172	61.50	16,527
44.75	11,185	49.00	12,534	53.25	13,892	57.50	15,252	61.75	16,607
45.00	11,264	49.25	12,613	53.50	13,972	57.75	15,332	62.00	16,686
45.25	11,343	49.50	12,693	53.75	14,052	58.00	15,412	62.25	16,765
45.50	11,422	49.75	12,773	54.00	14,132	58.25	15,492	62.50	16,845
45.75	11,501	50.00	12,853	54.25	14,212	58.50	15,571	62.75	16,924
46.00	11,580	50.25	12,932	54.50	14,292	58.75	15,651	63.00	17,003
46.25	11,660	50.50	13,012	54.75	14,372	59.00	15,731	63.25	17,082
46.50	11,739	50.75	13,092	55.00	14,452	59.25	15,811	63.50	17,161



## Capacity/Gauge Table Information

**TCLX 290338**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 138

Reporting Mark: TCLX 290338

Date: 27/08/2015

Capacity: 28,962 US Gallons (109,634 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,240	68.00	18,573	72.25	19,881	76.50	21,155	80.75	22,387
64.00	17,319	68.25	18,650	72.50	19,957	76.75	21,229	81.00	22,458
64.25	17,398	68.50	18,728	72.75	20,032	77.00	21,302	81.25	22,529
64.50	17,477	68.75	18,806	73.00	20,108	77.25	21,376	81.50	22,600
64.75	17,556	69.00	18,883	73.25	20,184	77.50	21,449	81.75	22,670
65.00	17,634	69.25	18,960	73.50	20,259	77.75	21,522	82.00	22,740
65.25	17,713	69.50	19,038	73.75	20,335	78.00	21,595	82.25	22,810
65.50	17,791	69.75	19,115	74.00	20,410	78.25	21,668	82.50	22,880
65.75	17,870	70.00	19,192	74.25	20,485	78.50	21,741	82.75	22,950
66.00	17,948	70.25	19,269	74.50	20,560	78.75	21,813	83.00	23,019
66.25	18,027	70.50	19,346	74.75	20,635	79.00	21,886	83.25	23,089
66.50	18,105	70.75	19,422	75.00	20,710	79.25	21,958	83.50	23,158
66.75	18,183	71.00	19,499	75.25	20,784	79.50	22,030	83.75	23,226
67.00	18,261	71.25	19,576	75.50	20,859	79.75	22,102	84.00	23,295
67.25	18,339	71.50	19,652	75.75	20,933	80.00	22,173	84.25	23,364
67.50	18,417	71.75	19,728	76.00	21,007	80.25	22,245	84.50	23,432
67.75	18,495	72.00	19,804	76.25	21,081	80.50	22,316	84.75	23,500



## Capacity/Gauge Table Information

**TCLX 290338**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 138

Reporting Mark: TCLX 290338

Date: 27/08/2015

Capacity: 28,962 US Gallons (109,634 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,568	89.25	24,685	93.50	25,727	97.75	26,678	102.00	27,520
85.25	23,635	89.50	24,749	93.75	25,786	98.00	26,731	102.25	27,565
85.50	23,703	89.75	24,812	94.00	25,844	98.25	26,784	102.50	27,610
85.75	23,770	90.00	24,875	94.25	25,902	98.50	26,836	102.75	27,655
86.00	23,837	90.25	24,937	94.50	25,960	98.75	26,887	103.00	27,699
86.25	23,903	90.50	25,000	94.75	26,017	99.00	26,938	103.25	27,743
86.50	23,970	90.75	25,062	95.00	26,074	99.25	26,989	103.50	27,786
86.75	24,036	91.00	25,124	95.25	26,131	99.50	27,040	103.75	27,828
87.00	24,102	91.25	25,186	95.50	26,187	99.75	27,089	104.00	27,870
87.25	24,168	91.50	25,247	95.75	26,243	100.00	27,139	104.25	27,912
87.50	24,233	91.75	25,308	96.00	26,299	100.25	27,188	104.50	27,953
87.75	24,299	92.00	25,369	96.25	26,354	100.50	27,237	104.75	27,993
88.00	24,364	92.25	25,429	96.50	26,409	100.75	27,285	105.00	28,033
88.25	24,428	92.50	25,489	96.75	26,464	101.00	27,333	105.25	28,072
88.50	24,493	92.75	25,549	97.00	26,518	101.25	27,380	105.50	28,111
88.75	24,557	93.00	25,609	97.25	26,572	101.50	27,427	105.75	28,149
89.00	24,621	93.25	25,668	97.50	26,625	101.75	27,474	106.00	28,186





## Capacity/Gauge Table Information

**TCLX 290338**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 138

Reporting Mark: TCLX 290338

Date: 27/08/2015

Capacity: 28,962 US Gallons (109,634 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,223	110.50	28,737	114.75	28,949
106.50	28,259	110.75	28,759	115.00	28,953
106.75	28,295	111.00	28,779	115.25	28,956
107.00	28,330	111.25	28,798	115.50	28,958
107.25	28,364	111.50	28,816	115.75	28,960
107.50	28,398	111.75	28,833	116.00	28,961
107.75	28,430	112.00	28,849	116.25	28,962
108.00	28,463	112.25	28,863	116.50	28,962
108.25	28,494	112.50	28,876	116.75	28,962
108.50	28,524	112.75	28,888		
108.75	28,554	113.00	28,899		
109.00	28,583	113.25	28,909		
109.25	28,611	113.50	28,918		
109.50	28,638	113.75	28,926		
109.75	28,665	114.00	28,933		
110.00	28,690	114.25	28,939		
110.25	28,714	114.50	28,945		



## Capacity/Gauge Table Information

**TCLX 290339**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 139

Reporting Mark: TCLX 290339

Date: 24/08/2015

Capacity: 29,052 US Gallons (109,974 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	594	8.50	1,356	12.75	2,244	17.00	3,235
0.25	29	4.50	635	8.75	1,405	13.00	2,300	17.25	3,296
0.50	59	4.75	676	9.00	1,454	13.25	2,356	17.50	3,357
0.75	90	5.00	718	9.25	1,504	13.50	2,412	17.75	3,419
1.00	121	5.25	761	9.50	1,555	13.75	2,469	18.00	3,481
1.25	154	5.50	803	9.75	1,605	14.00	2,526	18.25	3,543
1.50	187	5.75	847	10.00	1,656	14.25	2,583	18.50	3,605
1.75	221	6.00	891	10.25	1,708	14.50	2,641	18.75	3,668
2.00	255	6.25	935	10.50	1,760	14.75	2,699	19.00	3,731
2.25	290	6.50	980	10.75	1,812	15.00	2,757	19.25	3,794
2.50	326	6.75	1,025	11.00	1,865	15.25	2,816	19.50	3,858
2.75	363	7.00	1,071	11.25	1,918	15.50	2,875	19.75	3,922
3.00	400	7.25	1,117	11.50	1,971	15.75	2,934	20.00	3,986
3.25	437	7.50	1,164	11.75	2,025	16.00	2,993	20.25	4,050
3.50	476	7.75	1,212	12.00	2,079	16.25	3,053	20.50	4,114
3.75	515	8.00	1,259	12.25	2,134	16.50	3,114	20.75	4,179
4.00	554	8.25	1,307	12.50	2,189	16.75	3,174	21.00	4,244



## Capacity/Gauge Table Information

**TCLX 290339**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 139

Reporting Mark: TCLX 290339

Date: 24/08/2015

Capacity: 29,052 US Gallons (109,974 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,310	25.50	5,455	29.75	6,659	34.00	7,910	38.25	9,201
21.50	4,375	25.75	5,524	30.00	6,731	34.25	7,985	38.50	9,278
21.75	4,441	26.00	5,594	30.25	6,804	34.50	8,060	38.75	9,355
22.00	4,507	26.25	5,663	30.50	6,876	34.75	8,136	39.00	9,432
22.25	4,573	26.50	5,733	30.75	6,949	35.00	8,211	39.25	9,509
22.50	4,640	26.75	5,803	31.00	7,022	35.25	8,286	39.50	9,587
22.75	4,706	27.00	5,874	31.25	7,096	35.50	8,362	39.75	9,664
23.00	4,773	27.25	5,944	31.50	7,169	35.75	8,438	40.00	9,741
23.25	4,841	27.50	6,015	31.75	7,242	36.00	8,513	40.25	9,819
23.50	4,908	27.75	6,086	32.00	7,316	36.25	8,589	40.50	9,897
23.75	4,976	28.00	6,157	32.25	7,390	36.50	8,665	40.75	9,975
24.00	5,043	28.25	6,228	32.50	7,464	36.75	8,742	41.00	10,052
24.25	5,112	28.50	6,299	32.75	7,538	37.00	8,818	41.25	10,130
24.50	5,180	28.75	6,371	33.00	7,612	37.25	8,894	41.50	10,208
24.75	5,248	29.00	6,442	33.25	7,687	37.50	8,971	41.75	10,286
25.00	5,317	29.25	6,514	33.50	7,761	37.75	9,047	42.00	10,365
25.25	5,386	29.50	6,586	33.75	7,836	38.00	9,124	42.25	10,443



## Capacity/Gauge Table Information

**TCLX 290339**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 139

Reporting Mark: TCLX 290339

Date: 24/08/2015

Capacity: 29,052 US Gallons (109,974 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,521	46.75	11,863	51.00	13,219	55.25	14,581	59.50	15,942
42.75	10,600	47.00	11,943	51.25	13,299	55.50	14,661	59.75	16,022
43.00	10,678	47.25	12,022	51.50	13,379	55.75	14,742	60.00	16,101
43.25	10,757	47.50	12,102	51.75	13,459	56.00	14,822	60.25	16,181
43.50	10,835	47.75	12,181	52.00	13,539	56.25	14,902	60.50	16,261
43.75	10,914	48.00	12,261	52.25	13,620	56.50	14,982	60.75	16,341
44.00	10,993	48.25	12,341	52.50	13,700	56.75	15,062	61.00	16,420
44.25	11,072	48.50	12,420	52.75	13,780	57.00	15,142	61.25	16,500
44.50	11,151	48.75	12,500	53.00	13,860	57.25	15,222	61.50	16,579
44.75	11,230	49.00	12,580	53.25	13,940	57.50	15,302	61.75	16,659
45.00	11,309	49.25	12,660	53.50	14,020	57.75	15,382	62.00	16,738
45.25	11,388	49.50	12,740	53.75	14,100	58.00	15,462	62.25	16,818
45.50	11,467	49.75	12,819	54.00	14,180	58.25	15,542	62.50	16,897
45.75	11,546	50.00	12,899	54.25	14,261	58.50	15,622	62.75	16,976
46.00	11,625	50.25	12,979	54.50	14,341	58.75	15,702	63.00	17,056
46.25	11,705	50.50	13,059	54.75	14,421	59.00	15,782	63.25	17,135
46.50	11,784	50.75	13,139	55.00	14,501	59.25	15,862	63.50	17,214



## Capacity/Gauge Table Information

**TCLX 290339**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 139

Reporting Mark: TCLX 290339

Date: 24/08/2015

Capacity: 29,052 US Gallons (109,974 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,293	68.00	18,628	72.25	19,937	76.50	21,214	80.75	22,448
64.00	17,372	68.25	18,706	72.50	20,013	76.75	21,288	81.00	22,519
64.25	17,451	68.50	18,783	72.75	20,089	77.00	21,361	81.25	22,590
64.50	17,530	68.75	18,861	73.00	20,165	77.25	21,435	81.50	22,661
64.75	17,609	69.00	18,938	73.25	20,241	77.50	21,508	81.75	22,731
65.00	17,688	69.25	19,016	73.50	20,317	77.75	21,582	82.00	22,802
65.25	17,767	69.50	19,093	73.75	20,392	78.00	21,655	82.25	22,872
65.50	17,845	69.75	19,170	74.00	20,467	78.25	21,728	82.50	22,942
65.75	17,924	70.00	19,248	74.25	20,543	78.50	21,800	82.75	23,012
66.00	18,002	70.25	19,325	74.50	20,618	78.75	21,873	83.00	23,081
66.25	18,081	70.50	19,402	74.75	20,693	79.00	21,946	83.25	23,151
66.50	18,159	70.75	19,478	75.00	20,768	79.25	22,018	83.50	23,220
66.75	18,237	71.00	19,555	75.25	20,842	79.50	22,090	83.75	23,289
67.00	18,316	71.25	19,632	75.50	20,917	79.75	22,162	84.00	23,358
67.25	18,394	71.50	19,708	75.75	20,991	80.00	22,234	84.25	23,426
67.50	18,472	71.75	19,785	76.00	21,066	80.25	22,305	84.50	23,494
67.75	18,550	72.00	19,861	76.25	21,140	80.50	22,377	84.75	23,563



## Capacity/Gauge Table Information

**TCLX 290339**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 139

Reporting Mark: TCLX 290339

Date: 24/08/2015

Capacity: 29,052 US Gallons (109,974 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,631	89.25	24,750	93.50	25,795	97.75	26,749	102.00	27,594
85.25	23,698	89.50	24,814	93.75	25,854	98.00	26,802	102.25	27,639
85.50	23,766	89.75	24,877	94.00	25,912	98.25	26,854	102.50	27,685
85.75	23,833	90.00	24,940	94.25	25,970	98.50	26,907	102.75	27,729
86.00	23,900	90.25	25,003	94.50	26,028	98.75	26,958	103.00	27,774
86.25	23,967	90.50	25,066	94.75	26,086	99.00	27,010	103.25	27,817
86.50	24,033	90.75	25,128	95.00	26,143	99.25	27,061	103.50	27,861
86.75	24,100	91.00	25,190	95.25	26,200	99.50	27,111	103.75	27,903
87.00	24,166	91.25	25,252	95.50	26,256	99.75	27,161	104.00	27,946
87.25	24,232	91.50	25,313	95.75	26,312	100.00	27,211	104.25	27,987
87.50	24,298	91.75	25,375	96.00	26,368	100.25	27,261	104.50	28,029
87.75	24,363	92.00	25,436	96.25	26,424	100.50	27,309	104.75	28,069
88.00	24,428	92.25	25,496	96.50	26,479	100.75	27,358	105.00	28,109
88.25	24,493	92.50	25,556	96.75	26,533	101.00	27,406	105.25	28,149
88.50	24,558	92.75	25,616	97.00	26,588	101.25	27,454	105.50	28,188
88.75	24,622	93.00	25,676	97.25	26,642	101.50	27,501	105.75	28,226
89.00	24,686	93.25	25,736	97.50	26,696	101.75	27,547	106.00	28,264



## Capacity/Gauge Table Information

**TCLX 290339**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 139

Reporting Mark: TCLX 290339

Date: 24/08/2015

Capacity: 29,052 US Gallons (109,974 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,301	110.50	28,821	114.75	29,039
106.50	28,337	110.75	28,843	115.00	29,042
106.75	28,373	111.00	28,864	115.25	29,046
107.00	28,408	111.25	28,884	115.50	29,048
107.25	28,443	111.50	28,902	115.75	29,050
107.50	28,477	111.75	28,919	116.00	29,051
107.75	28,510	112.00	28,935	116.25	29,052
108.00	28,542	112.25	28,950	116.50	29,052
108.25	28,574	112.50	28,964	116.75	29,052
108.50	28,605	112.75	28,976		
108.75	28,635	113.00	28,987		
109.00	28,664	113.25	28,998		
109.25	28,693	113.50	29,007		
109.50	28,720	113.75	29,015		
109.75	28,747	114.00	29,022		
110.00	28,772	114.25	29,029		
110.25	28,797	114.50	29,034		





## Capacity/Gauge Table Information

**TCLX 290340**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 140

Reporting Mark: TCLX 290340

Date: 26/08/2015

Capacity: 29,009 US Gallons (109,813 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,223	17.00	3,210
0.25	28	4.50	625	8.75	1,388	13.00	2,278	17.25	3,271
0.50	58	4.75	666	9.00	1,437	13.25	2,334	17.50	3,332
0.75	88	5.00	707	9.25	1,487	13.50	2,390	17.75	3,393
1.00	119	5.25	749	9.50	1,537	13.75	2,447	18.00	3,455
1.25	150	5.50	791	9.75	1,587	14.00	2,503	18.25	3,517
1.50	183	5.75	834	10.00	1,638	14.25	2,561	18.50	3,579
1.75	216	6.00	878	10.25	1,689	14.50	2,618	18.75	3,642
2.00	250	6.25	922	10.50	1,741	14.75	2,676	19.00	3,705
2.25	284	6.50	966	10.75	1,793	15.00	2,734	19.25	3,768
2.50	320	6.75	1,011	11.00	1,845	15.25	2,792	19.50	3,831
2.75	356	7.00	1,057	11.25	1,898	15.50	2,851	19.75	3,895
3.00	392	7.25	1,103	11.50	1,951	15.75	2,910	20.00	3,959
3.25	429	7.50	1,149	11.75	2,005	16.00	2,969	20.25	4,023
3.50	467	7.75	1,196	12.00	2,059	16.25	3,029	20.50	4,087
3.75	506	8.00	1,243	12.25	2,113	16.50	3,089	20.75	4,152
4.00	545	8.25	1,291	12.50	2,168	16.75	3,149	21.00	4,217



## Capacity/Gauge Table Information

**TCLX 290340**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 140

Reporting Mark: TCLX 290340

Date: 26/08/2015

Capacity: 29,009 US Gallons (109,813 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,282	25.50	5,425	29.75	6,628	34.00	7,878	38.25	9,168
21.50	4,347	25.75	5,494	30.00	6,700	34.25	7,953	38.50	9,245
21.75	4,413	26.00	5,564	30.25	6,772	34.50	8,028	38.75	9,322
22.00	4,479	26.25	5,633	30.50	6,845	34.75	8,103	39.00	9,399
22.25	4,545	26.50	5,703	30.75	6,918	35.00	8,179	39.25	9,477
22.50	4,611	26.75	5,773	31.00	6,991	35.25	8,254	39.50	9,554
22.75	4,678	27.00	5,843	31.25	7,064	35.50	8,330	39.75	9,631
23.00	4,745	27.25	5,914	31.50	7,137	35.75	8,405	40.00	9,709
23.25	4,812	27.50	5,984	31.75	7,211	36.00	8,481	40.25	9,786
23.50	4,879	27.75	6,055	32.00	7,284	36.25	8,557	40.50	9,864
23.75	4,947	28.00	6,126	32.25	7,358	36.50	8,633	40.75	9,942
24.00	5,014	28.25	6,197	32.50	7,432	36.75	8,709	41.00	10,020
24.25	5,082	28.50	6,269	32.75	7,506	37.00	8,785	41.25	10,098
24.50	5,151	28.75	6,340	33.00	7,580	37.25	8,862	41.50	10,176
24.75	5,219	29.00	6,412	33.25	7,655	37.50	8,938	41.75	10,254
25.00	5,288	29.25	6,483	33.50	7,729	37.75	9,015	42.00	10,332
25.25	5,356	29.50	6,555	33.75	7,804	38.00	9,092	42.25	10,410



## Capacity/Gauge Table Information

**TCLX 290340**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 140

Reporting Mark: TCLX 290340

Date: 26/08/2015

Capacity: 29,009 US Gallons (109,813 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,488	46.75	11,831	51.00	13,187	55.25	14,549	59.50	15,910
42.75	10,567	47.00	11,910	51.25	13,267	55.50	14,629	59.75	15,990
43.00	10,645	47.25	11,990	51.50	13,347	55.75	14,709	60.00	16,070
43.25	10,724	47.50	12,069	51.75	13,427	56.00	14,790	60.25	16,150
43.50	10,803	47.75	12,149	52.00	13,507	56.25	14,870	60.50	16,229
43.75	10,881	48.00	12,228	52.25	13,587	56.50	14,950	60.75	16,309
44.00	10,960	48.25	12,308	52.50	13,667	56.75	15,030	61.00	16,389
44.25	11,039	48.50	12,388	52.75	13,747	57.00	15,110	61.25	16,468
44.50	11,118	48.75	12,467	53.00	13,827	57.25	15,190	61.50	16,548
44.75	11,197	49.00	12,547	53.25	13,908	57.50	15,270	61.75	16,627
45.00	11,276	49.25	12,627	53.50	13,988	57.75	15,350	62.00	16,707
45.25	11,355	49.50	12,707	53.75	14,068	58.00	15,430	62.25	16,786
45.50	11,434	49.75	12,787	54.00	14,148	58.25	15,510	62.50	16,866
45.75	11,513	50.00	12,867	54.25	14,228	58.50	15,590	62.75	16,945
46.00	11,592	50.25	12,947	54.50	14,309	58.75	15,670	63.00	17,024
46.25	11,672	50.50	13,027	54.75	14,389	59.00	15,750	63.25	17,104
46.50	11,751	50.75	13,107	55.00	14,469	59.25	15,830	63.50	17,183



## Capacity/Gauge Table Information

**TCLX 290340**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 140

Reporting Mark: TCLX 290340

Date: 26/08/2015

Capacity: 29,009 US Gallons (109,813 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,262	68.00	18,597	72.25	19,907	76.50	21,184	80.75	22,419
64.00	17,341	68.25	18,675	72.50	19,983	76.75	21,258	81.00	22,490
64.25	17,420	68.50	18,753	72.75	20,059	77.00	21,332	81.25	22,561
64.50	17,499	68.75	18,830	73.00	20,135	77.25	21,405	81.50	22,631
64.75	17,578	69.00	18,908	73.25	20,211	77.50	21,479	81.75	22,702
65.00	17,657	69.25	18,985	73.50	20,287	77.75	21,552	82.00	22,772
65.25	17,736	69.50	19,063	73.75	20,362	78.00	21,625	82.25	22,843
65.50	17,814	69.75	19,140	74.00	20,438	78.25	21,698	82.50	22,912
65.75	17,893	70.00	19,217	74.25	20,513	78.50	21,771	82.75	22,982
66.00	17,971	70.25	19,294	74.50	20,588	78.75	21,844	83.00	23,052
66.25	18,050	70.50	19,371	74.75	20,663	79.00	21,916	83.25	23,121
66.50	18,128	70.75	19,448	75.00	20,738	79.25	21,988	83.50	23,190
66.75	18,207	71.00	19,525	75.25	20,813	79.50	22,061	83.75	23,259
67.00	18,285	71.25	19,602	75.50	20,887	79.75	22,133	84.00	23,328
67.25	18,363	71.50	19,678	75.75	20,962	80.00	22,204	84.25	23,397
67.50	18,441	71.75	19,755	76.00	21,036	80.25	22,276	84.50	23,465
67.75	18,519	72.00	19,831	76.25	21,110	80.50	22,347	84.75	23,533



## Capacity/Gauge Table Information

**TCLX 290340**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 140

Reporting Mark: TCLX 290340

Date: 26/08/2015

Capacity: 29,009 US Gallons (109,813 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,601	89.25	24,721	93.50	25,765	97.75	26,718	102.00	27,561
85.25	23,669	89.50	24,784	93.75	25,823	98.00	26,771	102.25	27,607
85.50	23,736	89.75	24,848	94.00	25,882	98.25	26,823	102.50	27,652
85.75	23,804	90.00	24,911	94.25	25,940	98.50	26,875	102.75	27,697
86.00	23,871	90.25	24,974	94.50	25,998	98.75	26,927	103.00	27,741
86.25	23,937	90.50	25,036	94.75	26,055	99.00	26,978	103.25	27,785
86.50	24,004	90.75	25,098	95.00	26,112	99.25	27,029	103.50	27,828
86.75	24,070	91.00	25,161	95.25	26,169	99.50	27,080	103.75	27,870
87.00	24,137	91.25	25,222	95.50	26,226	99.75	27,130	104.00	27,912
87.25	24,202	91.50	25,284	95.75	26,282	100.00	27,180	104.25	27,954
87.50	24,268	91.75	25,345	96.00	26,338	100.25	27,229	104.50	27,995
87.75	24,333	92.00	25,406	96.25	26,393	100.50	27,278	104.75	28,036
88.00	24,399	92.25	25,466	96.50	26,448	100.75	27,326	105.00	28,076
88.25	24,464	92.50	25,527	96.75	26,503	101.00	27,374	105.25	28,115
88.50	24,528	92.75	25,587	97.00	26,557	101.25	27,421	105.50	28,154
88.75	24,593	93.00	25,646	97.25	26,611	101.50	27,468	105.75	28,192
89.00	24,657	93.25	25,706	97.50	26,665	101.75	27,515	106.00	28,229



## Capacity/Gauge Table Information

**TCLX 290340**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 140

Reporting Mark: TCLX 290340

Date: 26/08/2015

Capacity: 29,009 US Gallons (109,813 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,266	110.50	28,782	114.75	28,996
106.50	28,303	110.75	28,804	115.00	29,000
106.75	28,338	111.00	28,825	115.25	29,003
107.00	28,373	111.25	28,844	115.50	29,005
107.25	28,408	111.50	28,862	115.75	29,007
107.50	28,441	111.75	28,879	116.00	29,008
107.75	28,474	112.00	28,895	116.25	29,009
108.00	28,506	112.25	28,909	116.50	29,009
108.25	28,538	112.50	28,923	116.75	29,009
108.50	28,569	112.75	28,935		
108.75	28,598	113.00	28,946		
109.00	28,628	113.25	28,956		
109.25	28,656	113.50	28,965		
109.50	28,683	113.75	28,973		
109.75	28,709	114.00	28,980		
110.00	28,735	114.25	28,986		
110.25	28,759	114.50	28,992		



## Capacity/Gauge Table Information

**TCLX 290341**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 141

Reporting Mark: TCLX 290341

Date: 24/08/2015

Capacity: 28,964 US Gallons (109,642 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,337	12.75	2,218	17.00	3,203
0.25	28	4.50	623	8.75	1,385	13.00	2,274	17.25	3,264
0.50	57	4.75	664	9.00	1,434	13.25	2,329	17.50	3,325
0.75	87	5.00	705	9.25	1,484	13.50	2,385	17.75	3,386
1.00	118	5.25	747	9.50	1,534	13.75	2,442	18.00	3,448
1.25	150	5.50	790	9.75	1,584	14.00	2,498	18.25	3,510
1.50	182	5.75	833	10.00	1,635	14.25	2,555	18.50	3,572
1.75	215	6.00	876	10.25	1,686	14.50	2,613	18.75	3,634
2.00	249	6.25	920	10.50	1,737	14.75	2,670	19.00	3,697
2.25	284	6.50	964	10.75	1,789	15.00	2,728	19.25	3,760
2.50	319	6.75	1,009	11.00	1,842	15.25	2,786	19.50	3,823
2.75	355	7.00	1,055	11.25	1,894	15.50	2,845	19.75	3,887
3.00	391	7.25	1,100	11.50	1,947	15.75	2,904	20.00	3,951
3.25	429	7.50	1,147	11.75	2,001	16.00	2,963	20.25	4,015
3.50	466	7.75	1,194	12.00	2,055	16.25	3,023	20.50	4,079
3.75	505	8.00	1,241	12.25	2,109	16.50	3,083	20.75	4,143
4.00	544	8.25	1,289	12.50	2,163	16.75	3,143	21.00	4,208





## Capacity/Gauge Table Information

**TCLX 290341**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 141

Reporting Mark: TCLX 290341

Date: 24/08/2015

Capacity: 28,964 US Gallons (109,642 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,273	25.50	5,414	29.75	6,614	34.00	7,862	38.25	9,149
21.50	4,339	25.75	5,483	30.00	6,686	34.25	7,937	38.50	9,226
21.75	4,404	26.00	5,552	30.25	6,759	34.50	8,012	38.75	9,303
22.00	4,470	26.25	5,622	30.50	6,831	34.75	8,087	39.00	9,380
22.25	4,536	26.50	5,692	30.75	6,904	35.00	8,162	39.25	9,457
22.50	4,602	26.75	5,761	31.00	6,977	35.25	8,237	39.50	9,534
22.75	4,668	27.00	5,831	31.25	7,050	35.50	8,313	39.75	9,611
23.00	4,735	27.25	5,902	31.50	7,123	35.75	8,388	40.00	9,689
23.25	4,802	27.50	5,972	31.75	7,196	36.00	8,464	40.25	9,766
23.50	4,869	27.75	6,043	32.00	7,269	36.25	8,539	40.50	9,844
23.75	4,937	28.00	6,113	32.25	7,343	36.50	8,615	40.75	9,921
24.00	5,004	28.25	6,184	32.50	7,417	36.75	8,691	41.00	9,999
24.25	5,072	28.50	6,256	32.75	7,491	37.00	8,767	41.25	10,077
24.50	5,140	28.75	6,327	33.00	7,565	37.25	8,844	41.50	10,155
24.75	5,208	29.00	6,398	33.25	7,639	37.50	8,920	41.75	10,233
25.00	5,277	29.25	6,470	33.50	7,713	37.75	8,996	42.00	10,311
25.25	5,345	29.50	6,542	33.75	7,788	38.00	9,073	42.25	10,389



## Capacity/Gauge Table Information

**TCLX 290341**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 141

Reporting Mark: TCLX 290341

Date: 24/08/2015

Capacity: 28,964 US Gallons (109,642 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,467	46.75	11,806	51.00	13,160	55.25	14,519	59.50	15,878
42.75	10,545	47.00	11,886	51.25	13,239	55.50	14,599	59.75	15,957
43.00	10,623	47.25	11,965	51.50	13,319	55.75	14,679	60.00	16,037
43.25	10,702	47.50	12,044	51.75	13,399	56.00	14,759	60.25	16,117
43.50	10,780	47.75	12,124	52.00	13,479	56.25	14,839	60.50	16,196
43.75	10,859	48.00	12,203	52.25	13,559	56.50	14,919	60.75	16,276
44.00	10,937	48.25	12,283	52.50	13,639	56.75	14,999	61.00	16,355
44.25	11,016	48.50	12,362	52.75	13,719	57.00	15,079	61.25	16,435
44.50	11,095	48.75	12,442	53.00	13,799	57.25	15,159	61.50	16,514
44.75	11,174	49.00	12,521	53.25	13,879	57.50	15,239	61.75	16,594
45.00	11,253	49.25	12,601	53.50	13,959	57.75	15,319	62.00	16,673
45.25	11,331	49.50	12,681	53.75	14,039	58.00	15,399	62.25	16,752
45.50	11,410	49.75	12,761	54.00	14,119	58.25	15,479	62.50	16,832
45.75	11,490	50.00	12,840	54.25	14,199	58.50	15,559	62.75	16,911
46.00	11,569	50.25	12,920	54.50	14,279	58.75	15,638	63.00	16,990
46.25	11,648	50.50	13,000	54.75	14,359	59.00	15,718	63.25	17,069
46.50	11,727	50.75	13,080	55.00	14,439	59.25	15,798	63.50	17,148



## Capacity/Gauge Table Information

**TCLX 290341**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 141

Reporting Mark: TCLX 290341

Date: 24/08/2015

Capacity: 28,964 US Gallons (109,642 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,227	68.00	18,560	72.25	19,868	76.50	21,142	80.75	22,375
64.00	17,306	68.25	18,637	72.50	19,944	76.75	21,216	81.00	22,446
64.25	17,385	68.50	18,715	72.75	20,019	77.00	21,290	81.25	22,517
64.50	17,464	68.75	18,793	73.00	20,095	77.25	21,363	81.50	22,587
64.75	17,542	69.00	18,870	73.25	20,171	77.50	21,436	81.75	22,658
65.00	17,621	69.25	18,947	73.50	20,246	77.75	21,510	82.00	22,728
65.25	17,700	69.50	19,025	73.75	20,322	78.00	21,583	82.25	22,798
65.50	17,778	69.75	19,102	74.00	20,397	78.25	21,656	82.50	22,868
65.75	17,857	70.00	19,179	74.25	20,472	78.50	21,728	82.75	22,938
66.00	17,935	70.25	19,256	74.50	20,547	78.75	21,801	83.00	23,007
66.25	18,013	70.50	19,333	74.75	20,622	79.00	21,873	83.25	23,077
66.50	18,092	70.75	19,409	75.00	20,697	79.25	21,945	83.50	23,146
66.75	18,170	71.00	19,486	75.25	20,771	79.50	22,017	83.75	23,214
67.00	18,248	71.25	19,563	75.50	20,846	79.75	22,089	84.00	23,283
67.25	18,326	71.50	19,639	75.75	20,920	80.00	22,161	84.25	23,352
67.50	18,404	71.75	19,715	76.00	20,994	80.25	22,232	84.50	23,420
67.75	18,482	72.00	19,791	76.25	21,068	80.50	22,304	84.75	23,488



## Capacity/Gauge Table Information

**TCLX 290341**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 141

Reporting Mark: TCLX 290341

Date: 24/08/2015

Capacity: 28,964 US Gallons (109,642 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,556	89.25	24,674	93.50	25,717	97.75	26,670	102.00	27,512
85.25	23,623	89.50	24,738	93.75	25,776	98.00	26,722	102.25	27,558
85.50	23,691	89.75	24,801	94.00	25,834	98.25	26,775	102.50	27,603
85.75	23,758	90.00	24,864	94.25	25,892	98.50	26,827	102.75	27,648
86.00	23,825	90.25	24,927	94.50	25,950	98.75	26,879	103.00	27,692
86.25	23,892	90.50	24,989	94.75	26,007	99.00	26,930	103.25	27,736
86.50	23,958	90.75	25,051	95.00	26,064	99.25	26,981	103.50	27,779
86.75	24,024	91.00	25,113	95.25	26,121	99.50	27,031	103.75	27,822
87.00	24,091	91.25	25,175	95.50	26,177	99.75	27,081	104.00	27,864
87.25	24,156	91.50	25,236	95.75	26,234	100.00	27,131	104.25	27,905
87.50	24,222	91.75	25,297	96.00	26,289	100.25	27,180	104.50	27,947
87.75	24,287	92.00	25,358	96.25	26,345	100.50	27,229	104.75	27,987
88.00	24,352	92.25	25,419	96.50	26,400	100.75	27,277	105.00	28,027
88.25	24,417	92.50	25,479	96.75	26,454	101.00	27,325	105.25	28,066
88.50	24,482	92.75	25,539	97.00	26,509	101.25	27,373	105.50	28,105
88.75	24,546	93.00	25,599	97.25	26,563	101.50	27,420	105.75	28,143
89.00	24,610	93.25	25,658	97.50	26,616	101.75	27,466	106.00	28,181



## Capacity/Gauge Table Information

**TCLX 290341**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 141

Reporting Mark: TCLX 290341

Date: 24/08/2015

Capacity: 28,964 US Gallons (109,642 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,218	110.50	28,735	114.75	28,951
106.50	28,254	110.75	28,758	115.00	28,955
106.75	28,290	111.00	28,778	115.25	28,958
107.00	28,325	111.25	28,798	115.50	28,960
107.25	28,360	111.50	28,816	115.75	28,962
107.50	28,393	111.75	28,833	116.00	28,963
107.75	28,426	112.00	28,849	116.25	28,964
108.00	28,458	112.25	28,863	116.50	28,964
108.25	28,490	112.50	28,877	116.75	28,964
108.50	28,521	112.75	28,889		
108.75	28,551	113.00	28,900		
109.00	28,580	113.25	28,910		
109.25	28,608	113.50	28,920		
109.50	28,636	113.75	28,928		
109.75	28,662	114.00	28,935		
110.00	28,688	114.25	28,941		
110.25	28,712	114.50	28,946		



## Capacity/Gauge Table Information

**TCLX 290342**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 142

Reporting Mark: TCLX 290342

Date: 21/08/2015

Capacity: 28,947 US Gallons (109,576 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	592	8.50	1,352	12.75	2,238	17.00	3,228
0.25	29	4.50	632	8.75	1,401	13.00	2,294	17.25	3,289
0.50	59	4.75	673	9.00	1,450	13.25	2,350	17.50	3,350
0.75	89	5.00	715	9.25	1,500	13.50	2,406	17.75	3,411
1.00	121	5.25	757	9.50	1,550	13.75	2,463	18.00	3,473
1.25	153	5.50	800	9.75	1,601	14.00	2,520	18.25	3,535
1.50	186	5.75	843	10.00	1,652	14.25	2,577	18.50	3,598
1.75	219	6.00	887	10.25	1,703	14.50	2,635	18.75	3,660
2.00	254	6.25	932	10.50	1,755	14.75	2,692	19.00	3,723
2.25	289	6.50	976	10.75	1,807	15.00	2,751	19.25	3,787
2.50	324	6.75	1,022	11.00	1,860	15.25	2,809	19.50	3,850
2.75	361	7.00	1,067	11.25	1,913	15.50	2,868	19.75	3,914
3.00	398	7.25	1,114	11.50	1,966	15.75	2,927	20.00	3,978
3.25	435	7.50	1,160	11.75	2,020	16.00	2,987	20.25	4,042
3.50	473	7.75	1,207	12.00	2,074	16.25	3,047	20.50	4,106
3.75	512	8.00	1,255	12.25	2,128	16.50	3,107	20.75	4,171
4.00	552	8.25	1,303	12.50	2,183	16.75	3,167	21.00	4,236



## Capacity/Gauge Table Information

**TCLX 290342**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 142

Reporting Mark: TCLX 290342

Date: 21/08/2015

Capacity: 28,947 US Gallons (109,576 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,301	25.50	5,446	29.75	6,648	34.00	7,899	38.25	9,188
21.50	4,367	25.75	5,515	30.00	6,720	34.25	7,973	38.50	9,265
21.75	4,433	26.00	5,584	30.25	6,793	34.50	8,048	38.75	9,341
22.00	4,499	26.25	5,654	30.50	6,866	34.75	8,124	39.00	9,419
22.25	4,565	26.50	5,724	30.75	6,938	35.00	8,199	39.25	9,496
22.50	4,631	26.75	5,794	31.00	7,011	35.25	8,274	39.50	9,573
22.75	4,698	27.00	5,864	31.25	7,084	35.50	8,350	39.75	9,650
23.00	4,765	27.25	5,934	31.50	7,158	35.75	8,425	40.00	9,728
23.25	4,832	27.50	6,005	31.75	7,231	36.00	8,501	40.25	9,805
23.50	4,899	27.75	6,076	32.00	7,305	36.25	8,577	40.50	9,883
23.75	4,967	28.00	6,147	32.25	7,378	36.50	8,653	40.75	9,960
24.00	5,034	28.25	6,218	32.50	7,452	36.75	8,729	41.00	10,038
24.25	5,102	28.50	6,289	32.75	7,526	37.00	8,805	41.25	10,116
24.50	5,171	28.75	6,360	33.00	7,601	37.25	8,881	41.50	10,194
24.75	5,239	29.00	6,432	33.25	7,675	37.50	8,958	41.75	10,272
25.00	5,308	29.25	6,504	33.50	7,749	37.75	9,034	42.00	10,350
25.25	5,377	29.50	6,576	33.75	7,824	38.00	9,111	42.25	10,428





## Capacity/Gauge Table Information

**TCLX 290342**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 142

Reporting Mark: TCLX 290342

Date: 21/08/2015

Capacity: 28,947 US Gallons (109,576 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,507	46.75	11,847	51.00	13,201	55.25	14,561	59.50	15,920
42.75	10,585	47.00	11,926	51.25	13,281	55.50	14,641	59.75	15,999
43.00	10,663	47.25	12,006	51.50	13,361	55.75	14,721	60.00	16,079
43.25	10,742	47.50	12,085	51.75	13,441	56.00	14,801	60.25	16,159
43.50	10,820	47.75	12,165	52.00	13,521	56.25	14,881	60.50	16,238
43.75	10,899	48.00	12,244	52.25	13,601	56.50	14,961	60.75	16,318
44.00	10,978	48.25	12,324	52.50	13,681	56.75	15,041	61.00	16,397
44.25	11,056	48.50	12,403	52.75	13,761	57.00	15,121	61.25	16,477
44.50	11,135	48.75	12,483	53.00	13,841	57.25	15,201	61.50	16,556
44.75	11,214	49.00	12,563	53.25	13,921	57.50	15,281	61.75	16,636
45.00	11,293	49.25	12,642	53.50	14,001	57.75	15,361	62.00	16,715
45.25	11,372	49.50	12,722	53.75	14,081	58.00	15,441	62.25	16,794
45.50	11,451	49.75	12,802	54.00	14,161	58.25	15,521	62.50	16,873
45.75	11,530	50.00	12,882	54.25	14,241	58.50	15,601	62.75	16,953
46.00	11,609	50.25	12,962	54.50	14,321	58.75	15,680	63.00	17,032
46.25	11,689	50.50	13,041	54.75	14,401	59.00	15,760	63.25	17,111
46.50	11,768	50.75	13,121	55.00	14,481	59.25	15,840	63.50	17,190



## Capacity/Gauge Table Information

**TCLX 290342**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 142

Reporting Mark: TCLX 290342

Date: 21/08/2015

Capacity: 28,947 US Gallons (109,576 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,269	68.00	18,601	72.25	19,907	76.50	21,181	80.75	22,411
64.00	17,348	68.25	18,678	72.50	19,983	76.75	21,254	81.00	22,482
64.25	17,427	68.50	18,756	72.75	20,059	77.00	21,328	81.25	22,553
64.50	17,505	68.75	18,833	73.00	20,135	77.25	21,401	81.50	22,623
64.75	17,584	69.00	18,911	73.25	20,210	77.50	21,474	81.75	22,694
65.00	17,663	69.25	18,988	73.50	20,286	77.75	21,547	82.00	22,764
65.25	17,741	69.50	19,065	73.75	20,361	78.00	21,620	82.25	22,834
65.50	17,820	69.75	19,142	74.00	20,436	78.25	21,693	82.50	22,903
65.75	17,898	70.00	19,219	74.25	20,511	78.50	21,766	82.75	22,973
66.00	17,977	70.25	19,296	74.50	20,586	78.75	21,838	83.00	23,042
66.25	18,055	70.50	19,373	74.75	20,661	79.00	21,910	83.25	23,111
66.50	18,133	70.75	19,450	75.00	20,736	79.25	21,982	83.50	23,180
66.75	18,211	71.00	19,526	75.25	20,810	79.50	22,054	83.75	23,249
67.00	18,289	71.25	19,603	75.50	20,885	79.75	22,126	84.00	23,317
67.25	18,367	71.50	19,679	75.75	20,959	80.00	22,198	84.25	23,386
67.50	18,445	71.75	19,755	76.00	21,033	80.25	22,269	84.50	23,454
67.75	18,523	72.00	19,831	76.25	21,107	80.50	22,340	84.75	23,522



## Capacity/Gauge Table Information

**TCLX 290342**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 142

Reporting Mark: TCLX 290342

Date: 21/08/2015

Capacity: 28,947 US Gallons (109,576 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,589	89.25	24,704	93.50	25,744	97.75	26,691	102.00	27,528
85.25	23,657	89.50	24,768	93.75	25,802	98.00	26,744	102.25	27,574
85.50	23,724	89.75	24,831	94.00	25,860	98.25	26,796	102.50	27,618
85.75	23,791	90.00	24,894	94.25	25,918	98.50	26,848	102.75	27,663
86.00	23,858	90.25	24,956	94.50	25,975	98.75	26,899	103.00	27,706
86.25	23,924	90.50	25,019	94.75	26,033	99.00	26,950	103.25	27,750
86.50	23,991	90.75	25,081	95.00	26,089	99.25	27,001	103.50	27,793
86.75	24,057	91.00	25,142	95.25	26,146	99.50	27,051	103.75	27,835
87.00	24,123	91.25	25,204	95.50	26,202	99.75	27,101	104.00	27,876
87.25	24,188	91.50	25,265	95.75	26,258	100.00	27,150	104.25	27,918
87.50	24,254	91.75	25,326	96.00	26,313	100.25	27,199	104.50	27,958
87.75	24,319	92.00	25,386	96.25	26,368	100.50	27,247	104.75	27,998
88.00	24,384	92.25	25,447	96.50	26,423	100.75	27,295	105.00	28,038
88.25	24,448	92.50	25,507	96.75	26,478	101.00	27,343	105.25	28,077
88.50	24,513	92.75	25,566	97.00	26,532	101.25	27,390	105.50	28,115
88.75	24,577	93.00	25,626	97.25	26,585	101.50	27,437	105.75	28,153
89.00	24,641	93.25	25,685	97.50	26,638	101.75	27,483	106.00	28,190



## Capacity/Gauge Table Information

**TCLX 290342**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 142

Reporting Mark: TCLX 290342

Date: 21/08/2015

Capacity: 28,947 US Gallons (109,576 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,226	110.50	28,731	114.75	28,934
106.50	28,262	110.75	28,752	115.00	28,938
106.75	28,297	111.00	28,771	115.25	28,941
107.00	28,332	111.25	28,790	115.50	28,943
107.25	28,365	111.50	28,807	115.75	28,945
107.50	28,399	111.75	28,823	116.00	28,946
107.75	28,431	112.00	28,838	116.25	28,946
108.00	28,463	112.25	28,852	116.50	28,947
108.25	28,493	112.50	28,864	116.75	28,947
108.50	28,523	112.75	28,876		
108.75	28,553	113.00	28,886		
109.00	28,581	113.25	28,896		
109.25	28,609	113.50	28,905		
109.50	28,635	113.75	28,912		
109.75	28,661	114.00	28,919		
110.00	28,685	114.25	28,925		
110.25	28,709	114.50	28,930		



## Capacity/Gauge Table Information

**TCLX 290343**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 143

Reporting Mark: TCLX 290343

Date: 28/08/2015

Capacity: 29,045 US Gallons (109,946 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	597	8.50	1,361	12.75	2,251	17.00	3,243
0.25	29	4.50	638	8.75	1,410	13.00	2,307	17.25	3,304
0.50	59	4.75	679	9.00	1,460	13.25	2,363	17.50	3,366
0.75	90	5.00	721	9.25	1,510	13.50	2,419	17.75	3,427
1.00	122	5.25	764	9.50	1,560	13.75	2,476	18.00	3,489
1.25	155	5.50	807	9.75	1,611	14.00	2,533	18.25	3,551
1.50	188	5.75	850	10.00	1,662	14.25	2,590	18.50	3,614
1.75	222	6.00	894	10.25	1,714	14.50	2,648	18.75	3,677
2.00	256	6.25	939	10.50	1,766	14.75	2,706	19.00	3,740
2.25	292	6.50	984	10.75	1,818	15.00	2,765	19.25	3,803
2.50	328	6.75	1,029	11.00	1,871	15.25	2,823	19.50	3,867
2.75	364	7.00	1,075	11.25	1,924	15.50	2,882	19.75	3,931
3.00	402	7.25	1,122	11.50	1,978	15.75	2,942	20.00	3,995
3.25	440	7.50	1,169	11.75	2,032	16.00	3,001	20.25	4,059
3.50	478	7.75	1,216	12.00	2,086	16.25	3,061	20.50	4,124
3.75	517	8.00	1,264	12.25	2,140	16.50	3,122	20.75	4,189
4.00	557	8.25	1,312	12.50	2,196	16.75	3,182	21.00	4,254



## Capacity/Gauge Table Information

**TCLX 290343**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 143

Reporting Mark: TCLX 290343

Date: 28/08/2015

Capacity: 29,045 US Gallons (109,946 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,319	25.50	5,466	29.75	6,671	34.00	7,924	38.25	9,215
21.50	4,385	25.75	5,535	30.00	6,743	34.25	7,999	38.50	9,292
21.75	4,451	26.00	5,605	30.25	6,816	34.50	8,074	38.75	9,369
22.00	4,517	26.25	5,675	30.50	6,889	34.75	8,149	39.00	9,446
22.25	4,583	26.50	5,745	30.75	6,962	35.00	8,224	39.25	9,523
22.50	4,650	26.75	5,815	31.00	7,035	35.25	8,300	39.50	9,601
22.75	4,717	27.00	5,885	31.25	7,108	35.50	8,375	39.75	9,678
23.00	4,784	27.25	5,956	31.50	7,181	35.75	8,451	40.00	9,756
23.25	4,851	27.50	6,026	31.75	7,255	36.00	8,527	40.25	9,833
23.50	4,918	27.75	6,097	32.00	7,329	36.25	8,603	40.50	9,911
23.75	4,986	28.00	6,168	32.25	7,403	36.50	8,679	40.75	9,989
24.00	5,054	28.25	6,240	32.50	7,477	36.75	8,755	41.00	10,067
24.25	5,122	28.50	6,311	32.75	7,551	37.00	8,832	41.25	10,145
24.50	5,190	28.75	6,383	33.00	7,625	37.25	8,908	41.50	10,223
24.75	5,259	29.00	6,454	33.25	7,699	37.50	8,985	41.75	10,301
25.00	5,328	29.25	6,526	33.50	7,774	37.75	9,061	42.00	10,379
25.25	5,397	29.50	6,598	33.75	7,849	38.00	9,138	42.25	10,458



## Capacity/Gauge Table Information

**TCLX 290343**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 143

Reporting Mark: TCLX 290343

Date: 28/08/2015

Capacity: 29,045 US Gallons (109,946 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,536	46.75	11,879	51.00	13,235	55.25	14,598	59.50	15,958
42.75	10,614	47.00	11,958	51.25	13,315	55.50	14,678	59.75	16,038
43.00	10,693	47.25	12,038	51.50	13,395	55.75	14,758	60.00	16,118
43.25	10,772	47.50	12,117	51.75	13,475	56.00	14,838	60.25	16,198
43.50	10,850	47.75	12,197	52.00	13,555	56.25	14,918	60.50	16,277
43.75	10,929	48.00	12,277	52.25	13,636	56.50	14,998	60.75	16,357
44.00	11,008	48.25	12,356	52.50	13,716	56.75	15,078	61.00	16,437
44.25	11,087	48.50	12,436	52.75	13,796	57.00	15,158	61.25	16,516
44.50	11,166	48.75	12,516	53.00	13,876	57.25	15,239	61.50	16,596
44.75	11,245	49.00	12,596	53.25	13,956	57.50	15,319	61.75	16,675
45.00	11,324	49.25	12,675	53.50	14,036	57.75	15,399	62.00	16,755
45.25	11,403	49.50	12,755	53.75	14,116	58.00	15,479	62.25	16,834
45.50	11,482	49.75	12,835	54.00	14,197	58.25	15,559	62.50	16,914
45.75	11,561	50.00	12,915	54.25	14,277	58.50	15,639	62.75	16,993
46.00	11,641	50.25	12,995	54.50	14,357	58.75	15,719	63.00	17,072
46.25	11,720	50.50	13,075	54.75	14,437	59.00	15,799	63.25	17,152
46.50	11,799	50.75	13,155	55.00	14,517	59.25	15,878	63.50	17,231





## Capacity/Gauge Table Information

**TCLX 290343**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 143

Reporting Mark: TCLX 290343

Date: 28/08/2015

Capacity: 29,045 US Gallons (109,946 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,310	68.00	18,644	72.25	19,954	76.50	21,230	80.75	22,463
64.00	17,389	68.25	18,722	72.50	20,030	76.75	21,303	81.00	22,534
64.25	17,468	68.50	18,800	72.75	20,106	77.00	21,377	81.25	22,605
64.50	17,547	68.75	18,877	73.00	20,181	77.25	21,451	81.50	22,676
64.75	17,626	69.00	18,955	73.25	20,257	77.50	21,524	81.75	22,746
65.00	17,704	69.25	19,032	73.50	20,333	77.75	21,597	82.00	22,817
65.25	17,783	69.50	19,110	73.75	20,408	78.00	21,670	82.25	22,887
65.50	17,862	69.75	19,187	74.00	20,484	78.25	21,743	82.50	22,957
65.75	17,940	70.00	19,264	74.25	20,559	78.50	21,816	82.75	23,026
66.00	18,019	70.25	19,341	74.50	20,634	78.75	21,889	83.00	23,096
66.25	18,097	70.50	19,418	74.75	20,709	79.00	21,961	83.25	23,165
66.50	18,176	70.75	19,495	75.00	20,784	79.25	22,033	83.50	23,234
66.75	18,254	71.00	19,572	75.25	20,858	79.50	22,105	83.75	23,303
67.00	18,332	71.25	19,648	75.50	20,933	79.75	22,177	84.00	23,372
67.25	18,410	71.50	19,725	75.75	21,007	80.00	22,249	84.25	23,440
67.50	18,488	71.75	19,801	76.00	21,082	80.25	22,321	84.50	23,509
67.75	18,566	72.00	19,877	76.25	21,156	80.50	22,392	84.75	23,577



## Capacity/Gauge Table Information

**TCLX 290343**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 143

Reporting Mark: TCLX 290343

Date: 28/08/2015

Capacity: 29,045 US Gallons (109,946 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,645	89.25	24,763	93.50	25,806	97.75	26,759	102.00	27,601
85.25	23,712	89.50	24,827	93.75	25,865	98.00	26,811	102.25	27,646
85.50	23,780	89.75	24,890	94.00	25,923	98.25	26,864	102.50	27,691
85.75	23,847	90.00	24,953	94.25	25,981	98.50	26,916	102.75	27,736
86.00	23,914	90.25	25,016	94.50	26,039	98.75	26,967	103.00	27,780
86.25	23,981	90.50	25,078	94.75	26,096	99.00	27,019	103.25	27,824
86.50	24,047	90.75	25,141	95.00	26,154	99.25	27,070	103.50	27,867
86.75	24,114	91.00	25,203	95.25	26,210	99.50	27,120	103.75	27,909
87.00	24,180	91.25	25,264	95.50	26,267	99.75	27,170	104.00	27,951
87.25	24,245	91.50	25,326	95.75	26,323	100.00	27,220	104.25	27,993
87.50	24,311	91.75	25,387	96.00	26,378	100.25	27,269	104.50	28,034
87.75	24,376	92.00	25,448	96.25	26,434	100.50	27,318	104.75	28,074
88.00	24,442	92.25	25,508	96.50	26,489	100.75	27,366	105.00	28,114
88.25	24,506	92.50	25,568	96.75	26,544	101.00	27,414	105.25	28,154
88.50	24,571	92.75	25,628	97.00	26,598	101.25	27,461	105.50	28,192
88.75	24,635	93.00	25,688	97.25	26,652	101.50	27,508	105.75	28,230
89.00	24,699	93.25	25,747	97.50	26,705	101.75	27,555	106.00	28,268



## Capacity/Gauge Table Information

**TCLX 290343**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 143

Reporting Mark: TCLX 290343

Date: 28/08/2015

Capacity: 29,045 US Gallons (109,946 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,305	110.50	28,819	114.75	29,032
106.50	28,341	110.75	28,841	115.00	29,035
106.75	28,377	111.00	28,861	115.25	29,038
107.00	28,411	111.25	28,881	115.50	29,041
107.25	28,446	111.50	28,899	115.75	29,042
107.50	28,479	111.75	28,915	116.00	29,044
107.75	28,512	112.00	28,931	116.25	29,044
108.00	28,544	112.25	28,945	116.50	29,045
108.25	28,576	112.50	28,958	116.75	29,045
108.50	28,606	112.75	28,971		
108.75	28,636	113.00	28,982		
109.00	28,665	113.25	28,992		
109.25	28,693	113.50	29,000		
109.50	28,720	113.75	29,008		
109.75	28,747	114.00	29,016		
110.00	28,772	114.25	29,022		
110.25	28,796	114.50	29,027		



## Capacity/Gauge Table Information

**TCLX 290344**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 144

Reporting Mark: TCLX 290344

Date: 26/08/2015

Capacity: 29,035 US Gallons (109,908 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	595	8.50	1,357	12.75	2,246	17.00	3,236
0.25	29	4.50	636	8.75	1,406	13.00	2,301	17.25	3,297
0.50	59	4.75	677	9.00	1,455	13.25	2,357	17.50	3,359
0.75	90	5.00	719	9.25	1,505	13.50	2,414	17.75	3,420
1.00	122	5.25	761	9.50	1,556	13.75	2,470	18.00	3,482
1.25	154	5.50	804	9.75	1,606	14.00	2,527	18.25	3,545
1.50	187	5.75	847	10.00	1,658	14.25	2,585	18.50	3,607
1.75	221	6.00	891	10.25	1,709	14.50	2,642	18.75	3,670
2.00	255	6.25	936	10.50	1,761	14.75	2,700	19.00	3,733
2.25	290	6.50	981	10.75	1,813	15.00	2,759	19.25	3,796
2.50	326	6.75	1,026	11.00	1,866	15.25	2,817	19.50	3,860
2.75	363	7.00	1,072	11.25	1,919	15.50	2,876	19.75	3,923
3.00	400	7.25	1,118	11.50	1,973	15.75	2,936	20.00	3,987
3.25	438	7.50	1,165	11.75	2,027	16.00	2,995	20.25	4,052
3.50	476	7.75	1,212	12.00	2,081	16.25	3,055	20.50	4,116
3.75	515	8.00	1,260	12.25	2,135	16.50	3,115	20.75	4,181
4.00	555	8.25	1,308	12.50	2,190	16.75	3,176	21.00	4,246



## Capacity/Gauge Table Information

**TCLX 290344**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 144

Reporting Mark: TCLX 290344

Date: 26/08/2015

Capacity: 29,035 US Gallons (109,908 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,312	25.50	5,457	29.75	6,661	34.00	7,913	38.25	9,203
21.50	4,377	25.75	5,526	30.00	6,733	34.25	7,988	38.50	9,280
21.75	4,443	26.00	5,596	30.25	6,806	34.50	8,063	38.75	9,357
22.00	4,509	26.25	5,666	30.50	6,879	34.75	8,138	39.00	9,434
22.25	4,575	26.50	5,735	30.75	6,951	35.00	8,213	39.25	9,511
22.50	4,642	26.75	5,806	31.00	7,025	35.25	8,289	39.50	9,589
22.75	4,708	27.00	5,876	31.25	7,098	35.50	8,364	39.75	9,666
23.00	4,775	27.25	5,946	31.50	7,171	35.75	8,440	40.00	9,744
23.25	4,843	27.50	6,017	31.75	7,245	36.00	8,516	40.25	9,821
23.50	4,910	27.75	6,088	32.00	7,318	36.25	8,592	40.50	9,899
23.75	4,978	28.00	6,159	32.25	7,392	36.50	8,668	40.75	9,977
24.00	5,045	28.25	6,230	32.50	7,466	36.75	8,744	41.00	10,055
24.25	5,114	28.50	6,301	32.75	7,540	37.00	8,820	41.25	10,132
24.50	5,182	28.75	6,373	33.00	7,614	37.25	8,896	41.50	10,210
24.75	5,250	29.00	6,445	33.25	7,689	37.50	8,973	41.75	10,289
25.00	5,319	29.25	6,517	33.50	7,763	37.75	9,050	42.00	10,367
25.25	5,388	29.50	6,589	33.75	7,838	38.00	9,126	42.25	10,445



## Capacity/Gauge Table Information

**TCLX 290344**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 144

Reporting Mark: TCLX 290344

Date: 26/08/2015

Capacity: 29,035 US Gallons (109,908 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,523	46.75	11,865	51.00	13,221	55.25	14,583	59.50	15,943
42.75	10,602	47.00	11,945	51.25	13,301	55.50	14,663	59.75	16,023
43.00	10,680	47.25	12,024	51.50	13,381	55.75	14,743	60.00	16,102
43.25	10,759	47.50	12,104	51.75	13,461	56.00	14,823	60.25	16,182
43.50	10,837	47.75	12,183	52.00	13,541	56.25	14,903	60.50	16,262
43.75	10,916	48.00	12,263	52.25	13,621	56.50	14,983	60.75	16,342
44.00	10,995	48.25	12,343	52.50	13,701	56.75	15,063	61.00	16,421
44.25	11,074	48.50	12,422	52.75	13,781	57.00	15,143	61.25	16,501
44.50	11,153	48.75	12,502	53.00	13,862	57.25	15,223	61.50	16,580
44.75	11,232	49.00	12,582	53.25	13,942	57.50	15,304	61.75	16,660
45.00	11,311	49.25	12,662	53.50	14,022	57.75	15,384	62.00	16,739
45.25	11,390	49.50	12,741	53.75	14,102	58.00	15,464	62.25	16,819
45.50	11,469	49.75	12,821	54.00	14,182	58.25	15,543	62.50	16,898
45.75	11,548	50.00	12,901	54.25	14,262	58.50	15,623	62.75	16,977
46.00	11,627	50.25	12,981	54.50	14,342	58.75	15,703	63.00	17,057
46.25	11,707	50.50	13,061	54.75	14,422	59.00	15,783	63.25	17,136
46.50	11,786	50.75	13,141	55.00	14,503	59.25	15,863	63.50	17,215



## Capacity/Gauge Table Information

**TCLX 290344**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 144

Reporting Mark: TCLX 290344

Date: 26/08/2015

Capacity: 29,035 US Gallons (109,908 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,294	68.00	18,628	72.25	19,937	76.50	21,213	80.75	22,446
64.00	17,373	68.25	18,706	72.50	20,013	76.75	21,287	81.00	22,517
64.25	17,452	68.50	18,783	72.75	20,089	77.00	21,360	81.25	22,588
64.50	17,531	68.75	18,861	73.00	20,165	77.25	21,434	81.50	22,659
64.75	17,610	69.00	18,939	73.25	20,241	77.50	21,507	81.75	22,729
65.00	17,688	69.25	19,016	73.50	20,316	77.75	21,580	82.00	22,800
65.25	17,767	69.50	19,093	73.75	20,392	78.00	21,654	82.25	22,870
65.50	17,846	69.75	19,170	74.00	20,467	78.25	21,726	82.50	22,940
65.75	17,924	70.00	19,248	74.25	20,542	78.50	21,799	82.75	23,010
66.00	18,003	70.25	19,325	74.50	20,617	78.75	21,872	83.00	23,079
66.25	18,081	70.50	19,402	74.75	20,692	79.00	21,944	83.25	23,148
66.50	18,160	70.75	19,478	75.00	20,767	79.25	22,016	83.50	23,218
66.75	18,238	71.00	19,555	75.25	20,842	79.50	22,089	83.75	23,286
67.00	18,316	71.25	19,632	75.50	20,916	79.75	22,160	84.00	23,355
67.25	18,394	71.50	19,708	75.75	20,991	80.00	22,232	84.25	23,424
67.50	18,472	71.75	19,785	76.00	21,065	80.25	22,304	84.50	23,492
67.75	18,550	72.00	19,861	76.25	21,139	80.50	22,375	84.75	23,560





## Capacity/Gauge Table Information

**TCLX 290344**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 144

Reporting Mark: TCLX 290344

Date: 26/08/2015

Capacity: 29,035 US Gallons (109,908 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,628	89.25	24,747	93.50	25,790	97.75	26,743	102.00	27,586
85.25	23,696	89.50	24,810	93.75	25,849	98.00	26,796	102.25	27,631
85.50	23,763	89.75	24,874	94.00	25,907	98.25	26,848	102.50	27,677
85.75	23,830	90.00	24,937	94.25	25,965	98.50	26,900	102.75	27,721
86.00	23,897	90.25	24,999	94.50	26,023	98.75	26,952	103.00	27,765
86.25	23,964	90.50	25,062	94.75	26,080	99.00	27,003	103.25	27,809
86.50	24,031	90.75	25,124	95.00	26,138	99.25	27,054	103.50	27,852
86.75	24,097	91.00	25,186	95.25	26,194	99.50	27,105	103.75	27,895
87.00	24,163	91.25	25,248	95.50	26,251	99.75	27,155	104.00	27,937
87.25	24,229	91.50	25,309	95.75	26,307	100.00	27,204	104.25	27,979
87.50	24,294	91.75	25,370	96.00	26,363	100.25	27,254	104.50	28,020
87.75	24,360	92.00	25,431	96.25	26,418	100.50	27,302	104.75	28,060
88.00	24,425	92.25	25,492	96.50	26,473	100.75	27,351	105.00	28,100
88.25	24,490	92.50	25,552	96.75	26,528	101.00	27,399	105.25	28,139
88.50	24,554	92.75	25,612	97.00	26,582	101.25	27,446	105.50	28,178
88.75	24,619	93.00	25,672	97.25	26,636	101.50	27,493	105.75	28,216
89.00	24,683	93.25	25,731	97.50	26,690	101.75	27,540	106.00	28,254



## Capacity/Gauge Table Information

**TCLX 290344**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 144

Reporting Mark: TCLX 290344

Date: 26/08/2015

Capacity: 29,035 US Gallons (109,908 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,291	110.50	28,807	114.75	29,021
106.50	28,327	110.75	28,829	115.00	29,025
106.75	28,363	111.00	28,850	115.25	29,028
107.00	28,398	111.25	28,869	115.50	29,031
107.25	28,432	111.50	28,887	115.75	29,032
107.50	28,466	111.75	28,904	116.00	29,033
107.75	28,499	112.00	28,920	116.25	29,034
108.00	28,531	112.25	28,934	116.50	29,035
108.25	28,563	112.50	28,948	116.75	29,035
108.50	28,593	112.75	28,960		
108.75	28,623	113.00	28,971		
109.00	28,652	113.25	28,981		
109.25	28,680	113.50	28,990		
109.50	28,708	113.75	28,998		
109.75	28,734	114.00	29,005		
110.00	28,760	114.25	29,011		
110.25	28,784	114.50	29,017		



## Capacity/Gauge Table Information

**TCLX 290345**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 145

Reporting Mark: TCLX 290345

Date: 20/08/2015

Capacity: 28,966 US Gallons (109,649 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,339	12.75	2,221	17.00	3,207
0.25	28	4.50	625	8.75	1,387	13.00	2,277	17.25	3,268
0.50	58	4.75	665	9.00	1,437	13.25	2,332	17.50	3,329
0.75	88	5.00	707	9.25	1,486	13.50	2,388	17.75	3,390
1.00	119	5.25	749	9.50	1,536	13.75	2,445	18.00	3,452
1.25	150	5.50	791	9.75	1,586	14.00	2,501	18.25	3,514
1.50	183	5.75	834	10.00	1,637	14.25	2,558	18.50	3,576
1.75	216	6.00	877	10.25	1,688	14.50	2,616	18.75	3,638
2.00	250	6.25	921	10.50	1,740	14.75	2,673	19.00	3,701
2.25	284	6.50	966	10.75	1,792	15.00	2,731	19.25	3,764
2.50	320	6.75	1,011	11.00	1,844	15.25	2,790	19.50	3,827
2.75	356	7.00	1,056	11.25	1,897	15.50	2,848	19.75	3,891
3.00	392	7.25	1,102	11.50	1,950	15.75	2,907	20.00	3,955
3.25	429	7.50	1,149	11.75	2,004	16.00	2,967	20.25	4,019
3.50	467	7.75	1,196	12.00	2,057	16.25	3,026	20.50	4,083
3.75	506	8.00	1,243	12.25	2,112	16.50	3,086	20.75	4,148
4.00	545	8.25	1,291	12.50	2,166	16.75	3,146	21.00	4,212



## Capacity/Gauge Table Information

**TCLX 290345**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 145

Reporting Mark: TCLX 290345

Date: 20/08/2015

Capacity: 28,966 US Gallons (109,649 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,277	25.50	5,419	29.75	6,619	34.00	7,868	38.25	9,156
21.50	4,343	25.75	5,488	30.00	6,692	34.25	7,943	38.50	9,232
21.75	4,408	26.00	5,557	30.25	6,764	34.50	8,018	38.75	9,309
22.00	4,474	26.25	5,627	30.50	6,836	34.75	8,093	39.00	9,386
22.25	4,540	26.50	5,696	30.75	6,909	35.00	8,168	39.25	9,463
22.50	4,606	26.75	5,766	31.00	6,982	35.25	8,243	39.50	9,540
22.75	4,673	27.00	5,836	31.25	7,055	35.50	8,319	39.75	9,618
23.00	4,740	27.25	5,907	31.50	7,128	35.75	8,394	40.00	9,695
23.25	4,807	27.50	5,977	31.75	7,202	36.00	8,470	40.25	9,773
23.50	4,874	27.75	6,048	32.00	7,275	36.25	8,545	40.50	9,850
23.75	4,941	28.00	6,119	32.25	7,349	36.50	8,621	40.75	9,928
24.00	5,009	28.25	6,190	32.50	7,422	36.75	8,697	41.00	10,005
24.25	5,077	28.50	6,261	32.75	7,496	37.00	8,773	41.25	10,083
24.50	5,145	28.75	6,332	33.00	7,570	37.25	8,850	41.50	10,161
24.75	5,213	29.00	6,404	33.25	7,645	37.50	8,926	41.75	10,239
25.00	5,281	29.25	6,475	33.50	7,719	37.75	9,002	42.00	10,317
25.25	5,350	29.50	6,547	33.75	7,793	38.00	9,079	42.25	10,395



## Capacity/Gauge Table Information

**TCLX 290345**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 145

Reporting Mark: TCLX 290345

Date: 20/08/2015

Capacity: 28,966 US Gallons (109,649 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,473	46.75	11,813	51.00	13,167	55.25	14,527	59.50	15,885
42.75	10,552	47.00	11,892	51.25	13,247	55.50	14,607	59.75	15,965
43.00	10,630	47.25	11,972	51.50	13,327	55.75	14,687	60.00	16,045
43.25	10,709	47.50	12,051	51.75	13,407	56.00	14,767	60.25	16,124
43.50	10,787	47.75	12,131	52.00	13,487	56.25	14,847	60.50	16,204
43.75	10,866	48.00	12,210	52.25	13,567	56.50	14,927	60.75	16,284
44.00	10,944	48.25	12,290	52.50	13,647	56.75	15,007	61.00	16,363
44.25	11,023	48.50	12,369	52.75	13,726	57.00	15,087	61.25	16,443
44.50	11,102	48.75	12,449	53.00	13,807	57.25	15,167	61.50	16,522
44.75	11,180	49.00	12,529	53.25	13,887	57.50	15,247	61.75	16,601
45.00	11,259	49.25	12,608	53.50	13,967	57.75	15,327	62.00	16,681
45.25	11,338	49.50	12,688	53.75	14,047	58.00	15,406	62.25	16,760
45.50	11,417	49.75	12,768	54.00	14,127	58.25	15,486	62.50	16,839
45.75	11,496	50.00	12,847	54.25	14,207	58.50	15,566	62.75	16,919
46.00	11,576	50.25	12,927	54.50	14,287	58.75	15,646	63.00	16,998
46.25	11,655	50.50	13,007	54.75	14,367	59.00	15,726	63.25	17,077
46.50	11,734	50.75	13,087	55.00	14,447	59.25	15,806	63.50	17,156



## Capacity/Gauge Table Information

**TCLX 290345**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 145

Reporting Mark: TCLX 290345

Date: 20/08/2015

Capacity: 28,966 US Gallons (109,649 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,235	68.00	18,568	72.25	19,876	76.50	21,150	80.75	22,383
64.00	17,314	68.25	18,645	72.50	19,952	76.75	21,224	81.00	22,454
64.25	17,393	68.50	18,723	72.75	20,027	77.00	21,298	81.25	22,525
64.50	17,472	68.75	18,800	73.00	20,103	77.25	21,371	81.50	22,595
64.75	17,550	69.00	18,878	73.25	20,179	77.50	21,444	81.75	22,666
65.00	17,629	69.25	18,955	73.50	20,254	77.75	21,518	82.00	22,736
65.25	17,708	69.50	19,033	73.75	20,330	78.00	21,591	82.25	22,806
65.50	17,786	69.75	19,110	74.00	20,405	78.25	21,663	82.50	22,876
65.75	17,865	70.00	19,187	74.25	20,480	78.50	21,736	82.75	22,946
66.00	17,943	70.25	19,264	74.50	20,555	78.75	21,809	83.00	23,015
66.25	18,021	70.50	19,341	74.75	20,630	79.00	21,881	83.25	23,084
66.50	18,100	70.75	19,417	75.00	20,705	79.25	21,953	83.50	23,153
66.75	18,178	71.00	19,494	75.25	20,779	79.50	22,025	83.75	23,222
67.00	18,256	71.25	19,570	75.50	20,854	79.75	22,097	84.00	23,291
67.25	18,334	71.50	19,647	75.75	20,928	80.00	22,169	84.25	23,359
67.50	18,412	71.75	19,723	76.00	21,002	80.25	22,240	84.50	23,428
67.75	18,490	72.00	19,799	76.25	21,076	80.50	22,312	84.75	23,496



## Capacity/Gauge Table Information

**TCLX 290345**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 145

Reporting Mark: TCLX 290345

Date: 20/08/2015

Capacity: 28,966 US Gallons (109,649 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,564	89.25	24,681	93.50	25,724	97.75	26,676	102.00	27,519
85.25	23,631	89.50	24,745	93.75	25,783	98.00	26,729	102.25	27,564
85.50	23,699	89.75	24,808	94.00	25,841	98.25	26,781	102.50	27,609
85.75	23,766	90.00	24,871	94.25	25,899	98.50	26,833	102.75	27,654
86.00	23,833	90.25	24,934	94.50	25,957	98.75	26,885	103.00	27,698
86.25	23,899	90.50	24,997	94.75	26,014	99.00	26,936	103.25	27,742
86.50	23,966	90.75	25,059	95.00	26,071	99.25	26,987	103.50	27,785
86.75	24,032	91.00	25,121	95.25	26,128	99.50	27,038	103.75	27,827
87.00	24,098	91.25	25,182	95.50	26,184	99.75	27,088	104.00	27,869
87.25	24,164	91.50	25,244	95.75	26,240	100.00	27,137	104.25	27,911
87.50	24,229	91.75	25,305	96.00	26,296	100.25	27,187	104.50	27,952
87.75	24,295	92.00	25,366	96.25	26,352	100.50	27,235	104.75	27,993
88.00	24,360	92.25	25,426	96.50	26,407	100.75	27,284	105.00	28,032
88.25	24,425	92.50	25,486	96.75	26,461	101.00	27,331	105.25	28,072
88.50	24,489	92.75	25,546	97.00	26,516	101.25	27,379	105.50	28,111
88.75	24,554	93.00	25,606	97.25	26,569	101.50	27,426	105.75	28,149
89.00	24,618	93.25	25,665	97.50	26,623	101.75	27,472	106.00	28,186





## Capacity/Gauge Table Information

**TCLX 290345**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 145

Reporting Mark: TCLX 290345

Date: 20/08/2015

Capacity: 28,966 US Gallons (109,649 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,223	110.50	28,739	114.75	28,953
106.50	28,259	110.75	28,761	115.00	28,957
106.75	28,295	111.00	28,782	115.25	28,960
107.00	28,330	111.25	28,801	115.50	28,962
107.25	28,364	111.50	28,819	115.75	28,964
107.50	28,398	111.75	28,836	116.00	28,965
107.75	28,431	112.00	28,851	116.25	28,966
108.00	28,463	112.25	28,866	116.50	28,966
108.25	28,495	112.50	28,879	116.75	28,966
108.50	28,525	112.75	28,891		
108.75	28,555	113.00	28,903		
109.00	28,584	113.25	28,913		
109.25	28,612	113.50	28,922		
109.50	28,640	113.75	28,930		
109.75	28,666	114.00	28,937		
110.00	28,691	114.25	28,943		
110.25	28,716	114.50	28,948		



## Capacity/Gauge Table Information

**TCLX 290346**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 146

Reporting Mark: TCLX 290346

Date: 21/08/2015

Capacity: 28,978 US Gallons (109,695 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	580	8.50	1,332	12.75	2,212	17.00	3,196
0.25	28	4.50	620	8.75	1,380	13.00	2,267	17.25	3,256
0.50	57	4.75	661	9.00	1,429	13.25	2,323	17.50	3,317
0.75	87	5.00	702	9.25	1,479	13.50	2,379	17.75	3,379
1.00	117	5.25	744	9.50	1,529	13.75	2,435	18.00	3,440
1.25	149	5.50	786	9.75	1,579	14.00	2,492	18.25	3,502
1.50	181	5.75	829	10.00	1,629	14.25	2,548	18.50	3,564
1.75	214	6.00	872	10.25	1,680	14.50	2,606	18.75	3,627
2.00	248	6.25	916	10.50	1,732	14.75	2,663	19.00	3,689
2.25	282	6.50	960	10.75	1,784	15.00	2,721	19.25	3,752
2.50	317	6.75	1,005	11.00	1,836	15.25	2,779	19.50	3,815
2.75	353	7.00	1,050	11.25	1,888	15.50	2,838	19.75	3,879
3.00	389	7.25	1,096	11.50	1,941	15.75	2,897	20.00	3,943
3.25	426	7.50	1,142	11.75	1,995	16.00	2,956	20.25	4,007
3.50	464	7.75	1,189	12.00	2,049	16.25	3,016	20.50	4,071
3.75	502	8.00	1,236	12.25	2,103	16.50	3,075	20.75	4,135
4.00	541	8.25	1,284	12.50	2,157	16.75	3,135	21.00	4,200



## Capacity/Gauge Table Information

**TCLX 290346**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 146

Reporting Mark: TCLX 290346

Date: 21/08/2015

Capacity: 28,978 US Gallons (109,695 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,265	25.50	5,405	29.75	6,605	34.00	7,853	38.25	9,140
21.50	4,330	25.75	5,474	30.00	6,677	34.25	7,928	38.50	9,217
21.75	4,396	26.00	5,544	30.25	6,749	34.50	8,002	38.75	9,294
22.00	4,461	26.25	5,613	30.50	6,822	34.75	8,077	39.00	9,371
22.25	4,527	26.50	5,683	30.75	6,894	35.00	8,153	39.25	9,448
22.50	4,594	26.75	5,752	31.00	6,967	35.25	8,228	39.50	9,525
22.75	4,660	27.00	5,822	31.25	7,040	35.50	8,303	39.75	9,602
23.00	4,727	27.25	5,893	31.50	7,113	35.75	8,379	40.00	9,679
23.25	4,794	27.50	5,963	31.75	7,187	36.00	8,454	40.25	9,757
23.50	4,861	27.75	6,034	32.00	7,260	36.25	8,530	40.50	9,834
23.75	4,928	28.00	6,104	32.25	7,334	36.50	8,606	40.75	9,912
24.00	4,996	28.25	6,175	32.50	7,407	36.75	8,682	41.00	9,990
24.25	5,063	28.50	6,247	32.75	7,481	37.00	8,758	41.25	10,067
24.50	5,131	28.75	6,318	33.00	7,555	37.25	8,834	41.50	10,145
24.75	5,199	29.00	6,389	33.25	7,630	37.50	8,910	41.75	10,223
25.00	5,268	29.25	6,461	33.50	7,704	37.75	8,987	42.00	10,301
25.25	5,337	29.50	6,533	33.75	7,778	38.00	9,063	42.25	10,379



## Capacity/Gauge Table Information

**TCLX 290346**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 146

Reporting Mark: TCLX 290346

Date: 21/08/2015

Capacity: 28,978 US Gallons (109,695 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,458	46.75	11,797	51.00	13,151	55.25	14,511	59.50	15,870
42.75	10,536	47.00	11,877	51.25	13,231	55.50	14,591	59.75	15,950
43.00	10,614	47.25	11,956	51.50	13,311	55.75	14,671	60.00	16,030
43.25	10,693	47.50	12,035	51.75	13,391	56.00	14,751	60.25	16,109
43.50	10,771	47.75	12,115	52.00	13,471	56.25	14,831	60.50	16,189
43.75	10,850	48.00	12,194	52.25	13,551	56.50	14,911	60.75	16,269
44.00	10,928	48.25	12,274	52.50	13,631	56.75	14,991	61.00	16,348
44.25	11,007	48.50	12,353	52.75	13,711	57.00	15,071	61.25	16,428
44.50	11,086	48.75	12,433	53.00	13,791	57.25	15,151	61.50	16,507
44.75	11,165	49.00	12,513	53.25	13,871	57.50	15,231	61.75	16,587
45.00	11,243	49.25	12,592	53.50	13,951	57.75	15,311	62.00	16,666
45.25	11,322	49.50	12,672	53.75	14,031	58.00	15,391	62.25	16,745
45.50	11,401	49.75	12,752	54.00	14,111	58.25	15,471	62.50	16,825
45.75	11,480	50.00	12,832	54.25	14,191	58.50	15,551	62.75	16,904
46.00	11,560	50.25	12,911	54.50	14,271	58.75	15,631	63.00	16,983
46.25	11,639	50.50	12,991	54.75	14,351	59.00	15,711	63.25	17,062
46.50	11,718	50.75	13,071	55.00	14,431	59.25	15,790	63.50	17,141



## Capacity/Gauge Table Information

**TCLX 290346**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 146

Reporting Mark: TCLX 290346

Date: 21/08/2015

Capacity: 28,978 US Gallons (109,695 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,220	68.00	18,554	72.25	19,863	76.50	21,138	80.75	22,372
64.00	17,299	68.25	18,631	72.50	19,939	76.75	21,212	81.00	22,443
64.25	17,378	68.50	18,709	72.75	20,015	77.00	21,286	81.25	22,514
64.50	17,457	68.75	18,787	73.00	20,090	77.25	21,359	81.50	22,585
64.75	17,536	69.00	18,864	73.25	20,166	77.50	21,433	81.75	22,655
65.00	17,615	69.25	18,942	73.50	20,242	77.75	21,506	82.00	22,725
65.25	17,693	69.50	19,019	73.75	20,317	78.00	21,579	82.25	22,796
65.50	17,772	69.75	19,096	74.00	20,392	78.25	21,652	82.50	22,866
65.75	17,850	70.00	19,173	74.25	20,468	78.50	21,725	82.75	22,935
66.00	17,929	70.25	19,250	74.50	20,543	78.75	21,797	83.00	23,005
66.25	18,007	70.50	19,327	74.75	20,618	79.00	21,870	83.25	23,074
66.50	18,086	70.75	19,404	75.00	20,692	79.25	21,942	83.50	23,143
66.75	18,164	71.00	19,481	75.25	20,767	79.50	22,014	83.75	23,212
67.00	18,242	71.25	19,557	75.50	20,842	79.75	22,086	84.00	23,281
67.25	18,320	71.50	19,634	75.75	20,916	80.00	22,158	84.25	23,350
67.50	18,398	71.75	19,710	76.00	20,990	80.25	22,229	84.50	23,418
67.75	18,476	72.00	19,786	76.25	21,064	80.50	22,301	84.75	23,486



## Capacity/Gauge Table Information

**TCLX 290346**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 146

Reporting Mark: TCLX 290346

Date: 21/08/2015

Capacity: 28,978 US Gallons (109,695 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,554	89.25	24,673	93.50	25,718	97.75	26,672	102.00	27,517
85.25	23,622	89.50	24,737	93.75	25,777	98.00	26,725	102.25	27,563
85.50	23,689	89.75	24,801	94.00	25,835	98.25	26,778	102.50	27,608
85.75	23,756	90.00	24,864	94.25	25,893	98.50	26,830	102.75	27,653
86.00	23,823	90.25	24,926	94.50	25,951	98.75	26,882	103.00	27,697
86.25	23,890	90.50	24,989	94.75	26,009	99.00	26,933	103.25	27,741
86.50	23,957	90.75	25,051	95.00	26,066	99.25	26,984	103.50	27,784
86.75	24,023	91.00	25,113	95.25	26,123	99.50	27,035	103.75	27,827
87.00	24,089	91.25	25,175	95.50	26,179	99.75	27,085	104.00	27,869
87.25	24,155	91.50	25,237	95.75	26,235	100.00	27,135	104.25	27,911
87.50	24,221	91.75	25,298	96.00	26,291	100.25	27,184	104.50	27,952
87.75	24,286	92.00	25,359	96.25	26,347	100.50	27,233	104.75	27,993
88.00	24,351	92.25	25,419	96.50	26,402	100.75	27,281	105.00	28,033
88.25	24,416	92.50	25,480	96.75	26,457	101.00	27,329	105.25	28,073
88.50	24,481	92.75	25,540	97.00	26,511	101.25	27,377	105.50	28,112
88.75	24,545	93.00	25,599	97.25	26,565	101.50	27,424	105.75	28,150
89.00	24,610	93.25	25,659	97.50	26,619	101.75	27,471	106.00	28,188



## Capacity/Gauge Table Information

**TCLX 290346**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 146

Reporting Mark: TCLX 290346

Date: 21/08/2015

Capacity: 28,978 US Gallons (109,695 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,225	110.50	28,746	114.75	28,965
106.50	28,261	110.75	28,768	115.00	28,969
106.75	28,297	111.00	28,789	115.25	28,972
107.00	28,332	111.25	28,809	115.50	28,974
107.25	28,367	111.50	28,828	115.75	28,976
107.50	28,401	111.75	28,845	116.00	28,977
107.75	28,434	112.00	28,861	116.25	28,978
108.00	28,466	112.25	28,876	116.50	28,978
108.25	28,498	112.50	28,889	116.75	28,978
108.50	28,529	112.75	28,902		
108.75	28,559	113.00	28,913		
109.00	28,589	113.25	28,923		
109.25	28,617	113.50	28,933		
109.50	28,645	113.75	28,941		
109.75	28,671	114.00	28,948		
110.00	28,697	114.25	28,955		
110.25	28,722	114.50	28,960		





## Capacity/Gauge Table Information

**TCLX 290347**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 147

Reporting Mark: TCLX 290347

Date: 21/08/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,338	12.75	2,221	17.00	3,206
0.25	28	4.50	624	8.75	1,387	13.00	2,276	17.25	3,267
0.50	58	4.75	665	9.00	1,436	13.25	2,332	17.50	3,328
0.75	88	5.00	706	9.25	1,486	13.50	2,388	17.75	3,389
1.00	119	5.25	748	9.50	1,536	13.75	2,444	18.00	3,451
1.25	150	5.50	791	9.75	1,586	14.00	2,501	18.25	3,513
1.50	183	5.75	834	10.00	1,637	14.25	2,558	18.50	3,575
1.75	216	6.00	877	10.25	1,688	14.50	2,615	18.75	3,637
2.00	250	6.25	921	10.50	1,739	14.75	2,673	19.00	3,700
2.25	284	6.50	966	10.75	1,791	15.00	2,731	19.25	3,763
2.50	320	6.75	1,011	11.00	1,844	15.25	2,789	19.50	3,826
2.75	355	7.00	1,056	11.25	1,896	15.50	2,848	19.75	3,890
3.00	392	7.25	1,102	11.50	1,950	15.75	2,907	20.00	3,954
3.25	429	7.50	1,148	11.75	2,003	16.00	2,966	20.25	4,018
3.50	467	7.75	1,195	12.00	2,057	16.25	3,026	20.50	4,082
3.75	506	8.00	1,242	12.25	2,111	16.50	3,085	20.75	4,147
4.00	545	8.25	1,290	12.50	2,166	16.75	3,146	21.00	4,212



## Capacity/Gauge Table Information

**TCLX 290347**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 147

Reporting Mark: TCLX 290347

Date: 21/08/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,277	25.50	5,418	29.75	6,618	34.00	7,867	38.25	9,155
21.50	4,342	25.75	5,487	30.00	6,691	34.25	7,942	38.50	9,232
21.75	4,408	26.00	5,556	30.25	6,763	34.50	8,017	38.75	9,309
22.00	4,473	26.25	5,626	30.50	6,836	34.75	8,092	39.00	9,385
22.25	4,539	26.50	5,696	30.75	6,908	35.00	8,167	39.25	9,463
22.50	4,606	26.75	5,766	31.00	6,981	35.25	8,242	39.50	9,540
22.75	4,672	27.00	5,836	31.25	7,054	35.50	8,318	39.75	9,617
23.00	4,739	27.25	5,906	31.50	7,127	35.75	8,393	40.00	9,694
23.25	4,806	27.50	5,976	31.75	7,201	36.00	8,469	40.25	9,772
23.50	4,873	27.75	6,047	32.00	7,274	36.25	8,545	40.50	9,849
23.75	4,940	28.00	6,118	32.25	7,348	36.50	8,621	40.75	9,927
24.00	5,008	28.25	6,189	32.50	7,422	36.75	8,697	41.00	10,005
24.25	5,076	28.50	6,260	32.75	7,495	37.00	8,773	41.25	10,083
24.50	5,144	28.75	6,331	33.00	7,570	37.25	8,849	41.50	10,160
24.75	5,212	29.00	6,403	33.25	7,644	37.50	8,925	41.75	10,238
25.00	5,281	29.25	6,475	33.50	7,718	37.75	9,002	42.00	10,316
25.25	5,349	29.50	6,546	33.75	7,793	38.00	9,078	42.25	10,395



## Capacity/Gauge Table Information

**TCLX 290347**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 147

Reporting Mark: TCLX 290347

Date: 21/08/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,473	46.75	11,813	51.00	13,166	55.25	14,526	59.50	15,885
42.75	10,551	47.00	11,892	51.25	13,246	55.50	14,606	59.75	15,965
43.00	10,629	47.25	11,971	51.50	13,326	55.75	14,686	60.00	16,044
43.25	10,708	47.50	12,051	51.75	13,406	56.00	14,766	60.25	16,124
43.50	10,786	47.75	12,130	52.00	13,486	56.25	14,846	60.50	16,204
43.75	10,865	48.00	12,210	52.25	13,566	56.50	14,926	60.75	16,283
44.00	10,944	48.25	12,289	52.50	13,646	56.75	15,006	61.00	16,363
44.25	11,022	48.50	12,369	52.75	13,726	57.00	15,086	61.25	16,442
44.50	11,101	48.75	12,448	53.00	13,806	57.25	15,166	61.50	16,522
44.75	11,180	49.00	12,528	53.25	13,886	57.50	15,246	61.75	16,601
45.00	11,259	49.25	12,608	53.50	13,966	57.75	15,326	62.00	16,681
45.25	11,338	49.50	12,687	53.75	14,046	58.00	15,406	62.25	16,760
45.50	11,417	49.75	12,767	54.00	14,126	58.25	15,486	62.50	16,839
45.75	11,496	50.00	12,847	54.25	14,206	58.50	15,566	62.75	16,918
46.00	11,575	50.25	12,927	54.50	14,286	58.75	15,646	63.00	16,997
46.25	11,654	50.50	13,007	54.75	14,366	59.00	15,725	63.25	17,077
46.50	11,733	50.75	13,086	55.00	14,446	59.25	15,805	63.50	17,156



## Capacity/Gauge Table Information

**TCLX 290347**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 147

Reporting Mark: TCLX 290347

Date: 21/08/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,235	68.00	18,567	72.25	19,876	76.50	21,150	80.75	22,383
64.00	17,314	68.25	18,645	72.50	19,951	76.75	21,224	81.00	22,454
64.25	17,392	68.50	18,723	72.75	20,027	77.00	21,298	81.25	22,525
64.50	17,471	68.75	18,800	73.00	20,103	77.25	21,371	81.50	22,595
64.75	17,550	69.00	18,878	73.25	20,179	77.50	21,444	81.75	22,666
65.00	17,629	69.25	18,955	73.50	20,254	77.75	21,518	82.00	22,736
65.25	17,707	69.50	19,032	73.75	20,330	78.00	21,591	82.25	22,806
65.50	17,786	69.75	19,110	74.00	20,405	78.25	21,663	82.50	22,876
65.75	17,864	70.00	19,187	74.25	20,480	78.50	21,736	82.75	22,946
66.00	17,943	70.25	19,264	74.50	20,555	78.75	21,809	83.00	23,015
66.25	18,021	70.50	19,340	74.75	20,630	79.00	21,881	83.25	23,084
66.50	18,099	70.75	19,417	75.00	20,705	79.25	21,953	83.50	23,154
66.75	18,178	71.00	19,494	75.25	20,779	79.50	22,025	83.75	23,222
67.00	18,256	71.25	19,570	75.50	20,854	79.75	22,097	84.00	23,291
67.25	18,334	71.50	19,647	75.75	20,928	80.00	22,169	84.25	23,360
67.50	18,412	71.75	19,723	76.00	21,002	80.25	22,240	84.50	23,428
67.75	18,490	72.00	19,799	76.25	21,076	80.50	22,312	84.75	23,496



## Capacity/Gauge Table Information

**TCLX 290347**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 147

Reporting Mark: TCLX 290347

Date: 21/08/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,564	89.25	24,682	93.50	25,724	97.75	26,676	102.00	27,519
85.25	23,631	89.50	24,745	93.75	25,783	98.00	26,729	102.25	27,564
85.50	23,699	89.75	24,808	94.00	25,841	98.25	26,782	102.50	27,609
85.75	23,766	90.00	24,871	94.25	25,899	98.50	26,834	102.75	27,654
86.00	23,833	90.25	24,934	94.50	25,957	98.75	26,885	103.00	27,698
86.25	23,899	90.50	24,997	94.75	26,014	99.00	26,937	103.25	27,742
86.50	23,966	90.75	25,059	95.00	26,071	99.25	26,987	103.50	27,785
86.75	24,032	91.00	25,121	95.25	26,128	99.50	27,038	103.75	27,828
87.00	24,098	91.25	25,182	95.50	26,185	99.75	27,088	104.00	27,870
87.25	24,164	91.50	25,244	95.75	26,241	100.00	27,138	104.25	27,911
87.50	24,230	91.75	25,305	96.00	26,296	100.25	27,187	104.50	27,952
87.75	24,295	92.00	25,366	96.25	26,352	100.50	27,235	104.75	27,993
88.00	24,360	92.25	25,426	96.50	26,407	100.75	27,284	105.00	28,033
88.25	24,425	92.50	25,486	96.75	26,461	101.00	27,332	105.25	28,072
88.50	24,489	92.75	25,546	97.00	26,516	101.25	27,379	105.50	28,111
88.75	24,554	93.00	25,606	97.25	26,570	101.50	27,426	105.75	28,149
89.00	24,618	93.25	25,665	97.50	26,623	101.75	27,473	106.00	28,186



## Capacity/Gauge Table Information

**TCLX 290347**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 147

Reporting Mark: TCLX 290347

Date: 21/08/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,223	110.50	28,739	114.75	28,954
106.50	28,260	110.75	28,761	115.00	28,957
106.75	28,295	111.00	28,782	115.25	28,960
107.00	28,330	111.25	28,801	115.50	28,963
107.25	28,365	111.50	28,819	115.75	28,964
107.50	28,398	111.75	28,836	116.00	28,966
107.75	28,431	112.00	28,852	116.25	28,966
108.00	28,463	112.25	28,866	116.50	28,967
108.25	28,495	112.50	28,880	116.75	28,967
108.50	28,526	112.75	28,892		
108.75	28,555	113.00	28,903		
109.00	28,584	113.25	28,913		
109.25	28,613	113.50	28,922		
109.50	28,640	113.75	28,930		
109.75	28,666	114.00	28,937		
110.00	28,692	114.25	28,944		
110.25	28,716	114.50	28,949		



## Capacity/Gauge Table Information

**TCLX 290348**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 148

Reporting Mark: TCLX 290348

Date: 19/08/2015

Capacity: 29,050 US Gallons (109,965 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	599	8.50	1,363	12.75	2,254	17.00	3,247
0.25	29	4.50	639	8.75	1,413	13.00	2,310	17.25	3,309
0.50	60	4.75	681	9.00	1,462	13.25	2,366	17.50	3,370
0.75	91	5.00	723	9.25	1,512	13.50	2,423	17.75	3,432
1.00	122	5.25	765	9.50	1,563	13.75	2,480	18.00	3,494
1.25	155	5.50	809	9.75	1,614	14.00	2,537	18.25	3,556
1.50	188	5.75	852	10.00	1,665	14.25	2,594	18.50	3,619
1.75	222	6.00	896	10.25	1,717	14.50	2,652	18.75	3,682
2.00	257	6.25	941	10.50	1,769	14.75	2,710	19.00	3,745
2.25	293	6.50	986	10.75	1,821	15.00	2,769	19.25	3,808
2.50	329	6.75	1,031	11.00	1,874	15.25	2,828	19.50	3,872
2.75	365	7.00	1,077	11.25	1,927	15.50	2,887	19.75	3,936
3.00	403	7.25	1,124	11.50	1,981	15.75	2,946	20.00	4,000
3.25	441	7.50	1,171	11.75	2,035	16.00	3,006	20.25	4,064
3.50	479	7.75	1,218	12.00	2,089	16.25	3,066	20.50	4,129
3.75	518	8.00	1,266	12.25	2,144	16.50	3,126	20.75	4,194
4.00	558	8.25	1,315	12.50	2,199	16.75	3,187	21.00	4,259





## Capacity/Gauge Table Information

**TCLX 290348**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 148

Reporting Mark: TCLX 290348

Date: 19/08/2015

Capacity: 29,050 US Gallons (109,965 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,325	25.50	5,472	29.75	6,678	34.00	7,931	38.25	9,223
21.50	4,390	25.75	5,541	30.00	6,750	34.25	8,006	38.50	9,300
21.75	4,456	26.00	5,611	30.25	6,823	34.50	8,081	38.75	9,377
22.00	4,522	26.25	5,681	30.50	6,896	34.75	8,157	39.00	9,454
22.25	4,589	26.50	5,751	30.75	6,969	35.00	8,232	39.25	9,532
22.50	4,655	26.75	5,821	31.00	7,042	35.25	8,308	39.50	9,609
22.75	4,722	27.00	5,891	31.25	7,115	35.50	8,383	39.75	9,687
23.00	4,789	27.25	5,962	31.50	7,189	35.75	8,459	40.00	9,764
23.25	4,857	27.50	6,033	31.75	7,262	36.00	8,535	40.25	9,842
23.50	4,924	27.75	6,104	32.00	7,336	36.25	8,611	40.50	9,920
23.75	4,992	28.00	6,175	32.25	7,410	36.50	8,687	40.75	9,998
24.00	5,060	28.25	6,246	32.50	7,484	36.75	8,763	41.00	10,076
24.25	5,128	28.50	6,318	32.75	7,558	37.00	8,840	41.25	10,154
24.50	5,196	28.75	6,389	33.00	7,632	37.25	8,916	41.50	10,232
24.75	5,265	29.00	6,461	33.25	7,707	37.50	8,993	41.75	10,310
25.00	5,334	29.25	6,533	33.50	7,782	37.75	9,069	42.00	10,388
25.25	5,403	29.50	6,605	33.75	7,856	38.00	9,146	42.25	10,466



## Capacity/Gauge Table Information

**TCLX 290348**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 148

Reporting Mark: TCLX 290348

Date: 19/08/2015

Capacity: 29,050 US Gallons (109,965 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,545	46.75	11,888	51.00	13,245	55.25	14,608	59.50	15,969
42.75	10,623	47.00	11,968	51.25	13,325	55.50	14,688	59.75	16,049
43.00	10,702	47.25	12,047	51.50	13,405	55.75	14,768	60.00	16,129
43.25	10,781	47.50	12,127	51.75	13,485	56.00	14,848	60.25	16,208
43.50	10,859	47.75	12,206	52.00	13,565	56.25	14,929	60.50	16,288
43.75	10,938	48.00	12,286	52.25	13,646	56.50	15,009	60.75	16,368
44.00	11,017	48.25	12,366	52.50	13,726	56.75	15,089	61.00	16,448
44.25	11,096	48.50	12,446	52.75	13,806	57.00	15,169	61.25	16,527
44.50	11,175	48.75	12,525	53.00	13,886	57.25	15,249	61.50	16,607
44.75	11,254	49.00	12,605	53.25	13,966	57.50	15,329	61.75	16,686
45.00	11,333	49.25	12,685	53.50	14,046	57.75	15,409	62.00	16,766
45.25	11,412	49.50	12,765	53.75	14,127	58.00	15,489	62.25	16,845
45.50	11,491	49.75	12,845	54.00	14,207	58.25	15,569	62.50	16,925
45.75	11,571	50.00	12,925	54.25	14,287	58.50	15,649	62.75	17,004
46.00	11,650	50.25	13,005	54.50	14,367	58.75	15,729	63.00	17,083
46.25	11,729	50.50	13,085	54.75	14,447	59.00	15,809	63.25	17,163
46.50	11,809	50.75	13,165	55.00	14,528	59.25	15,889	63.50	17,242



## Capacity/Gauge Table Information

**TCLX 290348**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 148

Reporting Mark: TCLX 290348

Date: 19/08/2015

Capacity: 29,050 US Gallons (109,965 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,321	68.00	18,656	72.25	19,965	76.50	21,241	80.75	22,475
64.00	17,400	68.25	18,733	72.50	20,041	76.75	21,315	81.00	22,546
64.25	17,479	68.50	18,811	72.75	20,117	77.00	21,389	81.25	22,617
64.50	17,558	68.75	18,889	73.00	20,193	77.25	21,462	81.50	22,687
64.75	17,637	69.00	18,966	73.25	20,269	77.50	21,536	81.75	22,758
65.00	17,716	69.25	19,044	73.50	20,344	77.75	21,609	82.00	22,828
65.25	17,794	69.50	19,121	73.75	20,420	78.00	21,682	82.25	22,898
65.50	17,873	69.75	19,198	74.00	20,495	78.25	21,755	82.50	22,968
65.75	17,952	70.00	19,275	74.25	20,570	78.50	21,828	82.75	23,038
66.00	18,030	70.25	19,353	74.50	20,645	78.75	21,900	83.00	23,107
66.25	18,109	70.50	19,429	74.75	20,720	79.00	21,973	83.25	23,177
66.50	18,187	70.75	19,506	75.00	20,795	79.25	22,045	83.50	23,246
66.75	18,265	71.00	19,583	75.25	20,870	79.50	22,117	83.75	23,315
67.00	18,343	71.25	19,660	75.50	20,944	79.75	22,189	84.00	23,384
67.25	18,422	71.50	19,736	75.75	21,019	80.00	22,261	84.25	23,452
67.50	18,500	71.75	19,813	76.00	21,093	80.25	22,332	84.50	23,520
67.75	18,578	72.00	19,889	76.25	21,167	80.50	22,404	84.75	23,588



## Capacity/Gauge Table Information

**TCLX 290348**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 148

Reporting Mark: TCLX 290348

Date: 19/08/2015

Capacity: 29,050 US Gallons (109,965 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,656	89.25	24,775	93.50	25,817	97.75	26,769	102.00	27,610
85.25	23,724	89.50	24,838	93.75	25,876	98.00	26,822	102.25	27,656
85.50	23,791	89.75	24,901	94.00	25,934	98.25	26,874	102.50	27,701
85.75	23,859	90.00	24,964	94.25	25,992	98.50	26,926	102.75	27,745
86.00	23,925	90.25	25,027	94.50	26,050	98.75	26,978	103.00	27,790
86.25	23,992	90.50	25,090	94.75	26,107	99.00	27,029	103.25	27,833
86.50	24,059	90.75	25,152	95.00	26,164	99.25	27,080	103.50	27,876
86.75	24,125	91.00	25,214	95.25	26,221	99.50	27,130	103.75	27,919
87.00	24,191	91.25	25,275	95.50	26,277	99.75	27,180	104.00	27,961
87.25	24,257	91.50	25,337	95.75	26,333	100.00	27,230	104.25	28,002
87.50	24,322	91.75	25,398	96.00	26,389	100.25	27,279	104.50	28,043
87.75	24,388	92.00	25,459	96.25	26,444	100.50	27,327	104.75	28,083
88.00	24,453	92.25	25,519	96.50	26,499	100.75	27,376	105.00	28,123
88.25	24,518	92.50	25,579	96.75	26,554	101.00	27,424	105.25	28,162
88.50	24,582	92.75	25,639	97.00	26,608	101.25	27,471	105.50	28,201
88.75	24,647	93.00	25,699	97.25	26,662	101.50	27,518	105.75	28,239
89.00	24,711	93.25	25,758	97.50	26,716	101.75	27,564	106.00	28,277



## Capacity/Gauge Table Information

**TCLX 290348**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 148

Reporting Mark: TCLX 290348

Date: 19/08/2015

Capacity: 29,050 US Gallons (109,965 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,313	110.50	28,826	114.75	29,037
106.50	28,350	110.75	28,848	115.00	29,040
106.75	28,385	111.00	28,868	115.25	29,043
107.00	28,420	111.25	28,887	115.50	29,046
107.25	28,454	111.50	28,905	115.75	29,047
107.50	28,488	111.75	28,921	116.00	29,049
107.75	28,520	112.00	28,937	116.25	29,049
108.00	28,552	112.25	28,951	116.50	29,050
108.25	28,584	112.50	28,964	116.75	29,050
108.50	28,614	112.75	28,976		
108.75	28,644	113.00	28,987		
109.00	28,673	113.25	28,997		
109.25	28,701	113.50	29,006		
109.50	28,728	113.75	29,014		
109.75	28,754	114.00	29,021		
110.00	28,779	114.25	29,027		
110.25	28,803	114.50	29,032		



## Capacity/Gauge Table Information

**TCLX 290349**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 149

Reporting Mark: TCLX 290349

Date: 20/08/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,334	12.75	2,215	17.00	3,199
0.25	28	4.50	622	8.75	1,383	13.00	2,270	17.25	3,260
0.50	57	4.75	663	9.00	1,432	13.25	2,326	17.50	3,321
0.75	87	5.00	704	9.25	1,481	13.50	2,382	17.75	3,382
1.00	118	5.25	746	9.50	1,531	13.75	2,438	18.00	3,444
1.25	149	5.50	788	9.75	1,581	14.00	2,495	18.25	3,506
1.50	182	5.75	831	10.00	1,632	14.25	2,552	18.50	3,568
1.75	215	6.00	874	10.25	1,683	14.50	2,609	18.75	3,630
2.00	249	6.25	918	10.50	1,735	14.75	2,667	19.00	3,693
2.25	283	6.50	962	10.75	1,787	15.00	2,725	19.25	3,756
2.50	318	6.75	1,007	11.00	1,839	15.25	2,783	19.50	3,819
2.75	354	7.00	1,053	11.25	1,891	15.50	2,842	19.75	3,883
3.00	390	7.25	1,098	11.50	1,944	15.75	2,900	20.00	3,946
3.25	427	7.50	1,145	11.75	1,998	16.00	2,960	20.25	4,010
3.50	465	7.75	1,191	12.00	2,052	16.25	3,019	20.50	4,075
3.75	504	8.00	1,239	12.25	2,106	16.50	3,079	20.75	4,139
4.00	542	8.25	1,286	12.50	2,160	16.75	3,139	21.00	4,204



## Capacity/Gauge Table Information

**TCLX 290349**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 149

Reporting Mark: TCLX 290349

Date: 20/08/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,269	25.50	5,409	29.75	6,609	34.00	7,857	38.25	9,144
21.50	4,334	25.75	5,478	30.00	6,681	34.25	7,932	38.50	9,221
21.75	4,400	26.00	5,548	30.25	6,753	34.50	8,007	38.75	9,298
22.00	4,465	26.25	5,617	30.50	6,826	34.75	8,082	39.00	9,375
22.25	4,531	26.50	5,687	30.75	6,899	35.00	8,157	39.25	9,452
22.50	4,598	26.75	5,757	31.00	6,971	35.25	8,232	39.50	9,529
22.75	4,664	27.00	5,827	31.25	7,044	35.50	8,307	39.75	9,606
23.00	4,731	27.25	5,897	31.50	7,118	35.75	8,383	40.00	9,683
23.25	4,798	27.50	5,967	31.75	7,191	36.00	8,458	40.25	9,761
23.50	4,865	27.75	6,038	32.00	7,264	36.25	8,534	40.50	9,838
23.75	4,932	28.00	6,109	32.25	7,338	36.50	8,610	40.75	9,916
24.00	5,000	28.25	6,180	32.50	7,412	36.75	8,686	41.00	9,994
24.25	5,067	28.50	6,251	32.75	7,485	37.00	8,762	41.25	10,071
24.50	5,135	28.75	6,322	33.00	7,559	37.25	8,838	41.50	10,149
24.75	5,204	29.00	6,393	33.25	7,634	37.50	8,914	41.75	10,227
25.00	5,272	29.25	6,465	33.50	7,708	37.75	8,991	42.00	10,305
25.25	5,341	29.50	6,537	33.75	7,782	38.00	9,067	42.25	10,383





## Capacity/Gauge Table Information

**TCLX 290349**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 149

Reporting Mark: TCLX 290349

Date: 20/08/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,461	46.75	11,801	51.00	13,154	55.25	14,514	59.50	15,872
42.75	10,540	47.00	11,880	51.25	13,234	55.50	14,594	59.75	15,952
43.00	10,618	47.25	11,959	51.50	13,314	55.75	14,674	60.00	16,032
43.25	10,696	47.50	12,039	51.75	13,394	56.00	14,754	60.25	16,111
43.50	10,775	47.75	12,118	52.00	13,474	56.25	14,834	60.50	16,191
43.75	10,853	48.00	12,198	52.25	13,554	56.50	14,914	60.75	16,271
44.00	10,932	48.25	12,277	52.50	13,634	56.75	14,994	61.00	16,350
44.25	11,011	48.50	12,357	52.75	13,714	57.00	15,074	61.25	16,430
44.50	11,089	48.75	12,436	53.00	13,794	57.25	15,154	61.50	16,509
44.75	11,168	49.00	12,516	53.25	13,874	57.50	15,234	61.75	16,589
45.00	11,247	49.25	12,596	53.50	13,954	57.75	15,314	62.00	16,668
45.25	11,326	49.50	12,675	53.75	14,034	58.00	15,394	62.25	16,747
45.50	11,405	49.75	12,755	54.00	14,114	58.25	15,473	62.50	16,826
45.75	11,484	50.00	12,835	54.25	14,194	58.50	15,553	62.75	16,906
46.00	11,563	50.25	12,915	54.50	14,274	58.75	15,633	63.00	16,985
46.25	11,642	50.50	12,994	54.75	14,354	59.00	15,713	63.25	17,064
46.50	11,721	50.75	13,074	55.00	14,434	59.25	15,793	63.50	17,143



## Capacity/Gauge Table Information

**TCLX 290349**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 149

Reporting Mark: TCLX 290349

Date: 20/08/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,222	68.00	18,555	72.25	19,863	76.50	21,138	80.75	22,371
64.00	17,301	68.25	18,633	72.50	19,939	76.75	21,212	81.00	22,442
64.25	17,380	68.50	18,710	72.75	20,015	77.00	21,286	81.25	22,513
64.50	17,459	68.75	18,788	73.00	20,091	77.25	21,359	81.50	22,584
64.75	17,537	69.00	18,865	73.25	20,166	77.50	21,432	81.75	22,654
65.00	17,616	69.25	18,943	73.50	20,242	77.75	21,506	82.00	22,724
65.25	17,695	69.50	19,020	73.75	20,317	78.00	21,579	82.25	22,794
65.50	17,773	69.75	19,097	74.00	20,393	78.25	21,651	82.50	22,864
65.75	17,852	70.00	19,174	74.25	20,468	78.50	21,724	82.75	22,934
66.00	17,930	70.25	19,251	74.50	20,543	78.75	21,797	83.00	23,004
66.25	18,009	70.50	19,328	74.75	20,618	79.00	21,869	83.25	23,073
66.50	18,087	70.75	19,405	75.00	20,692	79.25	21,941	83.50	23,142
66.75	18,165	71.00	19,481	75.25	20,767	79.50	22,013	83.75	23,211
67.00	18,243	71.25	19,558	75.50	20,842	79.75	22,085	84.00	23,280
67.25	18,321	71.50	19,634	75.75	20,916	80.00	22,157	84.25	23,348
67.50	18,399	71.75	19,711	76.00	20,990	80.25	22,229	84.50	23,416
67.75	18,477	72.00	19,787	76.25	21,064	80.50	22,300	84.75	23,485



## Capacity/Gauge Table Information

**TCLX 290349**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 149

Reporting Mark: TCLX 290349

Date: 20/08/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,552	89.25	24,671	93.50	25,714	97.75	26,668	102.00	27,511
85.25	23,620	89.50	24,735	93.75	25,773	98.00	26,721	102.25	27,557
85.50	23,687	89.75	24,798	94.00	25,832	98.25	26,773	102.50	27,602
85.75	23,755	90.00	24,861	94.25	25,890	98.50	26,825	102.75	27,647
86.00	23,822	90.25	24,924	94.50	25,947	98.75	26,877	103.00	27,691
86.25	23,888	90.50	24,986	94.75	26,005	99.00	26,928	103.25	27,735
86.50	23,955	90.75	25,049	95.00	26,062	99.25	26,979	103.50	27,778
86.75	24,021	91.00	25,111	95.25	26,119	99.50	27,030	103.75	27,821
87.00	24,087	91.25	25,172	95.50	26,175	99.75	27,080	104.00	27,863
87.25	24,153	91.50	25,234	95.75	26,231	100.00	27,130	104.25	27,905
87.50	24,219	91.75	25,295	96.00	26,287	100.25	27,179	104.50	27,946
87.75	24,284	92.00	25,356	96.25	26,343	100.50	27,228	104.75	27,987
88.00	24,349	92.25	25,416	96.50	26,398	100.75	27,276	105.00	28,027
88.25	24,414	92.50	25,476	96.75	26,452	101.00	27,324	105.25	28,066
88.50	24,479	92.75	25,536	97.00	26,507	101.25	27,372	105.50	28,105
88.75	24,543	93.00	25,596	97.25	26,561	101.50	27,419	105.75	28,143
89.00	24,607	93.25	25,655	97.50	26,614	101.75	27,465	106.00	28,181



## Capacity/Gauge Table Information

**TCLX 290349**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 149

Reporting Mark: TCLX 290349

Date: 20/08/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,100 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,218	110.50	28,737	114.75	28,955
106.50	28,254	110.75	28,759	115.00	28,958
106.75	28,290	111.00	28,780	115.25	28,962
107.00	28,325	111.25	28,800	115.50	28,964
107.25	28,360	111.50	28,818	115.75	28,966
107.50	28,394	111.75	28,836	116.00	28,967
107.75	28,427	112.00	28,851	116.25	28,968
108.00	28,459	112.25	28,866	116.50	28,968
108.25	28,491	112.50	28,880	116.75	28,968
108.50	28,521	112.75	28,892		
108.75	28,552	113.00	28,903		
109.00	28,581	113.25	28,914		
109.25	28,609	113.50	28,923		
109.50	28,637	113.75	28,931		
109.75	28,663	114.00	28,938		
110.00	28,689	114.25	28,945		
110.25	28,714	114.50	28,950		



## Capacity/Gauge Table Information

**TCLX 290350**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 150

Reporting Mark: TCLX 290350

Date: 24/08/2015

Capacity: 29,067 US Gallons (110,030 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	593	8.50	1,353	12.75	2,241	17.00	3,231
0.25	29	4.50	633	8.75	1,402	13.00	2,297	17.25	3,292
0.50	59	4.75	675	9.00	1,452	13.25	2,352	17.50	3,353
0.75	89	5.00	716	9.25	1,502	13.50	2,409	17.75	3,415
1.00	121	5.25	759	9.50	1,552	13.75	2,465	18.00	3,477
1.25	153	5.50	801	9.75	1,602	14.00	2,522	18.25	3,539
1.50	186	5.75	845	10.00	1,654	14.25	2,580	18.50	3,601
1.75	220	6.00	889	10.25	1,705	14.50	2,637	18.75	3,664
2.00	254	6.25	933	10.50	1,757	14.75	2,695	19.00	3,727
2.25	289	6.50	978	10.75	1,809	15.00	2,754	19.25	3,790
2.50	325	6.75	1,023	11.00	1,862	15.25	2,812	19.50	3,854
2.75	361	7.00	1,069	11.25	1,915	15.50	2,871	19.75	3,918
3.00	398	7.25	1,115	11.50	1,968	15.75	2,930	20.00	3,982
3.25	436	7.50	1,162	11.75	2,022	16.00	2,990	20.25	4,046
3.50	474	7.75	1,209	12.00	2,076	16.25	3,050	20.50	4,111
3.75	513	8.00	1,257	12.25	2,131	16.50	3,110	20.75	4,175
4.00	553	8.25	1,305	12.50	2,186	16.75	3,170	21.00	4,241



## Capacity/Gauge Table Information

**TCLX 290350**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 150

Reporting Mark: TCLX 290350

Date: 24/08/2015

Capacity: 29,067 US Gallons (110,030 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,306	25.50	5,451	29.75	6,655	34.00	7,907	38.25	9,198
21.50	4,371	25.75	5,521	30.00	6,728	34.25	7,982	38.50	9,275
21.75	4,437	26.00	5,590	30.25	6,800	34.50	8,057	38.75	9,352
22.00	4,503	26.25	5,660	30.50	6,873	34.75	8,133	39.00	9,429
22.25	4,569	26.50	5,730	30.75	6,946	35.00	8,208	39.25	9,507
22.50	4,636	26.75	5,800	31.00	7,019	35.25	8,283	39.50	9,584
22.75	4,703	27.00	5,870	31.25	7,092	35.50	8,359	39.75	9,662
23.00	4,770	27.25	5,940	31.50	7,165	35.75	8,435	40.00	9,739
23.25	4,837	27.50	6,011	31.75	7,239	36.00	8,511	40.25	9,817
23.50	4,904	27.75	6,082	32.00	7,313	36.25	8,587	40.50	9,894
23.75	4,972	28.00	6,153	32.25	7,387	36.50	8,663	40.75	9,972
24.00	5,040	28.25	6,224	32.50	7,461	36.75	8,739	41.00	10,050
24.25	5,108	28.50	6,296	32.75	7,535	37.00	8,815	41.25	10,128
24.50	5,176	28.75	6,367	33.00	7,609	37.25	8,892	41.50	10,206
24.75	5,244	29.00	6,439	33.25	7,683	37.50	8,968	41.75	10,284
25.00	5,313	29.25	6,511	33.50	7,758	37.75	9,045	42.00	10,363
25.25	5,382	29.50	6,583	33.75	7,833	38.00	9,121	42.25	10,441



## Capacity/Gauge Table Information

**TCLX 290350**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 150

Reporting Mark: TCLX 290350

Date: 24/08/2015

Capacity: 29,067 US Gallons (110,030 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,519	46.75	11,862	51.00	13,219	55.25	14,581	59.50	15,943
42.75	10,598	47.00	11,941	51.25	13,299	55.50	14,662	59.75	16,023
43.00	10,676	47.25	12,021	51.50	13,379	55.75	14,742	60.00	16,103
43.25	10,755	47.50	12,101	51.75	13,459	56.00	14,822	60.25	16,182
43.50	10,834	47.75	12,180	52.00	13,539	56.25	14,902	60.50	16,262
43.75	10,912	48.00	12,260	52.25	13,619	56.50	14,982	60.75	16,342
44.00	10,991	48.25	12,340	52.50	13,699	56.75	15,063	61.00	16,422
44.25	11,070	48.50	12,419	52.75	13,780	57.00	15,143	61.25	16,501
44.50	11,149	48.75	12,499	53.00	13,860	57.25	15,223	61.50	16,581
44.75	11,228	49.00	12,579	53.25	13,940	57.50	15,303	61.75	16,660
45.00	11,307	49.25	12,659	53.50	14,020	57.75	15,383	62.00	16,740
45.25	11,386	49.50	12,739	53.75	14,100	58.00	15,463	62.25	16,819
45.50	11,465	49.75	12,819	54.00	14,180	58.25	15,543	62.50	16,899
45.75	11,545	50.00	12,899	54.25	14,261	58.50	15,623	62.75	16,978
46.00	11,624	50.25	12,979	54.50	14,341	58.75	15,703	63.00	17,058
46.25	11,703	50.50	13,059	54.75	14,421	59.00	15,783	63.25	17,137
46.50	11,783	50.75	13,139	55.00	14,501	59.25	15,863	63.50	17,216





## Capacity/Gauge Table Information

**TCLX 290350**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 150

Reporting Mark: TCLX 290350

Date: 24/08/2015

Capacity: 29,067 US Gallons (110,030 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,295	68.00	18,631	72.25	19,941	76.50	21,219	80.75	22,454
64.00	17,374	68.25	18,709	72.50	20,017	76.75	21,293	81.00	22,525
64.25	17,453	68.50	18,786	72.75	20,093	77.00	21,366	81.25	22,596
64.50	17,532	68.75	18,864	73.00	20,169	77.25	21,440	81.50	22,667
64.75	17,611	69.00	18,942	73.25	20,245	77.50	21,513	81.75	22,737
65.00	17,690	69.25	19,019	73.50	20,321	77.75	21,587	82.00	22,808
65.25	17,769	69.50	19,097	73.75	20,396	78.00	21,660	82.25	22,878
65.50	17,848	69.75	19,174	74.00	20,472	78.25	21,733	82.50	22,948
65.75	17,926	70.00	19,251	74.25	20,547	78.50	21,806	82.75	23,018
66.00	18,005	70.25	19,328	74.50	20,622	78.75	21,879	83.00	23,088
66.25	18,083	70.50	19,405	74.75	20,697	79.00	21,951	83.25	23,157
66.50	18,162	70.75	19,482	75.00	20,772	79.25	22,023	83.50	23,226
66.75	18,240	71.00	19,559	75.25	20,847	79.50	22,096	83.75	23,295
67.00	18,318	71.25	19,636	75.50	20,922	79.75	22,168	84.00	23,364
67.25	18,397	71.50	19,712	75.75	20,996	80.00	22,239	84.25	23,433
67.50	18,475	71.75	19,789	76.00	21,070	80.25	22,311	84.50	23,501
67.75	18,553	72.00	19,865	76.25	21,145	80.50	22,383	84.75	23,569



## Capacity/Gauge Table Information

**TCLX 290350**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 150

Reporting Mark: TCLX 290350

Date: 24/08/2015

Capacity: 29,067 US Gallons (110,030 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,637	89.25	24,758	93.50	25,803	97.75	26,759	102.00	27,604
85.25	23,705	89.50	24,822	93.75	25,862	98.00	26,812	102.25	27,650
85.50	23,773	89.75	24,885	94.00	25,921	98.25	26,864	102.50	27,695
85.75	23,840	90.00	24,948	94.25	25,979	98.50	26,916	102.75	27,740
86.00	23,907	90.25	25,011	94.50	26,037	98.75	26,968	103.00	27,784
86.25	23,974	90.50	25,074	94.75	26,094	99.00	27,020	103.25	27,828
86.50	24,041	90.75	25,136	95.00	26,152	99.25	27,071	103.50	27,872
86.75	24,107	91.00	25,198	95.25	26,209	99.50	27,121	103.75	27,915
87.00	24,173	91.25	25,260	95.50	26,265	99.75	27,172	104.00	27,957
87.25	24,239	91.50	25,322	95.75	26,321	100.00	27,221	104.25	27,999
87.50	24,305	91.75	25,383	96.00	26,377	100.25	27,271	104.50	28,040
87.75	24,370	92.00	25,444	96.25	26,433	100.50	27,320	104.75	28,081
88.00	24,436	92.25	25,505	96.50	26,488	100.75	27,368	105.00	28,121
88.25	24,501	92.50	25,565	96.75	26,543	101.00	27,416	105.25	28,160
88.50	24,565	92.75	25,625	97.00	26,597	101.25	27,464	105.50	28,199
88.75	24,630	93.00	25,685	97.25	26,651	101.50	27,511	105.75	28,238
89.00	24,694	93.25	25,744	97.50	26,705	101.75	27,558	106.00	28,275



## Capacity/Gauge Table Information

**TCLX 290350**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 150

Reporting Mark: TCLX 290350

Date: 24/08/2015

Capacity: 29,067 US Gallons (110,030 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,313	110.50	28,834	114.75	29,053
106.50	28,349	110.75	28,856	115.00	29,057
106.75	28,385	111.00	28,877	115.25	29,060
107.00	28,420	111.25	28,897	115.50	29,063
107.25	28,455	111.50	28,916	115.75	29,064
107.50	28,489	111.75	28,933	116.00	29,066
107.75	28,522	112.00	28,949	116.25	29,066
108.00	28,554	112.25	28,964	116.50	29,067
108.25	28,586	112.50	28,978	116.75	29,067
108.50	28,617	112.75	28,990		
108.75	28,647	113.00	29,002		
109.00	28,677	113.25	29,012		
109.25	28,705	113.50	29,021		
109.50	28,733	113.75	29,029		
109.75	28,760	114.00	29,037		
110.00	28,785	114.25	29,043		
110.25	28,810	114.50	29,049		



## Capacity/Gauge Table Information

**TCLX 290351**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 151

Reporting Mark: TCLX 290351

Date: 19/08/2015

Capacity: 28,880 US Gallons (109,322 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	608	8.50	1,378	12.75	2,273	17.00	3,269
0.25	30	4.50	649	8.75	1,428	13.00	2,329	17.25	3,330
0.50	61	4.75	691	9.00	1,478	13.25	2,385	17.50	3,391
0.75	93	5.00	733	9.25	1,528	13.50	2,442	17.75	3,453
1.00	125	5.25	776	9.50	1,579	13.75	2,499	18.00	3,515
1.25	158	5.50	819	9.75	1,630	14.00	2,556	18.25	3,578
1.50	192	5.75	863	10.00	1,681	14.25	2,614	18.50	3,641
1.75	227	6.00	908	10.25	1,733	14.50	2,672	18.75	3,704
2.00	262	6.25	953	10.50	1,785	14.75	2,730	19.00	3,767
2.25	298	6.50	998	10.75	1,838	15.00	2,789	19.25	3,830
2.50	334	6.75	1,044	11.00	1,891	15.25	2,848	19.50	3,894
2.75	372	7.00	1,090	11.25	1,945	15.50	2,907	19.75	3,958
3.00	409	7.25	1,137	11.50	1,999	15.75	2,966	20.00	4,022
3.25	448	7.50	1,185	11.75	2,053	16.00	3,026	20.25	4,087
3.50	487	7.75	1,232	12.00	2,107	16.25	3,086	20.50	4,151
3.75	527	8.00	1,280	12.25	2,162	16.50	3,147	20.75	4,216
4.00	567	8.25	1,329	12.50	2,217	16.75	3,208	21.00	4,282



## Capacity/Gauge Table Information

**TCLX 290351**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 151

Reporting Mark: TCLX 290351

Date: 19/08/2015

Capacity: 28,880 US Gallons (109,322 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,347	25.50	5,495	29.75	6,700	34.00	7,953	38.25	9,243
21.50	4,413	25.75	5,564	30.00	6,773	34.25	8,028	38.50	9,320
21.75	4,479	26.00	5,634	30.25	6,845	34.50	8,103	38.75	9,397
22.00	4,545	26.25	5,704	30.50	6,918	34.75	8,178	39.00	9,474
22.25	4,612	26.50	5,774	30.75	6,991	35.00	8,253	39.25	9,551
22.50	4,678	26.75	5,844	31.00	7,064	35.25	8,329	39.50	9,628
22.75	4,745	27.00	5,914	31.25	7,137	35.50	8,404	39.75	9,706
23.00	4,812	27.25	5,985	31.50	7,211	35.75	8,480	40.00	9,783
23.25	4,879	27.50	6,056	31.75	7,284	36.00	8,556	40.25	9,861
23.50	4,947	27.75	6,127	32.00	7,358	36.25	8,632	40.50	9,938
23.75	5,015	28.00	6,198	32.25	7,432	36.50	8,708	40.75	10,016
24.00	5,083	28.25	6,269	32.50	7,506	36.75	8,784	41.00	10,094
24.25	5,151	28.50	6,340	32.75	7,580	37.00	8,860	41.25	10,172
24.50	5,219	28.75	6,412	33.00	7,654	37.25	8,936	41.50	10,250
24.75	5,288	29.00	6,484	33.25	7,729	37.50	9,013	41.75	10,328
25.00	5,357	29.25	6,556	33.50	7,803	37.75	9,089	42.00	10,406
25.25	5,426	29.50	6,628	33.75	7,878	38.00	9,166	42.25	10,484



## Capacity/Gauge Table Information

**TCLX 290351**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 151

Reporting Mark: TCLX 290351

Date: 19/08/2015

Capacity: 28,880 US Gallons (109,322 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,562	46.75	11,902	51.00	13,256	55.25	14,614	59.50	15,971
42.75	10,641	47.00	11,982	51.25	13,335	55.50	14,694	59.75	16,050
43.00	10,719	47.25	12,061	51.50	13,415	55.75	14,774	60.00	16,130
43.25	10,797	47.50	12,140	51.75	13,495	56.00	14,854	60.25	16,209
43.50	10,876	47.75	12,220	52.00	13,575	56.25	14,934	60.50	16,289
43.75	10,955	48.00	12,299	52.25	13,655	56.50	15,014	60.75	16,368
44.00	11,033	48.25	12,379	52.50	13,735	56.75	15,094	61.00	16,447
44.25	11,112	48.50	12,458	52.75	13,815	57.00	15,173	61.25	16,527
44.50	11,191	48.75	12,538	53.00	13,895	57.25	15,253	61.50	16,606
44.75	11,270	49.00	12,618	53.25	13,975	57.50	15,333	61.75	16,685
45.00	11,349	49.25	12,697	53.50	14,055	57.75	15,413	62.00	16,764
45.25	11,427	49.50	12,777	53.75	14,135	58.00	15,493	62.25	16,843
45.50	11,507	49.75	12,857	54.00	14,215	58.25	15,572	62.50	16,923
45.75	11,586	50.00	12,936	54.25	14,295	58.50	15,652	62.75	17,002
46.00	11,665	50.25	13,016	54.50	14,374	58.75	15,732	63.00	17,081
46.25	11,744	50.50	13,096	54.75	14,454	59.00	15,811	63.25	17,159
46.50	11,823	50.75	13,176	55.00	14,534	59.25	15,891	63.50	17,238



## Capacity/Gauge Table Information

**TCLX 290351**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 151

Reporting Mark: TCLX 290351

Date: 19/08/2015

Capacity: 28,880 US Gallons (109,322 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,317	68.00	18,646	72.25	19,949	76.50	21,218	80.75	22,443
64.00	17,396	68.25	18,723	72.50	20,025	76.75	21,291	81.00	22,514
64.25	17,474	68.50	18,801	72.75	20,100	77.00	21,364	81.25	22,584
64.50	17,553	68.75	18,878	73.00	20,176	77.25	21,437	81.50	22,655
64.75	17,632	69.00	18,955	73.25	20,251	77.50	21,510	81.75	22,725
65.00	17,710	69.25	19,032	73.50	20,326	77.75	21,583	82.00	22,794
65.25	17,788	69.50	19,109	73.75	20,401	78.00	21,656	82.25	22,864
65.50	17,867	69.75	19,186	74.00	20,476	78.25	21,728	82.50	22,933
65.75	17,945	70.00	19,263	74.25	20,551	78.50	21,801	82.75	23,003
66.00	18,023	70.25	19,339	74.50	20,625	78.75	21,873	83.00	23,072
66.25	18,101	70.50	19,416	74.75	20,700	79.00	21,945	83.25	23,140
66.50	18,179	70.75	19,492	75.00	20,774	79.25	22,016	83.50	23,209
66.75	18,257	71.00	19,569	75.25	20,849	79.50	22,088	83.75	23,277
67.00	18,335	71.25	19,645	75.50	20,923	79.75	22,159	84.00	23,346
67.25	18,413	71.50	19,721	75.75	20,997	80.00	22,231	84.25	23,414
67.50	18,491	71.75	19,797	76.00	21,071	80.25	22,302	84.50	23,481
67.75	18,568	72.00	19,873	76.25	21,144	80.50	22,373	84.75	23,549





## Capacity/Gauge Table Information

**TCLX 290351**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 151

Reporting Mark: TCLX 290351

Date: 19/08/2015

Capacity: 28,880 US Gallons (109,322 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,616	89.25	24,725	93.50	25,757	97.75	26,697	102.00	27,524
85.25	23,683	89.50	24,788	93.75	25,815	98.00	26,749	102.25	27,568
85.50	23,750	89.75	24,851	94.00	25,873	98.25	26,800	102.50	27,612
85.75	23,817	90.00	24,913	94.25	25,930	98.50	26,851	102.75	27,656
86.00	23,883	90.25	24,975	94.50	25,987	98.75	26,902	103.00	27,699
86.25	23,950	90.50	25,037	94.75	26,044	99.00	26,953	103.25	27,742
86.50	24,015	90.75	25,099	95.00	26,100	99.25	27,003	103.50	27,784
86.75	24,081	91.00	25,160	95.25	26,156	99.50	27,052	103.75	27,825
87.00	24,147	91.25	25,221	95.50	26,212	99.75	27,101	104.00	27,866
87.25	24,212	91.50	25,282	95.75	26,267	100.00	27,150	104.25	27,907
87.50	24,277	91.75	25,342	96.00	26,322	100.25	27,198	104.50	27,947
87.75	24,342	92.00	25,402	96.25	26,377	100.50	27,246	104.75	27,986
88.00	24,406	92.25	25,462	96.50	26,431	100.75	27,294	105.00	28,025
88.25	24,470	92.50	25,522	96.75	26,485	101.00	27,341	105.25	28,063
88.50	24,534	92.75	25,581	97.00	26,538	101.25	27,387	105.50	28,100
88.75	24,598	93.00	25,640	97.25	26,591	101.50	27,433	105.75	28,137
89.00	24,662	93.25	25,699	97.50	26,644	101.75	27,479	106.00	28,174



## Capacity/Gauge Table Information

**TCLX 290351**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 151

Reporting Mark: TCLX 290351

Date: 19/08/2015

Capacity: 28,880 US Gallons (109,322 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,209	110.50	28,695	114.75	28,873
106.50	28,244	110.75	28,715	115.00	28,876
106.75	28,278	111.00	28,733	115.25	28,878
107.00	28,312	111.25	28,750	115.50	28,879
107.25	28,345	111.50	28,765	115.75	28,880
107.50	28,377	111.75	28,780	116.00	28,880
107.75	28,409	112.00	28,793	116.25	28,880
108.00	28,439	112.25	28,805		
108.25	28,469	112.50	28,816		
108.50	28,498	112.75	28,826		
108.75	28,526	113.00	28,835		
109.00	28,554	113.25	28,843		
109.25	28,580	113.50	28,851		
109.50	28,605	113.75	28,857		
109.75	28,630	114.00	28,862		
110.00	28,653	114.25	28,867		
110.25	28,675	114.50	28,870		



## Capacity/Gauge Table Information

**TCLX 290352**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 152

Reporting Mark: TCLX 290352

Date: 19/08/2015

Capacity: 28,943 US Gallons (109,560 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,351	12.75	2,238	17.00	3,227
0.25	29	4.50	632	8.75	1,400	13.00	2,293	17.25	3,288
0.50	59	4.75	673	9.00	1,449	13.25	2,349	17.50	3,349
0.75	89	5.00	715	9.25	1,499	13.50	2,405	17.75	3,410
1.00	120	5.25	757	9.50	1,549	13.75	2,462	18.00	3,472
1.25	153	5.50	800	9.75	1,600	14.00	2,519	18.25	3,534
1.50	185	5.75	843	10.00	1,651	14.25	2,576	18.50	3,597
1.75	219	6.00	887	10.25	1,702	14.50	2,634	18.75	3,659
2.00	253	6.25	931	10.50	1,754	14.75	2,691	19.00	3,722
2.25	288	6.50	976	10.75	1,806	15.00	2,750	19.25	3,785
2.50	324	6.75	1,021	11.00	1,859	15.25	2,808	19.50	3,849
2.75	360	7.00	1,067	11.25	1,912	15.50	2,867	19.75	3,912
3.00	397	7.25	1,113	11.50	1,965	15.75	2,926	20.00	3,976
3.25	435	7.50	1,160	11.75	2,019	16.00	2,986	20.25	4,041
3.50	473	7.75	1,207	12.00	2,073	16.25	3,045	20.50	4,105
3.75	512	8.00	1,254	12.25	2,128	16.50	3,106	20.75	4,170
4.00	551	8.25	1,303	12.50	2,182	16.75	3,166	21.00	4,235



## Capacity/Gauge Table Information

**TCLX 290352**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 152

Reporting Mark: TCLX 290352

Date: 19/08/2015

Capacity: 28,943 US Gallons (109,560 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,300	25.50	5,444	29.75	6,646	34.00	7,896	38.25	9,185
21.50	4,366	25.75	5,513	30.00	6,718	34.25	7,971	38.50	9,262
21.75	4,431	26.00	5,583	30.25	6,791	34.50	8,046	38.75	9,339
22.00	4,497	26.25	5,652	30.50	6,864	34.75	8,121	39.00	9,416
22.25	4,563	26.50	5,722	30.75	6,936	35.00	8,197	39.25	9,493
22.50	4,630	26.75	5,792	31.00	7,009	35.25	8,272	39.50	9,570
22.75	4,696	27.00	5,862	31.25	7,082	35.50	8,347	39.75	9,648
23.00	4,763	27.25	5,932	31.50	7,156	35.75	8,423	40.00	9,725
23.25	4,830	27.50	6,003	31.75	7,229	36.00	8,499	40.25	9,803
23.50	4,898	27.75	6,074	32.00	7,303	36.25	8,574	40.50	9,880
23.75	4,965	28.00	6,145	32.25	7,376	36.50	8,650	40.75	9,958
24.00	5,033	28.25	6,216	32.50	7,450	36.75	8,727	41.00	10,036
24.25	5,101	28.50	6,287	32.75	7,524	37.00	8,803	41.25	10,113
24.50	5,169	28.75	6,359	33.00	7,598	37.25	8,879	41.50	10,191
24.75	5,237	29.00	6,430	33.25	7,673	37.50	8,955	41.75	10,269
25.00	5,306	29.25	6,502	33.50	7,747	37.75	9,032	42.00	10,347
25.25	5,375	29.50	6,574	33.75	7,822	38.00	9,109	42.25	10,426



## Capacity/Gauge Table Information

**TCLX 290352**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 152

Reporting Mark: TCLX 290352

Date: 19/08/2015

Capacity: 28,943 US Gallons (109,560 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,504	46.75	11,844	51.00	13,198	55.25	14,558	59.50	15,916
42.75	10,582	47.00	11,923	51.25	13,278	55.50	14,638	59.75	15,996
43.00	10,661	47.25	12,003	51.50	13,358	55.75	14,718	60.00	16,075
43.25	10,739	47.50	12,082	51.75	13,438	56.00	14,798	60.25	16,155
43.50	10,818	47.75	12,162	52.00	13,518	56.25	14,878	60.50	16,235
43.75	10,896	48.00	12,241	52.25	13,598	56.50	14,958	60.75	16,314
44.00	10,975	48.25	12,321	52.50	13,678	56.75	15,038	61.00	16,394
44.25	11,054	48.50	12,400	52.75	13,758	57.00	15,118	61.25	16,473
44.50	11,132	48.75	12,480	53.00	13,838	57.25	15,198	61.50	16,552
44.75	11,211	49.00	12,560	53.25	13,918	57.50	15,278	61.75	16,632
45.00	11,290	49.25	12,639	53.50	13,998	57.75	15,358	62.00	16,711
45.25	11,369	49.50	12,719	53.75	14,078	58.00	15,437	62.25	16,790
45.50	11,448	49.75	12,799	54.00	14,158	58.25	15,517	62.50	16,870
45.75	11,527	50.00	12,879	54.25	14,238	58.50	15,597	62.75	16,949
46.00	11,606	50.25	12,958	54.50	14,318	58.75	15,677	63.00	17,028
46.25	11,686	50.50	13,038	54.75	14,398	59.00	15,757	63.25	17,107
46.50	11,765	50.75	13,118	55.00	14,478	59.25	15,836	63.50	17,186



## Capacity/Gauge Table Information

**TCLX 290352**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 152

Reporting Mark: TCLX 290352

Date: 19/08/2015

Capacity: 28,943 US Gallons (109,560 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,265	68.00	18,597	72.25	19,903	76.50	21,176	80.75	22,407
64.00	17,344	68.25	18,674	72.50	19,979	76.75	21,250	81.00	22,478
64.25	17,423	68.50	18,752	72.75	20,055	77.00	21,323	81.25	22,548
64.50	17,501	68.75	18,829	73.00	20,131	77.25	21,397	81.50	22,619
64.75	17,580	69.00	18,907	73.25	20,206	77.50	21,470	81.75	22,689
65.00	17,659	69.25	18,984	73.50	20,281	77.75	21,543	82.00	22,759
65.25	17,737	69.50	19,061	73.75	20,357	78.00	21,616	82.25	22,829
65.50	17,816	69.75	19,138	74.00	20,432	78.25	21,689	82.50	22,899
65.75	17,894	70.00	19,215	74.25	20,507	78.50	21,761	82.75	22,968
66.00	17,973	70.25	19,292	74.50	20,582	78.75	21,834	83.00	23,038
66.25	18,051	70.50	19,369	74.75	20,657	79.00	21,906	83.25	23,107
66.50	18,129	70.75	19,445	75.00	20,731	79.25	21,978	83.50	23,176
66.75	18,207	71.00	19,522	75.25	20,806	79.50	22,050	83.75	23,244
67.00	18,285	71.25	19,598	75.50	20,880	79.75	22,121	84.00	23,313
67.25	18,363	71.50	19,675	75.75	20,954	80.00	22,193	84.25	23,381
67.50	18,441	71.75	19,751	76.00	21,028	80.25	22,264	84.50	23,449
67.75	18,519	72.00	19,827	76.25	21,102	80.50	22,336	84.75	23,517



## Capacity/Gauge Table Information

**TCLX 290352**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 152

Reporting Mark: TCLX 290352

Date: 19/08/2015

Capacity: 28,943 US Gallons (109,560 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,585	89.25	24,700	93.50	25,739	97.75	26,687	102.00	27,524
85.25	23,652	89.50	24,763	93.75	25,797	98.00	26,739	102.25	27,569
85.50	23,719	89.75	24,826	94.00	25,855	98.25	26,791	102.50	27,614
85.75	23,786	90.00	24,889	94.25	25,913	98.50	26,843	102.75	27,658
86.00	23,853	90.25	24,952	94.50	25,971	98.75	26,894	103.00	27,702
86.25	23,920	90.50	25,014	94.75	26,028	99.00	26,945	103.25	27,745
86.50	23,986	90.75	25,076	95.00	26,085	99.25	26,996	103.50	27,788
86.75	24,052	91.00	25,138	95.25	26,141	99.50	27,046	103.75	27,830
87.00	24,118	91.25	25,199	95.50	26,197	99.75	27,096	104.00	27,872
87.25	24,184	91.50	25,260	95.75	26,253	100.00	27,145	104.25	27,913
87.50	24,249	91.75	25,321	96.00	26,308	100.25	27,194	104.50	27,954
87.75	24,314	92.00	25,382	96.25	26,364	100.50	27,242	104.75	27,994
88.00	24,379	92.25	25,442	96.50	26,418	100.75	27,290	105.00	28,033
88.25	24,444	92.50	25,502	96.75	26,473	101.00	27,338	105.25	28,072
88.50	24,508	92.75	25,562	97.00	26,527	101.25	27,385	105.50	28,110
88.75	24,572	93.00	25,621	97.25	26,580	101.50	27,432	105.75	28,148
89.00	24,636	93.25	25,680	97.50	26,634	101.75	27,478	106.00	28,185





## Capacity/Gauge Table Information

**TCLX 290352**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 152

Reporting Mark: TCLX 290352

Date: 19/08/2015

Capacity: 28,943 US Gallons (109,560 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,222	110.50	28,726	114.75	28,930
106.50	28,257	110.75	28,747	115.00	28,934
106.75	28,293	111.00	28,767	115.25	28,937
107.00	28,327	111.25	28,785	115.50	28,939
107.25	28,361	111.50	28,803	115.75	28,940
107.50	28,394	111.75	28,819	116.00	28,942
107.75	28,426	112.00	28,833	116.25	28,942
108.00	28,458	112.25	28,847	116.50	28,943
108.25	28,489	112.50	28,860	116.75	28,943
108.50	28,519	112.75	28,872		
108.75	28,548	113.00	28,882		
109.00	28,577	113.25	28,892		
109.25	28,604	113.50	28,900		
109.50	28,631	113.75	28,908		
109.75	28,656	114.00	28,915		
110.00	28,681	114.25	28,921		
110.25	28,704	114.50	28,926		



## Capacity/Gauge Table Information

**TCLX 290353**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 153

Reporting Mark: TCLX 290353

Date: 19/08/2015

Capacity: 29,060 US Gallons (110,005 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	594	8.50	1,355	12.75	2,244	17.00	3,234
0.25	29	4.50	635	8.75	1,404	13.00	2,299	17.25	3,295
0.50	59	4.75	676	9.00	1,454	13.25	2,355	17.50	3,357
0.75	90	5.00	718	9.25	1,504	13.50	2,412	17.75	3,418
1.00	121	5.25	760	9.50	1,554	13.75	2,468	18.00	3,480
1.25	154	5.50	803	9.75	1,605	14.00	2,525	18.25	3,542
1.50	187	5.75	846	10.00	1,656	14.25	2,583	18.50	3,605
1.75	220	6.00	890	10.25	1,707	14.50	2,640	18.75	3,668
2.00	255	6.25	935	10.50	1,759	14.75	2,698	19.00	3,731
2.25	290	6.50	979	10.75	1,812	15.00	2,757	19.25	3,794
2.50	326	6.75	1,025	11.00	1,864	15.25	2,815	19.50	3,857
2.75	362	7.00	1,071	11.25	1,917	15.50	2,874	19.75	3,921
3.00	399	7.25	1,117	11.50	1,971	15.75	2,933	20.00	3,985
3.25	437	7.50	1,164	11.75	2,025	16.00	2,993	20.25	4,050
3.50	475	7.75	1,211	12.00	2,079	16.25	3,053	20.50	4,114
3.75	514	8.00	1,259	12.25	2,133	16.50	3,113	20.75	4,179
4.00	554	8.25	1,307	12.50	2,188	16.75	3,174	21.00	4,244



## Capacity/Gauge Table Information

**TCLX 290353**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 153

Reporting Mark: TCLX 290353

Date: 19/08/2015

Capacity: 29,060 US Gallons (110,005 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,309	25.50	5,455	29.75	6,659	34.00	7,911	38.25	9,202
21.50	4,375	25.75	5,524	30.00	6,732	34.25	7,986	38.50	9,279
21.75	4,441	26.00	5,594	30.25	6,804	34.50	8,061	38.75	9,356
22.00	4,507	26.25	5,664	30.50	6,877	34.75	8,137	39.00	9,433
22.25	4,573	26.50	5,733	30.75	6,950	35.00	8,212	39.25	9,511
22.50	4,640	26.75	5,804	31.00	7,023	35.25	8,287	39.50	9,588
22.75	4,706	27.00	5,874	31.25	7,096	35.50	8,363	39.75	9,665
23.00	4,773	27.25	5,944	31.50	7,169	35.75	8,439	40.00	9,743
23.25	4,841	27.50	6,015	31.75	7,243	36.00	8,515	40.25	9,821
23.50	4,908	27.75	6,086	32.00	7,317	36.25	8,590	40.50	9,898
23.75	4,976	28.00	6,157	32.25	7,391	36.50	8,667	40.75	9,976
24.00	5,043	28.25	6,228	32.50	7,464	36.75	8,743	41.00	10,054
24.25	5,112	28.50	6,300	32.75	7,539	37.00	8,819	41.25	10,132
24.50	5,180	28.75	6,371	33.00	7,613	37.25	8,895	41.50	10,210
24.75	5,248	29.00	6,443	33.25	7,687	37.50	8,972	41.75	10,288
25.00	5,317	29.25	6,515	33.50	7,762	37.75	9,049	42.00	10,366
25.25	5,386	29.50	6,587	33.75	7,837	38.00	9,125	42.25	10,445



## Capacity/Gauge Table Information

**TCLX 290353**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 153

Reporting Mark: TCLX 290353

Date: 19/08/2015

Capacity: 29,060 US Gallons (110,005 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,523	46.75	11,866	51.00	13,222	55.25	14,585	59.50	15,946
42.75	10,602	47.00	11,945	51.25	13,302	55.50	14,665	59.75	16,026
43.00	10,680	47.25	12,025	51.50	13,382	55.75	14,745	60.00	16,105
43.25	10,759	47.50	12,104	51.75	13,462	56.00	14,825	60.25	16,185
43.50	10,837	47.75	12,184	52.00	13,542	56.25	14,905	60.50	16,265
43.75	10,916	48.00	12,263	52.25	13,623	56.50	14,985	60.75	16,345
44.00	10,995	48.25	12,343	52.50	13,703	56.75	15,066	61.00	16,424
44.25	11,074	48.50	12,423	52.75	13,783	57.00	15,146	61.25	16,504
44.50	11,153	48.75	12,503	53.00	13,863	57.25	15,226	61.50	16,583
44.75	11,232	49.00	12,583	53.25	13,943	57.50	15,306	61.75	16,663
45.00	11,311	49.25	12,662	53.50	14,023	57.75	15,386	62.00	16,743
45.25	11,390	49.50	12,742	53.75	14,103	58.00	15,466	62.25	16,822
45.50	11,469	49.75	12,822	54.00	14,184	58.25	15,546	62.50	16,901
45.75	11,548	50.00	12,902	54.25	14,264	58.50	15,626	62.75	16,981
46.00	11,627	50.25	12,982	54.50	14,344	58.75	15,706	63.00	17,060
46.25	11,707	50.50	13,062	54.75	14,424	59.00	15,786	63.25	17,139
46.50	11,786	50.75	13,142	55.00	14,504	59.25	15,866	63.50	17,218



## Capacity/Gauge Table Information

**TCLX 290353**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 153

Reporting Mark: TCLX 290353

Date: 19/08/2015

Capacity: 29,060 US Gallons (110,005 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,298	68.00	18,633	72.25	19,943	76.50	21,220	80.75	22,455
64.00	17,377	68.25	18,711	72.50	20,019	76.75	21,294	81.00	22,526
64.25	17,456	68.50	18,788	72.75	20,095	77.00	21,368	81.25	22,597
64.50	17,535	68.75	18,866	73.00	20,171	77.25	21,441	81.50	22,667
64.75	17,614	69.00	18,944	73.25	20,247	77.50	21,515	81.75	22,738
65.00	17,692	69.25	19,021	73.50	20,322	77.75	21,588	82.00	22,808
65.25	17,771	69.50	19,098	73.75	20,398	78.00	21,661	82.25	22,879
65.50	17,850	69.75	19,176	74.00	20,473	78.25	21,734	82.50	22,949
65.75	17,928	70.00	19,253	74.25	20,549	78.50	21,807	82.75	23,018
66.00	18,007	70.25	19,330	74.50	20,624	78.75	21,879	83.00	23,088
66.25	18,086	70.50	19,407	74.75	20,699	79.00	21,952	83.25	23,157
66.50	18,164	70.75	19,484	75.00	20,774	79.25	22,024	83.50	23,227
66.75	18,242	71.00	19,561	75.25	20,848	79.50	22,096	83.75	23,296
67.00	18,321	71.25	19,637	75.50	20,923	79.75	22,168	84.00	23,364
67.25	18,399	71.50	19,714	75.75	20,997	80.00	22,240	84.25	23,433
67.50	18,477	71.75	19,790	76.00	21,072	80.25	22,312	84.50	23,501
67.75	18,555	72.00	19,867	76.25	21,146	80.50	22,383	84.75	23,570



## Capacity/Gauge Table Information

**TCLX 290353**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 153

Reporting Mark: TCLX 290353

Date: 19/08/2015

Capacity: 29,060 US Gallons (110,005 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,638	89.25	24,758	93.50	25,802	97.75	26,757	102.00	27,602
85.25	23,705	89.50	24,821	93.75	25,861	98.00	26,810	102.25	27,648
85.50	23,773	89.75	24,885	94.00	25,920	98.25	26,863	102.50	27,693
85.75	23,840	90.00	24,948	94.25	25,978	98.50	26,915	102.75	27,738
86.00	23,907	90.25	25,011	94.50	26,036	98.75	26,967	103.00	27,782
86.25	23,974	90.50	25,073	94.75	26,093	99.00	27,018	103.25	27,826
86.50	24,041	90.75	25,136	95.00	26,151	99.25	27,069	103.50	27,869
86.75	24,107	91.00	25,198	95.25	26,207	99.50	27,120	103.75	27,912
87.00	24,173	91.25	25,260	95.50	26,264	99.75	27,170	104.00	27,954
87.25	24,239	91.50	25,321	95.75	26,320	100.00	27,219	104.25	27,996
87.50	24,305	91.75	25,382	96.00	26,376	100.25	27,269	104.50	28,037
87.75	24,370	92.00	25,443	96.25	26,432	100.50	27,318	104.75	28,078
88.00	24,435	92.25	25,504	96.50	26,487	100.75	27,366	105.00	28,118
88.25	24,500	92.50	25,564	96.75	26,541	101.00	27,414	105.25	28,157
88.50	24,565	92.75	25,624	97.00	26,596	101.25	27,462	105.50	28,196
88.75	24,630	93.00	25,684	97.25	26,650	101.50	27,509	105.75	28,235
89.00	24,694	93.25	25,743	97.50	26,704	101.75	27,556	106.00	28,272



## Capacity/Gauge Table Information

**TCLX 290353**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 153

Reporting Mark: TCLX 290353

Date: 19/08/2015

Capacity: 29,060 US Gallons (110,005 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,309	110.50	28,829	114.75	29,047
106.50	28,346	110.75	28,851	115.00	29,051
106.75	28,382	111.00	28,872	115.25	29,054
107.00	28,417	111.25	28,892	115.50	29,056
107.25	28,451	111.50	28,911	115.75	29,058
107.50	28,485	111.75	28,928	116.00	29,059
107.75	28,518	112.00	28,944	116.25	29,060
108.00	28,551	112.25	28,958	116.50	29,060
108.25	28,582	112.50	28,972	116.75	29,060
108.50	28,613	112.75	28,984		
108.75	28,643	113.00	28,996		
109.00	28,673	113.25	29,006		
109.25	28,701	113.50	29,015		
109.50	28,729	113.75	29,023		
109.75	28,755	114.00	29,030		
110.00	28,781	114.25	29,037		
110.25	28,806	114.50	29,042		





## Capacity/Gauge Table Information

**TCLX 290354**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 154

Reporting Mark: TCLX 290354

Date: 13/08/2015

Capacity: 29,027 US Gallons (109,878 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,348	12.75	2,233	17.00	3,222
0.25	29	4.50	630	8.75	1,397	13.00	2,289	17.25	3,282
0.50	58	4.75	671	9.00	1,446	13.25	2,345	17.50	3,344
0.75	89	5.00	713	9.25	1,496	13.50	2,401	17.75	3,405
1.00	120	5.25	755	9.50	1,546	13.75	2,457	18.00	3,467
1.25	152	5.50	797	9.75	1,596	14.00	2,514	18.25	3,529
1.50	185	5.75	841	10.00	1,647	14.25	2,571	18.50	3,591
1.75	218	6.00	884	10.25	1,699	14.50	2,629	18.75	3,654
2.00	252	6.25	928	10.50	1,750	14.75	2,687	19.00	3,717
2.25	287	6.50	973	10.75	1,802	15.00	2,745	19.25	3,780
2.50	323	6.75	1,018	11.00	1,855	15.25	2,803	19.50	3,843
2.75	359	7.00	1,064	11.25	1,908	15.50	2,862	19.75	3,907
3.00	396	7.25	1,110	11.50	1,961	15.75	2,921	20.00	3,971
3.25	434	7.50	1,157	11.75	2,015	16.00	2,981	20.25	4,035
3.50	472	7.75	1,204	12.00	2,069	16.25	3,041	20.50	4,100
3.75	510	8.00	1,251	12.25	2,123	16.50	3,101	20.75	4,164
4.00	550	8.25	1,299	12.50	2,178	16.75	3,161	21.00	4,229



## Capacity/Gauge Table Information

**TCLX 290354**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 154

Reporting Mark: TCLX 290354

Date: 13/08/2015

Capacity: 29,027 US Gallons (109,878 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,295	25.50	5,438	29.75	6,641	34.00	7,892	38.25	9,181
21.50	4,360	25.75	5,508	30.00	6,713	34.25	7,966	38.50	9,258
21.75	4,426	26.00	5,577	30.25	6,786	34.50	8,041	38.75	9,335
22.00	4,492	26.25	5,647	30.50	6,858	34.75	8,117	39.00	9,412
22.25	4,558	26.50	5,716	30.75	6,931	35.00	8,192	39.25	9,489
22.50	4,624	26.75	5,786	31.00	7,004	35.25	8,267	39.50	9,567
22.75	4,691	27.00	5,857	31.25	7,077	35.50	8,343	39.75	9,644
23.00	4,758	27.25	5,927	31.50	7,151	35.75	8,418	40.00	9,721
23.25	4,825	27.50	5,998	31.75	7,224	36.00	8,494	40.25	9,799
23.50	4,892	27.75	6,068	32.00	7,298	36.25	8,570	40.50	9,877
23.75	4,960	28.00	6,139	32.25	7,371	36.50	8,646	40.75	9,954
24.00	5,027	28.25	6,210	32.50	7,445	36.75	8,722	41.00	10,032
24.25	5,095	28.50	6,282	32.75	7,519	37.00	8,798	41.25	10,110
24.50	5,164	28.75	6,353	33.00	7,593	37.25	8,875	41.50	10,188
24.75	5,232	29.00	6,425	33.25	7,668	37.50	8,951	41.75	10,266
25.00	5,301	29.25	6,497	33.50	7,742	37.75	9,028	42.00	10,344
25.25	5,369	29.50	6,569	33.75	7,817	38.00	9,104	42.25	10,422



## Capacity/Gauge Table Information

**TCLX 290354**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 154

Reporting Mark: TCLX 290354

Date: 13/08/2015

Capacity: 29,027 US Gallons (109,878 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,501	46.75	11,842	51.00	13,198	55.25	14,559	59.50	15,919
42.75	10,579	47.00	11,922	51.25	13,278	55.50	14,639	59.75	15,999
43.00	10,658	47.25	12,001	51.50	13,358	55.75	14,719	60.00	16,079
43.25	10,736	47.50	12,081	51.75	13,438	56.00	14,800	60.25	16,159
43.50	10,815	47.75	12,160	52.00	13,518	56.25	14,880	60.50	16,238
43.75	10,893	48.00	12,240	52.25	13,598	56.50	14,960	60.75	16,318
44.00	10,972	48.25	12,319	52.50	13,678	56.75	15,040	61.00	16,398
44.25	11,051	48.50	12,399	52.75	13,758	57.00	15,120	61.25	16,477
44.50	11,130	48.75	12,479	53.00	13,838	57.25	15,200	61.50	16,557
44.75	11,209	49.00	12,559	53.25	13,918	57.50	15,280	61.75	16,636
45.00	11,288	49.25	12,638	53.50	13,998	57.75	15,360	62.00	16,716
45.25	11,367	49.50	12,718	53.75	14,078	58.00	15,440	62.25	16,795
45.50	11,446	49.75	12,798	54.00	14,159	58.25	15,520	62.50	16,875
45.75	11,525	50.00	12,878	54.25	14,239	58.50	15,600	62.75	16,954
46.00	11,604	50.25	12,958	54.50	14,319	58.75	15,680	63.00	17,033
46.25	11,684	50.50	13,038	54.75	14,399	59.00	15,760	63.25	17,112
46.50	11,763	50.75	13,118	55.00	14,479	59.25	15,840	63.50	17,191



## Capacity/Gauge Table Information

**TCLX 290354**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 154

Reporting Mark: TCLX 290354

Date: 13/08/2015

Capacity: 29,027 US Gallons (109,878 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,271	68.00	18,605	72.25	19,914	76.50	21,191	80.75	22,425
64.00	17,350	68.25	18,683	72.50	19,990	76.75	21,264	81.00	22,496
64.25	17,429	68.50	18,760	72.75	20,066	77.00	21,338	81.25	22,567
64.50	17,507	68.75	18,838	73.00	20,142	77.25	21,412	81.50	22,637
64.75	17,586	69.00	18,916	73.25	20,218	77.50	21,485	81.75	22,708
65.00	17,665	69.25	18,993	73.50	20,294	77.75	21,558	82.00	22,778
65.25	17,744	69.50	19,070	73.75	20,369	78.00	21,632	82.25	22,848
65.50	17,822	69.75	19,148	74.00	20,444	78.25	21,704	82.50	22,918
65.75	17,901	70.00	19,225	74.25	20,520	78.50	21,777	82.75	22,988
66.00	17,980	70.25	19,302	74.50	20,595	78.75	21,850	83.00	23,058
66.25	18,058	70.50	19,379	74.75	20,670	79.00	21,922	83.25	23,127
66.50	18,136	70.75	19,456	75.00	20,745	79.25	21,995	83.50	23,196
66.75	18,215	71.00	19,532	75.25	20,819	79.50	22,067	83.75	23,265
67.00	18,293	71.25	19,609	75.50	20,894	79.75	22,139	84.00	23,334
67.25	18,371	71.50	19,685	75.75	20,968	80.00	22,210	84.25	23,403
67.50	18,449	71.75	19,762	76.00	21,043	80.25	22,282	84.50	23,471
67.75	18,527	72.00	19,838	76.25	21,117	80.50	22,354	84.75	23,539



## Capacity/Gauge Table Information

**TCLX 290354**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 154

Reporting Mark: TCLX 290354

Date: 13/08/2015

Capacity: 29,027 US Gallons (109,878 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,607	89.25	24,727	93.50	25,771	97.75	26,725	102.00	27,569
85.25	23,675	89.50	24,790	93.75	25,830	98.00	26,778	102.25	27,615
85.50	23,742	89.75	24,854	94.00	25,888	98.25	26,830	102.50	27,660
85.75	23,809	90.00	24,917	94.25	25,946	98.50	26,882	102.75	27,705
86.00	23,877	90.25	24,980	94.50	26,004	98.75	26,934	103.00	27,749
86.25	23,943	90.50	25,042	94.75	26,062	99.00	26,986	103.25	27,793
86.50	24,010	90.75	25,104	95.00	26,119	99.25	27,037	103.50	27,836
86.75	24,076	91.00	25,166	95.25	26,176	99.50	27,087	103.75	27,879
87.00	24,142	91.25	25,228	95.50	26,232	99.75	27,137	104.00	27,921
87.25	24,208	91.50	25,290	95.75	26,288	100.00	27,187	104.25	27,963
87.50	24,274	91.75	25,351	96.00	26,344	100.25	27,236	104.50	28,004
87.75	24,339	92.00	25,412	96.25	26,400	100.50	27,285	104.75	28,045
88.00	24,405	92.25	25,472	96.50	26,455	100.75	27,334	105.00	28,085
88.25	24,469	92.50	25,533	96.75	26,509	101.00	27,382	105.25	28,124
88.50	24,534	92.75	25,593	97.00	26,564	101.25	27,429	105.50	28,163
88.75	24,599	93.00	25,652	97.25	26,618	101.50	27,476	105.75	28,201
89.00	24,663	93.25	25,712	97.50	26,672	101.75	27,523	106.00	28,239



## Capacity/Gauge Table Information

**TCLX 290354**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 154

Reporting Mark: TCLX 290354

Date: 13/08/2015

Capacity: 29,027 US Gallons (109,878 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,276	110.50	28,796	114.75	29,013
106.50	28,313	110.75	28,818	115.00	29,017
106.75	28,348	111.00	28,839	115.25	29,020
107.00	28,384	111.25	28,859	115.50	29,022
107.25	28,418	111.50	28,877	115.75	29,024
107.50	28,452	111.75	28,894	116.00	29,025
107.75	28,485	112.00	28,910	116.25	29,026
108.00	28,517	112.25	28,925	116.50	29,027
108.25	28,549	112.50	28,938	116.75	29,027
108.50	28,580	112.75	28,951		
108.75	28,610	113.00	28,962		
109.00	28,639	113.25	28,972		
109.25	28,668	113.50	28,981		
109.50	28,695	113.75	28,990		
109.75	28,722	114.00	28,997		
110.00	28,747	114.25	29,003		
110.25	28,772	114.50	29,009		



## Capacity/Gauge Table Information

**TCLX 290355**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 155

Reporting Mark: TCLX 290355

Date: 13/08/2015

Capacity: 28,942 US Gallons (109,556 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,222	17.00	3,208
0.25	28	4.50	625	8.75	1,389	13.00	2,278	17.25	3,269
0.50	58	4.75	666	9.00	1,438	13.25	2,333	17.50	3,330
0.75	88	5.00	708	9.25	1,487	13.50	2,389	17.75	3,391
1.00	119	5.25	750	9.50	1,537	13.75	2,446	18.00	3,453
1.25	151	5.50	792	9.75	1,587	14.00	2,502	18.25	3,514
1.50	183	5.75	835	10.00	1,638	14.25	2,559	18.50	3,577
1.75	216	6.00	878	10.25	1,689	14.50	2,617	18.75	3,639
2.00	250	6.25	922	10.50	1,741	14.75	2,674	19.00	3,702
2.25	285	6.50	967	10.75	1,793	15.00	2,732	19.25	3,765
2.50	320	6.75	1,012	11.00	1,845	15.25	2,791	19.50	3,828
2.75	356	7.00	1,057	11.25	1,898	15.50	2,849	19.75	3,892
3.00	393	7.25	1,103	11.50	1,951	15.75	2,908	20.00	3,955
3.25	430	7.50	1,150	11.75	2,005	16.00	2,968	20.25	4,019
3.50	468	7.75	1,197	12.00	2,059	16.25	3,027	20.50	4,084
3.75	506	8.00	1,244	12.25	2,113	16.50	3,087	20.75	4,148
4.00	546	8.25	1,292	12.50	2,167	16.75	3,147	21.00	4,213





## Capacity/Gauge Table Information

**TCLX 290355**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 155

Reporting Mark: TCLX 290355

Date: 13/08/2015

Capacity: 28,942 US Gallons (109,556 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,278	25.50	5,419	29.75	6,619	34.00	7,867	38.25	9,154
21.50	4,343	25.75	5,488	30.00	6,691	34.25	7,942	38.50	9,230
21.75	4,409	26.00	5,557	30.25	6,763	34.50	8,016	38.75	9,307
22.00	4,475	26.25	5,627	30.50	6,836	34.75	8,091	39.00	9,384
22.25	4,541	26.50	5,696	30.75	6,908	35.00	8,166	39.25	9,461
22.50	4,607	26.75	5,766	31.00	6,981	35.25	8,242	39.50	9,538
22.75	4,673	27.00	5,836	31.25	7,054	35.50	8,317	39.75	9,615
23.00	4,740	27.25	5,907	31.50	7,127	35.75	8,392	40.00	9,693
23.25	4,807	27.50	5,977	31.75	7,201	36.00	8,468	40.25	9,770
23.50	4,874	27.75	6,048	32.00	7,274	36.25	8,544	40.50	9,848
23.75	4,942	28.00	6,118	32.25	7,348	36.50	8,620	40.75	9,925
24.00	5,009	28.25	6,189	32.50	7,421	36.75	8,696	41.00	10,003
24.25	5,077	28.50	6,260	32.75	7,495	37.00	8,772	41.25	10,081
24.50	5,145	28.75	6,332	33.00	7,569	37.25	8,848	41.50	10,158
24.75	5,213	29.00	6,403	33.25	7,643	37.50	8,924	41.75	10,236
25.00	5,282	29.25	6,475	33.50	7,718	37.75	9,000	42.00	10,314
25.25	5,350	29.50	6,547	33.75	7,792	38.00	9,077	42.25	10,392



## Capacity/Gauge Table Information

**TCLX 290355**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 155

Reporting Mark: TCLX 290355

Date: 13/08/2015

Capacity: 28,942 US Gallons (109,556 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,470	46.75	11,809	51.00	13,162	55.25	14,521	59.50	15,878
42.75	10,549	47.00	11,888	51.25	13,242	55.50	14,601	59.75	15,958
43.00	10,627	47.25	11,968	51.50	13,321	55.75	14,681	60.00	16,037
43.25	10,705	47.50	12,047	51.75	13,401	56.00	14,760	60.25	16,117
43.50	10,784	47.75	12,126	52.00	13,481	56.25	14,840	60.50	16,196
43.75	10,862	48.00	12,206	52.25	13,561	56.50	14,920	60.75	16,276
44.00	10,941	48.25	12,285	52.50	13,641	56.75	15,000	61.00	16,355
44.25	11,020	48.50	12,365	52.75	13,721	57.00	15,080	61.25	16,435
44.50	11,098	48.75	12,444	53.00	13,801	57.25	15,160	61.50	16,514
44.75	11,177	49.00	12,524	53.25	13,881	57.50	15,240	61.75	16,594
45.00	11,256	49.25	12,604	53.50	13,961	57.75	15,320	62.00	16,673
45.25	11,335	49.50	12,683	53.75	14,041	58.00	15,400	62.25	16,752
45.50	11,414	49.75	12,763	54.00	14,121	58.25	15,479	62.50	16,831
45.75	11,493	50.00	12,843	54.25	14,201	58.50	15,559	62.75	16,910
46.00	11,572	50.25	12,922	54.50	14,281	58.75	15,639	63.00	16,989
46.25	11,651	50.50	13,002	54.75	14,361	59.00	15,719	63.25	17,069
46.50	11,730	50.75	13,082	55.00	14,441	59.25	15,798	63.50	17,147



## Capacity/Gauge Table Information

**TCLX 290355**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 155

Reporting Mark: TCLX 290355

Date: 13/08/2015

Capacity: 28,942 US Gallons (109,556 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,226	68.00	18,558	72.25	19,865	76.50	21,138	80.75	22,370
64.00	17,305	68.25	18,636	72.50	19,941	76.75	21,212	81.00	22,440
64.25	17,384	68.50	18,713	72.75	20,016	77.00	21,285	81.25	22,511
64.50	17,463	68.75	18,791	73.00	20,092	77.25	21,359	81.50	22,582
64.75	17,542	69.00	18,868	73.25	20,168	77.50	21,432	81.75	22,652
65.00	17,620	69.25	18,945	73.50	20,243	77.75	21,505	82.00	22,722
65.25	17,699	69.50	19,022	73.75	20,318	78.00	21,578	82.25	22,792
65.50	17,777	69.75	19,100	74.00	20,394	78.25	21,651	82.50	22,862
65.75	17,856	70.00	19,177	74.25	20,469	78.50	21,724	82.75	22,932
66.00	17,934	70.25	19,253	74.50	20,544	78.75	21,796	83.00	23,001
66.25	18,012	70.50	19,330	74.75	20,618	79.00	21,868	83.25	23,070
66.50	18,090	70.75	19,407	75.00	20,693	79.25	21,940	83.50	23,139
66.75	18,169	71.00	19,483	75.25	20,768	79.50	22,012	83.75	23,208
67.00	18,247	71.25	19,560	75.50	20,842	79.75	22,084	84.00	23,277
67.25	18,325	71.50	19,636	75.75	20,916	80.00	22,156	84.25	23,345
67.50	18,402	71.75	19,713	76.00	20,990	80.25	22,227	84.50	23,413
67.75	18,480	72.00	19,789	76.25	21,064	80.50	22,298	84.75	23,481



## Capacity/Gauge Table Information

**TCLX 290355**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 155

Reporting Mark: TCLX 290355

Date: 13/08/2015

Capacity: 28,942 US Gallons (109,556 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,549	89.25	24,666	93.50	25,707	97.75	26,658	102.00	27,499
85.25	23,617	89.50	24,729	93.75	25,766	98.00	26,711	102.25	27,545
85.50	23,684	89.75	24,792	94.00	25,824	98.25	26,763	102.50	27,590
85.75	23,751	90.00	24,855	94.25	25,882	98.50	26,815	102.75	27,634
86.00	23,818	90.25	24,918	94.50	25,940	98.75	26,867	103.00	27,678
86.25	23,885	90.50	24,980	94.75	25,997	99.00	26,918	103.25	27,722
86.50	23,951	90.75	25,043	95.00	26,054	99.25	26,969	103.50	27,765
86.75	24,017	91.00	25,104	95.25	26,111	99.50	27,019	103.75	27,808
87.00	24,083	91.25	25,166	95.50	26,167	99.75	27,069	104.00	27,850
87.25	24,149	91.50	25,227	95.75	26,223	100.00	27,119	104.25	27,891
87.50	24,214	91.75	25,288	96.00	26,279	100.25	27,168	104.50	27,932
87.75	24,280	92.00	25,349	96.25	26,334	100.50	27,216	104.75	27,972
88.00	24,345	92.25	25,410	96.50	26,389	100.75	27,265	105.00	28,012
88.25	24,409	92.50	25,470	96.75	26,443	101.00	27,313	105.25	28,051
88.50	24,474	92.75	25,529	97.00	26,498	101.25	27,360	105.50	28,090
88.75	24,538	93.00	25,589	97.25	26,552	101.50	27,407	105.75	28,128
89.00	24,602	93.25	25,648	97.50	26,605	101.75	27,453	106.00	28,166



## Capacity/Gauge Table Information

**TCLX 290355**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 155

Reporting Mark: TCLX 290355

Date: 13/08/2015

Capacity: 28,942 US Gallons (109,556 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,202	110.50	28,716	114.75	28,929
106.50	28,239	110.75	28,738	115.00	28,932
106.75	28,274	111.00	28,759	115.25	28,935
107.00	28,309	111.25	28,778	115.50	28,938
107.25	28,343	111.50	28,796	115.75	28,939
107.50	28,377	111.75	28,812	116.00	28,941
107.75	28,410	112.00	28,828	116.25	28,941
108.00	28,442	112.25	28,842	116.50	28,942
108.25	28,473	112.50	28,855	116.75	28,942
108.50	28,504	112.75	28,868		
108.75	28,533	113.00	28,879		
109.00	28,562	113.25	28,889		
109.25	28,591	113.50	28,898		
109.50	28,618	113.75	28,905		
109.75	28,644	114.00	28,913		
110.00	28,669	114.25	28,919		
110.25	28,693	114.50	28,924		



## Capacity/Gauge Table Information

**TCLX 290356**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 156

Reporting Mark: TCLX 290356

Date: 14/08/2015

Capacity: 28,979 US Gallons (109,697 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,335	12.75	2,216	17.00	3,201
0.25	28	4.50	622	8.75	1,384	13.00	2,271	17.25	3,261
0.50	57	4.75	663	9.00	1,433	13.25	2,327	17.50	3,322
0.75	87	5.00	704	9.25	1,482	13.50	2,383	17.75	3,384
1.00	118	5.25	746	9.50	1,532	13.75	2,439	18.00	3,445
1.25	150	5.50	788	9.75	1,582	14.00	2,496	18.25	3,507
1.50	182	5.75	831	10.00	1,633	14.25	2,553	18.50	3,569
1.75	215	6.00	875	10.25	1,684	14.50	2,610	18.75	3,632
2.00	249	6.25	918	10.50	1,735	14.75	2,668	19.00	3,695
2.25	283	6.50	963	10.75	1,787	15.00	2,726	19.25	3,757
2.50	318	6.75	1,008	11.00	1,840	15.25	2,784	19.50	3,821
2.75	354	7.00	1,053	11.25	1,892	15.50	2,843	19.75	3,884
3.00	391	7.25	1,099	11.50	1,945	15.75	2,902	20.00	3,948
3.25	428	7.50	1,145	11.75	1,999	16.00	2,961	20.25	4,012
3.50	465	7.75	1,192	12.00	2,053	16.25	3,020	20.50	4,076
3.75	504	8.00	1,239	12.25	2,107	16.50	3,080	20.75	4,141
4.00	543	8.25	1,287	12.50	2,161	16.75	3,140	21.00	4,206



## Capacity/Gauge Table Information

**TCLX 290356**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 156

Reporting Mark: TCLX 290356

Date: 14/08/2015

Capacity: 28,979 US Gallons (109,697 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,271	25.50	5,411	29.75	6,611	34.00	7,860	38.25	9,147
21.50	4,336	25.75	5,480	30.00	6,683	34.25	7,934	38.50	9,224
21.75	4,401	26.00	5,550	30.25	6,756	34.50	8,009	38.75	9,301
22.00	4,467	26.25	5,619	30.50	6,828	34.75	8,084	39.00	9,378
22.25	4,533	26.50	5,689	30.75	6,901	35.00	8,159	39.25	9,455
22.50	4,599	26.75	5,759	31.00	6,974	35.25	8,235	39.50	9,532
22.75	4,666	27.00	5,829	31.25	7,047	35.50	8,310	39.75	9,609
23.00	4,732	27.25	5,899	31.50	7,120	35.75	8,385	40.00	9,686
23.25	4,799	27.50	5,969	31.75	7,193	36.00	8,461	40.25	9,764
23.50	4,867	27.75	6,040	32.00	7,267	36.25	8,537	40.50	9,841
23.75	4,934	28.00	6,111	32.25	7,340	36.50	8,613	40.75	9,919
24.00	5,001	28.25	6,182	32.50	7,414	36.75	8,689	41.00	9,997
24.25	5,069	28.50	6,253	32.75	7,488	37.00	8,765	41.25	10,074
24.50	5,137	28.75	6,324	33.00	7,562	37.25	8,841	41.50	10,152
24.75	5,205	29.00	6,396	33.25	7,636	37.50	8,917	41.75	10,230
25.00	5,274	29.25	6,467	33.50	7,711	37.75	8,994	42.00	10,308
25.25	5,343	29.50	6,539	33.75	7,785	38.00	9,070	42.25	10,386





## Capacity/Gauge Table Information

**TCLX 290356**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 156

Reporting Mark: TCLX 290356

Date: 14/08/2015

Capacity: 28,979 US Gallons (109,697 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,465	46.75	11,804	51.00	13,158	55.25	14,518	59.50	15,877
42.75	10,543	47.00	11,884	51.25	13,238	55.50	14,598	59.75	15,957
43.00	10,621	47.25	11,963	51.50	13,318	55.75	14,678	60.00	16,036
43.25	10,700	47.50	12,042	51.75	13,398	56.00	14,758	60.25	16,116
43.50	10,778	47.75	12,122	52.00	13,478	56.25	14,838	60.50	16,196
43.75	10,857	48.00	12,201	52.25	13,558	56.50	14,918	60.75	16,275
44.00	10,935	48.25	12,281	52.50	13,638	56.75	14,998	61.00	16,355
44.25	11,014	48.50	12,360	52.75	13,718	57.00	15,078	61.25	16,434
44.50	11,093	48.75	12,440	53.00	13,798	57.25	15,158	61.50	16,514
44.75	11,172	49.00	12,520	53.25	13,878	57.50	15,238	61.75	16,593
45.00	11,250	49.25	12,599	53.50	13,958	57.75	15,318	62.00	16,673
45.25	11,329	49.50	12,679	53.75	14,038	58.00	15,398	62.25	16,752
45.50	11,408	49.75	12,759	54.00	14,118	58.25	15,478	62.50	16,831
45.75	11,487	50.00	12,839	54.25	14,198	58.50	15,558	62.75	16,910
46.00	11,567	50.25	12,918	54.50	14,278	58.75	15,638	63.00	16,990
46.25	11,646	50.50	12,998	54.75	14,358	59.00	15,717	63.25	17,069
46.50	11,725	50.75	13,078	55.00	14,438	59.25	15,797	63.50	17,148



## Capacity/Gauge Table Information

**TCLX 290356**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 156

Reporting Mark: TCLX 290356

Date: 14/08/2015

Capacity: 28,979 US Gallons (109,697 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,227	68.00	18,560	72.25	19,869	76.50	21,144	80.75	22,378
64.00	17,306	68.25	18,638	72.50	19,945	76.75	21,218	81.00	22,449
64.25	17,385	68.50	18,715	72.75	20,021	77.00	21,292	81.25	22,519
64.50	17,464	68.75	18,793	73.00	20,096	77.25	21,365	81.50	22,590
64.75	17,542	69.00	18,871	73.25	20,172	77.50	21,438	81.75	22,661
65.00	17,621	69.25	18,948	73.50	20,248	77.75	21,512	82.00	22,731
65.25	17,700	69.50	19,025	73.75	20,323	78.00	21,585	82.25	22,801
65.50	17,778	69.75	19,102	74.00	20,398	78.25	21,658	82.50	22,871
65.75	17,857	70.00	19,179	74.25	20,474	78.50	21,730	82.75	22,941
66.00	17,935	70.25	19,256	74.50	20,549	78.75	21,803	83.00	23,010
66.25	18,014	70.50	19,333	74.75	20,623	79.00	21,875	83.25	23,080
66.50	18,092	70.75	19,410	75.00	20,698	79.25	21,948	83.50	23,149
66.75	18,170	71.00	19,487	75.25	20,773	79.50	22,020	83.75	23,218
67.00	18,248	71.25	19,563	75.50	20,847	79.75	22,092	84.00	23,286
67.25	18,326	71.50	19,640	75.75	20,922	80.00	22,163	84.25	23,355
67.50	18,404	71.75	19,716	76.00	20,996	80.25	22,235	84.50	23,423
67.75	18,482	72.00	19,793	76.25	21,070	80.50	22,306	84.75	23,491



## Capacity/Gauge Table Information

**TCLX 290356**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 156

Reporting Mark: TCLX 290356

Date: 14/08/2015

Capacity: 28,979 US Gallons (109,697 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,559	89.25	24,678	93.50	25,722	97.75	26,676	102.00	27,521
85.25	23,627	89.50	24,742	93.75	25,781	98.00	26,729	102.25	27,566
85.50	23,694	89.75	24,805	94.00	25,840	98.25	26,782	102.50	27,612
85.75	23,762	90.00	24,868	94.25	25,898	98.50	26,834	102.75	27,656
86.00	23,829	90.25	24,931	94.50	25,956	98.75	26,886	103.00	27,701
86.25	23,895	90.50	24,994	94.75	26,013	99.00	26,937	103.25	27,744
86.50	23,962	90.75	25,056	95.00	26,070	99.25	26,988	103.50	27,788
86.75	24,028	91.00	25,118	95.25	26,127	99.50	27,039	103.75	27,830
87.00	24,094	91.25	25,180	95.50	26,184	99.75	27,089	104.00	27,873
87.25	24,160	91.50	25,241	95.75	26,240	100.00	27,138	104.25	27,914
87.50	24,226	91.75	25,303	96.00	26,296	100.25	27,188	104.50	27,956
87.75	24,291	92.00	25,363	96.25	26,351	100.50	27,237	104.75	27,996
88.00	24,356	92.25	25,424	96.50	26,406	100.75	27,285	105.00	28,036
88.25	24,421	92.50	25,484	96.75	26,461	101.00	27,333	105.25	28,076
88.50	24,486	92.75	25,544	97.00	26,515	101.25	27,381	105.50	28,115
88.75	24,550	93.00	25,604	97.25	26,569	101.50	27,428	105.75	28,153
89.00	24,615	93.25	25,663	97.50	26,623	101.75	27,474	106.00	28,191



## Capacity/Gauge Table Information

**TCLX 290356**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 156

Reporting Mark: TCLX 290356

Date: 14/08/2015

Capacity: 28,979 US Gallons (109,697 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,228	110.50	28,747	114.75	28,965
106.50	28,264	110.75	28,770	115.00	28,969
106.75	28,300	111.00	28,791	115.25	28,972
107.00	28,335	111.25	28,810	115.50	28,975
107.25	28,370	111.50	28,829	115.75	28,976
107.50	28,404	111.75	28,846	116.00	28,978
107.75	28,437	112.00	28,862	116.25	28,978
108.00	28,469	112.25	28,877	116.50	28,979
108.25	28,501	112.50	28,890	116.75	28,979
108.50	28,532	112.75	28,903		
108.75	28,562	113.00	28,914		
109.00	28,591	113.25	28,924		
109.25	28,619	113.50	28,933		
109.50	28,647	113.75	28,942		
109.75	28,674	114.00	28,949		
110.00	28,699	114.25	28,955		
110.25	28,724	114.50	28,961		



## Capacity/Gauge Table Information

**TCLX 290357**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 157

Reporting Mark: TCLX 290357

Date: 19/08/2015

Capacity: 28,963 US Gallons (109,639 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	592	8.50	1,352	12.75	2,240	17.00	3,229
0.25	29	4.50	633	8.75	1,401	13.00	2,295	17.25	3,290
0.50	59	4.75	674	9.00	1,451	13.25	2,351	17.50	3,352
0.75	89	5.00	716	9.25	1,501	13.50	2,408	17.75	3,413
1.00	121	5.25	758	9.50	1,551	13.75	2,464	18.00	3,475
1.25	153	5.50	801	9.75	1,601	14.00	2,521	18.25	3,537
1.50	186	5.75	844	10.00	1,653	14.25	2,578	18.50	3,600
1.75	219	6.00	888	10.25	1,704	14.50	2,636	18.75	3,662
2.00	254	6.25	932	10.50	1,756	14.75	2,694	19.00	3,725
2.25	289	6.50	977	10.75	1,808	15.00	2,752	19.25	3,789
2.50	324	6.75	1,022	11.00	1,861	15.25	2,811	19.50	3,852
2.75	361	7.00	1,068	11.25	1,914	15.50	2,870	19.75	3,916
3.00	398	7.25	1,114	11.50	1,967	15.75	2,929	20.00	3,980
3.25	435	7.50	1,161	11.75	2,021	16.00	2,988	20.25	4,044
3.50	474	7.75	1,208	12.00	2,075	16.25	3,048	20.50	4,109
3.75	513	8.00	1,256	12.25	2,130	16.50	3,108	20.75	4,174
4.00	552	8.25	1,304	12.50	2,185	16.75	3,169	21.00	4,239



## Capacity/Gauge Table Information

**TCLX 290357**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 157

Reporting Mark: TCLX 290357

Date: 19/08/2015

Capacity: 28,963 US Gallons (109,639 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,304	25.50	5,448	29.75	6,652	34.00	7,903	38.25	9,193
21.50	4,369	25.75	5,518	30.00	6,724	34.25	7,978	38.50	9,269
21.75	4,435	26.00	5,587	30.25	6,797	34.50	8,053	38.75	9,346
22.00	4,501	26.25	5,657	30.50	6,869	34.75	8,128	39.00	9,423
22.25	4,567	26.50	5,727	30.75	6,942	35.00	8,203	39.25	9,501
22.50	4,634	26.75	5,797	31.00	7,015	35.25	8,279	39.50	9,578
22.75	4,700	27.00	5,867	31.25	7,088	35.50	8,354	39.75	9,655
23.00	4,767	27.25	5,937	31.50	7,162	35.75	8,430	40.00	9,733
23.25	4,834	27.50	6,008	31.75	7,235	36.00	8,505	40.25	9,810
23.50	4,902	27.75	6,079	32.00	7,309	36.25	8,581	40.50	9,888
23.75	4,969	28.00	6,150	32.25	7,382	36.50	8,657	40.75	9,966
24.00	5,037	28.25	6,221	32.50	7,456	36.75	8,733	41.00	10,043
24.25	5,105	28.50	6,292	32.75	7,530	37.00	8,810	41.25	10,121
24.50	5,173	28.75	6,364	33.00	7,605	37.25	8,886	41.50	10,199
24.75	5,242	29.00	6,436	33.25	7,679	37.50	8,963	41.75	10,277
25.00	5,311	29.25	6,507	33.50	7,753	37.75	9,039	42.00	10,356
25.25	5,379	29.50	6,579	33.75	7,828	38.00	9,116	42.25	10,434



## Capacity/Gauge Table Information

**TCLX 290357**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 157

Reporting Mark: TCLX 290357

Date: 19/08/2015

Capacity: 28,963 US Gallons (109,639 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,512	46.75	11,853	51.00	13,208	55.25	14,569	59.50	15,928
42.75	10,590	47.00	11,933	51.25	13,288	55.50	14,649	59.75	16,008
43.00	10,669	47.25	12,012	51.50	13,368	55.75	14,729	60.00	16,087
43.25	10,747	47.50	12,092	51.75	13,448	56.00	14,809	60.25	16,167
43.50	10,826	47.75	12,171	52.00	13,528	56.25	14,889	60.50	16,247
43.75	10,905	48.00	12,251	52.25	13,608	56.50	14,969	60.75	16,326
44.00	10,983	48.25	12,330	52.50	13,688	56.75	15,049	61.00	16,406
44.25	11,062	48.50	12,410	52.75	13,768	57.00	15,129	61.25	16,485
44.50	11,141	48.75	12,490	53.00	13,848	57.25	15,209	61.50	16,565
44.75	11,220	49.00	12,569	53.25	13,928	57.50	15,289	61.75	16,644
45.00	11,299	49.25	12,649	53.50	14,008	57.75	15,369	62.00	16,724
45.25	11,378	49.50	12,729	53.75	14,088	58.00	15,449	62.25	16,803
45.50	11,457	49.75	12,809	54.00	14,168	58.25	15,529	62.50	16,882
45.75	11,536	50.00	12,888	54.25	14,249	58.50	15,609	62.75	16,961
46.00	11,615	50.25	12,968	54.50	14,329	58.75	15,689	63.00	17,041
46.25	11,695	50.50	13,048	54.75	14,409	59.00	15,768	63.25	17,120
46.50	11,774	50.75	13,128	55.00	14,489	59.25	15,848	63.50	17,199





## Capacity/Gauge Table Information

**TCLX 290357**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 157

Reporting Mark: TCLX 290357

Date: 19/08/2015

Capacity: 28,963 US Gallons (109,639 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,278	68.00	18,610	72.25	19,918	76.50	21,192	80.75	22,423
64.00	17,357	68.25	18,688	72.50	19,994	76.75	21,265	81.00	22,494
64.25	17,435	68.50	18,766	72.75	20,070	77.00	21,339	81.25	22,565
64.50	17,514	68.75	18,843	73.00	20,145	77.25	21,412	81.50	22,635
64.75	17,593	69.00	18,920	73.25	20,221	77.50	21,486	81.75	22,705
65.00	17,672	69.25	18,998	73.50	20,296	77.75	21,559	82.00	22,776
65.25	17,750	69.50	19,075	73.75	20,372	78.00	21,632	82.25	22,846
65.50	17,829	69.75	19,152	74.00	20,447	78.25	21,704	82.50	22,915
65.75	17,907	70.00	19,229	74.25	20,522	78.50	21,777	82.75	22,985
66.00	17,986	70.25	19,306	74.50	20,597	78.75	21,849	83.00	23,054
66.25	18,064	70.50	19,383	74.75	20,672	79.00	21,922	83.25	23,123
66.50	18,142	70.75	19,460	75.00	20,746	79.25	21,994	83.50	23,192
66.75	18,221	71.00	19,536	75.25	20,821	79.50	22,066	83.75	23,261
67.00	18,299	71.25	19,613	75.50	20,895	79.75	22,138	84.00	23,330
67.25	18,377	71.50	19,689	75.75	20,970	80.00	22,209	84.25	23,398
67.50	18,455	71.75	19,765	76.00	21,044	80.25	22,281	84.50	23,466
67.75	18,533	72.00	19,842	76.25	21,118	80.50	22,352	84.75	23,534



## Capacity/Gauge Table Information

**TCLX 290357**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 157

Reporting Mark: TCLX 290357

Date: 19/08/2015

Capacity: 28,963 US Gallons (109,639 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,602	89.25	24,718	93.50	25,757	97.75	26,706	102.00	27,544
85.25	23,669	89.50	24,781	93.75	25,816	98.00	26,758	102.25	27,589
85.50	23,737	89.75	24,844	94.00	25,874	98.25	26,811	102.50	27,634
85.75	23,804	90.00	24,907	94.25	25,932	98.50	26,862	102.75	27,678
86.00	23,870	90.25	24,970	94.50	25,989	98.75	26,914	103.00	27,722
86.25	23,937	90.50	25,032	94.75	26,047	99.00	26,965	103.25	27,765
86.50	24,003	90.75	25,094	95.00	26,103	99.25	27,015	103.50	27,808
86.75	24,070	91.00	25,156	95.25	26,160	99.50	27,066	103.75	27,850
87.00	24,135	91.25	25,217	95.50	26,216	99.75	27,115	104.00	27,892
87.25	24,201	91.50	25,278	95.75	26,272	100.00	27,165	104.25	27,933
87.50	24,267	91.75	25,339	96.00	26,327	100.25	27,214	104.50	27,974
87.75	24,332	92.00	25,400	96.25	26,383	100.50	27,262	104.75	28,014
88.00	24,397	92.25	25,460	96.50	26,437	100.75	27,310	105.00	28,053
88.25	24,461	92.50	25,520	96.75	26,492	101.00	27,358	105.25	28,092
88.50	24,526	92.75	25,580	97.00	26,546	101.25	27,405	105.50	28,131
88.75	24,590	93.00	25,639	97.25	26,600	101.50	27,452	105.75	28,168
89.00	24,654	93.25	25,698	97.50	26,653	101.75	27,498	106.00	28,205



## Capacity/Gauge Table Information

**TCLX 290357**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 157

Reporting Mark: TCLX 290357

Date: 19/08/2015

Capacity: 28,963 US Gallons (109,639 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,242	110.50	28,747	114.75	28,951
106.50	28,278	110.75	28,768	115.00	28,954
106.75	28,313	111.00	28,788	115.25	28,957
107.00	28,347	111.25	28,806	115.50	28,960
107.25	28,381	111.50	28,823	115.75	28,961
107.50	28,414	111.75	28,839	116.00	28,962
107.75	28,447	112.00	28,854	116.25	28,963
108.00	28,478	112.25	28,868	116.50	28,963
108.25	28,509	112.50	28,881	116.75	28,963
108.50	28,539	112.75	28,892		
108.75	28,569	113.00	28,903		
109.00	28,597	113.25	28,912		
109.25	28,625	113.50	28,921		
109.50	28,651	113.75	28,929		
109.75	28,677	114.00	28,936		
110.00	28,702	114.25	28,941		
110.25	28,725	114.50	28,947		



## Capacity/Gauge Table Information

**TCLX 290358**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 158

Reporting Mark: TCLX 290358

Date: 19/08/2015

Capacity: 28,977 US Gallons (109,689 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	581	8.50	1,333	12.75	2,213	17.00	3,197
0.25	28	4.50	621	8.75	1,382	13.00	2,269	17.25	3,258
0.50	57	4.75	662	9.00	1,431	13.25	2,324	17.50	3,319
0.75	87	5.00	703	9.25	1,480	13.50	2,380	17.75	3,380
1.00	118	5.25	745	9.50	1,530	13.75	2,436	18.00	3,442
1.25	149	5.50	787	9.75	1,580	14.00	2,493	18.25	3,504
1.50	181	5.75	830	10.00	1,631	14.25	2,550	18.50	3,566
1.75	214	6.00	873	10.25	1,682	14.50	2,607	18.75	3,628
2.00	248	6.25	917	10.50	1,733	14.75	2,665	19.00	3,691
2.25	283	6.50	961	10.75	1,785	15.00	2,723	19.25	3,754
2.50	318	6.75	1,006	11.00	1,837	15.25	2,781	19.50	3,817
2.75	353	7.00	1,051	11.25	1,890	15.50	2,840	19.75	3,880
3.00	390	7.25	1,097	11.50	1,943	15.75	2,898	20.00	3,944
3.25	427	7.50	1,143	11.75	1,996	16.00	2,958	20.25	4,008
3.50	464	7.75	1,190	12.00	2,050	16.25	3,017	20.50	4,072
3.75	503	8.00	1,237	12.25	2,104	16.50	3,077	20.75	4,137
4.00	542	8.25	1,285	12.50	2,159	16.75	3,137	21.00	4,202



## Capacity/Gauge Table Information

**TCLX 290358**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 158

Reporting Mark: TCLX 290358

Date: 19/08/2015

Capacity: 28,977 US Gallons (109,689 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,267	25.50	5,407	29.75	6,606	34.00	7,854	38.25	9,141
21.50	4,332	25.75	5,476	30.00	6,679	34.25	7,929	38.50	9,218
21.75	4,397	26.00	5,545	30.25	6,751	34.50	8,004	38.75	9,295
22.00	4,463	26.25	5,615	30.50	6,823	34.75	8,079	39.00	9,372
22.25	4,529	26.50	5,684	30.75	6,896	35.00	8,154	39.25	9,449
22.50	4,595	26.75	5,754	31.00	6,969	35.25	8,229	39.50	9,526
22.75	4,662	27.00	5,824	31.25	7,042	35.50	8,305	39.75	9,603
23.00	4,728	27.25	5,894	31.50	7,115	35.75	8,380	40.00	9,681
23.25	4,795	27.50	5,965	31.75	7,188	36.00	8,456	40.25	9,758
23.50	4,862	27.75	6,035	32.00	7,262	36.25	8,531	40.50	9,836
23.75	4,930	28.00	6,106	32.25	7,335	36.50	8,607	40.75	9,913
24.00	4,997	28.25	6,177	32.50	7,409	36.75	8,683	41.00	9,991
24.25	5,065	28.50	6,248	32.75	7,483	37.00	8,759	41.25	10,069
24.50	5,133	28.75	6,319	33.00	7,557	37.25	8,836	41.50	10,146
24.75	5,201	29.00	6,391	33.25	7,631	37.50	8,912	41.75	10,224
25.00	5,270	29.25	6,463	33.50	7,705	37.75	8,988	42.00	10,302
25.25	5,338	29.50	6,534	33.75	7,780	38.00	9,065	42.25	10,381



## Capacity/Gauge Table Information

**TCLX 290358**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 158

Reporting Mark: TCLX 290358

Date: 19/08/2015

Capacity: 28,977 US Gallons (109,689 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,459	46.75	11,798	51.00	13,152	55.25	14,512	59.50	15,870
42.75	10,537	47.00	11,877	51.25	13,232	55.50	14,592	59.75	15,950
43.00	10,615	47.25	11,957	51.50	13,312	55.75	14,672	60.00	16,030
43.25	10,694	47.50	12,036	51.75	13,391	56.00	14,752	60.25	16,109
43.50	10,772	47.75	12,116	52.00	13,471	56.25	14,832	60.50	16,189
43.75	10,851	48.00	12,195	52.25	13,551	56.50	14,912	60.75	16,269
44.00	10,929	48.25	12,275	52.50	13,631	56.75	14,992	61.00	16,348
44.25	11,008	48.50	12,354	52.75	13,711	57.00	15,072	61.25	16,428
44.50	11,087	48.75	12,434	53.00	13,791	57.25	15,152	61.50	16,507
44.75	11,166	49.00	12,513	53.25	13,871	57.50	15,232	61.75	16,587
45.00	11,244	49.25	12,593	53.50	13,951	57.75	15,312	62.00	16,666
45.25	11,323	49.50	12,673	53.75	14,031	58.00	15,391	62.25	16,745
45.50	11,402	49.75	12,753	54.00	14,111	58.25	15,471	62.50	16,825
45.75	11,481	50.00	12,832	54.25	14,192	58.50	15,551	62.75	16,904
46.00	11,561	50.25	12,912	54.50	14,272	58.75	15,631	63.00	16,983
46.25	11,640	50.50	12,992	54.75	14,352	59.00	15,711	63.25	17,062
46.50	11,719	50.75	13,072	55.00	14,432	59.25	15,791	63.50	17,141



## Capacity/Gauge Table Information

**TCLX 290358**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 158

Reporting Mark: TCLX 290358

Date: 19/08/2015

Capacity: 28,977 US Gallons (109,689 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,220	68.00	18,553	72.25	19,862	76.50	21,137	80.75	22,371
64.00	17,299	68.25	18,631	72.50	19,938	76.75	21,211	81.00	22,442
64.25	17,378	68.50	18,709	72.75	20,014	77.00	21,285	81.25	22,513
64.50	17,457	68.75	18,786	73.00	20,090	77.25	21,358	81.50	22,584
64.75	17,536	69.00	18,864	73.25	20,165	77.50	21,432	81.75	22,654
65.00	17,614	69.25	18,941	73.50	20,241	77.75	21,505	82.00	22,724
65.25	17,693	69.50	19,018	73.75	20,316	78.00	21,578	82.25	22,794
65.50	17,772	69.75	19,096	74.00	20,392	78.25	21,651	82.50	22,864
65.75	17,850	70.00	19,173	74.25	20,467	78.50	21,724	82.75	22,934
66.00	17,929	70.25	19,250	74.50	20,542	78.75	21,796	83.00	23,004
66.25	18,007	70.50	19,327	74.75	20,617	79.00	21,869	83.25	23,073
66.50	18,085	70.75	19,403	75.00	20,692	79.25	21,941	83.50	23,142
66.75	18,163	71.00	19,480	75.25	20,766	79.50	22,013	83.75	23,211
67.00	18,242	71.25	19,557	75.50	20,841	79.75	22,085	84.00	23,280
67.25	18,320	71.50	19,633	75.75	20,915	80.00	22,157	84.25	23,348
67.50	18,398	71.75	19,710	76.00	20,989	80.25	22,228	84.50	23,417
67.75	18,476	72.00	19,786	76.25	21,063	80.50	22,300	84.75	23,485





## Capacity/Gauge Table Information

**TCLX 290358**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 158

Reporting Mark: TCLX 290358

Date: 19/08/2015

Capacity: 28,977 US Gallons (109,689 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,553	89.25	24,672	93.50	25,716	97.75	26,670	102.00	27,515
85.25	23,620	89.50	24,736	93.75	25,775	98.00	26,723	102.25	27,561
85.50	23,688	89.75	24,799	94.00	25,833	98.25	26,776	102.50	27,606
85.75	23,755	90.00	24,862	94.25	25,892	98.50	26,828	102.75	27,651
86.00	23,822	90.25	24,925	94.50	25,949	98.75	26,880	103.00	27,695
86.25	23,889	90.50	24,988	94.75	26,007	99.00	26,931	103.25	27,739
86.50	23,956	90.75	25,050	95.00	26,064	99.25	26,982	103.50	27,782
86.75	24,022	91.00	25,112	95.25	26,121	99.50	27,033	103.75	27,825
87.00	24,088	91.25	25,174	95.50	26,177	99.75	27,083	104.00	27,867
87.25	24,154	91.50	25,235	95.75	26,234	100.00	27,133	104.25	27,909
87.50	24,219	91.75	25,296	96.00	26,289	100.25	27,182	104.50	27,950
87.75	24,285	92.00	25,357	96.25	26,345	100.50	27,231	104.75	27,991
88.00	24,350	92.25	25,418	96.50	26,400	100.75	27,279	105.00	28,031
88.25	24,415	92.50	25,478	96.75	26,455	101.00	27,327	105.25	28,071
88.50	24,480	92.75	25,538	97.00	26,509	101.25	27,375	105.50	28,110
88.75	24,544	93.00	25,598	97.25	26,563	101.50	27,422	105.75	28,148
89.00	24,608	93.25	25,657	97.50	26,617	101.75	27,469	106.00	28,186



## Capacity/Gauge Table Information

**TCLX 290358**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 158

Reporting Mark: TCLX 290358

Date: 19/08/2015

Capacity: 28,977 US Gallons (109,689 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,223	110.50	28,744	114.75	28,963
106.50	28,259	110.75	28,766	115.00	28,967
106.75	28,295	111.00	28,787	115.25	28,970
107.00	28,330	111.25	28,807	115.50	28,972
107.25	28,365	111.50	28,826	115.75	28,974
107.50	28,399	111.75	28,843	116.00	28,976
107.75	28,432	112.00	28,859	116.25	28,976
108.00	28,465	112.25	28,874	116.50	28,977
108.25	28,496	112.50	28,888	116.75	28,977
108.50	28,527	112.75	28,900		
108.75	28,557	113.00	28,911		
109.00	28,587	113.25	28,922		
109.25	28,615	113.50	28,931		
109.50	28,643	113.75	28,939		
109.75	28,670	114.00	28,947		
110.00	28,695	114.25	28,953		
110.25	28,720	114.50	28,958		



## Capacity/Gauge Table Information

**TCLX 290359**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 159

Reporting Mark: TCLX 290359

Date: 13/08/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	578	8.50	1,328	12.75	2,207	17.00	3,189
0.25	28	4.50	618	8.75	1,376	13.00	2,262	17.25	3,249
0.50	57	4.75	659	9.00	1,425	13.25	2,317	17.50	3,310
0.75	86	5.00	700	9.25	1,475	13.50	2,373	17.75	3,371
1.00	117	5.25	741	9.50	1,524	13.75	2,429	18.00	3,433
1.25	148	5.50	783	9.75	1,574	14.00	2,486	18.25	3,495
1.50	180	5.75	826	10.00	1,625	14.25	2,542	18.50	3,557
1.75	213	6.00	869	10.25	1,676	14.50	2,600	18.75	3,619
2.00	247	6.25	913	10.50	1,727	14.75	2,657	19.00	3,682
2.25	281	6.50	957	10.75	1,779	15.00	2,715	19.25	3,744
2.50	316	6.75	1,002	11.00	1,831	15.25	2,773	19.50	3,807
2.75	351	7.00	1,047	11.25	1,884	15.50	2,831	19.75	3,871
3.00	388	7.25	1,093	11.50	1,936	15.75	2,890	20.00	3,934
3.25	425	7.50	1,139	11.75	1,990	16.00	2,949	20.25	3,998
3.50	462	7.75	1,185	12.00	2,043	16.25	3,009	20.50	4,063
3.75	500	8.00	1,233	12.25	2,097	16.50	3,068	20.75	4,127
4.00	539	8.25	1,280	12.50	2,152	16.75	3,128	21.00	4,192



## Capacity/Gauge Table Information

**TCLX 290359**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 159

Reporting Mark: TCLX 290359

Date: 13/08/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,257	25.50	5,396	29.75	6,594	34.00	7,841	38.25	9,127
21.50	4,322	25.75	5,464	30.00	6,666	34.25	7,915	38.50	9,203
21.75	4,387	26.00	5,534	30.25	6,738	34.50	7,990	38.75	9,280
22.00	4,453	26.25	5,603	30.50	6,810	34.75	8,065	39.00	9,357
22.25	4,519	26.50	5,673	30.75	6,883	35.00	8,140	39.25	9,434
22.50	4,585	26.75	5,742	31.00	6,956	35.25	8,215	39.50	9,511
22.75	4,651	27.00	5,812	31.25	7,029	35.50	8,290	39.75	9,588
23.00	4,718	27.25	5,882	31.50	7,102	35.75	8,366	40.00	9,665
23.25	4,784	27.50	5,953	31.75	7,175	36.00	8,441	40.25	9,743
23.50	4,851	27.75	6,023	32.00	7,248	36.25	8,517	40.50	9,820
23.75	4,919	28.00	6,094	32.25	7,322	36.50	8,593	40.75	9,898
24.00	4,986	28.25	6,165	32.50	7,396	36.75	8,669	41.00	9,976
24.25	5,054	28.50	6,236	32.75	7,469	37.00	8,745	41.25	10,053
24.50	5,122	28.75	6,307	33.00	7,543	37.25	8,821	41.50	10,131
24.75	5,190	29.00	6,378	33.25	7,617	37.50	8,897	41.75	10,209
25.00	5,258	29.25	6,450	33.50	7,692	37.75	8,974	42.00	10,287
25.25	5,327	29.50	6,522	33.75	7,766	38.00	9,050	42.25	10,365



## Capacity/Gauge Table Information

**TCLX 290359**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 159

Reporting Mark: TCLX 290359

Date: 13/08/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,443	46.75	11,782	51.00	13,135	55.25	14,494	59.50	15,852
42.75	10,521	47.00	11,861	51.25	13,214	55.50	14,574	59.75	15,932
43.00	10,600	47.25	11,940	51.50	13,294	55.75	14,654	60.00	16,012
43.25	10,678	47.50	12,020	51.75	13,374	56.00	14,734	60.25	16,091
43.50	10,756	47.75	12,099	52.00	13,454	56.25	14,814	60.50	16,171
43.75	10,835	48.00	12,179	52.25	13,534	56.50	14,894	60.75	16,250
44.00	10,913	48.25	12,258	52.50	13,614	56.75	14,974	61.00	16,330
44.25	10,992	48.50	12,338	52.75	13,694	57.00	15,054	61.25	16,409
44.50	11,071	48.75	12,417	53.00	13,774	57.25	15,134	61.50	16,489
44.75	11,150	49.00	12,497	53.25	13,854	57.50	15,214	61.75	16,568
45.00	11,228	49.25	12,576	53.50	13,934	57.75	15,294	62.00	16,648
45.25	11,307	49.50	12,656	53.75	14,014	58.00	15,373	62.25	16,727
45.50	11,386	49.75	12,736	54.00	14,094	58.25	15,453	62.50	16,806
45.75	11,465	50.00	12,815	54.25	14,174	58.50	15,533	62.75	16,885
46.00	11,544	50.25	12,895	54.50	14,254	58.75	15,613	63.00	16,965
46.25	11,623	50.50	12,975	54.75	14,334	59.00	15,693	63.25	17,044
46.50	11,703	50.75	13,055	55.00	14,414	59.25	15,773	63.50	17,123



## Capacity/Gauge Table Information

**TCLX 290359**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 159

Reporting Mark: TCLX 290359

Date: 13/08/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,202	68.00	18,535	72.25	19,843	76.50	21,119	80.75	22,352
64.00	17,281	68.25	18,612	72.50	19,919	76.75	21,192	81.00	22,423
64.25	17,360	68.50	18,690	72.75	19,995	77.00	21,266	81.25	22,494
64.50	17,438	68.75	18,768	73.00	20,071	77.25	21,340	81.50	22,565
64.75	17,517	69.00	18,845	73.25	20,147	77.50	21,413	81.75	22,635
65.00	17,596	69.25	18,922	73.50	20,222	77.75	21,486	82.00	22,706
65.25	17,674	69.50	19,000	73.75	20,297	78.00	21,559	82.25	22,776
65.50	17,753	69.75	19,077	74.00	20,373	78.25	21,632	82.50	22,846
65.75	17,832	70.00	19,154	74.25	20,448	78.50	21,705	82.75	22,916
66.00	17,910	70.25	19,231	74.50	20,523	78.75	21,778	83.00	22,985
66.25	17,988	70.50	19,308	74.75	20,598	79.00	21,850	83.25	23,055
66.50	18,067	70.75	19,385	75.00	20,673	79.25	21,922	83.50	23,124
66.75	18,145	71.00	19,461	75.25	20,747	79.50	21,994	83.75	23,193
67.00	18,223	71.25	19,538	75.50	20,822	79.75	22,066	84.00	23,261
67.25	18,301	71.50	19,614	75.75	20,896	80.00	22,138	84.25	23,330
67.50	18,379	71.75	19,691	76.00	20,971	80.25	22,210	84.50	23,398
67.75	18,457	72.00	19,767	76.25	21,045	80.50	22,281	84.75	23,466



## Capacity/Gauge Table Information

**TCLX 290359**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 159

Reporting Mark: TCLX 290359

Date: 13/08/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,534	89.25	24,654	93.50	25,699	97.75	26,654	102.00	27,500
85.25	23,602	89.50	24,718	93.75	25,758	98.00	26,707	102.25	27,546
85.50	23,670	89.75	24,781	94.00	25,816	98.25	26,760	102.50	27,592
85.75	23,737	90.00	24,844	94.25	25,875	98.50	26,812	102.75	27,637
86.00	23,804	90.25	24,907	94.50	25,933	98.75	26,864	103.00	27,681
86.25	23,871	90.50	24,970	94.75	25,990	99.00	26,915	103.25	27,725
86.50	23,937	90.75	25,032	95.00	26,047	99.25	26,967	103.50	27,768
86.75	24,004	91.00	25,094	95.25	26,104	99.50	27,017	103.75	27,811
87.00	24,070	91.25	25,156	95.50	26,161	99.75	27,067	104.00	27,854
87.25	24,136	91.50	25,218	95.75	26,217	100.00	27,117	104.25	27,895
87.50	24,201	91.75	25,279	96.00	26,273	100.25	27,167	104.50	27,937
87.75	24,267	92.00	25,340	96.25	26,329	100.50	27,216	104.75	27,977
88.00	24,332	92.25	25,400	96.50	26,384	100.75	27,264	105.00	28,018
88.25	24,397	92.50	25,461	96.75	26,439	101.00	27,312	105.25	28,057
88.50	24,462	92.75	25,521	97.00	26,493	101.25	27,360	105.50	28,096
88.75	24,526	93.00	25,581	97.25	26,547	101.50	27,407	105.75	28,135
89.00	24,590	93.25	25,640	97.50	26,601	101.75	27,454	106.00	28,173





## Capacity/Gauge Table Information

**TCLX 290359**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 159

Reporting Mark: TCLX 290359

Date: 13/08/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,210	110.50	28,734	114.75	28,957
106.50	28,247	110.75	28,757	115.00	28,961
106.75	28,283	111.00	28,779	115.25	28,964
107.00	28,318	111.25	28,799	115.50	28,967
107.25	28,353	111.50	28,818	115.75	28,969
107.50	28,387	111.75	28,835	116.00	28,970
107.75	28,420	112.00	28,851	116.25	28,971
108.00	28,453	112.25	28,867	116.50	28,971
108.25	28,485	112.50	28,880	116.75	28,971
108.50	28,516	112.75	28,893		
108.75	28,546	113.00	28,905		
109.00	28,576	113.25	28,915		
109.25	28,604	113.50	28,925		
109.50	28,632	113.75	28,933		
109.75	28,659	114.00	28,941		
110.00	28,685	114.25	28,947		
110.25	28,710	114.50	28,953		



## Capacity/Gauge Table Information

**TCLX 290360**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 160

Reporting Mark: TCLX 290360

Date: 19/08/2015

Capacity: 28,918 US Gallons (109,466 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	604	8.50	1,373	12.75	2,266	17.00	3,261
0.25	30	4.50	645	8.75	1,422	13.00	2,322	17.25	3,322
0.50	60	4.75	687	9.00	1,472	13.25	2,378	17.50	3,383
0.75	92	5.00	729	9.25	1,522	13.50	2,435	17.75	3,445
1.00	124	5.25	772	9.50	1,573	13.75	2,492	18.00	3,507
1.25	157	5.50	815	9.75	1,624	14.00	2,549	18.25	3,570
1.50	191	5.75	859	10.00	1,675	14.25	2,606	18.50	3,632
1.75	225	6.00	903	10.25	1,727	14.50	2,664	18.75	3,695
2.00	260	6.25	948	10.50	1,779	14.75	2,723	19.00	3,758
2.25	296	6.50	994	10.75	1,832	15.00	2,781	19.25	3,822
2.50	332	6.75	1,039	11.00	1,885	15.25	2,840	19.50	3,886
2.75	369	7.00	1,086	11.25	1,938	15.50	2,899	19.75	3,950
3.00	407	7.25	1,132	11.50	1,992	15.75	2,959	20.00	4,014
3.25	445	7.50	1,179	11.75	2,046	16.00	3,018	20.25	4,078
3.50	484	7.75	1,227	12.00	2,100	16.25	3,079	20.50	4,143
3.75	524	8.00	1,275	12.25	2,155	16.50	3,139	20.75	4,208
4.00	564	8.25	1,324	12.50	2,210	16.75	3,200	21.00	4,273



## Capacity/Gauge Table Information

**TCLX 290360**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 160

Reporting Mark: TCLX 290360

Date: 19/08/2015

Capacity: 28,918 US Gallons (109,466 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,339	25.50	5,486	29.75	6,692	34.00	7,945	38.25	9,236
21.50	4,404	25.75	5,556	30.00	6,764	34.25	8,020	38.50	9,313
21.75	4,470	26.00	5,625	30.25	6,837	34.50	8,095	38.75	9,390
22.00	4,537	26.25	5,695	30.50	6,910	34.75	8,170	39.00	9,467
22.25	4,603	26.50	5,765	30.75	6,983	35.00	8,245	39.25	9,544
22.50	4,670	26.75	5,835	31.00	7,056	35.25	8,321	39.50	9,621
22.75	4,736	27.00	5,906	31.25	7,129	35.50	8,396	39.75	9,699
23.00	4,804	27.25	5,976	31.50	7,203	35.75	8,472	40.00	9,776
23.25	4,871	27.50	6,047	31.75	7,276	36.00	8,548	40.25	9,854
23.50	4,938	27.75	6,118	32.00	7,350	36.25	8,624	40.50	9,932
23.75	5,006	28.00	6,189	32.25	7,424	36.50	8,700	40.75	10,009
24.00	5,074	28.25	6,260	32.50	7,498	36.75	8,776	41.00	10,087
24.25	5,142	28.50	6,332	32.75	7,572	37.00	8,853	41.25	10,165
24.50	5,211	28.75	6,404	33.00	7,646	37.25	8,929	41.50	10,243
24.75	5,279	29.00	6,475	33.25	7,721	37.50	9,005	41.75	10,321
25.00	5,348	29.25	6,547	33.50	7,795	37.75	9,082	42.00	10,399
25.25	5,417	29.50	6,620	33.75	7,870	38.00	9,159	42.25	10,478



## Capacity/Gauge Table Information

**TCLX 290360**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 160

Reporting Mark: TCLX 290360

Date: 19/08/2015

Capacity: 28,918 US Gallons (109,466 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,556	46.75	11,897	51.00	13,252	55.25	14,612	59.50	15,970
42.75	10,634	47.00	11,977	51.25	13,332	55.50	14,692	59.75	16,050
43.00	10,713	47.25	12,056	51.50	13,412	55.75	14,772	60.00	16,129
43.25	10,791	47.50	12,136	51.75	13,492	56.00	14,852	60.25	16,209
43.50	10,870	47.75	12,215	52.00	13,572	56.25	14,932	60.50	16,288
43.75	10,949	48.00	12,295	52.25	13,652	56.50	15,012	60.75	16,368
44.00	11,027	48.25	12,374	52.50	13,732	56.75	15,092	61.00	16,447
44.25	11,106	48.50	12,454	52.75	13,812	57.00	15,172	61.25	16,527
44.50	11,185	48.75	12,534	53.00	13,892	57.25	15,252	61.50	16,606
44.75	11,264	49.00	12,613	53.25	13,972	57.50	15,332	61.75	16,686
45.00	11,343	49.25	12,693	53.50	14,052	57.75	15,412	62.00	16,765
45.25	11,422	49.50	12,773	53.75	14,132	58.00	15,492	62.25	16,844
45.50	11,501	49.75	12,853	54.00	14,212	58.25	15,571	62.50	16,923
45.75	11,580	50.00	12,932	54.25	14,292	58.50	15,651	62.75	17,002
46.00	11,659	50.25	13,012	54.50	14,372	58.75	15,731	63.00	17,081
46.25	11,739	50.50	13,092	54.75	14,452	59.00	15,811	63.25	17,160
46.50	11,818	50.75	13,172	55.00	14,532	59.25	15,890	63.50	17,239



## Capacity/Gauge Table Information

**TCLX 290360**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 160

Reporting Mark: TCLX 290360

Date: 19/08/2015

Capacity: 28,918 US Gallons (109,466 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,318	68.00	18,649	72.25	19,954	76.50	21,225	80.75	22,453
64.00	17,397	68.25	18,727	72.50	20,030	76.75	21,299	81.00	22,524
64.25	17,476	68.50	18,804	72.75	20,106	77.00	21,372	81.25	22,594
64.50	17,555	68.75	18,881	73.00	20,181	77.25	21,445	81.50	22,665
64.75	17,633	69.00	18,959	73.25	20,257	77.50	21,518	81.75	22,735
65.00	17,712	69.25	19,036	73.50	20,332	77.75	21,591	82.00	22,805
65.25	17,790	69.50	19,113	73.75	20,407	78.00	21,664	82.25	22,874
65.50	17,869	69.75	19,190	74.00	20,482	78.25	21,736	82.50	22,944
65.75	17,947	70.00	19,267	74.25	20,557	78.50	21,809	82.75	23,013
66.00	18,025	70.25	19,344	74.50	20,632	78.75	21,881	83.00	23,082
66.25	18,104	70.50	19,420	74.75	20,706	79.00	21,953	83.25	23,151
66.50	18,182	70.75	19,497	75.00	20,781	79.25	22,025	83.50	23,220
66.75	18,260	71.00	19,573	75.25	20,855	79.50	22,097	83.75	23,289
67.00	18,338	71.25	19,650	75.50	20,930	79.75	22,168	84.00	23,357
67.25	18,416	71.50	19,726	75.75	21,004	80.00	22,240	84.25	23,425
67.50	18,494	71.75	19,802	76.00	21,078	80.25	22,311	84.50	23,493
67.75	18,571	72.00	19,878	76.25	21,151	80.50	22,382	84.75	23,561



## Capacity/Gauge Table Information

**TCLX 290360**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 160

Reporting Mark: TCLX 290360

Date: 19/08/2015

Capacity: 28,918 US Gallons (109,466 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,628	89.25	24,739	93.50	25,774	97.75	26,716	102.00	27,547
85.25	23,695	89.50	24,802	93.75	25,832	98.00	26,768	102.25	27,591
85.50	23,762	89.75	24,865	94.00	25,890	98.25	26,820	102.50	27,636
85.75	23,829	90.00	24,928	94.25	25,947	98.50	26,872	102.75	27,680
86.00	23,896	90.25	24,990	94.50	26,004	98.75	26,923	103.00	27,723
86.25	23,962	90.50	25,052	94.75	26,061	99.00	26,973	103.25	27,766
86.50	24,028	90.75	25,114	95.00	26,118	99.25	27,023	103.50	27,808
86.75	24,094	91.00	25,175	95.25	26,174	99.50	27,073	103.75	27,850
87.00	24,160	91.25	25,236	95.50	26,230	99.75	27,122	104.00	27,891
87.25	24,225	91.50	25,297	95.75	26,285	100.00	27,171	104.25	27,932
87.50	24,290	91.75	25,358	96.00	26,340	100.25	27,220	104.50	27,972
87.75	24,355	92.00	25,418	96.25	26,395	100.50	27,268	104.75	28,011
88.00	24,420	92.25	25,478	96.50	26,450	100.75	27,315	105.00	28,050
88.25	24,484	92.50	25,538	96.75	26,504	101.00	27,363	105.25	28,089
88.50	24,548	92.75	25,597	97.00	26,557	101.25	27,409	105.50	28,126
88.75	24,612	93.00	25,656	97.25	26,611	101.50	27,456	105.75	28,163
89.00	24,676	93.25	25,715	97.50	26,664	101.75	27,501	106.00	28,200



## Capacity/Gauge Table Information

**TCLX 290360**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 160

Reporting Mark: TCLX 290360

Date: 19/08/2015

Capacity: 28,918 US Gallons (109,466 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,236	110.50	28,728	114.75	28,911
106.50	28,271	110.75	28,748	115.00	28,914
106.75	28,306	111.00	28,767	115.25	28,915
107.00	28,340	111.25	28,784	115.50	28,917
107.25	28,373	111.50	28,800	115.75	28,917
107.50	28,405	111.75	28,815	116.00	28,918
107.75	28,437	112.00	28,828	116.25	28,918
108.00	28,468	112.25	28,841		
108.25	28,498	112.50	28,852		
108.50	28,527	112.75	28,863		
108.75	28,556	113.00	28,872		
109.00	28,584	113.25	28,880		
109.25	28,610	113.50	28,888		
109.50	28,636	113.75	28,894		
109.75	28,661	114.00	28,899		
110.00	28,685	114.25	28,904		
110.25	28,707	114.50	28,908		





## Capacity/Gauge Table Information

**TCLX 290361**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 161

Reporting Mark: TCLX 290361

Date: 13/08/2015

Capacity: 28,984 US Gallons (109,718 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,337	12.75	2,219	17.00	3,205
0.25	28	4.50	624	8.75	1,386	13.00	2,275	17.25	3,265
0.50	57	4.75	664	9.00	1,435	13.25	2,330	17.50	3,327
0.75	87	5.00	706	9.25	1,484	13.50	2,386	17.75	3,388
1.00	118	5.25	747	9.50	1,534	13.75	2,443	18.00	3,449
1.25	150	5.50	790	9.75	1,585	14.00	2,499	18.25	3,511
1.50	182	5.75	833	10.00	1,635	14.25	2,556	18.50	3,574
1.75	215	6.00	876	10.25	1,687	14.50	2,614	18.75	3,636
2.00	249	6.25	920	10.50	1,738	14.75	2,671	19.00	3,699
2.25	284	6.50	965	10.75	1,790	15.00	2,729	19.25	3,762
2.50	319	6.75	1,009	11.00	1,842	15.25	2,788	19.50	3,825
2.75	355	7.00	1,055	11.25	1,895	15.50	2,846	19.75	3,889
3.00	391	7.25	1,101	11.50	1,948	15.75	2,905	20.00	3,952
3.25	429	7.50	1,147	11.75	2,002	16.00	2,965	20.25	4,017
3.50	466	7.75	1,194	12.00	2,056	16.25	3,024	20.50	4,081
3.75	505	8.00	1,241	12.25	2,110	16.50	3,084	20.75	4,145
4.00	544	8.25	1,289	12.50	2,164	16.75	3,144	21.00	4,210



## Capacity/Gauge Table Information

**TCLX 290361**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 161

Reporting Mark: TCLX 290361

Date: 13/08/2015

Capacity: 28,984 US Gallons (109,718 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,275	25.50	5,417	29.75	6,618	34.00	7,867	38.25	9,155
21.50	4,341	25.75	5,486	30.00	6,690	34.25	7,941	38.50	9,231
21.75	4,406	26.00	5,555	30.25	6,762	34.50	8,016	38.75	9,308
22.00	4,472	26.25	5,625	30.50	6,835	34.75	8,091	39.00	9,385
22.25	4,538	26.50	5,695	30.75	6,907	35.00	8,167	39.25	9,462
22.50	4,604	26.75	5,764	31.00	6,980	35.25	8,242	39.50	9,540
22.75	4,671	27.00	5,835	31.25	7,053	35.50	8,317	39.75	9,617
23.00	4,738	27.25	5,905	31.50	7,127	35.75	8,393	40.00	9,694
23.25	4,804	27.50	5,975	31.75	7,200	36.00	8,468	40.25	9,772
23.50	4,872	27.75	6,046	32.00	7,273	36.25	8,544	40.50	9,849
23.75	4,939	28.00	6,117	32.25	7,347	36.50	8,620	40.75	9,927
24.00	5,007	28.25	6,188	32.50	7,421	36.75	8,696	41.00	10,005
24.25	5,075	28.50	6,259	32.75	7,495	37.00	8,772	41.25	10,083
24.50	5,143	28.75	6,330	33.00	7,569	37.25	8,849	41.50	10,161
24.75	5,211	29.00	6,402	33.25	7,643	37.50	8,925	41.75	10,239
25.00	5,279	29.25	6,474	33.50	7,717	37.75	9,001	42.00	10,317
25.25	5,348	29.50	6,545	33.75	7,792	38.00	9,078	42.25	10,395



## Capacity/Gauge Table Information

**TCLX 290361**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 161

Reporting Mark: TCLX 290361

Date: 13/08/2015

Capacity: 28,984 US Gallons (109,718 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,473	46.75	11,813	51.00	13,168	55.25	14,528	59.50	15,888
42.75	10,551	47.00	11,893	51.25	13,248	55.50	14,608	59.75	15,967
43.00	10,630	47.25	11,972	51.50	13,328	55.75	14,688	60.00	16,047
43.25	10,708	47.50	12,052	51.75	13,408	56.00	14,769	60.25	16,127
43.50	10,787	47.75	12,131	52.00	13,488	56.25	14,849	60.50	16,206
43.75	10,865	48.00	12,211	52.25	13,568	56.50	14,929	60.75	16,286
44.00	10,944	48.25	12,290	52.50	13,648	56.75	15,009	61.00	16,366
44.25	11,023	48.50	12,370	52.75	13,728	57.00	15,089	61.25	16,445
44.50	11,102	48.75	12,449	53.00	13,808	57.25	15,169	61.50	16,525
44.75	11,180	49.00	12,529	53.25	13,888	57.50	15,249	61.75	16,604
45.00	11,259	49.25	12,609	53.50	13,968	57.75	15,329	62.00	16,684
45.25	11,338	49.50	12,689	53.75	14,048	58.00	15,409	62.25	16,763
45.50	11,417	49.75	12,768	54.00	14,128	58.25	15,488	62.50	16,842
45.75	11,496	50.00	12,848	54.25	14,208	58.50	15,568	62.75	16,922
46.00	11,576	50.25	12,928	54.50	14,288	58.75	15,648	63.00	17,001
46.25	11,655	50.50	13,008	54.75	14,368	59.00	15,728	63.25	17,080
46.50	11,734	50.75	13,088	55.00	14,448	59.25	15,808	63.50	17,159



## Capacity/Gauge Table Information

**TCLX 290361**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 161

Reporting Mark: TCLX 290361

Date: 13/08/2015

Capacity: 28,984 US Gallons (109,718 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,238	68.00	18,572	72.25	19,880	76.50	21,156	80.75	22,390
64.00	17,317	68.25	18,649	72.50	19,956	76.75	21,230	81.00	22,461
64.25	17,396	68.50	18,727	72.75	20,032	77.00	21,304	81.25	22,532
64.50	17,475	68.75	18,805	73.00	20,108	77.25	21,377	81.50	22,602
64.75	17,554	69.00	18,882	73.25	20,184	77.50	21,450	81.75	22,673
65.00	17,632	69.25	18,960	73.50	20,259	77.75	21,524	82.00	22,743
65.25	17,711	69.50	19,037	73.75	20,335	78.00	21,597	82.25	22,813
65.50	17,790	69.75	19,114	74.00	20,410	78.25	21,670	82.50	22,883
65.75	17,868	70.00	19,191	74.25	20,485	78.50	21,742	82.75	22,953
66.00	17,947	70.25	19,268	74.50	20,560	78.75	21,815	83.00	23,022
66.25	18,025	70.50	19,345	74.75	20,635	79.00	21,887	83.25	23,092
66.50	18,103	70.75	19,422	75.00	20,710	79.25	21,960	83.50	23,161
66.75	18,182	71.00	19,499	75.25	20,785	79.50	22,032	83.75	23,230
67.00	18,260	71.25	19,575	75.50	20,859	79.75	22,104	84.00	23,299
67.25	18,338	71.50	19,652	75.75	20,934	80.00	22,175	84.25	23,367
67.50	18,416	71.75	19,728	76.00	21,008	80.25	22,247	84.50	23,435
67.75	18,494	72.00	19,804	76.25	21,082	80.50	22,318	84.75	23,503



## Capacity/Gauge Table Information

**TCLX 290361**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 161

Reporting Mark: TCLX 290361

Date: 13/08/2015

Capacity: 28,984 US Gallons (109,718 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,571	89.25	24,690	93.50	25,734	97.75	26,687	102.00	27,531
85.25	23,639	89.50	24,754	93.75	25,793	98.00	26,740	102.25	27,577
85.50	23,706	89.75	24,817	94.00	25,851	98.25	26,793	102.50	27,622
85.75	23,774	90.00	24,880	94.25	25,909	98.50	26,845	102.75	27,667
86.00	23,841	90.25	24,943	94.50	25,967	98.75	26,897	103.00	27,711
86.25	23,907	90.50	25,006	94.75	26,025	99.00	26,948	103.25	27,754
86.50	23,974	90.75	25,068	95.00	26,082	99.25	26,999	103.50	27,798
86.75	24,040	91.00	25,130	95.25	26,138	99.50	27,049	103.75	27,840
87.00	24,106	91.25	25,192	95.50	26,195	99.75	27,099	104.00	27,883
87.25	24,172	91.50	25,253	95.75	26,251	100.00	27,149	104.25	27,924
87.50	24,238	91.75	25,314	96.00	26,307	100.25	27,198	104.50	27,965
87.75	24,303	92.00	25,375	96.25	26,362	100.50	27,247	104.75	28,006
88.00	24,368	92.25	25,436	96.50	26,417	100.75	27,296	105.00	28,046
88.25	24,433	92.50	25,496	96.75	26,472	101.00	27,344	105.25	28,085
88.50	24,498	92.75	25,556	97.00	26,526	101.25	27,391	105.50	28,124
88.75	24,562	93.00	25,616	97.25	26,580	101.50	27,438	105.75	28,162
89.00	24,626	93.25	25,675	97.50	26,634	101.75	27,485	106.00	28,200



## Capacity/Gauge Table Information

**TCLX 290361**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 161

Reporting Mark: TCLX 290361

Date: 13/08/2015

Capacity: 28,984 US Gallons (109,718 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,237	110.50	28,755	114.75	28,971
106.50	28,273	110.75	28,777	115.00	28,975
106.75	28,309	111.00	28,798	115.25	28,978
107.00	28,344	111.25	28,818	115.50	28,980
107.25	28,379	111.50	28,836	115.75	28,982
107.50	28,412	111.75	28,853	116.00	28,983
107.75	28,445	112.00	28,869	116.25	28,984
108.00	28,478	112.25	28,883	116.50	28,984
108.25	28,509	112.50	28,897	116.75	28,984
108.50	28,540	112.75	28,909		
108.75	28,570	113.00	28,920		
109.00	28,599	113.25	28,930		
109.25	28,628	113.50	28,940		
109.50	28,655	113.75	28,948		
109.75	28,682	114.00	28,955		
110.00	28,707	114.25	28,961		
110.25	28,732	114.50	28,967		



## Capacity/Gauge Table Information

**TCLX 290362**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 162

Reporting Mark: TCLX 290362

Date: 13/08/2015

Capacity: 28,966 US Gallons (109,647 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,344	12.75	2,228	17.00	3,215
0.25	29	4.50	628	8.75	1,392	13.00	2,283	17.25	3,276
0.50	58	4.75	668	9.00	1,442	13.25	2,339	17.50	3,337
0.75	88	5.00	710	9.25	1,491	13.50	2,395	17.75	3,398
1.00	119	5.25	752	9.50	1,541	13.75	2,452	18.00	3,460
1.25	151	5.50	794	9.75	1,592	14.00	2,508	18.25	3,522
1.50	184	5.75	838	10.00	1,643	14.25	2,565	18.50	3,584
1.75	217	6.00	881	10.25	1,694	14.50	2,623	18.75	3,647
2.00	251	6.25	925	10.50	1,746	14.75	2,681	19.00	3,710
2.25	286	6.50	970	10.75	1,798	15.00	2,739	19.25	3,773
2.50	321	6.75	1,015	11.00	1,850	15.25	2,797	19.50	3,836
2.75	357	7.00	1,060	11.25	1,903	15.50	2,856	19.75	3,900
3.00	394	7.25	1,106	11.50	1,956	15.75	2,915	20.00	3,964
3.25	432	7.50	1,153	11.75	2,010	16.00	2,974	20.25	4,028
3.50	470	7.75	1,200	12.00	2,064	16.25	3,034	20.50	4,092
3.75	508	8.00	1,247	12.25	2,118	16.50	3,094	20.75	4,157
4.00	547	8.25	1,295	12.50	2,173	16.75	3,154	21.00	4,222





## Capacity/Gauge Table Information

**TCLX 290362**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 162

Reporting Mark: TCLX 290362

Date: 13/08/2015

Capacity: 28,966 US Gallons (109,647 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,287	25.50	5,429	29.75	6,631	34.00	7,880	38.25	9,169
21.50	4,352	25.75	5,499	30.00	6,703	34.25	7,955	38.50	9,245
21.75	4,418	26.00	5,568	30.25	6,775	34.50	8,030	38.75	9,322
22.00	4,484	26.25	5,637	30.50	6,848	34.75	8,105	39.00	9,399
22.25	4,550	26.50	5,707	30.75	6,921	35.00	8,180	39.25	9,477
22.50	4,616	26.75	5,777	31.00	6,994	35.25	8,256	39.50	9,554
22.75	4,683	27.00	5,847	31.25	7,067	35.50	8,331	39.75	9,631
23.00	4,749	27.25	5,918	31.50	7,140	35.75	8,407	40.00	9,708
23.25	4,816	27.50	5,988	31.75	7,213	36.00	8,482	40.25	9,786
23.50	4,884	27.75	6,059	32.00	7,287	36.25	8,558	40.50	9,863
23.75	4,951	28.00	6,130	32.25	7,361	36.50	8,634	40.75	9,941
24.00	5,019	28.25	6,201	32.50	7,434	36.75	8,710	41.00	10,019
24.25	5,087	28.50	6,272	32.75	7,508	37.00	8,786	41.25	10,097
24.50	5,155	28.75	6,343	33.00	7,582	37.25	8,863	41.50	10,175
24.75	5,223	29.00	6,415	33.25	7,657	37.50	8,939	41.75	10,253
25.00	5,292	29.25	6,487	33.50	7,731	37.75	9,015	42.00	10,331
25.25	5,360	29.50	6,559	33.75	7,806	38.00	9,092	42.25	10,409



## Capacity/Gauge Table Information

**TCLX 290362**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 162

Reporting Mark: TCLX 290362

Date: 13/08/2015

Capacity: 28,966 US Gallons (109,647 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,487	46.75	11,827	51.00	13,181	55.25	14,542	59.50	15,900
42.75	10,565	47.00	11,907	51.25	13,261	55.50	14,622	59.75	15,980
43.00	10,644	47.25	11,986	51.50	13,341	55.75	14,702	60.00	16,060
43.25	10,722	47.50	12,065	51.75	13,421	56.00	14,782	60.25	16,139
43.50	10,801	47.75	12,145	52.00	13,501	56.25	14,862	60.50	16,219
43.75	10,879	48.00	12,224	52.25	13,581	56.50	14,942	60.75	16,299
44.00	10,958	48.25	12,304	52.50	13,661	56.75	15,022	61.00	16,378
44.25	11,037	48.50	12,384	52.75	13,741	57.00	15,102	61.25	16,458
44.50	11,116	48.75	12,463	53.00	13,821	57.25	15,182	61.50	16,537
44.75	11,194	49.00	12,543	53.25	13,901	57.50	15,262	61.75	16,617
45.00	11,273	49.25	12,623	53.50	13,981	57.75	15,342	62.00	16,696
45.25	11,352	49.50	12,702	53.75	14,061	58.00	15,421	62.25	16,775
45.50	11,431	49.75	12,782	54.00	14,141	58.25	15,501	62.50	16,854
45.75	11,510	50.00	12,862	54.25	14,221	58.50	15,581	62.75	16,934
46.00	11,590	50.25	12,942	54.50	14,301	58.75	15,661	63.00	17,013
46.25	11,669	50.50	13,022	54.75	14,382	59.00	15,741	63.25	17,092
46.50	11,748	50.75	13,102	55.00	14,462	59.25	15,821	63.50	17,171



## Capacity/Gauge Table Information

**TCLX 290362**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 162

Reporting Mark: TCLX 290362

Date: 13/08/2015

Capacity: 28,966 US Gallons (109,647 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,250	68.00	18,583	72.25	19,890	76.50	21,165	80.75	22,397
64.00	17,329	68.25	18,660	72.50	19,966	76.75	21,239	81.00	22,468
64.25	17,408	68.50	18,738	72.75	20,042	77.00	21,312	81.25	22,539
64.50	17,487	68.75	18,816	73.00	20,118	77.25	21,386	81.50	22,609
64.75	17,565	69.00	18,893	73.25	20,194	77.50	21,459	81.75	22,680
65.00	17,644	69.25	18,970	73.50	20,269	77.75	21,532	82.00	22,750
65.25	17,723	69.50	19,048	73.75	20,345	78.00	21,605	82.25	22,820
65.50	17,801	69.75	19,125	74.00	20,420	78.25	21,678	82.50	22,890
65.75	17,880	70.00	19,202	74.25	20,495	78.50	21,751	82.75	22,959
66.00	17,958	70.25	19,279	74.50	20,570	78.75	21,823	83.00	23,029
66.25	18,037	70.50	19,356	74.75	20,645	79.00	21,895	83.25	23,098
66.50	18,115	70.75	19,432	75.00	20,719	79.25	21,968	83.50	23,167
66.75	18,193	71.00	19,509	75.25	20,794	79.50	22,040	83.75	23,236
67.00	18,271	71.25	19,585	75.50	20,869	79.75	22,111	84.00	23,305
67.25	18,349	71.50	19,662	75.75	20,943	80.00	22,183	84.25	23,373
67.50	18,427	71.75	19,738	76.00	21,017	80.25	22,255	84.50	23,441
67.75	18,505	72.00	19,814	76.25	21,091	80.50	22,326	84.75	23,509



## Capacity/Gauge Table Information

**TCLX 290362**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 162

Reporting Mark: TCLX 290362

Date: 13/08/2015

Capacity: 28,966 US Gallons (109,647 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,577	89.25	24,694	93.50	25,736	97.75	26,687	102.00	27,528
85.25	23,645	89.50	24,758	93.75	25,794	98.00	26,740	102.25	27,573
85.50	23,712	89.75	24,821	94.00	25,853	98.25	26,792	102.50	27,618
85.75	23,779	90.00	24,884	94.25	25,911	98.50	26,844	102.75	27,663
86.00	23,846	90.25	24,947	94.50	25,968	98.75	26,895	103.00	27,707
86.25	23,913	90.50	25,009	94.75	26,026	99.00	26,947	103.25	27,750
86.50	23,979	90.75	25,071	95.00	26,083	99.25	26,997	103.50	27,793
86.75	24,045	91.00	25,133	95.25	26,139	99.50	27,048	103.75	27,836
87.00	24,111	91.25	25,195	95.50	26,196	99.75	27,098	104.00	27,878
87.25	24,177	91.50	25,256	95.75	26,252	100.00	27,147	104.25	27,919
87.50	24,243	91.75	25,317	96.00	26,307	100.25	27,196	104.50	27,960
87.75	24,308	92.00	25,378	96.25	26,363	100.50	27,245	104.75	28,000
88.00	24,373	92.25	25,438	96.50	26,418	100.75	27,293	105.00	28,040
88.25	24,438	92.50	25,498	96.75	26,472	101.00	27,341	105.25	28,079
88.50	24,502	92.75	25,558	97.00	26,526	101.25	27,388	105.50	28,118
88.75	24,566	93.00	25,618	97.25	26,580	101.50	27,435	105.75	28,156
89.00	24,631	93.25	25,677	97.50	26,634	101.75	27,482	106.00	28,193



## Capacity/Gauge Table Information

**TCLX 290362**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 162

Reporting Mark: TCLX 290362

Date: 13/08/2015

Capacity: 28,966 US Gallons (109,647 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,230	110.50	28,742	114.75	28,953
106.50	28,266	110.75	28,764	115.00	28,956
106.75	28,302	111.00	28,784	115.25	28,959
107.00	28,336	111.25	28,803	115.50	28,962
107.25	28,371	111.50	28,821	115.75	28,963
107.50	28,404	111.75	28,837	116.00	28,964
107.75	28,437	112.00	28,853	116.25	28,965
108.00	28,469	112.25	28,867	116.50	28,966
108.25	28,500	112.50	28,880	116.75	28,966
108.50	28,531	112.75	28,892		
108.75	28,560	113.00	28,903		
109.00	28,589	113.25	28,913		
109.25	28,617	113.50	28,922		
109.50	28,644	113.75	28,930		
109.75	28,670	114.00	28,937		
110.00	28,695	114.25	28,943		
110.25	28,719	114.50	28,948		



## Capacity/Gauge Table Information

**TCLX 290363**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 163

Reporting Mark: TCLX 290363

Date: 14/08/2015

Capacity: 28,992 US Gallons (109,747 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	581	8.50	1,333	12.75	2,214	17.00	3,198
0.25	28	4.50	621	8.75	1,382	13.00	2,269	17.25	3,259
0.50	57	4.75	662	9.00	1,431	13.25	2,325	17.50	3,320
0.75	87	5.00	703	9.25	1,480	13.50	2,381	17.75	3,381
1.00	118	5.25	745	9.50	1,530	13.75	2,437	18.00	3,443
1.25	149	5.50	787	9.75	1,580	14.00	2,494	18.25	3,505
1.50	181	5.75	830	10.00	1,631	14.25	2,551	18.50	3,567
1.75	214	6.00	873	10.25	1,682	14.50	2,608	18.75	3,629
2.00	248	6.25	917	10.50	1,733	14.75	2,665	19.00	3,692
2.25	282	6.50	961	10.75	1,785	15.00	2,723	19.25	3,755
2.50	318	6.75	1,006	11.00	1,838	15.25	2,782	19.50	3,818
2.75	353	7.00	1,051	11.25	1,890	15.50	2,840	19.75	3,882
3.00	390	7.25	1,097	11.50	1,943	15.75	2,899	20.00	3,945
3.25	427	7.50	1,144	11.75	1,997	16.00	2,958	20.25	4,009
3.50	464	7.75	1,190	12.00	2,050	16.25	3,018	20.50	4,074
3.75	503	8.00	1,237	12.25	2,105	16.50	3,078	20.75	4,138
4.00	542	8.25	1,285	12.50	2,159	16.75	3,138	21.00	4,203



## Capacity/Gauge Table Information

**TCLX 290363**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 163

Reporting Mark: TCLX 290363

Date: 14/08/2015

Capacity: 28,992 US Gallons (109,747 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,268	25.50	5,409	29.75	6,609	34.00	7,857	38.25	9,145
21.50	4,333	25.75	5,478	30.00	6,681	34.25	7,932	38.50	9,222
21.75	4,399	26.00	5,547	30.25	6,753	34.50	8,007	38.75	9,298
22.00	4,464	26.25	5,616	30.50	6,826	34.75	8,082	39.00	9,375
22.25	4,530	26.50	5,686	30.75	6,898	35.00	8,157	39.25	9,452
22.50	4,597	26.75	5,756	31.00	6,971	35.25	8,232	39.50	9,530
22.75	4,663	27.00	5,826	31.25	7,044	35.50	8,308	39.75	9,607
23.00	4,730	27.25	5,896	31.50	7,117	35.75	8,383	40.00	9,684
23.25	4,797	27.50	5,967	31.75	7,191	36.00	8,459	40.25	9,762
23.50	4,864	27.75	6,037	32.00	7,264	36.25	8,535	40.50	9,839
23.75	4,931	28.00	6,108	32.25	7,338	36.50	8,610	40.75	9,917
24.00	4,999	28.25	6,179	32.50	7,412	36.75	8,686	41.00	9,995
24.25	5,067	28.50	6,250	32.75	7,485	37.00	8,763	41.25	10,072
24.50	5,135	28.75	6,322	33.00	7,560	37.25	8,839	41.50	10,150
24.75	5,203	29.00	6,393	33.25	7,634	37.50	8,915	41.75	10,228
25.00	5,271	29.25	6,465	33.50	7,708	37.75	8,992	42.00	10,306
25.25	5,340	29.50	6,537	33.75	7,783	38.00	9,068	42.25	10,384





## Capacity/Gauge Table Information

**TCLX 290363**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 163

Reporting Mark: TCLX 290363

Date: 14/08/2015

Capacity: 28,992 US Gallons (109,747 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,463	46.75	11,803	51.00	13,157	55.25	14,518	59.50	15,877
42.75	10,541	47.00	11,882	51.25	13,237	55.50	14,598	59.75	15,957
43.00	10,619	47.25	11,961	51.50	13,317	55.75	14,678	60.00	16,036
43.25	10,698	47.50	12,041	51.75	13,397	56.00	14,758	60.25	16,116
43.50	10,776	47.75	12,120	52.00	13,477	56.25	14,838	60.50	16,196
43.75	10,855	48.00	12,200	52.25	13,557	56.50	14,918	60.75	16,275
44.00	10,934	48.25	12,279	52.50	13,637	56.75	14,998	61.00	16,355
44.25	11,012	48.50	12,359	52.75	13,717	57.00	15,078	61.25	16,434
44.50	11,091	48.75	12,439	53.00	13,797	57.25	15,158	61.50	16,514
44.75	11,170	49.00	12,518	53.25	13,877	57.50	15,238	61.75	16,593
45.00	11,249	49.25	12,598	53.50	13,957	57.75	15,318	62.00	16,673
45.25	11,328	49.50	12,678	53.75	14,037	58.00	15,398	62.25	16,752
45.50	11,407	49.75	12,758	54.00	14,117	58.25	15,478	62.50	16,832
45.75	11,486	50.00	12,837	54.25	14,197	58.50	15,558	62.75	16,911
46.00	11,565	50.25	12,917	54.50	14,277	58.75	15,637	63.00	16,990
46.25	11,644	50.50	12,997	54.75	14,357	59.00	15,717	63.25	17,069
46.50	11,723	50.75	13,077	55.00	14,437	59.25	15,797	63.50	17,148



## Capacity/Gauge Table Information

**TCLX 290363**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 163

Reporting Mark: TCLX 290363

Date: 14/08/2015

Capacity: 28,992 US Gallons (109,747 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,227	68.00	18,561	72.25	19,871	76.50	21,147	80.75	22,381
64.00	17,306	68.25	18,639	72.50	19,947	76.75	21,221	81.00	22,452
64.25	17,385	68.50	18,717	72.75	20,023	77.00	21,294	81.25	22,523
64.50	17,464	68.75	18,794	73.00	20,098	77.25	21,368	81.50	22,594
64.75	17,543	69.00	18,872	73.25	20,174	77.50	21,441	81.75	22,664
65.00	17,622	69.25	18,949	73.50	20,250	77.75	21,514	82.00	22,735
65.25	17,700	69.50	19,027	73.75	20,325	78.00	21,588	82.25	22,805
65.50	17,779	69.75	19,104	74.00	20,400	78.25	21,661	82.50	22,875
65.75	17,858	70.00	19,181	74.25	20,476	78.50	21,733	82.75	22,945
66.00	17,936	70.25	19,258	74.50	20,551	78.75	21,806	83.00	23,014
66.25	18,015	70.50	19,335	74.75	20,626	79.00	21,878	83.25	23,083
66.50	18,093	70.75	19,412	75.00	20,701	79.25	21,951	83.50	23,153
66.75	18,171	71.00	19,488	75.25	20,775	79.50	22,023	83.75	23,222
67.00	18,249	71.25	19,565	75.50	20,850	79.75	22,095	84.00	23,290
67.25	18,327	71.50	19,642	75.75	20,924	80.00	22,167	84.25	23,359
67.50	18,405	71.75	19,718	76.00	20,999	80.25	22,238	84.50	23,427
67.75	18,483	72.00	19,794	76.25	21,073	80.50	22,310	84.75	23,496



## Capacity/Gauge Table Information

**TCLX 290363**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 163

Reporting Mark: TCLX 290363

Date: 14/08/2015

Capacity: 28,992 US Gallons (109,747 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,563	89.25	24,683	93.50	25,728	97.75	26,683	102.00	27,529
85.25	23,631	89.50	24,747	93.75	25,787	98.00	26,736	102.25	27,575
85.50	23,699	89.75	24,811	94.00	25,846	98.25	26,789	102.50	27,620
85.75	23,766	90.00	24,874	94.25	25,904	98.50	26,841	102.75	27,665
86.00	23,833	90.25	24,937	94.50	25,962	98.75	26,893	103.00	27,709
86.25	23,900	90.50	24,999	94.75	26,019	99.00	26,944	103.25	27,753
86.50	23,967	90.75	25,062	95.00	26,077	99.25	26,995	103.50	27,796
86.75	24,033	91.00	25,124	95.25	26,134	99.50	27,046	103.75	27,839
87.00	24,099	91.25	25,185	95.50	26,190	99.75	27,096	104.00	27,881
87.25	24,165	91.50	25,247	95.75	26,246	100.00	27,146	104.25	27,923
87.50	24,231	91.75	25,308	96.00	26,302	100.25	27,195	104.50	27,964
87.75	24,296	92.00	25,369	96.25	26,358	100.50	27,244	104.75	28,005
88.00	24,361	92.25	25,430	96.50	26,413	100.75	27,293	105.00	28,045
88.25	24,426	92.50	25,490	96.75	26,468	101.00	27,341	105.25	28,085
88.50	24,491	92.75	25,550	97.00	26,522	101.25	27,389	105.50	28,124
88.75	24,555	93.00	25,610	97.25	26,576	101.50	27,436	105.75	28,162
89.00	24,620	93.25	25,669	97.50	26,630	101.75	27,483	106.00	28,200



## Capacity/Gauge Table Information

**TCLX 290363**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 163

Reporting Mark: TCLX 290363

Date: 14/08/2015

Capacity: 28,992 US Gallons (109,747 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,237	110.50	28,759	114.75	28,979
106.50	28,274	110.75	28,781	115.00	28,982
106.75	28,310	111.00	28,803	115.25	28,986
107.00	28,345	111.25	28,822	115.50	28,988
107.25	28,380	111.50	28,841	115.75	28,990
107.50	28,413	111.75	28,858	116.00	28,991
107.75	28,447	112.00	28,874	116.25	28,992
108.00	28,479	112.25	28,889	116.50	28,992
108.25	28,511	112.50	28,903	116.75	28,992
108.50	28,542	112.75	28,915		
108.75	28,572	113.00	28,927		
109.00	28,602	113.25	28,937		
109.25	28,630	113.50	28,946		
109.50	28,658	113.75	28,955		
109.75	28,684	114.00	28,962		
110.00	28,710	114.25	28,968		
110.25	28,735	114.50	28,974		



## Capacity/Gauge Table Information

**TCLX 290364**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 164

Reporting Mark: TCLX 290364

Date: 12/08/2015

Capacity: 28,956 US Gallons (109,612 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,232	17.00	3,220
0.25	29	4.50	629	8.75	1,395	13.00	2,287	17.25	3,281
0.50	58	4.75	670	9.00	1,445	13.25	2,343	17.50	3,342
0.75	89	5.00	712	9.25	1,494	13.50	2,399	17.75	3,403
1.00	120	5.25	754	9.50	1,544	13.75	2,456	18.00	3,465
1.25	152	5.50	797	9.75	1,595	14.00	2,513	18.25	3,527
1.50	184	5.75	840	10.00	1,646	14.25	2,570	18.50	3,589
1.75	218	6.00	883	10.25	1,697	14.50	2,627	18.75	3,652
2.00	252	6.25	928	10.50	1,749	14.75	2,685	19.00	3,715
2.25	287	6.50	972	10.75	1,801	15.00	2,743	19.25	3,778
2.50	322	6.75	1,017	11.00	1,854	15.25	2,802	19.50	3,841
2.75	359	7.00	1,063	11.25	1,907	15.50	2,861	19.75	3,905
3.00	395	7.25	1,109	11.50	1,960	15.75	2,920	20.00	3,969
3.25	433	7.50	1,156	11.75	2,014	16.00	2,979	20.25	4,033
3.50	471	7.75	1,203	12.00	2,068	16.25	3,039	20.50	4,098
3.75	510	8.00	1,250	12.25	2,122	16.50	3,099	20.75	4,162
4.00	549	8.25	1,298	12.50	2,177	16.75	3,159	21.00	4,227



## Capacity/Gauge Table Information

**TCLX 290364**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 164

Reporting Mark: TCLX 290364

Date: 12/08/2015

Capacity: 28,956 US Gallons (109,612 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,292	25.50	5,436	29.75	6,638	34.00	7,888	38.25	9,177
21.50	4,358	25.75	5,505	30.00	6,710	34.25	7,963	38.50	9,253
21.75	4,424	26.00	5,574	30.25	6,782	34.50	8,038	38.75	9,330
22.00	4,489	26.25	5,644	30.50	6,855	34.75	8,113	39.00	9,407
22.25	4,556	26.50	5,714	30.75	6,928	35.00	8,188	39.25	9,484
22.50	4,622	26.75	5,784	31.00	7,001	35.25	8,263	39.50	9,562
22.75	4,689	27.00	5,854	31.25	7,074	35.50	8,339	39.75	9,639
23.00	4,755	27.25	5,924	31.50	7,147	35.75	8,414	40.00	9,716
23.25	4,822	27.50	5,995	31.75	7,221	36.00	8,490	40.25	9,794
23.50	4,890	27.75	6,065	32.00	7,294	36.25	8,566	40.50	9,871
23.75	4,957	28.00	6,136	32.25	7,368	36.50	8,642	40.75	9,949
24.00	5,025	28.25	6,207	32.50	7,442	36.75	8,718	41.00	10,027
24.25	5,093	28.50	6,279	32.75	7,516	37.00	8,794	41.25	10,105
24.50	5,161	28.75	6,350	33.00	7,590	37.25	8,870	41.50	10,183
24.75	5,229	29.00	6,422	33.25	7,664	37.50	8,947	41.75	10,261
25.00	5,298	29.25	6,494	33.50	7,738	37.75	9,023	42.00	10,339
25.25	5,367	29.50	6,566	33.75	7,813	38.00	9,100	42.25	10,417



## Capacity/Gauge Table Information

**TCLX 290364**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 164

Reporting Mark: TCLX 290364

Date: 12/08/2015

Capacity: 28,956 US Gallons (109,612 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,495	46.75	11,836	51.00	13,190	55.25	14,550	59.50	15,909
42.75	10,574	47.00	11,915	51.25	13,270	55.50	14,630	59.75	15,989
43.00	10,652	47.25	11,994	51.50	13,350	55.75	14,710	60.00	16,068
43.25	10,730	47.50	12,074	51.75	13,430	56.00	14,790	60.25	16,148
43.50	10,809	47.75	12,153	52.00	13,510	56.25	14,870	60.50	16,228
43.75	10,888	48.00	12,233	52.25	13,590	56.50	14,950	60.75	16,307
44.00	10,966	48.25	12,313	52.50	13,670	56.75	15,030	61.00	16,387
44.25	11,045	48.50	12,392	52.75	13,750	57.00	15,110	61.25	16,466
44.50	11,124	48.75	12,472	53.00	13,830	57.25	15,190	61.50	16,546
44.75	11,203	49.00	12,551	53.25	13,910	57.50	15,270	61.75	16,625
45.00	11,282	49.25	12,631	53.50	13,990	57.75	15,350	62.00	16,704
45.25	11,361	49.50	12,711	53.75	14,070	58.00	15,430	62.25	16,784
45.50	11,440	49.75	12,791	54.00	14,150	58.25	15,510	62.50	16,863
45.75	11,519	50.00	12,871	54.25	14,230	58.50	15,590	62.75	16,942
46.00	11,598	50.25	12,950	54.50	14,310	58.75	15,670	63.00	17,021
46.25	11,677	50.50	13,030	54.75	14,390	59.00	15,750	63.25	17,100
46.50	11,756	50.75	13,110	55.00	14,470	59.25	15,829	63.50	17,180





## Capacity/Gauge Table Information

**TCLX 290364**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 164

Reporting Mark: TCLX 290364

Date: 12/08/2015

Capacity: 28,956 US Gallons (109,612 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,259	68.00	18,591	72.25	19,898	76.50	21,172	80.75	22,404
64.00	17,337	68.25	18,669	72.50	19,974	76.75	21,246	81.00	22,475
64.25	17,416	68.50	18,746	72.75	20,050	77.00	21,320	81.25	22,546
64.50	17,495	68.75	18,824	73.00	20,126	77.25	21,393	81.50	22,616
64.75	17,574	69.00	18,901	73.25	20,201	77.50	21,466	81.75	22,686
65.00	17,653	69.25	18,978	73.50	20,277	77.75	21,539	82.00	22,757
65.25	17,731	69.50	19,056	73.75	20,352	78.00	21,612	82.25	22,827
65.50	17,810	69.75	19,133	74.00	20,428	78.25	21,685	82.50	22,896
65.75	17,888	70.00	19,210	74.25	20,503	78.50	21,758	82.75	22,966
66.00	17,967	70.25	19,287	74.50	20,578	78.75	21,830	83.00	23,035
66.25	18,045	70.50	19,364	74.75	20,652	79.00	21,903	83.25	23,105
66.50	18,123	70.75	19,440	75.00	20,727	79.25	21,975	83.50	23,174
66.75	18,201	71.00	19,517	75.25	20,802	79.50	22,047	83.75	23,242
67.00	18,279	71.25	19,593	75.50	20,876	79.75	22,118	84.00	23,311
67.25	18,357	71.50	19,670	75.75	20,950	80.00	22,190	84.25	23,379
67.50	18,435	71.75	19,746	76.00	21,025	80.25	22,261	84.50	23,447
67.75	18,513	72.00	19,822	76.25	21,099	80.50	22,333	84.75	23,515



## Capacity/Gauge Table Information

**TCLX 290364**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 164

Reporting Mark: TCLX 290364

Date: 12/08/2015

Capacity: 28,956 US Gallons (109,612 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,583	89.25	24,699	93.50	25,740	97.75	26,689	102.00	27,528
85.25	23,651	89.50	24,763	93.75	25,798	98.00	26,742	102.25	27,574
85.50	23,718	89.75	24,826	94.00	25,856	98.25	26,794	102.50	27,618
85.75	23,785	90.00	24,889	94.25	25,914	98.50	26,846	102.75	27,663
86.00	23,852	90.25	24,951	94.50	25,972	98.75	26,897	103.00	27,707
86.25	23,919	90.50	25,014	94.75	26,029	99.00	26,948	103.25	27,750
86.50	23,985	90.75	25,076	95.00	26,086	99.25	26,999	103.50	27,793
86.75	24,051	91.00	25,138	95.25	26,143	99.50	27,049	103.75	27,835
87.00	24,117	91.25	25,199	95.50	26,199	99.75	27,099	104.00	27,877
87.25	24,183	91.50	25,260	95.75	26,255	100.00	27,149	104.25	27,918
87.50	24,248	91.75	25,321	96.00	26,310	100.25	27,198	104.50	27,959
87.75	24,313	92.00	25,382	96.25	26,366	100.50	27,246	104.75	27,999
88.00	24,378	92.25	25,442	96.50	26,420	100.75	27,294	105.00	28,039
88.25	24,443	92.50	25,502	96.75	26,475	101.00	27,342	105.25	28,078
88.50	24,507	92.75	25,562	97.00	26,529	101.25	27,389	105.50	28,117
88.75	24,572	93.00	25,622	97.25	26,583	101.50	27,436	105.75	28,154
89.00	24,636	93.25	25,681	97.50	26,636	101.75	27,482	106.00	28,192



## Capacity/Gauge Table Information

**TCLX 290364**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 164

Reporting Mark: TCLX 290364

Date: 12/08/2015

Capacity: 28,956 US Gallons (109,612 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,228	110.50	28,737	114.75	28,944
106.50	28,264	110.75	28,758	115.00	28,947
106.75	28,300	111.00	28,778	115.25	28,950
107.00	28,334	111.25	28,797	115.50	28,952
107.25	28,368	111.50	28,814	115.75	28,954
107.50	28,401	111.75	28,830	116.00	28,955
107.75	28,434	112.00	28,845	116.25	28,956
108.00	28,466	112.25	28,859	116.50	28,956
108.25	28,497	112.50	28,872	116.75	28,956
108.50	28,527	112.75	28,884		
108.75	28,557	113.00	28,895		
109.00	28,585	113.25	28,905		
109.25	28,613	113.50	28,913		
109.50	28,640	113.75	28,921		
109.75	28,666	114.00	28,928		
110.00	28,691	114.25	28,934		
110.25	28,714	114.50	28,939		



## Capacity/Gauge Table Information

**TCLX 290365**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 165

Reporting Mark: TCLX 290365

Date: 18/08/2015

Capacity: 28,981 US Gallons (109,704 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,338	12.75	2,220	17.00	3,205
0.25	28	4.50	624	8.75	1,386	13.00	2,275	17.25	3,266
0.50	58	4.75	665	9.00	1,435	13.25	2,331	17.50	3,327
0.75	88	5.00	706	9.25	1,485	13.50	2,387	17.75	3,388
1.00	118	5.25	748	9.50	1,535	13.75	2,443	18.00	3,450
1.25	150	5.50	790	9.75	1,585	14.00	2,500	18.25	3,512
1.50	182	5.75	833	10.00	1,636	14.25	2,557	18.50	3,574
1.75	216	6.00	877	10.25	1,687	14.50	2,614	18.75	3,637
2.00	249	6.25	920	10.50	1,739	14.75	2,672	19.00	3,699
2.25	284	6.50	965	10.75	1,791	15.00	2,730	19.25	3,762
2.50	319	6.75	1,010	11.00	1,843	15.25	2,788	19.50	3,826
2.75	355	7.00	1,055	11.25	1,896	15.50	2,847	19.75	3,889
3.00	392	7.25	1,101	11.50	1,949	15.75	2,906	20.00	3,953
3.25	429	7.50	1,148	11.75	2,002	16.00	2,965	20.25	4,017
3.50	467	7.75	1,194	12.00	2,056	16.25	3,025	20.50	4,081
3.75	505	8.00	1,242	12.25	2,110	16.50	3,085	20.75	4,146
4.00	544	8.25	1,289	12.50	2,165	16.75	3,145	21.00	4,211



## Capacity/Gauge Table Information

**TCLX 290365**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 165

Reporting Mark: TCLX 290365

Date: 18/08/2015

Capacity: 28,981 US Gallons (109,704 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,276	25.50	5,417	29.75	6,618	34.00	7,867	38.25	9,155
21.50	4,341	25.75	5,487	30.00	6,690	34.25	7,942	38.50	9,232
21.75	4,407	26.00	5,556	30.25	6,763	34.50	8,017	38.75	9,308
22.00	4,473	26.25	5,625	30.50	6,835	34.75	8,092	39.00	9,385
22.25	4,539	26.50	5,695	30.75	6,908	35.00	8,167	39.25	9,463
22.50	4,605	26.75	5,765	31.00	6,981	35.25	8,242	39.50	9,540
22.75	4,671	27.00	5,835	31.25	7,054	35.50	8,317	39.75	9,617
23.00	4,738	27.25	5,905	31.50	7,127	35.75	8,393	40.00	9,694
23.25	4,805	27.50	5,976	31.75	7,200	36.00	8,469	40.25	9,772
23.50	4,872	27.75	6,046	32.00	7,274	36.25	8,544	40.50	9,849
23.75	4,940	28.00	6,117	32.25	7,347	36.50	8,620	40.75	9,927
24.00	5,007	28.25	6,188	32.50	7,421	36.75	8,696	41.00	10,005
24.25	5,075	28.50	6,259	32.75	7,495	37.00	8,772	41.25	10,083
24.50	5,143	28.75	6,331	33.00	7,569	37.25	8,849	41.50	10,161
24.75	5,211	29.00	6,402	33.25	7,643	37.50	8,925	41.75	10,239
25.00	5,280	29.25	6,474	33.50	7,718	37.75	9,002	42.00	10,317
25.25	5,349	29.50	6,546	33.75	7,792	38.00	9,078	42.25	10,395



## Capacity/Gauge Table Information

**TCLX 290365**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 165

Reporting Mark: TCLX 290365

Date: 18/08/2015

Capacity: 28,981 US Gallons (109,704 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,473	46.75	11,813	51.00	13,167	55.25	14,528	59.50	15,887
42.75	10,551	47.00	11,892	51.25	13,247	55.50	14,608	59.75	15,966
43.00	10,630	47.25	11,972	51.50	13,327	55.75	14,688	60.00	16,046
43.25	10,708	47.50	12,051	51.75	13,407	56.00	14,768	60.25	16,126
43.50	10,787	47.75	12,131	52.00	13,487	56.25	14,848	60.50	16,205
43.75	10,865	48.00	12,210	52.25	13,567	56.50	14,928	60.75	16,285
44.00	10,944	48.25	12,290	52.50	13,647	56.75	15,008	61.00	16,365
44.25	11,023	48.50	12,369	52.75	13,727	57.00	15,088	61.25	16,444
44.50	11,101	48.75	12,449	53.00	13,807	57.25	15,168	61.50	16,524
44.75	11,180	49.00	12,529	53.25	13,887	57.50	15,248	61.75	16,603
45.00	11,259	49.25	12,608	53.50	13,967	57.75	15,328	62.00	16,682
45.25	11,338	49.50	12,688	53.75	14,047	58.00	15,408	62.25	16,762
45.50	11,417	49.75	12,768	54.00	14,127	58.25	15,488	62.50	16,841
45.75	11,496	50.00	12,848	54.25	14,207	58.50	15,567	62.75	16,920
46.00	11,575	50.25	12,928	54.50	14,287	58.75	15,647	63.00	17,000
46.25	11,654	50.50	13,007	54.75	14,367	59.00	15,727	63.25	17,079
46.50	11,734	50.75	13,087	55.00	14,448	59.25	15,807	63.50	17,158



## Capacity/Gauge Table Information

**TCLX 290365**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 165

Reporting Mark: TCLX 290365

Date: 18/08/2015

Capacity: 28,981 US Gallons (109,704 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,237	68.00	18,570	72.25	19,879	76.50	21,154	80.75	22,387
64.00	17,316	68.25	18,648	72.50	19,955	76.75	21,228	81.00	22,459
64.25	17,395	68.50	18,726	72.75	20,031	77.00	21,302	81.25	22,529
64.50	17,474	68.75	18,803	73.00	20,106	77.25	21,375	81.50	22,600
64.75	17,552	69.00	18,881	73.25	20,182	77.50	21,448	81.75	22,671
65.00	17,631	69.25	18,958	73.50	20,258	77.75	21,522	82.00	22,741
65.25	17,710	69.50	19,035	73.75	20,333	78.00	21,595	82.25	22,811
65.50	17,788	69.75	19,112	74.00	20,408	78.25	21,668	82.50	22,881
65.75	17,867	70.00	19,190	74.25	20,484	78.50	21,740	82.75	22,951
66.00	17,945	70.25	19,267	74.50	20,559	78.75	21,813	83.00	23,020
66.25	18,024	70.50	19,343	74.75	20,634	79.00	21,885	83.25	23,089
66.50	18,102	70.75	19,420	75.00	20,708	79.25	21,958	83.50	23,159
66.75	18,180	71.00	19,497	75.25	20,783	79.50	22,030	83.75	23,227
67.00	18,258	71.25	19,574	75.50	20,858	79.75	22,102	84.00	23,296
67.25	18,336	71.50	19,650	75.75	20,932	80.00	22,173	84.25	23,365
67.50	18,414	71.75	19,726	76.00	21,006	80.25	22,245	84.50	23,433
67.75	18,492	72.00	19,803	76.25	21,080	80.50	22,316	84.75	23,501





## Capacity/Gauge Table Information

**TCLX 290365**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 165

Reporting Mark: TCLX 290365

Date: 18/08/2015

Capacity: 28,981 US Gallons (109,704 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,569	89.25	24,688	93.50	25,731	97.75	26,684	102.00	27,528
85.25	23,637	89.50	24,751	93.75	25,790	98.00	26,737	102.25	27,574
85.50	23,704	89.75	24,815	94.00	25,848	98.25	26,790	102.50	27,619
85.75	23,771	90.00	24,878	94.25	25,907	98.50	26,842	102.75	27,663
86.00	23,838	90.25	24,941	94.50	25,964	98.75	26,894	103.00	27,708
86.25	23,905	90.50	25,003	94.75	26,022	99.00	26,945	103.25	27,751
86.50	23,972	90.75	25,065	95.00	26,079	99.25	26,996	103.50	27,795
86.75	24,038	91.00	25,127	95.25	26,136	99.50	27,046	103.75	27,837
87.00	24,104	91.25	25,189	95.50	26,192	99.75	27,096	104.00	27,879
87.25	24,170	91.50	25,250	95.75	26,248	100.00	27,146	104.25	27,921
87.50	24,235	91.75	25,312	96.00	26,304	100.25	27,195	104.50	27,962
87.75	24,301	92.00	25,372	96.25	26,359	100.50	27,244	104.75	28,003
88.00	24,366	92.25	25,433	96.50	26,415	100.75	27,293	105.00	28,043
88.25	24,431	92.50	25,493	96.75	26,469	101.00	27,341	105.25	28,082
88.50	24,495	92.75	25,553	97.00	26,524	101.25	27,388	105.50	28,121
88.75	24,560	93.00	25,613	97.25	26,578	101.50	27,435	105.75	28,159
89.00	24,624	93.25	25,672	97.50	26,631	101.75	27,482	106.00	28,197



## Capacity/Gauge Table Information

**TCLX 290365**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 165

Reporting Mark: TCLX 290365

Date: 18/08/2015

Capacity: 28,981 US Gallons (109,704 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,234	110.50	28,752	114.75	28,967
106.50	28,270	110.75	28,774	115.00	28,971
106.75	28,306	111.00	28,795	115.25	28,974
107.00	28,341	111.25	28,814	115.50	28,977
107.25	28,375	111.50	28,832	115.75	28,978
107.50	28,409	111.75	28,849	116.00	28,980
107.75	28,442	112.00	28,865	116.25	28,980
108.00	28,474	112.25	28,880	116.50	28,981
108.25	28,506	112.50	28,893	116.75	28,981
108.50	28,537	112.75	28,905		
108.75	28,567	113.00	28,917		
109.00	28,596	113.25	28,927		
109.25	28,624	113.50	28,936		
109.50	28,652	113.75	28,944		
109.75	28,678	114.00	28,951		
110.00	28,704	114.25	28,957		
110.25	28,728	114.50	28,963		



## Capacity/Gauge Table Information

**TCLX 290366**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 166

Reporting Mark: TCLX 290366

Date: 14/08/2015

Capacity: 28,987 US Gallons (109,728 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	576	8.50	1,324	12.75	2,201	17.00	3,183
0.25	28	4.50	616	8.75	1,372	13.00	2,256	17.25	3,243
0.50	56	4.75	656	9.00	1,421	13.25	2,312	17.50	3,304
0.75	86	5.00	697	9.25	1,470	13.50	2,367	17.75	3,365
1.00	116	5.25	739	9.50	1,520	13.75	2,424	18.00	3,426
1.25	147	5.50	781	9.75	1,570	14.00	2,480	18.25	3,488
1.50	179	5.75	823	10.00	1,620	14.25	2,537	18.50	3,550
1.75	212	6.00	866	10.25	1,671	14.50	2,594	18.75	3,612
2.00	245	6.25	910	10.50	1,723	14.75	2,651	19.00	3,675
2.25	280	6.50	954	10.75	1,774	15.00	2,709	19.25	3,738
2.50	314	6.75	998	11.00	1,826	15.25	2,767	19.50	3,801
2.75	350	7.00	1,044	11.25	1,879	15.50	2,826	19.75	3,864
3.00	386	7.25	1,089	11.50	1,932	15.75	2,884	20.00	3,928
3.25	423	7.50	1,135	11.75	1,985	16.00	2,943	20.25	3,992
3.50	460	7.75	1,182	12.00	2,038	16.25	3,003	20.50	4,056
3.75	498	8.00	1,229	12.25	2,092	16.50	3,062	20.75	4,120
4.00	537	8.25	1,276	12.50	2,147	16.75	3,122	21.00	4,185



## Capacity/Gauge Table Information

**TCLX 290366**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 166

Reporting Mark: TCLX 290366

Date: 14/08/2015

Capacity: 28,987 US Gallons (109,728 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,250	25.50	5,388	29.75	6,586	34.00	7,832	38.25	9,118
21.50	4,315	25.75	5,457	30.00	6,658	34.25	7,907	38.50	9,195
21.75	4,380	26.00	5,526	30.25	6,730	34.50	7,982	38.75	9,272
22.00	4,446	26.25	5,595	30.50	6,803	34.75	8,057	39.00	9,349
22.25	4,512	26.50	5,665	30.75	6,875	35.00	8,132	39.25	9,426
22.50	4,578	26.75	5,735	31.00	6,948	35.25	8,207	39.50	9,503
22.75	4,644	27.00	5,805	31.25	7,021	35.50	8,282	39.75	9,580
23.00	4,710	27.25	5,875	31.50	7,094	35.75	8,358	40.00	9,657
23.25	4,777	27.50	5,945	31.75	7,167	36.00	8,433	40.25	9,734
23.50	4,844	27.75	6,015	32.00	7,240	36.25	8,509	40.50	9,812
23.75	4,911	28.00	6,086	32.25	7,314	36.50	8,585	40.75	9,890
24.00	4,979	28.25	6,157	32.50	7,387	36.75	8,661	41.00	9,967
24.25	5,047	28.50	6,228	32.75	7,461	37.00	8,737	41.25	10,045
24.50	5,114	28.75	6,299	33.00	7,535	37.25	8,813	41.50	10,123
24.75	5,182	29.00	6,371	33.25	7,609	37.50	8,889	41.75	10,201
25.00	5,251	29.25	6,442	33.50	7,684	37.75	8,965	42.00	10,279
25.25	5,319	29.50	6,514	33.75	7,758	38.00	9,042	42.25	10,357



## Capacity/Gauge Table Information

**TCLX 290366**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 166

Reporting Mark: TCLX 290366

Date: 14/08/2015

Capacity: 28,987 US Gallons (109,728 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,435	46.75	11,773	51.00	13,127	55.25	14,486	59.50	15,845
42.75	10,513	47.00	11,853	51.25	13,206	55.50	14,566	59.75	15,925
43.00	10,591	47.25	11,932	51.50	13,286	55.75	14,646	60.00	16,004
43.25	10,670	47.50	12,011	51.75	13,366	56.00	14,726	60.25	16,084
43.50	10,748	47.75	12,091	52.00	13,446	56.25	14,806	60.50	16,164
43.75	10,827	48.00	12,170	52.25	13,526	56.50	14,886	60.75	16,243
44.00	10,905	48.25	12,250	52.50	13,606	56.75	14,966	61.00	16,323
44.25	10,984	48.50	12,329	52.75	13,686	57.00	15,046	61.25	16,402
44.50	11,062	48.75	12,409	53.00	13,766	57.25	15,126	61.50	16,482
44.75	11,141	49.00	12,488	53.25	13,846	57.50	15,206	61.75	16,561
45.00	11,220	49.25	12,568	53.50	13,926	57.75	15,286	62.00	16,641
45.25	11,299	49.50	12,648	53.75	14,006	58.00	15,366	62.25	16,720
45.50	11,378	49.75	12,728	54.00	14,086	58.25	15,446	62.50	16,799
45.75	11,457	50.00	12,807	54.25	14,166	58.50	15,526	62.75	16,878
46.00	11,536	50.25	12,887	54.50	14,246	58.75	15,606	63.00	16,958
46.25	11,615	50.50	12,967	54.75	14,326	59.00	15,685	63.25	17,037
46.50	11,694	50.75	13,047	55.00	14,406	59.25	15,765	63.50	17,116



## Capacity/Gauge Table Information

**TCLX 290366**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 166

Reporting Mark: TCLX 290366

Date: 14/08/2015

Capacity: 28,987 US Gallons (109,728 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,195	68.00	18,529	72.25	19,838	76.50	21,114	80.75	22,349
64.00	17,274	68.25	18,606	72.50	19,914	76.75	21,188	81.00	22,420
64.25	17,353	68.50	18,684	72.75	19,990	77.00	21,262	81.25	22,491
64.50	17,432	68.75	18,762	73.00	20,066	77.25	21,335	81.50	22,562
64.75	17,510	69.00	18,839	73.25	20,141	77.50	21,409	81.75	22,632
65.00	17,589	69.25	18,916	73.50	20,217	77.75	21,482	82.00	22,703
65.25	17,668	69.50	18,994	73.75	20,292	78.00	21,555	82.25	22,773
65.50	17,746	69.75	19,071	74.00	20,368	78.25	21,628	82.50	22,843
65.75	17,825	70.00	19,148	74.25	20,443	78.50	21,701	82.75	22,913
66.00	17,903	70.25	19,225	74.50	20,518	78.75	21,774	83.00	22,982
66.25	17,982	70.50	19,302	74.75	20,593	79.00	21,846	83.25	23,052
66.50	18,060	70.75	19,379	75.00	20,668	79.25	21,918	83.50	23,121
66.75	18,138	71.00	19,456	75.25	20,743	79.50	21,991	83.75	23,190
67.00	18,217	71.25	19,532	75.50	20,817	79.75	22,063	84.00	23,259
67.25	18,295	71.50	19,609	75.75	20,892	80.00	22,134	84.25	23,328
67.50	18,373	71.75	19,685	76.00	20,966	80.25	22,206	84.50	23,396
67.75	18,451	72.00	19,762	76.25	21,040	80.50	22,278	84.75	23,464



## Capacity/Gauge Table Information

**TCLX 290366**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 166

Reporting Mark: TCLX 290366

Date: 14/08/2015

Capacity: 28,987 US Gallons (109,728 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,532	89.25	24,653	93.50	25,700	97.75	26,657	102.00	27,505
85.25	23,600	89.50	24,717	93.75	25,759	98.00	26,710	102.25	27,551
85.50	23,668	89.75	24,781	94.00	25,818	98.25	26,763	102.50	27,597
85.75	23,735	90.00	24,844	94.25	25,876	98.50	26,815	102.75	27,642
86.00	23,802	90.25	24,907	94.50	25,934	98.75	26,867	103.00	27,686
86.25	23,869	90.50	24,970	94.75	25,992	99.00	26,919	103.25	27,730
86.50	23,936	90.75	25,032	95.00	26,049	99.25	26,970	103.50	27,774
86.75	24,002	91.00	25,094	95.25	26,106	99.50	27,021	103.75	27,817
87.00	24,068	91.25	25,156	95.50	26,163	99.75	27,071	104.00	27,860
87.25	24,134	91.50	25,218	95.75	26,219	100.00	27,121	104.25	27,902
87.50	24,200	91.75	25,279	96.00	26,275	100.25	27,171	104.50	27,943
87.75	24,266	92.00	25,340	96.25	26,331	100.50	27,220	104.75	27,984
88.00	24,331	92.25	25,401	96.50	26,386	100.75	27,268	105.00	28,024
88.25	24,396	92.50	25,461	96.75	26,441	101.00	27,317	105.25	28,064
88.50	24,461	92.75	25,521	97.00	26,495	101.25	27,365	105.50	28,103
88.75	24,525	93.00	25,581	97.25	26,550	101.50	27,412	105.75	28,142
89.00	24,589	93.25	25,641	97.50	26,604	101.75	27,459	106.00	28,180





## Capacity/Gauge Table Information

**TCLX 290366**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 166

Reporting Mark: TCLX 290366

Date: 14/08/2015

Capacity: 28,987 US Gallons (109,728 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,218	110.50	28,746	114.75	28,973
106.50	28,255	110.75	28,769	115.00	28,977
106.75	28,291	111.00	28,791	115.25	28,980
107.00	28,326	111.25	28,811	115.50	28,983
107.25	28,361	111.50	28,831	115.75	28,985
107.50	28,395	111.75	28,848	116.00	28,986
107.75	28,429	112.00	28,865	116.25	28,987
108.00	28,462	112.25	28,880	116.50	28,987
108.25	28,494	112.50	28,895	116.75	28,987
108.50	28,525	112.75	28,908		
108.75	28,556	113.00	28,919		
109.00	28,586	113.25	28,930		
109.25	28,614	113.50	28,940		
109.50	28,643	113.75	28,948		
109.75	28,670	114.00	28,956		
110.00	28,696	114.25	28,962		
110.25	28,721	114.50	28,968		



## Capacity/Gauge Table Information

**TCLX 290367**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 167

Reporting Mark: TCLX 290367

Date: 06/10/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,334	12.75	2,215	17.00	3,199
0.25	28	4.50	622	8.75	1,383	13.00	2,270	17.25	3,260
0.50	57	4.75	663	9.00	1,432	13.25	2,326	17.50	3,320
0.75	87	5.00	704	9.25	1,481	13.50	2,382	17.75	3,382
1.00	118	5.25	746	9.50	1,531	13.75	2,438	18.00	3,443
1.25	149	5.50	788	9.75	1,581	14.00	2,494	18.25	3,505
1.50	182	5.75	831	10.00	1,632	14.25	2,551	18.50	3,567
1.75	215	6.00	874	10.25	1,683	14.50	2,609	18.75	3,630
2.00	248	6.25	918	10.50	1,734	14.75	2,666	19.00	3,692
2.25	283	6.50	962	10.75	1,786	15.00	2,724	19.25	3,755
2.50	318	6.75	1,007	11.00	1,839	15.25	2,782	19.50	3,818
2.75	354	7.00	1,052	11.25	1,891	15.50	2,841	19.75	3,882
3.00	390	7.25	1,098	11.50	1,944	15.75	2,900	20.00	3,946
3.25	427	7.50	1,144	11.75	1,998	16.00	2,959	20.25	4,010
3.50	465	7.75	1,191	12.00	2,051	16.25	3,019	20.50	4,074
3.75	503	8.00	1,238	12.25	2,106	16.50	3,078	20.75	4,138
4.00	542	8.25	1,286	12.50	2,160	16.75	3,138	21.00	4,203



## Capacity/Gauge Table Information

**TCLX 290367**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 167

Reporting Mark: TCLX 290367

Date: 06/10/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,268	25.50	5,408	29.75	6,607	34.00	7,855	38.25	9,142
21.50	4,333	25.75	5,477	30.00	6,679	34.25	7,930	38.50	9,218
21.75	4,399	26.00	5,546	30.25	6,752	34.50	8,004	38.75	9,295
22.00	4,464	26.25	5,616	30.50	6,824	34.75	8,079	39.00	9,372
22.25	4,530	26.50	5,685	30.75	6,897	35.00	8,154	39.25	9,449
22.50	4,597	26.75	5,755	31.00	6,970	35.25	8,230	39.50	9,526
22.75	4,663	27.00	5,825	31.25	7,043	35.50	8,305	39.75	9,603
23.00	4,730	27.25	5,895	31.50	7,116	35.75	8,380	40.00	9,681
23.25	4,797	27.50	5,966	31.75	7,189	36.00	8,456	40.25	9,758
23.50	4,864	27.75	6,036	32.00	7,262	36.25	8,532	40.50	9,835
23.75	4,931	28.00	6,107	32.25	7,336	36.50	8,608	40.75	9,913
24.00	4,998	28.25	6,178	32.50	7,410	36.75	8,684	41.00	9,991
24.25	5,066	28.50	6,249	32.75	7,484	37.00	8,760	41.25	10,068
24.50	5,134	28.75	6,320	33.00	7,558	37.25	8,836	41.50	10,146
24.75	5,202	29.00	6,392	33.25	7,632	37.50	8,912	41.75	10,224
25.00	5,271	29.25	6,464	33.50	7,706	37.75	8,988	42.00	10,302
25.25	5,339	29.50	6,535	33.75	7,780	38.00	9,065	42.25	10,380



## Capacity/Gauge Table Information

**TCLX 290367**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 167

Reporting Mark: TCLX 290367

Date: 06/10/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,458	46.75	11,797	51.00	13,150	55.25	14,510	59.50	15,868
42.75	10,537	47.00	11,877	51.25	13,230	55.50	14,590	59.75	15,947
43.00	10,615	47.25	11,956	51.50	13,310	55.75	14,669	60.00	16,027
43.25	10,693	47.50	12,035	51.75	13,390	56.00	14,749	60.25	16,106
43.50	10,772	47.75	12,115	52.00	13,470	56.25	14,829	60.50	16,186
43.75	10,850	48.00	12,194	52.25	13,550	56.50	14,909	60.75	16,266
44.00	10,929	48.25	12,274	52.50	13,630	56.75	14,989	61.00	16,345
44.25	11,008	48.50	12,353	52.75	13,710	57.00	15,069	61.25	16,425
44.50	11,086	48.75	12,433	53.00	13,790	57.25	15,149	61.50	16,504
44.75	11,165	49.00	12,512	53.25	13,870	57.50	15,229	61.75	16,583
45.00	11,244	49.25	12,592	53.50	13,950	57.75	15,309	62.00	16,663
45.25	11,323	49.50	12,672	53.75	14,030	58.00	15,389	62.25	16,742
45.50	11,402	49.75	12,751	54.00	14,110	58.25	15,469	62.50	16,821
45.75	11,481	50.00	12,831	54.25	14,190	58.50	15,549	62.75	16,900
46.00	11,560	50.25	12,911	54.50	14,270	58.75	15,628	63.00	16,980
46.25	11,639	50.50	12,991	54.75	14,350	59.00	15,708	63.25	17,059
46.50	11,718	50.75	13,070	55.00	14,430	59.25	15,788	63.50	17,138



## Capacity/Gauge Table Information

**TCLX 290367**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 167

Reporting Mark: TCLX 290367

Date: 06/10/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,217	68.00	18,549	72.25	19,857	76.50	21,131	80.75	22,364
64.00	17,296	68.25	18,627	72.50	19,933	76.75	21,205	81.00	22,435
64.25	17,374	68.50	18,704	72.75	20,009	77.00	21,279	81.25	22,506
64.50	17,453	68.75	18,782	73.00	20,084	77.25	21,352	81.50	22,576
64.75	17,532	69.00	18,859	73.25	20,160	77.50	21,426	81.75	22,647
65.00	17,611	69.25	18,937	73.50	20,235	77.75	21,499	82.00	22,717
65.25	17,689	69.50	19,014	73.75	20,311	78.00	21,572	82.25	22,787
65.50	17,768	69.75	19,091	74.00	20,386	78.25	21,645	82.50	22,857
65.75	17,846	70.00	19,168	74.25	20,461	78.50	21,717	82.75	22,927
66.00	17,925	70.25	19,245	74.50	20,536	78.75	21,790	83.00	22,996
66.25	18,003	70.50	19,322	74.75	20,611	79.00	21,862	83.25	23,066
66.50	18,081	70.75	19,399	75.00	20,686	79.25	21,934	83.50	23,135
66.75	18,159	71.00	19,475	75.25	20,760	79.50	22,006	83.75	23,204
67.00	18,237	71.25	19,552	75.50	20,835	79.75	22,078	84.00	23,272
67.25	18,315	71.50	19,628	75.75	20,909	80.00	22,150	84.25	23,341
67.50	18,393	71.75	19,704	76.00	20,983	80.25	22,221	84.50	23,409
67.75	18,471	72.00	19,781	76.25	21,057	80.50	22,293	84.75	23,477



## Capacity/Gauge Table Information

**TCLX 290367**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 167

Reporting Mark: TCLX 290367

Date: 06/10/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,545	89.25	24,663	93.50	25,706	97.75	26,659	102.00	27,503
85.25	23,613	89.50	24,727	93.75	25,765	98.00	26,712	102.25	27,549
85.50	23,680	89.75	24,790	94.00	25,824	98.25	26,765	102.50	27,594
85.75	23,747	90.00	24,853	94.25	25,882	98.50	26,817	102.75	27,639
86.00	23,814	90.25	24,916	94.50	25,939	98.75	26,869	103.00	27,683
86.25	23,881	90.50	24,978	94.75	25,997	99.00	26,920	103.25	27,727
86.50	23,947	90.75	25,041	95.00	26,054	99.25	26,971	103.50	27,770
86.75	24,014	91.00	25,103	95.25	26,111	99.50	27,021	103.75	27,813
87.00	24,080	91.25	25,164	95.50	26,167	99.75	27,071	104.00	27,855
87.25	24,145	91.50	25,226	95.75	26,223	100.00	27,121	104.25	27,896
87.50	24,211	91.75	25,287	96.00	26,279	100.25	27,170	104.50	27,938
87.75	24,276	92.00	25,348	96.25	26,334	100.50	27,219	104.75	27,978
88.00	24,341	92.25	25,408	96.50	26,390	100.75	27,268	105.00	28,018
88.25	24,406	92.50	25,468	96.75	26,444	101.00	27,316	105.25	28,058
88.50	24,471	92.75	25,528	97.00	26,499	101.25	27,363	105.50	28,096
88.75	24,535	93.00	25,588	97.25	26,553	101.50	27,410	105.75	28,135
89.00	24,599	93.25	25,647	97.50	26,606	101.75	27,457	106.00	28,172



## Capacity/Gauge Table Information

**TCLX 290367**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 167

Reporting Mark: TCLX 290367

Date: 06/10/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,209	110.50	28,728	114.75	28,946
106.50	28,246	110.75	28,751	115.00	28,950
106.75	28,282	111.00	28,772	115.25	28,953
107.00	28,317	111.25	28,791	115.50	28,955
107.25	28,351	111.50	28,810	115.75	28,957
107.50	28,385	111.75	28,827	116.00	28,958
107.75	28,418	112.00	28,843	116.25	28,959
108.00	28,450	112.25	28,857	116.50	28,959
108.25	28,482	112.50	28,871	116.75	28,959
108.50	28,513	112.75	28,883		
108.75	28,543	113.00	28,894		
109.00	28,572	113.25	28,905		
109.25	28,600	113.50	28,914		
109.50	28,628	113.75	28,922		
109.75	28,655	114.00	28,929		
110.00	28,680	114.25	28,936		
110.25	28,705	114.50	28,941		





## Capacity/Gauge Table Information

**TCLX 290368**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 168

Reporting Mark: TCLX 290368

Date: 12/08/2015

Capacity: 28,970 US Gallons (109,664 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	579	8.50	1,330	12.75	2,209	17.00	3,192
0.25	28	4.50	619	8.75	1,378	13.00	2,264	17.25	3,253
0.50	57	4.75	660	9.00	1,427	13.25	2,320	17.50	3,314
0.75	87	5.00	701	9.25	1,477	13.50	2,376	17.75	3,375
1.00	117	5.25	743	9.50	1,526	13.75	2,432	18.00	3,436
1.25	149	5.50	785	9.75	1,577	14.00	2,489	18.25	3,498
1.50	181	5.75	828	10.00	1,627	14.25	2,545	18.50	3,560
1.75	214	6.00	871	10.25	1,678	14.50	2,603	18.75	3,623
2.00	247	6.25	915	10.50	1,730	14.75	2,660	19.00	3,685
2.25	282	6.50	959	10.75	1,781	15.00	2,718	19.25	3,748
2.50	317	6.75	1,004	11.00	1,833	15.25	2,776	19.50	3,811
2.75	352	7.00	1,049	11.25	1,886	15.50	2,835	19.75	3,875
3.00	389	7.25	1,094	11.50	1,939	15.75	2,893	20.00	3,938
3.25	425	7.50	1,141	11.75	1,992	16.00	2,953	20.25	4,002
3.50	463	7.75	1,187	12.00	2,046	16.25	3,012	20.50	4,066
3.75	501	8.00	1,234	12.25	2,100	16.50	3,072	20.75	4,131
4.00	540	8.25	1,282	12.50	2,155	16.75	3,132	21.00	4,195



## Capacity/Gauge Table Information

**TCLX 290368**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 168

Reporting Mark: TCLX 290368

Date: 12/08/2015

Capacity: 28,970 US Gallons (109,664 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,260	25.50	5,400	29.75	6,598	34.00	7,846	38.25	9,132
21.50	4,326	25.75	5,469	30.00	6,670	34.25	7,920	38.50	9,209
21.75	4,391	26.00	5,538	30.25	6,743	34.50	7,995	38.75	9,285
22.00	4,457	26.25	5,607	30.50	6,815	34.75	8,070	39.00	9,362
22.25	4,523	26.50	5,677	30.75	6,888	35.00	8,145	39.25	9,439
22.50	4,589	26.75	5,747	31.00	6,961	35.25	8,220	39.50	9,516
22.75	4,655	27.00	5,817	31.25	7,034	35.50	8,296	39.75	9,593
23.00	4,722	27.25	5,887	31.50	7,107	35.75	8,371	40.00	9,671
23.25	4,789	27.50	5,957	31.75	7,180	36.00	8,447	40.25	9,748
23.50	4,856	27.75	6,028	32.00	7,253	36.25	8,522	40.50	9,826
23.75	4,923	28.00	6,098	32.25	7,327	36.50	8,598	40.75	9,903
24.00	4,990	28.25	6,169	32.50	7,400	36.75	8,674	41.00	9,981
24.25	5,058	28.50	6,240	32.75	7,474	37.00	8,750	41.25	10,059
24.50	5,126	28.75	6,312	33.00	7,548	37.25	8,826	41.50	10,136
24.75	5,194	29.00	6,383	33.25	7,622	37.50	8,902	41.75	10,214
25.00	5,263	29.25	6,455	33.50	7,697	37.75	8,979	42.00	10,292
25.25	5,331	29.50	6,526	33.75	7,771	38.00	9,055	42.25	10,370



## Capacity/Gauge Table Information

**TCLX 290368**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 168

Reporting Mark: TCLX 290368

Date: 12/08/2015

Capacity: 28,970 US Gallons (109,664 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,448	46.75	11,787	51.00	13,140	55.25	14,500	59.50	15,858
42.75	10,527	47.00	11,866	51.25	13,220	55.50	14,580	59.75	15,937
43.00	10,605	47.25	11,946	51.50	13,300	55.75	14,660	60.00	16,017
43.25	10,683	47.50	12,025	51.75	13,380	56.00	14,740	60.25	16,097
43.50	10,762	47.75	12,105	52.00	13,460	56.25	14,820	60.50	16,176
43.75	10,840	48.00	12,184	52.25	13,540	56.50	14,900	60.75	16,256
44.00	10,919	48.25	12,264	52.50	13,620	56.75	14,979	61.00	16,335
44.25	10,997	48.50	12,343	52.75	13,700	57.00	15,059	61.25	16,415
44.50	11,076	48.75	12,423	53.00	13,780	57.25	15,139	61.50	16,494
44.75	11,155	49.00	12,502	53.25	13,860	57.50	15,219	61.75	16,574
45.00	11,234	49.25	12,582	53.50	13,940	57.75	15,299	62.00	16,653
45.25	11,313	49.50	12,662	53.75	14,020	58.00	15,379	62.25	16,732
45.50	11,392	49.75	12,741	54.00	14,100	58.25	15,459	62.50	16,812
45.75	11,471	50.00	12,821	54.25	14,180	58.50	15,539	62.75	16,891
46.00	11,550	50.25	12,901	54.50	14,260	58.75	15,619	63.00	16,970
46.25	11,629	50.50	12,981	54.75	14,340	59.00	15,698	63.25	17,049
46.50	11,708	50.75	13,060	55.00	14,420	59.25	15,778	63.50	17,128



## Capacity/Gauge Table Information

**TCLX 290368**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 168

Reporting Mark: TCLX 290368

Date: 12/08/2015

Capacity: 28,970 US Gallons (109,664 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,207	68.00	18,540	72.25	19,848	76.50	21,124	80.75	22,357
64.00	17,286	68.25	18,618	72.50	19,924	76.75	21,198	81.00	22,428
64.25	17,365	68.50	18,695	72.75	20,000	77.00	21,271	81.25	22,499
64.50	17,444	68.75	18,773	73.00	20,076	77.25	21,345	81.50	22,570
64.75	17,523	69.00	18,850	73.25	20,152	77.50	21,418	81.75	22,640
65.00	17,601	69.25	18,928	73.50	20,227	77.75	21,491	82.00	22,711
65.25	17,680	69.50	19,005	73.75	20,303	78.00	21,564	82.25	22,781
65.50	17,759	69.75	19,082	74.00	20,378	78.25	21,637	82.50	22,851
65.75	17,837	70.00	19,159	74.25	20,453	78.50	21,710	82.75	22,920
66.00	17,915	70.25	19,236	74.50	20,528	78.75	21,783	83.00	22,990
66.25	17,994	70.50	19,313	74.75	20,603	79.00	21,855	83.25	23,059
66.50	18,072	70.75	19,390	75.00	20,678	79.25	21,927	83.50	23,129
66.75	18,150	71.00	19,467	75.25	20,753	79.50	21,999	83.75	23,197
67.00	18,228	71.25	19,543	75.50	20,827	79.75	22,071	84.00	23,266
67.25	18,306	71.50	19,620	75.75	20,901	80.00	22,143	84.25	23,335
67.50	18,384	71.75	19,696	76.00	20,976	80.25	22,215	84.50	23,403
67.75	18,462	72.00	19,772	76.25	21,050	80.50	22,286	84.75	23,471



## Capacity/Gauge Table Information

**TCLX 290368**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 168

Reporting Mark: TCLX 290368

Date: 12/08/2015

Capacity: 28,970 US Gallons (109,664 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,539	89.25	24,659	93.50	25,703	97.75	26,658	102.00	27,503
85.25	23,607	89.50	24,722	93.75	25,762	98.00	26,711	102.25	27,549
85.50	23,674	89.75	24,786	94.00	25,821	98.25	26,763	102.50	27,595
85.75	23,742	90.00	24,849	94.25	25,879	98.50	26,816	102.75	27,639
86.00	23,809	90.25	24,912	94.50	25,937	98.75	26,868	103.00	27,684
86.25	23,875	90.50	24,974	94.75	25,994	99.00	26,919	103.25	27,728
86.50	23,942	90.75	25,037	95.00	26,051	99.25	26,970	103.50	27,771
86.75	24,008	91.00	25,099	95.25	26,108	99.50	27,021	103.75	27,814
87.00	24,074	91.25	25,160	95.50	26,165	99.75	27,071	104.00	27,856
87.25	24,140	91.50	25,222	95.75	26,221	100.00	27,121	104.25	27,898
87.50	24,206	91.75	25,283	96.00	26,277	100.25	27,170	104.50	27,939
87.75	24,271	92.00	25,344	96.25	26,332	100.50	27,219	104.75	27,980
88.00	24,337	92.25	25,405	96.50	26,387	100.75	27,267	105.00	28,020
88.25	24,401	92.50	25,465	96.75	26,442	101.00	27,316	105.25	28,060
88.50	24,466	92.75	25,525	97.00	26,497	101.25	27,363	105.50	28,099
88.75	24,531	93.00	25,585	97.25	26,551	101.50	27,410	105.75	28,137
89.00	24,595	93.25	25,644	97.50	26,605	101.75	27,457	106.00	28,175



## Capacity/Gauge Table Information

**TCLX 290368**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 168

Reporting Mark: TCLX 290368

Date: 12/08/2015

Capacity: 28,970 US Gallons (109,664 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,212	110.50	28,735	114.75	28,956
106.50	28,249	110.75	28,758	115.00	28,960
106.75	28,285	111.00	28,779	115.25	28,964
107.00	28,320	111.25	28,799	115.50	28,966
107.25	28,355	111.50	28,818	115.75	28,968
107.50	28,389	111.75	28,835	116.00	28,969
107.75	28,422	112.00	28,851	116.25	28,970
108.00	28,455	112.25	28,866	116.50	28,970
108.25	28,486	112.50	28,880	116.75	28,970
108.50	28,517	112.75	28,893		
108.75	28,548	113.00	28,904		
109.00	28,577	113.25	28,915		
109.25	28,606	113.50	28,924		
109.50	28,634	113.75	28,932		
109.75	28,660	114.00	28,940		
110.00	28,686	114.25	28,946		
110.25	28,711	114.50	28,952		



## Capacity/Gauge Table Information

**TCLX 290369**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 169

Reporting Mark: TCLX 290369

Date: 12/08/2015

Capacity: 29,025 US Gallons (109,870 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,339	12.75	2,222	17.00	3,209
0.25	28	4.50	624	8.75	1,387	13.00	2,277	17.25	3,269
0.50	58	4.75	665	9.00	1,436	13.25	2,333	17.50	3,331
0.75	88	5.00	706	9.25	1,486	13.50	2,389	17.75	3,392
1.00	118	5.25	748	9.50	1,536	13.75	2,445	18.00	3,454
1.25	150	5.50	791	9.75	1,586	14.00	2,502	18.25	3,516
1.50	182	5.75	834	10.00	1,637	14.25	2,559	18.50	3,578
1.75	216	6.00	877	10.25	1,688	14.50	2,617	18.75	3,641
2.00	249	6.25	921	10.50	1,740	14.75	2,675	19.00	3,703
2.25	284	6.50	966	10.75	1,792	15.00	2,733	19.25	3,767
2.50	319	6.75	1,011	11.00	1,844	15.25	2,791	19.50	3,830
2.75	355	7.00	1,056	11.25	1,897	15.50	2,850	19.75	3,894
3.00	392	7.25	1,102	11.50	1,950	15.75	2,909	20.00	3,957
3.25	429	7.50	1,148	11.75	2,004	16.00	2,968	20.25	4,022
3.50	467	7.75	1,195	12.00	2,058	16.25	3,028	20.50	4,086
3.75	505	8.00	1,243	12.25	2,112	16.50	3,088	20.75	4,151
4.00	544	8.25	1,290	12.50	2,167	16.75	3,148	21.00	4,216





## Capacity/Gauge Table Information

**TCLX 290369**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 169

Reporting Mark: TCLX 290369

Date: 12/08/2015

Capacity: 29,025 US Gallons (109,870 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,281	25.50	5,424	29.75	6,626	34.00	7,878	38.25	9,168
21.50	4,346	25.75	5,493	30.00	6,699	34.25	7,952	38.50	9,245
21.75	4,412	26.00	5,563	30.25	6,771	34.50	8,027	38.75	9,322
22.00	4,478	26.25	5,632	30.50	6,844	34.75	8,103	39.00	9,399
22.25	4,544	26.50	5,702	30.75	6,917	35.00	8,178	39.25	9,476
22.50	4,610	26.75	5,772	31.00	6,990	35.25	8,253	39.50	9,553
22.75	4,677	27.00	5,842	31.25	7,063	35.50	8,329	39.75	9,631
23.00	4,744	27.25	5,913	31.50	7,136	35.75	8,405	40.00	9,708
23.25	4,811	27.50	5,983	31.75	7,210	36.00	8,480	40.25	9,786
23.50	4,878	27.75	6,054	32.00	7,283	36.25	8,556	40.50	9,863
23.75	4,946	28.00	6,125	32.25	7,357	36.50	8,632	40.75	9,941
24.00	5,013	28.25	6,196	32.50	7,431	36.75	8,708	41.00	10,019
24.25	5,081	28.50	6,267	32.75	7,505	37.00	8,785	41.25	10,097
24.50	5,149	28.75	6,339	33.00	7,579	37.25	8,861	41.50	10,175
24.75	5,218	29.00	6,410	33.25	7,654	37.50	8,937	41.75	10,253
25.00	5,286	29.25	6,482	33.50	7,728	37.75	9,014	42.00	10,331
25.25	5,355	29.50	6,554	33.75	7,803	38.00	9,091	42.25	10,410



## Capacity/Gauge Table Information

**TCLX 290369**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 169

Reporting Mark: TCLX 290369

Date: 12/08/2015

Capacity: 29,025 US Gallons (109,870 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,488	46.75	11,830	51.00	13,187	55.25	14,550	59.50	15,911
42.75	10,566	47.00	11,910	51.25	13,267	55.50	14,630	59.75	15,991
43.00	10,645	47.25	11,989	51.50	13,347	55.75	14,710	60.00	16,071
43.25	10,724	47.50	12,069	51.75	13,427	56.00	14,790	60.25	16,151
43.50	10,802	47.75	12,149	52.00	13,507	56.25	14,871	60.50	16,231
43.75	10,881	48.00	12,228	52.25	13,587	56.50	14,951	60.75	16,310
44.00	10,960	48.25	12,308	52.50	13,668	56.75	15,031	61.00	16,390
44.25	11,039	48.50	12,388	52.75	13,748	57.00	15,111	61.25	16,470
44.50	11,117	48.75	12,468	53.00	13,828	57.25	15,191	61.50	16,549
44.75	11,196	49.00	12,547	53.25	13,908	57.50	15,271	61.75	16,629
45.00	11,276	49.25	12,627	53.50	13,988	57.75	15,351	62.00	16,708
45.25	11,355	49.50	12,707	53.75	14,069	58.00	15,431	62.25	16,788
45.50	11,434	49.75	12,787	54.00	14,149	58.25	15,511	62.50	16,867
45.75	11,513	50.00	12,867	54.25	14,229	58.50	15,591	62.75	16,947
46.00	11,592	50.25	12,947	54.50	14,309	58.75	15,671	63.00	17,026
46.25	11,672	50.50	13,027	54.75	14,389	59.00	15,751	63.25	17,105
46.50	11,751	50.75	13,107	55.00	14,470	59.25	15,831	63.50	17,185



## Capacity/Gauge Table Information

**TCLX 290369**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 169

Reporting Mark: TCLX 290369

Date: 12/08/2015

Capacity: 29,025 US Gallons (109,870 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,264	68.00	18,599	72.25	19,910	76.50	21,188	80.75	22,423
64.00	17,343	68.25	18,677	72.50	19,986	76.75	21,262	81.00	22,494
64.25	17,422	68.50	18,755	72.75	20,062	77.00	21,335	81.25	22,565
64.50	17,501	68.75	18,833	73.00	20,138	77.25	21,409	81.50	22,636
64.75	17,580	69.00	18,910	73.25	20,214	77.50	21,482	81.75	22,706
65.00	17,659	69.25	18,988	73.50	20,290	77.75	21,556	82.00	22,777
65.25	17,737	69.50	19,065	73.75	20,365	78.00	21,629	82.25	22,847
65.50	17,816	69.75	19,143	74.00	20,441	78.25	21,702	82.50	22,917
65.75	17,895	70.00	19,220	74.25	20,516	78.50	21,775	82.75	22,987
66.00	17,973	70.25	19,297	74.50	20,591	78.75	21,847	83.00	23,056
66.25	18,052	70.50	19,374	74.75	20,666	79.00	21,920	83.25	23,126
66.50	18,130	70.75	19,451	75.00	20,741	79.25	21,992	83.50	23,195
66.75	18,209	71.00	19,528	75.25	20,816	79.50	22,065	83.75	23,264
67.00	18,287	71.25	19,604	75.50	20,890	79.75	22,137	84.00	23,333
67.25	18,365	71.50	19,681	75.75	20,965	80.00	22,208	84.25	23,402
67.50	18,443	71.75	19,757	76.00	21,039	80.25	22,280	84.50	23,470
67.75	18,521	72.00	19,834	76.25	21,114	80.50	22,352	84.75	23,538



## Capacity/Gauge Table Information

**TCLX 290369**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 169

Reporting Mark: TCLX 290369

Date: 12/08/2015

Capacity: 29,025 US Gallons (109,870 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,606	89.25	24,727	93.50	25,771	97.75	26,726	102.00	27,570
85.25	23,674	89.50	24,790	93.75	25,830	98.00	26,779	102.25	27,616
85.50	23,741	89.75	24,854	94.00	25,889	98.25	26,831	102.50	27,661
85.75	23,809	90.00	24,917	94.25	25,947	98.50	26,883	102.75	27,706
86.00	23,876	90.25	24,980	94.50	26,005	98.75	26,935	103.00	27,750
86.25	23,943	90.50	25,042	94.75	26,062	99.00	26,987	103.25	27,794
86.50	24,009	90.75	25,105	95.00	26,119	99.25	27,038	103.50	27,837
86.75	24,076	91.00	25,167	95.25	26,176	99.50	27,088	103.75	27,880
87.00	24,142	91.25	25,228	95.50	26,233	99.75	27,138	104.00	27,922
87.25	24,208	91.50	25,290	95.75	26,289	100.00	27,188	104.25	27,964
87.50	24,274	91.75	25,351	96.00	26,345	100.25	27,237	104.50	28,005
87.75	24,339	92.00	25,412	96.25	26,400	100.50	27,286	104.75	28,045
88.00	24,404	92.25	25,473	96.50	26,456	100.75	27,335	105.00	28,085
88.25	24,469	92.50	25,533	96.75	26,510	101.00	27,383	105.25	28,125
88.50	24,534	92.75	25,593	97.00	26,565	101.25	27,430	105.50	28,164
88.75	24,598	93.00	25,653	97.25	26,619	101.50	27,477	105.75	28,202
89.00	24,663	93.25	25,712	97.50	26,672	101.75	27,524	106.00	28,240



## Capacity/Gauge Table Information

**TCLX 290369**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 169

Reporting Mark: TCLX 290369

Date: 12/08/2015

Capacity: 29,025 US Gallons (109,870 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,277	110.50	28,795	114.75	29,011
106.50	28,313	110.75	28,817	115.00	29,015
106.75	28,349	111.00	28,838	115.25	29,018
107.00	28,384	111.25	28,858	115.50	29,020
107.25	28,419	111.50	28,876	115.75	29,022
107.50	28,452	111.75	28,893	116.00	29,023
107.75	28,485	112.00	28,909	116.25	29,024
108.00	28,518	112.25	28,923	116.50	29,024
108.25	28,549	112.50	28,937	116.75	29,025
108.50	28,580	112.75	28,949		
108.75	28,610	113.00	28,960		
109.00	28,639	113.25	28,970		
109.25	28,668	113.50	28,980		
109.50	28,695	113.75	28,988		
109.75	28,722	114.00	28,995		
110.00	28,747	114.25	29,001		
110.25	28,772	114.50	29,007		



## Capacity/Gauge Table Information

**TCLX 290370**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 170

Reporting Mark: TCLX 290370

Date: 11/08/2015

Capacity: 29,008 US Gallons (109,809 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,335	12.75	2,216	17.00	3,201
0.25	28	4.50	622	8.75	1,383	13.00	2,271	17.25	3,262
0.50	57	4.75	663	9.00	1,432	13.25	2,327	17.50	3,323
0.75	87	5.00	704	9.25	1,482	13.50	2,383	17.75	3,384
1.00	118	5.25	746	9.50	1,531	13.75	2,439	18.00	3,446
1.25	149	5.50	788	9.75	1,582	14.00	2,496	18.25	3,508
1.50	182	5.75	831	10.00	1,632	14.25	2,553	18.50	3,570
1.75	215	6.00	874	10.25	1,684	14.50	2,610	18.75	3,632
2.00	248	6.25	918	10.50	1,735	14.75	2,668	19.00	3,695
2.25	283	6.50	962	10.75	1,787	15.00	2,726	19.25	3,758
2.50	318	6.75	1,007	11.00	1,839	15.25	2,784	19.50	3,821
2.75	354	7.00	1,053	11.25	1,892	15.50	2,843	19.75	3,885
3.00	390	7.25	1,098	11.50	1,945	15.75	2,902	20.00	3,949
3.25	427	7.50	1,145	11.75	1,998	16.00	2,961	20.25	4,013
3.50	465	7.75	1,191	12.00	2,052	16.25	3,020	20.50	4,077
3.75	503	8.00	1,239	12.25	2,106	16.50	3,080	20.75	4,142
4.00	542	8.25	1,286	12.50	2,161	16.75	3,141	21.00	4,206



## Capacity/Gauge Table Information

**TCLX 290370**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 170

Reporting Mark: TCLX 290370

Date: 11/08/2015

Capacity: 29,008 US Gallons (109,809 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,272	25.50	5,413	29.75	6,614	34.00	7,864	38.25	9,152
21.50	4,337	25.75	5,482	30.00	6,686	34.25	7,939	38.50	9,229
21.75	4,402	26.00	5,552	30.25	6,759	34.50	8,013	38.75	9,306
22.00	4,468	26.25	5,621	30.50	6,831	34.75	8,089	39.00	9,383
22.25	4,534	26.50	5,691	30.75	6,904	35.00	8,164	39.25	9,460
22.50	4,601	26.75	5,761	31.00	6,977	35.25	8,239	39.50	9,538
22.75	4,667	27.00	5,831	31.25	7,050	35.50	8,315	39.75	9,615
23.00	4,734	27.25	5,901	31.50	7,123	35.75	8,390	40.00	9,692
23.25	4,801	27.50	5,972	31.75	7,197	36.00	8,466	40.25	9,770
23.50	4,868	27.75	6,042	32.00	7,270	36.25	8,542	40.50	9,847
23.75	4,935	28.00	6,113	32.25	7,344	36.50	8,618	40.75	9,925
24.00	5,003	28.25	6,184	32.50	7,418	36.75	8,694	41.00	10,003
24.25	5,071	28.50	6,255	32.75	7,492	37.00	8,770	41.25	10,081
24.50	5,139	28.75	6,327	33.00	7,566	37.25	8,846	41.50	10,159
24.75	5,207	29.00	6,398	33.25	7,640	37.50	8,923	41.75	10,237
25.00	5,276	29.25	6,470	33.50	7,715	37.75	8,999	42.00	10,315
25.25	5,344	29.50	6,542	33.75	7,789	38.00	9,076	42.25	10,393





## Capacity/Gauge Table Information

**TCLX 290370**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 170

Reporting Mark: TCLX 290370

Date: 11/08/2015

Capacity: 29,008 US Gallons (109,809 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,471	46.75	11,813	51.00	13,168	55.25	14,530	59.50	15,890
42.75	10,550	47.00	11,892	51.25	13,248	55.50	14,610	59.75	15,970
43.00	10,628	47.25	11,971	51.50	13,328	55.75	14,690	60.00	16,050
43.25	10,707	47.50	12,051	51.75	13,408	56.00	14,770	60.25	16,129
43.50	10,785	47.75	12,131	52.00	13,488	56.25	14,850	60.50	16,209
43.75	10,864	48.00	12,210	52.25	13,568	56.50	14,930	60.75	16,289
44.00	10,943	48.25	12,290	52.50	13,648	56.75	15,010	61.00	16,368
44.25	11,021	48.50	12,369	52.75	13,728	57.00	15,090	61.25	16,448
44.50	11,100	48.75	12,449	53.00	13,808	57.25	15,170	61.50	16,528
44.75	11,179	49.00	12,529	53.25	13,888	57.50	15,250	61.75	16,607
45.00	11,258	49.25	12,609	53.50	13,969	57.75	15,330	62.00	16,687
45.25	11,337	49.50	12,688	53.75	14,049	58.00	15,410	62.25	16,766
45.50	11,416	49.75	12,768	54.00	14,129	58.25	15,490	62.50	16,845
45.75	11,495	50.00	12,848	54.25	14,209	58.50	15,570	62.75	16,925
46.00	11,575	50.25	12,928	54.50	14,289	58.75	15,650	63.00	17,004
46.25	11,654	50.50	13,008	54.75	14,369	59.00	15,730	63.25	17,083
46.50	11,733	50.75	13,088	55.00	14,449	59.25	15,810	63.50	17,162



## Capacity/Gauge Table Information

**TCLX 290370**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 170

Reporting Mark: TCLX 290370

Date: 11/08/2015

Capacity: 29,008 US Gallons (109,809 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,242	68.00	18,576	72.25	19,886	76.50	21,163	80.75	22,398
64.00	17,321	68.25	18,654	72.50	19,963	76.75	21,237	81.00	22,469
64.25	17,400	68.50	18,732	72.75	20,039	77.00	21,311	81.25	22,540
64.50	17,479	68.75	18,810	73.00	20,114	77.25	21,385	81.50	22,611
64.75	17,557	69.00	18,887	73.25	20,190	77.50	21,458	81.75	22,682
65.00	17,636	69.25	18,965	73.50	20,266	77.75	21,531	82.00	22,752
65.25	17,715	69.50	19,042	73.75	20,341	78.00	21,604	82.25	22,822
65.50	17,794	69.75	19,119	74.00	20,417	78.25	21,677	82.50	22,892
65.75	17,872	70.00	19,196	74.25	20,492	78.50	21,750	82.75	22,962
66.00	17,951	70.25	19,274	74.50	20,567	78.75	21,823	83.00	23,032
66.25	18,029	70.50	19,351	74.75	20,642	79.00	21,895	83.25	23,101
66.50	18,108	70.75	19,427	75.00	20,717	79.25	21,968	83.50	23,170
66.75	18,186	71.00	19,504	75.25	20,792	79.50	22,040	83.75	23,239
67.00	18,264	71.25	19,581	75.50	20,866	79.75	22,112	84.00	23,308
67.25	18,342	71.50	19,657	75.75	20,941	80.00	22,184	84.25	23,377
67.50	18,420	71.75	19,734	76.00	21,015	80.25	22,255	84.50	23,445
67.75	18,498	72.00	19,810	76.25	21,089	80.50	22,327	84.75	23,513



## Capacity/Gauge Table Information

**TCLX 290370**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 170

Reporting Mark: TCLX 290370

Date: 11/08/2015

Capacity: 29,008 US Gallons (109,809 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,581	89.25	24,702	93.50	25,747	97.75	26,702	102.00	27,547
85.25	23,649	89.50	24,765	93.75	25,806	98.00	26,755	102.25	27,593
85.50	23,717	89.75	24,829	94.00	25,864	98.25	26,807	102.50	27,638
85.75	23,784	90.00	24,892	94.25	25,922	98.50	26,859	102.75	27,683
86.00	23,851	90.25	24,955	94.50	25,980	98.75	26,911	103.00	27,727
86.25	23,918	90.50	25,017	94.75	26,038	99.00	26,963	103.25	27,771
86.50	23,984	90.75	25,080	95.00	26,095	99.25	27,014	103.50	27,814
86.75	24,051	91.00	25,142	95.25	26,152	99.50	27,064	103.75	27,857
87.00	24,117	91.25	25,204	95.50	26,208	99.75	27,114	104.00	27,899
87.25	24,183	91.50	25,265	95.75	26,265	100.00	27,164	104.25	27,941
87.50	24,249	91.75	25,326	96.00	26,320	100.25	27,214	104.50	27,982
87.75	24,314	92.00	25,387	96.25	26,376	100.50	27,263	104.75	28,023
88.00	24,379	92.25	25,448	96.50	26,431	100.75	27,311	105.00	28,063
88.25	24,444	92.50	25,508	96.75	26,486	101.00	27,359	105.25	28,103
88.50	24,509	92.75	25,568	97.00	26,540	101.25	27,407	105.50	28,142
88.75	24,573	93.00	25,628	97.25	26,595	101.50	27,454	105.75	28,180
89.00	24,638	93.25	25,688	97.50	26,648	101.75	27,501	106.00	28,218



## Capacity/Gauge Table Information

**TCLX 290370**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 170

Reporting Mark: TCLX 290370

Date: 11/08/2015

Capacity: 29,008 US Gallons (109,809 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,255	110.50	28,776	114.75	28,995
106.50	28,291	110.75	28,798	115.00	28,999
106.75	28,327	111.00	28,819	115.25	29,002
107.00	28,363	111.25	28,839	115.50	29,004
107.25	28,397	111.50	28,858	115.75	29,006
107.50	28,431	111.75	28,875	116.00	29,007
107.75	28,464	112.00	28,891	116.25	29,008
108.00	28,497	112.25	28,906	116.50	29,008
108.25	28,528	112.50	28,919	116.75	29,008
108.50	28,559	112.75	28,932		
108.75	28,589	113.00	28,943		
109.00	28,619	113.25	28,954		
109.25	28,647	113.50	28,963		
109.50	28,675	113.75	28,971		
109.75	28,702	114.00	28,978		
110.00	28,727	114.25	28,985		
110.25	28,752	114.50	28,990		



## Capacity/Gauge Table Information

**TCLX 290371**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 171

Reporting Mark: TCLX 290371

Date: 13/08/2015

Capacity: 29,020 US Gallons (109,854 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	579	8.50	1,330	12.75	2,210	17.00	3,194
0.25	28	4.50	619	8.75	1,379	13.00	2,265	17.25	3,254
0.50	57	4.75	660	9.00	1,427	13.25	2,321	17.50	3,315
0.75	87	5.00	701	9.25	1,477	13.50	2,377	17.75	3,377
1.00	117	5.25	742	9.50	1,527	13.75	2,433	18.00	3,438
1.25	148	5.50	785	9.75	1,577	14.00	2,489	18.25	3,500
1.50	181	5.75	827	10.00	1,627	14.25	2,546	18.50	3,562
1.75	213	6.00	871	10.25	1,678	14.50	2,604	18.75	3,625
2.00	247	6.25	914	10.50	1,730	14.75	2,661	19.00	3,687
2.25	281	6.50	959	10.75	1,782	15.00	2,719	19.25	3,750
2.50	316	6.75	1,003	11.00	1,834	15.25	2,777	19.50	3,813
2.75	352	7.00	1,049	11.25	1,886	15.50	2,836	19.75	3,877
3.00	388	7.25	1,094	11.50	1,939	15.75	2,895	20.00	3,941
3.25	425	7.50	1,141	11.75	1,993	16.00	2,954	20.25	4,005
3.50	463	7.75	1,187	12.00	2,047	16.25	3,013	20.50	4,069
3.75	501	8.00	1,234	12.25	2,101	16.50	3,073	20.75	4,133
4.00	540	8.25	1,282	12.50	2,155	16.75	3,133	21.00	4,198



## Capacity/Gauge Table Information

**TCLX 290371**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 171

Reporting Mark: TCLX 290371

Date: 13/08/2015

Capacity: 29,020 US Gallons (109,854 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,263	25.50	5,404	29.75	6,604	34.00	7,853	38.25	9,141
21.50	4,328	25.75	5,473	30.00	6,676	34.25	7,928	38.50	9,218
21.75	4,394	26.00	5,542	30.25	6,749	34.50	8,003	38.75	9,295
22.00	4,460	26.25	5,612	30.50	6,821	34.75	8,078	39.00	9,372
22.25	4,526	26.50	5,681	30.75	6,894	35.00	8,153	39.25	9,449
22.50	4,592	26.75	5,751	31.00	6,967	35.25	8,228	39.50	9,526
22.75	4,658	27.00	5,821	31.25	7,040	35.50	8,303	39.75	9,603
23.00	4,725	27.25	5,892	31.50	7,113	35.75	8,379	40.00	9,681
23.25	4,792	27.50	5,962	31.75	7,186	36.00	8,455	40.25	9,758
23.50	4,859	27.75	6,033	32.00	7,260	36.25	8,530	40.50	9,836
23.75	4,926	28.00	6,103	32.25	7,333	36.50	8,606	40.75	9,913
24.00	4,994	28.25	6,174	32.50	7,407	36.75	8,682	41.00	9,991
24.25	5,062	28.50	6,246	32.75	7,481	37.00	8,759	41.25	10,069
24.50	5,130	28.75	6,317	33.00	7,555	37.25	8,835	41.50	10,147
24.75	5,198	29.00	6,388	33.25	7,629	37.50	8,911	41.75	10,225
25.00	5,267	29.25	6,460	33.50	7,704	37.75	8,988	42.00	10,303
25.25	5,335	29.50	6,532	33.75	7,778	38.00	9,064	42.25	10,381



## Capacity/Gauge Table Information

**TCLX 290371**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 171

Reporting Mark: TCLX 290371

Date: 13/08/2015

Capacity: 29,020 US Gallons (109,854 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,459	46.75	11,800	51.00	13,155	55.25	14,517	59.50	15,877
42.75	10,538	47.00	11,880	51.25	13,235	55.50	14,597	59.75	15,957
43.00	10,616	47.25	11,959	51.50	13,315	55.75	14,677	60.00	16,037
43.25	10,695	47.50	12,038	51.75	13,395	56.00	14,757	60.25	16,116
43.50	10,773	47.75	12,118	52.00	13,475	56.25	14,837	60.50	16,196
43.75	10,852	48.00	12,198	52.25	13,555	56.50	14,917	60.75	16,276
44.00	10,931	48.25	12,277	52.50	13,635	56.75	14,997	61.00	16,355
44.25	11,009	48.50	12,357	52.75	13,715	57.00	15,077	61.25	16,435
44.50	11,088	48.75	12,436	53.00	13,796	57.25	15,157	61.50	16,515
44.75	11,167	49.00	12,516	53.25	13,876	57.50	15,237	61.75	16,594
45.00	11,246	49.25	12,596	53.50	13,956	57.75	15,318	62.00	16,674
45.25	11,325	49.50	12,676	53.75	14,036	58.00	15,398	62.25	16,753
45.50	11,404	49.75	12,756	54.00	14,116	58.25	15,477	62.50	16,833
45.75	11,483	50.00	12,835	54.25	14,196	58.50	15,557	62.75	16,912
46.00	11,562	50.25	12,915	54.50	14,276	58.75	15,637	63.00	16,991
46.25	11,642	50.50	12,995	54.75	14,356	59.00	15,717	63.25	17,070
46.50	11,721	50.75	13,075	55.00	14,437	59.25	15,797	63.50	17,150





## Capacity/Gauge Table Information

**TCLX 290371**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 171

Reporting Mark: TCLX 290371

Date: 13/08/2015

Capacity: 29,020 US Gallons (109,854 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,229	68.00	18,564	72.25	19,874	76.50	21,152	80.75	22,388
64.00	17,308	68.25	18,642	72.50	19,950	76.75	21,226	81.00	22,459
64.25	17,387	68.50	18,719	72.75	20,027	77.00	21,300	81.25	22,530
64.50	17,466	68.75	18,797	73.00	20,102	77.25	21,373	81.50	22,601
64.75	17,545	69.00	18,875	73.25	20,178	77.50	21,447	81.75	22,671
65.00	17,623	69.25	18,952	73.50	20,254	77.75	21,520	82.00	22,742
65.25	17,702	69.50	19,030	73.75	20,329	78.00	21,593	82.25	22,812
65.50	17,781	69.75	19,107	74.00	20,405	78.25	21,666	82.50	22,882
65.75	17,860	70.00	19,184	74.25	20,480	78.50	21,739	82.75	22,952
66.00	17,938	70.25	19,261	74.50	20,555	78.75	21,812	83.00	23,022
66.25	18,017	70.50	19,338	74.75	20,630	79.00	21,885	83.25	23,091
66.50	18,095	70.75	19,415	75.00	20,705	79.25	21,957	83.50	23,161
66.75	18,173	71.00	19,492	75.25	20,780	79.50	22,029	83.75	23,230
67.00	18,252	71.25	19,569	75.50	20,855	79.75	22,101	84.00	23,299
67.25	18,330	71.50	19,645	75.75	20,929	80.00	22,173	84.25	23,367
67.50	18,408	71.75	19,722	76.00	21,004	80.25	22,245	84.50	23,436
67.75	18,486	72.00	19,798	76.25	21,078	80.50	22,316	84.75	23,504



## Capacity/Gauge Table Information

**TCLX 290371**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 171

Reporting Mark: TCLX 290371

Date: 13/08/2015

Capacity: 29,020 US Gallons (109,854 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,572	89.25	24,694	93.50	25,741	97.75	26,698	102.00	27,546
85.25	23,640	89.50	24,758	93.75	25,800	98.00	26,751	102.25	27,592
85.50	23,707	89.75	24,821	94.00	25,858	98.25	26,804	102.50	27,637
85.75	23,775	90.00	24,884	94.25	25,917	98.50	26,856	102.75	27,682
86.00	23,842	90.25	24,947	94.50	25,975	98.75	26,908	103.00	27,727
86.25	23,909	90.50	25,010	94.75	26,032	99.00	26,959	103.25	27,771
86.50	23,976	90.75	25,073	95.00	26,090	99.25	27,011	103.50	27,814
86.75	24,042	91.00	25,135	95.25	26,147	99.50	27,061	103.75	27,857
87.00	24,108	91.25	25,197	95.50	26,203	99.75	27,112	104.00	27,900
87.25	24,174	91.50	25,258	95.75	26,260	100.00	27,162	104.25	27,941
87.50	24,240	91.75	25,320	96.00	26,316	100.25	27,211	104.50	27,983
87.75	24,306	92.00	25,381	96.25	26,371	100.50	27,260	104.75	28,024
88.00	24,371	92.25	25,441	96.50	26,427	100.75	27,309	105.00	28,064
88.25	24,436	92.50	25,502	96.75	26,482	101.00	27,357	105.25	28,104
88.50	24,501	92.75	25,562	97.00	26,536	101.25	27,405	105.50	28,143
88.75	24,565	93.00	25,622	97.25	26,590	101.50	27,452	105.75	28,182
89.00	24,630	93.25	25,681	97.50	26,644	101.75	27,499	106.00	28,220



## Capacity/Gauge Table Information

**TCLX 290371**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 171

Reporting Mark: TCLX 290371

Date: 13/08/2015

Capacity: 29,020 US Gallons (109,854 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,257	110.50	28,782	114.75	29,006
106.50	28,294	110.75	28,805	115.00	29,010
106.75	28,330	111.00	28,827	115.25	29,014
107.00	28,365	111.25	28,847	115.50	29,016
107.25	28,400	111.50	28,866	115.75	29,018
107.50	28,434	111.75	28,884	116.00	29,019
107.75	28,468	112.00	28,900	116.25	29,020
108.00	28,500	112.25	28,915	116.50	29,020
108.25	28,532	112.50	28,929	116.75	29,020
108.50	28,563	112.75	28,942		
108.75	28,594	113.00	28,954		
109.00	28,623	113.25	28,964		
109.25	28,652	113.50	28,974		
109.50	28,680	113.75	28,982		
109.75	28,707	114.00	28,990		
110.00	28,733	114.25	28,996		
110.25	28,758	114.50	29,002		



## Capacity/Gauge Table Information

**TCLX 290372**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 172

Reporting Mark: TCLX 290372

Date: 24/07/2015

Capacity: 28,960 US Gallons (109,625 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,223	17.00	3,209
0.25	28	4.50	625	8.75	1,389	13.00	2,278	17.25	3,270
0.50	58	4.75	666	9.00	1,438	13.25	2,334	17.50	3,331
0.75	88	5.00	708	9.25	1,487	13.50	2,390	17.75	3,392
1.00	119	5.25	750	9.50	1,537	13.75	2,447	18.00	3,454
1.25	151	5.50	792	9.75	1,588	14.00	2,503	18.25	3,516
1.50	183	5.75	835	10.00	1,639	14.25	2,560	18.50	3,578
1.75	216	6.00	878	10.25	1,690	14.50	2,618	18.75	3,641
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,703
2.25	285	6.50	967	10.75	1,793	15.00	2,733	19.25	3,766
2.50	320	6.75	1,012	11.00	1,846	15.25	2,792	19.50	3,830
2.75	356	7.00	1,057	11.25	1,899	15.50	2,850	19.75	3,893
3.00	393	7.25	1,103	11.50	1,952	15.75	2,909	20.00	3,957
3.25	430	7.50	1,150	11.75	2,005	16.00	2,969	20.25	4,021
3.50	468	7.75	1,197	12.00	2,059	16.25	3,028	20.50	4,085
3.75	506	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,150
4.00	545	8.25	1,292	12.50	2,168	16.75	3,149	21.00	4,215



## Capacity/Gauge Table Information

**TCLX 290372**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 172

Reporting Mark: TCLX 290372

Date: 24/07/2015

Capacity: 28,960 US Gallons (109,625 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,280	25.50	5,422	29.75	6,622	34.00	7,871	38.25	9,159
21.50	4,345	25.75	5,491	30.00	6,695	34.25	7,946	38.50	9,236
21.75	4,411	26.00	5,560	30.25	6,767	34.50	8,021	38.75	9,313
22.00	4,477	26.25	5,630	30.50	6,839	34.75	8,096	39.00	9,390
22.25	4,543	26.50	5,699	30.75	6,912	35.00	8,171	39.25	9,467
22.50	4,609	26.75	5,769	31.00	6,985	35.25	8,246	39.50	9,544
22.75	4,676	27.00	5,839	31.25	7,058	35.50	8,322	39.75	9,621
23.00	4,742	27.25	5,910	31.50	7,131	35.75	8,397	40.00	9,698
23.25	4,809	27.50	5,980	31.75	7,205	36.00	8,473	40.25	9,776
23.50	4,876	27.75	6,051	32.00	7,278	36.25	8,549	40.50	9,853
23.75	4,944	28.00	6,122	32.25	7,352	36.50	8,625	40.75	9,931
24.00	5,011	28.25	6,193	32.50	7,426	36.75	8,701	41.00	10,009
24.25	5,079	28.50	6,264	32.75	7,499	37.00	8,777	41.25	10,087
24.50	5,147	28.75	6,335	33.00	7,574	37.25	8,853	41.50	10,164
24.75	5,216	29.00	6,407	33.25	7,648	37.50	8,929	41.75	10,242
25.00	5,284	29.25	6,478	33.50	7,722	37.75	9,006	42.00	10,320
25.25	5,353	29.50	6,550	33.75	7,797	38.00	9,082	42.25	10,399



## Capacity/Gauge Table Information

**TCLX 290372**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 172

Reporting Mark: TCLX 290372

Date: 24/07/2015

Capacity: 28,960 US Gallons (109,625 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,477	46.75	11,817	51.00	13,170	55.25	14,530	59.50	15,889
42.75	10,555	47.00	11,896	51.25	13,250	55.50	14,610	59.75	15,968
43.00	10,633	47.25	11,975	51.50	13,330	55.75	14,690	60.00	16,048
43.25	10,712	47.50	12,055	51.75	13,410	56.00	14,770	60.25	16,128
43.50	10,790	47.75	12,134	52.00	13,490	56.25	14,850	60.50	16,207
43.75	10,869	48.00	12,214	52.25	13,570	56.50	14,930	60.75	16,287
44.00	10,948	48.25	12,293	52.50	13,650	56.75	15,010	61.00	16,366
44.25	11,026	48.50	12,373	52.75	13,730	57.00	15,090	61.25	16,446
44.50	11,105	48.75	12,452	53.00	13,810	57.25	15,170	61.50	16,525
44.75	11,184	49.00	12,532	53.25	13,890	57.50	15,250	61.75	16,605
45.00	11,263	49.25	12,612	53.50	13,970	57.75	15,330	62.00	16,684
45.25	11,342	49.50	12,691	53.75	14,050	58.00	15,410	62.25	16,763
45.50	11,421	49.75	12,771	54.00	14,130	58.25	15,490	62.50	16,842
45.75	11,500	50.00	12,851	54.25	14,210	58.50	15,569	62.75	16,922
46.00	11,579	50.25	12,931	54.50	14,290	58.75	15,649	63.00	17,001
46.25	11,658	50.50	13,010	54.75	14,370	59.00	15,729	63.25	17,080
46.50	11,737	50.75	13,090	55.00	14,450	59.25	15,809	63.50	17,159



## Capacity/Gauge Table Information

**TCLX 290372**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 172

Reporting Mark: TCLX 290372

Date: 24/07/2015

Capacity: 28,960 US Gallons (109,625 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,238	68.00	18,570	72.25	19,878	76.50	21,153	80.75	22,385
64.00	17,317	68.25	18,648	72.50	19,954	76.75	21,226	81.00	22,456
64.25	17,396	68.50	18,726	72.75	20,030	77.00	21,300	81.25	22,527
64.50	17,474	68.75	18,803	73.00	20,106	77.25	21,373	81.50	22,597
64.75	17,553	69.00	18,881	73.25	20,181	77.50	21,447	81.75	22,668
65.00	17,632	69.25	18,958	73.50	20,257	77.75	21,520	82.00	22,738
65.25	17,711	69.50	19,035	73.75	20,332	78.00	21,593	82.25	22,808
65.50	17,789	69.75	19,112	74.00	20,407	78.25	21,666	82.50	22,878
65.75	17,868	70.00	19,189	74.25	20,483	78.50	21,738	82.75	22,947
66.00	17,946	70.25	19,266	74.50	20,558	78.75	21,811	83.00	23,017
66.25	18,024	70.50	19,343	74.75	20,632	79.00	21,883	83.25	23,086
66.50	18,103	70.75	19,420	75.00	20,707	79.25	21,955	83.50	23,155
66.75	18,181	71.00	19,497	75.25	20,782	79.50	22,027	83.75	23,224
67.00	18,259	71.25	19,573	75.50	20,856	79.75	22,099	84.00	23,293
67.25	18,337	71.50	19,650	75.75	20,930	80.00	22,171	84.25	23,361
67.50	18,415	71.75	19,726	76.00	21,005	80.25	22,242	84.50	23,429
67.75	18,493	72.00	19,802	76.25	21,079	80.50	22,314	84.75	23,497





## Capacity/Gauge Table Information

**TCLX 290372**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 172

Reporting Mark: TCLX 290372

Date: 24/07/2015

Capacity: 28,960 US Gallons (109,625 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,565	89.25	24,682	93.50	25,724	97.75	26,676	102.00	27,517
85.25	23,633	89.50	24,746	93.75	25,783	98.00	26,729	102.25	27,563
85.50	23,700	89.75	24,809	94.00	25,841	98.25	26,781	102.50	27,608
85.75	23,767	90.00	24,872	94.25	25,899	98.50	26,833	102.75	27,653
86.00	23,834	90.25	24,935	94.50	25,957	98.75	26,885	103.00	27,697
86.25	23,901	90.50	24,997	94.75	26,014	99.00	26,936	103.25	27,740
86.50	23,967	90.75	25,060	95.00	26,072	99.25	26,987	103.50	27,783
86.75	24,033	91.00	25,121	95.25	26,128	99.50	27,037	103.75	27,826
87.00	24,099	91.25	25,183	95.50	26,185	99.75	27,087	104.00	27,868
87.25	24,165	91.50	25,244	95.75	26,241	100.00	27,137	104.25	27,909
87.50	24,231	91.75	25,305	96.00	26,296	100.25	27,186	104.50	27,950
87.75	24,296	92.00	25,366	96.25	26,352	100.50	27,235	104.75	27,991
88.00	24,361	92.25	25,427	96.50	26,407	100.75	27,283	105.00	28,031
88.25	24,426	92.50	25,487	96.75	26,461	101.00	27,331	105.25	28,070
88.50	24,490	92.75	25,547	97.00	26,515	101.25	27,378	105.50	28,108
88.75	24,555	93.00	25,606	97.25	26,569	101.50	27,425	105.75	28,147
89.00	24,619	93.25	25,666	97.50	26,623	101.75	27,471	106.00	28,184



## Capacity/Gauge Table Information

**TCLX 290372**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 172

Reporting Mark: TCLX 290372

Date: 24/07/2015

Capacity: 28,960 US Gallons (109,625 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,221	110.50	28,735	114.75	28,947
106.50	28,257	110.75	28,757	115.00	28,950
106.75	28,293	111.00	28,777	115.25	28,953
107.00	28,328	111.25	28,796	115.50	28,956
107.25	28,362	111.50	28,814	115.75	28,958
107.50	28,395	111.75	28,831	116.00	28,959
107.75	28,428	112.00	28,846	116.25	28,959
108.00	28,460	112.25	28,861	116.50	28,960
108.25	28,492	112.50	28,874	116.75	28,960
108.50	28,522	112.75	28,886		
108.75	28,552	113.00	28,897		
109.00	28,581	113.25	28,907		
109.25	28,609	113.50	28,916		
109.50	28,636	113.75	28,924		
109.75	28,662	114.00	28,931		
110.00	28,688	114.25	28,937		
110.25	28,712	114.50	28,942		



## Capacity/Gauge Table Information

**TCLX 290373**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 173

Reporting Mark: TCLX 290373

Date: 24/07/2015

Capacity: 28,968 US Gallons (109,654 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,348	12.75	2,234	17.00	3,223
0.25	29	4.50	630	8.75	1,397	13.00	2,290	17.25	3,283
0.50	58	4.75	671	9.00	1,446	13.25	2,345	17.50	3,345
0.75	89	5.00	713	9.25	1,496	13.50	2,402	17.75	3,406
1.00	120	5.25	755	9.50	1,546	13.75	2,458	18.00	3,468
1.25	152	5.50	798	9.75	1,597	14.00	2,515	18.25	3,530
1.50	185	5.75	841	10.00	1,648	14.25	2,572	18.50	3,592
1.75	218	6.00	885	10.25	1,699	14.50	2,630	18.75	3,655
2.00	252	6.25	929	10.50	1,751	14.75	2,688	19.00	3,718
2.25	287	6.50	973	10.75	1,803	15.00	2,746	19.25	3,781
2.50	323	6.75	1,019	11.00	1,856	15.25	2,804	19.50	3,845
2.75	359	7.00	1,064	11.25	1,909	15.50	2,863	19.75	3,908
3.00	396	7.25	1,110	11.50	1,962	15.75	2,922	20.00	3,972
3.25	434	7.50	1,157	11.75	2,016	16.00	2,982	20.25	4,036
3.50	472	7.75	1,204	12.00	2,070	16.25	3,041	20.50	4,101
3.75	510	8.00	1,252	12.25	2,124	16.50	3,102	20.75	4,166
4.00	550	8.25	1,300	12.50	2,179	16.75	3,162	21.00	4,230



## Capacity/Gauge Table Information

**TCLX 290373**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 173

Reporting Mark: TCLX 290373

Date: 24/07/2015

Capacity: 28,968 US Gallons (109,654 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,296	25.50	5,439	29.75	6,642	34.00	7,892	38.25	9,181
21.50	4,361	25.75	5,509	30.00	6,714	34.25	7,967	38.50	9,258
21.75	4,427	26.00	5,578	30.25	6,786	34.50	8,042	38.75	9,335
22.00	4,493	26.25	5,648	30.50	6,859	34.75	8,117	39.00	9,412
22.25	4,559	26.50	5,717	30.75	6,932	35.00	8,192	39.25	9,489
22.50	4,625	26.75	5,787	31.00	7,005	35.25	8,268	39.50	9,566
22.75	4,692	27.00	5,858	31.25	7,078	35.50	8,343	39.75	9,644
23.00	4,759	27.25	5,928	31.50	7,151	35.75	8,419	40.00	9,721
23.25	4,826	27.50	5,999	31.75	7,225	36.00	8,494	40.25	9,799
23.50	4,893	27.75	6,069	32.00	7,298	36.25	8,570	40.50	9,876
23.75	4,961	28.00	6,140	32.25	7,372	36.50	8,646	40.75	9,954
24.00	5,028	28.25	6,211	32.50	7,446	36.75	8,722	41.00	10,032
24.25	5,096	28.50	6,283	32.75	7,520	37.00	8,798	41.25	10,110
24.50	5,165	28.75	6,354	33.00	7,594	37.25	8,875	41.50	10,187
24.75	5,233	29.00	6,426	33.25	7,668	37.50	8,951	41.75	10,266
25.00	5,302	29.25	6,498	33.50	7,743	37.75	9,028	42.00	10,344
25.25	5,370	29.50	6,570	33.75	7,817	38.00	9,104	42.25	10,422



## Capacity/Gauge Table Information

**TCLX 290373**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 173

Reporting Mark: TCLX 290373

Date: 24/07/2015

Capacity: 28,968 US Gallons (109,654 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,500	46.75	11,841	51.00	13,195	55.25	14,556	59.50	15,915
42.75	10,578	47.00	11,920	51.25	13,275	55.50	14,636	59.75	15,994
43.00	10,657	47.25	12,000	51.50	13,355	55.75	14,716	60.00	16,074
43.25	10,735	47.50	12,079	51.75	13,435	56.00	14,796	60.25	16,154
43.50	10,814	47.75	12,159	52.00	13,515	56.25	14,876	60.50	16,233
43.75	10,893	48.00	12,238	52.25	13,595	56.50	14,956	60.75	16,313
44.00	10,971	48.25	12,318	52.50	13,675	56.75	15,036	61.00	16,392
44.25	11,050	48.50	12,397	52.75	13,755	57.00	15,116	61.25	16,472
44.50	11,129	48.75	12,477	53.00	13,835	57.25	15,196	61.50	16,551
44.75	11,208	49.00	12,557	53.25	13,915	57.50	15,276	61.75	16,631
45.00	11,287	49.25	12,636	53.50	13,995	57.75	15,356	62.00	16,710
45.25	11,366	49.50	12,716	53.75	14,075	58.00	15,436	62.25	16,790
45.50	11,445	49.75	12,796	54.00	14,155	58.25	15,516	62.50	16,869
45.75	11,524	50.00	12,876	54.25	14,235	58.50	15,595	62.75	16,948
46.00	11,603	50.25	12,956	54.50	14,316	58.75	15,675	63.00	17,027
46.25	11,682	50.50	13,035	54.75	14,396	59.00	15,755	63.25	17,106
46.50	11,761	50.75	13,115	55.00	14,476	59.25	15,835	63.50	17,185



## Capacity/Gauge Table Information

**TCLX 290373**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 173

Reporting Mark: TCLX 290373

Date: 24/07/2015

Capacity: 28,968 US Gallons (109,654 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,264	68.00	18,597	72.25	19,905	76.50	21,179	80.75	22,411
64.00	17,343	68.25	18,675	72.50	19,981	76.75	21,253	81.00	22,482
64.25	17,422	68.50	18,752	72.75	20,057	77.00	21,326	81.25	22,553
64.50	17,501	68.75	18,830	73.00	20,132	77.25	21,400	81.50	22,623
64.75	17,580	69.00	18,907	73.25	20,208	77.50	21,473	81.75	22,694
65.00	17,658	69.25	18,985	73.50	20,283	77.75	21,546	82.00	22,764
65.25	17,737	69.50	19,062	73.75	20,359	78.00	21,619	82.25	22,834
65.50	17,816	69.75	19,139	74.00	20,434	78.25	21,692	82.50	22,904
65.75	17,894	70.00	19,216	74.25	20,509	78.50	21,765	82.75	22,973
66.00	17,973	70.25	19,293	74.50	20,584	78.75	21,837	83.00	23,043
66.25	18,051	70.50	19,370	74.75	20,659	79.00	21,909	83.25	23,112
66.50	18,129	70.75	19,447	75.00	20,734	79.25	21,982	83.50	23,181
66.75	18,207	71.00	19,523	75.25	20,808	79.50	22,054	83.75	23,250
67.00	18,285	71.25	19,600	75.50	20,883	79.75	22,125	84.00	23,318
67.25	18,363	71.50	19,676	75.75	20,957	80.00	22,197	84.25	23,387
67.50	18,441	71.75	19,752	76.00	21,031	80.25	22,268	84.50	23,455
67.75	18,519	72.00	19,829	76.25	21,105	80.50	22,340	84.75	23,523



## Capacity/Gauge Table Information

**TCLX 290373**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 173

Reporting Mark: TCLX 290373

Date: 24/07/2015

Capacity: 28,968 US Gallons (109,654 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,591	89.25	24,707	93.50	25,748	97.75	26,698	102.00	27,538
85.25	23,658	89.50	24,771	93.75	25,807	98.00	26,751	102.25	27,583
85.50	23,725	89.75	24,834	94.00	25,865	98.25	26,803	102.50	27,628
85.75	23,793	90.00	24,897	94.25	25,923	98.50	26,855	102.75	27,673
86.00	23,859	90.25	24,959	94.50	25,981	98.75	26,907	103.00	27,716
86.25	23,926	90.50	25,022	94.75	26,038	99.00	26,958	103.25	27,760
86.50	23,992	90.75	25,084	95.00	26,095	99.25	27,008	103.50	27,803
86.75	24,059	91.00	25,146	95.25	26,151	99.50	27,059	103.75	27,845
87.00	24,125	91.25	25,207	95.50	26,208	99.75	27,109	104.00	27,887
87.25	24,190	91.50	25,269	95.75	26,264	100.00	27,158	104.25	27,928
87.50	24,256	91.75	25,330	96.00	26,319	100.25	27,207	104.50	27,969
87.75	24,321	92.00	25,390	96.25	26,374	100.50	27,256	104.75	28,009
88.00	24,386	92.25	25,451	96.50	26,429	100.75	27,304	105.00	28,049
88.25	24,451	92.50	25,511	96.75	26,484	101.00	27,351	105.25	28,088
88.50	24,515	92.75	25,571	97.00	26,538	101.25	27,399	105.50	28,127
88.75	24,580	93.00	25,630	97.25	26,592	101.50	27,446	105.75	28,165
89.00	24,643	93.25	25,689	97.50	26,645	101.75	27,492	106.00	28,202





## Capacity/Gauge Table Information

**TCLX 290373**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 173

Reporting Mark: TCLX 290373

Date: 24/07/2015

Capacity: 28,968 US Gallons (109,654 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,239	110.50	28,748	114.75	28,955
106.50	28,275	110.75	28,769	115.00	28,958
106.75	28,310	111.00	28,789	115.25	28,961
107.00	28,345	111.25	28,808	115.50	28,964
107.25	28,379	111.50	28,825	115.75	28,965
107.50	28,412	111.75	28,841	116.00	28,967
107.75	28,445	112.00	28,857	116.25	28,967
108.00	28,476	112.25	28,871	116.50	28,968
108.25	28,508	112.50	28,883	116.75	28,968
108.50	28,538	112.75	28,895		
108.75	28,567	113.00	28,906		
109.00	28,596	113.25	28,916		
109.25	28,624	113.50	28,925		
109.50	28,651	113.75	28,932		
109.75	28,676	114.00	28,939		
110.00	28,701	114.25	28,945		
110.25	28,725	114.50	28,950		



## Capacity/Gauge Table Information

**TCLX 290374**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 174

Reporting Mark: TCLX 290374

Date: 24/07/2015

Capacity: 28,952 US Gallons (109,596 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,346	12.75	2,230	17.00	3,218
0.25	29	4.50	629	8.75	1,394	13.00	2,286	17.25	3,279
0.50	58	4.75	670	9.00	1,444	13.25	2,342	17.50	3,340
0.75	89	5.00	711	9.25	1,493	13.50	2,398	17.75	3,401
1.00	120	5.25	753	9.50	1,543	13.75	2,454	18.00	3,463
1.25	152	5.50	796	9.75	1,594	14.00	2,511	18.25	3,525
1.50	184	5.75	839	10.00	1,645	14.25	2,568	18.50	3,587
1.75	218	6.00	883	10.25	1,696	14.50	2,626	18.75	3,650
2.00	252	6.25	927	10.50	1,748	14.75	2,683	19.00	3,713
2.25	287	6.50	971	10.75	1,800	15.00	2,741	19.25	3,776
2.50	322	6.75	1,017	11.00	1,852	15.25	2,800	19.50	3,839
2.75	358	7.00	1,062	11.25	1,905	15.50	2,859	19.75	3,903
3.00	395	7.25	1,108	11.50	1,959	15.75	2,918	20.00	3,967
3.25	433	7.50	1,155	11.75	2,012	16.00	2,977	20.25	4,031
3.50	471	7.75	1,202	12.00	2,066	16.25	3,037	20.50	4,095
3.75	509	8.00	1,249	12.25	2,121	16.50	3,097	20.75	4,160
4.00	549	8.25	1,297	12.50	2,175	16.75	3,157	21.00	4,225



## Capacity/Gauge Table Information

**TCLX 290374**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 174

Reporting Mark: TCLX 290374

Date: 24/07/2015

Capacity: 28,952 US Gallons (109,596 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,290	25.50	5,432	29.75	6,634	34.00	7,883	38.25	9,171
21.50	4,355	25.75	5,501	30.00	6,706	34.25	7,958	38.50	9,248
21.75	4,421	26.00	5,571	30.25	6,778	34.50	8,033	38.75	9,325
22.00	4,487	26.25	5,640	30.50	6,851	34.75	8,108	39.00	9,402
22.25	4,553	26.50	5,710	30.75	6,924	35.00	8,183	39.25	9,479
22.50	4,619	26.75	5,780	31.00	6,996	35.25	8,258	39.50	9,556
22.75	4,686	27.00	5,850	31.25	7,070	35.50	8,334	39.75	9,633
23.00	4,752	27.25	5,920	31.50	7,143	35.75	8,409	40.00	9,710
23.25	4,819	27.50	5,991	31.75	7,216	36.00	8,485	40.25	9,788
23.50	4,887	27.75	6,062	32.00	7,290	36.25	8,561	40.50	9,865
23.75	4,954	28.00	6,133	32.25	7,363	36.50	8,636	40.75	9,943
24.00	5,022	28.25	6,204	32.50	7,437	36.75	8,712	41.00	10,021
24.25	5,090	28.50	6,275	32.75	7,511	37.00	8,789	41.25	10,099
24.50	5,158	28.75	6,346	33.00	7,585	37.25	8,865	41.50	10,177
24.75	5,226	29.00	6,418	33.25	7,659	37.50	8,941	41.75	10,255
25.00	5,295	29.25	6,490	33.50	7,734	37.75	9,018	42.00	10,333
25.25	5,363	29.50	6,561	33.75	7,808	38.00	9,094	42.25	10,411



## Capacity/Gauge Table Information

**TCLX 290374**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 174

Reporting Mark: TCLX 290374

Date: 24/07/2015

Capacity: 28,952 US Gallons (109,596 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,489	46.75	11,829	51.00	13,182	55.25	14,542	59.50	15,900
42.75	10,567	47.00	11,908	51.25	13,262	55.50	14,622	59.75	15,979
43.00	10,646	47.25	11,987	51.50	13,342	55.75	14,702	60.00	16,059
43.25	10,724	47.50	12,067	51.75	13,422	56.00	14,782	60.25	16,139
43.50	10,802	47.75	12,146	52.00	13,502	56.25	14,862	60.50	16,218
43.75	10,881	48.00	12,226	52.25	13,582	56.50	14,942	60.75	16,298
44.00	10,960	48.25	12,305	52.50	13,662	56.75	15,022	61.00	16,377
44.25	11,038	48.50	12,385	52.75	13,742	57.00	15,102	61.25	16,457
44.50	11,117	48.75	12,464	53.00	13,822	57.25	15,181	61.50	16,536
44.75	11,196	49.00	12,544	53.25	13,902	57.50	15,261	61.75	16,616
45.00	11,275	49.25	12,624	53.50	13,982	57.75	15,341	62.00	16,695
45.25	11,354	49.50	12,703	53.75	14,062	58.00	15,421	62.25	16,774
45.50	11,433	49.75	12,783	54.00	14,142	58.25	15,501	62.50	16,853
45.75	11,512	50.00	12,863	54.25	14,222	58.50	15,581	62.75	16,933
46.00	11,591	50.25	12,943	54.50	14,302	58.75	15,661	63.00	17,012
46.25	11,670	50.50	13,022	54.75	14,382	59.00	15,740	63.25	17,091
46.50	11,749	50.75	13,102	55.00	14,462	59.25	15,820	63.50	17,170



## Capacity/Gauge Table Information

**TCLX 290374**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 174

Reporting Mark: TCLX 290374

Date: 24/07/2015

Capacity: 28,952 US Gallons (109,596 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,249	68.00	18,581	72.25	19,888	76.50	21,161	80.75	22,393
64.00	17,328	68.25	18,658	72.50	19,964	76.75	21,235	81.00	22,464
64.25	17,406	68.50	18,736	72.75	20,039	77.00	21,309	81.25	22,534
64.50	17,485	68.75	18,813	73.00	20,115	77.25	21,382	81.50	22,605
64.75	17,564	69.00	18,891	73.25	20,191	77.50	21,455	81.75	22,675
65.00	17,643	69.25	18,968	73.50	20,266	77.75	21,528	82.00	22,745
65.25	17,721	69.50	19,045	73.75	20,341	78.00	21,601	82.25	22,815
65.50	17,800	69.75	19,122	74.00	20,417	78.25	21,674	82.50	22,885
65.75	17,878	70.00	19,199	74.25	20,492	78.50	21,747	82.75	22,955
66.00	17,957	70.25	19,276	74.50	20,567	78.75	21,819	83.00	23,024
66.25	18,035	70.50	19,353	74.75	20,642	79.00	21,891	83.25	23,093
66.50	18,113	70.75	19,430	75.00	20,716	79.25	21,964	83.50	23,162
66.75	18,191	71.00	19,506	75.25	20,791	79.50	22,036	83.75	23,231
67.00	18,269	71.25	19,583	75.50	20,865	79.75	22,107	84.00	23,300
67.25	18,347	71.50	19,659	75.75	20,939	80.00	22,179	84.25	23,368
67.50	18,425	71.75	19,736	76.00	21,014	80.25	22,250	84.50	23,436
67.75	18,503	72.00	19,812	76.25	21,088	80.50	22,322	84.75	23,504



## Capacity/Gauge Table Information

**TCLX 290374**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 174

Reporting Mark: TCLX 290374

Date: 24/07/2015

Capacity: 28,952 US Gallons (109,596 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,572	89.25	24,688	93.50	25,729	97.75	26,679	102.00	27,519
85.25	23,640	89.50	24,752	93.75	25,788	98.00	26,732	102.25	27,564
85.50	23,707	89.75	24,815	94.00	25,846	98.25	26,784	102.50	27,609
85.75	23,774	90.00	24,878	94.25	25,904	98.50	26,836	102.75	27,654
86.00	23,841	90.25	24,941	94.50	25,961	98.75	26,888	103.00	27,698
86.25	23,907	90.50	25,003	94.75	26,019	99.00	26,939	103.25	27,741
86.50	23,974	90.75	25,065	95.00	26,076	99.25	26,989	103.50	27,784
86.75	24,040	91.00	25,127	95.25	26,132	99.50	27,040	103.75	27,827
87.00	24,106	91.25	25,188	95.50	26,189	99.75	27,090	104.00	27,868
87.25	24,172	91.50	25,250	95.75	26,245	100.00	27,139	104.25	27,910
87.50	24,237	91.75	25,311	96.00	26,300	100.25	27,188	104.50	27,951
87.75	24,302	92.00	25,371	96.25	26,355	100.50	27,237	104.75	27,991
88.00	24,367	92.25	25,432	96.50	26,410	100.75	27,285	105.00	28,031
88.25	24,432	92.50	25,492	96.75	26,465	101.00	27,333	105.25	28,070
88.50	24,496	92.75	25,552	97.00	26,519	101.25	27,380	105.50	28,108
88.75	24,561	93.00	25,611	97.25	26,573	101.50	27,427	105.75	28,146
89.00	24,625	93.25	25,670	97.50	26,626	101.75	27,473	106.00	28,184



## Capacity/Gauge Table Information

**TCLX 290374**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 174

Reporting Mark: TCLX 290374

Date: 24/07/2015

Capacity: 28,952 US Gallons (109,596 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,220	110.50	28,731	114.75	28,939
106.50	28,256	110.75	28,752	115.00	28,943
106.75	28,292	111.00	28,772	115.25	28,946
107.00	28,326	111.25	28,791	115.50	28,948
107.25	28,361	111.50	28,809	115.75	28,950
107.50	28,394	111.75	28,825	116.00	28,951
107.75	28,427	112.00	28,840	116.25	28,952
108.00	28,458	112.25	28,854	116.50	28,952
108.25	28,490	112.50	28,867	116.75	28,952
108.50	28,520	112.75	28,879		
108.75	28,550	113.00	28,890		
109.00	28,578	113.25	28,900		
109.25	28,606	113.50	28,909		
109.50	28,633	113.75	28,917		
109.75	28,659	114.00	28,923		
110.00	28,684	114.25	28,930		
110.25	28,708	114.50	28,935		





## Capacity/Gauge Table Information

**TCLX 290375**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 175

Reporting Mark: TCLX 290375

Date: 12/08/2015

Capacity: 28,952 US Gallons (109,595 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,343	12.75	2,227	17.00	3,214
0.25	29	4.50	627	8.75	1,392	13.00	2,282	17.25	3,274
0.50	58	4.75	668	9.00	1,441	13.25	2,338	17.50	3,336
0.75	88	5.00	710	9.25	1,491	13.50	2,394	17.75	3,397
1.00	119	5.25	752	9.50	1,541	13.75	2,451	18.00	3,459
1.25	151	5.50	794	9.75	1,591	14.00	2,507	18.25	3,521
1.50	184	5.75	837	10.00	1,642	14.25	2,564	18.50	3,583
1.75	217	6.00	881	10.25	1,693	14.50	2,622	18.75	3,645
2.00	251	6.25	925	10.50	1,745	14.75	2,680	19.00	3,708
2.25	286	6.50	969	10.75	1,797	15.00	2,738	19.25	3,771
2.50	321	6.75	1,015	11.00	1,849	15.25	2,796	19.50	3,835
2.75	357	7.00	1,060	11.25	1,902	15.50	2,855	19.75	3,898
3.00	394	7.25	1,106	11.50	1,955	15.75	2,914	20.00	3,962
3.25	431	7.50	1,153	11.75	2,009	16.00	2,973	20.25	4,026
3.50	469	7.75	1,200	12.00	2,063	16.25	3,033	20.50	4,090
3.75	508	8.00	1,247	12.25	2,117	16.50	3,093	20.75	4,155
4.00	547	8.25	1,295	12.50	2,172	16.75	3,153	21.00	4,220



## Capacity/Gauge Table Information

**TCLX 290375**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 175

Reporting Mark: TCLX 290375

Date: 12/08/2015

Capacity: 28,952 US Gallons (109,595 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,285	25.50	5,427	29.75	6,628	34.00	7,877	38.25	9,165
21.50	4,350	25.75	5,496	30.00	6,700	34.25	7,952	38.50	9,241
21.75	4,416	26.00	5,566	30.25	6,772	34.50	8,026	38.75	9,318
22.00	4,482	26.25	5,635	30.50	6,845	34.75	8,102	39.00	9,395
22.25	4,548	26.50	5,705	30.75	6,918	35.00	8,177	39.25	9,472
22.50	4,614	26.75	5,775	31.00	6,991	35.25	8,252	39.50	9,549
22.75	4,681	27.00	5,845	31.25	7,064	35.50	8,327	39.75	9,627
23.00	4,747	27.25	5,915	31.50	7,137	35.75	8,403	40.00	9,704
23.25	4,814	27.50	5,986	31.75	7,210	36.00	8,479	40.25	9,781
23.50	4,882	27.75	6,056	32.00	7,284	36.25	8,554	40.50	9,859
23.75	4,949	28.00	6,127	32.25	7,357	36.50	8,630	40.75	9,937
24.00	5,017	28.25	6,198	32.50	7,431	36.75	8,706	41.00	10,014
24.25	5,085	28.50	6,269	32.75	7,505	37.00	8,782	41.25	10,092
24.50	5,153	28.75	6,341	33.00	7,579	37.25	8,859	41.50	10,170
24.75	5,221	29.00	6,412	33.25	7,653	37.50	8,935	41.75	10,248
25.00	5,289	29.25	6,484	33.50	7,728	37.75	9,011	42.00	10,326
25.25	5,358	29.50	6,556	33.75	7,802	38.00	9,088	42.25	10,404



## Capacity/Gauge Table Information

**TCLX 290375**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 175

Reporting Mark: TCLX 290375

Date: 12/08/2015

Capacity: 28,952 US Gallons (109,595 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,482	46.75	11,822	51.00	13,175	55.25	14,535	59.50	15,893
42.75	10,561	47.00	11,901	51.25	13,255	55.50	14,615	59.75	15,973
43.00	10,639	47.25	11,981	51.50	13,335	55.75	14,695	60.00	16,052
43.25	10,717	47.50	12,060	51.75	13,415	56.00	14,775	60.25	16,132
43.50	10,796	47.75	12,139	52.00	13,495	56.25	14,855	60.50	16,211
43.75	10,874	48.00	12,219	52.25	13,575	56.50	14,935	60.75	16,291
44.00	10,953	48.25	12,298	52.50	13,655	56.75	15,015	61.00	16,370
44.25	11,032	48.50	12,378	52.75	13,735	57.00	15,095	61.25	16,450
44.50	11,110	48.75	12,457	53.00	13,815	57.25	15,175	61.50	16,529
44.75	11,189	49.00	12,537	53.25	13,895	57.50	15,254	61.75	16,609
45.00	11,268	49.25	12,617	53.50	13,975	57.75	15,334	62.00	16,688
45.25	11,347	49.50	12,696	53.75	14,055	58.00	15,414	62.25	16,767
45.50	11,426	49.75	12,776	54.00	14,135	58.25	15,494	62.50	16,846
45.75	11,505	50.00	12,856	54.25	14,215	58.50	15,574	62.75	16,926
46.00	11,584	50.25	12,936	54.50	14,295	58.75	15,654	63.00	17,005
46.25	11,663	50.50	13,016	54.75	14,375	59.00	15,733	63.25	17,084
46.50	11,743	50.75	13,095	55.00	14,455	59.25	15,813	63.50	17,163



## Capacity/Gauge Table Information

**TCLX 290375**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 175

Reporting Mark: TCLX 290375

Date: 12/08/2015

Capacity: 28,952 US Gallons (109,595 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,242	68.00	18,574	72.25	19,881	76.50	21,155	80.75	22,386
64.00	17,321	68.25	18,651	72.50	19,957	76.75	21,228	81.00	22,457
64.25	17,400	68.50	18,729	72.75	20,033	77.00	21,302	81.25	22,528
64.50	17,478	68.75	18,807	73.00	20,108	77.25	21,375	81.50	22,598
64.75	17,557	69.00	18,884	73.25	20,184	77.50	21,449	81.75	22,669
65.00	17,636	69.25	18,961	73.50	20,259	77.75	21,522	82.00	22,739
65.25	17,714	69.50	19,038	73.75	20,335	78.00	21,595	82.25	22,809
65.50	17,793	69.75	19,116	74.00	20,410	78.25	21,667	82.50	22,879
65.75	17,871	70.00	19,193	74.25	20,485	78.50	21,740	82.75	22,948
66.00	17,950	70.25	19,269	74.50	20,560	78.75	21,813	83.00	23,018
66.25	18,028	70.50	19,346	74.75	20,635	79.00	21,885	83.25	23,087
66.50	18,106	70.75	19,423	75.00	20,710	79.25	21,957	83.50	23,156
66.75	18,184	71.00	19,500	75.25	20,784	79.50	22,029	83.75	23,225
67.00	18,262	71.25	19,576	75.50	20,858	79.75	22,101	84.00	23,293
67.25	18,340	71.50	19,652	75.75	20,933	80.00	22,172	84.25	23,362
67.50	18,418	71.75	19,729	76.00	21,007	80.25	22,244	84.50	23,430
67.75	18,496	72.00	19,805	76.25	21,081	80.50	22,315	84.75	23,498



## Capacity/Gauge Table Information

**TCLX 290375**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 175

Reporting Mark: TCLX 290375

Date: 12/08/2015

Capacity: 28,952 US Gallons (109,595 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,566	89.25	24,682	93.50	25,724	97.75	26,674	102.00	27,514
85.25	23,633	89.50	24,746	93.75	25,782	98.00	26,727	102.25	27,560
85.50	23,701	89.75	24,809	94.00	25,840	98.25	26,779	102.50	27,605
85.75	23,768	90.00	24,872	94.25	25,898	98.50	26,831	102.75	27,649
86.00	23,835	90.25	24,935	94.50	25,956	98.75	26,883	103.00	27,693
86.25	23,901	90.50	24,997	94.75	26,013	99.00	26,934	103.25	27,737
86.50	23,968	90.75	25,059	95.00	26,070	99.25	26,984	103.50	27,780
86.75	24,034	91.00	25,121	95.25	26,127	99.50	27,035	103.75	27,822
87.00	24,100	91.25	25,183	95.50	26,183	99.75	27,085	104.00	27,864
87.25	24,166	91.50	25,244	95.75	26,239	100.00	27,134	104.25	27,906
87.50	24,231	91.75	25,305	96.00	26,295	100.25	27,183	104.50	27,947
87.75	24,296	92.00	25,366	96.25	26,350	100.50	27,232	104.75	27,987
88.00	24,361	92.25	25,426	96.50	26,405	100.75	27,280	105.00	28,027
88.25	24,426	92.50	25,486	96.75	26,460	101.00	27,328	105.25	28,066
88.50	24,490	92.75	25,546	97.00	26,514	101.25	27,375	105.50	28,104
88.75	24,555	93.00	25,605	97.25	26,568	101.50	27,422	105.75	28,142
89.00	24,619	93.25	25,665	97.50	26,621	101.75	27,468	106.00	28,180



## Capacity/Gauge Table Information

**TCLX 290375**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 175

Reporting Mark: TCLX 290375

Date: 12/08/2015

Capacity: 28,952 US Gallons (109,595 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,217	110.50	28,729	114.75	28,939
106.50	28,253	110.75	28,750	115.00	28,942
106.75	28,288	111.00	28,770	115.25	28,945
107.00	28,323	111.25	28,789	115.50	28,948
107.25	28,357	111.50	28,807	115.75	28,949
107.50	28,391	111.75	28,824	116.00	28,951
107.75	28,423	112.00	28,839	116.25	28,951
108.00	28,455	112.25	28,853	116.50	28,952
108.25	28,487	112.50	28,866	116.75	28,952
108.50	28,517	112.75	28,878		
108.75	28,547	113.00	28,889		
109.00	28,575	113.25	28,899		
109.25	28,603	113.50	28,908		
109.50	28,631	113.75	28,916		
109.75	28,657	114.00	28,923		
110.00	28,682	114.25	28,929		
110.25	28,706	114.50	28,934		



## Capacity/Gauge Table Information

**TCLX 290376**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 176

Reporting Mark: TCLX 290376

Date: 12/08/2015

Capacity: 28,950 US Gallons (109,588 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,336	12.75	2,217	17.00	3,201
0.25	28	4.50	623	8.75	1,384	13.00	2,272	17.25	3,262
0.50	57	4.75	664	9.00	1,434	13.25	2,328	17.50	3,323
0.75	87	5.00	705	9.25	1,483	13.50	2,384	17.75	3,384
1.00	118	5.25	747	9.50	1,533	13.75	2,440	18.00	3,446
1.25	150	5.50	789	9.75	1,583	14.00	2,497	18.25	3,508
1.50	182	5.75	832	10.00	1,634	14.25	2,554	18.50	3,570
1.75	215	6.00	875	10.25	1,685	14.50	2,611	18.75	3,632
2.00	249	6.25	919	10.50	1,736	14.75	2,669	19.00	3,695
2.25	284	6.50	964	10.75	1,788	15.00	2,727	19.25	3,758
2.50	319	6.75	1,009	11.00	1,841	15.25	2,785	19.50	3,821
2.75	355	7.00	1,054	11.25	1,893	15.50	2,843	19.75	3,885
3.00	391	7.25	1,100	11.50	1,946	15.75	2,902	20.00	3,948
3.25	428	7.50	1,146	11.75	2,000	16.00	2,962	20.25	4,012
3.50	466	7.75	1,193	12.00	2,053	16.25	3,021	20.50	4,077
3.75	504	8.00	1,240	12.25	2,108	16.50	3,081	20.75	4,141
4.00	543	8.25	1,288	12.50	2,162	16.75	3,141	21.00	4,206





## Capacity/Gauge Table Information

**TCLX 290376**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 176

Reporting Mark: TCLX 290376

Date: 12/08/2015

Capacity: 28,950 US Gallons (109,588 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,271	25.50	5,411	29.75	6,610	34.00	7,858	38.25	9,144
21.50	4,336	25.75	5,480	30.00	6,682	34.25	7,933	38.50	9,221
21.75	4,402	26.00	5,549	30.25	6,755	34.50	8,007	38.75	9,298
22.00	4,467	26.25	5,619	30.50	6,827	34.75	8,082	39.00	9,375
22.25	4,533	26.50	5,688	30.75	6,900	35.00	8,157	39.25	9,452
22.50	4,599	26.75	5,758	31.00	6,973	35.25	8,233	39.50	9,529
22.75	4,666	27.00	5,828	31.25	7,046	35.50	8,308	39.75	9,606
23.00	4,732	27.25	5,898	31.50	7,119	35.75	8,383	40.00	9,683
23.25	4,799	27.50	5,969	31.75	7,192	36.00	8,459	40.25	9,761
23.50	4,866	27.75	6,039	32.00	7,265	36.25	8,535	40.50	9,838
23.75	4,934	28.00	6,110	32.25	7,339	36.50	8,610	40.75	9,916
24.00	5,001	28.25	6,181	32.50	7,413	36.75	8,686	41.00	9,993
24.25	5,069	28.50	6,252	32.75	7,486	37.00	8,762	41.25	10,071
24.50	5,137	28.75	6,323	33.00	7,560	37.25	8,839	41.50	10,149
24.75	5,205	29.00	6,395	33.25	7,635	37.50	8,915	41.75	10,227
25.00	5,274	29.25	6,466	33.50	7,709	37.75	8,991	42.00	10,305
25.25	5,342	29.50	6,538	33.75	7,783	38.00	9,068	42.25	10,383



## Capacity/Gauge Table Information

**TCLX 290376**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 176

Reporting Mark: TCLX 290376

Date: 12/08/2015

Capacity: 28,950 US Gallons (109,588 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,461	46.75	11,800	51.00	13,152	55.25	14,511	59.50	15,869
42.75	10,539	47.00	11,879	51.25	13,232	55.50	14,591	59.75	15,949
43.00	10,618	47.25	11,958	51.50	13,312	55.75	14,671	60.00	16,028
43.25	10,696	47.50	12,038	51.75	13,392	56.00	14,751	60.25	16,108
43.50	10,774	47.75	12,117	52.00	13,472	56.25	14,831	60.50	16,187
43.75	10,853	48.00	12,196	52.25	13,552	56.50	14,911	60.75	16,267
44.00	10,931	48.25	12,276	52.50	13,632	56.75	14,991	61.00	16,346
44.25	11,010	48.50	12,355	52.75	13,712	57.00	15,071	61.25	16,426
44.50	11,089	48.75	12,435	53.00	13,792	57.25	15,151	61.50	16,505
44.75	11,168	49.00	12,515	53.25	13,872	57.50	15,231	61.75	16,585
45.00	11,246	49.25	12,594	53.50	13,951	57.75	15,311	62.00	16,664
45.25	11,325	49.50	12,674	53.75	14,031	58.00	15,390	62.25	16,743
45.50	11,404	49.75	12,754	54.00	14,111	58.25	15,470	62.50	16,822
45.75	11,483	50.00	12,833	54.25	14,191	58.50	15,550	62.75	16,902
46.00	11,562	50.25	12,913	54.50	14,271	58.75	15,630	63.00	16,981
46.25	11,641	50.50	12,993	54.75	14,351	59.00	15,710	63.25	17,060
46.50	11,720	50.75	13,073	55.00	14,431	59.25	15,789	63.50	17,139



## Capacity/Gauge Table Information

**TCLX 290376**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 176

Reporting Mark: TCLX 290376

Date: 12/08/2015

Capacity: 28,950 US Gallons (109,588 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,218	68.00	18,550	72.25	19,857	76.50	21,131	80.75	22,363
64.00	17,297	68.25	18,627	72.50	19,933	76.75	21,205	81.00	22,434
64.25	17,375	68.50	18,705	72.75	20,009	77.00	21,278	81.25	22,505
64.50	17,454	68.75	18,782	73.00	20,084	77.25	21,352	81.50	22,575
64.75	17,533	69.00	18,860	73.25	20,160	77.50	21,425	81.75	22,646
65.00	17,612	69.25	18,937	73.50	20,235	77.75	21,498	82.00	22,716
65.25	17,690	69.50	19,014	73.75	20,311	78.00	21,571	82.25	22,786
65.50	17,769	69.75	19,091	74.00	20,386	78.25	21,644	82.50	22,856
65.75	17,847	70.00	19,168	74.25	20,461	78.50	21,717	82.75	22,926
66.00	17,925	70.25	19,245	74.50	20,536	78.75	21,789	83.00	22,995
66.25	18,004	70.50	19,322	74.75	20,611	79.00	21,861	83.25	23,064
66.50	18,082	70.75	19,399	75.00	20,686	79.25	21,934	83.50	23,133
66.75	18,160	71.00	19,475	75.25	20,760	79.50	22,006	83.75	23,202
67.00	18,238	71.25	19,552	75.50	20,835	79.75	22,077	84.00	23,271
67.25	18,316	71.50	19,628	75.75	20,909	80.00	22,149	84.25	23,339
67.50	18,394	71.75	19,705	76.00	20,983	80.25	22,221	84.50	23,408
67.75	18,472	72.00	19,781	76.25	21,057	80.50	22,292	84.75	23,476



## Capacity/Gauge Table Information

**TCLX 290376**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 176

Reporting Mark: TCLX 290376

Date: 12/08/2015

Capacity: 28,950 US Gallons (109,588 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,543	89.25	24,661	93.50	25,704	97.75	26,656	102.00	27,498
85.25	23,611	89.50	24,725	93.75	25,762	98.00	26,709	102.25	27,544
85.50	23,678	89.75	24,788	94.00	25,821	98.25	26,761	102.50	27,589
85.75	23,745	90.00	24,851	94.25	25,879	98.50	26,813	102.75	27,634
86.00	23,812	90.25	24,914	94.50	25,936	98.75	26,865	103.00	27,678
86.25	23,879	90.50	24,976	94.75	25,994	99.00	26,916	103.25	27,722
86.50	23,946	90.75	25,038	95.00	26,051	99.25	26,967	103.50	27,765
86.75	24,012	91.00	25,100	95.25	26,108	99.50	27,017	103.75	27,808
87.00	24,078	91.25	25,162	95.50	26,164	99.75	27,067	104.00	27,850
87.25	24,144	91.50	25,223	95.75	26,220	100.00	27,117	104.25	27,891
87.50	24,209	91.75	25,284	96.00	26,276	100.25	27,166	104.50	27,932
87.75	24,274	92.00	25,345	96.25	26,331	100.50	27,215	104.75	27,973
88.00	24,340	92.25	25,406	96.50	26,386	100.75	27,263	105.00	28,013
88.25	24,404	92.50	25,466	96.75	26,441	101.00	27,311	105.25	28,052
88.50	24,469	92.75	25,526	97.00	26,495	101.25	27,359	105.50	28,091
88.75	24,533	93.00	25,585	97.25	26,549	101.50	27,406	105.75	28,129
89.00	24,597	93.25	25,645	97.50	26,603	101.75	27,452	106.00	28,167



## Capacity/Gauge Table Information

**TCLX 290376**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 176

Reporting Mark: TCLX 290376

Date: 12/08/2015

Capacity: 28,950 US Gallons (109,588 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,204	110.50	28,721	114.75	28,937
106.50	28,240	110.75	28,743	115.00	28,941
106.75	28,276	111.00	28,764	115.25	28,944
107.00	28,311	111.25	28,784	115.50	28,946
107.25	28,345	111.50	28,802	115.75	28,948
107.50	28,379	111.75	28,819	116.00	28,949
107.75	28,412	112.00	28,835	116.25	28,950
108.00	28,444	112.25	28,849	116.50	28,950
108.25	28,476	112.50	28,863	116.75	28,950
108.50	28,507	112.75	28,875		
108.75	28,536	113.00	28,886		
109.00	28,566	113.25	28,896		
109.25	28,594	113.50	28,905		
109.50	28,621	113.75	28,913		
109.75	28,648	114.00	28,921		
110.00	28,673	114.25	28,927		
110.25	28,698	114.50	28,932		



## Capacity/Gauge Table Information

**TCLX 290377**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 177

Reporting Mark: TCLX 290377

Date: 24/07/2015

Capacity: 28,931 US Gallons (109,517 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,349	12.75	2,234	17.00	3,222
0.25	29	4.50	631	8.75	1,397	13.00	2,290	17.25	3,283
0.50	58	4.75	672	9.00	1,447	13.25	2,345	17.50	3,344
0.75	89	5.00	713	9.25	1,496	13.50	2,402	17.75	3,406
1.00	120	5.25	755	9.50	1,547	13.75	2,458	18.00	3,467
1.25	152	5.50	798	9.75	1,597	14.00	2,515	18.25	3,529
1.50	185	5.75	841	10.00	1,648	14.25	2,572	18.50	3,592
1.75	219	6.00	885	10.25	1,699	14.50	2,630	18.75	3,654
2.00	253	6.25	929	10.50	1,751	14.75	2,687	19.00	3,717
2.25	288	6.50	974	10.75	1,803	15.00	2,746	19.25	3,780
2.50	323	6.75	1,019	11.00	1,856	15.25	2,804	19.50	3,844
2.75	360	7.00	1,065	11.25	1,909	15.50	2,863	19.75	3,907
3.00	396	7.25	1,111	11.50	1,962	15.75	2,922	20.00	3,971
3.25	434	7.50	1,158	11.75	2,016	16.00	2,981	20.25	4,035
3.50	472	7.75	1,205	12.00	2,070	16.25	3,041	20.50	4,100
3.75	511	8.00	1,252	12.25	2,124	16.50	3,101	20.75	4,164
4.00	550	8.25	1,300	12.50	2,179	16.75	3,161	21.00	4,229



## Capacity/Gauge Table Information

**TCLX 290377**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 177

Reporting Mark: TCLX 290377

Date: 24/07/2015

Capacity: 28,931 US Gallons (109,517 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,295	25.50	5,437	29.75	6,639	34.00	7,888	38.25	9,176
21.50	4,360	25.75	5,506	30.00	6,711	34.25	7,963	38.50	9,253
21.75	4,426	26.00	5,576	30.25	6,783	34.50	8,038	38.75	9,329
22.00	4,491	26.25	5,645	30.50	6,856	34.75	8,113	39.00	9,406
22.25	4,558	26.50	5,715	30.75	6,929	35.00	8,188	39.25	9,483
22.50	4,624	26.75	5,785	31.00	7,002	35.25	8,263	39.50	9,561
22.75	4,690	27.00	5,855	31.25	7,075	35.50	8,338	39.75	9,638
23.00	4,757	27.25	5,926	31.50	7,148	35.75	8,414	40.00	9,715
23.25	4,824	27.50	5,996	31.75	7,221	36.00	8,490	40.25	9,793
23.50	4,892	27.75	6,067	32.00	7,295	36.25	8,565	40.50	9,870
23.75	4,959	28.00	6,138	32.25	7,368	36.50	8,641	40.75	9,948
24.00	5,027	28.25	6,209	32.50	7,442	36.75	8,717	41.00	10,026
24.25	5,095	28.50	6,280	32.75	7,516	37.00	8,793	41.25	10,103
24.50	5,163	28.75	6,351	33.00	7,590	37.25	8,870	41.50	10,181
24.75	5,231	29.00	6,423	33.25	7,664	37.50	8,946	41.75	10,259
25.00	5,300	29.25	6,495	33.50	7,739	37.75	9,023	42.00	10,337
25.25	5,368	29.50	6,567	33.75	7,813	38.00	9,099	42.25	10,415





## Capacity/Gauge Table Information

**TCLX 290377**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 177

Reporting Mark: TCLX 290377

Date: 24/07/2015

Capacity: 28,931 US Gallons (109,517 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,493	46.75	11,833	51.00	13,186	55.25	14,545	59.50	15,902
42.75	10,572	47.00	11,912	51.25	13,266	55.50	14,625	59.75	15,982
43.00	10,650	47.25	11,991	51.50	13,346	55.75	14,705	60.00	16,062
43.25	10,728	47.50	12,071	51.75	13,425	56.00	14,785	60.25	16,141
43.50	10,807	47.75	12,150	52.00	13,505	56.25	14,865	60.50	16,221
43.75	10,885	48.00	12,230	52.25	13,585	56.50	14,945	60.75	16,300
44.00	10,964	48.25	12,309	52.50	13,665	56.75	15,025	61.00	16,380
44.25	11,043	48.50	12,389	52.75	13,745	57.00	15,104	61.25	16,459
44.50	11,122	48.75	12,468	53.00	13,825	57.25	15,184	61.50	16,538
44.75	11,200	49.00	12,548	53.25	13,905	57.50	15,264	61.75	16,618
45.00	11,279	49.25	12,628	53.50	13,985	57.75	15,344	62.00	16,697
45.25	11,358	49.50	12,707	53.75	14,065	58.00	15,424	62.25	16,776
45.50	11,437	49.75	12,787	54.00	14,145	58.25	15,504	62.50	16,855
45.75	11,516	50.00	12,867	54.25	14,225	58.50	15,583	62.75	16,934
46.00	11,595	50.25	12,946	54.50	14,305	58.75	15,663	63.00	17,014
46.25	11,674	50.50	13,026	54.75	14,385	59.00	15,743	63.25	17,093
46.50	11,754	50.75	13,106	55.00	14,465	59.25	15,823	63.50	17,172



## Capacity/Gauge Table Information

**TCLX 290377**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 177

Reporting Mark: TCLX 290377

Date: 24/07/2015

Capacity: 28,931 US Gallons (109,517 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,250	68.00	18,582	72.25	19,888	76.50	21,160	80.75	22,390
64.00	17,329	68.25	18,659	72.50	19,963	76.75	21,234	81.00	22,461
64.25	17,408	68.50	18,737	72.75	20,039	77.00	21,307	81.25	22,532
64.50	17,487	68.75	18,814	73.00	20,115	77.25	21,381	81.50	22,602
64.75	17,565	69.00	18,891	73.25	20,190	77.50	21,454	81.75	22,672
65.00	17,644	69.25	18,969	73.50	20,266	77.75	21,527	82.00	22,743
65.25	17,723	69.50	19,046	73.75	20,341	78.00	21,600	82.25	22,812
65.50	17,801	69.75	19,123	74.00	20,416	78.25	21,672	82.50	22,882
65.75	17,879	70.00	19,200	74.25	20,491	78.50	21,745	82.75	22,952
66.00	17,958	70.25	19,277	74.50	20,566	78.75	21,817	83.00	23,021
66.25	18,036	70.50	19,353	74.75	20,641	79.00	21,889	83.25	23,090
66.50	18,114	70.75	19,430	75.00	20,715	79.25	21,962	83.50	23,159
66.75	18,192	71.00	19,506	75.25	20,790	79.50	22,033	83.75	23,228
67.00	18,270	71.25	19,583	75.50	20,864	79.75	22,105	84.00	23,296
67.25	18,348	71.50	19,659	75.75	20,938	80.00	22,177	84.25	23,365
67.50	18,426	71.75	19,735	76.00	21,012	80.25	22,248	84.50	23,433
67.75	18,504	72.00	19,812	76.25	21,086	80.50	22,319	84.75	23,501



## Capacity/Gauge Table Information

**TCLX 290377**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 177

Reporting Mark: TCLX 290377

Date: 24/07/2015

Capacity: 28,931 US Gallons (109,517 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,568	89.25	24,683	93.50	25,722	97.75	26,670	102.00	27,508
85.25	23,636	89.50	24,746	93.75	25,781	98.00	26,723	102.25	27,553
85.50	23,703	89.75	24,809	94.00	25,839	98.25	26,775	102.50	27,598
85.75	23,770	90.00	24,872	94.25	25,897	98.50	26,827	102.75	27,642
86.00	23,837	90.25	24,935	94.50	25,954	98.75	26,878	103.00	27,686
86.25	23,903	90.50	24,997	94.75	26,011	99.00	26,929	103.25	27,730
86.50	23,969	90.75	25,059	95.00	26,068	99.25	26,980	103.50	27,772
86.75	24,036	91.00	25,121	95.25	26,125	99.50	27,030	103.75	27,815
87.00	24,101	91.25	25,182	95.50	26,181	99.75	27,080	104.00	27,856
87.25	24,167	91.50	25,243	95.75	26,237	100.00	27,129	104.25	27,898
87.50	24,232	91.75	25,304	96.00	26,292	100.25	27,178	104.50	27,938
87.75	24,297	92.00	25,365	96.25	26,347	100.50	27,226	104.75	27,978
88.00	24,362	92.25	25,425	96.50	26,402	100.75	27,275	105.00	28,018
88.25	24,427	92.50	25,485	96.75	26,456	101.00	27,322	105.25	28,057
88.50	24,491	92.75	25,545	97.00	26,510	101.25	27,369	105.50	28,095
88.75	24,556	93.00	25,604	97.25	26,564	101.50	27,416	105.75	28,133
89.00	24,619	93.25	25,663	97.50	26,617	101.75	27,462	106.00	28,170



## Capacity/Gauge Table Information

**TCLX 290377**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 177

Reporting Mark: TCLX 290377

Date: 24/07/2015

Capacity: 28,931 US Gallons (109,517 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,207	110.50	28,713	114.75	28,918
106.50	28,243	110.75	28,734	115.00	28,922
106.75	28,278	111.00	28,754	115.25	28,925
107.00	28,312	111.25	28,773	115.50	28,927
107.25	28,346	111.50	28,790	115.75	28,929
107.50	28,379	111.75	28,806	116.00	28,930
107.75	28,412	112.00	28,821	116.25	28,931
108.00	28,444	112.25	28,835	116.50	28,931
108.25	28,475	112.50	28,848	116.75	28,931
108.50	28,505	112.75	28,860		
108.75	28,534	113.00	28,870		
109.00	28,563	113.25	28,880		
109.25	28,590	113.50	28,888		
109.50	28,617	113.75	28,896		
109.75	28,643	114.00	28,903		
110.00	28,667	114.25	28,909		
110.25	28,691	114.50	28,914		



## Capacity/Gauge Table Information

**TCLX 290378**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 178

Reporting Mark: TCLX 290378

Date: 21/08/2015

Capacity: 28,954 US Gallons (109,602 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,346	12.75	2,231	17.00	3,218
0.25	29	4.50	629	8.75	1,395	13.00	2,286	17.25	3,279
0.50	58	4.75	670	9.00	1,444	13.25	2,342	17.50	3,340
0.75	89	5.00	711	9.25	1,494	13.50	2,398	17.75	3,401
1.00	120	5.25	753	9.50	1,544	13.75	2,454	18.00	3,463
1.25	152	5.50	796	9.75	1,594	14.00	2,511	18.25	3,525
1.50	184	5.75	839	10.00	1,645	14.25	2,568	18.50	3,588
1.75	218	6.00	883	10.25	1,696	14.50	2,626	18.75	3,650
2.00	252	6.25	927	10.50	1,748	14.75	2,684	19.00	3,713
2.25	287	6.50	972	10.75	1,800	15.00	2,742	19.25	3,776
2.50	322	6.75	1,017	11.00	1,853	15.25	2,800	19.50	3,839
2.75	358	7.00	1,062	11.25	1,905	15.50	2,859	19.75	3,903
3.00	395	7.25	1,108	11.50	1,959	15.75	2,918	20.00	3,967
3.25	433	7.50	1,155	11.75	2,012	16.00	2,977	20.25	4,031
3.50	471	7.75	1,202	12.00	2,066	16.25	3,037	20.50	4,095
3.75	509	8.00	1,250	12.25	2,121	16.50	3,097	20.75	4,160
4.00	549	8.25	1,297	12.50	2,175	16.75	3,157	21.00	4,225



## Capacity/Gauge Table Information

**TCLX 290378**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 178

Reporting Mark: TCLX 290378

Date: 21/08/2015

Capacity: 28,954 US Gallons (109,602 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,290	25.50	5,433	29.75	6,634	34.00	7,884	38.25	9,172
21.50	4,356	25.75	5,502	30.00	6,706	34.25	7,958	38.50	9,248
21.75	4,421	26.00	5,571	30.25	6,779	34.50	8,033	38.75	9,325
22.00	4,487	26.25	5,641	30.50	6,851	34.75	8,108	39.00	9,402
22.25	4,553	26.50	5,711	30.75	6,924	35.00	8,183	39.25	9,479
22.50	4,619	26.75	5,781	31.00	6,997	35.25	8,259	39.50	9,557
22.75	4,686	27.00	5,851	31.25	7,070	35.50	8,334	39.75	9,634
23.00	4,753	27.25	5,921	31.50	7,143	35.75	8,410	40.00	9,711
23.25	4,820	27.50	5,992	31.75	7,217	36.00	8,485	40.25	9,789
23.50	4,887	27.75	6,062	32.00	7,290	36.25	8,561	40.50	9,866
23.75	4,955	28.00	6,133	32.25	7,364	36.50	8,637	40.75	9,944
24.00	5,022	28.25	6,204	32.50	7,438	36.75	8,713	41.00	10,022
24.25	5,090	28.50	6,275	32.75	7,512	37.00	8,789	41.25	10,099
24.50	5,158	28.75	6,347	33.00	7,586	37.25	8,866	41.50	10,177
24.75	5,227	29.00	6,418	33.25	7,660	37.50	8,942	41.75	10,255
25.00	5,295	29.25	6,490	33.50	7,734	37.75	9,018	42.00	10,333
25.25	5,364	29.50	6,562	33.75	7,809	38.00	9,095	42.25	10,412



## Capacity/Gauge Table Information

**TCLX 290378**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 178

Reporting Mark: TCLX 290378

Date: 21/08/2015

Capacity: 28,954 US Gallons (109,602 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,490	46.75	11,830	51.00	13,183	55.25	14,543	59.50	15,901
42.75	10,568	47.00	11,909	51.25	13,263	55.50	14,623	59.75	15,981
43.00	10,646	47.25	11,988	51.50	13,343	55.75	14,703	60.00	16,060
43.25	10,725	47.50	12,068	51.75	13,423	56.00	14,783	60.25	16,140
43.50	10,803	47.75	12,147	52.00	13,503	56.25	14,863	60.50	16,220
43.75	10,882	48.00	12,227	52.25	13,583	56.50	14,943	60.75	16,299
44.00	10,961	48.25	12,306	52.50	13,663	56.75	15,023	61.00	16,379
44.25	11,039	48.50	12,386	52.75	13,743	57.00	15,103	61.25	16,458
44.50	11,118	48.75	12,465	53.00	13,823	57.25	15,183	61.50	16,537
44.75	11,197	49.00	12,545	53.25	13,903	57.50	15,263	61.75	16,617
45.00	11,276	49.25	12,625	53.50	13,983	57.75	15,342	62.00	16,696
45.25	11,355	49.50	12,704	53.75	14,063	58.00	15,422	62.25	16,775
45.50	11,434	49.75	12,784	54.00	14,143	58.25	15,502	62.50	16,855
45.75	11,513	50.00	12,864	54.25	14,223	58.50	15,582	62.75	16,934
46.00	11,592	50.25	12,944	54.50	14,303	58.75	15,662	63.00	17,013
46.25	11,671	50.50	13,023	54.75	14,383	59.00	15,742	63.25	17,092
46.50	11,750	50.75	13,103	55.00	14,463	59.25	15,821	63.50	17,171





## Capacity/Gauge Table Information

**TCLX 290378**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 178

Reporting Mark: TCLX 290378

Date: 21/08/2015

Capacity: 28,954 US Gallons (109,602 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,250	68.00	18,582	72.25	19,889	76.50	21,163	80.75	22,394
64.00	17,329	68.25	18,660	72.50	19,965	76.75	21,237	81.00	22,465
64.25	17,408	68.50	18,737	72.75	20,041	77.00	21,310	81.25	22,536
64.50	17,487	68.75	18,815	73.00	20,117	77.25	21,384	81.50	22,606
64.75	17,565	69.00	18,892	73.25	20,192	77.50	21,457	81.75	22,677
65.00	17,644	69.25	18,969	73.50	20,268	77.75	21,530	82.00	22,747
65.25	17,723	69.50	19,047	73.75	20,343	78.00	21,603	82.25	22,817
65.50	17,801	69.75	19,124	74.00	20,418	78.25	21,676	82.50	22,887
65.75	17,879	70.00	19,201	74.25	20,493	78.50	21,748	82.75	22,956
66.00	17,958	70.25	19,278	74.50	20,568	78.75	21,821	83.00	23,026
66.25	18,036	70.50	19,355	74.75	20,643	79.00	21,893	83.25	23,095
66.50	18,114	70.75	19,431	75.00	20,718	79.25	21,965	83.50	23,164
66.75	18,193	71.00	19,508	75.25	20,792	79.50	22,037	83.75	23,233
67.00	18,271	71.25	19,584	75.50	20,867	79.75	22,109	84.00	23,301
67.25	18,349	71.50	19,661	75.75	20,941	80.00	22,180	84.25	23,370
67.50	18,427	71.75	19,737	76.00	21,015	80.25	22,252	84.50	23,438
67.75	18,504	72.00	19,813	76.25	21,089	80.50	22,323	84.75	23,506



## Capacity/Gauge Table Information

**TCLX 290378**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 178

Reporting Mark: TCLX 290378

Date: 21/08/2015

Capacity: 28,954 US Gallons (109,602 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,574	89.25	24,690	93.50	25,731	97.75	26,681	102.00	27,521
85.25	23,641	89.50	24,753	93.75	25,789	98.00	26,733	102.25	27,566
85.50	23,708	89.75	24,817	94.00	25,848	98.25	26,786	102.50	27,611
85.75	23,776	90.00	24,880	94.25	25,906	98.50	26,838	102.75	27,655
86.00	23,842	90.25	24,942	94.50	25,963	98.75	26,889	103.00	27,699
86.25	23,909	90.50	25,005	94.75	26,020	99.00	26,940	103.25	27,743
86.50	23,975	90.75	25,067	95.00	26,077	99.25	26,991	103.50	27,786
86.75	24,042	91.00	25,128	95.25	26,134	99.50	27,041	103.75	27,828
87.00	24,108	91.25	25,190	95.50	26,190	99.75	27,091	104.00	27,870
87.25	24,173	91.50	25,251	95.75	26,246	100.00	27,141	104.25	27,911
87.50	24,239	91.75	25,312	96.00	26,302	100.25	27,190	104.50	27,952
87.75	24,304	92.00	25,373	96.25	26,357	100.50	27,238	104.75	27,993
88.00	24,369	92.25	25,433	96.50	26,412	100.75	27,286	105.00	28,032
88.25	24,434	92.50	25,493	96.75	26,466	101.00	27,334	105.25	28,071
88.50	24,498	92.75	25,553	97.00	26,521	101.25	27,381	105.50	28,110
88.75	24,562	93.00	25,613	97.25	26,574	101.50	27,428	105.75	28,148
89.00	24,626	93.25	25,672	97.50	26,628	101.75	27,475	106.00	28,185



## Capacity/Gauge Table Information

**TCLX 290378**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 178

Reporting Mark: TCLX 290378

Date: 21/08/2015

Capacity: 28,954 US Gallons (109,602 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,222	110.50	28,732	114.75	28,941
106.50	28,258	110.75	28,754	115.00	28,945
106.75	28,293	111.00	28,774	115.25	28,948
107.00	28,328	111.25	28,793	115.50	28,950
107.25	28,362	111.50	28,810	115.75	28,952
107.50	28,396	111.75	28,827	116.00	28,953
107.75	28,428	112.00	28,842	116.25	28,953
108.00	28,460	112.25	28,856	116.50	28,954
108.25	28,491	112.50	28,869	116.75	28,954
108.50	28,522	112.75	28,881		
108.75	28,551	113.00	28,892		
109.00	28,580	113.25	28,902		
109.25	28,608	113.50	28,910		
109.50	28,635	113.75	28,918		
109.75	28,661	114.00	28,925		
110.00	28,686	114.25	28,931		
110.25	28,710	114.50	28,936		



## Capacity/Gauge Table Information

**TCLX 290379**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 179

Reporting Mark: TCLX 290379

Date: 23/07/2015

Capacity: 28,956 US Gallons (109,611 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,339	12.75	2,221	17.00	3,206
0.25	28	4.50	625	8.75	1,387	13.00	2,276	17.25	3,267
0.50	58	4.75	665	9.00	1,436	13.25	2,332	17.50	3,328
0.75	88	5.00	707	9.25	1,486	13.50	2,388	17.75	3,389
1.00	119	5.25	749	9.50	1,536	13.75	2,444	18.00	3,451
1.25	150	5.50	791	9.75	1,586	14.00	2,501	18.25	3,513
1.50	183	5.75	834	10.00	1,637	14.25	2,558	18.50	3,575
1.75	216	6.00	877	10.25	1,688	14.50	2,615	18.75	3,637
2.00	250	6.25	921	10.50	1,740	14.75	2,673	19.00	3,700
2.25	284	6.50	966	10.75	1,792	15.00	2,731	19.25	3,763
2.50	320	6.75	1,011	11.00	1,844	15.25	2,789	19.50	3,826
2.75	356	7.00	1,056	11.25	1,897	15.50	2,848	19.75	3,890
3.00	392	7.25	1,102	11.50	1,950	15.75	2,907	20.00	3,954
3.25	429	7.50	1,149	11.75	2,003	16.00	2,966	20.25	4,018
3.50	467	7.75	1,195	12.00	2,057	16.25	3,026	20.50	4,082
3.75	506	8.00	1,243	12.25	2,111	16.50	3,086	20.75	4,147
4.00	545	8.25	1,290	12.50	2,166	16.75	3,146	21.00	4,211



## Capacity/Gauge Table Information

**TCLX 290379**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 179

Reporting Mark: TCLX 290379

Date: 23/07/2015

Capacity: 28,956 US Gallons (109,611 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,276	25.50	5,418	29.75	6,618	34.00	7,866	38.25	9,153
21.50	4,342	25.75	5,487	30.00	6,690	34.25	7,941	38.50	9,230
21.75	4,407	26.00	5,556	30.25	6,762	34.50	8,015	38.75	9,307
22.00	4,473	26.25	5,625	30.50	6,835	34.75	8,090	39.00	9,383
22.25	4,539	26.50	5,695	30.75	6,907	35.00	8,165	39.25	9,461
22.50	4,605	26.75	5,765	31.00	6,980	35.25	8,241	39.50	9,538
22.75	4,672	27.00	5,835	31.25	7,053	35.50	8,316	39.75	9,615
23.00	4,738	27.25	5,905	31.50	7,126	35.75	8,392	40.00	9,692
23.25	4,805	27.50	5,976	31.75	7,200	36.00	8,467	40.25	9,770
23.50	4,873	27.75	6,046	32.00	7,273	36.25	8,543	40.50	9,847
23.75	4,940	28.00	6,117	32.25	7,347	36.50	8,619	40.75	9,925
24.00	5,008	28.25	6,188	32.50	7,420	36.75	8,695	41.00	10,002
24.25	5,075	28.50	6,259	32.75	7,494	37.00	8,771	41.25	10,080
24.50	5,143	28.75	6,330	33.00	7,568	37.25	8,847	41.50	10,158
24.75	5,212	29.00	6,402	33.25	7,642	37.50	8,923	41.75	10,236
25.00	5,280	29.25	6,474	33.50	7,717	37.75	9,000	42.00	10,314
25.25	5,349	29.50	6,546	33.75	7,791	38.00	9,076	42.25	10,392



## Capacity/Gauge Table Information

**TCLX 290379**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 179

Reporting Mark: TCLX 290379

Date: 23/07/2015

Capacity: 28,956 US Gallons (109,611 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,470	46.75	11,809	51.00	13,163	55.25	14,522	59.50	15,880
42.75	10,549	47.00	11,889	51.25	13,242	55.50	14,602	59.75	15,960
43.00	10,627	47.25	11,968	51.50	13,322	55.75	14,682	60.00	16,039
43.25	10,705	47.50	12,047	51.75	13,402	56.00	14,762	60.25	16,119
43.50	10,784	47.75	12,127	52.00	13,482	56.25	14,842	60.50	16,199
43.75	10,862	48.00	12,206	52.25	13,562	56.50	14,922	60.75	16,278
44.00	10,941	48.25	12,286	52.50	13,642	56.75	15,002	61.00	16,358
44.25	11,019	48.50	12,365	52.75	13,722	57.00	15,082	61.25	16,437
44.50	11,098	48.75	12,445	53.00	13,802	57.25	15,162	61.50	16,516
44.75	11,177	49.00	12,525	53.25	13,882	57.50	15,242	61.75	16,596
45.00	11,256	49.25	12,604	53.50	13,962	57.75	15,322	62.00	16,675
45.25	11,335	49.50	12,684	53.75	14,042	58.00	15,401	62.25	16,754
45.50	11,414	49.75	12,764	54.00	14,122	58.25	15,481	62.50	16,834
45.75	11,493	50.00	12,843	54.25	14,202	58.50	15,561	62.75	16,913
46.00	11,572	50.25	12,923	54.50	14,282	58.75	15,641	63.00	16,992
46.25	11,651	50.50	13,003	54.75	14,362	59.00	15,721	63.25	17,071
46.50	11,730	50.75	13,083	55.00	14,442	59.25	15,800	63.50	17,150



## Capacity/Gauge Table Information

**TCLX 290379**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 179

Reporting Mark: TCLX 290379

Date: 23/07/2015

Capacity: 28,956 US Gallons (109,611 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,229	68.00	18,561	72.25	19,869	76.50	21,143	80.75	22,375
64.00	17,308	68.25	18,639	72.50	19,945	76.75	21,217	81.00	22,446
64.25	17,387	68.50	18,717	72.75	20,021	77.00	21,290	81.25	22,517
64.50	17,466	68.75	18,794	73.00	20,096	77.25	21,364	81.50	22,587
64.75	17,544	69.00	18,871	73.25	20,172	77.50	21,437	81.75	22,658
65.00	17,623	69.25	18,949	73.50	20,247	77.75	21,510	82.00	22,728
65.25	17,702	69.50	19,026	73.75	20,323	78.00	21,583	82.25	22,798
65.50	17,780	69.75	19,103	74.00	20,398	78.25	21,656	82.50	22,868
65.75	17,859	70.00	19,180	74.25	20,473	78.50	21,729	82.75	22,938
66.00	17,937	70.25	19,257	74.50	20,548	78.75	21,801	83.00	23,007
66.25	18,015	70.50	19,334	74.75	20,623	79.00	21,873	83.25	23,076
66.50	18,094	70.75	19,411	75.00	20,698	79.25	21,946	83.50	23,145
66.75	18,172	71.00	19,487	75.25	20,772	79.50	22,018	83.75	23,214
67.00	18,250	71.25	19,564	75.50	20,847	79.75	22,089	84.00	23,283
67.25	18,328	71.50	19,640	75.75	20,921	80.00	22,161	84.25	23,351
67.50	18,406	71.75	19,716	76.00	20,995	80.25	22,233	84.50	23,420
67.75	18,484	72.00	19,793	76.25	21,069	80.50	22,304	84.75	23,488





## Capacity/Gauge Table Information

**TCLX 290379**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 179

Reporting Mark: TCLX 290379

Date: 23/07/2015

Capacity: 28,956 US Gallons (109,611 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,555	89.25	24,673	93.50	25,715	97.75	26,667	102.00	27,509
85.25	23,623	89.50	24,736	93.75	25,774	98.00	26,720	102.25	27,555
85.50	23,690	89.75	24,800	94.00	25,832	98.25	26,772	102.50	27,600
85.75	23,757	90.00	24,863	94.25	25,890	98.50	26,824	102.75	27,644
86.00	23,824	90.25	24,925	94.50	25,948	98.75	26,876	103.00	27,689
86.25	23,891	90.50	24,988	94.75	26,005	99.00	26,927	103.25	27,732
86.50	23,958	90.75	25,050	95.00	26,062	99.25	26,978	103.50	27,775
86.75	24,024	91.00	25,112	95.25	26,119	99.50	27,028	103.75	27,818
87.00	24,090	91.25	25,174	95.50	26,175	99.75	27,078	104.00	27,860
87.25	24,156	91.50	25,235	95.75	26,231	100.00	27,128	104.25	27,902
87.50	24,221	91.75	25,296	96.00	26,287	100.25	27,177	104.50	27,943
87.75	24,286	92.00	25,357	96.25	26,342	100.50	27,226	104.75	27,983
88.00	24,351	92.25	25,417	96.50	26,397	100.75	27,274	105.00	28,023
88.25	24,416	92.50	25,477	96.75	26,452	101.00	27,322	105.25	28,062
88.50	24,481	92.75	25,537	97.00	26,506	101.25	27,370	105.50	28,101
88.75	24,545	93.00	25,597	97.25	26,560	101.50	27,417	105.75	28,139
89.00	24,609	93.25	25,656	97.50	26,614	101.75	27,463	106.00	28,177



## Capacity/Gauge Table Information

**TCLX 290379**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 179

Reporting Mark: TCLX 290379

Date: 23/07/2015

Capacity: 28,956 US Gallons (109,611 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,213	110.50	28,729	114.75	28,943
106.50	28,250	110.75	28,751	115.00	28,947
106.75	28,285	111.00	28,772	115.25	28,950
107.00	28,320	111.25	28,791	115.50	28,952
107.25	28,355	111.50	28,809	115.75	28,954
107.50	28,388	111.75	28,826	116.00	28,955
107.75	28,421	112.00	28,842	116.25	28,956
108.00	28,453	112.25	28,856	116.50	28,956
108.25	28,485	112.50	28,869	116.75	28,956
108.50	28,515	112.75	28,881		
108.75	28,545	113.00	28,893		
109.00	28,574	113.25	28,903		
109.25	28,603	113.50	28,912		
109.50	28,630	113.75	28,920		
109.75	28,656	114.00	28,927		
110.00	28,682	114.25	28,933		
110.25	28,706	114.50	28,938		



## Capacity/Gauge Table Information

**TCLX 290380**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 180

Reporting Mark: TCLX 290380

Date: 23/07/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,336	12.75	2,218	17.00	3,202
0.25	28	4.50	623	8.75	1,385	13.00	2,273	17.25	3,263
0.50	57	4.75	664	9.00	1,434	13.25	2,329	17.50	3,324
0.75	87	5.00	705	9.25	1,483	13.50	2,385	17.75	3,385
1.00	118	5.25	747	9.50	1,533	13.75	2,441	18.00	3,447
1.25	150	5.50	789	9.75	1,584	14.00	2,497	18.25	3,509
1.50	182	5.75	832	10.00	1,634	14.25	2,554	18.50	3,571
1.75	215	6.00	876	10.25	1,685	14.50	2,612	18.75	3,633
2.00	249	6.25	920	10.50	1,737	14.75	2,669	19.00	3,696
2.25	284	6.50	964	10.75	1,789	15.00	2,727	19.25	3,759
2.50	319	6.75	1,009	11.00	1,841	15.25	2,786	19.50	3,822
2.75	355	7.00	1,054	11.25	1,894	15.50	2,844	19.75	3,886
3.00	391	7.25	1,100	11.50	1,947	15.75	2,903	20.00	3,949
3.25	428	7.50	1,146	11.75	2,000	16.00	2,962	20.25	4,013
3.50	466	7.75	1,193	12.00	2,054	16.25	3,022	20.50	4,078
3.75	505	8.00	1,240	12.25	2,108	16.50	3,082	20.75	4,142
4.00	543	8.25	1,288	12.50	2,163	16.75	3,142	21.00	4,207



## Capacity/Gauge Table Information

**TCLX 290380**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 180

Reporting Mark: TCLX 290380

Date: 23/07/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,272	25.50	5,413	29.75	6,612	34.00	7,860	38.25	9,147
21.50	4,337	25.75	5,482	30.00	6,684	34.25	7,935	38.50	9,223
21.75	4,403	26.00	5,551	30.25	6,757	34.50	8,009	38.75	9,300
22.00	4,468	26.25	5,620	30.50	6,829	34.75	8,084	39.00	9,377
22.25	4,534	26.50	5,690	30.75	6,902	35.00	8,160	39.25	9,454
22.50	4,601	26.75	5,760	31.00	6,975	35.25	8,235	39.50	9,531
22.75	4,667	27.00	5,830	31.25	7,047	35.50	8,310	39.75	9,609
23.00	4,734	27.25	5,900	31.50	7,121	35.75	8,386	40.00	9,686
23.25	4,801	27.50	5,970	31.75	7,194	36.00	8,461	40.25	9,763
23.50	4,868	27.75	6,041	32.00	7,267	36.25	8,537	40.50	9,841
23.75	4,935	28.00	6,112	32.25	7,341	36.50	8,613	40.75	9,918
24.00	5,003	28.25	6,183	32.50	7,415	36.75	8,689	41.00	9,996
24.25	5,071	28.50	6,254	32.75	7,488	37.00	8,765	41.25	10,074
24.50	5,139	28.75	6,325	33.00	7,562	37.25	8,841	41.50	10,152
24.75	5,207	29.00	6,397	33.25	7,637	37.50	8,917	41.75	10,230
25.00	5,275	29.25	6,468	33.50	7,711	37.75	8,994	42.00	10,308
25.25	5,344	29.50	6,540	33.75	7,785	38.00	9,070	42.25	10,386



## Capacity/Gauge Table Information

**TCLX 290380**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 180

Reporting Mark: TCLX 290380

Date: 23/07/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,464	46.75	11,803	51.00	13,156	55.25	14,515	59.50	15,873
42.75	10,542	47.00	11,882	51.25	13,236	55.50	14,595	59.75	15,953
43.00	10,620	47.25	11,961	51.50	13,315	55.75	14,675	60.00	16,032
43.25	10,699	47.50	12,041	51.75	13,395	56.00	14,755	60.25	16,112
43.50	10,777	47.75	12,120	52.00	13,475	56.25	14,835	60.50	16,191
43.75	10,856	48.00	12,200	52.25	13,555	56.50	14,915	60.75	16,271
44.00	10,934	48.25	12,279	52.50	13,635	56.75	14,995	61.00	16,351
44.25	11,013	48.50	12,359	52.75	13,715	57.00	15,075	61.25	16,430
44.50	11,092	48.75	12,438	53.00	13,795	57.25	15,155	61.50	16,509
44.75	11,170	49.00	12,518	53.25	13,875	57.50	15,235	61.75	16,589
45.00	11,249	49.25	12,597	53.50	13,955	57.75	15,314	62.00	16,668
45.25	11,328	49.50	12,677	53.75	14,035	58.00	15,394	62.25	16,747
45.50	11,407	49.75	12,757	54.00	14,115	58.25	15,474	62.50	16,827
45.75	11,486	50.00	12,836	54.25	14,195	58.50	15,554	62.75	16,906
46.00	11,565	50.25	12,916	54.50	14,275	58.75	15,634	63.00	16,985
46.25	11,644	50.50	12,996	54.75	14,355	59.00	15,714	63.25	17,064
46.50	11,723	50.75	13,076	55.00	14,435	59.25	15,793	63.50	17,143



## Capacity/Gauge Table Information

**TCLX 290380**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 180

Reporting Mark: TCLX 290380

Date: 23/07/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,222	68.00	18,554	72.25	19,862	76.50	21,136	80.75	22,369
64.00	17,301	68.25	18,632	72.50	19,938	76.75	21,210	81.00	22,440
64.25	17,380	68.50	18,710	72.75	20,014	77.00	21,284	81.25	22,511
64.50	17,459	68.75	18,787	73.00	20,089	77.25	21,357	81.50	22,581
64.75	17,537	69.00	18,865	73.25	20,165	77.50	21,431	81.75	22,652
65.00	17,616	69.25	18,942	73.50	20,241	77.75	21,504	82.00	22,722
65.25	17,695	69.50	19,019	73.75	20,316	78.00	21,577	82.25	22,792
65.50	17,773	69.75	19,096	74.00	20,391	78.25	21,650	82.50	22,862
65.75	17,852	70.00	19,173	74.25	20,466	78.50	21,722	82.75	22,932
66.00	17,930	70.25	19,250	74.50	20,541	78.75	21,795	83.00	23,001
66.25	18,008	70.50	19,327	74.75	20,616	79.00	21,867	83.25	23,070
66.50	18,086	70.75	19,404	75.00	20,691	79.25	21,939	83.50	23,139
66.75	18,165	71.00	19,480	75.25	20,765	79.50	22,011	83.75	23,208
67.00	18,243	71.25	19,557	75.50	20,840	79.75	22,083	84.00	23,277
67.25	18,321	71.50	19,633	75.75	20,914	80.00	22,155	84.25	23,345
67.50	18,399	71.75	19,710	76.00	20,988	80.25	22,226	84.50	23,414
67.75	18,477	72.00	19,786	76.25	21,063	80.50	22,298	84.75	23,482



## Capacity/Gauge Table Information

**TCLX 290380**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 180

Reporting Mark: TCLX 290380

Date: 23/07/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,550	89.25	24,668	93.50	25,711	97.75	26,663	102.00	27,506
85.25	23,617	89.50	24,731	93.75	25,769	98.00	26,716	102.25	27,552
85.50	23,685	89.75	24,795	94.00	25,828	98.25	26,769	102.50	27,597
85.75	23,752	90.00	24,858	94.25	25,886	98.50	26,821	102.75	27,642
86.00	23,819	90.25	24,920	94.50	25,944	98.75	26,872	103.00	27,686
86.25	23,885	90.50	24,983	94.75	26,001	99.00	26,924	103.25	27,730
86.50	23,952	90.75	25,045	95.00	26,058	99.25	26,975	103.50	27,773
86.75	24,018	91.00	25,107	95.25	26,115	99.50	27,025	103.75	27,816
87.00	24,084	91.25	25,169	95.50	26,171	99.75	27,075	104.00	27,858
87.25	24,150	91.50	25,230	95.75	26,227	100.00	27,125	104.25	27,900
87.50	24,216	91.75	25,291	96.00	26,283	100.25	27,174	104.50	27,941
87.75	24,281	92.00	25,352	96.25	26,338	100.50	27,223	104.75	27,981
88.00	24,346	92.25	25,412	96.50	26,394	100.75	27,271	105.00	28,021
88.25	24,411	92.50	25,473	96.75	26,448	101.00	27,319	105.25	28,061
88.50	24,475	92.75	25,533	97.00	26,503	101.25	27,367	105.50	28,099
88.75	24,540	93.00	25,592	97.25	26,556	101.50	27,414	105.75	28,138
89.00	24,604	93.25	25,652	97.50	26,610	101.75	27,460	106.00	28,175





## Capacity/Gauge Table Information

**TCLX 290380**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 180

Reporting Mark: TCLX 290380

Date: 23/07/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,212	110.50	28,730	114.75	28,946
106.50	28,249	110.75	28,752	115.00	28,950
106.75	28,284	111.00	28,773	115.25	28,953
107.00	28,319	111.25	28,792	115.50	28,955
107.25	28,354	111.50	28,811	115.75	28,957
107.50	28,388	111.75	28,828	116.00	28,958
107.75	28,421	112.00	28,843	116.25	28,959
108.00	28,453	112.25	28,858	116.50	28,959
108.25	28,484	112.50	28,871	116.75	28,959
108.50	28,515	112.75	28,884		
108.75	28,545	113.00	28,895		
109.00	28,574	113.25	28,905		
109.25	28,603	113.50	28,914		
109.50	28,630	113.75	28,922		
109.75	28,656	114.00	28,929		
110.00	28,682	114.25	28,936		
110.25	28,707	114.50	28,941		



## Capacity/Gauge Table Information

**TCLX 290381**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 181

Reporting Mark: TCLX 290381

Date: 22/07/2015

Capacity: 28,980 US Gallons (109,703 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,226	17.00	3,213
0.25	28	4.50	627	8.75	1,391	13.00	2,281	17.25	3,274
0.50	58	4.75	667	9.00	1,440	13.25	2,337	17.50	3,335
0.75	88	5.00	709	9.25	1,490	13.50	2,393	17.75	3,396
1.00	119	5.25	751	9.50	1,540	13.75	2,450	18.00	3,458
1.25	151	5.50	793	9.75	1,590	14.00	2,506	18.25	3,520
1.50	183	5.75	836	10.00	1,641	14.25	2,563	18.50	3,582
1.75	217	6.00	880	10.25	1,692	14.50	2,621	18.75	3,645
2.00	251	6.25	924	10.50	1,744	14.75	2,679	19.00	3,708
2.25	285	6.50	968	10.75	1,796	15.00	2,737	19.25	3,771
2.50	321	6.75	1,014	11.00	1,848	15.25	2,795	19.50	3,834
2.75	357	7.00	1,059	11.25	1,901	15.50	2,854	19.75	3,898
3.00	393	7.25	1,105	11.50	1,954	15.75	2,913	20.00	3,962
3.25	431	7.50	1,152	11.75	2,008	16.00	2,972	20.25	4,026
3.50	469	7.75	1,199	12.00	2,062	16.25	3,032	20.50	4,090
3.75	507	8.00	1,246	12.25	2,116	16.50	3,092	20.75	4,155
4.00	546	8.25	1,294	12.50	2,171	16.75	3,152	21.00	4,220



## Capacity/Gauge Table Information

**TCLX 290381**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 181

Reporting Mark: TCLX 290381

Date: 22/07/2015

Capacity: 28,980 US Gallons (109,703 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,285	25.50	5,428	29.75	6,629	34.00	7,879	38.25	9,168
21.50	4,350	25.75	5,497	30.00	6,701	34.25	7,954	38.50	9,245
21.75	4,416	26.00	5,566	30.25	6,774	34.50	8,029	38.75	9,322
22.00	4,482	26.25	5,636	30.50	6,846	34.75	8,104	39.00	9,399
22.25	4,548	26.50	5,705	30.75	6,919	35.00	8,179	39.25	9,476
22.50	4,614	26.75	5,775	31.00	6,992	35.25	8,255	39.50	9,553
22.75	4,681	27.00	5,845	31.25	7,065	35.50	8,330	39.75	9,630
23.00	4,747	27.25	5,916	31.50	7,139	35.75	8,406	40.00	9,708
23.25	4,814	27.50	5,986	31.75	7,212	36.00	8,481	40.25	9,785
23.50	4,882	27.75	6,057	32.00	7,285	36.25	8,557	40.50	9,863
23.75	4,949	28.00	6,128	32.25	7,359	36.50	8,633	40.75	9,941
24.00	5,017	28.25	6,199	32.50	7,433	36.75	8,709	41.00	10,019
24.25	5,085	28.50	6,270	32.75	7,507	37.00	8,785	41.25	10,096
24.50	5,153	28.75	6,342	33.00	7,581	37.25	8,862	41.50	10,174
24.75	5,221	29.00	6,413	33.25	7,655	37.50	8,938	41.75	10,252
25.00	5,290	29.25	6,485	33.50	7,730	37.75	9,015	42.00	10,330
25.25	5,359	29.50	6,557	33.75	7,804	38.00	9,091	42.25	10,409



## Capacity/Gauge Table Information

**TCLX 290381**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 181

Reporting Mark: TCLX 290381

Date: 22/07/2015

Capacity: 28,980 US Gallons (109,703 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,487	46.75	11,828	51.00	13,183	55.25	14,544	59.50	15,903
42.75	10,565	47.00	11,907	51.25	13,263	55.50	14,624	59.75	15,983
43.00	10,644	47.25	11,987	51.50	13,343	55.75	14,704	60.00	16,063
43.25	10,722	47.50	12,066	51.75	13,422	56.00	14,784	60.25	16,142
43.50	10,801	47.75	12,146	52.00	13,503	56.25	14,864	60.50	16,222
43.75	10,879	48.00	12,225	52.25	13,583	56.50	14,944	60.75	16,302
44.00	10,958	48.25	12,305	52.50	13,663	56.75	15,024	61.00	16,381
44.25	11,037	48.50	12,384	52.75	13,743	57.00	15,104	61.25	16,461
44.50	11,116	48.75	12,464	53.00	13,823	57.25	15,184	61.50	16,540
44.75	11,195	49.00	12,544	53.25	13,903	57.50	15,264	61.75	16,620
45.00	11,274	49.25	12,624	53.50	13,983	57.75	15,344	62.00	16,699
45.25	11,353	49.50	12,703	53.75	14,063	58.00	15,424	62.25	16,778
45.50	11,432	49.75	12,783	54.00	14,143	58.25	15,504	62.50	16,858
45.75	11,511	50.00	12,863	54.25	14,223	58.50	15,584	62.75	16,937
46.00	11,590	50.25	12,943	54.50	14,303	58.75	15,664	63.00	17,016
46.25	11,669	50.50	13,023	54.75	14,383	59.00	15,743	63.25	17,095
46.50	11,748	50.75	13,103	55.00	14,463	59.25	15,823	63.50	17,174



## Capacity/Gauge Table Information

**TCLX 290381**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 181

Reporting Mark: TCLX 290381

Date: 22/07/2015

Capacity: 28,980 US Gallons (109,703 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,253	68.00	18,587	72.25	19,896	76.50	21,171	80.75	22,404
64.00	17,332	68.25	18,665	72.50	19,972	76.75	21,245	81.00	22,475
64.25	17,411	68.50	18,742	72.75	20,047	77.00	21,318	81.25	22,546
64.50	17,490	68.75	18,820	73.00	20,123	77.25	21,392	81.50	22,616
64.75	17,569	69.00	18,897	73.25	20,199	77.50	21,465	81.75	22,687
65.00	17,648	69.25	18,975	73.50	20,274	77.75	21,538	82.00	22,757
65.25	17,726	69.50	19,052	73.75	20,350	78.00	21,611	82.25	22,827
65.50	17,805	69.75	19,129	74.00	20,425	78.25	21,684	82.50	22,897
65.75	17,884	70.00	19,206	74.25	20,500	78.50	21,757	82.75	22,967
66.00	17,962	70.25	19,283	74.50	20,575	78.75	21,829	83.00	23,036
66.25	18,040	70.50	19,360	74.75	20,650	79.00	21,902	83.25	23,105
66.50	18,119	70.75	19,437	75.00	20,725	79.25	21,974	83.50	23,174
66.75	18,197	71.00	19,514	75.25	20,800	79.50	22,046	83.75	23,243
67.00	18,275	71.25	19,590	75.50	20,874	79.75	22,118	84.00	23,312
67.25	18,353	71.50	19,667	75.75	20,949	80.00	22,190	84.25	23,380
67.50	18,431	71.75	19,743	76.00	21,023	80.25	22,261	84.50	23,449
67.75	18,509	72.00	19,819	76.25	21,097	80.50	22,333	84.75	23,517



## Capacity/Gauge Table Information

**TCLX 290381**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 181

Reporting Mark: TCLX 290381

Date: 22/07/2015

Capacity: 28,980 US Gallons (109,703 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,585	89.25	24,703	93.50	25,745	97.75	26,697	102.00	27,538
85.25	23,652	89.50	24,766	93.75	25,804	98.00	26,749	102.25	27,584
85.50	23,720	89.75	24,829	94.00	25,862	98.25	26,802	102.50	27,629
85.75	23,787	90.00	24,892	94.25	25,920	98.50	26,854	102.75	27,673
86.00	23,854	90.25	24,955	94.50	25,978	98.75	26,905	103.00	27,718
86.25	23,920	90.50	25,018	94.75	26,035	99.00	26,957	103.25	27,761
86.50	23,987	90.75	25,080	95.00	26,092	99.25	27,007	103.50	27,804
86.75	24,053	91.00	25,142	95.25	26,149	99.50	27,058	103.75	27,847
87.00	24,119	91.25	25,203	95.50	26,205	99.75	27,108	104.00	27,889
87.25	24,185	91.50	25,265	95.75	26,261	100.00	27,157	104.25	27,930
87.50	24,251	91.75	25,326	96.00	26,317	100.25	27,207	104.50	27,971
87.75	24,316	92.00	25,387	96.25	26,372	100.50	27,255	104.75	28,012
88.00	24,381	92.25	25,447	96.50	26,427	100.75	27,304	105.00	28,051
88.25	24,446	92.50	25,507	96.75	26,482	101.00	27,351	105.25	28,091
88.50	24,510	92.75	25,567	97.00	26,536	101.25	27,399	105.50	28,129
88.75	24,575	93.00	25,627	97.25	26,590	101.50	27,446	105.75	28,167
89.00	24,639	93.25	25,686	97.50	26,644	101.75	27,492	106.00	28,205



## Capacity/Gauge Table Information

**TCLX 290381**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 181

Reporting Mark: TCLX 290381

Date: 22/07/2015

Capacity: 28,980 US Gallons (109,703 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,242	110.50	28,756	114.75	28,967
106.50	28,278	110.75	28,777	115.00	28,971
106.75	28,313	111.00	28,798	115.25	28,974
107.00	28,348	111.25	28,817	115.50	28,976
107.25	28,383	111.50	28,835	115.75	28,978
107.50	28,416	111.75	28,851	116.00	28,979
107.75	28,449	112.00	28,867	116.25	28,980
108.00	28,481	112.25	28,881	116.50	28,980
108.25	28,512	112.50	28,894	116.75	28,980
108.50	28,543	112.75	28,906		
108.75	28,573	113.00	28,917		
109.00	28,602	113.25	28,927		
109.25	28,630	113.50	28,936		
109.50	28,657	113.75	28,944		
109.75	28,683	114.00	28,951		
110.00	28,708	114.25	28,958		
110.25	28,732	114.50	28,963		





## Capacity/Gauge Table Information

**TCLX 290382**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 182

Reporting Mark: TCLX 290382

Date: 11/08/2015

Capacity: 28,955 US Gallons (109,607 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,339	12.75	2,221	17.00	3,206
0.25	28	4.50	625	8.75	1,387	13.00	2,276	17.25	3,267
0.50	58	4.75	665	9.00	1,436	13.25	2,332	17.50	3,328
0.75	88	5.00	707	9.25	1,486	13.50	2,388	17.75	3,389
1.00	119	5.25	749	9.50	1,536	13.75	2,444	18.00	3,451
1.25	150	5.50	791	9.75	1,586	14.00	2,501	18.25	3,513
1.50	183	5.75	834	10.00	1,637	14.25	2,558	18.50	3,575
1.75	216	6.00	877	10.25	1,688	14.50	2,615	18.75	3,638
2.00	250	6.25	921	10.50	1,740	14.75	2,673	19.00	3,700
2.25	284	6.50	966	10.75	1,792	15.00	2,731	19.25	3,763
2.50	320	6.75	1,011	11.00	1,844	15.25	2,789	19.50	3,827
2.75	356	7.00	1,056	11.25	1,897	15.50	2,848	19.75	3,890
3.00	392	7.25	1,102	11.50	1,950	15.75	2,907	20.00	3,954
3.25	429	7.50	1,149	11.75	2,003	16.00	2,966	20.25	4,018
3.50	467	7.75	1,195	12.00	2,057	16.25	3,026	20.50	4,082
3.75	506	8.00	1,243	12.25	2,111	16.50	3,086	20.75	4,147
4.00	545	8.25	1,291	12.50	2,166	16.75	3,146	21.00	4,211



## Capacity/Gauge Table Information

**TCLX 290382**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 182

Reporting Mark: TCLX 290382

Date: 11/08/2015

Capacity: 28,955 US Gallons (109,607 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,277	25.50	5,418	29.75	6,617	34.00	7,866	38.25	9,153
21.50	4,342	25.75	5,487	30.00	6,690	34.25	7,940	38.50	9,230
21.75	4,407	26.00	5,556	30.25	6,762	34.50	8,015	38.75	9,306
22.00	4,473	26.25	5,625	30.50	6,835	34.75	8,090	39.00	9,383
22.25	4,539	26.50	5,695	30.75	6,907	35.00	8,165	39.25	9,460
22.50	4,605	26.75	5,765	31.00	6,980	35.25	8,241	39.50	9,537
22.75	4,672	27.00	5,835	31.25	7,053	35.50	8,316	39.75	9,615
23.00	4,739	27.25	5,905	31.50	7,126	35.75	8,391	40.00	9,692
23.25	4,805	27.50	5,976	31.75	7,199	36.00	8,467	40.25	9,769
23.50	4,873	27.75	6,046	32.00	7,273	36.25	8,543	40.50	9,847
23.75	4,940	28.00	6,117	32.25	7,347	36.50	8,619	40.75	9,925
24.00	5,008	28.25	6,188	32.50	7,420	36.75	8,695	41.00	10,002
24.25	5,075	28.50	6,259	32.75	7,494	37.00	8,771	41.25	10,080
24.50	5,143	28.75	6,330	33.00	7,568	37.25	8,847	41.50	10,158
24.75	5,212	29.00	6,402	33.25	7,642	37.50	8,923	41.75	10,236
25.00	5,280	29.25	6,474	33.50	7,717	37.75	9,000	42.00	10,314
25.25	5,349	29.50	6,545	33.75	7,791	38.00	9,076	42.25	10,392



## Capacity/Gauge Table Information

**TCLX 290382**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 182

Reporting Mark: TCLX 290382

Date: 11/08/2015

Capacity: 28,955 US Gallons (109,607 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,470	46.75	11,809	51.00	13,162	55.25	14,522	59.50	15,879
42.75	10,548	47.00	11,888	51.25	13,242	55.50	14,602	59.75	15,959
43.00	10,627	47.25	11,968	51.50	13,322	55.75	14,682	60.00	16,039
43.25	10,705	47.50	12,047	51.75	13,402	56.00	14,762	60.25	16,118
43.50	10,783	47.75	12,127	52.00	13,482	56.25	14,841	60.50	16,198
43.75	10,862	48.00	12,206	52.25	13,562	56.50	14,921	60.75	16,278
44.00	10,941	48.25	12,285	52.50	13,642	56.75	15,001	61.00	16,357
44.25	11,019	48.50	12,365	52.75	13,722	57.00	15,081	61.25	16,436
44.50	11,098	48.75	12,445	53.00	13,802	57.25	15,161	61.50	16,516
44.75	11,177	49.00	12,524	53.25	13,882	57.50	15,241	61.75	16,595
45.00	11,256	49.25	12,604	53.50	13,962	57.75	15,321	62.00	16,675
45.25	11,335	49.50	12,684	53.75	14,042	58.00	15,401	62.25	16,754
45.50	11,413	49.75	12,763	54.00	14,122	58.25	15,481	62.50	16,833
45.75	11,493	50.00	12,843	54.25	14,202	58.50	15,561	62.75	16,912
46.00	11,572	50.25	12,923	54.50	14,282	58.75	15,640	63.00	16,991
46.25	11,651	50.50	13,003	54.75	14,362	59.00	15,720	63.25	17,070
46.50	11,730	50.75	13,082	55.00	14,442	59.25	15,800	63.50	17,149



## Capacity/Gauge Table Information

**TCLX 290382**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 182

Reporting Mark: TCLX 290382

Date: 11/08/2015

Capacity: 28,955 US Gallons (109,607 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,228	68.00	18,561	72.25	19,868	76.50	21,142	80.75	22,374
64.00	17,307	68.25	18,638	72.50	19,944	76.75	21,216	81.00	22,445
64.25	17,386	68.50	18,716	72.75	20,020	77.00	21,289	81.25	22,516
64.50	17,465	68.75	18,793	73.00	20,095	77.25	21,363	81.50	22,586
64.75	17,544	69.00	18,871	73.25	20,171	77.50	21,436	81.75	22,657
65.00	17,622	69.25	18,948	73.50	20,247	77.75	21,509	82.00	22,727
65.25	17,701	69.50	19,025	73.75	20,322	78.00	21,582	82.25	22,797
65.50	17,779	69.75	19,102	74.00	20,397	78.25	21,655	82.50	22,867
65.75	17,858	70.00	19,179	74.25	20,472	78.50	21,728	82.75	22,937
66.00	17,936	70.25	19,256	74.50	20,547	78.75	21,800	83.00	23,006
66.25	18,015	70.50	19,333	74.75	20,622	79.00	21,873	83.25	23,075
66.50	18,093	70.75	19,410	75.00	20,697	79.25	21,945	83.50	23,144
66.75	18,171	71.00	19,486	75.25	20,771	79.50	22,017	83.75	23,213
67.00	18,249	71.25	19,563	75.50	20,846	79.75	22,089	84.00	23,282
67.25	18,327	71.50	19,639	75.75	20,920	80.00	22,160	84.25	23,350
67.50	18,405	71.75	19,716	76.00	20,994	80.25	22,232	84.50	23,419
67.75	18,483	72.00	19,792	76.25	21,068	80.50	22,303	84.75	23,487



## Capacity/Gauge Table Information

**TCLX 290382**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 182

Reporting Mark: TCLX 290382

Date: 11/08/2015

Capacity: 28,955 US Gallons (109,607 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,554	89.25	24,672	93.50	25,714	97.75	26,666	102.00	27,508
85.25	23,622	89.50	24,735	93.75	25,773	98.00	26,719	102.25	27,554
85.50	23,689	89.75	24,799	94.00	25,831	98.25	26,771	102.50	27,599
85.75	23,756	90.00	24,862	94.25	25,889	98.50	26,823	102.75	27,643
86.00	23,823	90.25	24,924	94.50	25,947	98.75	26,875	103.00	27,687
86.25	23,890	90.50	24,987	94.75	26,004	99.00	26,926	103.25	27,731
86.50	23,957	90.75	25,049	95.00	26,061	99.25	26,977	103.50	27,774
86.75	24,023	91.00	25,111	95.25	26,118	99.50	27,027	103.75	27,817
87.00	24,089	91.25	25,172	95.50	26,174	99.75	27,077	104.00	27,859
87.25	24,155	91.50	25,234	95.75	26,230	100.00	27,127	104.25	27,900
87.50	24,220	91.75	25,295	96.00	26,286	100.25	27,176	104.50	27,941
87.75	24,285	92.00	25,356	96.25	26,341	100.50	27,225	104.75	27,982
88.00	24,350	92.25	25,416	96.50	26,396	100.75	27,273	105.00	28,022
88.25	24,415	92.50	25,476	96.75	26,451	101.00	27,321	105.25	28,061
88.50	24,480	92.75	25,536	97.00	26,505	101.25	27,368	105.50	28,100
88.75	24,544	93.00	25,596	97.25	26,559	101.50	27,415	105.75	28,138
89.00	24,608	93.25	25,655	97.50	26,613	101.75	27,462	106.00	28,175



## Capacity/Gauge Table Information

**TCLX 290382**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 182

Reporting Mark: TCLX 290382

Date: 11/08/2015

Capacity: 28,955 US Gallons (109,607 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,212	110.50	28,728	114.75	28,942
106.50	28,249	110.75	28,750	115.00	28,945
106.75	28,284	111.00	28,771	115.25	28,949
107.00	28,319	111.25	28,790	115.50	28,951
107.25	28,354	111.50	28,808	115.75	28,953
107.50	28,387	111.75	28,825	116.00	28,954
107.75	28,420	112.00	28,840	116.25	28,955
108.00	28,452	112.25	28,855	116.50	28,955
108.25	28,484	112.50	28,868	116.75	28,955
108.50	28,514	112.75	28,880		
108.75	28,544	113.00	28,891		
109.00	28,573	113.25	28,901		
109.25	28,601	113.50	28,910		
109.50	28,629	113.75	28,919		
109.75	28,655	114.00	28,926		
110.00	28,680	114.25	28,932		
110.25	28,705	114.50	28,937		



## Capacity/Gauge Table Information

**TCLX 290383**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 183

Reporting Mark: TCLX 290383

Date: 23/07/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,337	12.75	2,219	17.00	3,204
0.25	28	4.50	623	8.75	1,385	13.00	2,274	17.25	3,264
0.50	57	4.75	664	9.00	1,434	13.25	2,329	17.50	3,325
0.75	87	5.00	705	9.25	1,484	13.50	2,385	17.75	3,387
1.00	118	5.25	747	9.50	1,534	13.75	2,442	18.00	3,448
1.25	150	5.50	790	9.75	1,584	14.00	2,498	18.25	3,510
1.50	182	5.75	833	10.00	1,635	14.25	2,555	18.50	3,572
1.75	215	6.00	876	10.25	1,686	14.50	2,613	18.75	3,635
2.00	249	6.25	920	10.50	1,738	14.75	2,670	19.00	3,697
2.25	284	6.50	964	10.75	1,789	15.00	2,728	19.25	3,760
2.50	319	6.75	1,009	11.00	1,842	15.25	2,787	19.50	3,824
2.75	355	7.00	1,055	11.25	1,894	15.50	2,845	19.75	3,887
3.00	391	7.25	1,100	11.50	1,948	15.75	2,904	20.00	3,951
3.25	429	7.50	1,147	11.75	2,001	16.00	2,964	20.25	4,015
3.50	466	7.75	1,194	12.00	2,055	16.25	3,023	20.50	4,079
3.75	505	8.00	1,241	12.25	2,109	16.50	3,083	20.75	4,144
4.00	544	8.25	1,289	12.50	2,164	16.75	3,143	21.00	4,209





## Capacity/Gauge Table Information

**TCLX 290383**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 183

Reporting Mark: TCLX 290383

Date: 23/07/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,274	25.50	5,415	29.75	6,615	34.00	7,863	38.25	9,151
21.50	4,339	25.75	5,484	30.00	6,687	34.25	7,938	38.50	9,228
21.75	4,405	26.00	5,553	30.25	6,759	34.50	8,013	38.75	9,304
22.00	4,470	26.25	5,623	30.50	6,832	34.75	8,088	39.00	9,381
22.25	4,536	26.50	5,692	30.75	6,905	35.00	8,163	39.25	9,458
22.50	4,603	26.75	5,762	31.00	6,977	35.25	8,238	39.50	9,536
22.75	4,669	27.00	5,832	31.25	7,050	35.50	8,314	39.75	9,613
23.00	4,736	27.25	5,902	31.50	7,124	35.75	8,389	40.00	9,690
23.25	4,803	27.50	5,973	31.75	7,197	36.00	8,465	40.25	9,768
23.50	4,870	27.75	6,043	32.00	7,270	36.25	8,541	40.50	9,845
23.75	4,937	28.00	6,114	32.25	7,344	36.50	8,617	40.75	9,923
24.00	5,005	28.25	6,185	32.50	7,418	36.75	8,693	41.00	10,000
24.25	5,073	28.50	6,256	32.75	7,492	37.00	8,769	41.25	10,078
24.50	5,141	28.75	6,328	33.00	7,566	37.25	8,845	41.50	10,156
24.75	5,209	29.00	6,399	33.25	7,640	37.50	8,921	41.75	10,234
25.00	5,277	29.25	6,471	33.50	7,714	37.75	8,998	42.00	10,312
25.25	5,346	29.50	6,543	33.75	7,789	38.00	9,074	42.25	10,390



## Capacity/Gauge Table Information

**TCLX 290383**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 183

Reporting Mark: TCLX 290383

Date: 23/07/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,468	46.75	11,808	51.00	13,162	55.25	14,522	59.50	15,880
42.75	10,547	47.00	11,887	51.25	13,242	55.50	14,602	59.75	15,960
43.00	10,625	47.25	11,967	51.50	13,322	55.75	14,682	60.00	16,040
43.25	10,703	47.50	12,046	51.75	13,401	56.00	14,762	60.25	16,119
43.50	10,782	47.75	12,126	52.00	13,481	56.25	14,842	60.50	16,199
43.75	10,861	48.00	12,205	52.25	13,561	56.50	14,922	60.75	16,279
44.00	10,939	48.25	12,285	52.50	13,641	56.75	15,002	61.00	16,358
44.25	11,018	48.50	12,364	52.75	13,721	57.00	15,082	61.25	16,438
44.50	11,097	48.75	12,444	53.00	13,801	57.25	15,162	61.50	16,517
44.75	11,175	49.00	12,523	53.25	13,881	57.50	15,242	61.75	16,596
45.00	11,254	49.25	12,603	53.50	13,961	57.75	15,322	62.00	16,676
45.25	11,333	49.50	12,683	53.75	14,041	58.00	15,401	62.25	16,755
45.50	11,412	49.75	12,763	54.00	14,121	58.25	15,481	62.50	16,834
45.75	11,491	50.00	12,842	54.25	14,202	58.50	15,561	62.75	16,914
46.00	11,570	50.25	12,922	54.50	14,282	58.75	15,641	63.00	16,993
46.25	11,650	50.50	13,002	54.75	14,362	59.00	15,721	63.25	17,072
46.50	11,729	50.75	13,082	55.00	14,442	59.25	15,801	63.50	17,151



## Capacity/Gauge Table Information

**TCLX 290383**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 183

Reporting Mark: TCLX 290383

Date: 23/07/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,230	68.00	18,563	72.25	19,871	76.50	21,146	80.75	22,379
64.00	17,309	68.25	18,641	72.50	19,947	76.75	21,220	81.00	22,450
64.25	17,388	68.50	18,718	72.75	20,023	77.00	21,294	81.25	22,521
64.50	17,467	68.75	18,796	73.00	20,099	77.25	21,367	81.50	22,592
64.75	17,545	69.00	18,873	73.25	20,174	77.50	21,440	81.75	22,662
65.00	17,624	69.25	18,951	73.50	20,250	77.75	21,514	82.00	22,732
65.25	17,703	69.50	19,028	73.75	20,325	78.00	21,587	82.25	22,802
65.50	17,781	69.75	19,105	74.00	20,401	78.25	21,659	82.50	22,872
65.75	17,860	70.00	19,182	74.25	20,476	78.50	21,732	82.75	22,942
66.00	17,938	70.25	19,259	74.50	20,551	78.75	21,805	83.00	23,011
66.25	18,017	70.50	19,336	74.75	20,626	79.00	21,877	83.25	23,081
66.50	18,095	70.75	19,413	75.00	20,700	79.25	21,949	83.50	23,150
66.75	18,173	71.00	19,489	75.25	20,775	79.50	22,021	83.75	23,219
67.00	18,251	71.25	19,566	75.50	20,850	79.75	22,093	84.00	23,287
67.25	18,329	71.50	19,642	75.75	20,924	80.00	22,165	84.25	23,356
67.50	18,407	71.75	19,719	76.00	20,998	80.25	22,236	84.50	23,424
67.75	18,485	72.00	19,795	76.25	21,072	80.50	22,308	84.75	23,492



## Capacity/Gauge Table Information

**TCLX 290383**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 183

Reporting Mark: TCLX 290383

Date: 23/07/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,560	89.25	24,679	93.50	25,722	97.75	26,675	102.00	27,518
85.25	23,628	89.50	24,742	93.75	25,780	98.00	26,728	102.25	27,564
85.50	23,695	89.75	24,805	94.00	25,839	98.25	26,780	102.50	27,609
85.75	23,762	90.00	24,869	94.25	25,897	98.50	26,832	102.75	27,653
86.00	23,829	90.25	24,931	94.50	25,955	98.75	26,884	103.00	27,698
86.25	23,896	90.50	24,994	94.75	26,012	99.00	26,935	103.25	27,741
86.50	23,963	90.75	25,056	95.00	26,069	99.25	26,986	103.50	27,785
86.75	24,029	91.00	25,118	95.25	26,126	99.50	27,036	103.75	27,827
87.00	24,095	91.25	25,180	95.50	26,182	99.75	27,087	104.00	27,869
87.25	24,161	91.50	25,241	95.75	26,239	100.00	27,136	104.25	27,911
87.50	24,226	91.75	25,302	96.00	26,294	100.25	27,185	104.50	27,952
87.75	24,292	92.00	25,363	96.25	26,350	100.50	27,234	104.75	27,993
88.00	24,357	92.25	25,424	96.50	26,405	100.75	27,283	105.00	28,033
88.25	24,422	92.50	25,484	96.75	26,460	101.00	27,331	105.25	28,072
88.50	24,486	92.75	25,544	97.00	26,514	101.25	27,378	105.50	28,111
88.75	24,551	93.00	25,603	97.25	26,568	101.50	27,425	105.75	28,149
89.00	24,615	93.25	25,663	97.50	26,621	101.75	27,472	106.00	28,187



## Capacity/Gauge Table Information

**TCLX 290383**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 183

Reporting Mark: TCLX 290383

Date: 23/07/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,224	110.50	28,741	114.75	28,957
106.50	28,260	110.75	28,763	115.00	28,961
106.75	28,296	111.00	28,784	115.25	28,964
107.00	28,331	111.25	28,804	115.50	28,966
107.25	28,365	111.50	28,822	115.75	28,968
107.50	28,399	111.75	28,839	116.00	28,969
107.75	28,432	112.00	28,855	116.25	28,970
108.00	28,464	112.25	28,869	116.50	28,970
108.25	28,496	112.50	28,883	116.75	28,971
108.50	28,527	112.75	28,895		
108.75	28,557	113.00	28,906		
109.00	28,586	113.25	28,916		
109.25	28,614	113.50	28,926		
109.50	28,641	113.75	28,934		
109.75	28,668	114.00	28,941		
110.00	28,693	114.25	28,947		
110.25	28,718	114.50	28,953		



## Capacity/Gauge Table Information

**TCLX 290384**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 184

Reporting Mark: TCLX 290384

Date: 10/08/2015

Capacity: 28,966 US Gallons (109,647 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,337	12.75	2,219	17.00	3,204
0.25	28	4.50	624	8.75	1,386	13.00	2,274	17.25	3,265
0.50	58	4.75	665	9.00	1,435	13.25	2,330	17.50	3,326
0.75	88	5.00	706	9.25	1,484	13.50	2,386	17.75	3,387
1.00	118	5.25	748	9.50	1,534	13.75	2,442	18.00	3,449
1.25	150	5.50	790	9.75	1,585	14.00	2,499	18.25	3,511
1.50	182	5.75	833	10.00	1,635	14.25	2,556	18.50	3,573
1.75	216	6.00	876	10.25	1,687	14.50	2,613	18.75	3,635
2.00	249	6.25	920	10.50	1,738	14.75	2,671	19.00	3,698
2.25	284	6.50	965	10.75	1,790	15.00	2,729	19.25	3,761
2.50	319	6.75	1,010	11.00	1,842	15.25	2,787	19.50	3,824
2.75	355	7.00	1,055	11.25	1,895	15.50	2,846	19.75	3,888
3.00	392	7.25	1,101	11.50	1,948	15.75	2,905	20.00	3,952
3.25	429	7.50	1,147	11.75	2,002	16.00	2,964	20.25	4,016
3.50	467	7.75	1,194	12.00	2,055	16.25	3,024	20.50	4,080
3.75	505	8.00	1,241	12.25	2,110	16.50	3,084	20.75	4,144
4.00	544	8.25	1,289	12.50	2,164	16.75	3,144	21.00	4,209



## Capacity/Gauge Table Information

**TCLX 290384**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 184

Reporting Mark: TCLX 290384

Date: 10/08/2015

Capacity: 28,966 US Gallons (109,647 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,274	25.50	5,415	29.75	6,615	34.00	7,864	38.25	9,151
21.50	4,340	25.75	5,484	30.00	6,687	34.25	7,938	38.50	9,228
21.75	4,405	26.00	5,554	30.25	6,760	34.50	8,013	38.75	9,304
22.00	4,471	26.25	5,623	30.50	6,832	34.75	8,088	39.00	9,381
22.25	4,537	26.50	5,693	30.75	6,905	35.00	8,163	39.25	9,458
22.50	4,603	26.75	5,763	31.00	6,978	35.25	8,239	39.50	9,536
22.75	4,670	27.00	5,833	31.25	7,051	35.50	8,314	39.75	9,613
23.00	4,736	27.25	5,903	31.50	7,124	35.75	8,389	40.00	9,690
23.25	4,803	27.50	5,973	31.75	7,197	36.00	8,465	40.25	9,768
23.50	4,870	27.75	6,044	32.00	7,271	36.25	8,541	40.50	9,845
23.75	4,938	28.00	6,115	32.25	7,344	36.50	8,617	40.75	9,923
24.00	5,005	28.25	6,186	32.50	7,418	36.75	8,693	41.00	10,000
24.25	5,073	28.50	6,257	32.75	7,492	37.00	8,769	41.25	10,078
24.50	5,141	28.75	6,328	33.00	7,566	37.25	8,845	41.50	10,156
24.75	5,209	29.00	6,400	33.25	7,640	37.50	8,921	41.75	10,234
25.00	5,278	29.25	6,471	33.50	7,714	37.75	8,998	42.00	10,312
25.25	5,346	29.50	6,543	33.75	7,789	38.00	9,074	42.25	10,390





## Capacity/Gauge Table Information

**TCLX 290384**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 184

Reporting Mark: TCLX 290384

Date: 10/08/2015

Capacity: 28,966 US Gallons (109,647 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,468	46.75	11,808	51.00	13,161	55.25	14,521	59.50	15,879
42.75	10,547	47.00	11,887	51.25	13,241	55.50	14,601	59.75	15,959
43.00	10,625	47.25	11,966	51.50	13,321	55.75	14,681	60.00	16,039
43.25	10,703	47.50	12,046	51.75	13,401	56.00	14,761	60.25	16,118
43.50	10,782	47.75	12,125	52.00	13,481	56.25	14,841	60.50	16,198
43.75	10,860	48.00	12,205	52.25	13,561	56.50	14,921	60.75	16,277
44.00	10,939	48.25	12,284	52.50	13,641	56.75	15,001	61.00	16,357
44.25	11,018	48.50	12,364	52.75	13,721	57.00	15,081	61.25	16,436
44.50	11,096	48.75	12,443	53.00	13,801	57.25	15,161	61.50	16,516
44.75	11,175	49.00	12,523	53.25	13,881	57.50	15,241	61.75	16,595
45.00	11,254	49.25	12,603	53.50	13,961	57.75	15,321	62.00	16,675
45.25	11,333	49.50	12,682	53.75	14,041	58.00	15,400	62.25	16,754
45.50	11,412	49.75	12,762	54.00	14,121	58.25	15,480	62.50	16,833
45.75	11,491	50.00	12,842	54.25	14,201	58.50	15,560	62.75	16,912
46.00	11,570	50.25	12,922	54.50	14,281	58.75	15,640	63.00	16,992
46.25	11,649	50.50	13,001	54.75	14,361	59.00	15,720	63.25	17,071
46.50	11,728	50.75	13,081	55.00	14,441	59.25	15,800	63.50	17,150



## Capacity/Gauge Table Information

**TCLX 290384**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 184

Reporting Mark: TCLX 290384

Date: 10/08/2015

Capacity: 28,966 US Gallons (109,647 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,229	68.00	18,561	72.25	19,869	76.50	21,144	80.75	22,377
64.00	17,308	68.25	18,639	72.50	19,945	76.75	21,218	81.00	22,448
64.25	17,386	68.50	18,717	72.75	20,021	77.00	21,291	81.25	22,518
64.50	17,465	68.75	18,794	73.00	20,097	77.25	21,365	81.50	22,589
64.75	17,544	69.00	18,872	73.25	20,172	77.50	21,438	81.75	22,659
65.00	17,623	69.25	18,949	73.50	20,248	77.75	21,511	82.00	22,730
65.25	17,701	69.50	19,026	73.75	20,323	78.00	21,584	82.25	22,800
65.50	17,780	69.75	19,103	74.00	20,399	78.25	21,657	82.50	22,870
65.75	17,858	70.00	19,180	74.25	20,474	78.50	21,730	82.75	22,939
66.00	17,937	70.25	19,257	74.50	20,549	78.75	21,802	83.00	23,009
66.25	18,015	70.50	19,334	74.75	20,624	79.00	21,875	83.25	23,078
66.50	18,093	70.75	19,411	75.00	20,698	79.25	21,947	83.50	23,147
66.75	18,172	71.00	19,488	75.25	20,773	79.50	22,019	83.75	23,216
67.00	18,250	71.25	19,564	75.50	20,847	79.75	22,091	84.00	23,285
67.25	18,328	71.50	19,641	75.75	20,922	80.00	22,163	84.25	23,353
67.50	18,406	71.75	19,717	76.00	20,996	80.25	22,234	84.50	23,421
67.75	18,484	72.00	19,793	76.25	21,070	80.50	22,305	84.75	23,490



## Capacity/Gauge Table Information

**TCLX 290384**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 184

Reporting Mark: TCLX 290384

Date: 10/08/2015

Capacity: 28,966 US Gallons (109,647 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,557	89.25	24,675	93.50	25,718	97.75	26,671	102.00	27,514
85.25	23,625	89.50	24,739	93.75	25,777	98.00	26,724	102.25	27,559
85.50	23,692	89.75	24,802	94.00	25,835	98.25	26,776	102.50	27,605
85.75	23,760	90.00	24,865	94.25	25,893	98.50	26,828	102.75	27,649
86.00	23,827	90.25	24,928	94.50	25,951	98.75	26,880	103.00	27,693
86.25	23,893	90.50	24,991	94.75	26,009	99.00	26,931	103.25	27,737
86.50	23,960	90.75	25,053	95.00	26,066	99.25	26,982	103.50	27,780
86.75	24,026	91.00	25,115	95.25	26,123	99.50	27,033	103.75	27,823
87.00	24,092	91.25	25,176	95.50	26,179	99.75	27,083	104.00	27,865
87.25	24,158	91.50	25,238	95.75	26,235	100.00	27,132	104.25	27,907
87.50	24,223	91.75	25,299	96.00	26,291	100.25	27,182	104.50	27,948
87.75	24,289	92.00	25,360	96.25	26,346	100.50	27,230	104.75	27,988
88.00	24,354	92.25	25,420	96.50	26,401	100.75	27,279	105.00	28,028
88.25	24,419	92.50	25,480	96.75	26,456	101.00	27,327	105.25	28,068
88.50	24,483	92.75	25,540	97.00	26,510	101.25	27,374	105.50	28,106
88.75	24,548	93.00	25,600	97.25	26,564	101.50	27,421	105.75	28,145
89.00	24,612	93.25	25,659	97.50	26,618	101.75	27,468	106.00	28,182



## Capacity/Gauge Table Information

**TCLX 290384**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 184

Reporting Mark: TCLX 290384

Date: 10/08/2015

Capacity: 28,966 US Gallons (109,647 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,219	110.50	28,737	114.75	28,952
106.50	28,256	110.75	28,759	115.00	28,956
106.75	28,291	111.00	28,780	115.25	28,959
107.00	28,326	111.25	28,799	115.50	28,961
107.25	28,361	111.50	28,817	115.75	28,963
107.50	28,394	111.75	28,834	116.00	28,964
107.75	28,427	112.00	28,850	116.25	28,965
108.00	28,460	112.25	28,865	116.50	28,965
108.25	28,491	112.50	28,878	116.75	28,966
108.50	28,522	112.75	28,890		
108.75	28,552	113.00	28,901		
109.00	28,581	113.25	28,912		
109.25	28,609	113.50	28,921		
109.50	28,637	113.75	28,929		
109.75	28,663	114.00	28,936		
110.00	28,689	114.25	28,942		
110.25	28,713	114.50	28,948		



## Capacity/Gauge Table Information

**TCLX 290385**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 185

Reporting Mark: TCLX 290385

Date: 23/07/2015

Capacity: 28,940 US Gallons (109,551 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,349	12.75	2,235	17.00	3,224
0.25	29	4.50	631	8.75	1,398	13.00	2,291	17.25	3,285
0.50	58	4.75	672	9.00	1,448	13.25	2,347	17.50	3,346
0.75	89	5.00	714	9.25	1,497	13.50	2,403	17.75	3,407
1.00	120	5.25	756	9.50	1,547	13.75	2,459	18.00	3,469
1.25	152	5.50	799	9.75	1,598	14.00	2,516	18.25	3,531
1.50	185	5.75	842	10.00	1,649	14.25	2,573	18.50	3,593
1.75	219	6.00	886	10.25	1,700	14.50	2,631	18.75	3,656
2.00	253	6.25	930	10.50	1,752	14.75	2,689	19.00	3,719
2.25	288	6.50	975	10.75	1,804	15.00	2,747	19.25	3,782
2.50	324	6.75	1,020	11.00	1,857	15.25	2,806	19.50	3,845
2.75	360	7.00	1,065	11.25	1,910	15.50	2,864	19.75	3,909
3.00	397	7.25	1,112	11.50	1,963	15.75	2,923	20.00	3,973
3.25	434	7.50	1,158	11.75	2,017	16.00	2,983	20.25	4,037
3.50	472	7.75	1,205	12.00	2,071	16.25	3,043	20.50	4,102
3.75	511	8.00	1,253	12.25	2,125	16.50	3,103	20.75	4,166
4.00	551	8.25	1,301	12.50	2,180	16.75	3,163	21.00	4,231



## Capacity/Gauge Table Information

**TCLX 290385**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 185

Reporting Mark: TCLX 290385

Date: 23/07/2015

Capacity: 28,940 US Gallons (109,551 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,296	25.50	5,440	29.75	6,641	34.00	7,891	38.25	9,179
21.50	4,362	25.75	5,509	30.00	6,714	34.25	7,966	38.50	9,256
21.75	4,428	26.00	5,578	30.25	6,786	34.50	8,041	38.75	9,333
22.00	4,493	26.25	5,648	30.50	6,859	34.75	8,116	39.00	9,410
22.25	4,560	26.50	5,718	30.75	6,932	35.00	8,191	39.25	9,487
22.50	4,626	26.75	5,788	31.00	7,004	35.25	8,266	39.50	9,564
22.75	4,693	27.00	5,858	31.25	7,078	35.50	8,342	39.75	9,642
23.00	4,759	27.25	5,928	31.50	7,151	35.75	8,417	40.00	9,719
23.25	4,826	27.50	5,999	31.75	7,224	36.00	8,493	40.25	9,797
23.50	4,894	27.75	6,069	32.00	7,298	36.25	8,569	40.50	9,874
23.75	4,961	28.00	6,140	32.25	7,371	36.50	8,645	40.75	9,952
24.00	5,029	28.25	6,211	32.50	7,445	36.75	8,721	41.00	10,029
24.25	5,097	28.50	6,283	32.75	7,519	37.00	8,797	41.25	10,107
24.50	5,165	28.75	6,354	33.00	7,593	37.25	8,873	41.50	10,185
24.75	5,233	29.00	6,426	33.25	7,668	37.50	8,950	41.75	10,263
25.00	5,302	29.25	6,497	33.50	7,742	37.75	9,026	42.00	10,341
25.25	5,371	29.50	6,569	33.75	7,816	38.00	9,103	42.25	10,419



## Capacity/Gauge Table Information

**TCLX 290385**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 185

Reporting Mark: TCLX 290385

Date: 23/07/2015

Capacity: 28,940 US Gallons (109,551 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,498	46.75	11,837	51.00	13,191	55.25	14,550	59.50	15,908
42.75	10,576	47.00	11,917	51.25	13,271	55.50	14,630	59.75	15,988
43.00	10,654	47.25	11,996	51.50	13,351	55.75	14,710	60.00	16,067
43.25	10,733	47.50	12,075	51.75	13,430	56.00	14,790	60.25	16,147
43.50	10,811	47.75	12,155	52.00	13,510	56.25	14,870	60.50	16,227
43.75	10,890	48.00	12,234	52.25	13,590	56.50	14,950	60.75	16,306
44.00	10,968	48.25	12,314	52.50	13,670	56.75	15,030	61.00	16,385
44.25	11,047	48.50	12,393	52.75	13,750	57.00	15,110	61.25	16,465
44.50	11,126	48.75	12,473	53.00	13,830	57.25	15,190	61.50	16,544
44.75	11,205	49.00	12,553	53.25	13,910	57.50	15,270	61.75	16,624
45.00	11,284	49.25	12,632	53.50	13,990	57.75	15,350	62.00	16,703
45.25	11,363	49.50	12,712	53.75	14,070	58.00	15,430	62.25	16,782
45.50	11,442	49.75	12,792	54.00	14,150	58.25	15,509	62.50	16,861
45.75	11,521	50.00	12,872	54.25	14,230	58.50	15,589	62.75	16,941
46.00	11,600	50.25	12,951	54.50	14,310	58.75	15,669	63.00	17,020
46.25	11,679	50.50	13,031	54.75	14,390	59.00	15,749	63.25	17,099
46.50	11,758	50.75	13,111	55.00	14,470	59.25	15,828	63.50	17,178





## Capacity/Gauge Table Information

**TCLX 290385**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 185

Reporting Mark: TCLX 290385

Date: 23/07/2015

Capacity: 28,940 US Gallons (109,551 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,257	68.00	18,588	72.25	19,895	76.50	21,167	80.75	22,398
64.00	17,336	68.25	18,666	72.50	19,970	76.75	21,241	81.00	22,469
64.25	17,414	68.50	18,743	72.75	20,046	77.00	21,315	81.25	22,539
64.50	17,493	68.75	18,821	73.00	20,122	77.25	21,388	81.50	22,610
64.75	17,572	69.00	18,898	73.25	20,197	77.50	21,461	81.75	22,680
65.00	17,650	69.25	18,975	73.50	20,273	77.75	21,534	82.00	22,750
65.25	17,729	69.50	19,052	73.75	20,348	78.00	21,607	82.25	22,820
65.50	17,807	69.75	19,130	74.00	20,423	78.25	21,680	82.50	22,890
65.75	17,886	70.00	19,207	74.25	20,498	78.50	21,752	82.75	22,960
66.00	17,964	70.25	19,283	74.50	20,573	78.75	21,825	83.00	23,029
66.25	18,042	70.50	19,360	74.75	20,648	79.00	21,897	83.25	23,098
66.50	18,121	70.75	19,437	75.00	20,723	79.25	21,969	83.50	23,167
66.75	18,199	71.00	19,513	75.25	20,797	79.50	22,041	83.75	23,236
67.00	18,277	71.25	19,590	75.50	20,871	79.75	22,113	84.00	23,304
67.25	18,355	71.50	19,666	75.75	20,946	80.00	22,184	84.25	23,373
67.50	18,433	71.75	19,742	76.00	21,020	80.25	22,256	84.50	23,441
67.75	18,510	72.00	19,819	76.25	21,094	80.50	22,327	84.75	23,509



## Capacity/Gauge Table Information

**TCLX 290385**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 185

Reporting Mark: TCLX 290385

Date: 23/07/2015

Capacity: 28,940 US Gallons (109,551 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,576	89.25	24,691	93.50	25,731	97.75	26,679	102.00	27,517
85.25	23,644	89.50	24,755	93.75	25,789	98.00	26,732	102.25	27,562
85.50	23,711	89.75	24,818	94.00	25,847	98.25	26,784	102.50	27,607
85.75	23,778	90.00	24,881	94.25	25,905	98.50	26,836	102.75	27,651
86.00	23,845	90.25	24,943	94.50	25,963	98.75	26,887	103.00	27,695
86.25	23,911	90.50	25,006	94.75	26,020	99.00	26,938	103.25	27,739
86.50	23,978	90.75	25,068	95.00	26,077	99.25	26,989	103.50	27,781
86.75	24,044	91.00	25,129	95.25	26,133	99.50	27,039	103.75	27,824
87.00	24,110	91.25	25,191	95.50	26,189	99.75	27,089	104.00	27,865
87.25	24,175	91.50	25,252	95.75	26,245	100.00	27,138	104.25	27,907
87.50	24,241	91.75	25,313	96.00	26,301	100.25	27,187	104.50	27,947
87.75	24,306	92.00	25,373	96.25	26,356	100.50	27,235	104.75	27,987
88.00	24,371	92.25	25,434	96.50	26,411	100.75	27,283	105.00	28,027
88.25	24,435	92.50	25,494	96.75	26,465	101.00	27,331	105.25	28,066
88.50	24,500	92.75	25,553	97.00	26,519	101.25	27,378	105.50	28,104
88.75	24,564	93.00	25,613	97.25	26,573	101.50	27,425	105.75	28,142
89.00	24,628	93.25	25,672	97.50	26,626	101.75	27,471	106.00	28,179



## Capacity/Gauge Table Information

**TCLX 290385**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 185

Reporting Mark: TCLX 290385

Date: 23/07/2015

Capacity: 28,940 US Gallons (109,551 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,216	110.50	28,723	114.75	28,928
106.50	28,252	110.75	28,744	115.00	28,931
106.75	28,287	111.00	28,763	115.25	28,934
107.00	28,322	111.25	28,782	115.50	28,936
107.25	28,355	111.50	28,799	115.75	28,938
107.50	28,389	111.75	28,815	116.00	28,939
107.75	28,421	112.00	28,830	116.25	28,940
108.00	28,453	112.25	28,844	116.50	28,940
108.25	28,484	112.50	28,857	116.75	28,940
108.50	28,514	112.75	28,869		
108.75	28,543	113.00	28,879		
109.00	28,572	113.25	28,889		
109.25	28,599	113.50	28,898		
109.50	28,626	113.75	28,905		
109.75	28,652	114.00	28,912		
110.00	28,677	114.25	28,918		
110.25	28,700	114.50	28,923		



## Capacity/Gauge Table Information

**TCLX 290386**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 186

Reporting Mark: TCLX 290386

Date: 12/08/2015

Capacity: 28,978 US Gallons (109,693 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,336	12.75	2,217	17.00	3,202
0.25	28	4.50	623	8.75	1,384	13.00	2,272	17.25	3,263
0.50	57	4.75	663	9.00	1,433	13.25	2,328	17.50	3,324
0.75	87	5.00	705	9.25	1,483	13.50	2,384	17.75	3,385
1.00	118	5.25	746	9.50	1,533	13.75	2,440	18.00	3,446
1.25	150	5.50	789	9.75	1,583	14.00	2,497	18.25	3,508
1.50	182	5.75	832	10.00	1,634	14.25	2,554	18.50	3,571
1.75	215	6.00	875	10.25	1,685	14.50	2,611	18.75	3,633
2.00	249	6.25	919	10.50	1,736	14.75	2,669	19.00	3,696
2.25	283	6.50	963	10.75	1,788	15.00	2,727	19.25	3,759
2.50	319	6.75	1,008	11.00	1,840	15.25	2,785	19.50	3,822
2.75	354	7.00	1,054	11.25	1,893	15.50	2,844	19.75	3,885
3.00	391	7.25	1,099	11.50	1,946	15.75	2,903	20.00	3,949
3.25	428	7.50	1,146	11.75	2,000	16.00	2,962	20.25	4,013
3.50	466	7.75	1,193	12.00	2,053	16.25	3,021	20.50	4,077
3.75	504	8.00	1,240	12.25	2,108	16.50	3,081	20.75	4,142
4.00	543	8.25	1,288	12.50	2,162	16.75	3,141	21.00	4,207



## Capacity/Gauge Table Information

**TCLX 290386**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 186

Reporting Mark: TCLX 290386

Date: 12/08/2015

Capacity: 28,978 US Gallons (109,693 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,272	25.50	5,413	29.75	6,613	34.00	7,861	38.25	9,149
21.50	4,337	25.75	5,482	30.00	6,685	34.25	7,936	38.50	9,225
21.75	4,403	26.00	5,551	30.25	6,757	34.50	8,011	38.75	9,302
22.00	4,468	26.25	5,621	30.50	6,830	34.75	8,086	39.00	9,379
22.25	4,534	26.50	5,690	30.75	6,902	35.00	8,161	39.25	9,456
22.50	4,601	26.75	5,760	31.00	6,975	35.25	8,236	39.50	9,533
22.75	4,667	27.00	5,830	31.25	7,048	35.50	8,312	39.75	9,611
23.00	4,734	27.25	5,900	31.50	7,121	35.75	8,387	40.00	9,688
23.25	4,801	27.50	5,971	31.75	7,195	36.00	8,463	40.25	9,765
23.50	4,868	27.75	6,041	32.00	7,268	36.25	8,538	40.50	9,843
23.75	4,935	28.00	6,112	32.25	7,342	36.50	8,614	40.75	9,921
24.00	5,003	28.25	6,183	32.50	7,416	36.75	8,690	41.00	9,998
24.25	5,071	28.50	6,254	32.75	7,489	37.00	8,766	41.25	10,076
24.50	5,139	28.75	6,326	33.00	7,564	37.25	8,843	41.50	10,154
24.75	5,207	29.00	6,397	33.25	7,638	37.50	8,919	41.75	10,232
25.00	5,275	29.25	6,469	33.50	7,712	37.75	8,995	42.00	10,310
25.25	5,344	29.50	6,541	33.75	7,787	38.00	9,072	42.25	10,388



## Capacity/Gauge Table Information

**TCLX 290386**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 186

Reporting Mark: TCLX 290386

Date: 12/08/2015

Capacity: 28,978 US Gallons (109,693 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,466	46.75	11,806	51.00	13,160	55.25	14,520	59.50	15,879
42.75	10,545	47.00	11,885	51.25	13,240	55.50	14,600	59.75	15,958
43.00	10,623	47.25	11,965	51.50	13,320	55.75	14,680	60.00	16,038
43.25	10,701	47.50	12,044	51.75	13,399	56.00	14,760	60.25	16,118
43.50	10,780	47.75	12,123	52.00	13,479	56.25	14,840	60.50	16,197
43.75	10,858	48.00	12,203	52.25	13,559	56.50	14,920	60.75	16,277
44.00	10,937	48.25	12,283	52.50	13,639	56.75	15,000	61.00	16,356
44.25	11,016	48.50	12,362	52.75	13,719	57.00	15,080	61.25	16,436
44.50	11,094	48.75	12,442	53.00	13,799	57.25	15,160	61.50	16,515
44.75	11,173	49.00	12,521	53.25	13,879	57.50	15,240	61.75	16,595
45.00	11,252	49.25	12,601	53.50	13,959	57.75	15,320	62.00	16,674
45.25	11,331	49.50	12,681	53.75	14,040	58.00	15,400	62.25	16,754
45.50	11,410	49.75	12,761	54.00	14,120	58.25	15,480	62.50	16,833
45.75	11,489	50.00	12,840	54.25	14,200	58.50	15,559	62.75	16,912
46.00	11,568	50.25	12,920	54.50	14,280	58.75	15,639	63.00	16,991
46.25	11,647	50.50	13,000	54.75	14,360	59.00	15,719	63.25	17,070
46.50	11,727	50.75	13,080	55.00	14,440	59.25	15,799	63.50	17,149



## Capacity/Gauge Table Information

**TCLX 290386**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 186

Reporting Mark: TCLX 290386

Date: 12/08/2015

Capacity: 28,978 US Gallons (109,693 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,229	68.00	18,562	72.25	19,870	76.50	21,146	80.75	22,379
64.00	17,307	68.25	18,639	72.50	19,946	76.75	21,219	81.00	22,450
64.25	17,386	68.50	18,717	72.75	20,022	77.00	21,293	81.25	22,521
64.50	17,465	68.75	18,795	73.00	20,098	77.25	21,367	81.50	22,591
64.75	17,544	69.00	18,872	73.25	20,174	77.50	21,440	81.75	22,662
65.00	17,623	69.25	18,949	73.50	20,249	77.75	21,513	82.00	22,732
65.25	17,701	69.50	19,027	73.75	20,325	78.00	21,586	82.25	22,802
65.50	17,780	69.75	19,104	74.00	20,400	78.25	21,659	82.50	22,872
65.75	17,858	70.00	19,181	74.25	20,475	78.50	21,732	82.75	22,942
66.00	17,937	70.25	19,258	74.50	20,550	78.75	21,804	83.00	23,012
66.25	18,015	70.50	19,335	74.75	20,625	79.00	21,877	83.25	23,081
66.50	18,094	70.75	19,412	75.00	20,700	79.25	21,949	83.50	23,150
66.75	18,172	71.00	19,488	75.25	20,774	79.50	22,021	83.75	23,219
67.00	18,250	71.25	19,565	75.50	20,849	79.75	22,093	84.00	23,288
67.25	18,328	71.50	19,641	75.75	20,923	80.00	22,165	84.25	23,356
67.50	18,406	71.75	19,718	76.00	20,998	80.25	22,236	84.50	23,425
67.75	18,484	72.00	19,794	76.25	21,072	80.50	22,308	84.75	23,493





## Capacity/Gauge Table Information

**TCLX 290386**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 186

Reporting Mark: TCLX 290386

Date: 12/08/2015

Capacity: 28,978 US Gallons (109,693 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,561	89.25	24,679	93.50	25,723	97.75	26,677	102.00	27,521
85.25	23,628	89.50	24,743	93.75	25,782	98.00	26,730	102.25	27,567
85.50	23,696	89.75	24,806	94.00	25,841	98.25	26,782	102.50	27,612
85.75	23,763	90.00	24,870	94.25	25,899	98.50	26,835	102.75	27,657
86.00	23,830	90.25	24,932	94.50	25,956	98.75	26,886	103.00	27,701
86.25	23,897	90.50	24,995	94.75	26,014	99.00	26,938	103.25	27,745
86.50	23,963	90.75	25,057	95.00	26,071	99.25	26,989	103.50	27,788
86.75	24,030	91.00	25,119	95.25	26,128	99.50	27,039	103.75	27,831
87.00	24,096	91.25	25,181	95.50	26,184	99.75	27,089	104.00	27,873
87.25	24,161	91.50	25,242	95.75	26,241	100.00	27,139	104.25	27,915
87.50	24,227	91.75	25,303	96.00	26,296	100.25	27,188	104.50	27,956
87.75	24,292	92.00	25,364	96.25	26,352	100.50	27,237	104.75	27,996
88.00	24,358	92.25	25,425	96.50	26,407	100.75	27,286	105.00	28,036
88.25	24,422	92.50	25,485	96.75	26,462	101.00	27,334	105.25	28,076
88.50	24,487	92.75	25,545	97.00	26,516	101.25	27,381	105.50	28,115
88.75	24,551	93.00	25,605	97.25	26,570	101.50	27,428	105.75	28,153
89.00	24,616	93.25	25,664	97.50	26,624	101.75	27,475	106.00	28,191



## Capacity/Gauge Table Information

**TCLX 290386**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 186

Reporting Mark: TCLX 290386

Date: 12/08/2015

Capacity: 28,978 US Gallons (109,693 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,228	110.50	28,747	114.75	28,964
106.50	28,264	110.75	28,769	115.00	28,968
106.75	28,300	111.00	28,790	115.25	28,971
107.00	28,335	111.25	28,810	115.50	28,974
107.25	28,370	111.50	28,828	115.75	28,975
107.50	28,403	111.75	28,845	116.00	28,977
107.75	28,437	112.00	28,861	116.25	28,977
108.00	28,469	112.25	28,876	116.50	28,978
108.25	28,501	112.50	28,889	116.75	28,978
108.50	28,531	112.75	28,902		
108.75	28,561	113.00	28,913		
109.00	28,591	113.25	28,923		
109.25	28,619	113.50	28,933		
109.50	28,647	113.75	28,941		
109.75	28,673	114.00	28,948		
110.00	28,699	114.25	28,954		
110.25	28,723	114.50	28,960		



## Capacity/Gauge Table Information

**TCLX 290387**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 187

Reporting Mark: TCLX 290387

Date: 23/07/2015

Capacity: 29,016 US Gallons (109,839 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	573	8.50	1,319	12.75	2,194	17.00	3,174
0.25	28	4.50	612	8.75	1,367	13.00	2,249	17.25	3,235
0.50	56	4.75	653	9.00	1,415	13.25	2,305	17.50	3,296
0.75	85	5.00	693	9.25	1,465	13.50	2,360	17.75	3,357
1.00	115	5.25	735	9.50	1,514	13.75	2,416	18.00	3,418
1.25	146	5.50	777	9.75	1,564	14.00	2,473	18.25	3,480
1.50	178	5.75	819	10.00	1,614	14.25	2,529	18.50	3,542
1.75	211	6.00	862	10.25	1,665	14.50	2,586	18.75	3,604
2.00	244	6.25	905	10.50	1,716	14.75	2,644	19.00	3,666
2.25	278	6.50	949	10.75	1,768	15.00	2,701	19.25	3,729
2.50	312	6.75	994	11.00	1,820	15.25	2,759	19.50	3,792
2.75	348	7.00	1,039	11.25	1,872	15.50	2,818	19.75	3,855
3.00	384	7.25	1,084	11.50	1,925	15.75	2,876	20.00	3,919
3.25	420	7.50	1,130	11.75	1,978	16.00	2,935	20.25	3,983
3.50	457	7.75	1,177	12.00	2,032	16.25	2,995	20.50	4,047
3.75	495	8.00	1,223	12.25	2,085	16.50	3,054	20.75	4,111
4.00	534	8.25	1,271	12.50	2,140	16.75	3,114	21.00	4,176



## Capacity/Gauge Table Information

**TCLX 290387**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 187

Reporting Mark: TCLX 290387

Date: 23/07/2015

Capacity: 29,016 US Gallons (109,839 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,241	25.50	5,379	29.75	6,576	34.00	7,823	38.25	9,109
21.50	4,306	25.75	5,448	30.00	6,648	34.25	7,897	38.50	9,186
21.75	4,371	26.00	5,517	30.25	6,720	34.50	7,972	38.75	9,262
22.00	4,437	26.25	5,586	30.50	6,793	34.75	8,047	39.00	9,339
22.25	4,502	26.50	5,655	30.75	6,865	35.00	8,122	39.25	9,416
22.50	4,568	26.75	5,725	31.00	6,938	35.25	8,197	39.50	9,493
22.75	4,635	27.00	5,795	31.25	7,011	35.50	8,273	39.75	9,571
23.00	4,701	27.25	5,865	31.50	7,084	35.75	8,348	40.00	9,648
23.25	4,768	27.50	5,935	31.75	7,157	36.00	8,424	40.25	9,725
23.50	4,835	27.75	6,006	32.00	7,231	36.25	8,499	40.50	9,803
23.75	4,902	28.00	6,077	32.25	7,304	36.50	8,575	40.75	9,880
24.00	4,970	28.25	6,147	32.50	7,378	36.75	8,651	41.00	9,958
24.25	5,037	28.50	6,218	32.75	7,452	37.00	8,727	41.25	10,036
24.50	5,105	28.75	6,290	33.00	7,526	37.25	8,803	41.50	10,114
24.75	5,173	29.00	6,361	33.25	7,600	37.50	8,879	41.75	10,191
25.00	5,241	29.25	6,433	33.50	7,674	37.75	8,956	42.00	10,269
25.25	5,310	29.50	6,504	33.75	7,748	38.00	9,032	42.25	10,348



## Capacity/Gauge Table Information

**TCLX 290387**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 187

Reporting Mark: TCLX 290387

Date: 23/07/2015

Capacity: 29,016 US Gallons (109,839 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,426	46.75	11,765	51.00	13,119	55.25	14,479	59.50	15,839
42.75	10,504	47.00	11,844	51.25	13,199	55.50	14,559	59.75	15,919
43.00	10,582	47.25	11,924	51.50	13,279	55.75	14,640	60.00	15,999
43.25	10,661	47.50	12,003	51.75	13,359	56.00	14,720	60.25	16,078
43.50	10,739	47.75	12,083	52.00	13,439	56.25	14,800	60.50	16,158
43.75	10,818	48.00	12,162	52.25	13,519	56.50	14,880	60.75	16,238
44.00	10,896	48.25	12,242	52.50	13,599	56.75	14,960	61.00	16,317
44.25	10,975	48.50	12,321	52.75	13,679	57.00	15,040	61.25	16,397
44.50	11,054	48.75	12,401	53.00	13,759	57.25	15,120	61.50	16,476
44.75	11,132	49.00	12,480	53.25	13,839	57.50	15,200	61.75	16,556
45.00	11,211	49.25	12,560	53.50	13,919	57.75	15,280	62.00	16,635
45.25	11,290	49.50	12,640	53.75	13,999	58.00	15,360	62.25	16,715
45.50	11,369	49.75	12,720	54.00	14,079	58.25	15,440	62.50	16,794
45.75	11,448	50.00	12,799	54.25	14,159	58.50	15,520	62.75	16,874
46.00	11,527	50.25	12,879	54.50	14,239	58.75	15,600	63.00	16,953
46.25	11,607	50.50	12,959	54.75	14,319	59.00	15,679	63.25	17,032
46.50	11,686	50.75	13,039	55.00	14,399	59.25	15,759	63.50	17,111



## Capacity/Gauge Table Information

**TCLX 290387**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 187

Reporting Mark: TCLX 290387

Date: 23/07/2015

Capacity: 29,016 US Gallons (109,839 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,190	68.00	18,525	72.25	19,836	76.50	21,114	80.75	22,350
64.00	17,269	68.25	18,603	72.50	19,912	76.75	21,188	81.00	22,422
64.25	17,348	68.50	18,681	72.75	19,988	77.00	21,262	81.25	22,493
64.50	17,427	68.75	18,759	73.00	20,064	77.25	21,335	81.50	22,564
64.75	17,506	69.00	18,836	73.25	20,140	77.50	21,409	81.75	22,634
65.00	17,585	69.25	18,914	73.50	20,216	77.75	21,482	82.00	22,705
65.25	17,664	69.50	18,991	73.75	20,291	78.00	21,556	82.25	22,775
65.50	17,742	69.75	19,068	74.00	20,367	78.25	21,629	82.50	22,845
65.75	17,821	70.00	19,146	74.25	20,442	78.50	21,702	82.75	22,915
66.00	17,900	70.25	19,223	74.50	20,517	78.75	21,774	83.00	22,985
66.25	17,978	70.50	19,300	74.75	20,592	79.00	21,847	83.25	23,055
66.50	18,056	70.75	19,377	75.00	20,667	79.25	21,919	83.50	23,124
66.75	18,135	71.00	19,453	75.25	20,742	79.50	21,992	83.75	23,193
67.00	18,213	71.25	19,530	75.50	20,817	79.75	22,064	84.00	23,262
67.25	18,291	71.50	19,607	75.75	20,891	80.00	22,136	84.25	23,331
67.50	18,369	71.75	19,683	76.00	20,966	80.25	22,207	84.50	23,399
67.75	18,447	72.00	19,760	76.25	21,040	80.50	22,279	84.75	23,468



## Capacity/Gauge Table Information

**TCLX 290387**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 187

Reporting Mark: TCLX 290387

Date: 23/07/2015

Capacity: 29,016 US Gallons (109,839 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,536	89.25	24,659	93.50	25,708	97.75	26,668	102.00	27,519
85.25	23,604	89.50	24,723	93.75	25,767	98.00	26,721	102.25	27,565
85.50	23,671	89.75	24,787	94.00	25,826	98.25	26,774	102.50	27,611
85.75	23,739	90.00	24,850	94.25	25,884	98.50	26,826	102.75	27,656
86.00	23,806	90.25	24,913	94.50	25,942	98.75	26,879	103.00	27,701
86.25	23,873	90.50	24,976	94.75	26,000	99.00	26,930	103.25	27,745
86.50	23,940	90.75	25,039	95.00	26,058	99.25	26,982	103.50	27,789
86.75	24,007	91.00	25,101	95.25	26,115	99.50	27,033	103.75	27,832
87.00	24,073	91.25	25,163	95.50	26,172	99.75	27,083	104.00	27,875
87.25	24,139	91.50	25,225	95.75	26,228	100.00	27,133	104.25	27,917
87.50	24,205	91.75	25,286	96.00	26,284	100.25	27,183	104.50	27,959
87.75	24,270	92.00	25,347	96.25	26,340	100.50	27,232	104.75	28,000
88.00	24,336	92.25	25,408	96.50	26,396	100.75	27,281	105.00	28,041
88.25	24,401	92.50	25,469	96.75	26,451	101.00	27,330	105.25	28,081
88.50	24,466	92.75	25,529	97.00	26,506	101.25	27,378	105.50	28,120
88.75	24,531	93.00	25,589	97.25	26,560	101.50	27,425	105.75	28,159
89.00	24,595	93.25	25,649	97.50	26,614	101.75	27,472	106.00	28,197





## Capacity/Gauge Table Information

**TCLX 290387**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 187

Reporting Mark: TCLX 290387

Date: 23/07/2015

Capacity: 29,016 US Gallons (109,839 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,235	110.50	28,768	114.75	29,002
106.50	28,272	110.75	28,792	115.00	29,006
106.75	28,309	111.00	28,814	115.25	29,009
107.00	28,344	111.25	28,836	115.50	29,012
107.25	28,380	111.50	28,855	115.75	29,014
107.50	28,414	111.75	28,874	116.00	29,015
107.75	28,448	112.00	28,891	116.25	29,016
108.00	28,481	112.25	28,907	116.50	29,016
108.25	28,513	112.50	28,921	116.75	29,016
108.50	28,545	112.75	28,935		
108.75	28,576	113.00	28,947		
109.00	28,606	113.25	28,958		
109.25	28,635	113.50	28,968		
109.50	28,664	113.75	28,976		
109.75	28,691	114.00	28,984		
110.00	28,718	114.25	28,991		
110.25	28,744	114.50	28,997		



## Capacity/Gauge Table Information

**TCLX 290388**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 188

Reporting Mark: TCLX 290388

Date: 10/08/2015

Capacity: 28,987 US Gallons (109,727 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,338	12.75	2,220	17.00	3,206
0.25	28	4.50	624	8.75	1,386	13.00	2,275	17.25	3,266
0.50	58	4.75	665	9.00	1,436	13.25	2,331	17.50	3,328
0.75	88	5.00	706	9.25	1,485	13.50	2,387	17.75	3,389
1.00	118	5.25	748	9.50	1,535	13.75	2,443	18.00	3,451
1.25	150	5.50	790	9.75	1,585	14.00	2,500	18.25	3,512
1.50	182	5.75	833	10.00	1,636	14.25	2,557	18.50	3,575
1.75	216	6.00	877	10.25	1,687	14.50	2,615	18.75	3,637
2.00	249	6.25	921	10.50	1,739	14.75	2,672	19.00	3,700
2.25	284	6.50	965	10.75	1,791	15.00	2,730	19.25	3,763
2.50	319	6.75	1,010	11.00	1,843	15.25	2,789	19.50	3,826
2.75	355	7.00	1,055	11.25	1,896	15.50	2,847	19.75	3,890
3.00	392	7.25	1,101	11.50	1,949	15.75	2,906	20.00	3,954
3.25	429	7.50	1,148	11.75	2,002	16.00	2,965	20.25	4,018
3.50	467	7.75	1,195	12.00	2,056	16.25	3,025	20.50	4,082
3.75	505	8.00	1,242	12.25	2,111	16.50	3,085	20.75	4,147
4.00	544	8.25	1,290	12.50	2,165	16.75	3,145	21.00	4,211



## Capacity/Gauge Table Information

**TCLX 290388**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 188

Reporting Mark: TCLX 290388

Date: 10/08/2015

Capacity: 28,987 US Gallons (109,727 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,276	25.50	5,418	29.75	6,619	34.00	7,868	38.25	9,156
21.50	4,342	25.75	5,487	30.00	6,691	34.25	7,943	38.50	9,233
21.75	4,407	26.00	5,557	30.25	6,763	34.50	8,018	38.75	9,310
22.00	4,473	26.25	5,626	30.50	6,836	34.75	8,093	39.00	9,387
22.25	4,539	26.50	5,696	30.75	6,909	35.00	8,168	39.25	9,464
22.50	4,605	26.75	5,766	31.00	6,982	35.25	8,243	39.50	9,541
22.75	4,672	27.00	5,836	31.25	7,055	35.50	8,319	39.75	9,618
23.00	4,739	27.25	5,906	31.50	7,128	35.75	8,394	40.00	9,696
23.25	4,806	27.50	5,976	31.75	7,201	36.00	8,470	40.25	9,773
23.50	4,873	27.75	6,047	32.00	7,275	36.25	8,546	40.50	9,851
23.75	4,940	28.00	6,118	32.25	7,348	36.50	8,621	40.75	9,928
24.00	5,008	28.25	6,189	32.50	7,422	36.75	8,697	41.00	10,006
24.25	5,076	28.50	6,260	32.75	7,496	37.00	8,774	41.25	10,084
24.50	5,144	28.75	6,332	33.00	7,570	37.25	8,850	41.50	10,162
24.75	5,212	29.00	6,403	33.25	7,644	37.50	8,926	41.75	10,240
25.00	5,281	29.25	6,475	33.50	7,719	37.75	9,003	42.00	10,318
25.25	5,349	29.50	6,547	33.75	7,793	38.00	9,079	42.25	10,396



## Capacity/Gauge Table Information

**TCLX 290388**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 188

Reporting Mark: TCLX 290388

Date: 10/08/2015

Capacity: 28,987 US Gallons (109,727 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,474	46.75	11,815	51.00	13,169	55.25	14,530	59.50	15,889
42.75	10,553	47.00	11,894	51.25	13,249	55.50	14,610	59.75	15,969
43.00	10,631	47.25	11,973	51.50	13,329	55.75	14,690	60.00	16,048
43.25	10,709	47.50	12,053	51.75	13,409	56.00	14,770	60.25	16,128
43.50	10,788	47.75	12,132	52.00	13,489	56.25	14,850	60.50	16,208
43.75	10,867	48.00	12,212	52.25	13,569	56.50	14,930	60.75	16,287
44.00	10,945	48.25	12,291	52.50	13,649	56.75	15,010	61.00	16,367
44.25	11,024	48.50	12,371	52.75	13,729	57.00	15,090	61.25	16,446
44.50	11,103	48.75	12,451	53.00	13,809	57.25	15,170	61.50	16,526
44.75	11,182	49.00	12,530	53.25	13,889	57.50	15,250	61.75	16,605
45.00	11,261	49.25	12,610	53.50	13,969	57.75	15,330	62.00	16,685
45.25	11,340	49.50	12,690	53.75	14,049	58.00	15,410	62.25	16,764
45.50	11,419	49.75	12,770	54.00	14,129	58.25	15,490	62.50	16,843
45.75	11,498	50.00	12,849	54.25	14,209	58.50	15,570	62.75	16,923
46.00	11,577	50.25	12,929	54.50	14,289	58.75	15,649	63.00	17,002
46.25	11,656	50.50	13,009	54.75	14,369	59.00	15,729	63.25	17,081
46.50	11,735	50.75	13,089	55.00	14,449	59.25	15,809	63.50	17,160



## Capacity/Gauge Table Information

**TCLX 290388**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 188

Reporting Mark: TCLX 290388

Date: 10/08/2015

Capacity: 28,987 US Gallons (109,727 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,239	68.00	18,573	72.25	19,882	76.50	21,157	80.75	22,391
64.00	17,318	68.25	18,651	72.50	19,958	76.75	21,231	81.00	22,462
64.25	17,397	68.50	18,728	72.75	20,034	77.00	21,305	81.25	22,533
64.50	17,476	68.75	18,806	73.00	20,109	77.25	21,378	81.50	22,604
64.75	17,555	69.00	18,883	73.25	20,185	77.50	21,452	81.75	22,674
65.00	17,634	69.25	18,961	73.50	20,261	77.75	21,525	82.00	22,744
65.25	17,712	69.50	19,038	73.75	20,336	78.00	21,598	82.25	22,814
65.50	17,791	69.75	19,115	74.00	20,411	78.25	21,671	82.50	22,884
65.75	17,869	70.00	19,192	74.25	20,487	78.50	21,744	82.75	22,954
66.00	17,948	70.25	19,269	74.50	20,562	78.75	21,816	83.00	23,024
66.25	18,026	70.50	19,346	74.75	20,637	79.00	21,889	83.25	23,093
66.50	18,105	70.75	19,423	75.00	20,711	79.25	21,961	83.50	23,162
66.75	18,183	71.00	19,500	75.25	20,786	79.50	22,033	83.75	23,231
67.00	18,261	71.25	19,576	75.50	20,861	79.75	22,105	84.00	23,300
67.25	18,339	71.50	19,653	75.75	20,935	80.00	22,177	84.25	23,368
67.50	18,417	71.75	19,729	76.00	21,009	80.25	22,248	84.50	23,437
67.75	18,495	72.00	19,805	76.25	21,083	80.50	22,320	84.75	23,505



## Capacity/Gauge Table Information

**TCLX 290388**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 188

Reporting Mark: TCLX 290388

Date: 10/08/2015

Capacity: 28,987 US Gallons (109,727 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,573	89.25	24,692	93.50	25,735	97.75	26,689	102.00	27,533
85.25	23,640	89.50	24,755	93.75	25,794	98.00	26,742	102.25	27,578
85.50	23,708	89.75	24,819	94.00	25,853	98.25	26,794	102.50	27,624
85.75	23,775	90.00	24,882	94.25	25,911	98.50	26,847	102.75	27,668
86.00	23,842	90.25	24,945	94.50	25,969	98.75	26,898	103.00	27,713
86.25	23,909	90.50	25,007	94.75	26,026	99.00	26,950	103.25	27,756
86.50	23,975	90.75	25,069	95.00	26,083	99.25	27,001	103.50	27,800
86.75	24,042	91.00	25,131	95.25	26,140	99.50	27,051	103.75	27,842
87.00	24,108	91.25	25,193	95.50	26,197	99.75	27,101	104.00	27,884
87.25	24,174	91.50	25,255	95.75	26,253	100.00	27,151	104.25	27,926
87.50	24,239	91.75	25,316	96.00	26,308	100.25	27,200	104.50	27,967
87.75	24,305	92.00	25,377	96.25	26,364	100.50	27,249	104.75	28,008
88.00	24,370	92.25	25,437	96.50	26,419	100.75	27,297	105.00	28,048
88.25	24,435	92.50	25,497	96.75	26,474	101.00	27,345	105.25	28,087
88.50	24,499	92.75	25,557	97.00	26,528	101.25	27,393	105.50	28,126
88.75	24,564	93.00	25,617	97.25	26,582	101.50	27,440	105.75	28,164
89.00	24,628	93.25	25,676	97.50	26,636	101.75	27,487	106.00	28,202



## Capacity/Gauge Table Information

**TCLX 290388**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 188

Reporting Mark: TCLX 290388

Date: 10/08/2015

Capacity: 28,987 US Gallons (109,727 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,239	110.50	28,757	114.75	28,973
106.50	28,275	110.75	28,779	115.00	28,977
106.75	28,311	111.00	28,800	115.25	28,980
107.00	28,346	111.25	28,820	115.50	28,983
107.25	28,381	111.50	28,838	115.75	28,984
107.50	28,415	111.75	28,855	116.00	28,986
107.75	28,448	112.00	28,871	116.25	28,986
108.00	28,480	112.25	28,885	116.50	28,987
108.25	28,511	112.50	28,899	116.75	28,987
108.50	28,542	112.75	28,911		
108.75	28,572	113.00	28,922		
109.00	28,601	113.25	28,933		
109.25	28,630	113.50	28,942		
109.50	28,657	113.75	28,950		
109.75	28,684	114.00	28,957		
110.00	28,709	114.25	28,963		
110.25	28,734	114.50	28,969		





## Capacity/Gauge Table Information

**TCLX 290389**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 189

Reporting Mark: TCLX 290389

Date: 23/07/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,344	12.75	2,229	17.00	3,216
0.25	29	4.50	628	8.75	1,393	13.00	2,284	17.25	3,277
0.50	58	4.75	669	9.00	1,442	13.25	2,340	17.50	3,338
0.75	88	5.00	710	9.25	1,492	13.50	2,396	17.75	3,400
1.00	119	5.25	752	9.50	1,542	13.75	2,453	18.00	3,461
1.25	151	5.50	795	9.75	1,592	14.00	2,509	18.25	3,523
1.50	184	5.75	838	10.00	1,643	14.25	2,566	18.50	3,586
1.75	217	6.00	882	10.25	1,695	14.50	2,624	18.75	3,648
2.00	251	6.25	926	10.50	1,746	14.75	2,682	19.00	3,711
2.25	286	6.50	970	10.75	1,798	15.00	2,740	19.25	3,774
2.50	322	6.75	1,015	11.00	1,851	15.25	2,798	19.50	3,837
2.75	358	7.00	1,061	11.25	1,904	15.50	2,857	19.75	3,901
3.00	394	7.25	1,107	11.50	1,957	15.75	2,916	20.00	3,965
3.25	432	7.50	1,154	11.75	2,011	16.00	2,975	20.25	4,029
3.50	470	7.75	1,201	12.00	2,065	16.25	3,035	20.50	4,094
3.75	508	8.00	1,248	12.25	2,119	16.50	3,095	20.75	4,158
4.00	548	8.25	1,296	12.50	2,174	16.75	3,155	21.00	4,223



## Capacity/Gauge Table Information

**TCLX 290389**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 189

Reporting Mark: TCLX 290389

Date: 23/07/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,288	25.50	5,431	29.75	6,633	34.00	7,883	38.25	9,171
21.50	4,354	25.75	5,500	30.00	6,705	34.25	7,957	38.50	9,248
21.75	4,419	26.00	5,570	30.25	6,777	34.50	8,032	38.75	9,325
22.00	4,485	26.25	5,639	30.50	6,850	34.75	8,107	39.00	9,402
22.25	4,551	26.50	5,709	30.75	6,923	35.00	8,183	39.25	9,479
22.50	4,618	26.75	5,779	31.00	6,996	35.25	8,258	39.50	9,556
22.75	4,684	27.00	5,849	31.25	7,069	35.50	8,333	39.75	9,634
23.00	4,751	27.25	5,919	31.50	7,142	35.75	8,409	40.00	9,711
23.25	4,818	27.50	5,990	31.75	7,215	36.00	8,485	40.25	9,789
23.50	4,885	27.75	6,061	32.00	7,289	36.25	8,561	40.50	9,866
23.75	4,953	28.00	6,132	32.25	7,363	36.50	8,637	40.75	9,944
24.00	5,020	28.25	6,203	32.50	7,437	36.75	8,713	41.00	10,022
24.25	5,088	28.50	6,274	32.75	7,511	37.00	8,789	41.25	10,099
24.50	5,157	28.75	6,345	33.00	7,585	37.25	8,865	41.50	10,177
24.75	5,225	29.00	6,417	33.25	7,659	37.50	8,941	41.75	10,255
25.00	5,293	29.25	6,489	33.50	7,733	37.75	9,018	42.00	10,334
25.25	5,362	29.50	6,561	33.75	7,808	38.00	9,095	42.25	10,412



## Capacity/Gauge Table Information

**TCLX 290389**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 189

Reporting Mark: TCLX 290389

Date: 23/07/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,490	46.75	11,830	51.00	13,185	55.25	14,545	59.50	15,904
42.75	10,568	47.00	11,910	51.25	13,265	55.50	14,625	59.75	15,984
43.00	10,647	47.25	11,989	51.50	13,345	55.75	14,705	60.00	16,064
43.25	10,725	47.50	12,069	51.75	13,425	56.00	14,785	60.25	16,143
43.50	10,804	47.75	12,148	52.00	13,505	56.25	14,865	60.50	16,223
43.75	10,882	48.00	12,228	52.25	13,585	56.50	14,945	60.75	16,303
44.00	10,961	48.25	12,307	52.50	13,665	56.75	15,025	61.00	16,382
44.25	11,040	48.50	12,387	52.75	13,745	57.00	15,105	61.25	16,462
44.50	11,119	48.75	12,467	53.00	13,825	57.25	15,185	61.50	16,541
44.75	11,197	49.00	12,546	53.25	13,905	57.50	15,265	61.75	16,621
45.00	11,276	49.25	12,626	53.50	13,985	57.75	15,345	62.00	16,700
45.25	11,355	49.50	12,706	53.75	14,065	58.00	15,425	62.25	16,779
45.50	11,434	49.75	12,785	54.00	14,145	58.25	15,505	62.50	16,859
45.75	11,513	50.00	12,865	54.25	14,225	58.50	15,585	62.75	16,938
46.00	11,593	50.25	12,945	54.50	14,305	58.75	15,665	63.00	17,017
46.25	11,672	50.50	13,025	54.75	14,385	59.00	15,745	63.25	17,096
46.50	11,751	50.75	13,105	55.00	14,465	59.25	15,825	63.50	17,175



## Capacity/Gauge Table Information

**TCLX 290389**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 189

Reporting Mark: TCLX 290389

Date: 23/07/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,254	68.00	18,587	72.25	19,895	76.50	21,170	80.75	22,402
64.00	17,333	68.25	18,665	72.50	19,971	76.75	21,243	81.00	22,473
64.25	17,412	68.50	18,742	72.75	20,047	77.00	21,317	81.25	22,544
64.50	17,491	68.75	18,820	73.00	20,123	77.25	21,390	81.50	22,614
64.75	17,570	69.00	18,897	73.25	20,198	77.50	21,464	81.75	22,685
65.00	17,648	69.25	18,975	73.50	20,274	77.75	21,537	82.00	22,755
65.25	17,727	69.50	19,052	73.75	20,349	78.00	21,610	82.25	22,825
65.50	17,806	69.75	19,129	74.00	20,424	78.25	21,683	82.50	22,895
65.75	17,884	70.00	19,206	74.25	20,500	78.50	21,755	82.75	22,965
66.00	17,962	70.25	19,283	74.50	20,575	78.75	21,828	83.00	23,034
66.25	18,041	70.50	19,360	74.75	20,649	79.00	21,900	83.25	23,103
66.50	18,119	70.75	19,437	75.00	20,724	79.25	21,972	83.50	23,172
66.75	18,197	71.00	19,513	75.25	20,799	79.50	22,045	83.75	23,241
67.00	18,275	71.25	19,590	75.50	20,873	79.75	22,116	84.00	23,310
67.25	18,353	71.50	19,666	75.75	20,948	80.00	22,188	84.25	23,378
67.50	18,431	71.75	19,743	76.00	21,022	80.25	22,260	84.50	23,446
67.75	18,509	72.00	19,819	76.25	21,096	80.50	22,331	84.75	23,514



## Capacity/Gauge Table Information

**TCLX 290389**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 189

Reporting Mark: TCLX 290389

Date: 23/07/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,582	89.25	24,699	93.50	25,741	97.75	26,692	102.00	27,533
85.25	23,650	89.50	24,763	93.75	25,800	98.00	26,745	102.25	27,578
85.50	23,717	89.75	24,826	94.00	25,858	98.25	26,797	102.50	27,623
85.75	23,784	90.00	24,889	94.25	25,916	98.50	26,849	102.75	27,668
86.00	23,851	90.25	24,952	94.50	25,974	98.75	26,901	103.00	27,712
86.25	23,918	90.50	25,014	94.75	26,031	99.00	26,952	103.25	27,756
86.50	23,984	90.75	25,076	95.00	26,088	99.25	27,003	103.50	27,799
86.75	24,051	91.00	25,138	95.25	26,145	99.50	27,053	103.75	27,841
87.00	24,117	91.25	25,200	95.50	26,201	99.75	27,103	104.00	27,883
87.25	24,182	91.50	25,261	95.75	26,257	100.00	27,153	104.25	27,924
87.50	24,248	91.75	25,322	96.00	26,313	100.25	27,202	104.50	27,965
87.75	24,313	92.00	25,383	96.25	26,368	100.50	27,250	104.75	28,006
88.00	24,378	92.25	25,443	96.50	26,423	100.75	27,299	105.00	28,045
88.25	24,443	92.50	25,504	96.75	26,478	101.00	27,346	105.25	28,085
88.50	24,507	92.75	25,563	97.00	26,532	101.25	27,394	105.50	28,123
88.75	24,572	93.00	25,623	97.25	26,586	101.50	27,441	105.75	28,161
89.00	24,636	93.25	25,682	97.50	26,639	101.75	27,487	106.00	28,199



## Capacity/Gauge Table Information

**TCLX 290389**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 189

Reporting Mark: TCLX 290389

Date: 23/07/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,235	110.50	28,748	114.75	28,958
106.50	28,272	110.75	28,769	115.00	28,961
106.75	28,307	111.00	28,789	115.25	28,964
107.00	28,342	111.25	28,808	115.50	28,967
107.25	28,376	111.50	28,826	115.75	28,969
107.50	28,409	111.75	28,843	116.00	28,970
107.75	28,442	112.00	28,858	116.25	28,970
108.00	28,474	112.25	28,872	116.50	28,971
108.25	28,505	112.50	28,885	116.75	28,971
108.50	28,536	112.75	28,897		
108.75	28,566	113.00	28,908		
109.00	28,594	113.25	28,918		
109.25	28,622	113.50	28,927		
109.50	28,649	113.75	28,935		
109.75	28,676	114.00	28,942		
110.00	28,701	114.25	28,948		
110.25	28,725	114.50	28,953		



## Capacity/Gauge Table Information

**TCLX 290390**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 190

Reporting Mark: TCLX 290390

Date: 17/07/2015

Capacity: 28,937 US Gallons (109,538 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,350	12.75	2,236	17.00	3,224
0.25	29	4.50	631	8.75	1,398	13.00	2,291	17.25	3,285
0.50	58	4.75	672	9.00	1,448	13.25	2,347	17.50	3,346
0.75	89	5.00	714	9.25	1,498	13.50	2,403	17.75	3,407
1.00	120	5.25	756	9.50	1,548	13.75	2,460	18.00	3,469
1.25	152	5.50	799	9.75	1,598	14.00	2,516	18.25	3,531
1.50	185	5.75	842	10.00	1,649	14.25	2,574	18.50	3,594
1.75	219	6.00	886	10.25	1,701	14.50	2,631	18.75	3,656
2.00	253	6.25	930	10.50	1,752	14.75	2,689	19.00	3,719
2.25	288	6.50	975	10.75	1,805	15.00	2,747	19.25	3,782
2.50	324	6.75	1,020	11.00	1,857	15.25	2,806	19.50	3,846
2.75	360	7.00	1,066	11.25	1,910	15.50	2,865	19.75	3,909
3.00	397	7.25	1,112	11.50	1,963	15.75	2,924	20.00	3,973
3.25	434	7.50	1,158	11.75	2,017	16.00	2,983	20.25	4,037
3.50	473	7.75	1,206	12.00	2,071	16.25	3,043	20.50	4,102
3.75	511	8.00	1,253	12.25	2,126	16.50	3,103	20.75	4,166
4.00	551	8.25	1,301	12.50	2,180	16.75	3,163	21.00	4,231





## Capacity/Gauge Table Information

**TCLX 290390**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 190

Reporting Mark: TCLX 290390

Date: 17/07/2015

Capacity: 28,937 US Gallons (109,538 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,297	25.50	5,440	29.75	6,641	34.00	7,891	38.25	9,179
21.50	4,362	25.75	5,509	30.00	6,714	34.25	7,966	38.50	9,256
21.75	4,428	26.00	5,578	30.25	6,786	34.50	8,041	38.75	9,333
22.00	4,494	26.25	5,648	30.50	6,859	34.75	8,116	39.00	9,410
22.25	4,560	26.50	5,718	30.75	6,931	35.00	8,191	39.25	9,487
22.50	4,626	26.75	5,788	31.00	7,004	35.25	8,266	39.50	9,564
22.75	4,693	27.00	5,858	31.25	7,077	35.50	8,342	39.75	9,641
23.00	4,760	27.25	5,928	31.50	7,151	35.75	8,417	40.00	9,719
23.25	4,827	27.50	5,999	31.75	7,224	36.00	8,493	40.25	9,796
23.50	4,894	27.75	6,069	32.00	7,298	36.25	8,569	40.50	9,874
23.75	4,961	28.00	6,140	32.25	7,371	36.50	8,645	40.75	9,951
24.00	5,029	28.25	6,211	32.50	7,445	36.75	8,721	41.00	10,029
24.25	5,097	28.50	6,283	32.75	7,519	37.00	8,797	41.25	10,107
24.50	5,165	28.75	6,354	33.00	7,593	37.25	8,873	41.50	10,185
24.75	5,233	29.00	6,426	33.25	7,667	37.50	8,949	41.75	10,263
25.00	5,302	29.25	6,497	33.50	7,742	37.75	9,026	42.00	10,341
25.25	5,371	29.50	6,569	33.75	7,816	38.00	9,102	42.25	10,419



## Capacity/Gauge Table Information

**TCLX 290390**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 190

Reporting Mark: TCLX 290390

Date: 17/07/2015

Capacity: 28,937 US Gallons (109,538 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,497	46.75	11,837	51.00	13,190	55.25	14,549	59.50	15,907
42.75	10,575	47.00	11,916	51.25	13,270	55.50	14,629	59.75	15,987
43.00	10,654	47.25	11,995	51.50	13,350	55.75	14,709	60.00	16,066
43.25	10,732	47.50	12,075	51.75	13,430	56.00	14,789	60.25	16,146
43.50	10,811	47.75	12,154	52.00	13,510	56.25	14,869	60.50	16,225
43.75	10,889	48.00	12,234	52.25	13,590	56.50	14,949	60.75	16,305
44.00	10,968	48.25	12,313	52.50	13,670	56.75	15,029	61.00	16,384
44.25	11,047	48.50	12,393	52.75	13,750	57.00	15,109	61.25	16,464
44.50	11,125	48.75	12,472	53.00	13,829	57.25	15,189	61.50	16,543
44.75	11,204	49.00	12,552	53.25	13,909	57.50	15,269	61.75	16,623
45.00	11,283	49.25	12,632	53.50	13,989	57.75	15,349	62.00	16,702
45.25	11,362	49.50	12,711	53.75	14,069	58.00	15,429	62.25	16,781
45.50	11,441	49.75	12,791	54.00	14,149	58.25	15,508	62.50	16,860
45.75	11,520	50.00	12,871	54.25	14,229	58.50	15,588	62.75	16,939
46.00	11,599	50.25	12,951	54.50	14,309	58.75	15,668	63.00	17,018
46.25	11,678	50.50	13,030	54.75	14,389	59.00	15,748	63.25	17,098
46.50	11,757	50.75	13,110	55.00	14,469	59.25	15,827	63.50	17,177



## Capacity/Gauge Table Information

**TCLX 290390**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 190

Reporting Mark: TCLX 290390

Date: 17/07/2015

Capacity: 28,937 US Gallons (109,538 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,255	68.00	18,587	72.25	19,893	76.50	21,166	80.75	22,396
64.00	17,334	68.25	18,664	72.50	19,969	76.75	21,239	81.00	22,467
64.25	17,413	68.50	18,742	72.75	20,045	77.00	21,313	81.25	22,537
64.50	17,492	68.75	18,819	73.00	20,120	77.25	21,386	81.50	22,608
64.75	17,571	69.00	18,897	73.25	20,196	77.50	21,459	81.75	22,678
65.00	17,649	69.25	18,974	73.50	20,271	77.75	21,532	82.00	22,748
65.25	17,728	69.50	19,051	73.75	20,346	78.00	21,605	82.25	22,818
65.50	17,806	69.75	19,128	74.00	20,422	78.25	21,678	82.50	22,888
65.75	17,885	70.00	19,205	74.25	20,497	78.50	21,751	82.75	22,958
66.00	17,963	70.25	19,282	74.50	20,571	78.75	21,823	83.00	23,027
66.25	18,041	70.50	19,359	74.75	20,646	79.00	21,895	83.25	23,096
66.50	18,119	70.75	19,435	75.00	20,721	79.25	21,967	83.50	23,165
66.75	18,197	71.00	19,512	75.25	20,795	79.50	22,039	83.75	23,234
67.00	18,275	71.25	19,588	75.50	20,870	79.75	22,111	84.00	23,302
67.25	18,353	71.50	19,665	75.75	20,944	80.00	22,182	84.25	23,370
67.50	18,431	71.75	19,741	76.00	21,018	80.25	22,254	84.50	23,438
67.75	18,509	72.00	19,817	76.25	21,092	80.50	22,325	84.75	23,506



## Capacity/Gauge Table Information

**TCLX 290390**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 190

Reporting Mark: TCLX 290390

Date: 17/07/2015

Capacity: 28,937 US Gallons (109,538 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,574	89.25	24,689	93.50	25,728	97.75	26,676	102.00	27,514
85.25	23,641	89.50	24,752	93.75	25,787	98.00	26,729	102.25	27,559
85.50	23,709	89.75	24,815	94.00	25,845	98.25	26,781	102.50	27,604
85.75	23,776	90.00	24,878	94.25	25,903	98.50	26,833	102.75	27,648
86.00	23,842	90.25	24,941	94.50	25,960	98.75	26,884	103.00	27,692
86.25	23,909	90.50	25,003	94.75	26,017	99.00	26,935	103.25	27,735
86.50	23,975	90.75	25,065	95.00	26,074	99.25	26,986	103.50	27,778
86.75	24,041	91.00	25,127	95.25	26,131	99.50	27,036	103.75	27,821
87.00	24,107	91.25	25,188	95.50	26,187	99.75	27,086	104.00	27,862
87.25	24,173	91.50	25,249	95.75	26,243	100.00	27,135	104.25	27,904
87.50	24,238	91.75	25,310	96.00	26,298	100.25	27,184	104.50	27,944
87.75	24,303	92.00	25,371	96.25	26,353	100.50	27,232	104.75	27,984
88.00	24,368	92.25	25,431	96.50	26,408	100.75	27,280	105.00	28,024
88.25	24,433	92.50	25,491	96.75	26,462	101.00	27,328	105.25	28,063
88.50	24,497	92.75	25,551	97.00	26,516	101.25	27,375	105.50	28,101
88.75	24,561	93.00	25,610	97.25	26,570	101.50	27,422	105.75	28,139
89.00	24,625	93.25	25,669	97.50	26,623	101.75	27,468	106.00	28,176



## Capacity/Gauge Table Information

**TCLX 290390**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 190

Reporting Mark: TCLX 290390

Date: 17/07/2015

Capacity: 28,937 US Gallons (109,538 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,213	110.50	28,719	114.75	28,924
106.50	28,248	110.75	28,740	115.00	28,928
106.75	28,284	111.00	28,760	115.25	28,931
107.00	28,318	111.25	28,778	115.50	28,933
107.25	28,352	111.50	28,796	115.75	28,935
107.50	28,385	111.75	28,812	116.00	28,936
107.75	28,418	112.00	28,827	116.25	28,936
108.00	28,449	112.25	28,841	116.50	28,937
108.25	28,480	112.50	28,853	116.75	28,937
108.50	28,511	112.75	28,865		
108.75	28,540	113.00	28,876		
109.00	28,568	113.25	28,885		
109.25	28,596	113.50	28,894		
109.50	28,623	113.75	28,902		
109.75	28,648	114.00	28,909		
110.00	28,673	114.25	28,915		
110.25	28,697	114.50	28,920		



## Capacity/Gauge Table Information

**TCLX 290391**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 191

Reporting Mark: TCLX 290391

Date: 17/07/2015

Capacity: 28,950 US Gallons (109,588 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	592	8.50	1,352	12.75	2,239	17.00	3,229
0.25	29	4.50	633	8.75	1,401	13.00	2,295	17.25	3,290
0.50	59	4.75	674	9.00	1,451	13.25	2,351	17.50	3,351
0.75	89	5.00	716	9.25	1,500	13.50	2,407	17.75	3,412
1.00	121	5.25	758	9.50	1,551	13.75	2,464	18.00	3,474
1.25	153	5.50	801	9.75	1,601	14.00	2,521	18.25	3,536
1.50	186	5.75	844	10.00	1,652	14.25	2,578	18.50	3,599
1.75	219	6.00	888	10.25	1,704	14.50	2,635	18.75	3,661
2.00	254	6.25	932	10.50	1,756	14.75	2,693	19.00	3,724
2.25	289	6.50	977	10.75	1,808	15.00	2,752	19.25	3,788
2.50	324	6.75	1,022	11.00	1,860	15.25	2,810	19.50	3,851
2.75	361	7.00	1,068	11.25	1,913	15.50	2,869	19.75	3,915
3.00	398	7.25	1,114	11.50	1,967	15.75	2,928	20.00	3,979
3.25	436	7.50	1,161	11.75	2,021	16.00	2,988	20.25	4,043
3.50	474	7.75	1,208	12.00	2,075	16.25	3,047	20.50	4,108
3.75	513	8.00	1,256	12.25	2,129	16.50	3,108	20.75	4,172
4.00	552	8.25	1,304	12.50	2,184	16.75	3,168	21.00	4,237



## Capacity/Gauge Table Information

**TCLX 290391**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 191

Reporting Mark: TCLX 290391

Date: 17/07/2015

Capacity: 28,950 US Gallons (109,588 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,303	25.50	5,447	29.75	6,649	34.00	7,900	38.25	9,189
21.50	4,368	25.75	5,516	30.00	6,722	34.25	7,975	38.50	9,266
21.75	4,434	26.00	5,585	30.25	6,794	34.50	8,050	38.75	9,343
22.00	4,500	26.25	5,655	30.50	6,867	34.75	8,125	39.00	9,420
22.25	4,566	26.50	5,725	30.75	6,940	35.00	8,200	39.25	9,497
22.50	4,632	26.75	5,795	31.00	7,013	35.25	8,276	39.50	9,575
22.75	4,699	27.00	5,865	31.25	7,086	35.50	8,351	39.75	9,652
23.00	4,766	27.25	5,936	31.50	7,159	35.75	8,427	40.00	9,729
23.25	4,833	27.50	6,006	31.75	7,233	36.00	8,503	40.25	9,807
23.50	4,900	27.75	6,077	32.00	7,306	36.25	8,578	40.50	9,884
23.75	4,968	28.00	6,148	32.25	7,380	36.50	8,654	40.75	9,962
24.00	5,036	28.25	6,219	32.50	7,454	36.75	8,730	41.00	10,040
24.25	5,104	28.50	6,290	32.75	7,528	37.00	8,807	41.25	10,118
24.50	5,172	28.75	6,362	33.00	7,602	37.25	8,883	41.50	10,196
24.75	5,240	29.00	6,433	33.25	7,676	37.50	8,959	41.75	10,274
25.00	5,309	29.25	6,505	33.50	7,751	37.75	9,036	42.00	10,352
25.25	5,378	29.50	6,577	33.75	7,825	38.00	9,113	42.25	10,430





## Capacity/Gauge Table Information

**TCLX 290391**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 191

Reporting Mark: TCLX 290391

Date: 17/07/2015

Capacity: 28,950 US Gallons (109,588 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,508	46.75	11,849	51.00	13,203	55.25	14,563	59.50	15,922
42.75	10,587	47.00	11,928	51.25	13,283	55.50	14,643	59.75	16,002
43.00	10,665	47.25	12,008	51.50	13,363	55.75	14,723	60.00	16,081
43.25	10,744	47.50	12,087	51.75	13,443	56.00	14,803	60.25	16,161
43.50	10,822	47.75	12,167	52.00	13,523	56.25	14,883	60.50	16,240
43.75	10,901	48.00	12,246	52.25	13,603	56.50	14,963	60.75	16,320
44.00	10,979	48.25	12,326	52.50	13,683	56.75	15,043	61.00	16,400
44.25	11,058	48.50	12,405	52.75	13,763	57.00	15,123	61.25	16,479
44.50	11,137	48.75	12,485	53.00	13,843	57.25	15,203	61.50	16,558
44.75	11,216	49.00	12,565	53.25	13,923	57.50	15,283	61.75	16,638
45.00	11,295	49.25	12,644	53.50	14,003	57.75	15,363	62.00	16,717
45.25	11,374	49.50	12,724	53.75	14,083	58.00	15,443	62.25	16,796
45.50	11,453	49.75	12,804	54.00	14,163	58.25	15,523	62.50	16,876
45.75	11,532	50.00	12,884	54.25	14,243	58.50	15,603	62.75	16,955
46.00	11,611	50.25	12,964	54.50	14,323	58.75	15,683	63.00	17,034
46.25	11,690	50.50	13,043	54.75	14,403	59.00	15,762	63.25	17,113
46.50	11,770	50.75	13,123	55.00	14,483	59.25	15,842	63.50	17,192



## Capacity/Gauge Table Information

**TCLX 290391**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 191

Reporting Mark: TCLX 290391

Date: 17/07/2015

Capacity: 28,950 US Gallons (109,588 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,271	68.00	18,603	72.25	19,910	76.50	21,183	80.75	22,414
64.00	17,350	68.25	18,681	72.50	19,986	76.75	21,257	81.00	22,485
64.25	17,429	68.50	18,758	72.75	20,062	77.00	21,330	81.25	22,555
64.50	17,508	68.75	18,836	73.00	20,137	77.25	21,404	81.50	22,626
64.75	17,586	69.00	18,913	73.25	20,213	77.50	21,477	81.75	22,696
65.00	17,665	69.25	18,990	73.50	20,288	77.75	21,550	82.00	22,766
65.25	17,743	69.50	19,068	73.75	20,364	78.00	21,623	82.25	22,836
65.50	17,822	69.75	19,145	74.00	20,439	78.25	21,696	82.50	22,906
65.75	17,900	70.00	19,222	74.25	20,514	78.50	21,768	82.75	22,975
66.00	17,979	70.25	19,299	74.50	20,589	78.75	21,841	83.00	23,045
66.25	18,057	70.50	19,375	74.75	20,663	79.00	21,913	83.25	23,114
66.50	18,135	70.75	19,452	75.00	20,738	79.25	21,985	83.50	23,183
66.75	18,213	71.00	19,529	75.25	20,813	79.50	22,057	83.75	23,252
67.00	18,292	71.25	19,605	75.50	20,887	79.75	22,129	84.00	23,320
67.25	18,370	71.50	19,681	75.75	20,961	80.00	22,200	84.25	23,388
67.50	18,447	71.75	19,758	76.00	21,035	80.25	22,271	84.50	23,457
67.75	18,525	72.00	19,834	76.25	21,109	80.50	22,343	84.75	23,524



## Capacity/Gauge Table Information

**TCLX 290391**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 191

Reporting Mark: TCLX 290391

Date: 17/07/2015

Capacity: 28,950 US Gallons (109,588 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,592	89.25	24,707	93.50	25,746	97.75	26,694	102.00	27,531
85.25	23,660	89.50	24,771	93.75	25,805	98.00	26,747	102.25	27,577
85.50	23,727	89.75	24,834	94.00	25,863	98.25	26,799	102.50	27,621
85.75	23,794	90.00	24,896	94.25	25,921	98.50	26,851	102.75	27,666
86.00	23,861	90.25	24,959	94.50	25,978	98.75	26,902	103.00	27,709
86.25	23,927	90.50	25,021	94.75	26,035	99.00	26,953	103.25	27,753
86.50	23,993	90.75	25,083	95.00	26,092	99.25	27,004	103.50	27,795
86.75	24,060	91.00	25,145	95.25	26,149	99.50	27,054	103.75	27,838
87.00	24,125	91.25	25,206	95.50	26,205	99.75	27,103	104.00	27,879
87.25	24,191	91.50	25,268	95.75	26,261	100.00	27,153	104.25	27,921
87.50	24,256	91.75	25,328	96.00	26,316	100.25	27,202	104.50	27,961
87.75	24,322	92.00	25,389	96.25	26,371	100.50	27,250	104.75	28,001
88.00	24,386	92.25	25,449	96.50	26,426	100.75	27,298	105.00	28,041
88.25	24,451	92.50	25,509	96.75	26,480	101.00	27,346	105.25	28,080
88.50	24,515	92.75	25,569	97.00	26,534	101.25	27,393	105.50	28,118
88.75	24,580	93.00	25,628	97.25	26,588	101.50	27,439	105.75	28,156
89.00	24,644	93.25	25,688	97.50	26,641	101.75	27,486	106.00	28,193



## Capacity/Gauge Table Information

**TCLX 290391**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 191

Reporting Mark: TCLX 290391

Date: 17/07/2015

Capacity: 28,950 US Gallons (109,588 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,229	110.50	28,734	114.75	28,937
106.50	28,265	110.75	28,755	115.00	28,941
106.75	28,300	111.00	28,775	115.25	28,944
107.00	28,335	111.25	28,793	115.50	28,946
107.25	28,368	111.50	28,810	115.75	28,948
107.50	28,402	111.75	28,826	116.00	28,949
107.75	28,434	112.00	28,841	116.25	28,950
108.00	28,466	112.25	28,855	116.50	28,950
108.25	28,496	112.50	28,867	116.75	28,950
108.50	28,527	112.75	28,879		
108.75	28,556	113.00	28,890		
109.00	28,584	113.25	28,899		
109.25	28,612	113.50	28,908		
109.50	28,638	113.75	28,915		
109.75	28,664	114.00	28,922		
110.00	28,688	114.25	28,928		
110.25	28,712	114.50	28,933		



## Capacity/Gauge Table Information

**TCLX 290392**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 192

Reporting Mark: TCLX 290392

Date: 23/07/2015

Capacity: 28,973 US Gallons (109,676 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,232	17.00	3,220
0.25	29	4.50	629	8.75	1,395	13.00	2,287	17.25	3,281
0.50	58	4.75	670	9.00	1,445	13.25	2,343	17.50	3,342
0.75	89	5.00	712	9.25	1,494	13.50	2,399	17.75	3,404
1.00	120	5.25	754	9.50	1,545	13.75	2,456	18.00	3,465
1.25	152	5.50	797	9.75	1,595	14.00	2,513	18.25	3,527
1.50	184	5.75	840	10.00	1,646	14.25	2,570	18.50	3,590
1.75	218	6.00	883	10.25	1,697	14.50	2,627	18.75	3,652
2.00	252	6.25	927	10.50	1,749	14.75	2,685	19.00	3,715
2.25	287	6.50	972	10.75	1,801	15.00	2,743	19.25	3,778
2.50	322	6.75	1,017	11.00	1,854	15.25	2,802	19.50	3,842
2.75	359	7.00	1,063	11.25	1,907	15.50	2,861	19.75	3,905
3.00	395	7.25	1,109	11.50	1,960	15.75	2,920	20.00	3,969
3.25	433	7.50	1,156	11.75	2,014	16.00	2,979	20.25	4,034
3.50	471	7.75	1,203	12.00	2,068	16.25	3,039	20.50	4,098
3.75	510	8.00	1,250	12.25	2,122	16.50	3,099	20.75	4,163
4.00	549	8.25	1,298	12.50	2,177	16.75	3,159	21.00	4,228



## Capacity/Gauge Table Information

**TCLX 290392**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 192

Reporting Mark: TCLX 290392

Date: 23/07/2015

Capacity: 28,973 US Gallons (109,676 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,293	25.50	5,436	29.75	6,638	34.00	7,889	38.25	9,178
21.50	4,358	25.75	5,506	30.00	6,711	34.25	7,964	38.50	9,255
21.75	4,424	26.00	5,575	30.25	6,783	34.50	8,039	38.75	9,332
22.00	4,490	26.25	5,644	30.50	6,856	34.75	8,114	39.00	9,409
22.25	4,556	26.50	5,714	30.75	6,929	35.00	8,189	39.25	9,486
22.50	4,622	26.75	5,784	31.00	7,002	35.25	8,264	39.50	9,563
22.75	4,689	27.00	5,854	31.25	7,075	35.50	8,340	39.75	9,640
23.00	4,756	27.25	5,925	31.50	7,148	35.75	8,415	40.00	9,718
23.25	4,823	27.50	5,995	31.75	7,221	36.00	8,491	40.25	9,795
23.50	4,890	27.75	6,066	32.00	7,295	36.25	8,567	40.50	9,873
23.75	4,958	28.00	6,137	32.25	7,369	36.50	8,643	40.75	9,951
24.00	5,025	28.25	6,208	32.50	7,443	36.75	8,719	41.00	10,028
24.25	5,093	28.50	6,279	32.75	7,517	37.00	8,795	41.25	10,106
24.50	5,162	28.75	6,351	33.00	7,591	37.25	8,871	41.50	10,184
24.75	5,230	29.00	6,422	33.25	7,665	37.50	8,948	41.75	10,262
25.00	5,299	29.25	6,494	33.50	7,739	37.75	9,024	42.00	10,340
25.25	5,367	29.50	6,566	33.75	7,814	38.00	9,101	42.25	10,418



## Capacity/Gauge Table Information

**TCLX 290392**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 192

Reporting Mark: TCLX 290392

Date: 23/07/2015

Capacity: 28,973 US Gallons (109,676 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,497	46.75	11,837	51.00	13,192	55.25	14,553	59.50	15,912
42.75	10,575	47.00	11,917	51.25	13,272	55.50	14,633	59.75	15,992
43.00	10,654	47.25	11,996	51.50	13,352	55.75	14,713	60.00	16,071
43.25	10,732	47.50	12,076	51.75	13,432	56.00	14,793	60.25	16,151
43.50	10,811	47.75	12,155	52.00	13,512	56.25	14,873	60.50	16,231
43.75	10,889	48.00	12,235	52.25	13,592	56.50	14,953	60.75	16,310
44.00	10,968	48.25	12,314	52.50	13,672	56.75	15,033	61.00	16,390
44.25	11,047	48.50	12,394	52.75	13,752	57.00	15,113	61.25	16,469
44.50	11,125	48.75	12,474	53.00	13,832	57.25	15,193	61.50	16,549
44.75	11,204	49.00	12,553	53.25	13,912	57.50	15,273	61.75	16,628
45.00	11,283	49.25	12,633	53.50	13,992	57.75	15,353	62.00	16,708
45.25	11,362	49.50	12,713	53.75	14,072	58.00	15,433	62.25	16,787
45.50	11,441	49.75	12,793	54.00	14,152	58.25	15,513	62.50	16,866
45.75	11,520	50.00	12,873	54.25	14,232	58.50	15,593	62.75	16,945
46.00	11,600	50.25	12,952	54.50	14,313	58.75	15,672	63.00	17,025
46.25	11,679	50.50	13,032	54.75	14,393	59.00	15,752	63.25	17,104
46.50	11,758	50.75	13,112	55.00	14,473	59.25	15,832	63.50	17,183





## Capacity/Gauge Table Information

**TCLX 290392**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 192

Reporting Mark: TCLX 290392

Date: 23/07/2015

Capacity: 28,973 US Gallons (109,676 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,262	68.00	18,595	72.25	19,903	76.50	21,177	80.75	22,410
64.00	17,341	68.25	18,673	72.50	19,979	76.75	21,251	81.00	22,481
64.25	17,420	68.50	18,750	72.75	20,055	77.00	21,325	81.25	22,551
64.50	17,499	68.75	18,828	73.00	20,130	77.25	21,398	81.50	22,622
64.75	17,577	69.00	18,905	73.25	20,206	77.50	21,472	81.75	22,692
65.00	17,656	69.25	18,982	73.50	20,282	77.75	21,545	82.00	22,763
65.25	17,735	69.50	19,060	73.75	20,357	78.00	21,618	82.25	22,833
65.50	17,813	69.75	19,137	74.00	20,432	78.25	21,690	82.50	22,902
65.75	17,892	70.00	19,214	74.25	20,507	78.50	21,763	82.75	22,972
66.00	17,970	70.25	19,291	74.50	20,582	78.75	21,836	83.00	23,042
66.25	18,049	70.50	19,368	74.75	20,657	79.00	21,908	83.25	23,111
66.50	18,127	70.75	19,445	75.00	20,732	79.25	21,980	83.50	23,180
66.75	18,205	71.00	19,521	75.25	20,807	79.50	22,052	83.75	23,249
67.00	18,283	71.25	19,598	75.50	20,881	79.75	22,124	84.00	23,317
67.25	18,361	71.50	19,674	75.75	20,955	80.00	22,196	84.25	23,386
67.50	18,439	71.75	19,751	76.00	21,029	80.25	22,267	84.50	23,454
67.75	18,517	72.00	19,827	76.25	21,104	80.50	22,339	84.75	23,522



## Capacity/Gauge Table Information

**TCLX 290392**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 192

Reporting Mark: TCLX 290392

Date: 23/07/2015

Capacity: 28,973 US Gallons (109,676 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,590	89.25	24,707	93.50	25,748	97.75	26,699	102.00	27,539
85.25	23,657	89.50	24,770	93.75	25,807	98.00	26,752	102.25	27,585
85.50	23,725	89.75	24,834	94.00	25,865	98.25	26,804	102.50	27,630
85.75	23,792	90.00	24,897	94.25	25,923	98.50	26,856	102.75	27,674
86.00	23,859	90.25	24,959	94.50	25,981	98.75	26,907	103.00	27,718
86.25	23,925	90.50	25,022	94.75	26,038	99.00	26,959	103.25	27,762
86.50	23,992	90.75	25,084	95.00	26,095	99.25	27,009	103.50	27,805
86.75	24,058	91.00	25,146	95.25	26,152	99.50	27,060	103.75	27,847
87.00	24,124	91.25	25,207	95.50	26,208	99.75	27,110	104.00	27,889
87.25	24,190	91.50	25,269	95.75	26,264	100.00	27,159	104.25	27,930
87.50	24,255	91.75	25,330	96.00	26,320	100.25	27,208	104.50	27,971
87.75	24,321	92.00	25,390	96.25	26,375	100.50	27,257	104.75	28,012
88.00	24,386	92.25	25,451	96.50	26,430	100.75	27,305	105.00	28,051
88.25	24,450	92.50	25,511	96.75	26,484	101.00	27,353	105.25	28,090
88.50	24,515	92.75	25,571	97.00	26,539	101.25	27,400	105.50	28,129
88.75	24,579	93.00	25,630	97.25	26,592	101.50	27,447	105.75	28,167
89.00	24,643	93.25	25,689	97.50	26,646	101.75	27,493	106.00	28,204



## Capacity/Gauge Table Information

**TCLX 290392**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 192

Reporting Mark: TCLX 290392

Date: 23/07/2015

Capacity: 28,973 US Gallons (109,676 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,241	110.50	28,752	114.75	28,960
106.50	28,277	110.75	28,773	115.00	28,964
106.75	28,312	111.00	28,793	115.25	28,967
107.00	28,347	111.25	28,812	115.50	28,969
107.25	28,381	111.50	28,830	115.75	28,971
107.50	28,415	111.75	28,846	116.00	28,972
107.75	28,447	112.00	28,861	116.25	28,973
108.00	28,479	112.25	28,876	116.50	28,973
108.25	28,511	112.50	28,889	116.75	28,973
108.50	28,541	112.75	28,900		
108.75	28,570	113.00	28,911		
109.00	28,599	113.25	28,921		
109.25	28,627	113.50	28,930		
109.50	28,654	113.75	28,938		
109.75	28,680	114.00	28,945		
110.00	28,705	114.25	28,951		
110.25	28,729	114.50	28,956		



## Capacity/Gauge Table Information

**TCLX 290393**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 193

Reporting Mark: TCLX 290393

Date: 17/07/2015

Capacity: 28,957 US Gallons (109,616 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,350	12.75	2,236	17.00	3,225
0.25	29	4.50	631	8.75	1,399	13.00	2,291	17.25	3,286
0.50	58	4.75	672	9.00	1,448	13.25	2,347	17.50	3,347
0.75	89	5.00	714	9.25	1,498	13.50	2,404	17.75	3,408
1.00	120	5.25	756	9.50	1,548	13.75	2,460	18.00	3,470
1.25	152	5.50	799	9.75	1,598	14.00	2,517	18.25	3,532
1.50	185	5.75	842	10.00	1,649	14.25	2,574	18.50	3,595
1.75	219	6.00	886	10.25	1,701	14.50	2,632	18.75	3,657
2.00	253	6.25	930	10.50	1,753	14.75	2,690	19.00	3,720
2.25	288	6.50	975	10.75	1,805	15.00	2,748	19.25	3,783
2.50	324	6.75	1,020	11.00	1,857	15.25	2,806	19.50	3,847
2.75	360	7.00	1,066	11.25	1,910	15.50	2,865	19.75	3,911
3.00	397	7.25	1,112	11.50	1,964	15.75	2,924	20.00	3,975
3.25	434	7.50	1,158	11.75	2,017	16.00	2,984	20.25	4,039
3.50	473	7.75	1,206	12.00	2,072	16.25	3,044	20.50	4,103
3.75	511	8.00	1,253	12.25	2,126	16.50	3,104	20.75	4,168
4.00	551	8.25	1,301	12.50	2,181	16.75	3,164	21.00	4,233



## Capacity/Gauge Table Information

**TCLX 290393**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 193

Reporting Mark: TCLX 290393

Date: 17/07/2015

Capacity: 28,957 US Gallons (109,616 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,298	25.50	5,442	29.75	6,645	34.00	7,895	38.25	9,184
21.50	4,364	25.75	5,511	30.00	6,717	34.25	7,970	38.50	9,261
21.75	4,429	26.00	5,581	30.25	6,789	34.50	8,045	38.75	9,338
22.00	4,495	26.25	5,650	30.50	6,862	34.75	8,120	39.00	9,415
22.25	4,561	26.50	5,720	30.75	6,935	35.00	8,195	39.25	9,492
22.50	4,628	26.75	5,790	31.00	7,008	35.25	8,271	39.50	9,569
22.75	4,695	27.00	5,860	31.25	7,081	35.50	8,346	39.75	9,647
23.00	4,761	27.25	5,931	31.50	7,154	35.75	8,422	40.00	9,724
23.25	4,828	27.50	6,001	31.75	7,228	36.00	8,497	40.25	9,802
23.50	4,896	27.75	6,072	32.00	7,301	36.25	8,573	40.50	9,879
23.75	4,963	28.00	6,143	32.25	7,375	36.50	8,649	40.75	9,957
24.00	5,031	28.25	6,214	32.50	7,449	36.75	8,725	41.00	10,035
24.25	5,099	28.50	6,285	32.75	7,523	37.00	8,802	41.25	10,113
24.50	5,167	28.75	6,357	33.00	7,597	37.25	8,878	41.50	10,191
24.75	5,236	29.00	6,429	33.25	7,671	37.50	8,954	41.75	10,269
25.00	5,304	29.25	6,500	33.50	7,746	37.75	9,031	42.00	10,347
25.25	5,373	29.50	6,572	33.75	7,820	38.00	9,107	42.25	10,425



## Capacity/Gauge Table Information

**TCLX 290393**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 193

Reporting Mark: TCLX 290393

Date: 17/07/2015

Capacity: 28,957 US Gallons (109,616 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,503	46.75	11,844	51.00	13,198	55.25	14,559	59.50	15,917
42.75	10,582	47.00	11,923	51.25	13,278	55.50	14,639	59.75	15,997
43.00	10,660	47.25	12,003	51.50	13,358	55.75	14,719	60.00	16,077
43.25	10,738	47.50	12,082	51.75	13,438	56.00	14,799	60.25	16,156
43.50	10,817	47.75	12,162	52.00	13,518	56.25	14,879	60.50	16,236
43.75	10,896	48.00	12,241	52.25	13,598	56.50	14,959	60.75	16,316
44.00	10,974	48.25	12,321	52.50	13,678	56.75	15,039	61.00	16,395
44.25	11,053	48.50	12,400	52.75	13,758	57.00	15,119	61.25	16,475
44.50	11,132	48.75	12,480	53.00	13,838	57.25	15,199	61.50	16,554
44.75	11,211	49.00	12,560	53.25	13,918	57.50	15,279	61.75	16,633
45.00	11,290	49.25	12,639	53.50	13,998	57.75	15,359	62.00	16,713
45.25	11,369	49.50	12,719	53.75	14,078	58.00	15,438	62.25	16,792
45.50	11,448	49.75	12,799	54.00	14,158	58.25	15,518	62.50	16,871
45.75	11,527	50.00	12,879	54.25	14,238	58.50	15,598	62.75	16,951
46.00	11,606	50.25	12,959	54.50	14,318	58.75	15,678	63.00	17,030
46.25	11,685	50.50	13,038	54.75	14,399	59.00	15,758	63.25	17,109
46.50	11,765	50.75	13,118	55.00	14,479	59.25	15,838	63.50	17,188



## Capacity/Gauge Table Information

**TCLX 290393**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 193

Reporting Mark: TCLX 290393

Date: 17/07/2015

Capacity: 28,957 US Gallons (109,616 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,267	68.00	18,599	72.25	19,906	76.50	21,180	80.75	22,411
64.00	17,346	68.25	18,677	72.50	19,982	76.75	21,254	81.00	22,482
64.25	17,425	68.50	18,754	72.75	20,058	77.00	21,327	81.25	22,553
64.50	17,503	68.75	18,832	73.00	20,134	77.25	21,401	81.50	22,624
64.75	17,582	69.00	18,909	73.25	20,210	77.50	21,474	81.75	22,694
65.00	17,661	69.25	18,987	73.50	20,285	77.75	21,547	82.00	22,764
65.25	17,739	69.50	19,064	73.75	20,360	78.00	21,620	82.25	22,834
65.50	17,818	69.75	19,141	74.00	20,436	78.25	21,693	82.50	22,904
65.75	17,896	70.00	19,218	74.25	20,511	78.50	21,766	82.75	22,973
66.00	17,975	70.25	19,295	74.50	20,586	78.75	21,838	83.00	23,043
66.25	18,053	70.50	19,372	74.75	20,660	79.00	21,910	83.25	23,112
66.50	18,131	70.75	19,448	75.00	20,735	79.25	21,982	83.50	23,181
66.75	18,210	71.00	19,525	75.25	20,810	79.50	22,054	83.75	23,250
67.00	18,288	71.25	19,602	75.50	20,884	79.75	22,126	84.00	23,318
67.25	18,366	71.50	19,678	75.75	20,958	80.00	22,198	84.25	23,387
67.50	18,444	71.75	19,754	76.00	21,032	80.25	22,269	84.50	23,455
67.75	18,521	72.00	19,830	76.25	21,106	80.50	22,340	84.75	23,523





## Capacity/Gauge Table Information

**TCLX 290393**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 193

Reporting Mark: TCLX 290393

Date: 17/07/2015

Capacity: 28,957 US Gallons (109,616 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,590	89.25	24,706	93.50	25,746	97.75	26,695	102.00	27,533
85.25	23,658	89.50	24,770	93.75	25,805	98.00	26,748	102.25	27,579
85.50	23,725	89.75	24,833	94.00	25,863	98.25	26,800	102.50	27,623
85.75	23,792	90.00	24,896	94.25	25,921	98.50	26,852	102.75	27,668
86.00	23,859	90.25	24,958	94.50	25,978	98.75	26,903	103.00	27,712
86.25	23,926	90.50	25,021	94.75	26,036	99.00	26,954	103.25	27,755
86.50	23,992	90.75	25,083	95.00	26,092	99.25	27,005	103.50	27,798
86.75	24,058	91.00	25,144	95.25	26,149	99.50	27,055	103.75	27,840
87.00	24,124	91.25	25,206	95.50	26,205	99.75	27,105	104.00	27,882
87.25	24,190	91.50	25,267	95.75	26,261	100.00	27,154	104.25	27,923
87.50	24,255	91.75	25,328	96.00	26,317	100.25	27,203	104.50	27,964
87.75	24,320	92.00	25,389	96.25	26,372	100.50	27,252	104.75	28,004
88.00	24,385	92.25	25,449	96.50	26,427	100.75	27,300	105.00	28,044
88.25	24,450	92.50	25,509	96.75	26,481	101.00	27,347	105.25	28,083
88.50	24,514	92.75	25,569	97.00	26,535	101.25	27,395	105.50	28,121
88.75	24,579	93.00	25,628	97.25	26,589	101.50	27,441	105.75	28,159
89.00	24,643	93.25	25,687	97.50	26,642	101.75	27,488	106.00	28,196



## Capacity/Gauge Table Information

**TCLX 290393**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 193

Reporting Mark: TCLX 290393

Date: 17/07/2015

Capacity: 28,957 US Gallons (109,616 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,232	110.50	28,739	114.75	28,945
106.50	28,268	110.75	28,760	115.00	28,948
106.75	28,304	111.00	28,780	115.25	28,951
107.00	28,338	111.25	28,799	115.50	28,954
107.25	28,372	111.50	28,816	115.75	28,955
107.50	28,405	111.75	28,832	116.00	28,956
107.75	28,438	112.00	28,847	116.25	28,957
108.00	28,470	112.25	28,861	116.50	28,957
108.25	28,501	112.50	28,874	116.75	28,957
108.50	28,531	112.75	28,886		
108.75	28,560	113.00	28,896		
109.00	28,589	113.25	28,906		
109.25	28,616	113.50	28,915		
109.50	28,643	113.75	28,922		
109.75	28,669	114.00	28,929		
110.00	28,693	114.25	28,935		
110.25	28,717	114.50	28,940		



## Capacity/Gauge Table Information

**TCLX 290394**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 194

Reporting Mark: TCLX 290394

Date: 23/07/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,337	12.75	2,218	17.00	3,203
0.25	28	4.50	623	8.75	1,385	13.00	2,274	17.25	3,264
0.50	57	4.75	664	9.00	1,434	13.25	2,329	17.50	3,325
0.75	87	5.00	705	9.25	1,484	13.50	2,385	17.75	3,386
1.00	118	5.25	747	9.50	1,534	13.75	2,441	18.00	3,448
1.25	150	5.50	790	9.75	1,584	14.00	2,498	18.25	3,510
1.50	182	5.75	832	10.00	1,635	14.25	2,555	18.50	3,572
1.75	215	6.00	876	10.25	1,686	14.50	2,612	18.75	3,634
2.00	249	6.25	920	10.50	1,737	14.75	2,670	19.00	3,697
2.25	284	6.50	964	10.75	1,789	15.00	2,728	19.25	3,760
2.50	319	6.75	1,009	11.00	1,842	15.25	2,786	19.50	3,823
2.75	355	7.00	1,054	11.25	1,894	15.50	2,845	19.75	3,887
3.00	391	7.25	1,100	11.50	1,947	15.75	2,904	20.00	3,950
3.25	428	7.50	1,147	11.75	2,001	16.00	2,963	20.25	4,014
3.50	466	7.75	1,193	12.00	2,055	16.25	3,023	20.50	4,079
3.75	505	8.00	1,241	12.25	2,109	16.50	3,082	20.75	4,143
4.00	544	8.25	1,288	12.50	2,163	16.75	3,143	21.00	4,208



## Capacity/Gauge Table Information

**TCLX 290394**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 194

Reporting Mark: TCLX 290394

Date: 23/07/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,273	25.50	5,414	29.75	6,614	34.00	7,862	38.25	9,149
21.50	4,338	25.75	5,483	30.00	6,686	34.25	7,937	38.50	9,226
21.75	4,404	26.00	5,552	30.25	6,758	34.50	8,012	38.75	9,303
22.00	4,470	26.25	5,622	30.50	6,831	34.75	8,087	39.00	9,380
22.25	4,536	26.50	5,691	30.75	6,904	35.00	8,162	39.25	9,457
22.50	4,602	26.75	5,761	31.00	6,976	35.25	8,237	39.50	9,534
22.75	4,668	27.00	5,831	31.25	7,049	35.50	8,312	39.75	9,611
23.00	4,735	27.25	5,902	31.50	7,123	35.75	8,388	40.00	9,689
23.25	4,802	27.50	5,972	31.75	7,196	36.00	8,464	40.25	9,766
23.50	4,869	27.75	6,043	32.00	7,269	36.25	8,539	40.50	9,844
23.75	4,936	28.00	6,113	32.25	7,343	36.50	8,615	40.75	9,921
24.00	5,004	28.25	6,184	32.50	7,417	36.75	8,691	41.00	9,999
24.25	5,072	28.50	6,256	32.75	7,491	37.00	8,767	41.25	10,077
24.50	5,140	28.75	6,327	33.00	7,565	37.25	8,843	41.50	10,155
24.75	5,208	29.00	6,398	33.25	7,639	37.50	8,920	41.75	10,233
25.00	5,277	29.25	6,470	33.50	7,713	37.75	8,996	42.00	10,311
25.25	5,345	29.50	6,542	33.75	7,788	38.00	9,073	42.25	10,389



## Capacity/Gauge Table Information

**TCLX 290394**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 194

Reporting Mark: TCLX 290394

Date: 23/07/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,467	46.75	11,806	51.00	13,160	55.25	14,519	59.50	15,878
42.75	10,545	47.00	11,886	51.25	13,240	55.50	14,599	59.75	15,958
43.00	10,623	47.25	11,965	51.50	13,319	55.75	14,679	60.00	16,037
43.25	10,702	47.50	12,044	51.75	13,399	56.00	14,759	60.25	16,117
43.50	10,780	47.75	12,124	52.00	13,479	56.25	14,839	60.50	16,197
43.75	10,859	48.00	12,203	52.25	13,559	56.50	14,919	60.75	16,276
44.00	10,937	48.25	12,283	52.50	13,639	56.75	14,999	61.00	16,356
44.25	11,016	48.50	12,362	52.75	13,719	57.00	15,079	61.25	16,435
44.50	11,095	48.75	12,442	53.00	13,799	57.25	15,159	61.50	16,515
44.75	11,174	49.00	12,522	53.25	13,879	57.50	15,239	61.75	16,594
45.00	11,253	49.25	12,601	53.50	13,959	57.75	15,319	62.00	16,673
45.25	11,332	49.50	12,681	53.75	14,039	58.00	15,399	62.25	16,753
45.50	11,411	49.75	12,761	54.00	14,119	58.25	15,479	62.50	16,832
45.75	11,490	50.00	12,840	54.25	14,199	58.50	15,559	62.75	16,911
46.00	11,569	50.25	12,920	54.50	14,279	58.75	15,639	63.00	16,990
46.25	11,648	50.50	13,000	54.75	14,359	59.00	15,718	63.25	17,069
46.50	11,727	50.75	13,080	55.00	14,439	59.25	15,798	63.50	17,148



## Capacity/Gauge Table Information

**TCLX 290394**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 194

Reporting Mark: TCLX 290394

Date: 23/07/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,227	68.00	18,560	72.25	19,868	76.50	21,143	80.75	22,376
64.00	17,306	68.25	18,638	72.50	19,944	76.75	21,217	81.00	22,447
64.25	17,385	68.50	18,715	72.75	20,020	77.00	21,290	81.25	22,517
64.50	17,464	68.75	18,793	73.00	20,096	77.25	21,364	81.50	22,588
64.75	17,543	69.00	18,870	73.25	20,171	77.50	21,437	81.75	22,659
65.00	17,621	69.25	18,948	73.50	20,247	77.75	21,510	82.00	22,729
65.25	17,700	69.50	19,025	73.75	20,322	78.00	21,583	82.25	22,799
65.50	17,779	69.75	19,102	74.00	20,398	78.25	21,656	82.50	22,869
65.75	17,857	70.00	19,179	74.25	20,473	78.50	21,729	82.75	22,939
66.00	17,936	70.25	19,256	74.50	20,548	78.75	21,801	83.00	23,008
66.25	18,014	70.50	19,333	74.75	20,623	79.00	21,874	83.25	23,077
66.50	18,092	70.75	19,410	75.00	20,697	79.25	21,946	83.50	23,146
66.75	18,170	71.00	19,486	75.25	20,772	79.50	22,018	83.75	23,215
67.00	18,248	71.25	19,563	75.50	20,846	79.75	22,090	84.00	23,284
67.25	18,326	71.50	19,639	75.75	20,921	80.00	22,162	84.25	23,352
67.50	18,404	71.75	19,716	76.00	20,995	80.25	22,233	84.50	23,421
67.75	18,482	72.00	19,792	76.25	21,069	80.50	22,304	84.75	23,489



## Capacity/Gauge Table Information

**TCLX 290394**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 194

Reporting Mark: TCLX 290394

Date: 23/07/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,557	89.25	24,675	93.50	25,718	97.75	26,671	102.00	27,514
85.25	23,624	89.50	24,738	93.75	25,777	98.00	26,724	102.25	27,560
85.50	23,692	89.75	24,802	94.00	25,835	98.25	26,776	102.50	27,605
85.75	23,759	90.00	24,865	94.25	25,893	98.50	26,828	102.75	27,650
86.00	23,826	90.25	24,928	94.50	25,951	98.75	26,880	103.00	27,694
86.25	23,893	90.50	24,990	94.75	26,008	99.00	26,931	103.25	27,737
86.50	23,959	90.75	25,052	95.00	26,066	99.25	26,982	103.50	27,781
86.75	24,025	91.00	25,114	95.25	26,122	99.50	27,033	103.75	27,823
87.00	24,091	91.25	25,176	95.50	26,179	99.75	27,083	104.00	27,865
87.25	24,157	91.50	25,237	95.75	26,235	100.00	27,132	104.25	27,907
87.50	24,223	91.75	25,299	96.00	26,291	100.25	27,182	104.50	27,948
87.75	24,288	92.00	25,359	96.25	26,346	100.50	27,230	104.75	27,989
88.00	24,353	92.25	25,420	96.50	26,401	100.75	27,279	105.00	28,029
88.25	24,418	92.50	25,480	96.75	26,456	101.00	27,327	105.25	28,068
88.50	24,483	92.75	25,540	97.00	26,510	101.25	27,374	105.50	28,107
88.75	24,547	93.00	25,600	97.25	26,564	101.50	27,421	105.75	28,145
89.00	24,611	93.25	25,659	97.50	26,618	101.75	27,468	106.00	28,183





## Capacity/Gauge Table Information

**TCLX 290394**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 194

Reporting Mark: TCLX 290394

Date: 23/07/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,220	110.50	28,737	114.75	28,953
106.50	28,256	110.75	28,760	115.00	28,957
106.75	28,292	111.00	28,780	115.25	28,960
107.00	28,327	111.25	28,800	115.50	28,963
107.25	28,361	111.50	28,818	115.75	28,964
107.50	28,395	111.75	28,835	116.00	28,966
107.75	28,428	112.00	28,851	116.25	28,966
108.00	28,460	112.25	28,866	116.50	28,967
108.25	28,492	112.50	28,879	116.75	28,967
108.50	28,523	112.75	28,891		
108.75	28,553	113.00	28,903		
109.00	28,582	113.25	28,913		
109.25	28,610	113.50	28,922		
109.50	28,638	113.75	28,930		
109.75	28,664	114.00	28,937		
110.00	28,690	114.25	28,943		
110.25	28,714	114.50	28,949		



## Capacity/Gauge Table Information

**TCLX 290395**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 195

Reporting Mark: TCLX 290395

Date: 16/07/2015

Capacity: 28,972 US Gallons (109,672 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,225	17.00	3,212
0.25	28	4.50	626	8.75	1,390	13.00	2,281	17.25	3,272
0.50	58	4.75	667	9.00	1,439	13.25	2,336	17.50	3,334
0.75	88	5.00	709	9.25	1,489	13.50	2,392	17.75	3,395
1.00	119	5.25	751	9.50	1,539	13.75	2,449	18.00	3,457
1.25	151	5.50	793	9.75	1,589	14.00	2,505	18.25	3,519
1.50	183	5.75	836	10.00	1,640	14.25	2,563	18.50	3,581
1.75	217	6.00	880	10.25	1,692	14.50	2,620	18.75	3,643
2.00	251	6.25	924	10.50	1,743	14.75	2,678	19.00	3,706
2.25	285	6.50	968	10.75	1,795	15.00	2,736	19.25	3,769
2.50	321	6.75	1,013	11.00	1,848	15.25	2,794	19.50	3,833
2.75	357	7.00	1,059	11.25	1,900	15.50	2,853	19.75	3,896
3.00	393	7.25	1,105	11.50	1,954	15.75	2,912	20.00	3,960
3.25	431	7.50	1,151	11.75	2,007	16.00	2,971	20.25	4,024
3.50	469	7.75	1,198	12.00	2,061	16.25	3,031	20.50	4,089
3.75	507	8.00	1,245	12.25	2,115	16.50	3,091	20.75	4,153
4.00	546	8.25	1,293	12.50	2,170	16.75	3,151	21.00	4,218



## Capacity/Gauge Table Information

**TCLX 290395**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 195

Reporting Mark: TCLX 290395

Date: 16/07/2015

Capacity: 28,972 US Gallons (109,672 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,283	25.50	5,425	29.75	6,627	34.00	7,876	38.25	9,164
21.50	4,349	25.75	5,495	30.00	6,699	34.25	7,951	38.50	9,241
21.75	4,414	26.00	5,564	30.25	6,771	34.50	8,026	38.75	9,318
22.00	4,480	26.25	5,633	30.50	6,844	34.75	8,101	39.00	9,395
22.25	4,546	26.50	5,703	30.75	6,917	35.00	8,176	39.25	9,472
22.50	4,612	26.75	5,773	31.00	6,989	35.25	8,251	39.50	9,549
22.75	4,679	27.00	5,843	31.25	7,062	35.50	8,327	39.75	9,626
23.00	4,746	27.25	5,914	31.50	7,136	35.75	8,402	40.00	9,704
23.25	4,813	27.50	5,984	31.75	7,209	36.00	8,478	40.25	9,781
23.50	4,880	27.75	6,055	32.00	7,283	36.25	8,554	40.50	9,859
23.75	4,947	28.00	6,126	32.25	7,356	36.50	8,630	40.75	9,937
24.00	5,015	28.25	6,197	32.50	7,430	36.75	8,706	41.00	10,014
24.25	5,083	28.50	6,268	32.75	7,504	37.00	8,782	41.25	10,092
24.50	5,151	28.75	6,339	33.00	7,578	37.25	8,858	41.50	10,170
24.75	5,219	29.00	6,411	33.25	7,652	37.50	8,934	41.75	10,248
25.00	5,288	29.25	6,483	33.50	7,727	37.75	9,011	42.00	10,326
25.25	5,357	29.50	6,554	33.75	7,801	38.00	9,087	42.25	10,404



## Capacity/Gauge Table Information

**TCLX 290395**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 195

Reporting Mark: TCLX 290395

Date: 16/07/2015

Capacity: 28,972 US Gallons (109,672 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,482	46.75	11,823	51.00	13,177	55.25	14,537	59.50	15,896
42.75	10,561	47.00	11,902	51.25	13,257	55.50	14,617	59.75	15,976
43.00	10,639	47.25	11,981	51.50	13,337	55.75	14,697	60.00	16,055
43.25	10,718	47.50	12,061	51.75	13,417	56.00	14,777	60.25	16,135
43.50	10,796	47.75	12,140	52.00	13,497	56.25	14,857	60.50	16,215
43.75	10,875	48.00	12,220	52.25	13,577	56.50	14,937	60.75	16,294
44.00	10,953	48.25	12,299	52.50	13,657	56.75	15,017	61.00	16,374
44.25	11,032	48.50	12,379	52.75	13,737	57.00	15,097	61.25	16,453
44.50	11,111	48.75	12,459	53.00	13,817	57.25	15,177	61.50	16,533
44.75	11,190	49.00	12,538	53.25	13,897	57.50	15,257	61.75	16,612
45.00	11,269	49.25	12,618	53.50	13,977	57.75	15,337	62.00	16,692
45.25	11,348	49.50	12,698	53.75	14,057	58.00	15,417	62.25	16,771
45.50	11,427	49.75	12,778	54.00	14,137	58.25	15,497	62.50	16,850
45.75	11,506	50.00	12,857	54.25	14,217	58.50	15,577	62.75	16,929
46.00	11,585	50.25	12,937	54.50	14,297	58.75	15,657	63.00	17,009
46.25	11,664	50.50	13,017	54.75	14,377	59.00	15,737	63.25	17,088
46.50	11,743	50.75	13,097	55.00	14,457	59.25	15,816	63.50	17,167



## Capacity/Gauge Table Information

**TCLX 290395**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 195

Reporting Mark: TCLX 290395

Date: 16/07/2015

Capacity: 28,972 US Gallons (109,672 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,246	68.00	18,579	72.25	19,887	76.50	21,162	80.75	22,394
64.00	17,325	68.25	18,657	72.50	19,963	76.75	21,236	81.00	22,465
64.25	17,404	68.50	18,734	72.75	20,039	77.00	21,309	81.25	22,536
64.50	17,483	68.75	18,812	73.00	20,115	77.25	21,383	81.50	22,607
64.75	17,561	69.00	18,889	73.25	20,190	77.50	21,456	81.75	22,677
65.00	17,640	69.25	18,967	73.50	20,266	77.75	21,529	82.00	22,748
65.25	17,719	69.50	19,044	73.75	20,341	78.00	21,602	82.25	22,818
65.50	17,797	69.75	19,121	74.00	20,416	78.25	21,675	82.50	22,887
65.75	17,876	70.00	19,198	74.25	20,492	78.50	21,748	82.75	22,957
66.00	17,954	70.25	19,275	74.50	20,567	78.75	21,820	83.00	23,027
66.25	18,033	70.50	19,352	74.75	20,641	79.00	21,893	83.25	23,096
66.50	18,111	70.75	19,429	75.00	20,716	79.25	21,965	83.50	23,165
66.75	18,189	71.00	19,505	75.25	20,791	79.50	22,037	83.75	23,234
67.00	18,267	71.25	19,582	75.50	20,865	79.75	22,109	84.00	23,302
67.25	18,345	71.50	19,658	75.75	20,940	80.00	22,180	84.25	23,371
67.50	18,423	71.75	19,735	76.00	21,014	80.25	22,252	84.50	23,439
67.75	18,501	72.00	19,811	76.25	21,088	80.50	22,323	84.75	23,507



## Capacity/Gauge Table Information

**TCLX 290395**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 195

Reporting Mark: TCLX 290395

Date: 16/07/2015

Capacity: 28,972 US Gallons (109,672 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,575	89.25	24,693	93.50	25,735	97.75	26,687	102.00	27,529
85.25	23,643	89.50	24,756	93.75	25,794	98.00	26,740	102.25	27,574
85.50	23,710	89.75	24,820	94.00	25,852	98.25	26,792	102.50	27,619
85.75	23,777	90.00	24,883	94.25	25,910	98.50	26,844	102.75	27,664
86.00	23,844	90.25	24,945	94.50	25,968	98.75	26,896	103.00	27,708
86.25	23,911	90.50	25,008	94.75	26,025	99.00	26,947	103.25	27,752
86.50	23,977	90.75	25,070	95.00	26,082	99.25	26,998	103.50	27,795
86.75	24,044	91.00	25,132	95.25	26,139	99.50	27,048	103.75	27,837
87.00	24,110	91.25	25,194	95.50	26,196	99.75	27,098	104.00	27,879
87.25	24,175	91.50	25,255	95.75	26,252	100.00	27,148	104.25	27,921
87.50	24,241	91.75	25,316	96.00	26,307	100.25	27,197	104.50	27,962
87.75	24,306	92.00	25,377	96.25	26,363	100.50	27,246	104.75	28,002
88.00	24,371	92.25	25,437	96.50	26,418	100.75	27,294	105.00	28,042
88.25	24,436	92.50	25,498	96.75	26,472	101.00	27,342	105.25	28,081
88.50	24,501	92.75	25,557	97.00	26,526	101.25	27,389	105.50	28,120
88.75	24,565	93.00	25,617	97.25	26,580	101.50	27,436	105.75	28,158
89.00	24,629	93.25	25,676	97.50	26,634	101.75	27,483	106.00	28,196



## Capacity/Gauge Table Information

**TCLX 290395**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 195

Reporting Mark: TCLX 290395

Date: 16/07/2015

Capacity: 28,972 US Gallons (109,672 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,233	110.50	28,747	114.75	28,959
106.50	28,269	110.75	28,769	115.00	28,963
106.75	28,304	111.00	28,789	115.25	28,966
107.00	28,339	111.25	28,808	115.50	28,968
107.25	28,374	111.50	28,826	115.75	28,970
107.50	28,407	111.75	28,843	116.00	28,971
107.75	28,440	112.00	28,858	116.25	28,972
108.00	28,472	112.25	28,873	116.50	28,972
108.25	28,503	112.50	28,886	116.75	28,972
108.50	28,534	112.75	28,898		
108.75	28,564	113.00	28,909		
109.00	28,593	113.25	28,919		
109.25	28,621	113.50	28,928		
109.50	28,648	113.75	28,936		
109.75	28,674	114.00	28,943		
110.00	28,700	114.25	28,949		
110.25	28,724	114.50	28,955		





## Capacity/Gauge Table Information

**TCLX 290396**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 196

Reporting Mark: TCLX 290396

Date: 23/07/2015

Capacity: 28,965 US Gallons (109,644 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,225	17.00	3,211
0.25	28	4.50	626	8.75	1,390	13.00	2,281	17.25	3,272
0.50	58	4.75	667	9.00	1,440	13.25	2,336	17.50	3,333
0.75	88	5.00	709	9.25	1,489	13.50	2,392	17.75	3,395
1.00	119	5.25	751	9.50	1,539	13.75	2,449	18.00	3,456
1.25	151	5.50	793	9.75	1,590	14.00	2,505	18.25	3,518
1.50	183	5.75	836	10.00	1,640	14.25	2,563	18.50	3,581
1.75	217	6.00	880	10.25	1,692	14.50	2,620	18.75	3,643
2.00	251	6.25	924	10.50	1,743	14.75	2,678	19.00	3,706
2.25	285	6.50	968	10.75	1,795	15.00	2,736	19.25	3,769
2.50	321	6.75	1,013	11.00	1,848	15.25	2,794	19.50	3,832
2.75	357	7.00	1,059	11.25	1,900	15.50	2,853	19.75	3,896
3.00	393	7.25	1,105	11.50	1,954	15.75	2,912	20.00	3,960
3.25	431	7.50	1,151	11.75	2,007	16.00	2,971	20.25	4,024
3.50	469	7.75	1,198	12.00	2,061	16.25	3,031	20.50	4,088
3.75	507	8.00	1,246	12.25	2,115	16.50	3,091	20.75	4,153
4.00	546	8.25	1,293	12.50	2,170	16.75	3,151	21.00	4,218



## Capacity/Gauge Table Information

**TCLX 290396**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 196

Reporting Mark: TCLX 290396

Date: 23/07/2015

Capacity: 28,965 US Gallons (109,644 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,283	25.50	5,425	29.75	6,626	34.00	7,875	38.25	9,163
21.50	4,348	25.75	5,494	30.00	6,698	34.25	7,949	38.50	9,239
21.75	4,414	26.00	5,563	30.25	6,770	34.50	8,024	38.75	9,316
22.00	4,480	26.25	5,633	30.50	6,843	34.75	8,099	39.00	9,393
22.25	4,546	26.50	5,702	30.75	6,915	35.00	8,175	39.25	9,470
22.50	4,612	26.75	5,772	31.00	6,988	35.25	8,250	39.50	9,547
22.75	4,678	27.00	5,842	31.25	7,061	35.50	8,325	39.75	9,625
23.00	4,745	27.25	5,913	31.50	7,135	35.75	8,401	40.00	9,702
23.25	4,812	27.50	5,983	31.75	7,208	36.00	8,476	40.25	9,780
23.50	4,879	27.75	6,054	32.00	7,281	36.25	8,552	40.50	9,857
23.75	4,947	28.00	6,125	32.25	7,355	36.50	8,628	40.75	9,935
24.00	5,014	28.25	6,196	32.50	7,429	36.75	8,704	41.00	10,012
24.25	5,082	28.50	6,267	32.75	7,503	37.00	8,780	41.25	10,090
24.50	5,150	28.75	6,338	33.00	7,577	37.25	8,856	41.50	10,168
24.75	5,219	29.00	6,410	33.25	7,651	37.50	8,933	41.75	10,246
25.00	5,287	29.25	6,482	33.50	7,725	37.75	9,009	42.00	10,324
25.25	5,356	29.50	6,554	33.75	7,800	38.00	9,086	42.25	10,402



## Capacity/Gauge Table Information

**TCLX 290396**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 196

Reporting Mark: TCLX 290396

Date: 23/07/2015

Capacity: 28,965 US Gallons (109,644 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,480	46.75	11,820	51.00	13,174	55.25	14,534	59.50	15,892
42.75	10,559	47.00	11,900	51.25	13,254	55.50	14,614	59.75	15,972
43.00	10,637	47.25	11,979	51.50	13,334	55.75	14,694	60.00	16,052
43.25	10,716	47.50	12,058	51.75	13,414	56.00	14,774	60.25	16,131
43.50	10,794	47.75	12,138	52.00	13,494	56.25	14,854	60.50	16,211
43.75	10,873	48.00	12,217	52.25	13,574	56.50	14,934	60.75	16,291
44.00	10,951	48.25	12,297	52.50	13,654	56.75	15,014	61.00	16,370
44.25	11,030	48.50	12,376	52.75	13,734	57.00	15,094	61.25	16,450
44.50	11,109	48.75	12,456	53.00	13,814	57.25	15,174	61.50	16,529
44.75	11,188	49.00	12,536	53.25	13,894	57.50	15,254	61.75	16,608
45.00	11,266	49.25	12,615	53.50	13,974	57.75	15,334	62.00	16,688
45.25	11,345	49.50	12,695	53.75	14,054	58.00	15,414	62.25	16,767
45.50	11,424	49.75	12,775	54.00	14,134	58.25	15,493	62.50	16,846
45.75	11,504	50.00	12,855	54.25	14,214	58.50	15,573	62.75	16,926
46.00	11,583	50.25	12,934	54.50	14,294	58.75	15,653	63.00	17,005
46.25	11,662	50.50	13,014	54.75	14,374	59.00	15,733	63.25	17,084
46.50	11,741	50.75	13,094	55.00	14,454	59.25	15,813	63.50	17,163



## Capacity/Gauge Table Information

**TCLX 290396**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 196

Reporting Mark: TCLX 290396

Date: 23/07/2015

Capacity: 28,965 US Gallons (109,644 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,242	68.00	18,574	72.25	19,882	76.50	21,157	80.75	22,389
64.00	17,321	68.25	18,652	72.50	19,958	76.75	21,230	81.00	22,460
64.25	17,400	68.50	18,730	72.75	20,034	77.00	21,304	81.25	22,531
64.50	17,478	68.75	18,807	73.00	20,110	77.25	21,377	81.50	22,601
64.75	17,557	69.00	18,885	73.25	20,185	77.50	21,451	81.75	22,672
65.00	17,636	69.25	18,962	73.50	20,261	77.75	21,524	82.00	22,742
65.25	17,714	69.50	19,039	73.75	20,336	78.00	21,597	82.25	22,812
65.50	17,793	69.75	19,116	74.00	20,411	78.25	21,670	82.50	22,882
65.75	17,872	70.00	19,193	74.25	20,487	78.50	21,742	82.75	22,951
66.00	17,950	70.25	19,270	74.50	20,562	78.75	21,815	83.00	23,021
66.25	18,028	70.50	19,347	74.75	20,636	79.00	21,887	83.25	23,090
66.50	18,107	70.75	19,424	75.00	20,711	79.25	21,959	83.50	23,159
66.75	18,185	71.00	19,501	75.25	20,786	79.50	22,031	83.75	23,228
67.00	18,263	71.25	19,577	75.50	20,860	79.75	22,103	84.00	23,297
67.25	18,341	71.50	19,654	75.75	20,934	80.00	22,175	84.25	23,365
67.50	18,419	71.75	19,730	76.00	21,009	80.25	22,246	84.50	23,433
67.75	18,497	72.00	19,806	76.25	21,083	80.50	22,318	84.75	23,501



## Capacity/Gauge Table Information

**TCLX 290396**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 196

Reporting Mark: TCLX 290396

Date: 23/07/2015

Capacity: 28,965 US Gallons (109,644 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,569	89.25	24,687	93.50	25,729	97.75	26,680	102.00	27,522
85.25	23,637	89.50	24,750	93.75	25,787	98.00	26,733	102.25	27,567
85.50	23,704	89.75	24,813	94.00	25,846	98.25	26,785	102.50	27,612
85.75	23,771	90.00	24,876	94.25	25,904	98.50	26,837	102.75	27,657
86.00	23,838	90.25	24,939	94.50	25,961	98.75	26,889	103.00	27,701
86.25	23,905	90.50	25,002	94.75	26,019	99.00	26,940	103.25	27,745
86.50	23,971	90.75	25,064	95.00	26,076	99.25	26,991	103.50	27,788
86.75	24,038	91.00	25,126	95.25	26,132	99.50	27,041	103.75	27,830
87.00	24,104	91.25	25,187	95.50	26,189	99.75	27,091	104.00	27,872
87.25	24,169	91.50	25,249	95.75	26,245	100.00	27,141	104.25	27,914
87.50	24,235	91.75	25,310	96.00	26,300	100.25	27,190	104.50	27,955
87.75	24,300	92.00	25,370	96.25	26,356	100.50	27,239	104.75	27,995
88.00	24,365	92.25	25,431	96.50	26,411	100.75	27,287	105.00	28,035
88.25	24,430	92.50	25,491	96.75	26,465	101.00	27,335	105.25	28,074
88.50	24,494	92.75	25,551	97.00	26,520	101.25	27,382	105.50	28,113
88.75	24,559	93.00	25,610	97.25	26,574	101.50	27,429	105.75	28,151
89.00	24,623	93.25	25,670	97.50	26,627	101.75	27,476	106.00	28,189



## Capacity/Gauge Table Information

**TCLX 290396**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 196

Reporting Mark: TCLX 290396

Date: 23/07/2015

Capacity: 28,965 US Gallons (109,644 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,225	110.50	28,740	114.75	28,952
106.50	28,262	110.75	28,761	115.00	28,955
106.75	28,297	111.00	28,782	115.25	28,958
107.00	28,332	111.25	28,801	115.50	28,961
107.25	28,366	111.50	28,819	115.75	28,962
107.50	28,400	111.75	28,836	116.00	28,964
107.75	28,433	112.00	28,851	116.25	28,964
108.00	28,465	112.25	28,865	116.50	28,965
108.25	28,496	112.50	28,879	116.75	28,965
108.50	28,527	112.75	28,891		
108.75	28,557	113.00	28,902		
109.00	28,585	113.25	28,912		
109.25	28,614	113.50	28,921		
109.50	28,641	113.75	28,929		
109.75	28,667	114.00	28,936		
110.00	28,692	114.25	28,942		
110.25	28,716	114.50	28,947		



## Capacity/Gauge Table Information

**TCLX 290397**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 197

Reporting Mark: TCLX 290397

Date: 16/07/2015

Capacity: 28,956 US Gallons (109,610 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,343	12.75	2,227	17.00	3,214
0.25	29	4.50	627	8.75	1,392	13.00	2,283	17.25	3,275
0.50	58	4.75	668	9.00	1,441	13.25	2,338	17.50	3,336
0.75	88	5.00	710	9.25	1,491	13.50	2,394	17.75	3,397
1.00	119	5.25	752	9.50	1,541	13.75	2,451	18.00	3,459
1.25	151	5.50	794	9.75	1,591	14.00	2,508	18.25	3,521
1.50	184	5.75	837	10.00	1,642	14.25	2,565	18.50	3,583
1.75	217	6.00	881	10.25	1,693	14.50	2,622	18.75	3,646
2.00	251	6.25	925	10.50	1,745	14.75	2,680	19.00	3,709
2.25	286	6.50	970	10.75	1,797	15.00	2,738	19.25	3,772
2.50	321	6.75	1,015	11.00	1,850	15.25	2,796	19.50	3,835
2.75	357	7.00	1,060	11.25	1,902	15.50	2,855	19.75	3,899
3.00	394	7.25	1,106	11.50	1,956	15.75	2,914	20.00	3,962
3.25	431	7.50	1,153	11.75	2,009	16.00	2,974	20.25	4,027
3.50	469	7.75	1,200	12.00	2,063	16.25	3,033	20.50	4,091
3.75	508	8.00	1,247	12.25	2,117	16.50	3,093	20.75	4,156
4.00	547	8.25	1,295	12.50	2,172	16.75	3,153	21.00	4,220





## Capacity/Gauge Table Information

**TCLX 290397**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 197

Reporting Mark: TCLX 290397

Date: 16/07/2015

Capacity: 28,956 US Gallons (109,610 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,285	25.50	5,428	29.75	6,629	34.00	7,878	38.25	9,166
21.50	4,351	25.75	5,497	30.00	6,701	34.25	7,952	38.50	9,242
21.75	4,416	26.00	5,566	30.25	6,773	34.50	8,027	38.75	9,319
22.00	4,482	26.25	5,636	30.50	6,846	34.75	8,102	39.00	9,396
22.25	4,548	26.50	5,705	30.75	6,919	35.00	8,178	39.25	9,473
22.50	4,615	26.75	5,775	31.00	6,991	35.25	8,253	39.50	9,550
22.75	4,681	27.00	5,845	31.25	7,064	35.50	8,328	39.75	9,628
23.00	4,748	27.25	5,916	31.50	7,138	35.75	8,404	40.00	9,705
23.25	4,815	27.50	5,986	31.75	7,211	36.00	8,479	40.25	9,783
23.50	4,882	27.75	6,057	32.00	7,285	36.25	8,555	40.50	9,860
23.75	4,950	28.00	6,128	32.25	7,358	36.50	8,631	40.75	9,938
24.00	5,017	28.25	6,199	32.50	7,432	36.75	8,707	41.00	10,015
24.25	5,085	28.50	6,270	32.75	7,506	37.00	8,783	41.25	10,093
24.50	5,153	28.75	6,341	33.00	7,580	37.25	8,860	41.50	10,171
24.75	5,222	29.00	6,413	33.25	7,654	37.50	8,936	41.75	10,249
25.00	5,290	29.25	6,485	33.50	7,729	37.75	9,012	42.00	10,327
25.25	5,359	29.50	6,557	33.75	7,803	38.00	9,089	42.25	10,405



## Capacity/Gauge Table Information

**TCLX 290397**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 197

Reporting Mark: TCLX 290397

Date: 16/07/2015

Capacity: 28,956 US Gallons (109,610 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,484	46.75	11,823	51.00	13,177	55.25	14,536	59.50	15,895
42.75	10,562	47.00	11,903	51.25	13,257	55.50	14,616	59.75	15,974
43.00	10,640	47.25	11,982	51.50	13,337	55.75	14,696	60.00	16,054
43.25	10,719	47.50	12,061	51.75	13,416	56.00	14,776	60.25	16,134
43.50	10,797	47.75	12,141	52.00	13,496	56.25	14,856	60.50	16,213
43.75	10,876	48.00	12,220	52.25	13,576	56.50	14,936	60.75	16,293
44.00	10,954	48.25	12,300	52.50	13,656	56.75	15,016	61.00	16,372
44.25	11,033	48.50	12,379	52.75	13,736	57.00	15,096	61.25	16,452
44.50	11,112	48.75	12,459	53.00	13,816	57.25	15,176	61.50	16,531
44.75	11,191	49.00	12,539	53.25	13,896	57.50	15,256	61.75	16,611
45.00	11,269	49.25	12,618	53.50	13,976	57.75	15,336	62.00	16,690
45.25	11,348	49.50	12,698	53.75	14,056	58.00	15,416	62.25	16,769
45.50	11,427	49.75	12,778	54.00	14,136	58.25	15,496	62.50	16,848
45.75	11,506	50.00	12,857	54.25	14,216	58.50	15,576	62.75	16,928
46.00	11,586	50.25	12,937	54.50	14,296	58.75	15,655	63.00	17,007
46.25	11,665	50.50	13,017	54.75	14,376	59.00	15,735	63.25	17,086
46.50	11,744	50.75	13,097	55.00	14,456	59.25	15,815	63.50	17,165



## Capacity/Gauge Table Information

**TCLX 290397**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 197

Reporting Mark: TCLX 290397

Date: 16/07/2015

Capacity: 28,956 US Gallons (109,610 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,244	68.00	18,576	72.25	19,883	76.50	21,157	80.75	22,389
64.00	17,323	68.25	18,654	72.50	19,959	76.75	21,231	81.00	22,460
64.25	17,402	68.50	18,731	72.75	20,035	77.00	21,305	81.25	22,531
64.50	17,480	68.75	18,809	73.00	20,111	77.25	21,378	81.50	22,601
64.75	17,559	69.00	18,886	73.25	20,186	77.50	21,451	81.75	22,672
65.00	17,638	69.25	18,963	73.50	20,262	77.75	21,524	82.00	22,742
65.25	17,716	69.50	19,041	73.75	20,337	78.00	21,597	82.25	22,812
65.50	17,795	69.75	19,118	74.00	20,412	78.25	21,670	82.50	22,882
65.75	17,873	70.00	19,195	74.25	20,487	78.50	21,743	82.75	22,951
66.00	17,952	70.25	19,272	74.50	20,562	78.75	21,815	83.00	23,021
66.25	18,030	70.50	19,349	74.75	20,637	79.00	21,888	83.25	23,090
66.50	18,108	70.75	19,425	75.00	20,712	79.25	21,960	83.50	23,159
66.75	18,186	71.00	19,502	75.25	20,787	79.50	22,032	83.75	23,228
67.00	18,264	71.25	19,578	75.50	20,861	79.75	22,103	84.00	23,296
67.25	18,342	71.50	19,655	75.75	20,935	80.00	22,175	84.25	23,365
67.50	18,420	71.75	19,731	76.00	21,009	80.25	22,247	84.50	23,433
67.75	18,498	72.00	19,807	76.25	21,083	80.50	22,318	84.75	23,501



## Capacity/Gauge Table Information

**TCLX 290397**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 197

Reporting Mark: TCLX 290397

Date: 16/07/2015

Capacity: 28,956 US Gallons (109,610 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,569	89.25	24,685	93.50	25,727	97.75	26,677	102.00	27,518
85.25	23,636	89.50	24,749	93.75	25,785	98.00	26,730	102.25	27,563
85.50	23,704	89.75	24,812	94.00	25,844	98.25	26,783	102.50	27,608
85.75	23,771	90.00	24,875	94.25	25,902	98.50	26,834	102.75	27,653
86.00	23,838	90.25	24,938	94.50	25,959	98.75	26,886	103.00	27,697
86.25	23,904	90.50	25,000	94.75	26,017	99.00	26,937	103.25	27,741
86.50	23,971	90.75	25,062	95.00	26,074	99.25	26,988	103.50	27,784
86.75	24,037	91.00	25,124	95.25	26,130	99.50	27,038	103.75	27,826
87.00	24,103	91.25	25,186	95.50	26,187	99.75	27,088	104.00	27,868
87.25	24,168	91.50	25,247	95.75	26,242	100.00	27,138	104.25	27,909
87.50	24,234	91.75	25,308	96.00	26,298	100.25	27,187	104.50	27,950
87.75	24,299	92.00	25,369	96.25	26,353	100.50	27,235	104.75	27,991
88.00	24,364	92.25	25,429	96.50	26,408	100.75	27,284	105.00	28,030
88.25	24,429	92.50	25,489	96.75	26,463	101.00	27,331	105.25	28,070
88.50	24,493	92.75	25,549	97.00	26,517	101.25	27,379	105.50	28,108
88.75	24,558	93.00	25,609	97.25	26,571	101.50	27,426	105.75	28,146
89.00	24,622	93.25	25,668	97.50	26,624	101.75	27,472	106.00	28,184



## Capacity/Gauge Table Information

**TCLX 290397**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 197

Reporting Mark: TCLX 290397

Date: 16/07/2015

Capacity: 28,956 US Gallons (109,610 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,220	110.50	28,733	114.75	28,943
106.50	28,256	110.75	28,754	115.00	28,946
106.75	28,292	111.00	28,774	115.25	28,949
107.00	28,327	111.25	28,793	115.50	28,952
107.25	28,361	111.50	28,811	115.75	28,954
107.50	28,394	111.75	28,828	116.00	28,955
107.75	28,427	112.00	28,843	116.25	28,955
108.00	28,459	112.25	28,857	116.50	28,956
108.25	28,490	112.50	28,870	116.75	28,956
108.50	28,521	112.75	28,882		
108.75	28,551	113.00	28,893		
109.00	28,579	113.25	28,903		
109.25	28,607	113.50	28,912		
109.50	28,634	113.75	28,920		
109.75	28,660	114.00	28,927		
110.00	28,686	114.25	28,933		
110.25	28,710	114.50	28,938		



## Capacity/Gauge Table Information

**TCLX 290398**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 198

Reporting Mark: TCLX 290398

Date: 16/07/2015

Capacity: 28,951 US Gallons (109,590 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,348	12.75	2,233	17.00	3,221
0.25	29	4.50	630	8.75	1,396	13.00	2,288	17.25	3,282
0.50	58	4.75	671	9.00	1,446	13.25	2,344	17.50	3,343
0.75	89	5.00	713	9.25	1,495	13.50	2,400	17.75	3,404
1.00	120	5.25	755	9.50	1,545	13.75	2,457	18.00	3,466
1.25	152	5.50	797	9.75	1,596	14.00	2,514	18.25	3,528
1.50	185	5.75	840	10.00	1,647	14.25	2,571	18.50	3,591
1.75	218	6.00	884	10.25	1,698	14.50	2,628	18.75	3,653
2.00	252	6.25	928	10.50	1,750	14.75	2,686	19.00	3,716
2.25	287	6.50	973	10.75	1,802	15.00	2,744	19.25	3,779
2.50	323	6.75	1,018	11.00	1,855	15.25	2,803	19.50	3,842
2.75	359	7.00	1,064	11.25	1,908	15.50	2,862	19.75	3,906
3.00	396	7.25	1,110	11.50	1,961	15.75	2,921	20.00	3,970
3.25	433	7.50	1,157	11.75	2,015	16.00	2,980	20.25	4,034
3.50	472	7.75	1,204	12.00	2,069	16.25	3,040	20.50	4,099
3.75	510	8.00	1,251	12.25	2,123	16.50	3,100	20.75	4,163
4.00	550	8.25	1,299	12.50	2,178	16.75	3,160	21.00	4,228



## Capacity/Gauge Table Information

**TCLX 290398**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 198

Reporting Mark: TCLX 290398

Date: 16/07/2015

Capacity: 28,951 US Gallons (109,590 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,293	25.50	5,437	29.75	6,638	34.00	7,888	38.25	9,177
21.50	4,359	25.75	5,506	30.00	6,711	34.25	7,963	38.50	9,253
21.75	4,425	26.00	5,575	30.25	6,783	34.50	8,038	38.75	9,330
22.00	4,490	26.25	5,645	30.50	6,856	34.75	8,113	39.00	9,407
22.25	4,557	26.50	5,714	30.75	6,928	35.00	8,188	39.25	9,484
22.50	4,623	26.75	5,784	31.00	7,001	35.25	8,263	39.50	9,562
22.75	4,690	27.00	5,855	31.25	7,074	35.50	8,339	39.75	9,639
23.00	4,756	27.25	5,925	31.50	7,148	35.75	8,414	40.00	9,716
23.25	4,823	27.50	5,995	31.75	7,221	36.00	8,490	40.25	9,794
23.50	4,891	27.75	6,066	32.00	7,295	36.25	8,566	40.50	9,871
23.75	4,958	28.00	6,137	32.25	7,368	36.50	8,642	40.75	9,949
24.00	5,026	28.25	6,208	32.50	7,442	36.75	8,718	41.00	10,027
24.25	5,094	28.50	6,279	32.75	7,516	37.00	8,794	41.25	10,105
24.50	5,162	28.75	6,351	33.00	7,590	37.25	8,870	41.50	10,183
24.75	5,230	29.00	6,422	33.25	7,664	37.50	8,947	41.75	10,261
25.00	5,299	29.25	6,494	33.50	7,739	37.75	9,023	42.00	10,339
25.25	5,368	29.50	6,566	33.75	7,813	38.00	9,100	42.25	10,417





## Capacity/Gauge Table Information

**TCLX 290398**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 198

Reporting Mark: TCLX 290398

Date: 16/07/2015

Capacity: 28,951 US Gallons (109,590 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,495	46.75	11,835	51.00	13,189	55.25	14,549	59.50	15,907
42.75	10,573	47.00	11,914	51.25	13,269	55.50	14,629	59.75	15,987
43.00	10,652	47.25	11,994	51.50	13,349	55.75	14,709	60.00	16,066
43.25	10,730	47.50	12,073	51.75	13,429	56.00	14,789	60.25	16,146
43.50	10,809	47.75	12,153	52.00	13,509	56.25	14,869	60.50	16,226
43.75	10,887	48.00	12,232	52.25	13,589	56.50	14,949	60.75	16,305
44.00	10,966	48.25	12,312	52.50	13,669	56.75	15,029	61.00	16,385
44.25	11,045	48.50	12,391	52.75	13,749	57.00	15,109	61.25	16,464
44.50	11,123	48.75	12,471	53.00	13,829	57.25	15,189	61.50	16,544
44.75	11,202	49.00	12,551	53.25	13,909	57.50	15,269	61.75	16,623
45.00	11,281	49.25	12,630	53.50	13,989	57.75	15,349	62.00	16,702
45.25	11,360	49.50	12,710	53.75	14,069	58.00	15,428	62.25	16,782
45.50	11,439	49.75	12,790	54.00	14,149	58.25	15,508	62.50	16,861
45.75	11,518	50.00	12,870	54.25	14,229	58.50	15,588	62.75	16,940
46.00	11,597	50.25	12,949	54.50	14,309	58.75	15,668	63.00	17,019
46.25	11,677	50.50	13,029	54.75	14,389	59.00	15,748	63.25	17,098
46.50	11,756	50.75	13,109	55.00	14,469	59.25	15,827	63.50	17,177



## Capacity/Gauge Table Information

**TCLX 290398**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 198

Reporting Mark: TCLX 290398

Date: 16/07/2015

Capacity: 28,951 US Gallons (109,590 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,256	68.00	18,588	72.25	19,895	76.50	21,169	80.75	22,400
64.00	17,335	68.25	18,666	72.50	19,971	76.75	21,242	81.00	22,471
64.25	17,414	68.50	18,743	72.75	20,047	77.00	21,316	81.25	22,541
64.50	17,493	68.75	18,821	73.00	20,123	77.25	21,389	81.50	22,612
64.75	17,571	69.00	18,898	73.25	20,198	77.50	21,463	81.75	22,682
65.00	17,650	69.25	18,976	73.50	20,274	77.75	21,536	82.00	22,752
65.25	17,729	69.50	19,053	73.75	20,349	78.00	21,609	82.25	22,822
65.50	17,807	69.75	19,130	74.00	20,424	78.25	21,681	82.50	22,892
65.75	17,886	70.00	19,207	74.25	20,499	78.50	21,754	82.75	22,962
66.00	17,964	70.25	19,284	74.50	20,574	78.75	21,826	83.00	23,031
66.25	18,042	70.50	19,361	74.75	20,649	79.00	21,899	83.25	23,100
66.50	18,121	70.75	19,437	75.00	20,724	79.25	21,971	83.50	23,169
66.75	18,199	71.00	19,514	75.25	20,798	79.50	22,043	83.75	23,238
67.00	18,277	71.25	19,590	75.50	20,873	79.75	22,115	84.00	23,307
67.25	18,355	71.50	19,667	75.75	20,947	80.00	22,186	84.25	23,375
67.50	18,433	71.75	19,743	76.00	21,021	80.25	22,258	84.50	23,443
67.75	18,511	72.00	19,819	76.25	21,095	80.50	22,329	84.75	23,511



## Capacity/Gauge Table Information

**TCLX 290398**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 198

Reporting Mark: TCLX 290398

Date: 16/07/2015

Capacity: 28,951 US Gallons (109,590 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,579	89.25	24,695	93.50	25,735	97.75	26,684	102.00	27,523
85.25	23,646	89.50	24,758	93.75	25,793	98.00	26,737	102.25	27,568
85.50	23,714	89.75	24,821	94.00	25,851	98.25	26,789	102.50	27,613
85.75	23,781	90.00	24,884	94.25	25,909	98.50	26,841	102.75	27,657
86.00	23,847	90.25	24,947	94.50	25,967	98.75	26,892	103.00	27,701
86.25	23,914	90.50	25,009	94.75	26,024	99.00	26,943	103.25	27,744
86.50	23,980	90.75	25,071	95.00	26,081	99.25	26,994	103.50	27,787
86.75	24,047	91.00	25,133	95.25	26,138	99.50	27,044	103.75	27,830
87.00	24,112	91.25	25,194	95.50	26,194	99.75	27,094	104.00	27,872
87.25	24,178	91.50	25,256	95.75	26,250	100.00	27,143	104.25	27,913
87.50	24,244	91.75	25,316	96.00	26,305	100.25	27,192	104.50	27,954
87.75	24,309	92.00	25,377	96.25	26,360	100.50	27,241	104.75	27,994
88.00	24,374	92.25	25,437	96.50	26,415	100.75	27,289	105.00	28,033
88.25	24,438	92.50	25,498	96.75	26,470	101.00	27,336	105.25	28,072
88.50	24,503	92.75	25,557	97.00	26,524	101.25	27,384	105.50	28,111
88.75	24,567	93.00	25,617	97.25	26,578	101.50	27,430	105.75	28,149
89.00	24,631	93.25	25,676	97.50	26,631	101.75	27,477	106.00	28,186



## Capacity/Gauge Table Information

**TCLX 290398**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 198

Reporting Mark: TCLX 290398

Date: 16/07/2015

Capacity: 28,951 US Gallons (109,590 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,223	110.50	28,731	114.75	28,938
106.50	28,259	110.75	28,752	115.00	28,942
106.75	28,294	111.00	28,772	115.25	28,944
107.00	28,329	111.25	28,791	115.50	28,947
107.25	28,362	111.50	28,808	115.75	28,948
107.50	28,396	111.75	28,825	116.00	28,950
107.75	28,428	112.00	28,840	116.25	28,950
108.00	28,460	112.25	28,854	116.50	28,951
108.25	28,491	112.50	28,867	116.75	28,951
108.50	28,521	112.75	28,878		
108.75	28,551	113.00	28,889		
109.00	28,579	113.25	28,899		
109.25	28,607	113.50	28,908		
109.50	28,634	113.75	28,915		
109.75	28,660	114.00	28,922		
110.00	28,685	114.25	28,928		
110.25	28,709	114.50	28,933		



## Capacity/Gauge Table Information

**TCLX 290399**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 199

Reporting Mark: TCLX 290399

Date: 17/07/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,226	17.00	3,212
0.25	28	4.50	626	8.75	1,391	13.00	2,281	17.25	3,273
0.50	58	4.75	667	9.00	1,440	13.25	2,337	17.50	3,334
0.75	88	5.00	709	9.25	1,489	13.50	2,393	17.75	3,396
1.00	119	5.25	751	9.50	1,539	13.75	2,449	18.00	3,457
1.25	151	5.50	793	9.75	1,590	14.00	2,506	18.25	3,519
1.50	183	5.75	836	10.00	1,641	14.25	2,563	18.50	3,581
1.75	217	6.00	880	10.25	1,692	14.50	2,620	18.75	3,644
2.00	251	6.25	924	10.50	1,744	14.75	2,678	19.00	3,707
2.25	285	6.50	968	10.75	1,796	15.00	2,736	19.25	3,770
2.50	321	6.75	1,013	11.00	1,848	15.25	2,795	19.50	3,833
2.75	357	7.00	1,059	11.25	1,901	15.50	2,853	19.75	3,897
3.00	393	7.25	1,105	11.50	1,954	15.75	2,912	20.00	3,961
3.25	431	7.50	1,151	11.75	2,008	16.00	2,972	20.25	4,025
3.50	469	7.75	1,198	12.00	2,062	16.25	3,031	20.50	4,089
3.75	507	8.00	1,246	12.25	2,116	16.50	3,091	20.75	4,154
4.00	546	8.25	1,294	12.50	2,171	16.75	3,152	21.00	4,219



## Capacity/Gauge Table Information

**TCLX 290399**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 199

Reporting Mark: TCLX 290399

Date: 17/07/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,284	25.50	5,426	29.75	6,627	34.00	7,877	38.25	9,165
21.50	4,349	25.75	5,495	30.00	6,700	34.25	7,952	38.50	9,242
21.75	4,415	26.00	5,565	30.25	6,772	34.50	8,026	38.75	9,319
22.00	4,481	26.25	5,634	30.50	6,845	34.75	8,102	39.00	9,396
22.25	4,547	26.50	5,704	30.75	6,917	35.00	8,177	39.25	9,473
22.50	4,613	26.75	5,774	31.00	6,990	35.25	8,252	39.50	9,550
22.75	4,680	27.00	5,844	31.25	7,063	35.50	8,327	39.75	9,627
23.00	4,746	27.25	5,914	31.50	7,136	35.75	8,403	40.00	9,705
23.25	4,813	27.50	5,985	31.75	7,210	36.00	8,479	40.25	9,782
23.50	4,881	27.75	6,055	32.00	7,283	36.25	8,555	40.50	9,860
23.75	4,948	28.00	6,126	32.25	7,357	36.50	8,630	40.75	9,937
24.00	5,016	28.25	6,197	32.50	7,431	36.75	8,706	41.00	10,015
24.25	5,084	28.50	6,269	32.75	7,505	37.00	8,783	41.25	10,093
24.50	5,152	28.75	6,340	33.00	7,579	37.25	8,859	41.50	10,171
24.75	5,220	29.00	6,412	33.25	7,653	37.50	8,935	41.75	10,249
25.00	5,288	29.25	6,483	33.50	7,728	37.75	9,012	42.00	10,327
25.25	5,357	29.50	6,555	33.75	7,802	38.00	9,088	42.25	10,405



## Capacity/Gauge Table Information

**TCLX 290399**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 199

Reporting Mark: TCLX 290399

Date: 17/07/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,483	46.75	11,824	51.00	13,178	55.25	14,538	59.50	15,897
42.75	10,562	47.00	11,903	51.25	13,258	55.50	14,618	59.75	15,977
43.00	10,640	47.25	11,982	51.50	13,338	55.75	14,698	60.00	16,057
43.25	10,719	47.50	12,062	51.75	13,418	56.00	14,778	60.25	16,136
43.50	10,797	47.75	12,141	52.00	13,498	56.25	14,858	60.50	16,216
43.75	10,876	48.00	12,221	52.25	13,578	56.50	14,938	60.75	16,295
44.00	10,954	48.25	12,300	52.50	13,658	56.75	15,018	61.00	16,375
44.25	11,033	48.50	12,380	52.75	13,738	57.00	15,098	61.25	16,454
44.50	11,112	48.75	12,460	53.00	13,818	57.25	15,178	61.50	16,534
44.75	11,191	49.00	12,539	53.25	13,898	57.50	15,258	61.75	16,613
45.00	11,270	49.25	12,619	53.50	13,978	57.75	15,338	62.00	16,693
45.25	11,349	49.50	12,699	53.75	14,058	58.00	15,418	62.25	16,772
45.50	11,428	49.75	12,779	54.00	14,138	58.25	15,498	62.50	16,851
45.75	11,507	50.00	12,858	54.25	14,218	58.50	15,578	62.75	16,931
46.00	11,586	50.25	12,938	54.50	14,298	58.75	15,658	63.00	17,010
46.25	11,665	50.50	13,018	54.75	14,378	59.00	15,738	63.25	17,089
46.50	11,744	50.75	13,098	55.00	14,458	59.25	15,817	63.50	17,168





## Capacity/Gauge Table Information

**TCLX 290399**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 199

Reporting Mark: TCLX 290399

Date: 17/07/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,247	68.00	18,580	72.25	19,888	76.50	21,163	80.75	22,395
64.00	17,326	68.25	18,658	72.50	19,964	76.75	21,237	81.00	22,466
64.25	17,405	68.50	18,735	72.75	20,040	77.00	21,310	81.25	22,537
64.50	17,484	68.75	18,813	73.00	20,116	77.25	21,384	81.50	22,608
64.75	17,562	69.00	18,890	73.25	20,191	77.50	21,457	81.75	22,678
65.00	17,641	69.25	18,968	73.50	20,267	77.75	21,530	82.00	22,749
65.25	17,720	69.50	19,045	73.75	20,342	78.00	21,603	82.25	22,819
65.50	17,798	69.75	19,122	74.00	20,417	78.25	21,676	82.50	22,888
65.75	17,877	70.00	19,199	74.25	20,493	78.50	21,749	82.75	22,958
66.00	17,955	70.25	19,276	74.50	20,568	78.75	21,821	83.00	23,028
66.25	18,034	70.50	19,353	74.75	20,643	79.00	21,894	83.25	23,097
66.50	18,112	70.75	19,430	75.00	20,717	79.25	21,966	83.50	23,166
66.75	18,190	71.00	19,506	75.25	20,792	79.50	22,038	83.75	23,235
67.00	18,268	71.25	19,583	75.50	20,866	79.75	22,110	84.00	23,304
67.25	18,346	71.50	19,659	75.75	20,941	80.00	22,181	84.25	23,372
67.50	18,424	71.75	19,736	76.00	21,015	80.25	22,253	84.50	23,440
67.75	18,502	72.00	19,812	76.25	21,089	80.50	22,324	84.75	23,508



## Capacity/Gauge Table Information

**TCLX 290399**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 199

Reporting Mark: TCLX 290399

Date: 17/07/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,576	89.25	24,694	93.50	25,736	97.75	26,688	102.00	27,530
85.25	23,644	89.50	24,757	93.75	25,795	98.00	26,741	102.25	27,575
85.50	23,711	89.75	24,821	94.00	25,853	98.25	26,793	102.50	27,620
85.75	23,778	90.00	24,884	94.25	25,911	98.50	26,845	102.75	27,665
86.00	23,845	90.25	24,946	94.50	25,969	98.75	26,897	103.00	27,709
86.25	23,912	90.50	25,009	94.75	26,026	99.00	26,948	103.25	27,753
86.50	23,978	90.75	25,071	95.00	26,083	99.25	26,999	103.50	27,796
86.75	24,045	91.00	25,133	95.25	26,140	99.50	27,049	103.75	27,838
87.00	24,111	91.25	25,195	95.50	26,196	99.75	27,099	104.00	27,880
87.25	24,176	91.50	25,256	95.75	26,252	100.00	27,149	104.25	27,922
87.50	24,242	91.75	25,317	96.00	26,308	100.25	27,198	104.50	27,963
87.75	24,307	92.00	25,378	96.25	26,364	100.50	27,247	104.75	28,003
88.00	24,372	92.25	25,438	96.50	26,418	100.75	27,295	105.00	28,043
88.25	24,437	92.50	25,498	96.75	26,473	101.00	27,343	105.25	28,082
88.50	24,502	92.75	25,558	97.00	26,527	101.25	27,390	105.50	28,121
88.75	24,566	93.00	25,618	97.25	26,581	101.50	27,437	105.75	28,159
89.00	24,630	93.25	25,677	97.50	26,635	101.75	27,484	106.00	28,197



## Capacity/Gauge Table Information

**TCLX 290399**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 199

Reporting Mark: TCLX 290399

Date: 17/07/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,233	110.50	28,748	114.75	28,960
106.50	28,270	110.75	28,769	115.00	28,963
106.75	28,305	111.00	28,790	115.25	28,966
107.00	28,340	111.25	28,809	115.50	28,969
107.25	28,374	111.50	28,827	115.75	28,970
107.50	28,408	111.75	28,844	116.00	28,972
107.75	28,441	112.00	28,859	116.25	28,972
108.00	28,473	112.25	28,873	116.50	28,973
108.25	28,504	112.50	28,887	116.75	28,973
108.50	28,535	112.75	28,899		
108.75	28,565	113.00	28,910		
109.00	28,594	113.25	28,920		
109.25	28,622	113.50	28,929		
109.50	28,649	113.75	28,937		
109.75	28,675	114.00	28,944		
110.00	28,700	114.25	28,950		
110.25	28,725	114.50	28,955		



## Capacity/Gauge Table Information

**TCLX 290400**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 200

Reporting Mark: TCLX 290400

Date: 23/07/2015

Capacity: 28,974 US Gallons (109,677 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,226	17.00	3,212
0.25	28	4.50	627	8.75	1,391	13.00	2,281	17.25	3,273
0.50	58	4.75	667	9.00	1,440	13.25	2,337	17.50	3,334
0.75	88	5.00	709	9.25	1,490	13.50	2,393	17.75	3,396
1.00	119	5.25	751	9.50	1,540	13.75	2,449	18.00	3,458
1.25	151	5.50	793	9.75	1,590	14.00	2,506	18.25	3,519
1.50	183	5.75	836	10.00	1,641	14.25	2,563	18.50	3,582
1.75	217	6.00	880	10.25	1,692	14.50	2,621	18.75	3,644
2.00	251	6.25	924	10.50	1,744	14.75	2,678	19.00	3,707
2.25	285	6.50	969	10.75	1,796	15.00	2,737	19.25	3,770
2.50	321	6.75	1,014	11.00	1,848	15.25	2,795	19.50	3,833
2.75	357	7.00	1,059	11.25	1,901	15.50	2,854	19.75	3,897
3.00	394	7.25	1,105	11.50	1,954	15.75	2,913	20.00	3,961
3.25	431	7.50	1,152	11.75	2,008	16.00	2,972	20.25	4,025
3.50	469	7.75	1,199	12.00	2,062	16.25	3,032	20.50	4,089
3.75	507	8.00	1,246	12.25	2,116	16.50	3,092	20.75	4,154
4.00	547	8.25	1,294	12.50	2,171	16.75	3,152	21.00	4,219



## Capacity/Gauge Table Information

**TCLX 290400**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 200

Reporting Mark: TCLX 290400

Date: 23/07/2015

Capacity: 28,974 US Gallons (109,677 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,284	25.50	5,426	29.75	6,628	34.00	7,877	38.25	9,165
21.50	4,349	25.75	5,496	30.00	6,700	34.25	7,952	38.50	9,242
21.75	4,415	26.00	5,565	30.25	6,772	34.50	8,027	38.75	9,319
22.00	4,481	26.25	5,634	30.50	6,845	34.75	8,102	39.00	9,396
22.25	4,547	26.50	5,704	30.75	6,918	35.00	8,177	39.25	9,473
22.50	4,613	26.75	5,774	31.00	6,990	35.25	8,252	39.50	9,550
22.75	4,680	27.00	5,844	31.25	7,064	35.50	8,328	39.75	9,628
23.00	4,747	27.25	5,915	31.50	7,137	35.75	8,403	40.00	9,705
23.25	4,814	27.50	5,985	31.75	7,210	36.00	8,479	40.25	9,782
23.50	4,881	27.75	6,056	32.00	7,284	36.25	8,555	40.50	9,860
23.75	4,948	28.00	6,127	32.25	7,357	36.50	8,631	40.75	9,938
24.00	5,016	28.25	6,198	32.50	7,431	36.75	8,707	41.00	10,015
24.25	5,084	28.50	6,269	32.75	7,505	37.00	8,783	41.25	10,093
24.50	5,152	28.75	6,340	33.00	7,579	37.25	8,859	41.50	10,171
24.75	5,220	29.00	6,412	33.25	7,653	37.50	8,936	41.75	10,249
25.00	5,289	29.25	6,484	33.50	7,728	37.75	9,012	42.00	10,327
25.25	5,358	29.50	6,555	33.75	7,802	38.00	9,089	42.25	10,405



## Capacity/Gauge Table Information

**TCLX 290400**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 200

Reporting Mark: TCLX 290400

Date: 23/07/2015

Capacity: 28,974 US Gallons (109,677 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,484	46.75	11,824	51.00	13,178	55.25	14,538	59.50	15,897
42.75	10,562	47.00	11,903	51.25	13,258	55.50	14,618	59.75	15,977
43.00	10,640	47.25	11,983	51.50	13,338	55.75	14,698	60.00	16,057
43.25	10,719	47.50	12,062	51.75	13,418	56.00	14,778	60.25	16,136
43.50	10,797	47.75	12,142	52.00	13,498	56.25	14,858	60.50	16,216
43.75	10,876	48.00	12,221	52.25	13,578	56.50	14,938	60.75	16,296
44.00	10,955	48.25	12,301	52.50	13,658	56.75	15,018	61.00	16,375
44.25	11,033	48.50	12,380	52.75	13,738	57.00	15,098	61.25	16,455
44.50	11,112	48.75	12,460	53.00	13,818	57.25	15,178	61.50	16,534
44.75	11,191	49.00	12,540	53.25	13,898	57.50	15,258	61.75	16,613
45.00	11,270	49.25	12,619	53.50	13,978	57.75	15,338	62.00	16,693
45.25	11,349	49.50	12,699	53.75	14,058	58.00	15,418	62.25	16,772
45.50	11,428	49.75	12,779	54.00	14,138	58.25	15,498	62.50	16,851
45.75	11,507	50.00	12,859	54.25	14,218	58.50	15,578	62.75	16,931
46.00	11,586	50.25	12,938	54.50	14,298	58.75	15,658	63.00	17,010
46.25	11,665	50.50	13,018	54.75	14,378	59.00	15,738	63.25	17,089
46.50	11,745	50.75	13,098	55.00	14,458	59.25	15,817	63.50	17,168



## Capacity/Gauge Table Information

**TCLX 290400**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 200

Reporting Mark: TCLX 290400

Date: 23/07/2015

Capacity: 28,974 US Gallons (109,677 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,247	68.00	18,580	72.25	19,888	76.50	21,163	80.75	22,396
64.00	17,326	68.25	18,658	72.50	19,964	76.75	21,237	81.00	22,467
64.25	17,405	68.50	18,735	72.75	20,040	77.00	21,310	81.25	22,537
64.50	17,484	68.75	18,813	73.00	20,116	77.25	21,384	81.50	22,608
64.75	17,563	69.00	18,890	73.25	20,191	77.50	21,457	81.75	22,678
65.00	17,641	69.25	18,968	73.50	20,267	77.75	21,530	82.00	22,749
65.25	17,720	69.50	19,045	73.75	20,342	78.00	21,603	82.25	22,819
65.50	17,798	69.75	19,122	74.00	20,418	78.25	21,676	82.50	22,889
65.75	17,877	70.00	19,199	74.25	20,493	78.50	21,749	82.75	22,958
66.00	17,955	70.25	19,276	74.50	20,568	78.75	21,821	83.00	23,028
66.25	18,034	70.50	19,353	74.75	20,643	79.00	21,894	83.25	23,097
66.50	18,112	70.75	19,430	75.00	20,717	79.25	21,966	83.50	23,166
66.75	18,190	71.00	19,506	75.25	20,792	79.50	22,038	83.75	23,235
67.00	18,268	71.25	19,583	75.50	20,866	79.75	22,110	84.00	23,304
67.25	18,346	71.50	19,659	75.75	20,941	80.00	22,182	84.25	23,372
67.50	18,424	71.75	19,736	76.00	21,015	80.25	22,253	84.50	23,440
67.75	18,502	72.00	19,812	76.25	21,089	80.50	22,324	84.75	23,508





## Capacity/Gauge Table Information

**TCLX 290400**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 200

Reporting Mark: TCLX 290400

Date: 23/07/2015

Capacity: 28,974 US Gallons (109,677 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,576	89.25	24,694	93.50	25,737	97.75	26,688	102.00	27,530
85.25	23,644	89.50	24,758	93.75	25,795	98.00	26,741	102.25	27,576
85.50	23,711	89.75	24,821	94.00	25,854	98.25	26,794	102.50	27,621
85.75	23,778	90.00	24,884	94.25	25,912	98.50	26,846	102.75	27,665
86.00	23,845	90.25	24,947	94.50	25,969	98.75	26,897	103.00	27,710
86.25	23,912	90.50	25,009	94.75	26,027	99.00	26,948	103.25	27,753
86.50	23,979	90.75	25,071	95.00	26,084	99.25	26,999	103.50	27,796
86.75	24,045	91.00	25,133	95.25	26,140	99.50	27,050	103.75	27,839
87.00	24,111	91.25	25,195	95.50	26,197	99.75	27,100	104.00	27,881
87.25	24,177	91.50	25,256	95.75	26,253	100.00	27,149	104.25	27,922
87.50	24,242	91.75	25,317	96.00	26,309	100.25	27,198	104.50	27,963
87.75	24,307	92.00	25,378	96.25	26,364	100.50	27,247	104.75	28,004
88.00	24,373	92.25	25,439	96.50	26,419	100.75	27,295	105.00	28,044
88.25	24,437	92.50	25,499	96.75	26,474	101.00	27,343	105.25	28,083
88.50	24,502	92.75	25,559	97.00	26,528	101.25	27,391	105.50	28,122
88.75	24,566	93.00	25,618	97.25	26,582	101.50	27,438	105.75	28,160
89.00	24,630	93.25	25,678	97.50	26,635	101.75	27,484	106.00	28,197



## Capacity/Gauge Table Information

**TCLX 290400**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 200

Reporting Mark: TCLX 290400

Date: 23/07/2015

Capacity: 28,974 US Gallons (109,677 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,234	110.50	28,748	114.75	28,960
106.50	28,270	110.75	28,770	115.00	28,964
106.75	28,306	111.00	28,791	115.25	28,967
107.00	28,341	111.25	28,810	115.50	28,970
107.25	28,375	111.50	28,828	115.75	28,971
107.50	28,409	111.75	28,844	116.00	28,972
107.75	28,441	112.00	28,860	116.25	28,973
108.00	28,474	112.25	28,874	116.50	28,974
108.25	28,505	112.50	28,887	116.75	28,974
108.50	28,536	112.75	28,899		
108.75	28,565	113.00	28,910		
109.00	28,594	113.25	28,920		
109.25	28,622	113.50	28,929		
109.50	28,650	113.75	28,937		
109.75	28,676	114.00	28,944		
110.00	28,701	114.25	28,951		
110.25	28,725	114.50	28,956		



## Capacity/Gauge Table Information

**TCLX 290401**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 201

Reporting Mark: TCLX 290401

Date: 16/07/2015

Capacity: 28,993 US Gallons (109,749 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	578	8.50	1,327	12.75	2,206	17.00	3,188
0.25	28	4.50	618	8.75	1,375	13.00	2,261	17.25	3,248
0.50	57	4.75	658	9.00	1,424	13.25	2,316	17.50	3,309
0.75	86	5.00	699	9.25	1,474	13.50	2,372	17.75	3,371
1.00	117	5.25	741	9.50	1,523	13.75	2,428	18.00	3,432
1.25	148	5.50	783	9.75	1,573	14.00	2,485	18.25	3,494
1.50	180	5.75	825	10.00	1,624	14.25	2,541	18.50	3,556
1.75	213	6.00	869	10.25	1,675	14.50	2,599	18.75	3,618
2.00	246	6.25	912	10.50	1,726	14.75	2,656	19.00	3,681
2.25	281	6.50	956	10.75	1,778	15.00	2,714	19.25	3,744
2.50	315	6.75	1,001	11.00	1,830	15.25	2,772	19.50	3,807
2.75	351	7.00	1,046	11.25	1,883	15.50	2,831	19.75	3,870
3.00	387	7.25	1,092	11.50	1,935	15.75	2,889	20.00	3,934
3.25	424	7.50	1,138	11.75	1,989	16.00	2,948	20.25	3,998
3.50	462	7.75	1,185	12.00	2,042	16.25	3,008	20.50	4,062
3.75	500	8.00	1,232	12.25	2,096	16.50	3,068	20.75	4,126
4.00	538	8.25	1,279	12.50	2,151	16.75	3,128	21.00	4,191



## Capacity/Gauge Table Information

**TCLX 290401**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 201

Reporting Mark: TCLX 290401

Date: 16/07/2015

Capacity: 28,993 US Gallons (109,749 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,256	25.50	5,395	29.75	6,594	34.00	7,841	38.25	9,128
21.50	4,321	25.75	5,464	30.00	6,666	34.25	7,916	38.50	9,204
21.75	4,386	26.00	5,533	30.25	6,738	34.50	7,991	38.75	9,281
22.00	4,452	26.25	5,603	30.50	6,811	34.75	8,065	39.00	9,358
22.25	4,518	26.50	5,672	30.75	6,883	35.00	8,141	39.25	9,435
22.50	4,584	26.75	5,742	31.00	6,956	35.25	8,216	39.50	9,512
22.75	4,650	27.00	5,812	31.25	7,029	35.50	8,291	39.75	9,589
23.00	4,717	27.25	5,882	31.50	7,102	35.75	8,367	40.00	9,667
23.25	4,784	27.50	5,952	31.75	7,175	36.00	8,442	40.25	9,744
23.50	4,851	27.75	6,023	32.00	7,249	36.25	8,518	40.50	9,822
23.75	4,918	28.00	6,094	32.25	7,322	36.50	8,594	40.75	9,899
24.00	4,986	28.25	6,165	32.50	7,396	36.75	8,670	41.00	9,977
24.25	5,053	28.50	6,236	32.75	7,470	37.00	8,746	41.25	10,055
24.50	5,121	28.75	6,307	33.00	7,544	37.25	8,822	41.50	10,132
24.75	5,189	29.00	6,378	33.25	7,618	37.50	8,898	41.75	10,210
25.00	5,258	29.25	6,450	33.50	7,692	37.75	8,974	42.00	10,288
25.25	5,326	29.50	6,522	33.75	7,766	38.00	9,051	42.25	10,366



## Capacity/Gauge Table Information

**TCLX 290401**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 201

Reporting Mark: TCLX 290401

Date: 16/07/2015

Capacity: 28,993 US Gallons (109,749 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,445	46.75	11,784	51.00	13,137	55.25	14,498	59.50	15,857
42.75	10,523	47.00	11,863	51.25	13,217	55.50	14,578	59.75	15,936
43.00	10,601	47.25	11,943	51.50	13,297	55.75	14,658	60.00	16,016
43.25	10,680	47.50	12,022	51.75	13,377	56.00	14,738	60.25	16,096
43.50	10,758	47.75	12,101	52.00	13,457	56.25	14,818	60.50	16,175
43.75	10,837	48.00	12,181	52.25	13,537	56.50	14,898	60.75	16,255
44.00	10,915	48.25	12,260	52.50	13,617	56.75	14,978	61.00	16,335
44.25	10,994	48.50	12,340	52.75	13,697	57.00	15,058	61.25	16,414
44.50	11,073	48.75	12,420	53.00	13,777	57.25	15,138	61.50	16,494
44.75	11,151	49.00	12,499	53.25	13,857	57.50	15,218	61.75	16,573
45.00	11,230	49.25	12,579	53.50	13,937	57.75	15,298	62.00	16,652
45.25	11,309	49.50	12,659	53.75	14,017	58.00	15,378	62.25	16,732
45.50	11,388	49.75	12,738	54.00	14,097	58.25	15,457	62.50	16,811
45.75	11,467	50.00	12,818	54.25	14,177	58.50	15,537	62.75	16,890
46.00	11,546	50.25	12,898	54.50	14,257	58.75	15,617	63.00	16,970
46.25	11,625	50.50	12,978	54.75	14,337	59.00	15,697	63.25	17,049
46.50	11,705	50.75	13,058	55.00	14,418	59.25	15,777	63.50	17,128



## Capacity/Gauge Table Information

**TCLX 290401**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 201

Reporting Mark: TCLX 290401

Date: 16/07/2015

Capacity: 28,993 US Gallons (109,749 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,207	68.00	18,541	72.25	19,850	76.50	21,127	80.75	22,361
64.00	17,286	68.25	18,619	72.50	19,926	76.75	21,201	81.00	22,433
64.25	17,365	68.50	18,696	72.75	20,002	77.00	21,274	81.25	22,503
64.50	17,444	68.75	18,774	73.00	20,078	77.25	21,348	81.50	22,574
64.75	17,523	69.00	18,851	73.25	20,154	77.50	21,421	81.75	22,645
65.00	17,601	69.25	18,929	73.50	20,229	77.75	21,495	82.00	22,715
65.25	17,680	69.50	19,006	73.75	20,305	78.00	21,568	82.25	22,785
65.50	17,759	69.75	19,083	74.00	20,380	78.25	21,641	82.50	22,855
65.75	17,837	70.00	19,161	74.25	20,455	78.50	21,713	82.75	22,925
66.00	17,916	70.25	19,238	74.50	20,531	78.75	21,786	83.00	22,995
66.25	17,994	70.50	19,315	74.75	20,606	79.00	21,859	83.25	23,064
66.50	18,072	70.75	19,391	75.00	20,680	79.25	21,931	83.50	23,134
66.75	18,151	71.00	19,468	75.25	20,755	79.50	22,003	83.75	23,203
67.00	18,229	71.25	19,545	75.50	20,830	79.75	22,075	84.00	23,271
67.25	18,307	71.50	19,621	75.75	20,904	80.00	22,147	84.25	23,340
67.50	18,385	71.75	19,698	76.00	20,978	80.25	22,219	84.50	23,408
67.75	18,463	72.00	19,774	76.25	21,053	80.50	22,290	84.75	23,477



## Capacity/Gauge Table Information

**TCLX 290401**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 201

Reporting Mark: TCLX 290401

Date: 16/07/2015

Capacity: 28,993 US Gallons (109,749 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,545	89.25	24,666	93.50	25,712	97.75	26,668	102.00	27,516
85.25	23,612	89.50	24,729	93.75	25,771	98.00	26,721	102.25	27,562
85.50	23,680	89.75	24,793	94.00	25,829	98.25	26,774	102.50	27,607
85.75	23,747	90.00	24,856	94.25	25,888	98.50	26,826	102.75	27,652
86.00	23,814	90.25	24,919	94.50	25,946	98.75	26,878	103.00	27,697
86.25	23,881	90.50	24,982	94.75	26,003	99.00	26,930	103.25	27,741
86.50	23,948	90.75	25,044	95.00	26,061	99.25	26,981	103.50	27,784
86.75	24,014	91.00	25,106	95.25	26,118	99.50	27,032	103.75	27,827
87.00	24,081	91.25	25,168	95.50	26,174	99.75	27,082	104.00	27,870
87.25	24,147	91.50	25,230	95.75	26,230	100.00	27,132	104.25	27,912
87.50	24,212	91.75	25,291	96.00	26,286	100.25	27,182	104.50	27,953
87.75	24,278	92.00	25,352	96.25	26,342	100.50	27,231	104.75	27,994
88.00	24,343	92.25	25,413	96.50	26,397	100.75	27,279	105.00	28,034
88.25	24,408	92.50	25,473	96.75	26,452	101.00	27,328	105.25	28,074
88.50	24,473	92.75	25,533	97.00	26,507	101.25	27,375	105.50	28,113
88.75	24,537	93.00	25,593	97.25	26,561	101.50	27,423	105.75	28,152
89.00	24,602	93.25	25,653	97.50	26,615	101.75	27,470	106.00	28,190





## Capacity/Gauge Table Information

**TCLX 290401**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 201

Reporting Mark: TCLX 290401

Date: 16/07/2015

Capacity: 28,993 US Gallons (109,749 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,227	110.50	28,753	114.75	28,979
106.50	28,264	110.75	28,776	115.00	28,983
106.75	28,300	111.00	28,798	115.25	28,986
107.00	28,336	111.25	28,819	115.50	28,988
107.25	28,370	111.50	28,838	115.75	28,990
107.50	28,405	111.75	28,855	116.00	28,991
107.75	28,438	112.00	28,872	116.25	28,992
108.00	28,471	112.25	28,887	116.50	28,993
108.25	28,503	112.50	28,901	116.75	28,993
108.50	28,534	112.75	28,914		
108.75	28,564	113.00	28,926		
109.00	28,594	113.25	28,936		
109.25	28,623	113.50	28,946		
109.50	28,651	113.75	28,954		
109.75	28,678	114.00	28,962		
110.00	28,704	114.25	28,968		
110.25	28,729	114.50	28,974		



## Capacity/Gauge Table Information

**TCLX 290402**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 202

Reporting Mark: TCLX 290402

Date: 16/07/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,336	12.75	2,217	17.00	3,202
0.25	28	4.50	623	8.75	1,384	13.00	2,273	17.25	3,263
0.50	57	4.75	663	9.00	1,433	13.25	2,328	17.50	3,324
0.75	87	5.00	705	9.25	1,483	13.50	2,384	17.75	3,385
1.00	118	5.25	746	9.50	1,533	13.75	2,441	18.00	3,447
1.25	150	5.50	789	9.75	1,583	14.00	2,497	18.25	3,509
1.50	182	5.75	832	10.00	1,634	14.25	2,554	18.50	3,571
1.75	215	6.00	875	10.25	1,685	14.50	2,611	18.75	3,634
2.00	249	6.25	919	10.50	1,736	14.75	2,669	19.00	3,696
2.25	283	6.50	963	10.75	1,788	15.00	2,727	19.25	3,759
2.50	318	6.75	1,008	11.00	1,841	15.25	2,785	19.50	3,822
2.75	354	7.00	1,054	11.25	1,893	15.50	2,844	19.75	3,886
3.00	391	7.25	1,099	11.50	1,946	15.75	2,903	20.00	3,950
3.25	428	7.50	1,146	11.75	2,000	16.00	2,962	20.25	4,014
3.50	466	7.75	1,193	12.00	2,054	16.25	3,022	20.50	4,078
3.75	504	8.00	1,240	12.25	2,108	16.50	3,082	20.75	4,143
4.00	543	8.25	1,288	12.50	2,162	16.75	3,142	21.00	4,207



## Capacity/Gauge Table Information

**TCLX 290402**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 202

Reporting Mark: TCLX 290402

Date: 16/07/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,273	25.50	5,414	29.75	6,614	34.00	7,863	38.25	9,151
21.50	4,338	25.75	5,483	30.00	6,686	34.25	7,938	38.50	9,228
21.75	4,403	26.00	5,552	30.25	6,759	34.50	8,013	38.75	9,304
22.00	4,469	26.25	5,622	30.50	6,831	34.75	8,088	39.00	9,381
22.25	4,535	26.50	5,691	30.75	6,904	35.00	8,163	39.25	9,459
22.50	4,601	26.75	5,761	31.00	6,977	35.25	8,238	39.50	9,536
22.75	4,668	27.00	5,831	31.25	7,050	35.50	8,313	39.75	9,613
23.00	4,735	27.25	5,902	31.50	7,123	35.75	8,389	40.00	9,690
23.25	4,802	27.50	5,972	31.75	7,196	36.00	8,465	40.25	9,768
23.50	4,869	27.75	6,043	32.00	7,270	36.25	8,540	40.50	9,845
23.75	4,936	28.00	6,113	32.25	7,343	36.50	8,616	40.75	9,923
24.00	5,004	28.25	6,184	32.50	7,417	36.75	8,692	41.00	10,001
24.25	5,072	28.50	6,256	32.75	7,491	37.00	8,768	41.25	10,079
24.50	5,140	28.75	6,327	33.00	7,565	37.25	8,845	41.50	10,156
24.75	5,208	29.00	6,398	33.25	7,639	37.50	8,921	41.75	10,234
25.00	5,276	29.25	6,470	33.50	7,714	37.75	8,998	42.00	10,313
25.25	5,345	29.50	6,542	33.75	7,788	38.00	9,074	42.25	10,391



## Capacity/Gauge Table Information

**TCLX 290402**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 202

Reporting Mark: TCLX 290402

Date: 16/07/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,469	46.75	11,809	51.00	13,163	55.25	14,524	59.50	15,883
42.75	10,547	47.00	11,888	51.25	13,243	55.50	14,604	59.75	15,963
43.00	10,626	47.25	11,968	51.50	13,323	55.75	14,684	60.00	16,043
43.25	10,704	47.50	12,047	51.75	13,403	56.00	14,764	60.25	16,122
43.50	10,783	47.75	12,127	52.00	13,483	56.25	14,844	60.50	16,202
43.75	10,861	48.00	12,206	52.25	13,563	56.50	14,924	60.75	16,282
44.00	10,940	48.25	12,286	52.50	13,643	56.75	15,004	61.00	16,361
44.25	11,019	48.50	12,365	52.75	13,723	57.00	15,084	61.25	16,441
44.50	11,097	48.75	12,445	53.00	13,803	57.25	15,164	61.50	16,520
44.75	11,176	49.00	12,525	53.25	13,883	57.50	15,244	61.75	16,600
45.00	11,255	49.25	12,604	53.50	13,963	57.75	15,324	62.00	16,679
45.25	11,334	49.50	12,684	53.75	14,043	58.00	15,404	62.25	16,758
45.50	11,413	49.75	12,764	54.00	14,123	58.25	15,484	62.50	16,838
45.75	11,492	50.00	12,844	54.25	14,204	58.50	15,564	62.75	16,917
46.00	11,571	50.25	12,924	54.50	14,284	58.75	15,644	63.00	16,996
46.25	11,651	50.50	13,003	54.75	14,364	59.00	15,724	63.25	17,075
46.50	11,730	50.75	13,083	55.00	14,444	59.25	15,803	63.50	17,155



## Capacity/Gauge Table Information

**TCLX 290402**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 202

Reporting Mark: TCLX 290402

Date: 16/07/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,234	68.00	18,567	72.25	19,876	76.50	21,152	80.75	22,386
64.00	17,313	68.25	18,645	72.50	19,952	76.75	21,226	81.00	22,457
64.25	17,391	68.50	18,723	72.75	20,028	77.00	21,300	81.25	22,528
64.50	17,470	68.75	18,800	73.00	20,104	77.25	21,373	81.50	22,599
64.75	17,549	69.00	18,878	73.25	20,180	77.50	21,447	81.75	22,669
65.00	17,628	69.25	18,955	73.50	20,255	77.75	21,520	82.00	22,739
65.25	17,707	69.50	19,032	73.75	20,331	78.00	21,593	82.25	22,810
65.50	17,785	69.75	19,110	74.00	20,406	78.25	21,666	82.50	22,879
65.75	17,864	70.00	19,187	74.25	20,481	78.50	21,739	82.75	22,949
66.00	17,942	70.25	19,264	74.50	20,556	78.75	21,811	83.00	23,019
66.25	18,021	70.50	19,341	74.75	20,631	79.00	21,884	83.25	23,088
66.50	18,099	70.75	19,418	75.00	20,706	79.25	21,956	83.50	23,157
66.75	18,177	71.00	19,494	75.25	20,781	79.50	22,028	83.75	23,226
67.00	18,255	71.25	19,571	75.50	20,855	79.75	22,100	84.00	23,295
67.25	18,333	71.50	19,647	75.75	20,930	80.00	22,172	84.25	23,364
67.50	18,411	71.75	19,724	76.00	21,004	80.25	22,243	84.50	23,432
67.75	18,489	72.00	19,800	76.25	21,078	80.50	22,315	84.75	23,500



## Capacity/Gauge Table Information

**TCLX 290402**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 202

Reporting Mark: TCLX 290402

Date: 16/07/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,568	89.25	24,687	93.50	25,732	97.75	26,686	102.00	27,530
85.25	23,636	89.50	24,751	93.75	25,790	98.00	26,739	102.25	27,576
85.50	23,703	89.75	24,814	94.00	25,849	98.25	26,791	102.50	27,621
85.75	23,770	90.00	24,877	94.25	25,907	98.50	26,843	102.75	27,666
86.00	23,837	90.25	24,940	94.50	25,965	98.75	26,895	103.00	27,710
86.25	23,904	90.50	25,003	94.75	26,022	99.00	26,946	103.25	27,754
86.50	23,971	90.75	25,065	95.00	26,080	99.25	26,997	103.50	27,797
86.75	24,037	91.00	25,127	95.25	26,136	99.50	27,048	103.75	27,840
87.00	24,103	91.25	25,189	95.50	26,193	99.75	27,098	104.00	27,882
87.25	24,169	91.50	25,250	95.75	26,249	100.00	27,148	104.25	27,924
87.50	24,235	91.75	25,312	96.00	26,305	100.25	27,197	104.50	27,965
87.75	24,300	92.00	25,373	96.25	26,360	100.50	27,246	104.75	28,006
88.00	24,365	92.25	25,433	96.50	26,415	100.75	27,295	105.00	28,046
88.25	24,430	92.50	25,493	96.75	26,470	101.00	27,343	105.25	28,085
88.50	24,495	92.75	25,553	97.00	26,525	101.25	27,390	105.50	28,124
88.75	24,559	93.00	25,613	97.25	26,579	101.50	27,437	105.75	28,162
89.00	24,623	93.25	25,673	97.50	26,632	101.75	27,484	106.00	28,200



## Capacity/Gauge Table Information

**TCLX 290402**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 202

Reporting Mark: TCLX 290402

Date: 16/07/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,237	110.50	28,757	114.75	28,975
106.50	28,274	110.75	28,779	115.00	28,978
106.75	28,310	111.00	28,800	115.25	28,982
107.00	28,345	111.25	28,820	115.50	28,984
107.25	28,379	111.50	28,838	115.75	28,986
107.50	28,413	111.75	28,855	116.00	28,987
107.75	28,446	112.00	28,871	116.25	28,988
108.00	28,479	112.25	28,886	116.50	28,988
108.25	28,510	112.50	28,900	116.75	28,988
108.50	28,541	112.75	28,912		
108.75	28,571	113.00	28,923		
109.00	28,600	113.25	28,934		
109.25	28,629	113.50	28,943		
109.50	28,656	113.75	28,951		
109.75	28,683	114.00	28,958		
110.00	28,709	114.25	28,965		
110.25	28,733	114.50	28,970		





## Capacity/Gauge Table Information

**TCLX 290403**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 203

Reporting Mark: TCLX 290403

Date: 15/07/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,232	17.00	3,221
0.25	29	4.50	629	8.75	1,396	13.00	2,288	17.25	3,282
0.50	58	4.75	670	9.00	1,445	13.25	2,344	17.50	3,343
0.75	89	5.00	712	9.25	1,495	13.50	2,400	17.75	3,404
1.00	120	5.25	754	9.50	1,545	13.75	2,456	18.00	3,466
1.25	152	5.50	797	9.75	1,595	14.00	2,513	18.25	3,528
1.50	184	5.75	840	10.00	1,646	14.25	2,570	18.50	3,590
1.75	218	6.00	883	10.25	1,698	14.50	2,628	18.75	3,653
2.00	252	6.25	928	10.50	1,749	14.75	2,686	19.00	3,716
2.25	287	6.50	972	10.75	1,802	15.00	2,744	19.25	3,779
2.50	322	6.75	1,018	11.00	1,854	15.25	2,802	19.50	3,843
2.75	359	7.00	1,063	11.25	1,907	15.50	2,861	19.75	3,906
3.00	395	7.25	1,109	11.50	1,960	15.75	2,920	20.00	3,970
3.25	433	7.50	1,156	11.75	2,014	16.00	2,980	20.25	4,034
3.50	471	7.75	1,203	12.00	2,068	16.25	3,040	20.50	4,099
3.75	510	8.00	1,250	12.25	2,122	16.50	3,100	20.75	4,164
4.00	549	8.25	1,298	12.50	2,177	16.75	3,160	21.00	4,229



## Capacity/Gauge Table Information

**TCLX 290403**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 203

Reporting Mark: TCLX 290403

Date: 15/07/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,294	25.50	5,437	29.75	6,640	34.00	7,891	38.25	9,180
21.50	4,359	25.75	5,507	30.00	6,712	34.25	7,965	38.50	9,257
21.75	4,425	26.00	5,576	30.25	6,785	34.50	8,040	38.75	9,334
22.00	4,491	26.25	5,646	30.50	6,857	34.75	8,116	39.00	9,411
22.25	4,557	26.50	5,716	30.75	6,930	35.00	8,191	39.25	9,488
22.50	4,623	26.75	5,786	31.00	7,003	35.25	8,266	39.50	9,565
22.75	4,690	27.00	5,856	31.25	7,076	35.50	8,342	39.75	9,643
23.00	4,757	27.25	5,926	31.50	7,150	35.75	8,417	40.00	9,720
23.25	4,824	27.50	5,997	31.75	7,223	36.00	8,493	40.25	9,798
23.50	4,891	27.75	6,067	32.00	7,297	36.25	8,569	40.50	9,875
23.75	4,959	28.00	6,138	32.25	7,370	36.50	8,645	40.75	9,953
24.00	5,027	28.25	6,210	32.50	7,444	36.75	8,721	41.00	10,031
24.25	5,095	28.50	6,281	32.75	7,518	37.00	8,797	41.25	10,109
24.50	5,163	28.75	6,352	33.00	7,592	37.25	8,874	41.50	10,187
24.75	5,231	29.00	6,424	33.25	7,667	37.50	8,950	41.75	10,265
25.00	5,300	29.25	6,496	33.50	7,741	37.75	9,027	42.00	10,343
25.25	5,368	29.50	6,568	33.75	7,816	38.00	9,103	42.25	10,421



## Capacity/Gauge Table Information

**TCLX 290403**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 203

Reporting Mark: TCLX 290403

Date: 15/07/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,499	46.75	11,840	51.00	13,195	55.25	14,557	59.50	15,916
42.75	10,578	47.00	11,920	51.25	13,275	55.50	14,637	59.75	15,996
43.00	10,656	47.25	11,999	51.50	13,355	55.75	14,717	60.00	16,076
43.25	10,735	47.50	12,079	51.75	13,435	56.00	14,797	60.25	16,155
43.50	10,813	47.75	12,158	52.00	13,515	56.25	14,877	60.50	16,235
43.75	10,892	48.00	12,238	52.25	13,595	56.50	14,957	60.75	16,314
44.00	10,971	48.25	12,318	52.50	13,676	56.75	15,037	61.00	16,394
44.25	11,049	48.50	12,397	52.75	13,756	57.00	15,117	61.25	16,474
44.50	11,128	48.75	12,477	53.00	13,836	57.25	15,197	61.50	16,553
44.75	11,207	49.00	12,557	53.25	13,916	57.50	15,277	61.75	16,633
45.00	11,286	49.25	12,636	53.50	13,996	57.75	15,357	62.00	16,712
45.25	11,365	49.50	12,716	53.75	14,076	58.00	15,437	62.25	16,791
45.50	11,444	49.75	12,796	54.00	14,156	58.25	15,517	62.50	16,871
45.75	11,523	50.00	12,876	54.25	14,236	58.50	15,597	62.75	16,950
46.00	11,603	50.25	12,956	54.50	14,316	58.75	15,677	63.00	17,029
46.25	11,682	50.50	13,036	54.75	14,396	59.00	15,756	63.25	17,108
46.50	11,761	50.75	13,115	55.00	14,476	59.25	15,836	63.50	17,187



## Capacity/Gauge Table Information

**TCLX 290403**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 203

Reporting Mark: TCLX 290403

Date: 15/07/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,266	68.00	18,600	72.25	19,908	76.50	21,183	80.75	22,415
64.00	17,345	68.25	18,677	72.50	19,984	76.75	21,257	81.00	22,486
64.25	17,424	68.50	18,755	72.75	20,060	77.00	21,330	81.25	22,557
64.50	17,503	68.75	18,833	73.00	20,136	77.25	21,404	81.50	22,628
64.75	17,582	69.00	18,910	73.25	20,211	77.50	21,477	81.75	22,698
65.00	17,661	69.25	18,987	73.50	20,287	77.75	21,550	82.00	22,768
65.25	17,739	69.50	19,065	73.75	20,362	78.00	21,623	82.25	22,839
65.50	17,818	69.75	19,142	74.00	20,438	78.25	21,696	82.50	22,908
65.75	17,896	70.00	19,219	74.25	20,513	78.50	21,769	82.75	22,978
66.00	17,975	70.25	19,296	74.50	20,588	78.75	21,841	83.00	23,048
66.25	18,053	70.50	19,373	74.75	20,663	79.00	21,914	83.25	23,117
66.50	18,132	70.75	19,450	75.00	20,737	79.25	21,986	83.50	23,186
66.75	18,210	71.00	19,526	75.25	20,812	79.50	22,058	83.75	23,255
67.00	18,288	71.25	19,603	75.50	20,886	79.75	22,130	84.00	23,323
67.25	18,366	71.50	19,679	75.75	20,961	80.00	22,201	84.25	23,392
67.50	18,444	71.75	19,756	76.00	21,035	80.25	22,273	84.50	23,460
67.75	18,522	72.00	19,832	76.25	21,109	80.50	22,344	84.75	23,528



## Capacity/Gauge Table Information

**TCLX 290403**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 203

Reporting Mark: TCLX 290403

Date: 15/07/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,596	89.25	24,713	93.50	25,755	97.75	26,706	102.00	27,546
85.25	23,663	89.50	24,777	93.75	25,813	98.00	26,758	102.25	27,591
85.50	23,731	89.75	24,840	94.00	25,872	98.25	26,811	102.50	27,636
85.75	23,798	90.00	24,903	94.25	25,930	98.50	26,863	102.75	27,681
86.00	23,865	90.25	24,966	94.50	25,987	98.75	26,914	103.00	27,725
86.25	23,932	90.50	25,028	94.75	26,045	99.00	26,965	103.25	27,768
86.50	23,998	90.75	25,090	95.00	26,102	99.25	27,016	103.50	27,811
86.75	24,064	91.00	25,152	95.25	26,158	99.50	27,066	103.75	27,854
87.00	24,130	91.25	25,214	95.50	26,215	99.75	27,116	104.00	27,896
87.25	24,196	91.50	25,275	95.75	26,271	100.00	27,166	104.25	27,937
87.50	24,261	91.75	25,336	96.00	26,326	100.25	27,215	104.50	27,978
87.75	24,327	92.00	25,397	96.25	26,381	100.50	27,263	104.75	28,018
88.00	24,392	92.25	25,457	96.50	26,436	100.75	27,312	105.00	28,058
88.25	24,457	92.50	25,517	96.75	26,491	101.00	27,359	105.25	28,097
88.50	24,521	92.75	25,577	97.00	26,545	101.25	27,407	105.50	28,136
88.75	24,585	93.00	25,637	97.25	26,599	101.50	27,454	105.75	28,174
89.00	24,649	93.25	25,696	97.50	26,652	101.75	27,500	106.00	28,211



## Capacity/Gauge Table Information

**TCLX 290403**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 203

Reporting Mark: TCLX 290403

Date: 15/07/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,248	110.50	28,758	114.75	28,967
106.50	28,284	110.75	28,780	115.00	28,971
106.75	28,319	111.00	28,800	115.25	28,974
107.00	28,354	111.25	28,819	115.50	28,976
107.25	28,388	111.50	28,837	115.75	28,978
107.50	28,421	111.75	28,853	116.00	28,979
107.75	28,454	112.00	28,868	116.25	28,980
108.00	28,486	112.25	28,882	116.50	28,980
108.25	28,517	112.50	28,895	116.75	28,980
108.50	28,548	112.75	28,907		
108.75	28,577	113.00	28,918		
109.00	28,606	113.25	28,928		
109.25	28,634	113.50	28,937		
109.50	28,661	113.75	28,945		
109.75	28,687	114.00	28,952		
110.00	28,712	114.25	28,958		
110.25	28,736	114.50	28,963		



## Capacity/Gauge Table Information

**TCLX 290404**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 204

Reporting Mark: TCLX 290404

Date: 14/07/2015

Capacity: 28,978 US Gallons (109,695 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,223	17.00	3,209
0.25	28	4.50	625	8.75	1,388	13.00	2,278	17.25	3,270
0.50	58	4.75	666	9.00	1,438	13.25	2,334	17.50	3,331
0.75	88	5.00	707	9.25	1,487	13.50	2,390	17.75	3,392
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,454
1.25	150	5.50	792	9.75	1,587	14.00	2,503	18.25	3,516
1.50	183	5.75	835	10.00	1,638	14.25	2,560	18.50	3,578
1.75	216	6.00	878	10.25	1,689	14.50	2,617	18.75	3,640
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,703
2.25	285	6.50	967	10.75	1,793	15.00	2,733	19.25	3,766
2.50	320	6.75	1,012	11.00	1,845	15.25	2,791	19.50	3,829
2.75	356	7.00	1,057	11.25	1,898	15.50	2,850	19.75	3,893
3.00	393	7.25	1,103	11.50	1,951	15.75	2,909	20.00	3,957
3.25	430	7.50	1,150	11.75	2,005	16.00	2,968	20.25	4,021
3.50	468	7.75	1,196	12.00	2,059	16.25	3,028	20.50	4,085
3.75	506	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,150
4.00	545	8.25	1,292	12.50	2,168	16.75	3,148	21.00	4,215





## Capacity/Gauge Table Information

**TCLX 290404**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 204

Reporting Mark: TCLX 290404

Date: 14/07/2015

Capacity: 28,978 US Gallons (109,695 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,280	25.50	5,422	29.75	6,623	34.00	7,872	38.25	9,160
21.50	4,345	25.75	5,491	30.00	6,695	34.25	7,947	38.50	9,237
21.75	4,411	26.00	5,560	30.25	6,767	34.50	8,022	38.75	9,314
22.00	4,477	26.25	5,630	30.50	6,840	34.75	8,097	39.00	9,391
22.25	4,543	26.50	5,700	30.75	6,913	35.00	8,172	39.25	9,468
22.50	4,609	26.75	5,769	31.00	6,986	35.25	8,247	39.50	9,545
22.75	4,676	27.00	5,840	31.25	7,059	35.50	8,323	39.75	9,623
23.00	4,742	27.25	5,910	31.50	7,132	35.75	8,398	40.00	9,700
23.25	4,809	27.50	5,980	31.75	7,205	36.00	8,474	40.25	9,777
23.50	4,876	27.75	6,051	32.00	7,279	36.25	8,550	40.50	9,855
23.75	4,944	28.00	6,122	32.25	7,352	36.50	8,626	40.75	9,933
24.00	5,012	28.25	6,193	32.50	7,426	36.75	8,702	41.00	10,010
24.25	5,079	28.50	6,264	32.75	7,500	37.00	8,778	41.25	10,088
24.50	5,147	28.75	6,336	33.00	7,574	37.25	8,854	41.50	10,166
24.75	5,216	29.00	6,407	33.25	7,649	37.50	8,930	41.75	10,244
25.00	5,284	29.25	6,479	33.50	7,723	37.75	9,007	42.00	10,322
25.25	5,353	29.50	6,551	33.75	7,797	38.00	9,084	42.25	10,400



## Capacity/Gauge Table Information

**TCLX 290404**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 204

Reporting Mark: TCLX 290404

Date: 14/07/2015

Capacity: 28,978 US Gallons (109,695 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,479	46.75	11,819	51.00	13,173	55.25	14,534	59.50	15,893
42.75	10,557	47.00	11,898	51.25	13,253	55.50	14,614	59.75	15,972
43.00	10,635	47.25	11,978	51.50	13,333	55.75	14,694	60.00	16,052
43.25	10,714	47.50	12,057	51.75	13,413	56.00	14,774	60.25	16,132
43.50	10,792	47.75	12,137	52.00	13,493	56.25	14,854	60.50	16,211
43.75	10,871	48.00	12,216	52.25	13,573	56.50	14,934	60.75	16,291
44.00	10,950	48.25	12,296	52.50	13,653	56.75	15,014	61.00	16,371
44.25	11,028	48.50	12,375	52.75	13,733	57.00	15,094	61.25	16,450
44.50	11,107	48.75	12,455	53.00	13,813	57.25	15,174	61.50	16,530
44.75	11,186	49.00	12,535	53.25	13,893	57.50	15,254	61.75	16,609
45.00	11,265	49.25	12,614	53.50	13,973	57.75	15,334	62.00	16,688
45.25	11,344	49.50	12,694	53.75	14,053	58.00	15,414	62.25	16,768
45.50	11,423	49.75	12,774	54.00	14,133	58.25	15,494	62.50	16,847
45.75	11,502	50.00	12,854	54.25	14,213	58.50	15,573	62.75	16,926
46.00	11,581	50.25	12,933	54.50	14,293	58.75	15,653	63.00	17,006
46.25	11,660	50.50	13,013	54.75	14,373	59.00	15,733	63.25	17,085
46.50	11,740	50.75	13,093	55.00	14,454	59.25	15,813	63.50	17,164



## Capacity/Gauge Table Information

**TCLX 290404**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 204

Reporting Mark: TCLX 290404

Date: 14/07/2015

Capacity: 28,978 US Gallons (109,695 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,243	68.00	18,576	72.25	19,885	76.50	21,160	80.75	22,393
64.00	17,322	68.25	18,654	72.50	19,961	76.75	21,233	81.00	22,464
64.25	17,401	68.50	18,731	72.75	20,036	77.00	21,307	81.25	22,535
64.50	17,480	68.75	18,809	73.00	20,112	77.25	21,381	81.50	22,605
64.75	17,558	69.00	18,886	73.25	20,188	77.50	21,454	81.75	22,676
65.00	17,637	69.25	18,964	73.50	20,263	77.75	21,527	82.00	22,746
65.25	17,716	69.50	19,041	73.75	20,339	78.00	21,600	82.25	22,816
65.50	17,794	69.75	19,118	74.00	20,414	78.25	21,673	82.50	22,886
65.75	17,873	70.00	19,195	74.25	20,489	78.50	21,746	82.75	22,956
66.00	17,951	70.25	19,272	74.50	20,564	78.75	21,818	83.00	23,025
66.25	18,030	70.50	19,349	74.75	20,639	79.00	21,891	83.25	23,094
66.50	18,108	70.75	19,426	75.00	20,714	79.25	21,963	83.50	23,164
66.75	18,186	71.00	19,503	75.25	20,789	79.50	22,035	83.75	23,232
67.00	18,264	71.25	19,579	75.50	20,863	79.75	22,107	84.00	23,301
67.25	18,342	71.50	19,656	75.75	20,937	80.00	22,179	84.25	23,370
67.50	18,420	71.75	19,732	76.00	21,012	80.25	22,250	84.50	23,438
67.75	18,498	72.00	19,808	76.25	21,086	80.50	22,322	84.75	23,506



## Capacity/Gauge Table Information

**TCLX 290404**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 204

Reporting Mark: TCLX 290404

Date: 14/07/2015

Capacity: 28,978 US Gallons (109,695 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,574	89.25	24,692	93.50	25,735	97.75	26,688	102.00	27,530
85.25	23,641	89.50	24,756	93.75	25,794	98.00	26,740	102.25	27,576
85.50	23,709	89.75	24,819	94.00	25,852	98.25	26,793	102.50	27,621
85.75	23,776	90.00	24,882	94.25	25,910	98.50	26,845	102.75	27,666
86.00	23,843	90.25	24,945	94.50	25,968	98.75	26,897	103.00	27,710
86.25	23,910	90.50	25,007	94.75	26,025	99.00	26,948	103.25	27,753
86.50	23,976	90.75	25,070	95.00	26,082	99.25	26,999	103.50	27,796
86.75	24,043	91.00	25,131	95.25	26,139	99.50	27,049	103.75	27,839
87.00	24,109	91.25	25,193	95.50	26,196	99.75	27,099	104.00	27,881
87.25	24,174	91.50	25,255	95.75	26,252	100.00	27,149	104.25	27,923
87.50	24,240	91.75	25,316	96.00	26,307	100.25	27,198	104.50	27,964
87.75	24,305	92.00	25,376	96.25	26,363	100.50	27,247	104.75	28,004
88.00	24,370	92.25	25,437	96.50	26,418	100.75	27,295	105.00	28,044
88.25	24,435	92.50	25,497	96.75	26,473	101.00	27,343	105.25	28,084
88.50	24,500	92.75	25,557	97.00	26,527	101.25	27,391	105.50	28,122
88.75	24,564	93.00	25,617	97.25	26,581	101.50	27,438	105.75	28,160
89.00	24,628	93.25	25,676	97.50	26,634	101.75	27,484	106.00	28,198



## Capacity/Gauge Table Information

**TCLX 290404**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 204

Reporting Mark: TCLX 290404

Date: 14/07/2015

Capacity: 28,978 US Gallons (109,695 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,235	110.50	28,751	114.75	28,965
106.50	28,271	110.75	28,773	115.00	28,969
106.75	28,307	111.00	28,794	115.25	28,972
107.00	28,342	111.25	28,813	115.50	28,974
107.25	28,376	111.50	28,831	115.75	28,976
107.50	28,410	111.75	28,848	116.00	28,977
107.75	28,443	112.00	28,863	116.25	28,978
108.00	28,475	112.25	28,878	116.50	28,978
108.25	28,506	112.50	28,891	116.75	28,978
108.50	28,537	112.75	28,903		
108.75	28,567	113.00	28,915		
109.00	28,596	113.25	28,925		
109.25	28,624	113.50	28,934		
109.50	28,652	113.75	28,942		
109.75	28,678	114.00	28,949		
110.00	28,703	114.25	28,955		
110.25	28,728	114.50	28,960		



## Capacity/Gauge Table Information

**TCLX 290405**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 205

Reporting Mark: TCLX 290405

Date: 16/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,339	12.75	2,221	17.00	3,206
0.25	28	4.50	625	8.75	1,387	13.00	2,276	17.25	3,267
0.50	58	4.75	665	9.00	1,437	13.25	2,332	17.50	3,328
0.75	88	5.00	707	9.25	1,486	13.50	2,388	17.75	3,390
1.00	119	5.25	749	9.50	1,536	13.75	2,444	18.00	3,451
1.25	150	5.50	791	9.75	1,586	14.00	2,501	18.25	3,513
1.50	183	5.75	834	10.00	1,637	14.25	2,558	18.50	3,575
1.75	216	6.00	878	10.25	1,688	14.50	2,615	18.75	3,638
2.00	250	6.25	921	10.50	1,740	14.75	2,673	19.00	3,700
2.25	284	6.50	966	10.75	1,792	15.00	2,731	19.25	3,763
2.50	320	6.75	1,011	11.00	1,844	15.25	2,789	19.50	3,827
2.75	356	7.00	1,056	11.25	1,897	15.50	2,848	19.75	3,890
3.00	392	7.25	1,102	11.50	1,950	15.75	2,907	20.00	3,954
3.25	429	7.50	1,149	11.75	2,003	16.00	2,966	20.25	4,018
3.50	467	7.75	1,196	12.00	2,057	16.25	3,026	20.50	4,082
3.75	506	8.00	1,243	12.25	2,112	16.50	3,086	20.75	4,147
4.00	545	8.25	1,291	12.50	2,166	16.75	3,146	21.00	4,212



## Capacity/Gauge Table Information

**TCLX 290405**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 205

Reporting Mark: TCLX 290405

Date: 16/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,277	25.50	5,418	29.75	6,618	34.00	7,866	38.25	9,153
21.50	4,342	25.75	5,487	30.00	6,690	34.25	7,941	38.50	9,230
21.75	4,408	26.00	5,556	30.25	6,762	34.50	8,016	38.75	9,307
22.00	4,473	26.25	5,626	30.50	6,835	34.75	8,091	39.00	9,384
22.25	4,539	26.50	5,695	30.75	6,908	35.00	8,166	39.25	9,461
22.50	4,606	26.75	5,765	31.00	6,980	35.25	8,241	39.50	9,538
22.75	4,672	27.00	5,835	31.25	7,053	35.50	8,317	39.75	9,615
23.00	4,739	27.25	5,906	31.50	7,127	35.75	8,392	40.00	9,693
23.25	4,806	27.50	5,976	31.75	7,200	36.00	8,468	40.25	9,770
23.50	4,873	27.75	6,047	32.00	7,273	36.25	8,543	40.50	9,848
23.75	4,940	28.00	6,117	32.25	7,347	36.50	8,619	40.75	9,925
24.00	5,008	28.25	6,188	32.50	7,421	36.75	8,695	41.00	10,003
24.25	5,076	28.50	6,259	32.75	7,495	37.00	8,771	41.25	10,081
24.50	5,144	28.75	6,331	33.00	7,569	37.25	8,848	41.50	10,159
24.75	5,212	29.00	6,402	33.25	7,643	37.50	8,924	41.75	10,236
25.00	5,280	29.25	6,474	33.50	7,717	37.75	9,000	42.00	10,314
25.25	5,349	29.50	6,546	33.75	7,792	38.00	9,077	42.25	10,393





## Capacity/Gauge Table Information

**TCLX 290405**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 205

Reporting Mark: TCLX 290405

Date: 16/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,471	46.75	11,810	51.00	13,163	55.25	14,523	59.50	15,881
42.75	10,549	47.00	11,889	51.25	13,243	55.50	14,603	59.75	15,960
43.00	10,627	47.25	11,969	51.50	13,323	55.75	14,683	60.00	16,040
43.25	10,706	47.50	12,048	51.75	13,403	56.00	14,763	60.25	16,120
43.50	10,784	47.75	12,127	52.00	13,483	56.25	14,843	60.50	16,199
43.75	10,863	48.00	12,207	52.25	13,563	56.50	14,923	60.75	16,279
44.00	10,941	48.25	12,286	52.50	13,643	56.75	15,003	61.00	16,358
44.25	11,020	48.50	12,366	52.75	13,723	57.00	15,082	61.25	16,438
44.50	11,099	48.75	12,446	53.00	13,803	57.25	15,162	61.50	16,517
44.75	11,178	49.00	12,525	53.25	13,883	57.50	15,242	61.75	16,597
45.00	11,256	49.25	12,605	53.50	13,963	57.75	15,322	62.00	16,676
45.25	11,335	49.50	12,684	53.75	14,043	58.00	15,402	62.25	16,755
45.50	11,414	49.75	12,764	54.00	14,123	58.25	15,482	62.50	16,834
45.75	11,493	50.00	12,844	54.25	14,203	58.50	15,562	62.75	16,914
46.00	11,572	50.25	12,924	54.50	14,283	58.75	15,642	63.00	16,993
46.25	11,652	50.50	13,004	54.75	14,363	59.00	15,721	63.25	17,072
46.50	11,731	50.75	13,083	55.00	14,443	59.25	15,801	63.50	17,151



## Capacity/Gauge Table Information

**TCLX 290405**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 205

Reporting Mark: TCLX 290405

Date: 16/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,230	68.00	18,562	72.25	19,870	76.50	21,144	80.75	22,376
64.00	17,309	68.25	18,640	72.50	19,946	76.75	21,218	81.00	22,447
64.25	17,388	68.50	18,717	72.75	20,021	77.00	21,291	81.25	22,518
64.50	17,466	68.75	18,795	73.00	20,097	77.25	21,365	81.50	22,588
64.75	17,545	69.00	18,872	73.25	20,173	77.50	21,438	81.75	22,659
65.00	17,624	69.25	18,950	73.50	20,248	77.75	21,511	82.00	22,729
65.25	17,702	69.50	19,027	73.75	20,324	78.00	21,584	82.25	22,799
65.50	17,781	69.75	19,104	74.00	20,399	78.25	21,657	82.50	22,869
65.75	17,859	70.00	19,181	74.25	20,474	78.50	21,730	82.75	22,939
66.00	17,938	70.25	19,258	74.50	20,549	78.75	21,802	83.00	23,008
66.25	18,016	70.50	19,335	74.75	20,624	79.00	21,874	83.25	23,077
66.50	18,094	70.75	19,411	75.00	20,698	79.25	21,947	83.50	23,146
66.75	18,172	71.00	19,488	75.25	20,773	79.50	22,019	83.75	23,215
67.00	18,251	71.25	19,565	75.50	20,848	79.75	22,090	84.00	23,284
67.25	18,329	71.50	19,641	75.75	20,922	80.00	22,162	84.25	23,352
67.50	18,406	71.75	19,717	76.00	20,996	80.25	22,234	84.50	23,421
67.75	18,484	72.00	19,794	76.25	21,070	80.50	22,305	84.75	23,489



## Capacity/Gauge Table Information

**TCLX 290405**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 205

Reporting Mark: TCLX 290405

Date: 16/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,556	89.25	24,674	93.50	25,716	97.75	26,668	102.00	27,510
85.25	23,624	89.50	24,738	93.75	25,775	98.00	26,721	102.25	27,556
85.50	23,691	89.75	24,801	94.00	25,833	98.25	26,774	102.50	27,601
85.75	23,759	90.00	24,864	94.25	25,891	98.50	26,826	102.75	27,646
86.00	23,825	90.25	24,927	94.50	25,949	98.75	26,877	103.00	27,690
86.25	23,892	90.50	24,989	94.75	26,006	99.00	26,928	103.25	27,734
86.50	23,959	90.75	25,051	95.00	26,064	99.25	26,979	103.50	27,777
86.75	24,025	91.00	25,113	95.25	26,120	99.50	27,030	103.75	27,819
87.00	24,091	91.25	25,175	95.50	26,177	99.75	27,080	104.00	27,861
87.25	24,157	91.50	25,236	95.75	26,233	100.00	27,129	104.25	27,903
87.50	24,222	91.75	25,297	96.00	26,288	100.25	27,179	104.50	27,944
87.75	24,287	92.00	25,358	96.25	26,344	100.50	27,227	104.75	27,984
88.00	24,353	92.25	25,418	96.50	26,399	100.75	27,276	105.00	28,024
88.25	24,417	92.50	25,479	96.75	26,453	101.00	27,323	105.25	28,064
88.50	24,482	92.75	25,538	97.00	26,508	101.25	27,371	105.50	28,102
88.75	24,546	93.00	25,598	97.25	26,562	101.50	27,418	105.75	28,141
89.00	24,610	93.25	25,657	97.50	26,615	101.75	27,464	106.00	28,178



## Capacity/Gauge Table Information

**TCLX 290405**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 205

Reporting Mark: TCLX 290405

Date: 16/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,215	110.50	28,731	114.75	28,945
106.50	28,251	110.75	28,753	115.00	28,949
106.75	28,287	111.00	28,773	115.25	28,952
107.00	28,322	111.25	28,793	115.50	28,954
107.25	28,356	111.50	28,811	115.75	28,956
107.50	28,390	111.75	28,828	116.00	28,957
107.75	28,423	112.00	28,843	116.25	28,958
108.00	28,455	112.25	28,858	116.50	28,958
108.25	28,486	112.50	28,871	116.75	28,958
108.50	28,517	112.75	28,883		
108.75	28,547	113.00	28,894		
109.00	28,576	113.25	28,904		
109.25	28,604	113.50	28,914		
109.50	28,631	113.75	28,922		
109.75	28,658	114.00	28,929		
110.00	28,683	114.25	28,935		
110.25	28,708	114.50	28,940		



## Capacity/Gauge Table Information

**TCLX 290406**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 206

Reporting Mark: TCLX 290406

Date: 16/07/2015

Capacity: 28,976 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,232	17.00	3,220
0.25	29	4.50	629	8.75	1,395	13.00	2,287	17.25	3,281
0.50	58	4.75	670	9.00	1,445	13.25	2,343	17.50	3,342
0.75	89	5.00	712	9.25	1,494	13.50	2,399	17.75	3,404
1.00	120	5.25	754	9.50	1,545	13.75	2,456	18.00	3,466
1.25	152	5.50	797	9.75	1,595	14.00	2,513	18.25	3,528
1.50	184	5.75	840	10.00	1,646	14.25	2,570	18.50	3,590
1.75	218	6.00	883	10.25	1,697	14.50	2,628	18.75	3,653
2.00	252	6.25	927	10.50	1,749	14.75	2,685	19.00	3,715
2.25	287	6.50	972	10.75	1,801	15.00	2,744	19.25	3,779
2.50	322	6.75	1,017	11.00	1,854	15.25	2,802	19.50	3,842
2.75	359	7.00	1,063	11.25	1,907	15.50	2,861	19.75	3,906
3.00	395	7.25	1,109	11.50	1,960	15.75	2,920	20.00	3,970
3.25	433	7.50	1,156	11.75	2,014	16.00	2,979	20.25	4,034
3.50	471	7.75	1,203	12.00	2,068	16.25	3,039	20.50	4,098
3.75	510	8.00	1,250	12.25	2,122	16.50	3,099	20.75	4,163
4.00	549	8.25	1,298	12.50	2,177	16.75	3,160	21.00	4,228



## Capacity/Gauge Table Information

**TCLX 290406**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 206

Reporting Mark: TCLX 290406

Date: 16/07/2015

Capacity: 28,976 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,293	25.50	5,437	29.75	6,639	34.00	7,889	38.25	9,179
21.50	4,359	25.75	5,506	30.00	6,711	34.25	7,964	38.50	9,255
21.75	4,424	26.00	5,575	30.25	6,784	34.50	8,039	38.75	9,332
22.00	4,490	26.25	5,645	30.50	6,856	34.75	8,114	39.00	9,410
22.25	4,556	26.50	5,715	30.75	6,929	35.00	8,190	39.25	9,487
22.50	4,623	26.75	5,785	31.00	7,002	35.25	8,265	39.50	9,564
22.75	4,689	27.00	5,855	31.25	7,075	35.50	8,340	39.75	9,641
23.00	4,756	27.25	5,925	31.50	7,149	35.75	8,416	40.00	9,719
23.25	4,823	27.50	5,996	31.75	7,222	36.00	8,492	40.25	9,796
23.50	4,891	27.75	6,067	32.00	7,296	36.25	8,568	40.50	9,874
23.75	4,958	28.00	6,138	32.25	7,369	36.50	8,644	40.75	9,952
24.00	5,026	28.25	6,209	32.50	7,443	36.75	8,720	41.00	10,029
24.25	5,094	28.50	6,280	32.75	7,517	37.00	8,796	41.25	10,107
24.50	5,162	28.75	6,351	33.00	7,591	37.25	8,872	41.50	10,185
24.75	5,230	29.00	6,423	33.25	7,666	37.50	8,949	41.75	10,263
25.00	5,299	29.25	6,495	33.50	7,740	37.75	9,025	42.00	10,341
25.25	5,368	29.50	6,567	33.75	7,815	38.00	9,102	42.25	10,420



## Capacity/Gauge Table Information

**TCLX 290406**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 206

Reporting Mark: TCLX 290406

Date: 16/07/2015

Capacity: 28,976 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,498	46.75	11,839	51.00	13,194	55.25	14,554	59.50	15,914
42.75	10,576	47.00	11,918	51.25	13,273	55.50	14,634	59.75	15,993
43.00	10,655	47.25	11,998	51.50	13,353	55.75	14,715	60.00	16,073
43.25	10,733	47.50	12,077	51.75	13,433	56.00	14,795	60.25	16,153
43.50	10,812	47.75	12,157	52.00	13,513	56.25	14,875	60.50	16,233
43.75	10,890	48.00	12,236	52.25	13,593	56.50	14,955	60.75	16,312
44.00	10,969	48.25	12,316	52.50	13,674	56.75	15,035	61.00	16,392
44.25	11,048	48.50	12,395	52.75	13,754	57.00	15,115	61.25	16,471
44.50	11,127	48.75	12,475	53.00	13,834	57.25	15,195	61.50	16,551
44.75	11,206	49.00	12,555	53.25	13,914	57.50	15,275	61.75	16,630
45.00	11,285	49.25	12,635	53.50	13,994	57.75	15,355	62.00	16,710
45.25	11,364	49.50	12,714	53.75	14,074	58.00	15,435	62.25	16,789
45.50	11,443	49.75	12,794	54.00	14,154	58.25	15,515	62.50	16,868
45.75	11,522	50.00	12,874	54.25	14,234	58.50	15,594	62.75	16,947
46.00	11,601	50.25	12,954	54.50	14,314	58.75	15,674	63.00	17,027
46.25	11,680	50.50	13,034	54.75	14,394	59.00	15,754	63.25	17,106
46.50	11,759	50.75	13,114	55.00	14,474	59.25	15,834	63.50	17,185





## Capacity/Gauge Table Information

**TCLX 290406**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 206

Reporting Mark: TCLX 290406

Date: 16/07/2015

Capacity: 28,976 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,264	68.00	18,597	72.25	19,905	76.50	21,180	80.75	22,412
64.00	17,343	68.25	18,675	72.50	19,981	76.75	21,254	81.00	22,483
64.25	17,422	68.50	18,752	72.75	20,057	77.00	21,327	81.25	22,554
64.50	17,501	68.75	18,830	73.00	20,133	77.25	21,401	81.50	22,625
64.75	17,579	69.00	18,907	73.25	20,208	77.50	21,474	81.75	22,695
65.00	17,658	69.25	18,985	73.50	20,284	77.75	21,547	82.00	22,765
65.25	17,737	69.50	19,062	73.75	20,359	78.00	21,620	82.25	22,835
65.50	17,815	69.75	19,139	74.00	20,435	78.25	21,693	82.50	22,905
65.75	17,894	70.00	19,216	74.25	20,510	78.50	21,766	82.75	22,975
66.00	17,972	70.25	19,293	74.50	20,585	78.75	21,838	83.00	23,044
66.25	18,051	70.50	19,370	74.75	20,660	79.00	21,911	83.25	23,114
66.50	18,129	70.75	19,447	75.00	20,734	79.25	21,983	83.50	23,183
66.75	18,207	71.00	19,524	75.25	20,809	79.50	22,055	83.75	23,251
67.00	18,285	71.25	19,600	75.50	20,883	79.75	22,127	84.00	23,320
67.25	18,363	71.50	19,677	75.75	20,958	80.00	22,198	84.25	23,389
67.50	18,441	71.75	19,753	76.00	21,032	80.25	22,270	84.50	23,457
67.75	18,519	72.00	19,829	76.25	21,106	80.50	22,341	84.75	23,525



## Capacity/Gauge Table Information

**TCLX 290406**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 206

Reporting Mark: TCLX 290406

Date: 16/07/2015

Capacity: 28,976 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,593	89.25	24,710	93.50	25,751	97.75	26,702	102.00	27,542
85.25	23,660	89.50	24,773	93.75	25,810	98.00	26,755	102.25	27,588
85.50	23,727	89.75	24,836	94.00	25,868	98.25	26,807	102.50	27,633
85.75	23,795	90.00	24,899	94.25	25,926	98.50	26,859	102.75	27,677
86.00	23,862	90.25	24,962	94.50	25,984	98.75	26,911	103.00	27,721
86.25	23,928	90.50	25,025	94.75	26,041	99.00	26,962	103.25	27,765
86.50	23,995	90.75	25,087	95.00	26,098	99.25	27,012	103.50	27,808
86.75	24,061	91.00	25,149	95.25	26,155	99.50	27,063	103.75	27,850
87.00	24,127	91.25	25,210	95.50	26,211	99.75	27,113	104.00	27,892
87.25	24,193	91.50	25,271	95.75	26,267	100.00	27,162	104.25	27,933
87.50	24,258	91.75	25,332	96.00	26,323	100.25	27,211	104.50	27,974
87.75	24,323	92.00	25,393	96.25	26,378	100.50	27,260	104.75	28,015
88.00	24,388	92.25	25,454	96.50	26,433	100.75	27,308	105.00	28,054
88.25	24,453	92.50	25,514	96.75	26,487	101.00	27,356	105.25	28,093
88.50	24,518	92.75	25,574	97.00	26,542	101.25	27,403	105.50	28,132
88.75	24,582	93.00	25,633	97.25	26,595	101.50	27,450	105.75	28,170
89.00	24,646	93.25	25,692	97.50	26,649	101.75	27,496	106.00	28,207



## Capacity/Gauge Table Information

**TCLX 290406**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 206

Reporting Mark: TCLX 290406

Date: 16/07/2015

Capacity: 28,976 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,244	110.50	28,755	114.75	28,963
106.50	28,280	110.75	28,776	115.00	28,967
106.75	28,316	111.00	28,796	115.25	28,970
107.00	28,350	111.25	28,815	115.50	28,972
107.25	28,384	111.50	28,833	115.75	28,974
107.50	28,418	111.75	28,849	116.00	28,975
107.75	28,451	112.00	28,865	116.25	28,976
108.00	28,482	112.25	28,879	116.50	28,976
108.25	28,514	112.50	28,892	116.75	28,976
108.50	28,544	112.75	28,903		
108.75	28,574	113.00	28,914		
109.00	28,602	113.25	28,924		
109.25	28,630	113.50	28,933		
109.50	28,657	113.75	28,941		
109.75	28,683	114.00	28,948		
110.00	28,708	114.25	28,954		
110.25	28,732	114.50	28,959		



## Capacity/Gauge Table Information

**TCLX 290407**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 207

Reporting Mark: TCLX 290407

Date: 16/07/2015

Capacity: 28,994 US Gallons (109,754 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	580	8.50	1,331	12.75	2,211	17.00	3,195
0.25	28	4.50	620	8.75	1,380	13.00	2,267	17.25	3,256
0.50	57	4.75	661	9.00	1,429	13.25	2,322	17.50	3,317
0.75	87	5.00	702	9.25	1,478	13.50	2,378	17.75	3,378
1.00	117	5.25	743	9.50	1,528	13.75	2,434	18.00	3,439
1.25	149	5.50	786	9.75	1,578	14.00	2,491	18.25	3,501
1.50	181	5.75	828	10.00	1,629	14.25	2,548	18.50	3,563
1.75	214	6.00	872	10.25	1,680	14.50	2,605	18.75	3,626
2.00	248	6.25	915	10.50	1,731	14.75	2,663	19.00	3,688
2.25	282	6.50	960	10.75	1,783	15.00	2,720	19.25	3,751
2.50	317	6.75	1,005	11.00	1,835	15.25	2,779	19.50	3,815
2.75	353	7.00	1,050	11.25	1,888	15.50	2,837	19.75	3,878
3.00	389	7.25	1,096	11.50	1,941	15.75	2,896	20.00	3,942
3.25	426	7.50	1,142	11.75	1,994	16.00	2,955	20.25	4,006
3.50	464	7.75	1,188	12.00	2,048	16.25	3,015	20.50	4,070
3.75	502	8.00	1,236	12.25	2,102	16.50	3,075	20.75	4,135
4.00	541	8.25	1,283	12.50	2,156	16.75	3,135	21.00	4,199



## Capacity/Gauge Table Information

**TCLX 290407**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 207

Reporting Mark: TCLX 290407

Date: 16/07/2015

Capacity: 28,994 US Gallons (109,754 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,264	25.50	5,405	29.75	6,604	34.00	7,853	38.25	9,140
21.50	4,330	25.75	5,474	30.00	6,677	34.25	7,927	38.50	9,217
21.75	4,395	26.00	5,543	30.25	6,749	34.50	8,002	38.75	9,294
22.00	4,461	26.25	5,612	30.50	6,821	34.75	8,077	39.00	9,371
22.25	4,527	26.50	5,682	30.75	6,894	35.00	8,152	39.25	9,448
22.50	4,593	26.75	5,752	31.00	6,967	35.25	8,228	39.50	9,525
22.75	4,659	27.00	5,822	31.25	7,040	35.50	8,303	39.75	9,602
23.00	4,726	27.25	5,892	31.50	7,113	35.75	8,379	40.00	9,680
23.25	4,793	27.50	5,963	31.75	7,186	36.00	8,454	40.25	9,757
23.50	4,860	27.75	6,033	32.00	7,260	36.25	8,530	40.50	9,835
23.75	4,927	28.00	6,104	32.25	7,333	36.50	8,606	40.75	9,912
24.00	4,995	28.25	6,175	32.50	7,407	36.75	8,682	41.00	9,990
24.25	5,063	28.50	6,246	32.75	7,481	37.00	8,758	41.25	10,068
24.50	5,131	28.75	6,317	33.00	7,555	37.25	8,834	41.50	10,146
24.75	5,199	29.00	6,389	33.25	7,629	37.50	8,911	41.75	10,224
25.00	5,267	29.25	6,461	33.50	7,704	37.75	8,987	42.00	10,302
25.25	5,336	29.50	6,532	33.75	7,778	38.00	9,064	42.25	10,380



## Capacity/Gauge Table Information

**TCLX 290407**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 207

Reporting Mark: TCLX 290407

Date: 16/07/2015

Capacity: 28,994 US Gallons (109,754 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,458	46.75	11,798	51.00	13,152	55.25	14,513	59.50	15,873
42.75	10,536	47.00	11,878	51.25	13,232	55.50	14,593	59.75	15,952
43.00	10,615	47.25	11,957	51.50	13,312	55.75	14,673	60.00	16,032
43.25	10,693	47.50	12,036	51.75	13,392	56.00	14,753	60.25	16,112
43.50	10,772	47.75	12,116	52.00	13,472	56.25	14,833	60.50	16,192
43.75	10,850	48.00	12,195	52.25	13,552	56.50	14,913	60.75	16,271
44.00	10,929	48.25	12,275	52.50	13,632	56.75	14,993	61.00	16,351
44.25	11,008	48.50	12,355	52.75	13,712	57.00	15,073	61.25	16,430
44.50	11,086	48.75	12,434	53.00	13,792	57.25	15,153	61.50	16,510
44.75	11,165	49.00	12,514	53.25	13,872	57.50	15,233	61.75	16,589
45.00	11,244	49.25	12,594	53.50	13,953	57.75	15,313	62.00	16,669
45.25	11,323	49.50	12,673	53.75	14,033	58.00	15,393	62.25	16,748
45.50	11,402	49.75	12,753	54.00	14,113	58.25	15,473	62.50	16,827
45.75	11,481	50.00	12,833	54.25	14,193	58.50	15,553	62.75	16,907
46.00	11,560	50.25	12,913	54.50	14,273	58.75	15,633	63.00	16,986
46.25	11,640	50.50	12,993	54.75	14,353	59.00	15,713	63.25	17,065
46.50	11,719	50.75	13,073	55.00	14,433	59.25	15,793	63.50	17,144



## Capacity/Gauge Table Information

**TCLX 290407**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 207

Reporting Mark: TCLX 290407

Date: 16/07/2015

Capacity: 28,994 US Gallons (109,754 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,223	68.00	18,557	72.25	19,867	76.50	21,143	80.75	22,378
64.00	17,302	68.25	18,635	72.50	19,943	76.75	21,217	81.00	22,449
64.25	17,381	68.50	18,713	72.75	20,019	77.00	21,291	81.25	22,520
64.50	17,460	68.75	18,790	73.00	20,095	77.25	21,364	81.50	22,590
64.75	17,539	69.00	18,868	73.25	20,170	77.50	21,438	81.75	22,661
65.00	17,618	69.25	18,945	73.50	20,246	77.75	21,511	82.00	22,731
65.25	17,696	69.50	19,023	73.75	20,321	78.00	21,584	82.25	22,801
65.50	17,775	69.75	19,100	74.00	20,397	78.25	21,657	82.50	22,871
65.75	17,854	70.00	19,177	74.25	20,472	78.50	21,730	82.75	22,941
66.00	17,932	70.25	19,254	74.50	20,547	78.75	21,803	83.00	23,011
66.25	18,011	70.50	19,331	74.75	20,622	79.00	21,875	83.25	23,080
66.50	18,089	70.75	19,408	75.00	20,697	79.25	21,947	83.50	23,149
66.75	18,167	71.00	19,485	75.25	20,772	79.50	22,019	83.75	23,218
67.00	18,245	71.25	19,561	75.50	20,846	79.75	22,091	84.00	23,287
67.25	18,323	71.50	19,638	75.75	20,921	80.00	22,163	84.25	23,356
67.50	18,402	71.75	19,714	76.00	20,995	80.25	22,235	84.50	23,424
67.75	18,479	72.00	19,791	76.25	21,069	80.50	22,306	84.75	23,492





## Capacity/Gauge Table Information

**TCLX 290407**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 207

Reporting Mark: TCLX 290407

Date: 16/07/2015

Capacity: 28,994 US Gallons (109,754 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,560	89.25	24,681	93.50	25,726	97.75	26,681	102.00	27,527
85.25	23,628	89.50	24,744	93.75	25,785	98.00	26,734	102.25	27,573
85.50	23,696	89.75	24,808	94.00	25,843	98.25	26,787	102.50	27,618
85.75	23,763	90.00	24,871	94.25	25,901	98.50	26,839	102.75	27,663
86.00	23,830	90.25	24,934	94.50	25,959	98.75	26,891	103.00	27,707
86.25	23,897	90.50	24,996	94.75	26,017	99.00	26,942	103.25	27,751
86.50	23,964	90.75	25,059	95.00	26,074	99.25	26,993	103.50	27,795
86.75	24,030	91.00	25,121	95.25	26,131	99.50	27,044	103.75	27,838
87.00	24,096	91.25	25,183	95.50	26,188	99.75	27,094	104.00	27,880
87.25	24,162	91.50	25,244	95.75	26,244	100.00	27,144	104.25	27,922
87.50	24,228	91.75	25,305	96.00	26,300	100.25	27,193	104.50	27,963
87.75	24,293	92.00	25,366	96.25	26,355	100.50	27,242	104.75	28,004
88.00	24,358	92.25	25,427	96.50	26,411	100.75	27,291	105.00	28,044
88.25	24,423	92.50	25,487	96.75	26,465	101.00	27,339	105.25	28,084
88.50	24,488	92.75	25,547	97.00	26,520	101.25	27,387	105.50	28,123
88.75	24,552	93.00	25,607	97.25	26,574	101.50	27,434	105.75	28,161
89.00	24,617	93.25	25,667	97.50	26,628	101.75	27,481	106.00	28,199



## Capacity/Gauge Table Information

**TCLX 290407**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 207

Reporting Mark: TCLX 290407

Date: 16/07/2015

Capacity: 28,994 US Gallons (109,754 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,236	110.50	28,759	114.75	28,980
106.50	28,273	110.75	28,782	115.00	28,984
106.75	28,309	111.00	28,803	115.25	28,987
107.00	28,344	111.25	28,823	115.50	28,990
107.25	28,379	111.50	28,842	115.75	28,992
107.50	28,413	111.75	28,859	116.00	28,993
107.75	28,446	112.00	28,875	116.25	28,994
108.00	28,478	112.25	28,890	116.50	28,994
108.25	28,510	112.50	28,904	116.75	28,994
108.50	28,541	112.75	28,917		
108.75	28,572	113.00	28,928		
109.00	28,601	113.25	28,939		
109.25	28,630	113.50	28,948		
109.50	28,657	113.75	28,956		
109.75	28,684	114.00	28,964		
110.00	28,710	114.25	28,970		
110.25	28,735	114.50	28,976		



## Capacity/Gauge Table Information

**TCLX 290408**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 208

Reporting Mark: TCLX 290408

Date: 14/07/2015

Capacity: 28,983 US Gallons (109,711 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	579	8.50	1,329	12.75	2,208	17.00	3,190
0.25	28	4.50	619	8.75	1,377	13.00	2,263	17.25	3,251
0.50	57	4.75	659	9.00	1,426	13.25	2,318	17.50	3,312
0.75	87	5.00	700	9.25	1,475	13.50	2,374	17.75	3,373
1.00	117	5.25	742	9.50	1,525	13.75	2,430	18.00	3,435
1.25	148	5.50	784	9.75	1,575	14.00	2,487	18.25	3,496
1.50	180	5.75	827	10.00	1,626	14.25	2,544	18.50	3,558
1.75	213	6.00	870	10.25	1,677	14.50	2,601	18.75	3,621
2.00	247	6.25	914	10.50	1,728	14.75	2,658	19.00	3,683
2.25	281	6.50	958	10.75	1,780	15.00	2,716	19.25	3,746
2.50	316	6.75	1,002	11.00	1,832	15.25	2,774	19.50	3,809
2.75	352	7.00	1,048	11.25	1,885	15.50	2,833	19.75	3,873
3.00	388	7.25	1,093	11.50	1,937	15.75	2,892	20.00	3,936
3.25	425	7.50	1,139	11.75	1,991	16.00	2,951	20.25	4,000
3.50	462	7.75	1,186	12.00	2,044	16.25	3,010	20.50	4,064
3.75	501	8.00	1,233	12.25	2,098	16.50	3,070	20.75	4,129
4.00	539	8.25	1,281	12.50	2,153	16.75	3,130	21.00	4,194



## Capacity/Gauge Table Information

**TCLX 290408**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 208

Reporting Mark: TCLX 290408

Date: 14/07/2015

Capacity: 28,983 US Gallons (109,711 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,259	25.50	5,398	29.75	6,597	34.00	7,844	38.25	9,131
21.50	4,324	25.75	5,467	30.00	6,669	34.25	7,919	38.50	9,207
21.75	4,389	26.00	5,536	30.25	6,741	34.50	7,994	38.75	9,284
22.00	4,455	26.25	5,606	30.50	6,814	34.75	8,068	39.00	9,361
22.25	4,521	26.50	5,675	30.75	6,886	35.00	8,144	39.25	9,438
22.50	4,587	26.75	5,745	31.00	6,959	35.25	8,219	39.50	9,515
22.75	4,653	27.00	5,815	31.25	7,032	35.50	8,294	39.75	9,592
23.00	4,720	27.25	5,885	31.50	7,105	35.75	8,370	40.00	9,670
23.25	4,787	27.50	5,955	31.75	7,178	36.00	8,445	40.25	9,747
23.50	4,854	27.75	6,026	32.00	7,252	36.25	8,521	40.50	9,825
23.75	4,921	28.00	6,097	32.25	7,325	36.50	8,597	40.75	9,902
24.00	4,989	28.25	6,168	32.50	7,399	36.75	8,673	41.00	9,980
24.25	5,056	28.50	6,239	32.75	7,473	37.00	8,749	41.25	10,058
24.50	5,124	28.75	6,310	33.00	7,547	37.25	8,825	41.50	10,135
24.75	5,192	29.00	6,381	33.25	7,621	37.50	8,901	41.75	10,213
25.00	5,261	29.25	6,453	33.50	7,695	37.75	8,977	42.00	10,291
25.25	5,329	29.50	6,525	33.75	7,769	38.00	9,054	42.25	10,369



## Capacity/Gauge Table Information

**TCLX 290408**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 208

Reporting Mark: TCLX 290408

Date: 14/07/2015

Capacity: 28,983 US Gallons (109,711 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,448	46.75	11,787	51.00	13,140	55.25	14,500	59.50	15,859
42.75	10,526	47.00	11,866	51.25	13,220	55.50	14,580	59.75	15,938
43.00	10,604	47.25	11,945	51.50	13,300	55.75	14,660	60.00	16,018
43.25	10,682	47.50	12,025	51.75	13,380	56.00	14,740	60.25	16,098
43.50	10,761	47.75	12,104	52.00	13,460	56.25	14,820	60.50	16,177
43.75	10,839	48.00	12,184	52.25	13,540	56.50	14,900	60.75	16,257
44.00	10,918	48.25	12,263	52.50	13,620	56.75	14,980	61.00	16,337
44.25	10,997	48.50	12,343	52.75	13,700	57.00	15,060	61.25	16,416
44.50	11,075	48.75	12,422	53.00	13,780	57.25	15,140	61.50	16,495
44.75	11,154	49.00	12,502	53.25	13,860	57.50	15,220	61.75	16,575
45.00	11,233	49.25	12,582	53.50	13,940	57.75	15,300	62.00	16,654
45.25	11,312	49.50	12,661	53.75	14,020	58.00	15,380	62.25	16,734
45.50	11,391	49.75	12,741	54.00	14,100	58.25	15,460	62.50	16,813
45.75	11,470	50.00	12,821	54.25	14,180	58.50	15,539	62.75	16,892
46.00	11,549	50.25	12,900	54.50	14,260	58.75	15,619	63.00	16,971
46.25	11,628	50.50	12,980	54.75	14,340	59.00	15,699	63.25	17,051
46.50	11,707	50.75	13,060	55.00	14,420	59.25	15,779	63.50	17,130



## Capacity/Gauge Table Information

**TCLX 290408**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 208

Reporting Mark: TCLX 290408

Date: 14/07/2015

Capacity: 28,983 US Gallons (109,711 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,209	68.00	18,542	72.25	19,851	76.50	21,127	80.75	22,361
64.00	17,288	68.25	18,620	72.50	19,927	76.75	21,201	81.00	22,432
64.25	17,367	68.50	18,697	72.75	20,003	77.00	21,274	81.25	22,503
64.50	17,445	68.75	18,775	73.00	20,079	77.25	21,348	81.50	22,574
64.75	17,524	69.00	18,853	73.25	20,154	77.50	21,421	81.75	22,644
65.00	17,603	69.25	18,930	73.50	20,230	77.75	21,495	82.00	22,715
65.25	17,682	69.50	19,007	73.75	20,306	78.00	21,568	82.25	22,785
65.50	17,760	69.75	19,084	74.00	20,381	78.25	21,641	82.50	22,855
65.75	17,839	70.00	19,162	74.25	20,456	78.50	21,714	82.75	22,925
66.00	17,917	70.25	19,239	74.50	20,531	78.75	21,786	83.00	22,994
66.25	17,996	70.50	19,316	74.75	20,606	79.00	21,859	83.25	23,064
66.50	18,074	70.75	19,392	75.00	20,681	79.25	21,931	83.50	23,133
66.75	18,152	71.00	19,469	75.25	20,756	79.50	22,003	83.75	23,202
67.00	18,230	71.25	19,546	75.50	20,830	79.75	22,075	84.00	23,271
67.25	18,308	71.50	19,622	75.75	20,905	80.00	22,147	84.25	23,339
67.50	18,386	71.75	19,699	76.00	20,979	80.25	22,218	84.50	23,408
67.75	18,464	72.00	19,775	76.25	21,053	80.50	22,290	84.75	23,476



## Capacity/Gauge Table Information

**TCLX 290408**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 208

Reporting Mark: TCLX 290408

Date: 14/07/2015

Capacity: 28,983 US Gallons (109,711 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,544	89.25	24,664	93.50	25,709	97.75	26,665	102.00	27,511
85.25	23,611	89.50	24,728	93.75	25,768	98.00	26,718	102.25	27,557
85.50	23,679	89.75	24,791	94.00	25,827	98.25	26,771	102.50	27,603
85.75	23,746	90.00	24,854	94.25	25,885	98.50	26,823	102.75	27,648
86.00	23,813	90.25	24,917	94.50	25,943	98.75	26,875	103.00	27,692
86.25	23,880	90.50	24,980	94.75	26,000	99.00	26,926	103.25	27,736
86.50	23,947	90.75	25,042	95.00	26,058	99.25	26,977	103.50	27,779
86.75	24,013	91.00	25,104	95.25	26,115	99.50	27,028	103.75	27,822
87.00	24,079	91.25	25,166	95.50	26,171	99.75	27,078	104.00	27,865
87.25	24,145	91.50	25,228	95.75	26,227	100.00	27,128	104.25	27,906
87.50	24,211	91.75	25,289	96.00	26,283	100.25	27,177	104.50	27,948
87.75	24,276	92.00	25,350	96.25	26,339	100.50	27,226	104.75	27,989
88.00	24,342	92.25	25,410	96.50	26,394	100.75	27,275	105.00	28,029
88.25	24,407	92.50	25,471	96.75	26,449	101.00	27,323	105.25	28,069
88.50	24,471	92.75	25,531	97.00	26,504	101.25	27,371	105.50	28,108
88.75	24,536	93.00	25,591	97.25	26,558	101.50	27,418	105.75	28,146
89.00	24,600	93.25	25,650	97.50	26,611	101.75	27,465	106.00	28,184





## Capacity/Gauge Table Information

**TCLX 290408**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 208

Reporting Mark: TCLX 290408

Date: 14/07/2015

Capacity: 28,983 US Gallons (109,711 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,221	110.50	28,746	114.75	28,969
106.50	28,258	110.75	28,768	115.00	28,973
106.75	28,294	111.00	28,790	115.25	28,976
107.00	28,329	111.25	28,810	115.50	28,978
107.25	28,364	111.50	28,829	115.75	28,980
107.50	28,398	111.75	28,847	116.00	28,981
107.75	28,432	112.00	28,863	116.25	28,982
108.00	28,464	112.25	28,878	116.50	28,983
108.25	28,496	112.50	28,892	116.75	28,983
108.50	28,527	112.75	28,905		
108.75	28,558	113.00	28,916		
109.00	28,587	113.25	28,927		
109.25	28,616	113.50	28,936		
109.50	28,644	113.75	28,945		
109.75	28,671	114.00	28,952		
110.00	28,697	114.25	28,959		
110.25	28,722	114.50	28,964		



## Capacity/Gauge Table Information

**TCLX 290409**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 209

Reporting Mark: TCLX 290409

Date: 16/07/2015

Capacity: 28,951 US Gallons (109,590 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,349	12.75	2,236	17.00	3,224
0.25	29	4.50	631	8.75	1,398	13.00	2,291	17.25	3,285
0.50	58	4.75	672	9.00	1,448	13.25	2,347	17.50	3,346
0.75	89	5.00	714	9.25	1,497	13.50	2,403	17.75	3,408
1.00	120	5.25	756	9.50	1,548	13.75	2,460	18.00	3,470
1.25	152	5.50	799	9.75	1,598	14.00	2,517	18.25	3,532
1.50	185	5.75	842	10.00	1,649	14.25	2,574	18.50	3,594
1.75	219	6.00	886	10.25	1,701	14.50	2,631	18.75	3,657
2.00	253	6.25	930	10.50	1,752	14.75	2,689	19.00	3,720
2.25	288	6.50	975	10.75	1,805	15.00	2,747	19.25	3,783
2.50	324	6.75	1,020	11.00	1,857	15.25	2,806	19.50	3,846
2.75	360	7.00	1,066	11.25	1,910	15.50	2,865	19.75	3,910
3.00	397	7.25	1,112	11.50	1,963	15.75	2,924	20.00	3,974
3.25	434	7.50	1,158	11.75	2,017	16.00	2,983	20.25	4,038
3.50	472	7.75	1,205	12.00	2,071	16.25	3,043	20.50	4,102
3.75	511	8.00	1,253	12.25	2,126	16.50	3,103	20.75	4,167
4.00	551	8.25	1,301	12.50	2,180	16.75	3,164	21.00	4,232



## Capacity/Gauge Table Information

**TCLX 290409**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 209

Reporting Mark: TCLX 290409

Date: 16/07/2015

Capacity: 28,951 US Gallons (109,590 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,297	25.50	5,441	29.75	6,643	34.00	7,893	38.25	9,182
21.50	4,363	25.75	5,510	30.00	6,715	34.25	7,968	38.50	9,259
21.75	4,428	26.00	5,580	30.25	6,788	34.50	8,043	38.75	9,336
22.00	4,494	26.25	5,649	30.50	6,860	34.75	8,118	39.00	9,413
22.25	4,561	26.50	5,719	30.75	6,933	35.00	8,193	39.25	9,490
22.50	4,627	26.75	5,789	31.00	7,006	35.25	8,269	39.50	9,567
22.75	4,694	27.00	5,859	31.25	7,079	35.50	8,344	39.75	9,644
23.00	4,760	27.25	5,929	31.50	7,153	35.75	8,420	40.00	9,722
23.25	4,828	27.50	6,000	31.75	7,226	36.00	8,495	40.25	9,799
23.50	4,895	27.75	6,071	32.00	7,300	36.25	8,571	40.50	9,877
23.75	4,962	28.00	6,142	32.25	7,373	36.50	8,647	40.75	9,955
24.00	5,030	28.25	6,213	32.50	7,447	36.75	8,723	41.00	10,032
24.25	5,098	28.50	6,284	32.75	7,521	37.00	8,799	41.25	10,110
24.50	5,166	28.75	6,356	33.00	7,595	37.25	8,876	41.50	10,188
24.75	5,235	29.00	6,427	33.25	7,670	37.50	8,952	41.75	10,266
25.00	5,303	29.25	6,499	33.50	7,744	37.75	9,029	42.00	10,344
25.25	5,372	29.50	6,571	33.75	7,818	38.00	9,105	42.25	10,422



## Capacity/Gauge Table Information

**TCLX 290409**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 209

Reporting Mark: TCLX 290409

Date: 16/07/2015

Capacity: 28,951 US Gallons (109,590 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,501	46.75	11,841	51.00	13,195	55.25	14,555	59.50	15,913
42.75	10,579	47.00	11,920	51.25	13,275	55.50	14,635	59.75	15,993
43.00	10,657	47.25	12,000	51.50	13,355	55.75	14,715	60.00	16,073
43.25	10,736	47.50	12,079	51.75	13,435	56.00	14,795	60.25	16,152
43.50	10,814	47.75	12,158	52.00	13,515	56.25	14,875	60.50	16,232
43.75	10,893	48.00	12,238	52.25	13,595	56.50	14,955	60.75	16,311
44.00	10,972	48.25	12,318	52.50	13,675	56.75	15,035	61.00	16,391
44.25	11,050	48.50	12,397	52.75	13,755	57.00	15,115	61.25	16,470
44.50	11,129	48.75	12,477	53.00	13,835	57.25	15,195	61.50	16,550
44.75	11,208	49.00	12,556	53.25	13,915	57.50	15,275	61.75	16,629
45.00	11,287	49.25	12,636	53.50	13,995	57.75	15,355	62.00	16,708
45.25	11,366	49.50	12,716	53.75	14,075	58.00	15,434	62.25	16,788
45.50	11,445	49.75	12,796	54.00	14,155	58.25	15,514	62.50	16,867
45.75	11,524	50.00	12,875	54.25	14,235	58.50	15,594	62.75	16,946
46.00	11,603	50.25	12,955	54.50	14,315	58.75	15,674	63.00	17,025
46.25	11,682	50.50	13,035	54.75	14,395	59.00	15,754	63.25	17,104
46.50	11,762	50.75	13,115	55.00	14,475	59.25	15,833	63.50	17,183



## Capacity/Gauge Table Information

**TCLX 290409**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 209

Reporting Mark: TCLX 290409

Date: 16/07/2015

Capacity: 28,951 US Gallons (109,590 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,262	68.00	18,594	72.25	19,901	76.50	21,175	80.75	22,406
64.00	17,341	68.25	18,672	72.50	19,977	76.75	21,248	81.00	22,476
64.25	17,420	68.50	18,749	72.75	20,053	77.00	21,322	81.25	22,547
64.50	17,499	68.75	18,827	73.00	20,129	77.25	21,395	81.50	22,618
64.75	17,578	69.00	18,904	73.25	20,204	77.50	21,468	81.75	22,688
65.00	17,656	69.25	18,982	73.50	20,280	77.75	21,541	82.00	22,758
65.25	17,735	69.50	19,059	73.75	20,355	78.00	21,614	82.25	22,828
65.50	17,813	69.75	19,136	74.00	20,430	78.25	21,687	82.50	22,898
65.75	17,892	70.00	19,213	74.25	20,505	78.50	21,760	82.75	22,967
66.00	17,970	70.25	19,290	74.50	20,580	78.75	21,832	83.00	23,037
66.25	18,048	70.50	19,367	74.75	20,655	79.00	21,904	83.25	23,106
66.50	18,127	70.75	19,443	75.00	20,730	79.25	21,977	83.50	23,175
66.75	18,205	71.00	19,520	75.25	20,804	79.50	22,048	83.75	23,244
67.00	18,283	71.25	19,596	75.50	20,878	79.75	22,120	84.00	23,312
67.25	18,361	71.50	19,673	75.75	20,953	80.00	22,192	84.25	23,380
67.50	18,439	71.75	19,749	76.00	21,027	80.25	22,263	84.50	23,449
67.75	18,517	72.00	19,825	76.25	21,101	80.50	22,334	84.75	23,517



## Capacity/Gauge Table Information

**TCLX 290409**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 209

Reporting Mark: TCLX 290409

Date: 16/07/2015

Capacity: 28,951 US Gallons (109,590 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,584	89.25	24,700	93.50	25,740	97.75	26,688	102.00	27,526
85.25	23,652	89.50	24,763	93.75	25,798	98.00	26,741	102.25	27,572
85.50	23,719	89.75	24,826	94.00	25,856	98.25	26,793	102.50	27,617
85.75	23,786	90.00	24,889	94.25	25,914	98.50	26,845	102.75	27,661
86.00	23,853	90.25	24,952	94.50	25,972	98.75	26,896	103.00	27,705
86.25	23,919	90.50	25,014	94.75	26,029	99.00	26,947	103.25	27,748
86.50	23,986	90.75	25,076	95.00	26,086	99.25	26,998	103.50	27,791
86.75	24,052	91.00	25,138	95.25	26,142	99.50	27,048	103.75	27,833
87.00	24,118	91.25	25,199	95.50	26,198	99.75	27,098	104.00	27,875
87.25	24,183	91.50	25,261	95.75	26,254	100.00	27,147	104.25	27,916
87.50	24,249	91.75	25,321	96.00	26,310	100.25	27,196	104.50	27,957
87.75	24,314	92.00	25,382	96.25	26,365	100.50	27,245	104.75	27,997
88.00	24,379	92.25	25,442	96.50	26,420	100.75	27,293	105.00	28,037
88.25	24,444	92.50	25,502	96.75	26,474	101.00	27,340	105.25	28,076
88.50	24,508	92.75	25,562	97.00	26,528	101.25	27,388	105.50	28,114
88.75	24,572	93.00	25,622	97.25	26,582	101.50	27,434	105.75	28,152
89.00	24,636	93.25	25,681	97.50	26,635	101.75	27,481	106.00	28,189



## Capacity/Gauge Table Information

**TCLX 290409**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 209

Reporting Mark: TCLX 290409

Date: 16/07/2015

Capacity: 28,951 US Gallons (109,590 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,226	110.50	28,732	114.75	28,938
106.50	28,261	110.75	28,754	115.00	28,941
106.75	28,297	111.00	28,773	115.25	28,944
107.00	28,331	111.25	28,792	115.50	28,947
107.25	28,365	111.50	28,809	115.75	28,948
107.50	28,398	111.75	28,825	116.00	28,949
107.75	28,431	112.00	28,840	116.25	28,950
108.00	28,463	112.25	28,854	116.50	28,950
108.25	28,494	112.50	28,867	116.75	28,951
108.50	28,524	112.75	28,879		
108.75	28,553	113.00	28,889		
109.00	28,582	113.25	28,899		
109.25	28,609	113.50	28,908		
109.50	28,636	113.75	28,916		
109.75	28,662	114.00	28,922		
110.00	28,686	114.25	28,928		
110.25	28,710	114.50	28,933		





## Capacity/Gauge Table Information

**TCLX 290410**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 210

Reporting Mark: TCLX 290410

Date: 16/07/2015

Capacity: 28,967 US Gallons (109,653 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,335	12.75	2,216	17.00	3,200
0.25	28	4.50	622	8.75	1,384	13.00	2,271	17.25	3,261
0.50	57	4.75	663	9.00	1,433	13.25	2,327	17.50	3,322
0.75	87	5.00	704	9.25	1,482	13.50	2,383	17.75	3,383
1.00	118	5.25	746	9.50	1,532	13.75	2,439	18.00	3,445
1.25	150	5.50	788	9.75	1,582	14.00	2,496	18.25	3,507
1.50	182	5.75	831	10.00	1,633	14.25	2,553	18.50	3,569
1.75	215	6.00	875	10.25	1,684	14.50	2,610	18.75	3,631
2.00	249	6.25	918	10.50	1,735	14.75	2,668	19.00	3,694
2.25	283	6.50	963	10.75	1,787	15.00	2,726	19.25	3,757
2.50	318	6.75	1,008	11.00	1,840	15.25	2,784	19.50	3,820
2.75	354	7.00	1,053	11.25	1,892	15.50	2,842	19.75	3,884
3.00	391	7.25	1,099	11.50	1,945	15.75	2,901	20.00	3,947
3.25	428	7.50	1,145	11.75	1,999	16.00	2,960	20.25	4,011
3.50	465	7.75	1,192	12.00	2,052	16.25	3,020	20.50	4,076
3.75	504	8.00	1,239	12.25	2,107	16.50	3,080	20.75	4,140
4.00	543	8.25	1,287	12.50	2,161	16.75	3,140	21.00	4,205



## Capacity/Gauge Table Information

**TCLX 290410**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 210

Reporting Mark: TCLX 290410

Date: 16/07/2015

Capacity: 28,967 US Gallons (109,653 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,270	25.50	5,410	29.75	6,610	34.00	7,858	38.25	9,145
21.50	4,335	25.75	5,479	30.00	6,682	34.25	7,932	38.50	9,221
21.75	4,401	26.00	5,549	30.25	6,754	34.50	8,007	38.75	9,298
22.00	4,466	26.25	5,618	30.50	6,827	34.75	8,082	39.00	9,375
22.25	4,532	26.50	5,688	30.75	6,899	35.00	8,157	39.25	9,452
22.50	4,599	26.75	5,758	31.00	6,972	35.25	8,233	39.50	9,529
22.75	4,665	27.00	5,828	31.25	7,045	35.50	8,308	39.75	9,607
23.00	4,732	27.25	5,898	31.50	7,118	35.75	8,383	40.00	9,684
23.25	4,799	27.50	5,968	31.75	7,192	36.00	8,459	40.25	9,761
23.50	4,866	27.75	6,039	32.00	7,265	36.25	8,535	40.50	9,839
23.75	4,933	28.00	6,109	32.25	7,339	36.50	8,611	40.75	9,916
24.00	5,001	28.25	6,180	32.50	7,412	36.75	8,687	41.00	9,994
24.25	5,068	28.50	6,252	32.75	7,486	37.00	8,763	41.25	10,072
24.50	5,136	28.75	6,323	33.00	7,560	37.25	8,839	41.50	10,150
24.75	5,204	29.00	6,394	33.25	7,634	37.50	8,915	41.75	10,228
25.00	5,273	29.25	6,466	33.50	7,709	37.75	8,992	42.00	10,306
25.25	5,342	29.50	6,538	33.75	7,783	38.00	9,068	42.25	10,384



## Capacity/Gauge Table Information

**TCLX 290410**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 210

Reporting Mark: TCLX 290410

Date: 16/07/2015

Capacity: 28,967 US Gallons (109,653 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,462	46.75	11,801	51.00	13,154	55.25	14,514	59.50	15,872
42.75	10,540	47.00	11,880	51.25	13,234	55.50	14,594	59.75	15,952
43.00	10,618	47.25	11,960	51.50	13,314	55.75	14,674	60.00	16,031
43.25	10,697	47.50	12,039	51.75	13,394	56.00	14,754	60.25	16,111
43.50	10,775	47.75	12,118	52.00	13,474	56.25	14,834	60.50	16,191
43.75	10,854	48.00	12,198	52.25	13,554	56.50	14,914	60.75	16,270
44.00	10,932	48.25	12,277	52.50	13,634	56.75	14,994	61.00	16,350
44.25	11,011	48.50	12,357	52.75	13,714	57.00	15,074	61.25	16,429
44.50	11,090	48.75	12,437	53.00	13,794	57.25	15,154	61.50	16,509
44.75	11,169	49.00	12,516	53.25	13,874	57.50	15,234	61.75	16,588
45.00	11,247	49.25	12,596	53.50	13,954	57.75	15,313	62.00	16,667
45.25	11,326	49.50	12,676	53.75	14,034	58.00	15,393	62.25	16,747
45.50	11,405	49.75	12,755	54.00	14,114	58.25	15,473	62.50	16,826
45.75	11,484	50.00	12,835	54.25	14,194	58.50	15,553	62.75	16,905
46.00	11,563	50.25	12,915	54.50	14,274	58.75	15,633	63.00	16,984
46.25	11,643	50.50	12,995	54.75	14,354	59.00	15,713	63.25	17,063
46.50	11,722	50.75	13,074	55.00	14,434	59.25	15,792	63.50	17,143



## Capacity/Gauge Table Information

**TCLX 290410**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 210

Reporting Mark: TCLX 290410

Date: 16/07/2015

Capacity: 28,967 US Gallons (109,653 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,222	68.00	18,554	72.25	19,862	76.50	21,137	80.75	22,370
64.00	17,300	68.25	18,632	72.50	19,938	76.75	21,211	81.00	22,441
64.25	17,379	68.50	18,710	72.75	20,014	77.00	21,285	81.25	22,512
64.50	17,458	68.75	18,787	73.00	20,090	77.25	21,358	81.50	22,583
64.75	17,537	69.00	18,865	73.25	20,166	77.50	21,431	81.75	22,653
65.00	17,616	69.25	18,942	73.50	20,241	77.75	21,505	82.00	22,723
65.25	17,694	69.50	19,019	73.75	20,316	78.00	21,578	82.25	22,793
65.50	17,773	69.75	19,096	74.00	20,392	78.25	21,650	82.50	22,863
65.75	17,851	70.00	19,173	74.25	20,467	78.50	21,723	82.75	22,933
66.00	17,930	70.25	19,250	74.50	20,542	78.75	21,796	83.00	23,002
66.25	18,008	70.50	19,327	74.75	20,617	79.00	21,868	83.25	23,072
66.50	18,086	70.75	19,404	75.00	20,692	79.25	21,940	83.50	23,141
66.75	18,164	71.00	19,481	75.25	20,766	79.50	22,012	83.75	23,210
67.00	18,243	71.25	19,557	75.50	20,841	79.75	22,084	84.00	23,279
67.25	18,321	71.50	19,634	75.75	20,915	80.00	22,156	84.25	23,347
67.50	18,399	71.75	19,710	76.00	20,989	80.25	22,228	84.50	23,415
67.75	18,476	72.00	19,786	76.25	21,063	80.50	22,299	84.75	23,483



## Capacity/Gauge Table Information

**TCLX 290410**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 210

Reporting Mark: TCLX 290410

Date: 16/07/2015

Capacity: 28,967 US Gallons (109,653 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,551	89.25	24,670	93.50	25,713	97.75	26,667	102.00	27,511
85.25	23,619	89.50	24,733	93.75	25,772	98.00	26,720	102.25	27,556
85.50	23,686	89.75	24,797	94.00	25,831	98.25	26,772	102.50	27,601
85.75	23,754	90.00	24,860	94.25	25,889	98.50	26,824	102.75	27,646
86.00	23,821	90.25	24,923	94.50	25,946	98.75	26,876	103.00	27,690
86.25	23,887	90.50	24,985	94.75	26,004	99.00	26,927	103.25	27,734
86.50	23,954	90.75	25,047	95.00	26,061	99.25	26,978	103.50	27,777
86.75	24,020	91.00	25,109	95.25	26,118	99.50	27,029	103.75	27,820
87.00	24,086	91.25	25,171	95.50	26,174	99.75	27,079	104.00	27,862
87.25	24,152	91.50	25,233	95.75	26,230	100.00	27,129	104.25	27,904
87.50	24,218	91.75	25,294	96.00	26,286	100.25	27,178	104.50	27,945
87.75	24,283	92.00	25,354	96.25	26,342	100.50	27,227	104.75	27,986
88.00	24,348	92.25	25,415	96.50	26,397	100.75	27,275	105.00	28,026
88.25	24,413	92.50	25,475	96.75	26,451	101.00	27,323	105.25	28,065
88.50	24,478	92.75	25,535	97.00	26,506	101.25	27,371	105.50	28,104
88.75	24,542	93.00	25,595	97.25	26,560	101.50	27,418	105.75	28,142
89.00	24,606	93.25	25,654	97.50	26,613	101.75	27,464	106.00	28,180



## Capacity/Gauge Table Information

**TCLX 290410**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 210

Reporting Mark: TCLX 290410

Date: 16/07/2015

Capacity: 28,967 US Gallons (109,653 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,217	110.50	28,736	114.75	28,954
106.50	28,254	110.75	28,759	115.00	28,958
106.75	28,289	111.00	28,780	115.25	28,961
107.00	28,325	111.25	28,799	115.50	28,963
107.25	28,359	111.50	28,818	115.75	28,965
107.50	28,393	111.75	28,835	116.00	28,966
107.75	28,426	112.00	28,851	116.25	28,967
108.00	28,458	112.25	28,865	116.50	28,967
108.25	28,490	112.50	28,879	116.75	28,967
108.50	28,521	112.75	28,891		
108.75	28,551	113.00	28,903		
109.00	28,580	113.25	28,913		
109.25	28,608	113.50	28,922		
109.50	28,636	113.75	28,930		
109.75	28,663	114.00	28,937		
110.00	28,688	114.25	28,944		
110.25	28,713	114.50	28,949		



## Capacity/Gauge Table Information

**TCLX 290411**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 211

Reporting Mark: TCLX 290411

Date: 14/07/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,337	12.75	2,219	17.00	3,204
0.25	28	4.50	624	8.75	1,386	13.00	2,274	17.25	3,264
0.50	57	4.75	664	9.00	1,435	13.25	2,330	17.50	3,325
0.75	87	5.00	706	9.25	1,484	13.50	2,386	17.75	3,387
1.00	118	5.25	747	9.50	1,534	13.75	2,442	18.00	3,448
1.25	150	5.50	790	9.75	1,584	14.00	2,499	18.25	3,510
1.50	182	5.75	833	10.00	1,635	14.25	2,556	18.50	3,572
1.75	215	6.00	876	10.25	1,686	14.50	2,613	18.75	3,635
2.00	249	6.25	920	10.50	1,738	14.75	2,671	19.00	3,698
2.25	284	6.50	964	10.75	1,790	15.00	2,729	19.25	3,761
2.50	319	6.75	1,009	11.00	1,842	15.25	2,787	19.50	3,824
2.75	355	7.00	1,055	11.25	1,895	15.50	2,845	19.75	3,887
3.00	391	7.25	1,101	11.50	1,948	15.75	2,904	20.00	3,951
3.25	429	7.50	1,147	11.75	2,001	16.00	2,964	20.25	4,015
3.50	466	7.75	1,194	12.00	2,055	16.25	3,023	20.50	4,079
3.75	505	8.00	1,241	12.25	2,109	16.50	3,083	20.75	4,144
4.00	544	8.25	1,289	12.50	2,164	16.75	3,143	21.00	4,209





## Capacity/Gauge Table Information

**TCLX 290411**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 211

Reporting Mark: TCLX 290411

Date: 14/07/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,274	25.50	5,415	29.75	6,615	34.00	7,863	38.25	9,150
21.50	4,339	25.75	5,484	30.00	6,687	34.25	7,938	38.50	9,227
21.75	4,405	26.00	5,553	30.25	6,759	34.50	8,013	38.75	9,304
22.00	4,470	26.25	5,623	30.50	6,832	34.75	8,088	39.00	9,381
22.25	4,536	26.50	5,692	30.75	6,904	35.00	8,163	39.25	9,458
22.50	4,603	26.75	5,762	31.00	6,977	35.25	8,238	39.50	9,535
22.75	4,669	27.00	5,832	31.25	7,050	35.50	8,313	39.75	9,612
23.00	4,736	27.25	5,902	31.50	7,123	35.75	8,389	40.00	9,690
23.25	4,803	27.50	5,973	31.75	7,197	36.00	8,464	40.25	9,767
23.50	4,870	27.75	6,043	32.00	7,270	36.25	8,540	40.50	9,845
23.75	4,937	28.00	6,114	32.25	7,344	36.50	8,616	40.75	9,922
24.00	5,005	28.25	6,185	32.50	7,417	36.75	8,692	41.00	10,000
24.25	5,073	28.50	6,256	32.75	7,491	37.00	8,768	41.25	10,078
24.50	5,141	28.75	6,328	33.00	7,565	37.25	8,844	41.50	10,155
24.75	5,209	29.00	6,399	33.25	7,640	37.50	8,921	41.75	10,233
25.00	5,277	29.25	6,471	33.50	7,714	37.75	8,997	42.00	10,311
25.25	5,346	29.50	6,543	33.75	7,788	38.00	9,074	42.25	10,390



## Capacity/Gauge Table Information

**TCLX 290411**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 211

Reporting Mark: TCLX 290411

Date: 14/07/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,468	46.75	11,807	51.00	13,161	55.25	14,520	59.50	15,879
42.75	10,546	47.00	11,886	51.25	13,241	55.50	14,600	59.75	15,959
43.00	10,624	47.25	11,966	51.50	13,320	55.75	14,680	60.00	16,038
43.25	10,703	47.50	12,045	51.75	13,400	56.00	14,760	60.25	16,118
43.50	10,781	47.75	12,125	52.00	13,480	56.25	14,840	60.50	16,197
43.75	10,860	48.00	12,204	52.25	13,560	56.50	14,920	60.75	16,277
44.00	10,938	48.25	12,284	52.50	13,640	56.75	15,000	61.00	16,357
44.25	11,017	48.50	12,363	52.75	13,720	57.00	15,080	61.25	16,436
44.50	11,096	48.75	12,443	53.00	13,800	57.25	15,160	61.50	16,515
44.75	11,175	49.00	12,522	53.25	13,880	57.50	15,240	61.75	16,595
45.00	11,254	49.25	12,602	53.50	13,960	57.75	15,320	62.00	16,674
45.25	11,332	49.50	12,682	53.75	14,040	58.00	15,400	62.25	16,754
45.50	11,411	49.75	12,762	54.00	14,120	58.25	15,480	62.50	16,833
45.75	11,490	50.00	12,841	54.25	14,200	58.50	15,560	62.75	16,912
46.00	11,570	50.25	12,921	54.50	14,280	58.75	15,640	63.00	16,991
46.25	11,649	50.50	13,001	54.75	14,360	59.00	15,719	63.25	17,070
46.50	11,728	50.75	13,081	55.00	14,440	59.25	15,799	63.50	17,149



## Capacity/Gauge Table Information

**TCLX 290411**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 211

Reporting Mark: TCLX 290411

Date: 14/07/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,228	68.00	18,561	72.25	19,869	76.50	21,144	80.75	22,377
64.00	17,307	68.25	18,639	72.50	19,945	76.75	21,218	81.00	22,448
64.25	17,386	68.50	18,716	72.75	20,021	77.00	21,291	81.25	22,519
64.50	17,465	68.75	18,794	73.00	20,097	77.25	21,365	81.50	22,589
64.75	17,544	69.00	18,871	73.25	20,172	77.50	21,438	81.75	22,660
65.00	17,622	69.25	18,949	73.50	20,248	77.75	21,511	82.00	22,730
65.25	17,701	69.50	19,026	73.75	20,323	78.00	21,584	82.25	22,800
65.50	17,780	69.75	19,103	74.00	20,399	78.25	21,657	82.50	22,870
65.75	17,858	70.00	19,180	74.25	20,474	78.50	21,730	82.75	22,940
66.00	17,936	70.25	19,257	74.50	20,549	78.75	21,802	83.00	23,009
66.25	18,015	70.50	19,334	74.75	20,624	79.00	21,875	83.25	23,078
66.50	18,093	70.75	19,411	75.00	20,698	79.25	21,947	83.50	23,148
66.75	18,171	71.00	19,487	75.25	20,773	79.50	22,019	83.75	23,216
67.00	18,249	71.25	19,564	75.50	20,847	79.75	22,091	84.00	23,285
67.25	18,327	71.50	19,640	75.75	20,922	80.00	22,163	84.25	23,354
67.50	18,405	71.75	19,717	76.00	20,996	80.25	22,234	84.50	23,422
67.75	18,483	72.00	19,793	76.25	21,070	80.50	22,306	84.75	23,490



## Capacity/Gauge Table Information

**TCLX 290411**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 211

Reporting Mark: TCLX 290411

Date: 14/07/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,558	89.25	24,676	93.50	25,719	97.75	26,672	102.00	27,516
85.25	23,625	89.50	24,740	93.75	25,778	98.00	26,725	102.25	27,561
85.50	23,693	89.75	24,803	94.00	25,837	98.25	26,778	102.50	27,606
85.75	23,760	90.00	24,866	94.25	25,895	98.50	26,830	102.75	27,651
86.00	23,827	90.25	24,929	94.50	25,952	98.75	26,881	103.00	27,695
86.25	23,894	90.50	24,991	94.75	26,010	99.00	26,933	103.25	27,739
86.50	23,960	90.75	25,054	95.00	26,067	99.25	26,984	103.50	27,782
86.75	24,027	91.00	25,116	95.25	26,124	99.50	27,034	103.75	27,825
87.00	24,093	91.25	25,177	95.50	26,180	99.75	27,084	104.00	27,867
87.25	24,158	91.50	25,239	95.75	26,236	100.00	27,134	104.25	27,909
87.50	24,224	91.75	25,300	96.00	26,292	100.25	27,183	104.50	27,950
87.75	24,289	92.00	25,361	96.25	26,347	100.50	27,232	104.75	27,990
88.00	24,354	92.25	25,421	96.50	26,402	100.75	27,280	105.00	28,030
88.25	24,419	92.50	25,481	96.75	26,457	101.00	27,328	105.25	28,070
88.50	24,484	92.75	25,541	97.00	26,512	101.25	27,376	105.50	28,109
88.75	24,548	93.00	25,601	97.25	26,565	101.50	27,423	105.75	28,147
89.00	24,612	93.25	25,660	97.50	26,619	101.75	27,469	106.00	28,184



## Capacity/Gauge Table Information

**TCLX 290411**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 211

Reporting Mark: TCLX 290411

Date: 14/07/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,221	110.50	28,739	114.75	28,955
106.50	28,258	110.75	28,761	115.00	28,959
106.75	28,294	111.00	28,782	115.25	28,962
107.00	28,329	111.25	28,802	115.50	28,964
107.25	28,363	111.50	28,820	115.75	28,966
107.50	28,397	111.75	28,837	116.00	28,967
107.75	28,430	112.00	28,853	116.25	28,968
108.00	28,462	112.25	28,867	116.50	28,968
108.25	28,494	112.50	28,881	116.75	28,968
108.50	28,524	112.75	28,893		
108.75	28,554	113.00	28,904		
109.00	28,584	113.25	28,914		
109.25	28,612	113.50	28,923		
109.50	28,639	113.75	28,932		
109.75	28,666	114.00	28,939		
110.00	28,691	114.25	28,945		
110.25	28,716	114.50	28,950		



## Capacity/Gauge Table Information

**TCLX 290412**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290412

Date: 23/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,334	12.75	2,215	17.00	3,199
0.25	28	4.50	622	8.75	1,383	13.00	2,270	17.25	3,259
0.50	57	4.75	663	9.00	1,432	13.25	2,326	17.50	3,320
0.75	87	5.00	704	9.25	1,481	13.50	2,381	17.75	3,382
1.00	118	5.25	746	9.50	1,531	13.75	2,438	18.00	3,443
1.25	149	5.50	788	9.75	1,581	14.00	2,494	18.25	3,505
1.50	182	5.75	831	10.00	1,632	14.25	2,551	18.50	3,567
1.75	215	6.00	874	10.25	1,683	14.50	2,609	18.75	3,629
2.00	248	6.25	918	10.50	1,734	14.75	2,666	19.00	3,692
2.25	283	6.50	962	10.75	1,786	15.00	2,724	19.25	3,755
2.50	318	6.75	1,007	11.00	1,838	15.25	2,782	19.50	3,818
2.75	354	7.00	1,052	11.25	1,891	15.50	2,841	19.75	3,882
3.00	390	7.25	1,098	11.50	1,944	15.75	2,900	20.00	3,945
3.25	427	7.50	1,144	11.75	1,997	16.00	2,959	20.25	4,009
3.50	465	7.75	1,191	12.00	2,051	16.25	3,018	20.50	4,074
3.75	503	8.00	1,238	12.25	2,105	16.50	3,078	20.75	4,138
4.00	542	8.25	1,286	12.50	2,160	16.75	3,138	21.00	4,203



## Capacity/Gauge Table Information

**TCLX 290412**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290412

Date: 23/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,268	25.50	5,408	29.75	6,607	34.00	7,854	38.25	9,141
21.50	4,333	25.75	5,477	30.00	6,679	34.25	7,929	38.50	9,217
21.75	4,398	26.00	5,546	30.25	6,751	34.50	8,004	38.75	9,294
22.00	4,464	26.25	5,615	30.50	6,824	34.75	8,079	39.00	9,371
22.25	4,530	26.50	5,685	30.75	6,896	35.00	8,154	39.25	9,448
22.50	4,596	26.75	5,755	31.00	6,969	35.25	8,229	39.50	9,525
22.75	4,663	27.00	5,825	31.25	7,042	35.50	8,304	39.75	9,602
23.00	4,729	27.25	5,895	31.50	7,115	35.75	8,380	40.00	9,680
23.25	4,796	27.50	5,965	31.75	7,188	36.00	8,455	40.25	9,757
23.50	4,863	27.75	6,036	32.00	7,262	36.25	8,531	40.50	9,835
23.75	4,931	28.00	6,107	32.25	7,335	36.50	8,607	40.75	9,912
24.00	4,998	28.25	6,178	32.50	7,409	36.75	8,683	41.00	9,990
24.25	5,066	28.50	6,249	32.75	7,483	37.00	8,759	41.25	10,068
24.50	5,134	28.75	6,320	33.00	7,557	37.25	8,835	41.50	10,145
24.75	5,202	29.00	6,391	33.25	7,631	37.50	8,911	41.75	10,223
25.00	5,270	29.25	6,463	33.50	7,705	37.75	8,988	42.00	10,301
25.25	5,339	29.50	6,535	33.75	7,780	38.00	9,064	42.25	10,379





## Capacity/Gauge Table Information

**TCLX 290412**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290412

Date: 23/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,457	46.75	11,796	51.00	13,149	55.25	14,508	59.50	15,866
42.75	10,536	47.00	11,875	51.25	13,229	55.50	14,588	59.75	15,946
43.00	10,614	47.25	11,955	51.50	13,309	55.75	14,668	60.00	16,025
43.25	10,692	47.50	12,034	51.75	13,389	56.00	14,748	60.25	16,105
43.50	10,771	47.75	12,114	52.00	13,468	56.25	14,828	60.50	16,185
43.75	10,849	48.00	12,193	52.25	13,548	56.50	14,908	60.75	16,264
44.00	10,928	48.25	12,272	52.50	13,628	56.75	14,988	61.00	16,344
44.25	11,007	48.50	12,352	52.75	13,708	57.00	15,068	61.25	16,423
44.50	11,085	48.75	12,432	53.00	13,788	57.25	15,148	61.50	16,502
44.75	11,164	49.00	12,511	53.25	13,868	57.50	15,228	61.75	16,582
45.00	11,243	49.25	12,591	53.50	13,948	57.75	15,308	62.00	16,661
45.25	11,322	49.50	12,670	53.75	14,028	58.00	15,387	62.25	16,740
45.50	11,401	49.75	12,750	54.00	14,108	58.25	15,467	62.50	16,820
45.75	11,480	50.00	12,830	54.25	14,188	58.50	15,547	62.75	16,899
46.00	11,559	50.25	12,910	54.50	14,268	58.75	15,627	63.00	16,978
46.25	11,638	50.50	12,989	54.75	14,348	59.00	15,707	63.25	17,057
46.50	11,717	50.75	13,069	55.00	14,428	59.25	15,786	63.50	17,136



## Capacity/Gauge Table Information

**TCLX 290412**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290412

Date: 23/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,215	68.00	18,547	72.25	19,855	76.50	21,130	80.75	22,362
64.00	17,294	68.25	18,625	72.50	19,931	76.75	21,203	81.00	22,433
64.25	17,373	68.50	18,703	72.75	20,007	77.00	21,277	81.25	22,504
64.50	17,452	68.75	18,780	73.00	20,083	77.25	21,350	81.50	22,575
64.75	17,530	69.00	18,858	73.25	20,158	77.50	21,424	81.75	22,645
65.00	17,609	69.25	18,935	73.50	20,234	77.75	21,497	82.00	22,715
65.25	17,688	69.50	19,012	73.75	20,309	78.00	21,570	82.25	22,785
65.50	17,766	69.75	19,089	74.00	20,384	78.25	21,643	82.50	22,855
65.75	17,845	70.00	19,166	74.25	20,459	78.50	21,715	82.75	22,925
66.00	17,923	70.25	19,243	74.50	20,534	78.75	21,788	83.00	22,995
66.25	18,001	70.50	19,320	74.75	20,609	79.00	21,860	83.25	23,064
66.50	18,079	70.75	19,397	75.00	20,684	79.25	21,933	83.50	23,133
66.75	18,158	71.00	19,473	75.25	20,759	79.50	22,005	83.75	23,202
67.00	18,236	71.25	19,550	75.50	20,833	79.75	22,076	84.00	23,271
67.25	18,314	71.50	19,626	75.75	20,907	80.00	22,148	84.25	23,339
67.50	18,392	71.75	19,703	76.00	20,982	80.25	22,220	84.50	23,407
67.75	18,470	72.00	19,779	76.25	21,056	80.50	22,291	84.75	23,475



## Capacity/Gauge Table Information

**TCLX 290412**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290412

Date: 23/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,543	89.25	24,662	93.50	25,705	97.75	26,658	102.00	27,502
85.25	23,611	89.50	24,725	93.75	25,764	98.00	26,711	102.25	27,548
85.50	23,678	89.75	24,789	94.00	25,822	98.25	26,764	102.50	27,593
85.75	23,745	90.00	24,852	94.25	25,880	98.50	26,816	102.75	27,638
86.00	23,812	90.25	24,914	94.50	25,938	98.75	26,868	103.00	27,682
86.25	23,879	90.50	24,977	94.75	25,996	99.00	26,919	103.25	27,726
86.50	23,946	90.75	25,039	95.00	26,053	99.25	26,970	103.50	27,769
86.75	24,012	91.00	25,101	95.25	26,109	99.50	27,020	103.75	27,812
87.00	24,078	91.25	25,163	95.50	26,166	99.75	27,070	104.00	27,854
87.25	24,144	91.50	25,224	95.75	26,222	100.00	27,120	104.25	27,896
87.50	24,209	91.75	25,285	96.00	26,278	100.25	27,169	104.50	27,937
87.75	24,275	92.00	25,346	96.25	26,333	100.50	27,218	104.75	27,977
88.00	24,340	92.25	25,407	96.50	26,388	100.75	27,267	105.00	28,018
88.25	24,405	92.50	25,467	96.75	26,443	101.00	27,315	105.25	28,057
88.50	24,469	92.75	25,527	97.00	26,497	101.25	27,362	105.50	28,096
88.75	24,534	93.00	25,587	97.25	26,551	101.50	27,409	105.75	28,134
89.00	24,598	93.25	25,646	97.50	26,605	101.75	27,456	106.00	28,172



## Capacity/Gauge Table Information

**TCLX 290412**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290412

Date: 23/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,209	110.50	28,728	114.75	28,946
106.50	28,245	110.75	28,751	115.00	28,950
106.75	28,281	111.00	28,772	115.25	28,953
107.00	28,316	111.25	28,791	115.50	28,955
107.25	28,351	111.50	28,810	115.75	28,957
107.50	28,385	111.75	28,827	116.00	28,958
107.75	28,418	112.00	28,843	116.25	28,959
108.00	28,450	112.25	28,857	116.50	28,959
108.25	28,482	112.50	28,871	116.75	28,959
108.50	28,513	112.75	28,883		
108.75	28,543	113.00	28,895		
109.00	28,572	113.25	28,905		
109.25	28,600	113.50	28,914		
109.50	28,628	113.75	28,922		
109.75	28,654	114.00	28,930		
110.00	28,680	114.25	28,936		
110.25	28,705	114.50	28,941		



## Capacity/Gauge Table Information

**TCLX 290413**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 213

Reporting Mark: TCLX 290413

Date: 09/07/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,341	12.75	2,225	17.00	3,211
0.25	28	4.50	626	8.75	1,390	13.00	2,280	17.25	3,272
0.50	58	4.75	667	9.00	1,439	13.25	2,336	17.50	3,333
0.75	88	5.00	708	9.25	1,489	13.50	2,392	17.75	3,394
1.00	119	5.25	750	9.50	1,539	13.75	2,448	18.00	3,456
1.25	151	5.50	793	9.75	1,589	14.00	2,505	18.25	3,518
1.50	183	5.75	836	10.00	1,640	14.25	2,562	18.50	3,580
1.75	216	6.00	879	10.25	1,691	14.50	2,619	18.75	3,643
2.00	250	6.25	923	10.50	1,743	14.75	2,677	19.00	3,706
2.25	285	6.50	968	10.75	1,795	15.00	2,735	19.25	3,769
2.50	321	6.75	1,013	11.00	1,847	15.25	2,794	19.50	3,832
2.75	357	7.00	1,058	11.25	1,900	15.50	2,852	19.75	3,896
3.00	393	7.25	1,104	11.50	1,953	15.75	2,911	20.00	3,959
3.25	430	7.50	1,151	11.75	2,007	16.00	2,971	20.25	4,023
3.50	468	7.75	1,198	12.00	2,061	16.25	3,030	20.50	4,088
3.75	507	8.00	1,245	12.25	2,115	16.50	3,090	20.75	4,152
4.00	546	8.25	1,293	12.50	2,170	16.75	3,151	21.00	4,217



## Capacity/Gauge Table Information

**TCLX 290413**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 213

Reporting Mark: TCLX 290413

Date: 09/07/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,282	25.50	5,425	29.75	6,626	34.00	7,875	38.25	9,163
21.50	4,348	25.75	5,494	30.00	6,698	34.25	7,950	38.50	9,240
21.75	4,413	26.00	5,563	30.25	6,770	34.50	8,025	38.75	9,317
22.00	4,479	26.25	5,633	30.50	6,843	34.75	8,100	39.00	9,394
22.25	4,545	26.50	5,702	30.75	6,916	35.00	8,175	39.25	9,471
22.50	4,612	26.75	5,772	31.00	6,988	35.25	8,250	39.50	9,548
22.75	4,678	27.00	5,842	31.25	7,062	35.50	8,326	39.75	9,625
23.00	4,745	27.25	5,913	31.50	7,135	35.75	8,401	40.00	9,703
23.25	4,812	27.50	5,983	31.75	7,208	36.00	8,477	40.25	9,780
23.50	4,879	27.75	6,054	32.00	7,282	36.25	8,553	40.50	9,858
23.75	4,947	28.00	6,125	32.25	7,355	36.50	8,628	40.75	9,935
24.00	5,014	28.25	6,196	32.50	7,429	36.75	8,705	41.00	10,013
24.25	5,082	28.50	6,267	32.75	7,503	37.00	8,781	41.25	10,091
24.50	5,150	28.75	6,338	33.00	7,577	37.25	8,857	41.50	10,169
24.75	5,218	29.00	6,410	33.25	7,651	37.50	8,933	41.75	10,247
25.00	5,287	29.25	6,482	33.50	7,726	37.75	9,010	42.00	10,325
25.25	5,356	29.50	6,554	33.75	7,800	38.00	9,086	42.25	10,403



## Capacity/Gauge Table Information

**TCLX 290413**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 213

Reporting Mark: TCLX 290413

Date: 09/07/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,481	46.75	11,821	51.00	13,175	55.25	14,536	59.50	15,895
42.75	10,560	47.00	11,901	51.25	13,255	55.50	14,616	59.75	15,974
43.00	10,638	47.25	11,980	51.50	13,335	55.75	14,696	60.00	16,054
43.25	10,716	47.50	12,060	51.75	13,415	56.00	14,776	60.25	16,134
43.50	10,795	47.75	12,139	52.00	13,495	56.25	14,856	60.50	16,213
43.75	10,874	48.00	12,219	52.25	13,575	56.50	14,936	60.75	16,293
44.00	10,952	48.25	12,298	52.50	13,655	56.75	15,016	61.00	16,372
44.25	11,031	48.50	12,378	52.75	13,735	57.00	15,096	61.25	16,452
44.50	11,110	48.75	12,457	53.00	13,815	57.25	15,176	61.50	16,531
44.75	11,189	49.00	12,537	53.25	13,895	57.50	15,256	61.75	16,611
45.00	11,267	49.25	12,617	53.50	13,975	57.75	15,336	62.00	16,690
45.25	11,346	49.50	12,696	53.75	14,055	58.00	15,416	62.25	16,769
45.50	11,425	49.75	12,776	54.00	14,135	58.25	15,495	62.50	16,849
45.75	11,505	50.00	12,856	54.25	14,215	58.50	15,575	62.75	16,928
46.00	11,584	50.25	12,936	54.50	14,296	58.75	15,655	63.00	17,007
46.25	11,663	50.50	13,016	54.75	14,376	59.00	15,735	63.25	17,086
46.50	11,742	50.75	13,096	55.00	14,456	59.25	15,815	63.50	17,165





## Capacity/Gauge Table Information

**TCLX 290413**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 213

Reporting Mark: TCLX 290413

Date: 09/07/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,244	68.00	18,577	72.25	19,885	76.50	21,160	80.75	22,392
64.00	17,323	68.25	18,655	72.50	19,961	76.75	21,234	81.00	22,463
64.25	17,402	68.50	18,732	72.75	20,037	77.00	21,307	81.25	22,534
64.50	17,481	68.75	18,810	73.00	20,113	77.25	21,381	81.50	22,605
64.75	17,560	69.00	18,887	73.25	20,188	77.50	21,454	81.75	22,675
65.00	17,638	69.25	18,965	73.50	20,264	77.75	21,527	82.00	22,746
65.25	17,717	69.50	19,042	73.75	20,339	78.00	21,600	82.25	22,816
65.50	17,796	69.75	19,119	74.00	20,415	78.25	21,673	82.50	22,885
65.75	17,874	70.00	19,196	74.25	20,490	78.50	21,746	82.75	22,955
66.00	17,953	70.25	19,273	74.50	20,565	78.75	21,818	83.00	23,025
66.25	18,031	70.50	19,350	74.75	20,640	79.00	21,891	83.25	23,094
66.50	18,109	70.75	19,427	75.00	20,714	79.25	21,963	83.50	23,163
66.75	18,187	71.00	19,504	75.25	20,789	79.50	22,035	83.75	23,232
67.00	18,265	71.25	19,580	75.50	20,863	79.75	22,107	84.00	23,300
67.25	18,344	71.50	19,657	75.75	20,938	80.00	22,178	84.25	23,369
67.50	18,421	71.75	19,733	76.00	21,012	80.25	22,250	84.50	23,437
67.75	18,499	72.00	19,809	76.25	21,086	80.50	22,321	84.75	23,505



## Capacity/Gauge Table Information

**TCLX 290413**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 213

Reporting Mark: TCLX 290413

Date: 09/07/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,573	89.25	24,691	93.50	25,733	97.75	26,685	102.00	27,526
85.25	23,641	89.50	24,754	93.75	25,792	98.00	26,737	102.25	27,572
85.50	23,708	89.75	24,817	94.00	25,850	98.25	26,790	102.50	27,617
85.75	23,775	90.00	24,880	94.25	25,908	98.50	26,842	102.75	27,662
86.00	23,842	90.25	24,943	94.50	25,966	98.75	26,893	103.00	27,706
86.25	23,909	90.50	25,006	94.75	26,023	99.00	26,945	103.25	27,749
86.50	23,975	90.75	25,068	95.00	26,080	99.25	26,996	103.50	27,792
86.75	24,042	91.00	25,130	95.25	26,137	99.50	27,046	103.75	27,835
87.00	24,108	91.25	25,191	95.50	26,193	99.75	27,096	104.00	27,877
87.25	24,173	91.50	25,253	95.75	26,249	100.00	27,146	104.25	27,918
87.50	24,239	91.75	25,314	96.00	26,305	100.25	27,195	104.50	27,959
87.75	24,304	92.00	25,375	96.25	26,360	100.50	27,243	104.75	28,000
88.00	24,369	92.25	25,435	96.50	26,415	100.75	27,292	105.00	28,040
88.25	24,434	92.50	25,495	96.75	26,470	101.00	27,340	105.25	28,079
88.50	24,499	92.75	25,555	97.00	26,524	101.25	27,387	105.50	28,118
88.75	24,563	93.00	25,615	97.25	26,578	101.50	27,434	105.75	28,156
89.00	24,627	93.25	25,674	97.50	26,632	101.75	27,480	106.00	28,193



## Capacity/Gauge Table Information

**TCLX 290413**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 213

Reporting Mark: TCLX 290413

Date: 09/07/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,230	110.50	28,744	114.75	28,956
106.50	28,266	110.75	28,766	115.00	28,960
106.75	28,302	111.00	28,786	115.25	28,963
107.00	28,337	111.25	28,806	115.50	28,965
107.25	28,371	111.50	28,824	115.75	28,967
107.50	28,405	111.75	28,840	116.00	28,968
107.75	28,437	112.00	28,856	116.25	28,969
108.00	28,470	112.25	28,870	116.50	28,969
108.25	28,501	112.50	28,883	116.75	28,970
108.50	28,531	112.75	28,895		
108.75	28,561	113.00	28,906		
109.00	28,590	113.25	28,916		
109.25	28,618	113.50	28,925		
109.50	28,645	113.75	28,933		
109.75	28,672	114.00	28,940		
110.00	28,697	114.25	28,947		
110.25	28,721	114.50	28,952		



## Capacity/Gauge Table Information

**TCLX 290414**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290414

Date: 14/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,334	12.75	2,215	17.00	3,199
0.25	28	4.50	622	8.75	1,383	13.00	2,270	17.25	3,259
0.50	57	4.75	663	9.00	1,432	13.25	2,326	17.50	3,320
0.75	87	5.00	704	9.25	1,481	13.50	2,381	17.75	3,382
1.00	118	5.25	746	9.50	1,531	13.75	2,438	18.00	3,443
1.25	149	5.50	788	9.75	1,581	14.00	2,494	18.25	3,505
1.50	182	5.75	831	10.00	1,632	14.25	2,551	18.50	3,567
1.75	215	6.00	874	10.25	1,683	14.50	2,609	18.75	3,629
2.00	248	6.25	918	10.50	1,734	14.75	2,666	19.00	3,692
2.25	283	6.50	962	10.75	1,786	15.00	2,724	19.25	3,755
2.50	318	6.75	1,007	11.00	1,838	15.25	2,782	19.50	3,818
2.75	354	7.00	1,052	11.25	1,891	15.50	2,841	19.75	3,882
3.00	390	7.25	1,098	11.50	1,944	15.75	2,900	20.00	3,945
3.25	427	7.50	1,144	11.75	1,997	16.00	2,959	20.25	4,009
3.50	465	7.75	1,191	12.00	2,051	16.25	3,018	20.50	4,074
3.75	503	8.00	1,238	12.25	2,105	16.50	3,078	20.75	4,138
4.00	542	8.25	1,286	12.50	2,160	16.75	3,138	21.00	4,203



## Capacity/Gauge Table Information

**TCLX 290414**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290414

Date: 14/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,268	25.50	5,408	29.75	6,607	34.00	7,854	38.25	9,141
21.50	4,333	25.75	5,477	30.00	6,679	34.25	7,929	38.50	9,217
21.75	4,398	26.00	5,546	30.25	6,751	34.50	8,004	38.75	9,294
22.00	4,464	26.25	5,615	30.50	6,824	34.75	8,079	39.00	9,371
22.25	4,530	26.50	5,685	30.75	6,896	35.00	8,154	39.25	9,448
22.50	4,596	26.75	5,755	31.00	6,969	35.25	8,229	39.50	9,525
22.75	4,663	27.00	5,825	31.25	7,042	35.50	8,304	39.75	9,602
23.00	4,729	27.25	5,895	31.50	7,115	35.75	8,380	40.00	9,680
23.25	4,796	27.50	5,965	31.75	7,188	36.00	8,455	40.25	9,757
23.50	4,863	27.75	6,036	32.00	7,262	36.25	8,531	40.50	9,835
23.75	4,931	28.00	6,107	32.25	7,335	36.50	8,607	40.75	9,912
24.00	4,998	28.25	6,178	32.50	7,409	36.75	8,683	41.00	9,990
24.25	5,066	28.50	6,249	32.75	7,483	37.00	8,759	41.25	10,068
24.50	5,134	28.75	6,320	33.00	7,557	37.25	8,835	41.50	10,145
24.75	5,202	29.00	6,391	33.25	7,631	37.50	8,911	41.75	10,223
25.00	5,270	29.25	6,463	33.50	7,705	37.75	8,988	42.00	10,301
25.25	5,339	29.50	6,535	33.75	7,780	38.00	9,064	42.25	10,379



## Capacity/Gauge Table Information

**TCLX 290414**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290414

Date: 14/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,457	46.75	11,796	51.00	13,149	55.25	14,508	59.50	15,866
42.75	10,536	47.00	11,875	51.25	13,229	55.50	14,588	59.75	15,946
43.00	10,614	47.25	11,955	51.50	13,309	55.75	14,668	60.00	16,025
43.25	10,692	47.50	12,034	51.75	13,389	56.00	14,748	60.25	16,105
43.50	10,771	47.75	12,114	52.00	13,468	56.25	14,828	60.50	16,185
43.75	10,849	48.00	12,193	52.25	13,548	56.50	14,908	60.75	16,264
44.00	10,928	48.25	12,272	52.50	13,628	56.75	14,988	61.00	16,344
44.25	11,007	48.50	12,352	52.75	13,708	57.00	15,068	61.25	16,423
44.50	11,085	48.75	12,432	53.00	13,788	57.25	15,148	61.50	16,502
44.75	11,164	49.00	12,511	53.25	13,868	57.50	15,228	61.75	16,582
45.00	11,243	49.25	12,591	53.50	13,948	57.75	15,308	62.00	16,661
45.25	11,322	49.50	12,670	53.75	14,028	58.00	15,387	62.25	16,740
45.50	11,401	49.75	12,750	54.00	14,108	58.25	15,467	62.50	16,820
45.75	11,480	50.00	12,830	54.25	14,188	58.50	15,547	62.75	16,899
46.00	11,559	50.25	12,910	54.50	14,268	58.75	15,627	63.00	16,978
46.25	11,638	50.50	12,989	54.75	14,348	59.00	15,707	63.25	17,057
46.50	11,717	50.75	13,069	55.00	14,428	59.25	15,786	63.50	17,136



## Capacity/Gauge Table Information

**TCLX 290414**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290414

Date: 14/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,215	68.00	18,547	72.25	19,855	76.50	21,130	80.75	22,362
64.00	17,294	68.25	18,625	72.50	19,931	76.75	21,203	81.00	22,433
64.25	17,373	68.50	18,703	72.75	20,007	77.00	21,277	81.25	22,504
64.50	17,452	68.75	18,780	73.00	20,083	77.25	21,350	81.50	22,575
64.75	17,530	69.00	18,858	73.25	20,158	77.50	21,424	81.75	22,645
65.00	17,609	69.25	18,935	73.50	20,234	77.75	21,497	82.00	22,715
65.25	17,688	69.50	19,012	73.75	20,309	78.00	21,570	82.25	22,785
65.50	17,766	69.75	19,089	74.00	20,384	78.25	21,643	82.50	22,855
65.75	17,845	70.00	19,166	74.25	20,459	78.50	21,715	82.75	22,925
66.00	17,923	70.25	19,243	74.50	20,534	78.75	21,788	83.00	22,995
66.25	18,001	70.50	19,320	74.75	20,609	79.00	21,860	83.25	23,064
66.50	18,079	70.75	19,397	75.00	20,684	79.25	21,933	83.50	23,133
66.75	18,158	71.00	19,473	75.25	20,759	79.50	22,005	83.75	23,202
67.00	18,236	71.25	19,550	75.50	20,833	79.75	22,076	84.00	23,271
67.25	18,314	71.50	19,626	75.75	20,907	80.00	22,148	84.25	23,339
67.50	18,392	71.75	19,703	76.00	20,982	80.25	22,220	84.50	23,407
67.75	18,470	72.00	19,779	76.25	21,056	80.50	22,291	84.75	23,475





## Capacity/Gauge Table Information

**TCLX 290414**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290414

Date: 14/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,543	89.25	24,662	93.50	25,705	97.75	26,658	102.00	27,502
85.25	23,611	89.50	24,725	93.75	25,764	98.00	26,711	102.25	27,548
85.50	23,678	89.75	24,789	94.00	25,822	98.25	26,764	102.50	27,593
85.75	23,745	90.00	24,852	94.25	25,880	98.50	26,816	102.75	27,638
86.00	23,812	90.25	24,914	94.50	25,938	98.75	26,868	103.00	27,682
86.25	23,879	90.50	24,977	94.75	25,996	99.00	26,919	103.25	27,726
86.50	23,946	90.75	25,039	95.00	26,053	99.25	26,970	103.50	27,769
86.75	24,012	91.00	25,101	95.25	26,109	99.50	27,020	103.75	27,812
87.00	24,078	91.25	25,163	95.50	26,166	99.75	27,070	104.00	27,854
87.25	24,144	91.50	25,224	95.75	26,222	100.00	27,120	104.25	27,896
87.50	24,209	91.75	25,285	96.00	26,278	100.25	27,169	104.50	27,937
87.75	24,275	92.00	25,346	96.25	26,333	100.50	27,218	104.75	27,977
88.00	24,340	92.25	25,407	96.50	26,388	100.75	27,267	105.00	28,018
88.25	24,405	92.50	25,467	96.75	26,443	101.00	27,315	105.25	28,057
88.50	24,469	92.75	25,527	97.00	26,497	101.25	27,362	105.50	28,096
88.75	24,534	93.00	25,587	97.25	26,551	101.50	27,409	105.75	28,134
89.00	24,598	93.25	25,646	97.50	26,605	101.75	27,456	106.00	28,172



## Capacity/Gauge Table Information

**TCLX 290414**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290414

Date: 14/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,209	110.50	28,728	114.75	28,946
106.50	28,245	110.75	28,751	115.00	28,950
106.75	28,281	111.00	28,772	115.25	28,953
107.00	28,316	111.25	28,791	115.50	28,955
107.25	28,351	111.50	28,810	115.75	28,957
107.50	28,385	111.75	28,827	116.00	28,958
107.75	28,418	112.00	28,843	116.25	28,959
108.00	28,450	112.25	28,857	116.50	28,959
108.25	28,482	112.50	28,871	116.75	28,959
108.50	28,513	112.75	28,883		
108.75	28,543	113.00	28,895		
109.00	28,572	113.25	28,905		
109.25	28,600	113.50	28,914		
109.50	28,628	113.75	28,922		
109.75	28,654	114.00	28,930		
110.00	28,680	114.25	28,936		
110.25	28,705	114.50	28,941		



## Capacity/Gauge Table Information

**TCLX 290415**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 215

Reporting Mark: TCLX 290415

Date: 10/07/2015

Capacity: 28,995 US Gallons (109,758 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	574	8.50	1,320	12.75	2,196	17.00	3,176
0.25	28	4.50	613	8.75	1,368	13.00	2,251	17.25	3,237
0.50	56	4.75	654	9.00	1,417	13.25	2,307	17.50	3,298
0.75	86	5.00	695	9.25	1,466	13.50	2,362	17.75	3,359
1.00	116	5.25	736	9.50	1,516	13.75	2,418	18.00	3,420
1.25	147	5.50	778	9.75	1,566	14.00	2,475	18.25	3,482
1.50	178	5.75	820	10.00	1,616	14.25	2,531	18.50	3,544
1.75	211	6.00	863	10.25	1,667	14.50	2,588	18.75	3,606
2.00	244	6.25	907	10.50	1,718	14.75	2,646	19.00	3,668
2.25	278	6.50	951	10.75	1,770	15.00	2,703	19.25	3,731
2.50	313	6.75	995	11.00	1,822	15.25	2,761	19.50	3,794
2.75	348	7.00	1,040	11.25	1,874	15.50	2,820	19.75	3,857
3.00	384	7.25	1,086	11.50	1,927	15.75	2,878	20.00	3,921
3.25	421	7.50	1,132	11.75	1,980	16.00	2,937	20.25	3,985
3.50	458	7.75	1,178	12.00	2,033	16.25	2,997	20.50	4,049
3.75	496	8.00	1,225	12.25	2,087	16.50	3,056	20.75	4,113
4.00	535	8.25	1,272	12.50	2,142	16.75	3,116	21.00	4,178



## Capacity/Gauge Table Information

**TCLX 290415**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 215

Reporting Mark: TCLX 290415

Date: 10/07/2015

Capacity: 28,995 US Gallons (109,758 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,243	25.50	5,380	29.75	6,578	34.00	7,824	38.25	9,109
21.50	4,308	25.75	5,449	30.00	6,650	34.25	7,898	38.50	9,186
21.75	4,373	26.00	5,518	30.25	6,722	34.50	7,973	38.75	9,263
22.00	4,439	26.25	5,588	30.50	6,794	34.75	8,048	39.00	9,340
22.25	4,504	26.50	5,657	30.75	6,867	35.00	8,123	39.25	9,417
22.50	4,570	26.75	5,727	31.00	6,939	35.25	8,198	39.50	9,494
22.75	4,637	27.00	5,797	31.25	7,012	35.50	8,273	39.75	9,571
23.00	4,703	27.25	5,867	31.50	7,085	35.75	8,349	40.00	9,648
23.25	4,770	27.50	5,937	31.75	7,159	36.00	8,424	40.25	9,725
23.50	4,837	27.75	6,007	32.00	7,232	36.25	8,500	40.50	9,803
23.75	4,904	28.00	6,078	32.25	7,305	36.50	8,576	40.75	9,880
24.00	4,971	28.25	6,149	32.50	7,379	36.75	8,652	41.00	9,958
24.25	5,039	28.50	6,220	32.75	7,453	37.00	8,728	41.25	10,036
24.50	5,107	28.75	6,291	33.00	7,527	37.25	8,804	41.50	10,114
24.75	5,175	29.00	6,362	33.25	7,601	37.50	8,880	41.75	10,191
25.00	5,243	29.25	6,434	33.50	7,675	37.75	8,956	42.00	10,269
25.25	5,312	29.50	6,506	33.75	7,749	38.00	9,033	42.25	10,347



## Capacity/Gauge Table Information

**TCLX 290415**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 215

Reporting Mark: TCLX 290415

Date: 10/07/2015

Capacity: 28,995 US Gallons (109,758 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,426	46.75	11,764	51.00	13,117	55.25	14,477	59.50	15,836
42.75	10,504	47.00	11,843	51.25	13,197	55.50	14,557	59.75	15,916
43.00	10,582	47.25	11,923	51.50	13,277	55.75	14,637	60.00	15,995
43.25	10,660	47.50	12,002	51.75	13,357	56.00	14,717	60.25	16,075
43.50	10,739	47.75	12,082	52.00	13,437	56.25	14,797	60.50	16,155
43.75	10,817	48.00	12,161	52.25	13,517	56.50	14,877	60.75	16,234
44.00	10,896	48.25	12,240	52.50	13,597	56.75	14,957	61.00	16,314
44.25	10,975	48.50	12,320	52.75	13,677	57.00	15,037	61.25	16,393
44.50	11,053	48.75	12,400	53.00	13,757	57.25	15,117	61.50	16,473
44.75	11,132	49.00	12,479	53.25	13,837	57.50	15,197	61.75	16,552
45.00	11,211	49.25	12,559	53.50	13,917	57.75	15,277	62.00	16,632
45.25	11,290	49.50	12,639	53.75	13,997	58.00	15,357	62.25	16,711
45.50	11,369	49.75	12,718	54.00	14,077	58.25	15,437	62.50	16,790
45.75	11,448	50.00	12,798	54.25	14,157	58.50	15,517	62.75	16,870
46.00	11,527	50.25	12,878	54.50	14,237	58.75	15,596	63.00	16,949
46.25	11,606	50.50	12,958	54.75	14,317	59.00	15,676	63.25	17,028
46.50	11,685	50.75	13,037	55.00	14,397	59.25	15,756	63.50	17,107



## Capacity/Gauge Table Information

**TCLX 290415**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 215

Reporting Mark: TCLX 290415

Date: 10/07/2015

Capacity: 28,995 US Gallons (109,758 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,186	68.00	18,520	72.25	19,830	76.50	21,107	80.75	22,342
64.00	17,265	68.25	18,598	72.50	19,906	76.75	21,181	81.00	22,413
64.25	17,344	68.50	18,676	72.75	19,982	77.00	21,254	81.25	22,484
64.50	17,423	68.75	18,753	73.00	20,058	77.25	21,328	81.50	22,555
64.75	17,502	69.00	18,831	73.25	20,134	77.50	21,402	81.75	22,626
65.00	17,581	69.25	18,908	73.50	20,209	77.75	21,475	82.00	22,696
65.25	17,659	69.50	18,986	73.75	20,285	78.00	21,548	82.25	22,766
65.50	17,738	69.75	19,063	74.00	20,360	78.25	21,621	82.50	22,837
65.75	17,816	70.00	19,140	74.25	20,435	78.50	21,694	82.75	22,906
66.00	17,895	70.25	19,217	74.50	20,510	78.75	21,767	83.00	22,976
66.25	17,973	70.50	19,294	74.75	20,585	79.00	21,839	83.25	23,046
66.50	18,052	70.75	19,371	75.00	20,660	79.25	21,911	83.50	23,115
66.75	18,130	71.00	19,448	75.25	20,735	79.50	21,984	83.75	23,184
67.00	18,208	71.25	19,524	75.50	20,810	79.75	22,056	84.00	23,253
67.25	18,286	71.50	19,601	75.75	20,884	80.00	22,128	84.25	23,322
67.50	18,364	71.75	19,677	76.00	20,959	80.25	22,199	84.50	23,390
67.75	18,442	72.00	19,754	76.25	21,033	80.50	22,271	84.75	23,458



## Capacity/Gauge Table Information

**TCLX 290415**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 215

Reporting Mark: TCLX 290415

Date: 10/07/2015

Capacity: 28,995 US Gallons (109,758 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,526	89.25	24,648	93.50	25,696	97.75	26,654	102.00	27,504
85.25	23,594	89.50	24,712	93.75	25,755	98.00	26,708	102.25	27,550
85.50	23,662	89.75	24,776	94.00	25,814	98.25	26,760	102.50	27,596
85.75	23,729	90.00	24,839	94.25	25,872	98.50	26,813	102.75	27,641
86.00	23,796	90.25	24,902	94.50	25,930	98.75	26,865	103.00	27,686
86.25	23,863	90.50	24,965	94.75	25,988	99.00	26,917	103.25	27,730
86.50	23,930	90.75	25,027	95.00	26,045	99.25	26,968	103.50	27,774
86.75	23,997	91.00	25,090	95.25	26,102	99.50	27,019	103.75	27,817
87.00	24,063	91.25	25,152	95.50	26,159	99.75	27,069	104.00	27,859
87.25	24,129	91.50	25,213	95.75	26,216	100.00	27,119	104.25	27,901
87.50	24,195	91.75	25,275	96.00	26,272	100.25	27,169	104.50	27,943
87.75	24,260	92.00	25,336	96.25	26,327	100.50	27,218	104.75	27,984
88.00	24,326	92.25	25,396	96.50	26,383	100.75	27,267	105.00	28,025
88.25	24,391	92.50	25,457	96.75	26,438	101.00	27,315	105.25	28,065
88.50	24,455	92.75	25,517	97.00	26,492	101.25	27,363	105.50	28,104
88.75	24,520	93.00	25,577	97.25	26,547	101.50	27,411	105.75	28,143
89.00	24,584	93.25	25,637	97.50	26,601	101.75	27,458	106.00	28,181





## Capacity/Gauge Table Information

**TCLX 290415**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 215

Reporting Mark: TCLX 290415

Date: 10/07/2015

Capacity: 28,995 US Gallons (109,758 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,219	110.50	28,750	114.75	28,981
106.50	28,256	110.75	28,773	115.00	28,985
106.75	28,292	111.00	28,795	115.25	28,988
107.00	28,328	111.25	28,816	115.50	28,991
107.25	28,363	111.50	28,836	115.75	28,993
107.50	28,397	111.75	28,854	116.00	28,994
107.75	28,431	112.00	28,871	116.25	28,995
108.00	28,464	112.25	28,887	116.50	28,995
108.25	28,496	112.50	28,901	116.75	28,995
108.50	28,527	112.75	28,914		
108.75	28,558	113.00	28,926		
109.00	28,588	113.25	28,937		
109.25	28,617	113.50	28,947		
109.50	28,646	113.75	28,956		
109.75	28,673	114.00	28,963		
110.00	28,699	114.25	28,970		
110.25	28,725	114.50	28,976		



## Capacity/Gauge Table Information

**TCLX 290416**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 216

Reporting Mark: TCLX 290416

Date: 14/07/2015

Capacity: 28,965 US Gallons (109,644 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,350	12.75	2,237	17.00	3,226
0.25	29	4.50	632	8.75	1,399	13.00	2,293	17.25	3,287
0.50	59	4.75	673	9.00	1,449	13.25	2,348	17.50	3,348
0.75	89	5.00	714	9.25	1,498	13.50	2,405	17.75	3,410
1.00	120	5.25	756	9.50	1,549	13.75	2,461	18.00	3,472
1.25	152	5.50	799	9.75	1,599	14.00	2,518	18.25	3,534
1.50	185	5.75	842	10.00	1,650	14.25	2,575	18.50	3,596
1.75	219	6.00	886	10.25	1,702	14.50	2,633	18.75	3,659
2.00	253	6.25	930	10.50	1,753	14.75	2,691	19.00	3,722
2.25	288	6.50	975	10.75	1,806	15.00	2,749	19.25	3,785
2.50	324	6.75	1,020	11.00	1,858	15.25	2,808	19.50	3,848
2.75	360	7.00	1,066	11.25	1,911	15.50	2,867	19.75	3,912
3.00	397	7.25	1,112	11.50	1,965	15.75	2,926	20.00	3,976
3.25	435	7.50	1,159	11.75	2,018	16.00	2,985	20.25	4,040
3.50	473	7.75	1,206	12.00	2,072	16.25	3,045	20.50	4,105
3.75	512	8.00	1,254	12.25	2,127	16.50	3,105	20.75	4,170
4.00	551	8.25	1,302	12.50	2,182	16.75	3,165	21.00	4,235



## Capacity/Gauge Table Information

**TCLX 290416**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 216

Reporting Mark: TCLX 290416

Date: 14/07/2015

Capacity: 28,965 US Gallons (109,644 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,300	25.50	5,444	29.75	6,647	34.00	7,898	38.25	9,187
21.50	4,365	25.75	5,513	30.00	6,719	34.25	7,972	38.50	9,264
21.75	4,431	26.00	5,583	30.25	6,792	34.50	8,047	38.75	9,341
22.00	4,497	26.25	5,652	30.50	6,864	34.75	8,123	39.00	9,418
22.25	4,563	26.50	5,722	30.75	6,937	35.00	8,198	39.25	9,495
22.50	4,630	26.75	5,792	31.00	7,010	35.25	8,273	39.50	9,572
22.75	4,696	27.00	5,862	31.25	7,083	35.50	8,349	39.75	9,650
23.00	4,763	27.25	5,933	31.50	7,157	35.75	8,424	40.00	9,727
23.25	4,830	27.50	6,003	31.75	7,230	36.00	8,500	40.25	9,805
23.50	4,898	27.75	6,074	32.00	7,304	36.25	8,576	40.50	9,882
23.75	4,965	28.00	6,145	32.25	7,377	36.50	8,652	40.75	9,960
24.00	5,033	28.25	6,216	32.50	7,451	36.75	8,728	41.00	10,038
24.25	5,101	28.50	6,288	32.75	7,525	37.00	8,804	41.25	10,116
24.50	5,169	28.75	6,359	33.00	7,599	37.25	8,881	41.50	10,194
24.75	5,238	29.00	6,431	33.25	7,674	37.50	8,957	41.75	10,272
25.00	5,306	29.25	6,503	33.50	7,748	37.75	9,034	42.00	10,350
25.25	5,375	29.50	6,575	33.75	7,823	38.00	9,110	42.25	10,428



## Capacity/Gauge Table Information

**TCLX 290416**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 216

Reporting Mark: TCLX 290416

Date: 14/07/2015

Capacity: 28,965 US Gallons (109,644 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,506	46.75	11,847	51.00	13,202	55.25	14,562	59.50	15,921
42.75	10,585	47.00	11,926	51.25	13,282	55.50	14,642	59.75	16,001
43.00	10,663	47.25	12,006	51.50	13,362	55.75	14,722	60.00	16,081
43.25	10,741	47.50	12,085	51.75	13,442	56.00	14,802	60.25	16,160
43.50	10,820	47.75	12,165	52.00	13,522	56.25	14,883	60.50	16,240
43.75	10,899	48.00	12,244	52.25	13,602	56.50	14,963	60.75	16,320
44.00	10,977	48.25	12,324	52.50	13,682	56.75	15,043	61.00	16,399
44.25	11,056	48.50	12,404	52.75	13,762	57.00	15,123	61.25	16,479
44.50	11,135	48.75	12,483	53.00	13,842	57.25	15,203	61.50	16,558
44.75	11,214	49.00	12,563	53.25	13,922	57.50	15,282	61.75	16,638
45.00	11,293	49.25	12,643	53.50	14,002	57.75	15,362	62.00	16,717
45.25	11,372	49.50	12,723	53.75	14,082	58.00	15,442	62.25	16,796
45.50	11,451	49.75	12,802	54.00	14,162	58.25	15,522	62.50	16,875
45.75	11,530	50.00	12,882	54.25	14,242	58.50	15,602	62.75	16,955
46.00	11,609	50.25	12,962	54.50	14,322	58.75	15,682	63.00	17,034
46.25	11,688	50.50	13,042	54.75	14,402	59.00	15,762	63.25	17,113
46.50	11,768	50.75	13,122	55.00	14,482	59.25	15,842	63.50	17,192



## Capacity/Gauge Table Information

**TCLX 290416**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 216

Reporting Mark: TCLX 290416

Date: 14/07/2015

Capacity: 28,965 US Gallons (109,644 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,271	68.00	18,604	72.25	19,911	76.50	21,185	80.75	22,417
64.00	17,350	68.25	18,681	72.50	19,987	76.75	21,259	81.00	22,488
64.25	17,429	68.50	18,759	72.75	20,063	77.00	21,332	81.25	22,558
64.50	17,508	68.75	18,836	73.00	20,139	77.25	21,406	81.50	22,629
64.75	17,586	69.00	18,914	73.25	20,214	77.50	21,479	81.75	22,699
65.00	17,665	69.25	18,991	73.50	20,290	77.75	21,552	82.00	22,770
65.25	17,744	69.50	19,068	73.75	20,365	78.00	21,625	82.25	22,839
65.50	17,822	69.75	19,146	74.00	20,440	78.25	21,698	82.50	22,909
65.75	17,901	70.00	19,223	74.25	20,515	78.50	21,771	82.75	22,979
66.00	17,979	70.25	19,300	74.50	20,590	78.75	21,843	83.00	23,048
66.25	18,058	70.50	19,376	74.75	20,665	79.00	21,915	83.25	23,117
66.50	18,136	70.75	19,453	75.00	20,740	79.25	21,988	83.50	23,186
66.75	18,214	71.00	19,530	75.25	20,815	79.50	22,060	83.75	23,255
67.00	18,292	71.25	19,606	75.50	20,889	79.75	22,131	84.00	23,324
67.25	18,370	71.50	19,683	75.75	20,963	80.00	22,203	84.25	23,392
67.50	18,448	71.75	19,759	76.00	21,037	80.25	22,274	84.50	23,460
67.75	18,526	72.00	19,835	76.25	21,111	80.50	22,346	84.75	23,528



## Capacity/Gauge Table Information

**TCLX 290416**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 216

Reporting Mark: TCLX 290416

Date: 14/07/2015

Capacity: 28,965 US Gallons (109,644 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,596	89.25	24,712	93.50	25,752	97.75	26,702	102.00	27,540
85.25	23,664	89.50	24,776	93.75	25,811	98.00	26,754	102.25	27,586
85.50	23,731	89.75	24,839	94.00	25,869	98.25	26,807	102.50	27,630
85.75	23,798	90.00	24,902	94.25	25,927	98.50	26,858	102.75	27,675
86.00	23,865	90.25	24,964	94.50	25,985	98.75	26,910	103.00	27,719
86.25	23,931	90.50	25,027	94.75	26,042	99.00	26,961	103.25	27,762
86.50	23,998	90.75	25,089	95.00	26,099	99.25	27,011	103.50	27,805
86.75	24,064	91.00	25,150	95.25	26,155	99.50	27,062	103.75	27,847
87.00	24,130	91.25	25,212	95.50	26,212	99.75	27,112	104.00	27,889
87.25	24,196	91.50	25,273	95.75	26,267	100.00	27,161	104.25	27,930
87.50	24,261	91.75	25,334	96.00	26,323	100.25	27,210	104.50	27,971
87.75	24,326	92.00	25,395	96.25	26,378	100.50	27,258	104.75	28,011
88.00	24,391	92.25	25,455	96.50	26,433	100.75	27,307	105.00	28,051
88.25	24,456	92.50	25,515	96.75	26,487	101.00	27,354	105.25	28,090
88.50	24,520	92.75	25,575	97.00	26,542	101.25	27,401	105.50	28,128
88.75	24,585	93.00	25,634	97.25	26,595	101.50	27,448	105.75	28,166
89.00	24,648	93.25	25,694	97.50	26,649	101.75	27,494	106.00	28,203



## Capacity/Gauge Table Information

**TCLX 290416**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 216

Reporting Mark: TCLX 290416

Date: 14/07/2015

Capacity: 28,965 US Gallons (109,644 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,240	110.50	28,747	114.75	28,952
106.50	28,276	110.75	28,768	115.00	28,956
106.75	28,311	111.00	28,788	115.25	28,959
107.00	28,346	111.25	28,806	115.50	28,961
107.25	28,379	111.50	28,824	115.75	28,963
107.50	28,413	111.75	28,840	116.00	28,964
107.75	28,445	112.00	28,855	116.25	28,964
108.00	28,477	112.25	28,869	116.50	28,965
108.25	28,508	112.50	28,881	116.75	28,965
108.50	28,538	112.75	28,893		
108.75	28,567	113.00	28,904		
109.00	28,596	113.25	28,913		
109.25	28,624	113.50	28,922		
109.50	28,650	113.75	28,930		
109.75	28,676	114.00	28,937		
110.00	28,701	114.25	28,943		
110.25	28,724	114.50	28,948		





## Capacity/Gauge Table Information

**TCLX 290417**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 217

Reporting Mark: TCLX 290417

Date: 13/07/2015

Capacity: 28,996 US Gallons (109,761 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	579	8.50	1,329	12.75	2,208	17.00	3,191
0.25	28	4.50	619	8.75	1,378	13.00	2,264	17.25	3,252
0.50	57	4.75	659	9.00	1,426	13.25	2,319	17.50	3,313
0.75	87	5.00	700	9.25	1,476	13.50	2,375	17.75	3,374
1.00	117	5.25	742	9.50	1,525	13.75	2,431	18.00	3,436
1.25	148	5.50	784	9.75	1,576	14.00	2,488	18.25	3,497
1.50	180	5.75	827	10.00	1,626	14.25	2,544	18.50	3,560
1.75	213	6.00	870	10.25	1,677	14.50	2,602	18.75	3,622
2.00	247	6.25	914	10.50	1,729	14.75	2,659	19.00	3,685
2.25	281	6.50	958	10.75	1,780	15.00	2,717	19.25	3,747
2.50	316	6.75	1,003	11.00	1,833	15.25	2,775	19.50	3,811
2.75	352	7.00	1,048	11.25	1,885	15.50	2,834	19.75	3,874
3.00	388	7.25	1,094	11.50	1,938	15.75	2,893	20.00	3,938
3.25	425	7.50	1,140	11.75	1,991	16.00	2,952	20.25	4,002
3.50	462	7.75	1,186	12.00	2,045	16.25	3,011	20.50	4,066
3.75	501	8.00	1,234	12.25	2,099	16.50	3,071	20.75	4,130
4.00	539	8.25	1,281	12.50	2,154	16.75	3,131	21.00	4,195



## Capacity/Gauge Table Information

**TCLX 290417**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 217

Reporting Mark: TCLX 290417

Date: 13/07/2015

Capacity: 28,996 US Gallons (109,761 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,260	25.50	5,400	29.75	6,599	34.00	7,847	38.25	9,134
21.50	4,325	25.75	5,469	30.00	6,671	34.25	7,921	38.50	9,211
21.75	4,391	26.00	5,538	30.25	6,743	34.50	7,996	38.75	9,287
22.00	4,456	26.25	5,607	30.50	6,816	34.75	8,071	39.00	9,364
22.25	4,522	26.50	5,677	30.75	6,889	35.00	8,146	39.25	9,441
22.50	4,588	26.75	5,747	31.00	6,961	35.25	8,222	39.50	9,519
22.75	4,655	27.00	5,817	31.25	7,034	35.50	8,297	39.75	9,596
23.00	4,721	27.25	5,887	31.50	7,107	35.75	8,373	40.00	9,673
23.25	4,788	27.50	5,957	31.75	7,181	36.00	8,448	40.25	9,751
23.50	4,855	27.75	6,028	32.00	7,254	36.25	8,524	40.50	9,828
23.75	4,923	28.00	6,099	32.25	7,328	36.50	8,600	40.75	9,906
24.00	4,990	28.25	6,170	32.50	7,401	36.75	8,676	41.00	9,983
24.25	5,058	28.50	6,241	32.75	7,475	37.00	8,752	41.25	10,061
24.50	5,126	28.75	6,312	33.00	7,549	37.25	8,828	41.50	10,139
24.75	5,194	29.00	6,384	33.25	7,623	37.50	8,904	41.75	10,217
25.00	5,262	29.25	6,455	33.50	7,698	37.75	8,981	42.00	10,295
25.25	5,331	29.50	6,527	33.75	7,772	38.00	9,057	42.25	10,373



## Capacity/Gauge Table Information

**TCLX 290417**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 217

Reporting Mark: TCLX 290417

Date: 13/07/2015

Capacity: 28,996 US Gallons (109,761 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,451	46.75	11,791	51.00	13,145	55.25	14,505	59.50	15,864
42.75	10,530	47.00	11,870	51.25	13,225	55.50	14,585	59.75	15,944
43.00	10,608	47.25	11,950	51.50	13,305	55.75	14,665	60.00	16,024
43.25	10,686	47.50	12,029	51.75	13,385	56.00	14,745	60.25	16,104
43.50	10,765	47.75	12,108	52.00	13,465	56.25	14,825	60.50	16,183
43.75	10,843	48.00	12,188	52.25	13,545	56.50	14,905	60.75	16,263
44.00	10,922	48.25	12,268	52.50	13,625	56.75	14,985	61.00	16,343
44.25	11,001	48.50	12,347	52.75	13,705	57.00	15,065	61.25	16,422
44.50	11,079	48.75	12,427	53.00	13,785	57.25	15,145	61.50	16,502
44.75	11,158	49.00	12,506	53.25	13,865	57.50	15,225	61.75	16,581
45.00	11,237	49.25	12,586	53.50	13,945	57.75	15,305	62.00	16,660
45.25	11,316	49.50	12,666	53.75	14,025	58.00	15,385	62.25	16,740
45.50	11,395	49.75	12,746	54.00	14,105	58.25	15,465	62.50	16,819
45.75	11,474	50.00	12,825	54.25	14,185	58.50	15,545	62.75	16,898
46.00	11,553	50.25	12,905	54.50	14,265	58.75	15,625	63.00	16,978
46.25	11,632	50.50	12,985	54.75	14,345	59.00	15,705	63.25	17,057
46.50	11,712	50.75	13,065	55.00	14,425	59.25	15,785	63.50	17,136



## Capacity/Gauge Table Information

**TCLX 290417**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 217

Reporting Mark: TCLX 290417

Date: 13/07/2015

Capacity: 28,996 US Gallons (109,761 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,215	68.00	18,549	72.25	19,858	76.50	21,135	80.75	22,370
64.00	17,294	68.25	18,627	72.50	19,935	76.75	21,209	81.00	22,441
64.25	17,373	68.50	18,704	72.75	20,011	77.00	21,283	81.25	22,512
64.50	17,452	68.75	18,782	73.00	20,086	77.25	21,356	81.50	22,583
64.75	17,531	69.00	18,860	73.25	20,162	77.50	21,430	81.75	22,653
65.00	17,609	69.25	18,937	73.50	20,238	77.75	21,503	82.00	22,724
65.25	17,688	69.50	19,014	73.75	20,313	78.00	21,576	82.25	22,794
65.50	17,767	69.75	19,092	74.00	20,389	78.25	21,649	82.50	22,864
65.75	17,845	70.00	19,169	74.25	20,464	78.50	21,722	82.75	22,934
66.00	17,924	70.25	19,246	74.50	20,539	78.75	21,795	83.00	23,003
66.25	18,002	70.50	19,323	74.75	20,614	79.00	21,867	83.25	23,073
66.50	18,081	70.75	19,400	75.00	20,689	79.25	21,939	83.50	23,142
66.75	18,159	71.00	19,476	75.25	20,764	79.50	22,011	83.75	23,211
67.00	18,237	71.25	19,553	75.50	20,838	79.75	22,083	84.00	23,280
67.25	18,315	71.50	19,630	75.75	20,913	80.00	22,155	84.25	23,348
67.50	18,393	71.75	19,706	76.00	20,987	80.25	22,227	84.50	23,417
67.75	18,471	72.00	19,782	76.25	21,061	80.50	22,298	84.75	23,485



## Capacity/Gauge Table Information

**TCLX 290417**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 217

Reporting Mark: TCLX 290417

Date: 13/07/2015

Capacity: 28,996 US Gallons (109,761 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,553	89.25	24,674	93.50	25,720	97.75	26,676	102.00	27,523
85.25	23,621	89.50	24,737	93.75	25,779	98.00	26,729	102.25	27,569
85.50	23,688	89.75	24,801	94.00	25,837	98.25	26,782	102.50	27,614
85.75	23,756	90.00	24,864	94.25	25,895	98.50	26,834	102.75	27,659
86.00	23,823	90.25	24,927	94.50	25,953	98.75	26,886	103.00	27,704
86.25	23,890	90.50	24,990	94.75	26,011	99.00	26,937	103.25	27,748
86.50	23,956	90.75	25,052	95.00	26,068	99.25	26,988	103.50	27,791
86.75	24,023	91.00	25,114	95.25	26,125	99.50	27,039	103.75	27,834
87.00	24,089	91.25	25,176	95.50	26,182	99.75	27,089	104.00	27,877
87.25	24,155	91.50	25,238	95.75	26,238	100.00	27,139	104.25	27,918
87.50	24,221	91.75	25,299	96.00	26,294	100.25	27,189	104.50	27,960
87.75	24,286	92.00	25,360	96.25	26,350	100.50	27,238	104.75	28,001
88.00	24,351	92.25	25,421	96.50	26,405	100.75	27,287	105.00	28,041
88.25	24,416	92.50	25,481	96.75	26,460	101.00	27,335	105.25	28,081
88.50	24,481	92.75	25,541	97.00	26,514	101.25	27,382	105.50	28,120
88.75	24,546	93.00	25,601	97.25	26,569	101.50	27,430	105.75	28,158
89.00	24,610	93.25	25,661	97.50	26,622	101.75	27,477	106.00	28,196



## Capacity/Gauge Table Information

**TCLX 290417**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 217

Reporting Mark: TCLX 290417

Date: 13/07/2015

Capacity: 28,996 US Gallons (109,761 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,234	110.50	28,758	114.75	28,982
106.50	28,270	110.75	28,781	115.00	28,986
106.75	28,306	111.00	28,803	115.25	28,989
107.00	28,342	111.25	28,823	115.50	28,991
107.25	28,376	111.50	28,842	115.75	28,993
107.50	28,411	111.75	28,859	116.00	28,995
107.75	28,444	112.00	28,876	116.25	28,995
108.00	28,477	112.25	28,891	116.50	28,996
108.25	28,508	112.50	28,905	116.75	28,996
108.50	28,540	112.75	28,918		
108.75	28,570	113.00	28,929		
109.00	28,600	113.25	28,940		
109.25	28,628	113.50	28,949		
109.50	28,656	113.75	28,958		
109.75	28,683	114.00	28,965		
110.00	28,709	114.25	28,972		
110.25	28,734	114.50	28,977		



## Capacity/Gauge Table Information

**TCLX 290418**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 218

Reporting Mark: TCLX 290418

Date: 10/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,225	17.00	3,211
0.25	28	4.50	626	8.75	1,390	13.00	2,280	17.25	3,272
0.50	58	4.75	667	9.00	1,439	13.25	2,336	17.50	3,333
0.75	88	5.00	709	9.25	1,489	13.50	2,392	17.75	3,395
1.00	119	5.25	751	9.50	1,539	13.75	2,449	18.00	3,456
1.25	151	5.50	793	9.75	1,589	14.00	2,505	18.25	3,518
1.50	183	5.75	836	10.00	1,640	14.25	2,562	18.50	3,581
1.75	217	6.00	880	10.25	1,692	14.50	2,620	18.75	3,643
2.00	251	6.25	924	10.50	1,743	14.75	2,678	19.00	3,706
2.25	285	6.50	968	10.75	1,795	15.00	2,736	19.25	3,769
2.50	321	6.75	1,013	11.00	1,848	15.25	2,794	19.50	3,832
2.75	357	7.00	1,059	11.25	1,900	15.50	2,853	19.75	3,896
3.00	393	7.25	1,105	11.50	1,954	15.75	2,912	20.00	3,960
3.25	431	7.50	1,151	11.75	2,007	16.00	2,971	20.25	4,024
3.50	469	7.75	1,198	12.00	2,061	16.25	3,031	20.50	4,088
3.75	507	8.00	1,245	12.25	2,115	16.50	3,091	20.75	4,153
4.00	546	8.25	1,293	12.50	2,170	16.75	3,151	21.00	4,218





## Capacity/Gauge Table Information

**TCLX 290418**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 218

Reporting Mark: TCLX 290418

Date: 10/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,283	25.50	5,425	29.75	6,626	34.00	7,875	38.25	9,163
21.50	4,348	25.75	5,494	30.00	6,698	34.25	7,950	38.50	9,240
21.75	4,414	26.00	5,563	30.25	6,771	34.50	8,025	38.75	9,317
22.00	4,480	26.25	5,633	30.50	6,843	34.75	8,100	39.00	9,394
22.25	4,546	26.50	5,703	30.75	6,916	35.00	8,175	39.25	9,471
22.50	4,612	26.75	5,773	31.00	6,989	35.25	8,250	39.50	9,548
22.75	4,679	27.00	5,843	31.25	7,062	35.50	8,326	39.75	9,625
23.00	4,745	27.25	5,913	31.50	7,135	35.75	8,401	40.00	9,703
23.25	4,812	27.50	5,983	31.75	7,208	36.00	8,477	40.25	9,780
23.50	4,879	27.75	6,054	32.00	7,282	36.25	8,553	40.50	9,858
23.75	4,947	28.00	6,125	32.25	7,355	36.50	8,629	40.75	9,935
24.00	5,015	28.25	6,196	32.50	7,429	36.75	8,705	41.00	10,013
24.25	5,082	28.50	6,267	32.75	7,503	37.00	8,781	41.25	10,091
24.50	5,151	28.75	6,339	33.00	7,577	37.25	8,857	41.50	10,169
24.75	5,219	29.00	6,410	33.25	7,652	37.50	8,933	41.75	10,247
25.00	5,287	29.25	6,482	33.50	7,726	37.75	9,010	42.00	10,325
25.25	5,356	29.50	6,554	33.75	7,800	38.00	9,086	42.25	10,403



## Capacity/Gauge Table Information

**TCLX 290418**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 218

Reporting Mark: TCLX 290418

Date: 10/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,481	46.75	11,821	51.00	13,175	55.25	14,535	59.50	15,894
42.75	10,560	47.00	11,901	51.25	13,255	55.50	14,615	59.75	15,974
43.00	10,638	47.25	11,980	51.50	13,335	55.75	14,695	60.00	16,053
43.25	10,716	47.50	12,059	51.75	13,415	56.00	14,775	60.25	16,133
43.50	10,795	47.75	12,139	52.00	13,495	56.25	14,855	60.50	16,213
43.75	10,873	48.00	12,218	52.25	13,575	56.50	14,935	60.75	16,292
44.00	10,952	48.25	12,298	52.50	13,655	56.75	15,015	61.00	16,372
44.25	11,031	48.50	12,377	52.75	13,735	57.00	15,095	61.25	16,451
44.50	11,110	48.75	12,457	53.00	13,815	57.25	15,175	61.50	16,531
44.75	11,188	49.00	12,537	53.25	13,895	57.50	15,255	61.75	16,610
45.00	11,267	49.25	12,616	53.50	13,975	57.75	15,335	62.00	16,689
45.25	11,346	49.50	12,696	53.75	14,055	58.00	15,415	62.25	16,769
45.50	11,425	49.75	12,776	54.00	14,135	58.25	15,495	62.50	16,848
45.75	11,504	50.00	12,856	54.25	14,215	58.50	15,575	62.75	16,927
46.00	11,584	50.25	12,936	54.50	14,295	58.75	15,655	63.00	17,006
46.25	11,663	50.50	13,015	54.75	14,375	59.00	15,734	63.25	17,085
46.50	11,742	50.75	13,095	55.00	14,455	59.25	15,814	63.50	17,165



## Capacity/Gauge Table Information

**TCLX 290418**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 218

Reporting Mark: TCLX 290418

Date: 10/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,244	68.00	18,576	72.25	19,884	76.50	21,159	80.75	22,391
64.00	17,322	68.25	18,654	72.50	19,960	76.75	21,233	81.00	22,462
64.25	17,401	68.50	18,732	72.75	20,036	77.00	21,306	81.25	22,533
64.50	17,480	68.75	18,809	73.00	20,112	77.25	21,380	81.50	22,604
64.75	17,559	69.00	18,887	73.25	20,187	77.50	21,453	81.75	22,674
65.00	17,638	69.25	18,964	73.50	20,263	77.75	21,526	82.00	22,744
65.25	17,716	69.50	19,041	73.75	20,338	78.00	21,599	82.25	22,814
65.50	17,795	69.75	19,118	74.00	20,414	78.25	21,672	82.50	22,884
65.75	17,873	70.00	19,195	74.25	20,489	78.50	21,745	82.75	22,954
66.00	17,952	70.25	19,272	74.50	20,564	78.75	21,817	83.00	23,023
66.25	18,030	70.50	19,349	74.75	20,639	79.00	21,889	83.25	23,093
66.50	18,108	70.75	19,426	75.00	20,713	79.25	21,962	83.50	23,162
66.75	18,186	71.00	19,503	75.25	20,788	79.50	22,034	83.75	23,230
67.00	18,265	71.25	19,579	75.50	20,862	79.75	22,106	84.00	23,299
67.25	18,343	71.50	19,656	75.75	20,937	80.00	22,177	84.25	23,368
67.50	18,421	71.75	19,732	76.00	21,011	80.25	22,249	84.50	23,436
67.75	18,498	72.00	19,808	76.25	21,085	80.50	22,320	84.75	23,504



## Capacity/Gauge Table Information

**TCLX 290418**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 218

Reporting Mark: TCLX 290418

Date: 10/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,572	89.25	24,689	93.50	25,731	97.75	26,683	102.00	27,525
85.25	23,639	89.50	24,753	93.75	25,790	98.00	26,736	102.25	27,570
85.50	23,707	89.75	24,816	94.00	25,848	98.25	26,788	102.50	27,615
85.75	23,774	90.00	24,879	94.25	25,906	98.50	26,840	102.75	27,660
86.00	23,841	90.25	24,942	94.50	25,964	98.75	26,892	103.00	27,704
86.25	23,907	90.50	25,004	94.75	26,022	99.00	26,943	103.25	27,748
86.50	23,974	90.75	25,066	95.00	26,079	99.25	26,994	103.50	27,791
86.75	24,040	91.00	25,128	95.25	26,135	99.50	27,044	103.75	27,833
87.00	24,106	91.25	25,190	95.50	26,192	99.75	27,094	104.00	27,875
87.25	24,172	91.50	25,251	95.75	26,248	100.00	27,144	104.25	27,917
87.50	24,237	91.75	25,312	96.00	26,303	100.25	27,193	104.50	27,958
87.75	24,303	92.00	25,373	96.25	26,359	100.50	27,242	104.75	27,998
88.00	24,368	92.25	25,434	96.50	26,414	100.75	27,290	105.00	28,038
88.25	24,433	92.50	25,494	96.75	26,468	101.00	27,338	105.25	28,077
88.50	24,497	92.75	25,554	97.00	26,523	101.25	27,385	105.50	28,116
88.75	24,561	93.00	25,613	97.25	26,576	101.50	27,432	105.75	28,154
89.00	24,625	93.25	25,672	97.50	26,630	101.75	27,479	106.00	28,192



## Capacity/Gauge Table Information

**TCLX 290418**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 218

Reporting Mark: TCLX 290418

Date: 10/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,228	110.50	28,743	114.75	28,955
106.50	28,265	110.75	28,764	115.00	28,959
106.75	28,300	111.00	28,785	115.25	28,962
107.00	28,335	111.25	28,804	115.50	28,964
107.25	28,369	111.50	28,822	115.75	28,966
107.50	28,403	111.75	28,839	116.00	28,967
107.75	28,436	112.00	28,854	116.25	28,968
108.00	28,468	112.25	28,869	116.50	28,968
108.25	28,499	112.50	28,882	116.75	28,968
108.50	28,530	112.75	28,894		
108.75	28,560	113.00	28,905		
109.00	28,589	113.25	28,915		
109.25	28,617	113.50	28,924		
109.50	28,644	113.75	28,932		
109.75	28,670	114.00	28,939		
110.00	28,695	114.25	28,945		
110.25	28,720	114.50	28,950		



## Capacity/Gauge Table Information

**TCLX 290419**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 219

Reporting Mark: TCLX 290419

Date: 14/07/2015

Capacity: 28,967 US Gallons (109,652 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,222	17.00	3,208
0.25	28	4.50	625	8.75	1,388	13.00	2,278	17.25	3,269
0.50	58	4.75	666	9.00	1,437	13.25	2,333	17.50	3,330
0.75	88	5.00	707	9.25	1,487	13.50	2,389	17.75	3,391
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,453
1.25	150	5.50	792	9.75	1,587	14.00	2,502	18.25	3,515
1.50	183	5.75	835	10.00	1,638	14.25	2,559	18.50	3,577
1.75	216	6.00	878	10.25	1,689	14.50	2,617	18.75	3,639
2.00	250	6.25	922	10.50	1,741	14.75	2,674	19.00	3,702
2.25	285	6.50	967	10.75	1,793	15.00	2,732	19.25	3,765
2.50	320	6.75	1,011	11.00	1,845	15.25	2,791	19.50	3,828
2.75	356	7.00	1,057	11.25	1,898	15.50	2,849	19.75	3,892
3.00	393	7.25	1,103	11.50	1,951	15.75	2,908	20.00	3,956
3.25	430	7.50	1,149	11.75	2,004	16.00	2,968	20.25	4,020
3.50	468	7.75	1,196	12.00	2,058	16.25	3,027	20.50	4,084
3.75	506	8.00	1,244	12.25	2,113	16.50	3,087	20.75	4,149
4.00	545	8.25	1,291	12.50	2,167	16.75	3,147	21.00	4,214



## Capacity/Gauge Table Information

**TCLX 290419**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 219

Reporting Mark: TCLX 290419

Date: 14/07/2015

Capacity: 28,967 US Gallons (109,652 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,279	25.50	5,420	29.75	6,621	34.00	7,870	38.25	9,158
21.50	4,344	25.75	5,489	30.00	6,693	34.25	7,945	38.50	9,234
21.75	4,410	26.00	5,559	30.25	6,765	34.50	8,019	38.75	9,311
22.00	4,475	26.25	5,628	30.50	6,838	34.75	8,094	39.00	9,388
22.25	4,541	26.50	5,698	30.75	6,911	35.00	8,170	39.25	9,465
22.50	4,608	26.75	5,768	31.00	6,984	35.25	8,245	39.50	9,542
22.75	4,674	27.00	5,838	31.25	7,057	35.50	8,320	39.75	9,620
23.00	4,741	27.25	5,908	31.50	7,130	35.75	8,396	40.00	9,697
23.25	4,808	27.50	5,979	31.75	7,203	36.00	8,471	40.25	9,774
23.50	4,875	27.75	6,049	32.00	7,277	36.25	8,547	40.50	9,852
23.75	4,943	28.00	6,120	32.25	7,350	36.50	8,623	40.75	9,930
24.00	5,010	28.25	6,191	32.50	7,424	36.75	8,699	41.00	10,007
24.25	5,078	28.50	6,262	32.75	7,498	37.00	8,775	41.25	10,085
24.50	5,146	28.75	6,334	33.00	7,572	37.25	8,851	41.50	10,163
24.75	5,214	29.00	6,405	33.25	7,646	37.50	8,928	41.75	10,241
25.00	5,283	29.25	6,477	33.50	7,721	37.75	9,004	42.00	10,319
25.25	5,351	29.50	6,549	33.75	7,795	38.00	9,081	42.25	10,397





## Capacity/Gauge Table Information

**TCLX 290419**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 219

Reporting Mark: TCLX 290419

Date: 14/07/2015

Capacity: 28,967 US Gallons (109,652 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,475	46.75	11,815	51.00	13,169	55.25	14,529	59.50	15,888
42.75	10,554	47.00	11,895	51.25	13,249	55.50	14,609	59.75	15,967
43.00	10,632	47.25	11,974	51.50	13,329	55.75	14,689	60.00	16,047
43.25	10,711	47.50	12,053	51.75	13,409	56.00	14,769	60.25	16,127
43.50	10,789	47.75	12,133	52.00	13,489	56.25	14,849	60.50	16,206
43.75	10,868	48.00	12,212	52.25	13,569	56.50	14,929	60.75	16,286
44.00	10,946	48.25	12,292	52.50	13,649	56.75	15,009	61.00	16,365
44.25	11,025	48.50	12,371	52.75	13,729	57.00	15,089	61.25	16,445
44.50	11,104	48.75	12,451	53.00	13,809	57.25	15,169	61.50	16,524
44.75	11,183	49.00	12,531	53.25	13,889	57.50	15,249	61.75	16,604
45.00	11,261	49.25	12,610	53.50	13,969	57.75	15,329	62.00	16,683
45.25	11,340	49.50	12,690	53.75	14,049	58.00	15,409	62.25	16,762
45.50	11,419	49.75	12,770	54.00	14,129	58.25	15,489	62.50	16,842
45.75	11,498	50.00	12,850	54.25	14,209	58.50	15,569	62.75	16,921
46.00	11,578	50.25	12,929	54.50	14,289	58.75	15,648	63.00	17,000
46.25	11,657	50.50	13,009	54.75	14,369	59.00	15,728	63.25	17,079
46.50	11,736	50.75	13,089	55.00	14,449	59.25	15,808	63.50	17,158



## Capacity/Gauge Table Information

**TCLX 290419**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 219

Reporting Mark: TCLX 290419

Date: 14/07/2015

Capacity: 28,967 US Gallons (109,652 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,237	68.00	18,570	72.25	19,878	76.50	21,153	80.75	22,385
64.00	17,316	68.25	18,648	72.50	19,954	76.75	21,226	81.00	22,456
64.25	17,395	68.50	18,725	72.75	20,030	77.00	21,300	81.25	22,527
64.50	17,474	68.75	18,803	73.00	20,106	77.25	21,374	81.50	22,598
64.75	17,553	69.00	18,880	73.25	20,181	77.50	21,447	81.75	22,668
65.00	17,631	69.25	18,958	73.50	20,257	77.75	21,520	82.00	22,738
65.25	17,710	69.50	19,035	73.75	20,332	78.00	21,593	82.25	22,808
65.50	17,789	69.75	19,112	74.00	20,407	78.25	21,666	82.50	22,878
65.75	17,867	70.00	19,189	74.25	20,483	78.50	21,739	82.75	22,948
66.00	17,945	70.25	19,266	74.50	20,558	78.75	21,811	83.00	23,017
66.25	18,024	70.50	19,343	74.75	20,632	79.00	21,883	83.25	23,087
66.50	18,102	70.75	19,420	75.00	20,707	79.25	21,956	83.50	23,156
66.75	18,180	71.00	19,496	75.25	20,782	79.50	22,028	83.75	23,225
67.00	18,258	71.25	19,573	75.50	20,856	79.75	22,100	84.00	23,293
67.25	18,336	71.50	19,649	75.75	20,931	80.00	22,171	84.25	23,362
67.50	18,414	71.75	19,726	76.00	21,005	80.25	22,243	84.50	23,430
67.75	18,492	72.00	19,802	76.25	21,079	80.50	22,314	84.75	23,498



## Capacity/Gauge Table Information

**TCLX 290419**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 219

Reporting Mark: TCLX 290419

Date: 14/07/2015

Capacity: 28,967 US Gallons (109,652 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,566	89.25	24,684	93.50	25,726	97.75	26,678	102.00	27,520
85.25	23,633	89.50	24,747	93.75	25,785	98.00	26,731	102.25	27,566
85.50	23,701	89.75	24,810	94.00	25,843	98.25	26,783	102.50	27,611
85.75	23,768	90.00	24,873	94.25	25,901	98.50	26,835	102.75	27,655
86.00	23,835	90.25	24,936	94.50	25,959	98.75	26,887	103.00	27,700
86.25	23,902	90.50	24,999	94.75	26,016	99.00	26,938	103.25	27,743
86.50	23,968	90.75	25,061	95.00	26,073	99.25	26,989	103.50	27,786
86.75	24,034	91.00	25,123	95.25	26,130	99.50	27,039	103.75	27,829
87.00	24,100	91.25	25,184	95.50	26,186	99.75	27,089	104.00	27,871
87.25	24,166	91.50	25,246	95.75	26,242	100.00	27,139	104.25	27,913
87.50	24,232	91.75	25,307	96.00	26,298	100.25	27,188	104.50	27,954
87.75	24,297	92.00	25,368	96.25	26,354	100.50	27,237	104.75	27,994
88.00	24,362	92.25	25,428	96.50	26,409	100.75	27,285	105.00	28,034
88.25	24,427	92.50	25,488	96.75	26,463	101.00	27,333	105.25	28,073
88.50	24,491	92.75	25,548	97.00	26,517	101.25	27,381	105.50	28,112
88.75	24,556	93.00	25,608	97.25	26,571	101.50	27,428	105.75	28,150
89.00	24,620	93.25	25,667	97.50	26,625	101.75	27,474	106.00	28,188



## Capacity/Gauge Table Information

**TCLX 290419**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 219

Reporting Mark: TCLX 290419

Date: 14/07/2015

Capacity: 28,967 US Gallons (109,652 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,225	110.50	28,740	114.75	28,954
106.50	28,261	110.75	28,762	115.00	28,958
106.75	28,296	111.00	28,783	115.25	28,961
107.00	28,331	111.25	28,802	115.50	28,963
107.25	28,366	111.50	28,820	115.75	28,965
107.50	28,399	111.75	28,837	116.00	28,966
107.75	28,432	112.00	28,853	116.25	28,967
108.00	28,464	112.25	28,867	116.50	28,967
108.25	28,496	112.50	28,880	116.75	28,967
108.50	28,527	112.75	28,892		
108.75	28,556	113.00	28,904		
109.00	28,585	113.25	28,914		
109.25	28,614	113.50	28,923		
109.50	28,641	113.75	28,931		
109.75	28,667	114.00	28,938		
110.00	28,693	114.25	28,944		
110.25	28,717	114.50	28,949		



## Capacity/Gauge Table Information

**TCLX 290420**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 220

Reporting Mark: TCLX 290420

Date: 09/07/2015

Capacity: 28,954 US Gallons (109,601 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,341	12.75	2,224	17.00	3,210
0.25	28	4.50	626	8.75	1,390	13.00	2,279	17.25	3,270
0.50	58	4.75	667	9.00	1,439	13.25	2,335	17.50	3,332
0.75	88	5.00	708	9.25	1,488	13.50	2,391	17.75	3,393
1.00	119	5.25	750	9.50	1,538	13.75	2,447	18.00	3,455
1.25	151	5.50	793	9.75	1,589	14.00	2,504	18.25	3,516
1.50	183	5.75	836	10.00	1,639	14.25	2,561	18.50	3,579
1.75	216	6.00	879	10.25	1,691	14.50	2,618	18.75	3,641
2.00	250	6.25	923	10.50	1,742	14.75	2,676	19.00	3,704
2.25	285	6.50	968	10.75	1,794	15.00	2,734	19.25	3,767
2.50	320	6.75	1,013	11.00	1,847	15.25	2,793	19.50	3,830
2.75	356	7.00	1,058	11.25	1,899	15.50	2,851	19.75	3,894
3.00	393	7.25	1,104	11.50	1,952	15.75	2,910	20.00	3,958
3.25	430	7.50	1,151	11.75	2,006	16.00	2,969	20.25	4,022
3.50	468	7.75	1,197	12.00	2,060	16.25	3,029	20.50	4,086
3.75	507	8.00	1,245	12.25	2,114	16.50	3,089	20.75	4,151
4.00	546	8.25	1,293	12.50	2,169	16.75	3,149	21.00	4,215



## Capacity/Gauge Table Information

**TCLX 290420**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 220

Reporting Mark: TCLX 290420

Date: 09/07/2015

Capacity: 28,954 US Gallons (109,601 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,280	25.50	5,422	29.75	6,622	34.00	7,871	38.25	9,158
21.50	4,346	25.75	5,491	30.00	6,695	34.25	7,946	38.50	9,235
21.75	4,411	26.00	5,560	30.25	6,767	34.50	8,021	38.75	9,312
22.00	4,477	26.25	5,630	30.50	6,839	34.75	8,096	39.00	9,389
22.25	4,543	26.50	5,700	30.75	6,912	35.00	8,171	39.25	9,466
22.50	4,609	26.75	5,769	31.00	6,985	35.25	8,246	39.50	9,543
22.75	4,676	27.00	5,840	31.25	7,058	35.50	8,321	39.75	9,620
23.00	4,743	27.25	5,910	31.50	7,131	35.75	8,397	40.00	9,698
23.25	4,810	27.50	5,980	31.75	7,205	36.00	8,473	40.25	9,775
23.50	4,877	27.75	6,051	32.00	7,278	36.25	8,548	40.50	9,853
23.75	4,944	28.00	6,122	32.25	7,352	36.50	8,624	40.75	9,930
24.00	5,012	28.25	6,193	32.50	7,425	36.75	8,700	41.00	10,008
24.25	5,080	28.50	6,264	32.75	7,499	37.00	8,776	41.25	10,086
24.50	5,148	28.75	6,335	33.00	7,573	37.25	8,852	41.50	10,164
24.75	5,216	29.00	6,407	33.25	7,648	37.50	8,929	41.75	10,242
25.00	5,284	29.25	6,478	33.50	7,722	37.75	9,005	42.00	10,320
25.25	5,353	29.50	6,550	33.75	7,796	38.00	9,082	42.25	10,398



## Capacity/Gauge Table Information

**TCLX 290420**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 220

Reporting Mark: TCLX 290420

Date: 09/07/2015

Capacity: 28,954 US Gallons (109,601 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,476	46.75	11,815	51.00	13,169	55.25	14,528	59.50	15,886
42.75	10,554	47.00	11,895	51.25	13,248	55.50	14,608	59.75	15,966
43.00	10,632	47.25	11,974	51.50	13,328	55.75	14,688	60.00	16,045
43.25	10,711	47.50	12,053	51.75	13,408	56.00	14,768	60.25	16,125
43.50	10,789	47.75	12,133	52.00	13,488	56.25	14,848	60.50	16,205
43.75	10,868	48.00	12,212	52.25	13,568	56.50	14,928	60.75	16,284
44.00	10,947	48.25	12,292	52.50	13,648	56.75	15,008	61.00	16,364
44.25	11,025	48.50	12,371	52.75	13,728	57.00	15,088	61.25	16,443
44.50	11,104	48.75	12,451	53.00	13,808	57.25	15,168	61.50	16,522
44.75	11,183	49.00	12,530	53.25	13,888	57.50	15,248	61.75	16,602
45.00	11,262	49.25	12,610	53.50	13,968	57.75	15,328	62.00	16,681
45.25	11,341	49.50	12,690	53.75	14,048	58.00	15,407	62.25	16,760
45.50	11,420	49.75	12,770	54.00	14,128	58.25	15,487	62.50	16,840
45.75	11,499	50.00	12,849	54.25	14,208	58.50	15,567	62.75	16,919
46.00	11,578	50.25	12,929	54.50	14,288	58.75	15,647	63.00	16,998
46.25	11,657	50.50	13,009	54.75	14,368	59.00	15,727	63.25	17,077
46.50	11,736	50.75	13,089	55.00	14,448	59.25	15,806	63.50	17,156





## Capacity/Gauge Table Information

**TCLX 290420**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 220

Reporting Mark: TCLX 290420

Date: 09/07/2015

Capacity: 28,954 US Gallons (109,601 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,235	68.00	18,567	72.25	19,874	76.50	21,148	80.75	22,380
64.00	17,314	68.25	18,645	72.50	19,950	76.75	21,222	81.00	22,451
64.25	17,393	68.50	18,722	72.75	20,026	77.00	21,296	81.25	22,522
64.50	17,472	68.75	18,800	73.00	20,102	77.25	21,369	81.50	22,592
64.75	17,550	69.00	18,877	73.25	20,177	77.50	21,442	81.75	22,663
65.00	17,629	69.25	18,955	73.50	20,253	77.75	21,515	82.00	22,733
65.25	17,707	69.50	19,032	73.75	20,328	78.00	21,588	82.25	22,803
65.50	17,786	69.75	19,109	74.00	20,403	78.25	21,661	82.50	22,873
65.75	17,864	70.00	19,186	74.25	20,479	78.50	21,734	82.75	22,942
66.00	17,943	70.25	19,263	74.50	20,554	78.75	21,806	83.00	23,012
66.25	18,021	70.50	19,340	74.75	20,628	79.00	21,879	83.25	23,081
66.50	18,099	70.75	19,416	75.00	20,703	79.25	21,951	83.50	23,150
66.75	18,178	71.00	19,493	75.25	20,778	79.50	22,023	83.75	23,219
67.00	18,256	71.25	19,569	75.50	20,852	79.75	22,095	84.00	23,288
67.25	18,334	71.50	19,646	75.75	20,926	80.00	22,166	84.25	23,356
67.50	18,412	71.75	19,722	76.00	21,001	80.25	22,238	84.50	23,424
67.75	18,489	72.00	19,798	76.25	21,075	80.50	22,309	84.75	23,492



## Capacity/Gauge Table Information

**TCLX 290420**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 220

Reporting Mark: TCLX 290420

Date: 09/07/2015

Capacity: 28,954 US Gallons (109,601 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,560	89.25	24,677	93.50	25,719	97.75	26,670	102.00	27,511
85.25	23,628	89.50	24,741	93.75	25,777	98.00	26,723	102.25	27,557
85.50	23,695	89.75	24,804	94.00	25,836	98.25	26,775	102.50	27,602
85.75	23,762	90.00	24,867	94.25	25,894	98.50	26,827	102.75	27,646
86.00	23,829	90.25	24,929	94.50	25,951	98.75	26,879	103.00	27,690
86.25	23,896	90.50	24,992	94.75	26,009	99.00	26,930	103.25	27,734
86.50	23,962	90.75	25,054	95.00	26,066	99.25	26,980	103.50	27,777
86.75	24,028	91.00	25,116	95.25	26,122	99.50	27,031	103.75	27,819
87.00	24,094	91.25	25,177	95.50	26,179	99.75	27,081	104.00	27,861
87.25	24,160	91.50	25,239	95.75	26,235	100.00	27,130	104.25	27,903
87.50	24,225	91.75	25,300	96.00	26,290	100.25	27,179	104.50	27,944
87.75	24,291	92.00	25,361	96.25	26,346	100.50	27,228	104.75	27,984
88.00	24,356	92.25	25,421	96.50	26,401	100.75	27,276	105.00	28,024
88.25	24,420	92.50	25,481	96.75	26,455	101.00	27,324	105.25	28,063
88.50	24,485	92.75	25,541	97.00	26,509	101.25	27,372	105.50	28,102
88.75	24,549	93.00	25,601	97.25	26,563	101.50	27,419	105.75	28,140
89.00	24,613	93.25	25,660	97.50	26,617	101.75	27,465	106.00	28,177



## Capacity/Gauge Table Information

**TCLX 290420**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 220

Reporting Mark: TCLX 290420

Date: 09/07/2015

Capacity: 28,954 US Gallons (109,601 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,214	110.50	28,728	114.75	28,940
106.50	28,251	110.75	28,750	115.00	28,944
106.75	28,286	111.00	28,770	115.25	28,947
107.00	28,321	111.25	28,790	115.50	28,949
107.25	28,355	111.50	28,808	115.75	28,951
107.50	28,389	111.75	28,824	116.00	28,952
107.75	28,422	112.00	28,840	116.25	28,953
108.00	28,454	112.25	28,854	116.50	28,953
108.25	28,485	112.50	28,867	116.75	28,954
108.50	28,516	112.75	28,879		
108.75	28,545	113.00	28,890		
109.00	28,574	113.25	28,900		
109.25	28,602	113.50	28,909		
109.50	28,629	113.75	28,917		
109.75	28,656	114.00	28,924		
110.00	28,681	114.25	28,931		
110.25	28,705	114.50	28,936		



## Capacity/Gauge Table Information

**TCLX 290421**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 221

Reporting Mark: TCLX 290421

Date: 09/07/2015

Capacity: 29,016 US Gallons (109,838 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	581	8.50	1,333	12.75	2,213	17.00	3,198
0.25	28	4.50	621	8.75	1,381	13.00	2,269	17.25	3,259
0.50	57	4.75	661	9.00	1,430	13.25	2,324	17.50	3,320
0.75	87	5.00	702	9.25	1,479	13.50	2,380	17.75	3,381
1.00	118	5.25	744	9.50	1,529	13.75	2,436	18.00	3,443
1.25	149	5.50	786	9.75	1,580	14.00	2,493	18.25	3,504
1.50	181	5.75	829	10.00	1,630	14.25	2,550	18.50	3,567
1.75	214	6.00	873	10.25	1,681	14.50	2,607	18.75	3,629
2.00	248	6.25	916	10.50	1,733	14.75	2,665	19.00	3,692
2.25	282	6.50	961	10.75	1,785	15.00	2,723	19.25	3,755
2.50	317	6.75	1,005	11.00	1,837	15.25	2,781	19.50	3,818
2.75	353	7.00	1,051	11.25	1,890	15.50	2,840	19.75	3,881
3.00	389	7.25	1,097	11.50	1,943	15.75	2,899	20.00	3,945
3.25	426	7.50	1,143	11.75	1,996	16.00	2,958	20.25	4,009
3.50	464	7.75	1,190	12.00	2,050	16.25	3,017	20.50	4,074
3.75	502	8.00	1,237	12.25	2,104	16.50	3,077	20.75	4,138
4.00	541	8.25	1,284	12.50	2,158	16.75	3,137	21.00	4,203



## Capacity/Gauge Table Information

**TCLX 290421**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 221

Reporting Mark: TCLX 290421

Date: 09/07/2015

Capacity: 29,016 US Gallons (109,838 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,268	25.50	5,409	29.75	6,610	34.00	7,859	38.25	9,148
21.50	4,333	25.75	5,478	30.00	6,682	34.25	7,934	38.50	9,225
21.75	4,399	26.00	5,548	30.25	6,755	34.50	8,009	38.75	9,301
22.00	4,465	26.25	5,617	30.50	6,827	34.75	8,084	39.00	9,378
22.25	4,531	26.50	5,687	30.75	6,900	35.00	8,159	39.25	9,456
22.50	4,597	26.75	5,757	31.00	6,973	35.25	8,235	39.50	9,533
22.75	4,663	27.00	5,827	31.25	7,046	35.50	8,310	39.75	9,610
23.00	4,730	27.25	5,897	31.50	7,119	35.75	8,386	40.00	9,688
23.25	4,797	27.50	5,968	31.75	7,192	36.00	8,461	40.25	9,765
23.50	4,864	27.75	6,038	32.00	7,266	36.25	8,537	40.50	9,843
23.75	4,932	28.00	6,109	32.25	7,340	36.50	8,613	40.75	9,920
24.00	4,999	28.25	6,180	32.50	7,413	36.75	8,689	41.00	9,998
24.25	5,067	28.50	6,251	32.75	7,487	37.00	8,765	41.25	10,076
24.50	5,135	28.75	6,323	33.00	7,561	37.25	8,841	41.50	10,154
24.75	5,203	29.00	6,394	33.25	7,636	37.50	8,918	41.75	10,232
25.00	5,272	29.25	6,466	33.50	7,710	37.75	8,994	42.00	10,310
25.25	5,340	29.50	6,538	33.75	7,785	38.00	9,071	42.25	10,388



## Capacity/Gauge Table Information

**TCLX 290421**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 221

Reporting Mark: TCLX 290421

Date: 09/07/2015

Capacity: 29,016 US Gallons (109,838 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,467	46.75	11,808	51.00	13,163	55.25	14,525	59.50	15,885
42.75	10,545	47.00	11,887	51.25	13,243	55.50	14,605	59.75	15,965
43.00	10,623	47.25	11,967	51.50	13,323	55.75	14,685	60.00	16,045
43.25	10,702	47.50	12,046	51.75	13,403	56.00	14,765	60.25	16,125
43.50	10,780	47.75	12,126	52.00	13,483	56.25	14,845	60.50	16,204
43.75	10,859	48.00	12,205	52.25	13,563	56.50	14,925	60.75	16,284
44.00	10,938	48.25	12,285	52.50	13,643	56.75	15,005	61.00	16,364
44.25	11,017	48.50	12,364	52.75	13,723	57.00	15,085	61.25	16,443
44.50	11,095	48.75	12,444	53.00	13,803	57.25	15,165	61.50	16,523
44.75	11,174	49.00	12,524	53.25	13,883	57.50	15,246	61.75	16,602
45.00	11,253	49.25	12,604	53.50	13,964	57.75	15,326	62.00	16,682
45.25	11,332	49.50	12,683	53.75	14,044	58.00	15,406	62.25	16,761
45.50	11,411	49.75	12,763	54.00	14,124	58.25	15,486	62.50	16,841
45.75	11,491	50.00	12,843	54.25	14,204	58.50	15,566	62.75	16,920
46.00	11,570	50.25	12,923	54.50	14,284	58.75	15,645	63.00	16,999
46.25	11,649	50.50	13,003	54.75	14,364	59.00	15,725	63.25	17,078
46.50	11,728	50.75	13,083	55.00	14,444	59.25	15,805	63.50	17,158



## Capacity/Gauge Table Information

**TCLX 290421**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 221

Reporting Mark: TCLX 290421

Date: 09/07/2015

Capacity: 29,016 US Gallons (109,838 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,237	68.00	18,572	72.25	19,882	76.50	21,160	80.75	22,395
64.00	17,316	68.25	18,650	72.50	19,958	76.75	21,234	81.00	22,466
64.25	17,395	68.50	18,727	72.75	20,034	77.00	21,307	81.25	22,537
64.50	17,474	68.75	18,805	73.00	20,110	77.25	21,381	81.50	22,608
64.75	17,553	69.00	18,883	73.25	20,186	77.50	21,454	81.75	22,679
65.00	17,632	69.25	18,960	73.50	20,262	77.75	21,528	82.00	22,749
65.25	17,710	69.50	19,038	73.75	20,337	78.00	21,601	82.25	22,819
65.50	17,789	69.75	19,115	74.00	20,413	78.25	21,674	82.50	22,889
65.75	17,868	70.00	19,192	74.25	20,488	78.50	21,747	82.75	22,959
66.00	17,946	70.25	19,269	74.50	20,563	78.75	21,819	83.00	23,029
66.25	18,025	70.50	19,346	74.75	20,638	79.00	21,892	83.25	23,098
66.50	18,103	70.75	19,423	75.00	20,713	79.25	21,964	83.50	23,167
66.75	18,181	71.00	19,500	75.25	20,788	79.50	22,037	83.75	23,236
67.00	18,260	71.25	19,577	75.50	20,862	79.75	22,109	84.00	23,305
67.25	18,338	71.50	19,653	75.75	20,937	80.00	22,180	84.25	23,374
67.50	18,416	71.75	19,730	76.00	21,011	80.25	22,252	84.50	23,442
67.75	18,494	72.00	19,806	76.25	21,086	80.50	22,324	84.75	23,511





## Capacity/Gauge Table Information

**TCLX 290421**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 221

Reporting Mark: TCLX 290421

Date: 09/07/2015

Capacity: 29,016 US Gallons (109,838 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,579	89.25	24,700	93.50	25,746	97.75	26,702	102.00	27,548
85.25	23,646	89.50	24,763	93.75	25,805	98.00	26,755	102.25	27,594
85.50	23,714	89.75	24,827	94.00	25,863	98.25	26,807	102.50	27,640
85.75	23,781	90.00	24,890	94.25	25,922	98.50	26,860	102.75	27,684
86.00	23,848	90.25	24,953	94.50	25,979	98.75	26,912	103.00	27,729
86.25	23,915	90.50	25,016	94.75	26,037	99.00	26,963	103.25	27,773
86.50	23,982	90.75	25,078	95.00	26,094	99.25	27,014	103.50	27,816
86.75	24,049	91.00	25,140	95.25	26,151	99.50	27,065	103.75	27,859
87.00	24,115	91.25	25,202	95.50	26,208	99.75	27,115	104.00	27,901
87.25	24,181	91.50	25,264	95.75	26,264	100.00	27,165	104.25	27,943
87.50	24,246	91.75	25,325	96.00	26,320	100.25	27,214	104.50	27,985
87.75	24,312	92.00	25,386	96.25	26,376	100.50	27,263	104.75	28,025
88.00	24,377	92.25	25,447	96.50	26,431	100.75	27,312	105.00	28,066
88.25	24,442	92.50	25,507	96.75	26,486	101.00	27,360	105.25	28,105
88.50	24,507	92.75	25,567	97.00	26,540	101.25	27,408	105.50	28,144
88.75	24,571	93.00	25,627	97.25	26,595	101.50	27,455	105.75	28,183
89.00	24,636	93.25	25,687	97.50	26,648	101.75	27,502	106.00	28,221



## Capacity/Gauge Table Information

**TCLX 290421**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 221

Reporting Mark: TCLX 290421

Date: 09/07/2015

Capacity: 29,016 US Gallons (109,838 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,258	110.50	28,781	114.75	29,002
106.50	28,295	110.75	28,804	115.00	29,006
106.75	28,331	111.00	28,825	115.25	29,009
107.00	28,366	111.25	28,845	115.50	29,012
107.25	28,401	111.50	28,864	115.75	29,014
107.50	28,435	111.75	28,881	116.00	29,015
107.75	28,468	112.00	28,897	116.25	29,016
108.00	28,500	112.25	28,912	116.50	29,016
108.25	28,532	112.50	28,926	116.75	29,016
108.50	28,563	112.75	28,939		
108.75	28,594	113.00	28,950		
109.00	28,623	113.25	28,961		
109.25	28,652	113.50	28,970		
109.50	28,679	113.75	28,978		
109.75	28,706	114.00	28,986		
110.00	28,732	114.25	28,992		
110.25	28,757	114.50	28,998		



## Capacity/Gauge Table Information

**TCLX 290422**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 222

Reporting Mark: TCLX 290422

Date: 10/07/2015

Capacity: 28,937 US Gallons (109,539 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,344	12.75	2,229	17.00	3,215
0.25	29	4.50	628	8.75	1,393	13.00	2,284	17.25	3,276
0.50	58	4.75	669	9.00	1,442	13.25	2,340	17.50	3,337
0.75	88	5.00	711	9.25	1,492	13.50	2,396	17.75	3,399
1.00	120	5.25	753	9.50	1,542	13.75	2,452	18.00	3,460
1.25	151	5.50	795	9.75	1,593	14.00	2,509	18.25	3,522
1.50	184	5.75	838	10.00	1,643	14.25	2,566	18.50	3,585
1.75	217	6.00	882	10.25	1,695	14.50	2,624	18.75	3,647
2.00	252	6.25	926	10.50	1,746	14.75	2,681	19.00	3,710
2.25	286	6.50	971	10.75	1,798	15.00	2,739	19.25	3,773
2.50	322	6.75	1,016	11.00	1,851	15.25	2,798	19.50	3,836
2.75	358	7.00	1,061	11.25	1,904	15.50	2,857	19.75	3,900
3.00	395	7.25	1,107	11.50	1,957	15.75	2,916	20.00	3,964
3.25	432	7.50	1,154	11.75	2,011	16.00	2,975	20.25	4,028
3.50	470	7.75	1,201	12.00	2,064	16.25	3,035	20.50	4,092
3.75	509	8.00	1,248	12.25	2,119	16.50	3,094	20.75	4,157
4.00	548	8.25	1,296	12.50	2,174	16.75	3,155	21.00	4,222



## Capacity/Gauge Table Information

**TCLX 290422**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 222

Reporting Mark: TCLX 290422

Date: 10/07/2015

Capacity: 28,937 US Gallons (109,539 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,287	25.50	5,429	29.75	6,629	34.00	7,878	38.25	9,165
21.50	4,352	25.75	5,498	30.00	6,701	34.25	7,953	38.50	9,242
21.75	4,418	26.00	5,567	30.25	6,774	34.50	8,028	38.75	9,319
22.00	4,483	26.25	5,637	30.50	6,846	34.75	8,103	39.00	9,396
22.25	4,550	26.50	5,706	30.75	6,919	35.00	8,178	39.25	9,473
22.50	4,616	26.75	5,776	31.00	6,992	35.25	8,253	39.50	9,550
22.75	4,682	27.00	5,846	31.25	7,065	35.50	8,328	39.75	9,627
23.00	4,749	27.25	5,917	31.50	7,138	35.75	8,404	40.00	9,705
23.25	4,816	27.50	5,987	31.75	7,212	36.00	8,480	40.25	9,782
23.50	4,883	27.75	6,058	32.00	7,285	36.25	8,555	40.50	9,860
23.75	4,951	28.00	6,129	32.25	7,359	36.50	8,631	40.75	9,937
24.00	5,018	28.25	6,200	32.50	7,432	36.75	8,707	41.00	10,015
24.25	5,086	28.50	6,271	32.75	7,506	37.00	8,783	41.25	10,093
24.50	5,154	28.75	6,342	33.00	7,580	37.25	8,859	41.50	10,171
24.75	5,223	29.00	6,414	33.25	7,655	37.50	8,936	41.75	10,248
25.00	5,291	29.25	6,485	33.50	7,729	37.75	9,012	42.00	10,326
25.25	5,360	29.50	6,557	33.75	7,803	38.00	9,089	42.25	10,405



## Capacity/Gauge Table Information

**TCLX 290422**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 222

Reporting Mark: TCLX 290422

Date: 10/07/2015

Capacity: 28,937 US Gallons (109,539 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,483	46.75	11,822	51.00	13,175	55.25	14,534	59.50	15,891
42.75	10,561	47.00	11,901	51.25	13,255	55.50	14,614	59.75	15,971
43.00	10,639	47.25	11,980	51.50	13,334	55.75	14,694	60.00	16,050
43.25	10,718	47.50	12,060	51.75	13,414	56.00	14,774	60.25	16,130
43.50	10,796	47.75	12,139	52.00	13,494	56.25	14,854	60.50	16,210
43.75	10,875	48.00	12,219	52.25	13,574	56.50	14,934	60.75	16,289
44.00	10,953	48.25	12,298	52.50	13,654	56.75	15,013	61.00	16,369
44.25	11,032	48.50	12,378	52.75	13,734	57.00	15,093	61.25	16,448
44.50	11,111	48.75	12,457	53.00	13,814	57.25	15,173	61.50	16,527
44.75	11,189	49.00	12,537	53.25	13,894	57.50	15,253	61.75	16,607
45.00	11,268	49.25	12,617	53.50	13,974	57.75	15,333	62.00	16,686
45.25	11,347	49.50	12,696	53.75	14,054	58.00	15,413	62.25	16,765
45.50	11,426	49.75	12,776	54.00	14,134	58.25	15,493	62.50	16,844
45.75	11,505	50.00	12,856	54.25	14,214	58.50	15,572	62.75	16,924
46.00	11,584	50.25	12,935	54.50	14,294	58.75	15,652	63.00	17,003
46.25	11,663	50.50	13,015	54.75	14,374	59.00	15,732	63.25	17,082
46.50	11,743	50.75	13,095	55.00	14,454	59.25	15,812	63.50	17,161



## Capacity/Gauge Table Information

**TCLX 290422**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 222

Reporting Mark: TCLX 290422

Date: 10/07/2015

Capacity: 28,937 US Gallons (109,539 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,240	68.00	18,571	72.25	19,877	76.50	21,150	80.75	22,381
64.00	17,318	68.25	18,649	72.50	19,953	76.75	21,224	81.00	22,452
64.25	17,397	68.50	18,726	72.75	20,029	77.00	21,298	81.25	22,523
64.50	17,476	68.75	18,803	73.00	20,105	77.25	21,371	81.50	22,593
64.75	17,555	69.00	18,881	73.25	20,180	77.50	21,444	81.75	22,664
65.00	17,633	69.25	18,958	73.50	20,256	77.75	21,517	82.00	22,734
65.25	17,712	69.50	19,035	73.75	20,331	78.00	21,590	82.25	22,804
65.50	17,790	69.75	19,112	74.00	20,406	78.25	21,663	82.50	22,873
65.75	17,869	70.00	19,189	74.25	20,481	78.50	21,735	82.75	22,943
66.00	17,947	70.25	19,266	74.50	20,556	78.75	21,808	83.00	23,012
66.25	18,025	70.50	19,343	74.75	20,631	79.00	21,880	83.25	23,081
66.50	18,103	70.75	19,420	75.00	20,705	79.25	21,952	83.50	23,150
66.75	18,182	71.00	19,496	75.25	20,780	79.50	22,024	83.75	23,219
67.00	18,260	71.25	19,573	75.50	20,854	79.75	22,096	84.00	23,288
67.25	18,338	71.50	19,649	75.75	20,929	80.00	22,167	84.25	23,356
67.50	18,415	71.75	19,725	76.00	21,003	80.25	22,239	84.50	23,424
67.75	18,493	72.00	19,801	76.25	21,077	80.50	22,310	84.75	23,492



## Capacity/Gauge Table Information

**TCLX 290422**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 222

Reporting Mark: TCLX 290422

Date: 10/07/2015

Capacity: 28,937 US Gallons (109,539 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,560	89.25	24,676	93.50	25,716	97.75	26,665	102.00	27,505
85.25	23,627	89.50	24,739	93.75	25,774	98.00	26,718	102.25	27,550
85.50	23,695	89.75	24,802	94.00	25,832	98.25	26,770	102.50	27,595
85.75	23,762	90.00	24,865	94.25	25,890	98.50	26,822	102.75	27,639
86.00	23,828	90.25	24,928	94.50	25,948	98.75	26,873	103.00	27,683
86.25	23,895	90.50	24,990	94.75	26,005	99.00	26,925	103.25	27,727
86.50	23,961	90.75	25,052	95.00	26,062	99.25	26,975	103.50	27,770
86.75	24,028	91.00	25,114	95.25	26,119	99.50	27,026	103.75	27,812
87.00	24,093	91.25	25,175	95.50	26,175	99.75	27,075	104.00	27,854
87.25	24,159	91.50	25,237	95.75	26,231	100.00	27,125	104.25	27,895
87.50	24,224	91.75	25,297	96.00	26,286	100.25	27,174	104.50	27,936
87.75	24,290	92.00	25,358	96.25	26,342	100.50	27,222	104.75	27,976
88.00	24,355	92.25	25,418	96.50	26,396	100.75	27,271	105.00	28,016
88.25	24,419	92.50	25,479	96.75	26,451	101.00	27,318	105.25	28,055
88.50	24,484	92.75	25,538	97.00	26,505	101.25	27,365	105.50	28,094
88.75	24,548	93.00	25,598	97.25	26,559	101.50	27,412	105.75	28,131
89.00	24,612	93.25	25,657	97.50	26,612	101.75	27,459	106.00	28,169





## Capacity/Gauge Table Information

**TCLX 290422**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 222

Reporting Mark: TCLX 290422

Date: 10/07/2015

Capacity: 28,937 US Gallons (109,539 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,205	110.50	28,716	114.75	28,924
106.50	28,241	110.75	28,737	115.00	28,928
106.75	28,277	111.00	28,757	115.25	28,931
107.00	28,312	111.25	28,776	115.50	28,933
107.25	28,346	111.50	28,794	115.75	28,935
107.50	28,379	111.75	28,810	116.00	28,936
107.75	28,412	112.00	28,825	116.25	28,937
108.00	28,444	112.25	28,839	116.50	28,937
108.25	28,475	112.50	28,852	116.75	28,937
108.50	28,505	112.75	28,864		
108.75	28,535	113.00	28,875		
109.00	28,563	113.25	28,885		
109.25	28,591	113.50	28,894		
109.50	28,618	113.75	28,902		
109.75	28,644	114.00	28,908		
110.00	28,669	114.25	28,915		
110.25	28,693	114.50	28,920		



## Capacity/Gauge Table Information

**TCLX 290423**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 223

Reporting Mark: TCLX 290423

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,344	12.75	2,228	17.00	3,214
0.25	29	4.50	627	8.75	1,392	13.00	2,283	17.25	3,275
0.50	58	4.75	668	9.00	1,441	13.25	2,339	17.50	3,336
0.75	88	5.00	710	9.25	1,491	13.50	2,395	17.75	3,398
1.00	119	5.25	752	9.50	1,541	13.75	2,451	18.00	3,460
1.25	151	5.50	794	9.75	1,592	14.00	2,508	18.25	3,522
1.50	184	5.75	837	10.00	1,642	14.25	2,565	18.50	3,584
1.75	217	6.00	881	10.25	1,694	14.50	2,623	18.75	3,646
2.00	251	6.25	925	10.50	1,745	14.75	2,680	19.00	3,709
2.25	286	6.50	970	10.75	1,797	15.00	2,738	19.25	3,772
2.50	321	6.75	1,015	11.00	1,850	15.25	2,797	19.50	3,836
2.75	357	7.00	1,060	11.25	1,903	15.50	2,856	19.75	3,899
3.00	394	7.25	1,106	11.50	1,956	15.75	2,915	20.00	3,963
3.25	432	7.50	1,153	11.75	2,010	16.00	2,974	20.25	4,027
3.50	470	7.75	1,200	12.00	2,064	16.25	3,034	20.50	4,092
3.75	508	8.00	1,247	12.25	2,118	16.50	3,094	20.75	4,156
4.00	547	8.25	1,295	12.50	2,173	16.75	3,154	21.00	4,221



## Capacity/Gauge Table Information

**TCLX 290423**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 223

Reporting Mark: TCLX 290423

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,286	25.50	5,429	29.75	6,630	34.00	7,879	38.25	9,167
21.50	4,352	25.75	5,498	30.00	6,702	34.25	7,954	38.50	9,244
21.75	4,417	26.00	5,567	30.25	6,774	34.50	8,029	38.75	9,321
22.00	4,483	26.25	5,637	30.50	6,847	34.75	8,104	39.00	9,398
22.25	4,549	26.50	5,706	30.75	6,920	35.00	8,179	39.25	9,475
22.50	4,615	26.75	5,776	31.00	6,992	35.25	8,254	39.50	9,552
22.75	4,682	27.00	5,846	31.25	7,065	35.50	8,329	39.75	9,629
23.00	4,749	27.25	5,917	31.50	7,139	35.75	8,405	40.00	9,706
23.25	4,816	27.50	5,987	31.75	7,212	36.00	8,481	40.25	9,784
23.50	4,883	27.75	6,058	32.00	7,286	36.25	8,556	40.50	9,861
23.75	4,950	28.00	6,129	32.25	7,359	36.50	8,632	40.75	9,939
24.00	5,018	28.25	6,200	32.50	7,433	36.75	8,708	41.00	10,017
24.25	5,086	28.50	6,271	32.75	7,507	37.00	8,785	41.25	10,095
24.50	5,154	28.75	6,342	33.00	7,581	37.25	8,861	41.50	10,173
24.75	5,222	29.00	6,414	33.25	7,655	37.50	8,937	41.75	10,251
25.00	5,291	29.25	6,486	33.50	7,730	37.75	9,014	42.00	10,329
25.25	5,360	29.50	6,557	33.75	7,804	38.00	9,090	42.25	10,407



## Capacity/Gauge Table Information

**TCLX 290423**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 223

Reporting Mark: TCLX 290423

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,485	46.75	11,825	51.00	13,179	55.25	14,538	59.50	15,897
42.75	10,563	47.00	11,904	51.25	13,258	55.50	14,618	59.75	15,976
43.00	10,642	47.25	11,983	51.50	13,338	55.75	14,698	60.00	16,056
43.25	10,720	47.50	12,063	51.75	13,418	56.00	14,778	60.25	16,136
43.50	10,799	47.75	12,142	52.00	13,498	56.25	14,858	60.50	16,215
43.75	10,877	48.00	12,222	52.25	13,578	56.50	14,938	60.75	16,295
44.00	10,956	48.25	12,301	52.50	13,658	56.75	15,018	61.00	16,374
44.25	11,034	48.50	12,381	52.75	13,738	57.00	15,098	61.25	16,454
44.50	11,113	48.75	12,461	53.00	13,818	57.25	15,178	61.50	16,533
44.75	11,192	49.00	12,540	53.25	13,898	57.50	15,258	61.75	16,613
45.00	11,271	49.25	12,620	53.50	13,978	57.75	15,338	62.00	16,692
45.25	11,350	49.50	12,700	53.75	14,058	58.00	15,418	62.25	16,771
45.50	11,429	49.75	12,779	54.00	14,138	58.25	15,498	62.50	16,851
45.75	11,508	50.00	12,859	54.25	14,218	58.50	15,578	62.75	16,930
46.00	11,587	50.25	12,939	54.50	14,298	58.75	15,658	63.00	17,009
46.25	11,666	50.50	13,019	54.75	14,378	59.00	15,737	63.25	17,088
46.50	11,746	50.75	13,099	55.00	14,458	59.25	15,817	63.50	17,167



## Capacity/Gauge Table Information

**TCLX 290423**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 223

Reporting Mark: TCLX 290423

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,246	68.00	18,578	72.25	19,886	76.50	21,160	80.75	22,392
64.00	17,325	68.25	18,656	72.50	19,962	76.75	21,234	81.00	22,463
64.25	17,404	68.50	18,734	72.75	20,038	77.00	21,307	81.25	22,534
64.50	17,483	68.75	18,811	73.00	20,113	77.25	21,381	81.50	22,604
64.75	17,561	69.00	18,889	73.25	20,189	77.50	21,454	81.75	22,675
65.00	17,640	69.25	18,966	73.50	20,264	77.75	21,527	82.00	22,745
65.25	17,719	69.50	19,043	73.75	20,340	78.00	21,600	82.25	22,815
65.50	17,797	69.75	19,120	74.00	20,415	78.25	21,673	82.50	22,885
65.75	17,876	70.00	19,197	74.25	20,490	78.50	21,746	82.75	22,954
66.00	17,954	70.25	19,274	74.50	20,565	78.75	21,818	83.00	23,024
66.25	18,032	70.50	19,351	74.75	20,640	79.00	21,890	83.25	23,093
66.50	18,111	70.75	19,428	75.00	20,715	79.25	21,963	83.50	23,162
66.75	18,189	71.00	19,504	75.25	20,789	79.50	22,035	83.75	23,231
67.00	18,267	71.25	19,581	75.50	20,864	79.75	22,106	84.00	23,299
67.25	18,345	71.50	19,657	75.75	20,938	80.00	22,178	84.25	23,368
67.50	18,423	71.75	19,734	76.00	21,012	80.25	22,249	84.50	23,436
67.75	18,501	72.00	19,810	76.25	21,086	80.50	22,321	84.75	23,504



## Capacity/Gauge Table Information

**TCLX 290423**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 223

Reporting Mark: TCLX 290423

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,572	89.25	24,689	93.50	25,730	97.75	26,681	102.00	27,522
85.25	23,639	89.50	24,752	93.75	25,789	98.00	26,734	102.25	27,567
85.50	23,707	89.75	24,815	94.00	25,847	98.25	26,786	102.50	27,612
85.75	23,774	90.00	24,878	94.25	25,905	98.50	26,838	102.75	27,657
86.00	23,841	90.25	24,941	94.50	25,963	98.75	26,890	103.00	27,701
86.25	23,907	90.50	25,003	94.75	26,020	99.00	26,941	103.25	27,744
86.50	23,974	90.75	25,066	95.00	26,077	99.25	26,991	103.50	27,787
86.75	24,040	91.00	25,127	95.25	26,134	99.50	27,042	103.75	27,830
87.00	24,106	91.25	25,189	95.50	26,190	99.75	27,092	104.00	27,872
87.25	24,172	91.50	25,250	95.75	26,246	100.00	27,141	104.25	27,913
87.50	24,237	91.75	25,311	96.00	26,302	100.25	27,190	104.50	27,954
87.75	24,302	92.00	25,372	96.25	26,357	100.50	27,239	104.75	27,994
88.00	24,367	92.25	25,432	96.50	26,412	100.75	27,287	105.00	28,034
88.25	24,432	92.50	25,493	96.75	26,466	101.00	27,335	105.25	28,073
88.50	24,497	92.75	25,552	97.00	26,521	101.25	27,382	105.50	28,112
88.75	24,561	93.00	25,612	97.25	26,574	101.50	27,429	105.75	28,150
89.00	24,625	93.25	25,671	97.50	26,628	101.75	27,476	106.00	28,187



## Capacity/Gauge Table Information

**TCLX 290423**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 223

Reporting Mark: TCLX 290423

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,224	110.50	28,736	114.75	28,947
106.50	28,260	110.75	28,758	115.00	28,950
106.75	28,296	111.00	28,778	115.25	28,953
107.00	28,331	111.25	28,797	115.50	28,956
107.25	28,365	111.50	28,815	115.75	28,957
107.50	28,398	111.75	28,832	116.00	28,959
107.75	28,431	112.00	28,847	116.25	28,959
108.00	28,463	112.25	28,861	116.50	28,960
108.25	28,494	112.50	28,874	116.75	28,960
108.50	28,525	112.75	28,886		
108.75	28,554	113.00	28,897		
109.00	28,583	113.25	28,907		
109.25	28,611	113.50	28,916		
109.50	28,638	113.75	28,924		
109.75	28,664	114.00	28,931		
110.00	28,689	114.25	28,937		
110.25	28,713	114.50	28,942		





## Capacity/Gauge Table Information

**TCLX 290424**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 224

Reporting Mark: TCLX 290424

Date: 10/07/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,346	12.75	2,232	17.00	3,220
0.25	29	4.50	629	8.75	1,395	13.00	2,287	17.25	3,281
0.50	58	4.75	670	9.00	1,444	13.25	2,343	17.50	3,342
0.75	89	5.00	712	9.25	1,494	13.50	2,399	17.75	3,403
1.00	120	5.25	754	9.50	1,544	13.75	2,456	18.00	3,465
1.25	152	5.50	796	9.75	1,595	14.00	2,512	18.25	3,527
1.50	184	5.75	839	10.00	1,646	14.25	2,570	18.50	3,589
1.75	218	6.00	883	10.25	1,697	14.50	2,627	18.75	3,652
2.00	252	6.25	927	10.50	1,749	14.75	2,685	19.00	3,715
2.25	287	6.50	972	10.75	1,801	15.00	2,743	19.25	3,778
2.50	322	6.75	1,017	11.00	1,853	15.25	2,802	19.50	3,841
2.75	358	7.00	1,063	11.25	1,906	15.50	2,860	19.75	3,905
3.00	395	7.25	1,109	11.50	1,960	15.75	2,920	20.00	3,969
3.25	433	7.50	1,155	11.75	2,013	16.00	2,979	20.25	4,033
3.50	471	7.75	1,203	12.00	2,067	16.25	3,039	20.50	4,098
3.75	510	8.00	1,250	12.25	2,122	16.50	3,099	20.75	4,162
4.00	549	8.25	1,298	12.50	2,176	16.75	3,159	21.00	4,227



## Capacity/Gauge Table Information

**TCLX 290424**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 224

Reporting Mark: TCLX 290424

Date: 10/07/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,292	25.50	5,436	29.75	6,638	34.00	7,888	38.25	9,177
21.50	4,358	25.75	5,505	30.00	6,710	34.25	7,963	38.50	9,254
21.75	4,424	26.00	5,574	30.25	6,783	34.50	8,038	38.75	9,331
22.00	4,489	26.25	5,644	30.50	6,855	34.75	8,113	39.00	9,408
22.25	4,556	26.50	5,714	30.75	6,928	35.00	8,188	39.25	9,485
22.50	4,622	26.75	5,784	31.00	7,001	35.25	8,264	39.50	9,562
22.75	4,689	27.00	5,854	31.25	7,074	35.50	8,339	39.75	9,640
23.00	4,755	27.25	5,924	31.50	7,147	35.75	8,415	40.00	9,717
23.25	4,822	27.50	5,995	31.75	7,221	36.00	8,490	40.25	9,795
23.50	4,890	27.75	6,066	32.00	7,294	36.25	8,566	40.50	9,872
23.75	4,957	28.00	6,137	32.25	7,368	36.50	8,642	40.75	9,950
24.00	5,025	28.25	6,208	32.50	7,442	36.75	8,718	41.00	10,028
24.25	5,093	28.50	6,279	32.75	7,516	37.00	8,795	41.25	10,106
24.50	5,161	28.75	6,350	33.00	7,590	37.25	8,871	41.50	10,184
24.75	5,229	29.00	6,422	33.25	7,664	37.50	8,947	41.75	10,262
25.00	5,298	29.25	6,494	33.50	7,739	37.75	9,024	42.00	10,340
25.25	5,367	29.50	6,566	33.75	7,813	38.00	9,100	42.25	10,418



## Capacity/Gauge Table Information

**TCLX 290424**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 224

Reporting Mark: TCLX 290424

Date: 10/07/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,496	46.75	11,837	51.00	13,191	55.25	14,552	59.50	15,911
42.75	10,574	47.00	11,916	51.25	13,271	55.50	14,632	59.75	15,991
43.00	10,653	47.25	11,996	51.50	13,351	55.75	14,712	60.00	16,071
43.25	10,731	47.50	12,075	51.75	13,431	56.00	14,792	60.25	16,150
43.50	10,810	47.75	12,155	52.00	13,511	56.25	14,872	60.50	16,230
43.75	10,889	48.00	12,234	52.25	13,591	56.50	14,952	60.75	16,309
44.00	10,967	48.25	12,314	52.50	13,671	56.75	15,032	61.00	16,389
44.25	11,046	48.50	12,393	52.75	13,751	57.00	15,112	61.25	16,469
44.50	11,125	48.75	12,473	53.00	13,831	57.25	15,192	61.50	16,548
44.75	11,204	49.00	12,553	53.25	13,911	57.50	15,272	61.75	16,627
45.00	11,283	49.25	12,632	53.50	13,992	57.75	15,352	62.00	16,707
45.25	11,362	49.50	12,712	53.75	14,072	58.00	15,432	62.25	16,786
45.50	11,441	49.75	12,792	54.00	14,152	58.25	15,512	62.50	16,865
45.75	11,520	50.00	12,872	54.25	14,232	58.50	15,592	62.75	16,945
46.00	11,599	50.25	12,952	54.50	14,312	58.75	15,672	63.00	17,024
46.25	11,678	50.50	13,032	54.75	14,392	59.00	15,752	63.25	17,103
46.50	11,758	50.75	13,111	55.00	14,472	59.25	15,831	63.50	17,182



## Capacity/Gauge Table Information

**TCLX 290424**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 224

Reporting Mark: TCLX 290424

Date: 10/07/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,261	68.00	18,594	72.25	19,902	76.50	21,177	80.75	22,409
64.00	17,340	68.25	18,672	72.50	19,978	76.75	21,250	81.00	22,480
64.25	17,419	68.50	18,749	72.75	20,054	77.00	21,324	81.25	22,551
64.50	17,498	68.75	18,827	73.00	20,130	77.25	21,397	81.50	22,621
64.75	17,577	69.00	18,904	73.25	20,205	77.50	21,471	81.75	22,692
65.00	17,655	69.25	18,982	73.50	20,281	77.75	21,544	82.00	22,762
65.25	17,734	69.50	19,059	73.75	20,356	78.00	21,617	82.25	22,832
65.50	17,812	69.75	19,136	74.00	20,431	78.25	21,690	82.50	22,902
65.75	17,891	70.00	19,213	74.25	20,507	78.50	21,762	82.75	22,971
66.00	17,969	70.25	19,290	74.50	20,582	78.75	21,835	83.00	23,041
66.25	18,048	70.50	19,367	74.75	20,656	79.00	21,907	83.25	23,110
66.50	18,126	70.75	19,444	75.00	20,731	79.25	21,979	83.50	23,179
66.75	18,204	71.00	19,520	75.25	20,806	79.50	22,051	83.75	23,248
67.00	18,282	71.25	19,597	75.50	20,880	79.75	22,123	84.00	23,317
67.25	18,360	71.50	19,673	75.75	20,955	80.00	22,195	84.25	23,385
67.50	18,438	71.75	19,750	76.00	21,029	80.25	22,266	84.50	23,453
67.75	18,516	72.00	19,826	76.25	21,103	80.50	22,338	84.75	23,521



## Capacity/Gauge Table Information

**TCLX 290424**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 224

Reporting Mark: TCLX 290424

Date: 10/07/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,589	89.25	24,706	93.50	25,748	97.75	26,698	102.00	27,538
85.25	23,657	89.50	24,770	93.75	25,806	98.00	26,751	102.25	27,584
85.50	23,724	89.75	24,833	94.00	25,864	98.25	26,803	102.50	27,629
85.75	23,791	90.00	24,896	94.25	25,922	98.50	26,855	102.75	27,673
86.00	23,858	90.25	24,958	94.50	25,980	98.75	26,907	103.00	27,717
86.25	23,925	90.50	25,021	94.75	26,037	99.00	26,958	103.25	27,761
86.50	23,991	90.75	25,083	95.00	26,094	99.25	27,009	103.50	27,804
86.75	24,057	91.00	25,145	95.25	26,151	99.50	27,059	103.75	27,846
87.00	24,123	91.25	25,206	95.50	26,207	99.75	27,109	104.00	27,888
87.25	24,189	91.50	25,268	95.75	26,263	100.00	27,158	104.25	27,930
87.50	24,254	91.75	25,329	96.00	26,319	100.25	27,207	104.50	27,970
87.75	24,320	92.00	25,389	96.25	26,374	100.50	27,256	104.75	28,011
88.00	24,385	92.25	25,450	96.50	26,429	100.75	27,304	105.00	28,050
88.25	24,450	92.50	25,510	96.75	26,484	101.00	27,352	105.25	28,090
88.50	24,514	92.75	25,570	97.00	26,538	101.25	27,399	105.50	28,128
88.75	24,578	93.00	25,629	97.25	26,592	101.50	27,446	105.75	28,166
89.00	24,642	93.25	25,689	97.50	26,645	101.75	27,493	106.00	28,203



## Capacity/Gauge Table Information

**TCLX 290424**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 224

Reporting Mark: TCLX 290424

Date: 10/07/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,240	110.50	28,751	114.75	28,960
106.50	28,276	110.75	28,772	115.00	28,963
106.75	28,312	111.00	28,793	115.25	28,966
107.00	28,346	111.25	28,811	115.50	28,969
107.25	28,381	111.50	28,829	115.75	28,970
107.50	28,414	111.75	28,845	116.00	28,972
107.75	28,447	112.00	28,861	116.25	28,972
108.00	28,479	112.25	28,875	116.50	28,973
108.25	28,510	112.50	28,888	116.75	28,973
108.50	28,540	112.75	28,900		
108.75	28,570	113.00	28,911		
109.00	28,598	113.25	28,920		
109.25	28,626	113.50	28,929		
109.50	28,653	113.75	28,937		
109.75	28,679	114.00	28,944		
110.00	28,704	114.25	28,950		
110.25	28,728	114.50	28,955		



## Capacity/Gauge Table Information

**TCLX 290425**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 225

Reporting Mark: TCLX 290425

Date: 06/07/2015

Capacity: 28,978 US Gallons (109,693 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,349	12.75	2,235	17.00	3,224
0.25	29	4.50	631	8.75	1,398	13.00	2,291	17.25	3,285
0.50	58	4.75	672	9.00	1,447	13.25	2,347	17.50	3,346
0.75	89	5.00	713	9.25	1,497	13.50	2,403	17.75	3,408
1.00	120	5.25	755	9.50	1,547	13.75	2,459	18.00	3,470
1.25	152	5.50	798	9.75	1,598	14.00	2,516	18.25	3,532
1.50	185	5.75	841	10.00	1,649	14.25	2,573	18.50	3,594
1.75	218	6.00	885	10.25	1,700	14.50	2,631	18.75	3,657
2.00	253	6.25	929	10.50	1,752	14.75	2,689	19.00	3,720
2.25	288	6.50	974	10.75	1,804	15.00	2,747	19.25	3,783
2.50	323	6.75	1,019	11.00	1,857	15.25	2,806	19.50	3,846
2.75	359	7.00	1,065	11.25	1,910	15.50	2,864	19.75	3,910
3.00	396	7.25	1,111	11.50	1,963	15.75	2,924	20.00	3,974
3.25	434	7.50	1,158	11.75	2,017	16.00	2,983	20.25	4,038
3.50	472	7.75	1,205	12.00	2,071	16.25	3,043	20.50	4,103
3.75	511	8.00	1,252	12.25	2,125	16.50	3,103	20.75	4,167
4.00	550	8.25	1,300	12.50	2,180	16.75	3,163	21.00	4,232





## Capacity/Gauge Table Information

**TCLX 290425**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 225

Reporting Mark: TCLX 290425

Date: 06/07/2015

Capacity: 28,978 US Gallons (109,693 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,298	25.50	5,442	29.75	6,645	34.00	7,896	38.25	9,186
21.50	4,363	25.75	5,511	30.00	6,717	34.25	7,971	38.50	9,262
21.75	4,429	26.00	5,581	30.25	6,790	34.50	8,046	38.75	9,339
22.00	4,495	26.25	5,650	30.50	6,862	34.75	8,121	39.00	9,416
22.25	4,561	26.50	5,720	30.75	6,935	35.00	8,196	39.25	9,494
22.50	4,627	26.75	5,790	31.00	7,008	35.25	8,272	39.50	9,571
22.75	4,694	27.00	5,860	31.25	7,081	35.50	8,347	39.75	9,648
23.00	4,761	27.25	5,931	31.50	7,155	35.75	8,423	40.00	9,726
23.25	4,828	27.50	6,001	31.75	7,228	36.00	8,498	40.25	9,803
23.50	4,895	27.75	6,072	32.00	7,302	36.25	8,574	40.50	9,881
23.75	4,963	28.00	6,143	32.25	7,375	36.50	8,650	40.75	9,959
24.00	5,031	28.25	6,214	32.50	7,449	36.75	8,726	41.00	10,037
24.25	5,099	28.50	6,286	32.75	7,523	37.00	8,803	41.25	10,114
24.50	5,167	28.75	6,357	33.00	7,598	37.25	8,879	41.50	10,192
24.75	5,235	29.00	6,429	33.25	7,672	37.50	8,956	41.75	10,270
25.00	5,304	29.25	6,501	33.50	7,746	37.75	9,032	42.00	10,349
25.25	5,373	29.50	6,573	33.75	7,821	38.00	9,109	42.25	10,427



## Capacity/Gauge Table Information

**TCLX 290425**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 225

Reporting Mark: TCLX 290425

Date: 06/07/2015

Capacity: 28,978 US Gallons (109,693 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,505	46.75	11,847	51.00	13,202	55.25	14,563	59.50	15,923
42.75	10,584	47.00	11,926	51.25	13,282	55.50	14,643	59.75	16,002
43.00	10,662	47.25	12,005	51.50	13,362	55.75	14,723	60.00	16,082
43.25	10,741	47.50	12,085	51.75	13,442	56.00	14,803	60.25	16,162
43.50	10,819	47.75	12,164	52.00	13,522	56.25	14,883	60.50	16,241
43.75	10,898	48.00	12,244	52.25	13,602	56.50	14,963	60.75	16,321
44.00	10,977	48.25	12,324	52.50	13,682	56.75	15,043	61.00	16,401
44.25	11,055	48.50	12,403	52.75	13,762	57.00	15,123	61.25	16,480
44.50	11,134	48.75	12,483	53.00	13,842	57.25	15,203	61.50	16,560
44.75	11,213	49.00	12,563	53.25	13,922	57.50	15,283	61.75	16,639
45.00	11,292	49.25	12,643	53.50	14,002	57.75	15,363	62.00	16,718
45.25	11,371	49.50	12,722	53.75	14,082	58.00	15,443	62.25	16,798
45.50	11,450	49.75	12,802	54.00	14,162	58.25	15,523	62.50	16,877
45.75	11,529	50.00	12,882	54.25	14,242	58.50	15,603	62.75	16,956
46.00	11,609	50.25	12,962	54.50	14,323	58.75	15,683	63.00	17,036
46.25	11,688	50.50	13,042	54.75	14,403	59.00	15,763	63.25	17,115
46.50	11,767	50.75	13,122	55.00	14,483	59.25	15,843	63.50	17,194



## Capacity/Gauge Table Information

**TCLX 290425**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 225

Reporting Mark: TCLX 290425

Date: 06/07/2015

Capacity: 28,978 US Gallons (109,693 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,273	68.00	18,606	72.25	19,914	76.50	21,189	80.75	22,421
64.00	17,352	68.25	18,684	72.50	19,990	76.75	21,263	81.00	22,492
64.25	17,431	68.50	18,762	72.75	20,066	77.00	21,336	81.25	22,563
64.50	17,510	68.75	18,839	73.00	20,142	77.25	21,410	81.50	22,634
64.75	17,588	69.00	18,917	73.25	20,218	77.50	21,483	81.75	22,704
65.00	17,667	69.25	18,994	73.50	20,293	77.75	21,556	82.00	22,774
65.25	17,746	69.50	19,071	73.75	20,369	78.00	21,629	82.25	22,844
65.50	17,824	69.75	19,148	74.00	20,444	78.25	21,702	82.50	22,914
65.75	17,903	70.00	19,225	74.25	20,519	78.50	21,775	82.75	22,984
66.00	17,981	70.25	19,302	74.50	20,594	78.75	21,847	83.00	23,053
66.25	18,060	70.50	19,379	74.75	20,669	79.00	21,920	83.25	23,122
66.50	18,138	70.75	19,456	75.00	20,744	79.25	21,992	83.50	23,191
66.75	18,216	71.00	19,533	75.25	20,818	79.50	22,064	83.75	23,260
67.00	18,294	71.25	19,609	75.50	20,893	79.75	22,136	84.00	23,329
67.25	18,372	71.50	19,686	75.75	20,967	80.00	22,207	84.25	23,397
67.50	18,450	71.75	19,762	76.00	21,041	80.25	22,279	84.50	23,466
67.75	18,528	72.00	19,838	76.25	21,115	80.50	22,350	84.75	23,534



## Capacity/Gauge Table Information

**TCLX 290425**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 225

Reporting Mark: TCLX 290425

Date: 06/07/2015

Capacity: 28,978 US Gallons (109,693 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,601	89.25	24,718	93.50	25,759	97.75	26,709	102.00	27,549
85.25	23,669	89.50	24,782	93.75	25,818	98.00	26,762	102.25	27,594
85.50	23,736	89.75	24,845	94.00	25,876	98.25	26,814	102.50	27,639
85.75	23,803	90.00	24,908	94.25	25,934	98.50	26,866	102.75	27,683
86.00	23,870	90.25	24,970	94.50	25,991	98.75	26,917	103.00	27,727
86.25	23,937	90.50	25,033	94.75	26,049	99.00	26,969	103.25	27,771
86.50	24,003	90.75	25,095	95.00	26,106	99.25	27,019	103.50	27,814
86.75	24,069	91.00	25,157	95.25	26,162	99.50	27,070	103.75	27,856
87.00	24,135	91.25	25,218	95.50	26,219	99.75	27,119	104.00	27,898
87.25	24,201	91.50	25,280	95.75	26,275	100.00	27,169	104.25	27,939
87.50	24,267	91.75	25,341	96.00	26,330	100.25	27,218	104.50	27,980
87.75	24,332	92.00	25,401	96.25	26,385	100.50	27,266	104.75	28,020
88.00	24,397	92.25	25,462	96.50	26,440	100.75	27,315	105.00	28,060
88.25	24,462	92.50	25,522	96.75	26,495	101.00	27,362	105.25	28,099
88.50	24,526	92.75	25,582	97.00	26,549	101.25	27,410	105.50	28,137
88.75	24,590	93.00	25,641	97.25	26,603	101.50	27,456	105.75	28,175
89.00	24,654	93.25	25,700	97.50	26,656	101.75	27,503	106.00	28,212



## Capacity/Gauge Table Information

**TCLX 290425**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 225

Reporting Mark: TCLX 290425

Date: 06/07/2015

Capacity: 28,978 US Gallons (109,693 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,249	110.50	28,758	114.75	28,965
106.50	28,285	110.75	28,779	115.00	28,969
106.75	28,320	111.00	28,799	115.25	28,971
107.00	28,355	111.25	28,818	115.50	28,974
107.25	28,389	111.50	28,835	115.75	28,975
107.50	28,422	111.75	28,852	116.00	28,977
107.75	28,455	112.00	28,867	116.25	28,977
108.00	28,487	112.25	28,881	116.50	28,978
108.25	28,518	112.50	28,894	116.75	28,978
108.50	28,548	112.75	28,905		
108.75	28,578	113.00	28,916		
109.00	28,606	113.25	28,926		
109.25	28,634	113.50	28,935		
109.50	28,661	113.75	28,942		
109.75	28,687	114.00	28,949		
110.00	28,712	114.25	28,955		
110.25	28,735	114.50	28,960		



## Capacity/Gauge Table Information

**TCLX 290426**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 226

Reporting Mark: TCLX 290426

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,626 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,341	12.75	2,225	17.00	3,211
0.25	28	4.50	626	8.75	1,390	13.00	2,280	17.25	3,271
0.50	58	4.75	667	9.00	1,439	13.25	2,336	17.50	3,333
0.75	88	5.00	708	9.25	1,489	13.50	2,392	17.75	3,394
1.00	119	5.25	750	9.50	1,539	13.75	2,448	18.00	3,456
1.25	151	5.50	793	9.75	1,589	14.00	2,505	18.25	3,518
1.50	183	5.75	836	10.00	1,640	14.25	2,562	18.50	3,580
1.75	217	6.00	879	10.25	1,691	14.50	2,619	18.75	3,642
2.00	251	6.25	923	10.50	1,743	14.75	2,677	19.00	3,705
2.25	285	6.50	968	10.75	1,795	15.00	2,735	19.25	3,768
2.50	321	6.75	1,013	11.00	1,847	15.25	2,793	19.50	3,831
2.75	357	7.00	1,058	11.25	1,900	15.50	2,852	19.75	3,895
3.00	393	7.25	1,104	11.50	1,953	15.75	2,911	20.00	3,959
3.25	431	7.50	1,151	11.75	2,007	16.00	2,970	20.25	4,023
3.50	469	7.75	1,198	12.00	2,061	16.25	3,030	20.50	4,087
3.75	507	8.00	1,245	12.25	2,115	16.50	3,090	20.75	4,152
4.00	546	8.25	1,293	12.50	2,170	16.75	3,150	21.00	4,217



## Capacity/Gauge Table Information

**TCLX 290426**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 226

Reporting Mark: TCLX 290426

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,626 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,282	25.50	5,424	29.75	6,624	34.00	7,873	38.25	9,161
21.50	4,347	25.75	5,493	30.00	6,697	34.25	7,948	38.50	9,238
21.75	4,413	26.00	5,562	30.25	6,769	34.50	8,023	38.75	9,315
22.00	4,479	26.25	5,632	30.50	6,841	34.75	8,098	39.00	9,392
22.25	4,545	26.50	5,701	30.75	6,914	35.00	8,173	39.25	9,469
22.50	4,611	26.75	5,771	31.00	6,987	35.25	8,248	39.50	9,546
22.75	4,677	27.00	5,841	31.25	7,060	35.50	8,324	39.75	9,623
23.00	4,744	27.25	5,912	31.50	7,133	35.75	8,399	40.00	9,700
23.25	4,811	27.50	5,982	31.75	7,207	36.00	8,475	40.25	9,778
23.50	4,878	27.75	6,053	32.00	7,280	36.25	8,551	40.50	9,855
23.75	4,946	28.00	6,123	32.25	7,354	36.50	8,627	40.75	9,933
24.00	5,013	28.25	6,195	32.50	7,427	36.75	8,703	41.00	10,011
24.25	5,081	28.50	6,266	32.75	7,501	37.00	8,779	41.25	10,089
24.50	5,149	28.75	6,337	33.00	7,575	37.25	8,855	41.50	10,166
24.75	5,218	29.00	6,409	33.25	7,650	37.50	8,931	41.75	10,244
25.00	5,286	29.25	6,480	33.50	7,724	37.75	9,008	42.00	10,322
25.25	5,355	29.50	6,552	33.75	7,799	38.00	9,084	42.25	10,401





## Capacity/Gauge Table Information

**TCLX 290426**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 226

Reporting Mark: TCLX 290426

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,626 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,479	46.75	11,818	51.00	13,172	55.25	14,532	59.50	15,890
42.75	10,557	47.00	11,898	51.25	13,252	55.50	14,612	59.75	15,970
43.00	10,635	47.25	11,977	51.50	13,332	55.75	14,692	60.00	16,049
43.25	10,714	47.50	12,056	51.75	13,412	56.00	14,772	60.25	16,129
43.50	10,792	47.75	12,136	52.00	13,492	56.25	14,852	60.50	16,209
43.75	10,871	48.00	12,215	52.25	13,572	56.50	14,932	60.75	16,288
44.00	10,949	48.25	12,295	52.50	13,652	56.75	15,012	61.00	16,368
44.25	11,028	48.50	12,375	52.75	13,732	57.00	15,092	61.25	16,447
44.50	11,107	48.75	12,454	53.00	13,812	57.25	15,172	61.50	16,527
44.75	11,186	49.00	12,534	53.25	13,892	57.50	15,252	61.75	16,606
45.00	11,265	49.25	12,613	53.50	13,972	57.75	15,331	62.00	16,685
45.25	11,344	49.50	12,693	53.75	14,052	58.00	15,411	62.25	16,765
45.50	11,423	49.75	12,773	54.00	14,132	58.25	15,491	62.50	16,844
45.75	11,502	50.00	12,853	54.25	14,212	58.50	15,571	62.75	16,923
46.00	11,581	50.25	12,932	54.50	14,292	58.75	15,651	63.00	17,002
46.25	11,660	50.50	13,012	54.75	14,372	59.00	15,731	63.25	17,081
46.50	11,739	50.75	13,092	55.00	14,452	59.25	15,810	63.50	17,160



## Capacity/Gauge Table Information

**TCLX 290426**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 226

Reporting Mark: TCLX 290426

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,626 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,239	68.00	18,572	72.25	19,879	76.50	21,154	80.75	22,386
64.00	17,318	68.25	18,649	72.50	19,955	76.75	21,227	81.00	22,457
64.25	17,397	68.50	18,727	72.75	20,031	77.00	21,301	81.25	22,527
64.50	17,476	68.75	18,805	73.00	20,107	77.25	21,374	81.50	22,598
64.75	17,555	69.00	18,882	73.25	20,182	77.50	21,448	81.75	22,668
65.00	17,633	69.25	18,959	73.50	20,258	77.75	21,521	82.00	22,739
65.25	17,712	69.50	19,037	73.75	20,333	78.00	21,594	82.25	22,809
65.50	17,791	69.75	19,114	74.00	20,409	78.25	21,667	82.50	22,878
65.75	17,869	70.00	19,191	74.25	20,484	78.50	21,739	82.75	22,948
66.00	17,947	70.25	19,268	74.50	20,559	78.75	21,812	83.00	23,018
66.25	18,026	70.50	19,344	74.75	20,634	79.00	21,884	83.25	23,087
66.50	18,104	70.75	19,421	75.00	20,708	79.25	21,956	83.50	23,156
66.75	18,182	71.00	19,498	75.25	20,783	79.50	22,028	83.75	23,225
67.00	18,260	71.25	19,574	75.50	20,857	79.75	22,100	84.00	23,293
67.25	18,338	71.50	19,651	75.75	20,932	80.00	22,172	84.25	23,362
67.50	18,416	71.75	19,727	76.00	21,006	80.25	22,243	84.50	23,430
67.75	18,494	72.00	19,803	76.25	21,080	80.50	22,315	84.75	23,498



## Capacity/Gauge Table Information

**TCLX 290426**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 226

Reporting Mark: TCLX 290426

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,626 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,566	89.25	24,683	93.50	25,725	97.75	26,676	102.00	27,518
85.25	23,633	89.50	24,747	93.75	25,784	98.00	26,729	102.25	27,563
85.50	23,701	89.75	24,810	94.00	25,842	98.25	26,781	102.50	27,608
85.75	23,768	90.00	24,873	94.25	25,900	98.50	26,833	102.75	27,653
86.00	23,835	90.25	24,936	94.50	25,958	98.75	26,885	103.00	27,697
86.25	23,901	90.50	24,998	94.75	26,015	99.00	26,936	103.25	27,740
86.50	23,968	90.75	25,060	95.00	26,072	99.25	26,987	103.50	27,784
86.75	24,034	91.00	25,122	95.25	26,129	99.50	27,037	103.75	27,826
87.00	24,100	91.25	25,184	95.50	26,185	99.75	27,087	104.00	27,868
87.25	24,166	91.50	25,245	95.75	26,241	100.00	27,137	104.25	27,910
87.50	24,231	91.75	25,306	96.00	26,297	100.25	27,186	104.50	27,951
87.75	24,297	92.00	25,367	96.25	26,352	100.50	27,235	104.75	27,991
88.00	24,362	92.25	25,427	96.50	26,407	100.75	27,283	105.00	28,031
88.25	24,426	92.50	25,487	96.75	26,462	101.00	27,331	105.25	28,070
88.50	24,491	92.75	25,547	97.00	26,516	101.25	27,378	105.50	28,109
88.75	24,555	93.00	25,607	97.25	26,570	101.50	27,425	105.75	28,147
89.00	24,619	93.25	25,666	97.50	26,623	101.75	27,472	106.00	28,184



## Capacity/Gauge Table Information

**TCLX 290426**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 226

Reporting Mark: TCLX 290426

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,626 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,221	110.50	28,735	114.75	28,947
106.50	28,257	110.75	28,757	115.00	28,951
106.75	28,293	111.00	28,777	115.25	28,954
107.00	28,328	111.25	28,796	115.50	28,956
107.25	28,362	111.50	28,814	115.75	28,958
107.50	28,395	111.75	28,831	116.00	28,959
107.75	28,428	112.00	28,846	116.25	28,960
108.00	28,460	112.25	28,861	116.50	28,960
108.25	28,492	112.50	28,874	116.75	28,960
108.50	28,522	112.75	28,886		
108.75	28,552	113.00	28,897		
109.00	28,581	113.25	28,907		
109.25	28,609	113.50	28,916		
109.50	28,636	113.75	28,924		
109.75	28,662	114.00	28,931		
110.00	28,688	114.25	28,937		
110.25	28,712	114.50	28,942		



## Capacity/Gauge Table Information

**TCLX 290427**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 227

Reporting Mark: TCLX 290427

Date: 07/07/2015

Capacity: 29,008 US Gallons (109,806 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	577	8.50	1,326	12.75	2,204	17.00	3,186
0.25	28	4.50	617	8.75	1,374	13.00	2,259	17.25	3,246
0.50	57	4.75	657	9.00	1,423	13.25	2,314	17.50	3,307
0.75	86	5.00	698	9.25	1,472	13.50	2,370	17.75	3,368
1.00	116	5.25	740	9.50	1,522	13.75	2,426	18.00	3,430
1.25	148	5.50	782	9.75	1,572	14.00	2,483	18.25	3,492
1.50	180	5.75	824	10.00	1,622	14.25	2,539	18.50	3,554
1.75	212	6.00	867	10.25	1,673	14.50	2,597	18.75	3,616
2.00	246	6.25	911	10.50	1,724	14.75	2,654	19.00	3,679
2.25	280	6.50	955	10.75	1,776	15.00	2,712	19.25	3,741
2.50	315	6.75	1,000	11.00	1,828	15.25	2,770	19.50	3,805
2.75	350	7.00	1,045	11.25	1,881	15.50	2,829	19.75	3,868
3.00	386	7.25	1,090	11.50	1,934	15.75	2,887	20.00	3,932
3.25	423	7.50	1,137	11.75	1,987	16.00	2,946	20.25	3,996
3.50	461	7.75	1,183	12.00	2,041	16.25	3,006	20.50	4,060
3.75	499	8.00	1,230	12.25	2,095	16.50	3,066	20.75	4,124
4.00	537	8.25	1,278	12.50	2,149	16.75	3,126	21.00	4,189



## Capacity/Gauge Table Information

**TCLX 290427**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 227

Reporting Mark: TCLX 290427

Date: 07/07/2015

Capacity: 29,008 US Gallons (109,806 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,254	25.50	5,393	29.75	6,592	34.00	7,839	38.25	9,126
21.50	4,319	25.75	5,462	30.00	6,664	34.25	7,914	38.50	9,203
21.75	4,384	26.00	5,531	30.25	6,736	34.50	7,989	38.75	9,280
22.00	4,450	26.25	5,601	30.50	6,809	34.75	8,064	39.00	9,357
22.25	4,516	26.50	5,670	30.75	6,881	35.00	8,139	39.25	9,434
22.50	4,582	26.75	5,740	31.00	6,954	35.25	8,214	39.50	9,511
22.75	4,648	27.00	5,810	31.25	7,027	35.50	8,290	39.75	9,588
23.00	4,715	27.25	5,880	31.50	7,100	35.75	8,365	40.00	9,665
23.25	4,782	27.50	5,950	31.75	7,173	36.00	8,441	40.25	9,743
23.50	4,849	27.75	6,021	32.00	7,247	36.25	8,516	40.50	9,820
23.75	4,916	28.00	6,092	32.25	7,320	36.50	8,592	40.75	9,898
24.00	4,984	28.25	6,163	32.50	7,394	36.75	8,668	41.00	9,976
24.25	5,051	28.50	6,234	32.75	7,468	37.00	8,744	41.25	10,053
24.50	5,119	28.75	6,305	33.00	7,542	37.25	8,820	41.50	10,131
24.75	5,187	29.00	6,376	33.25	7,616	37.50	8,897	41.75	10,209
25.00	5,256	29.25	6,448	33.50	7,690	37.75	8,973	42.00	10,287
25.25	5,324	29.50	6,520	33.75	7,765	38.00	9,050	42.25	10,365



## Capacity/Gauge Table Information

**TCLX 290427**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 227

Reporting Mark: TCLX 290427

Date: 07/07/2015

Capacity: 29,008 US Gallons (109,806 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,444	46.75	11,783	51.00	13,137	55.25	14,498	59.50	15,858
42.75	10,522	47.00	11,863	51.25	13,217	55.50	14,578	59.75	15,937
43.00	10,600	47.25	11,942	51.50	13,297	55.75	14,658	60.00	16,017
43.25	10,679	47.50	12,021	51.75	13,377	56.00	14,738	60.25	16,097
43.50	10,757	47.75	12,101	52.00	13,457	56.25	14,818	60.50	16,177
43.75	10,836	48.00	12,180	52.25	13,537	56.50	14,898	60.75	16,256
44.00	10,914	48.25	12,260	52.50	13,617	56.75	14,978	61.00	16,336
44.25	10,993	48.50	12,340	52.75	13,697	57.00	15,058	61.25	16,415
44.50	11,072	48.75	12,419	53.00	13,777	57.25	15,138	61.50	16,495
44.75	11,151	49.00	12,499	53.25	13,857	57.50	15,218	61.75	16,574
45.00	11,230	49.25	12,579	53.50	13,937	57.75	15,298	62.00	16,654
45.25	11,308	49.50	12,658	53.75	14,018	58.00	15,378	62.25	16,733
45.50	11,387	49.75	12,738	54.00	14,098	58.25	15,458	62.50	16,813
45.75	11,467	50.00	12,818	54.25	14,178	58.50	15,538	62.75	16,892
46.00	11,546	50.25	12,898	54.50	14,258	58.75	15,618	63.00	16,971
46.25	11,625	50.50	12,978	54.75	14,338	59.00	15,698	63.25	17,050
46.50	11,704	50.75	13,057	55.00	14,418	59.25	15,778	63.50	17,130





## Capacity/Gauge Table Information

**TCLX 290427**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 227

Reporting Mark: TCLX 290427

Date: 07/07/2015

Capacity: 29,008 US Gallons (109,806 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,209	68.00	18,543	72.25	19,853	76.50	21,131	80.75	22,366
64.00	17,288	68.25	18,621	72.50	19,929	76.75	21,204	81.00	22,437
64.25	17,367	68.50	18,699	72.75	20,005	77.00	21,278	81.25	22,508
64.50	17,446	68.75	18,776	73.00	20,081	77.25	21,352	81.50	22,579
64.75	17,524	69.00	18,854	73.25	20,157	77.50	21,425	81.75	22,650
65.00	17,603	69.25	18,931	73.50	20,233	77.75	21,499	82.00	22,720
65.25	17,682	69.50	19,009	73.75	20,308	78.00	21,572	82.25	22,790
65.50	17,761	69.75	19,086	74.00	20,384	78.25	21,645	82.50	22,860
65.75	17,839	70.00	19,163	74.25	20,459	78.50	21,718	82.75	22,930
66.00	17,918	70.25	19,240	74.50	20,534	78.75	21,790	83.00	23,000
66.25	17,996	70.50	19,317	74.75	20,609	79.00	21,863	83.25	23,069
66.50	18,075	70.75	19,394	75.00	20,684	79.25	21,935	83.50	23,139
66.75	18,153	71.00	19,471	75.25	20,759	79.50	22,008	83.75	23,208
67.00	18,231	71.25	19,548	75.50	20,833	79.75	22,080	84.00	23,277
67.25	18,309	71.50	19,624	75.75	20,908	80.00	22,151	84.25	23,345
67.50	18,387	71.75	19,701	76.00	20,982	80.25	22,223	84.50	23,414
67.75	18,465	72.00	19,777	76.25	21,056	80.50	22,295	84.75	23,482



## Capacity/Gauge Table Information

**TCLX 290427**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 227

Reporting Mark: TCLX 290427

Date: 07/07/2015

Capacity: 29,008 US Gallons (109,806 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,550	89.25	24,672	93.50	25,719	97.75	26,677	102.00	27,526
85.25	23,618	89.50	24,736	93.75	25,778	98.00	26,730	102.25	27,572
85.50	23,686	89.75	24,799	94.00	25,837	98.25	26,783	102.50	27,617
85.75	23,753	90.00	24,863	94.25	25,895	98.50	26,835	102.75	27,662
86.00	23,820	90.25	24,926	94.50	25,953	98.75	26,887	103.00	27,707
86.25	23,887	90.50	24,988	94.75	26,011	99.00	26,939	103.25	27,751
86.50	23,954	90.75	25,051	95.00	26,068	99.25	26,990	103.50	27,794
86.75	24,020	91.00	25,113	95.25	26,125	99.50	27,041	103.75	27,837
87.00	24,087	91.25	25,175	95.50	26,182	99.75	27,091	104.00	27,880
87.25	24,153	91.50	25,237	95.75	26,238	100.00	27,141	104.25	27,922
87.50	24,218	91.75	25,298	96.00	26,294	100.25	27,191	104.50	27,964
87.75	24,284	92.00	25,359	96.25	26,350	100.50	27,240	104.75	28,004
88.00	24,349	92.25	25,420	96.50	26,405	100.75	27,289	105.00	28,045
88.25	24,414	92.50	25,480	96.75	26,460	101.00	27,337	105.25	28,085
88.50	24,479	92.75	25,540	97.00	26,515	101.25	27,385	105.50	28,124
88.75	24,544	93.00	25,600	97.25	26,569	101.50	27,432	105.75	28,163
89.00	24,608	93.25	25,660	97.50	26,623	101.75	27,479	106.00	28,201



## Capacity/Gauge Table Information

**TCLX 290427**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 227

Reporting Mark: TCLX 290427

Date: 07/07/2015

Capacity: 29,008 US Gallons (109,806 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,238	110.50	28,766	114.75	28,993
106.50	28,275	110.75	28,789	115.00	28,997
106.75	28,311	111.00	28,811	115.25	29,001
107.00	28,347	111.25	28,832	115.50	29,003
107.25	28,382	111.50	28,851	115.75	29,005
107.50	28,416	111.75	28,869	116.00	29,006
107.75	28,450	112.00	28,886	116.25	29,007
108.00	28,482	112.25	28,901	116.50	29,007
108.25	28,514	112.50	28,915	116.75	29,008
108.50	28,546	112.75	28,928		
108.75	28,576	113.00	28,940		
109.00	28,606	113.25	28,951		
109.25	28,635	113.50	28,960		
109.50	28,663	113.75	28,969		
109.75	28,690	114.00	28,976		
110.00	28,717	114.25	28,983		
110.25	28,742	114.50	28,989		



## Capacity/Gauge Table Information

**TCLX 290428**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 228

Reporting Mark: TCLX 290428

Date: 10/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,348	12.75	2,234	17.00	3,222
0.25	29	4.50	630	8.75	1,397	13.00	2,289	17.25	3,283
0.50	58	4.75	671	9.00	1,446	13.25	2,345	17.50	3,344
0.75	89	5.00	713	9.25	1,496	13.50	2,401	17.75	3,406
1.00	120	5.25	755	9.50	1,546	13.75	2,458	18.00	3,468
1.25	152	5.50	798	9.75	1,597	14.00	2,515	18.25	3,530
1.50	185	5.75	841	10.00	1,648	14.25	2,572	18.50	3,592
1.75	218	6.00	885	10.25	1,699	14.50	2,630	18.75	3,655
2.00	253	6.25	929	10.50	1,751	14.75	2,687	19.00	3,717
2.25	287	6.50	973	10.75	1,803	15.00	2,746	19.25	3,781
2.50	323	6.75	1,019	11.00	1,856	15.25	2,804	19.50	3,844
2.75	359	7.00	1,064	11.25	1,908	15.50	2,863	19.75	3,908
3.00	396	7.25	1,111	11.50	1,962	15.75	2,922	20.00	3,972
3.25	434	7.50	1,157	11.75	2,015	16.00	2,981	20.25	4,036
3.50	472	7.75	1,204	12.00	2,070	16.25	3,041	20.50	4,100
3.75	511	8.00	1,252	12.25	2,124	16.50	3,101	20.75	4,165
4.00	550	8.25	1,300	12.50	2,179	16.75	3,162	21.00	4,230



## Capacity/Gauge Table Information

**TCLX 290428**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 228

Reporting Mark: TCLX 290428

Date: 10/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,295	25.50	5,439	29.75	6,640	34.00	7,891	38.25	9,179
21.50	4,361	25.75	5,508	30.00	6,713	34.25	7,965	38.50	9,256
21.75	4,426	26.00	5,577	30.25	6,785	34.50	8,040	38.75	9,333
22.00	4,492	26.25	5,647	30.50	6,858	34.75	8,115	39.00	9,410
22.25	4,558	26.50	5,716	30.75	6,931	35.00	8,191	39.25	9,487
22.50	4,625	26.75	5,786	31.00	7,004	35.25	8,266	39.50	9,564
22.75	4,691	27.00	5,857	31.25	7,077	35.50	8,341	39.75	9,642
23.00	4,758	27.25	5,927	31.50	7,150	35.75	8,417	40.00	9,719
23.25	4,825	27.50	5,998	31.75	7,223	36.00	8,493	40.25	9,797
23.50	4,892	27.75	6,068	32.00	7,297	36.25	8,569	40.50	9,874
23.75	4,960	28.00	6,139	32.25	7,371	36.50	8,645	40.75	9,952
24.00	5,028	28.25	6,210	32.50	7,444	36.75	8,721	41.00	10,030
24.25	5,096	28.50	6,282	32.75	7,518	37.00	8,797	41.25	10,107
24.50	5,164	28.75	6,353	33.00	7,593	37.25	8,873	41.50	10,185
24.75	5,232	29.00	6,425	33.25	7,667	37.50	8,949	41.75	10,263
25.00	5,301	29.25	6,496	33.50	7,741	37.75	9,026	42.00	10,342
25.25	5,370	29.50	6,568	33.75	7,816	38.00	9,103	42.25	10,420



## Capacity/Gauge Table Information

**TCLX 290428**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 228

Reporting Mark: TCLX 290428

Date: 10/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,498	46.75	11,838	51.00	13,192	55.25	14,552	59.50	15,911
42.75	10,576	47.00	11,918	51.25	13,272	55.50	14,633	59.75	15,991
43.00	10,655	47.25	11,997	51.50	13,352	55.75	14,713	60.00	16,070
43.25	10,733	47.50	12,076	51.75	13,432	56.00	14,793	60.25	16,150
43.50	10,812	47.75	12,156	52.00	13,512	56.25	14,873	60.50	16,230
43.75	10,890	48.00	12,235	52.25	13,592	56.50	14,953	60.75	16,309
44.00	10,969	48.25	12,315	52.50	13,672	56.75	15,033	61.00	16,389
44.25	11,048	48.50	12,395	52.75	13,752	57.00	15,113	61.25	16,468
44.50	11,126	48.75	12,474	53.00	13,832	57.25	15,192	61.50	16,548
44.75	11,205	49.00	12,554	53.25	13,912	57.50	15,272	61.75	16,627
45.00	11,284	49.25	12,634	53.50	13,992	57.75	15,352	62.00	16,706
45.25	11,363	49.50	12,713	53.75	14,072	58.00	15,432	62.25	16,786
45.50	11,442	49.75	12,793	54.00	14,152	58.25	15,512	62.50	16,865
45.75	11,521	50.00	12,873	54.25	14,232	58.50	15,592	62.75	16,944
46.00	11,601	50.25	12,953	54.50	14,312	58.75	15,672	63.00	17,023
46.25	11,680	50.50	13,033	54.75	14,392	59.00	15,752	63.25	17,102
46.50	11,759	50.75	13,112	55.00	14,472	59.25	15,831	63.50	17,181



## Capacity/Gauge Table Information

**TCLX 290428**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 228

Reporting Mark: TCLX 290428

Date: 10/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,260	68.00	18,593	72.25	19,900	76.50	21,174	80.75	22,405
64.00	17,339	68.25	18,670	72.50	19,976	76.75	21,247	81.00	22,476
64.25	17,418	68.50	18,748	72.75	20,052	77.00	21,321	81.25	22,547
64.50	17,497	68.75	18,825	73.00	20,127	77.25	21,394	81.50	22,617
64.75	17,576	69.00	18,903	73.25	20,203	77.50	21,468	81.75	22,688
65.00	17,654	69.25	18,980	73.50	20,278	77.75	21,541	82.00	22,758
65.25	17,733	69.50	19,057	73.75	20,354	78.00	21,614	82.25	22,828
65.50	17,811	69.75	19,134	74.00	20,429	78.25	21,686	82.50	22,898
65.75	17,890	70.00	19,211	74.25	20,504	78.50	21,759	82.75	22,967
66.00	17,968	70.25	19,288	74.50	20,579	78.75	21,831	83.00	23,037
66.25	18,047	70.50	19,365	74.75	20,654	79.00	21,904	83.25	23,106
66.50	18,125	70.75	19,442	75.00	20,728	79.25	21,976	83.50	23,175
66.75	18,203	71.00	19,518	75.25	20,803	79.50	22,048	83.75	23,244
67.00	18,281	71.25	19,595	75.50	20,877	79.75	22,120	84.00	23,312
67.25	18,359	71.50	19,671	75.75	20,952	80.00	22,191	84.25	23,380
67.50	18,437	71.75	19,748	76.00	21,026	80.25	22,263	84.50	23,449
67.75	18,515	72.00	19,824	76.25	21,100	80.50	22,334	84.75	23,517





## Capacity/Gauge Table Information

**TCLX 290428**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 228

Reporting Mark: TCLX 290428

Date: 10/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,584	89.25	24,700	93.50	25,741	97.75	26,690	102.00	27,529
85.25	23,652	89.50	24,764	93.75	25,799	98.00	26,743	102.25	27,575
85.50	23,719	89.75	24,827	94.00	25,858	98.25	26,795	102.50	27,620
85.75	23,786	90.00	24,890	94.25	25,916	98.50	26,847	102.75	27,664
86.00	23,853	90.25	24,953	94.50	25,973	98.75	26,899	103.00	27,708
86.25	23,920	90.50	25,015	94.75	26,030	99.00	26,950	103.25	27,751
86.50	23,986	90.75	25,077	95.00	26,087	99.25	27,000	103.50	27,794
86.75	24,052	91.00	25,139	95.25	26,144	99.50	27,051	103.75	27,837
87.00	24,118	91.25	25,200	95.50	26,200	99.75	27,101	104.00	27,879
87.25	24,184	91.50	25,262	95.75	26,256	100.00	27,150	104.25	27,920
87.50	24,249	91.75	25,323	96.00	26,312	100.25	27,199	104.50	27,961
87.75	24,314	92.00	25,383	96.25	26,367	100.50	27,247	104.75	28,001
88.00	24,379	92.25	25,444	96.50	26,422	100.75	27,296	105.00	28,040
88.25	24,444	92.50	25,504	96.75	26,476	101.00	27,343	105.25	28,080
88.50	24,509	92.75	25,563	97.00	26,530	101.25	27,391	105.50	28,118
88.75	24,573	93.00	25,623	97.25	26,584	101.50	27,437	105.75	28,156
89.00	24,637	93.25	25,682	97.50	26,637	101.75	27,484	106.00	28,193



## Capacity/Gauge Table Information

**TCLX 290428**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 228

Reporting Mark: TCLX 290428

Date: 10/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,230	110.50	28,738	114.75	28,945
106.50	28,266	110.75	28,760	115.00	28,949
106.75	28,301	111.00	28,780	115.25	28,952
107.00	28,336	111.25	28,798	115.50	28,954
107.25	28,370	111.50	28,816	115.75	28,956
107.50	28,403	111.75	28,832	116.00	28,957
107.75	28,436	112.00	28,847	116.25	28,958
108.00	28,467	112.25	28,861	116.50	28,958
108.25	28,499	112.50	28,874	116.75	28,958
108.50	28,529	112.75	28,886		
108.75	28,558	113.00	28,897		
109.00	28,587	113.25	28,906		
109.25	28,615	113.50	28,915		
109.50	28,641	113.75	28,923		
109.75	28,667	114.00	28,930		
110.00	28,692	114.25	28,936		
110.25	28,716	114.50	28,941		



## Capacity/Gauge Table Information

**TCLX 290429**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 229

Reporting Mark: TCLX 290429

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,691 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,223	17.00	3,209
0.25	28	4.50	625	8.75	1,388	13.00	2,278	17.25	3,269
0.50	58	4.75	666	9.00	1,437	13.25	2,334	17.50	3,330
0.75	88	5.00	707	9.25	1,487	13.50	2,390	17.75	3,392
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,454
1.25	150	5.50	792	9.75	1,587	14.00	2,503	18.25	3,515
1.50	183	5.75	835	10.00	1,638	14.25	2,560	18.50	3,578
1.75	216	6.00	878	10.25	1,689	14.50	2,617	18.75	3,640
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,703
2.25	285	6.50	967	10.75	1,793	15.00	2,733	19.25	3,766
2.50	320	6.75	1,012	11.00	1,845	15.25	2,791	19.50	3,829
2.75	356	7.00	1,057	11.25	1,898	15.50	2,850	19.75	3,893
3.00	393	7.25	1,103	11.50	1,951	15.75	2,909	20.00	3,957
3.25	430	7.50	1,149	11.75	2,005	16.00	2,968	20.25	4,021
3.50	468	7.75	1,196	12.00	2,059	16.25	3,028	20.50	4,085
3.75	506	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,150
4.00	545	8.25	1,291	12.50	2,168	16.75	3,148	21.00	4,215



## Capacity/Gauge Table Information

**TCLX 290429**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 229

Reporting Mark: TCLX 290429

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,691 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,280	25.50	5,422	29.75	6,623	34.00	7,872	38.25	9,160
21.50	4,345	25.75	5,491	30.00	6,695	34.25	7,947	38.50	9,237
21.75	4,411	26.00	5,560	30.25	6,767	34.50	8,022	38.75	9,314
22.00	4,476	26.25	5,630	30.50	6,840	34.75	8,097	39.00	9,391
22.25	4,543	26.50	5,699	30.75	6,913	35.00	8,172	39.25	9,468
22.50	4,609	26.75	5,769	31.00	6,986	35.25	8,247	39.50	9,545
22.75	4,675	27.00	5,840	31.25	7,059	35.50	8,323	39.75	9,623
23.00	4,742	27.25	5,910	31.50	7,132	35.75	8,398	40.00	9,700
23.25	4,809	27.50	5,980	31.75	7,205	36.00	8,474	40.25	9,778
23.50	4,876	27.75	6,051	32.00	7,279	36.25	8,550	40.50	9,855
23.75	4,944	28.00	6,122	32.25	7,352	36.50	8,626	40.75	9,933
24.00	5,011	28.25	6,193	32.50	7,426	36.75	8,702	41.00	10,011
24.25	5,079	28.50	6,264	32.75	7,500	37.00	8,778	41.25	10,088
24.50	5,147	28.75	6,335	33.00	7,574	37.25	8,854	41.50	10,166
24.75	5,216	29.00	6,407	33.25	7,649	37.50	8,931	41.75	10,244
25.00	5,284	29.25	6,479	33.50	7,723	37.75	9,007	42.00	10,323
25.25	5,353	29.50	6,551	33.75	7,797	38.00	9,084	42.25	10,401



## Capacity/Gauge Table Information

**TCLX 290429**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 229

Reporting Mark: TCLX 290429

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,691 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,479	46.75	11,819	51.00	13,174	55.25	14,534	59.50	15,894
42.75	10,557	47.00	11,899	51.25	13,254	55.50	14,614	59.75	15,973
43.00	10,636	47.25	11,978	51.50	13,334	55.75	14,694	60.00	16,053
43.25	10,714	47.50	12,058	51.75	13,414	56.00	14,774	60.25	16,133
43.50	10,793	47.75	12,137	52.00	13,494	56.25	14,855	60.50	16,212
43.75	10,871	48.00	12,217	52.25	13,574	56.50	14,935	60.75	16,292
44.00	10,950	48.25	12,296	52.50	13,654	56.75	15,015	61.00	16,371
44.25	11,029	48.50	12,376	52.75	13,734	57.00	15,095	61.25	16,451
44.50	11,107	48.75	12,455	53.00	13,814	57.25	15,175	61.50	16,530
44.75	11,186	49.00	12,535	53.25	13,894	57.50	15,255	61.75	16,610
45.00	11,265	49.25	12,615	53.50	13,974	57.75	15,334	62.00	16,689
45.25	11,344	49.50	12,695	53.75	14,054	58.00	15,414	62.25	16,769
45.50	11,423	49.75	12,774	54.00	14,134	58.25	15,494	62.50	16,848
45.75	11,502	50.00	12,854	54.25	14,214	58.50	15,574	62.75	16,927
46.00	11,582	50.25	12,934	54.50	14,294	58.75	15,654	63.00	17,006
46.25	11,661	50.50	13,014	54.75	14,374	59.00	15,734	63.25	17,086
46.50	11,740	50.75	13,094	55.00	14,454	59.25	15,814	63.50	17,165



## Capacity/Gauge Table Information

**TCLX 290429**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 229

Reporting Mark: TCLX 290429

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,691 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,244	68.00	18,577	72.25	19,885	76.50	21,161	80.75	22,394
64.00	17,323	68.25	18,655	72.50	19,962	76.75	21,234	81.00	22,465
64.25	17,402	68.50	18,732	72.75	20,037	77.00	21,308	81.25	22,536
64.50	17,480	68.75	18,810	73.00	20,113	77.25	21,382	81.50	22,606
64.75	17,559	69.00	18,887	73.25	20,189	77.50	21,455	81.75	22,677
65.00	17,638	69.25	18,965	73.50	20,264	77.75	21,528	82.00	22,747
65.25	17,717	69.50	19,042	73.75	20,340	78.00	21,601	82.25	22,817
65.50	17,795	69.75	19,119	74.00	20,415	78.25	21,674	82.50	22,887
65.75	17,874	70.00	19,196	74.25	20,490	78.50	21,747	82.75	22,957
66.00	17,952	70.25	19,273	74.50	20,565	78.75	21,819	83.00	23,026
66.25	18,031	70.50	19,350	74.75	20,640	79.00	21,892	83.25	23,095
66.50	18,109	70.75	19,427	75.00	20,715	79.25	21,964	83.50	23,164
66.75	18,187	71.00	19,504	75.25	20,790	79.50	22,036	83.75	23,233
67.00	18,265	71.25	19,580	75.50	20,864	79.75	22,108	84.00	23,302
67.25	18,343	71.50	19,657	75.75	20,938	80.00	22,180	84.25	23,371
67.50	18,421	71.75	19,733	76.00	21,013	80.25	22,251	84.50	23,439
67.75	18,499	72.00	19,809	76.25	21,087	80.50	22,322	84.75	23,507



## Capacity/Gauge Table Information

**TCLX 290429**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 229

Reporting Mark: TCLX 290429

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,691 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,575	89.25	24,693	93.50	25,736	97.75	26,688	102.00	27,530
85.25	23,642	89.50	24,756	93.75	25,794	98.00	26,741	102.25	27,576
85.50	23,710	89.75	24,820	94.00	25,853	98.25	26,793	102.50	27,621
85.75	23,777	90.00	24,883	94.25	25,911	98.50	26,845	102.75	27,666
86.00	23,844	90.25	24,946	94.50	25,968	98.75	26,897	103.00	27,710
86.25	23,911	90.50	25,008	94.75	26,026	99.00	26,948	103.25	27,753
86.50	23,977	90.75	25,070	95.00	26,083	99.25	26,999	103.50	27,796
86.75	24,043	91.00	25,132	95.25	26,140	99.50	27,049	103.75	27,839
87.00	24,109	91.25	25,194	95.50	26,196	99.75	27,099	104.00	27,881
87.25	24,175	91.50	25,255	95.75	26,252	100.00	27,149	104.25	27,923
87.50	24,241	91.75	25,316	96.00	26,308	100.25	27,198	104.50	27,964
87.75	24,306	92.00	25,377	96.25	26,363	100.50	27,247	104.75	28,004
88.00	24,371	92.25	25,438	96.50	26,418	100.75	27,295	105.00	28,044
88.25	24,436	92.50	25,498	96.75	26,473	101.00	27,343	105.25	28,083
88.50	24,501	92.75	25,558	97.00	26,527	101.25	27,391	105.50	28,122
88.75	24,565	93.00	25,617	97.25	26,581	101.50	27,438	105.75	28,160
89.00	24,629	93.25	25,677	97.50	26,635	101.75	27,484	106.00	28,198





## Capacity/Gauge Table Information

**TCLX 290429**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 229

Reporting Mark: TCLX 290429

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,691 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,235	110.50	28,750	114.75	28,964
106.50	28,271	110.75	28,772	115.00	28,968
106.75	28,307	111.00	28,793	115.25	28,971
107.00	28,342	111.25	28,812	115.50	28,973
107.25	28,376	111.50	28,830	115.75	28,975
107.50	28,409	111.75	28,847	116.00	28,976
107.75	28,442	112.00	28,863	116.25	28,977
108.00	28,475	112.25	28,877	116.50	28,977
108.25	28,506	112.50	28,890	116.75	28,977
108.50	28,537	112.75	28,903		
108.75	28,566	113.00	28,914		
109.00	28,596	113.25	28,924		
109.25	28,624	113.50	28,933		
109.50	28,651	113.75	28,941		
109.75	28,677	114.00	28,948		
110.00	28,703	114.25	28,954		
110.25	28,727	114.50	28,959		



## Capacity/Gauge Table Information

**TCLX 290430**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 230

Reporting Mark: TCLX 290430

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,226	17.00	3,213
0.25	28	4.50	627	8.75	1,391	13.00	2,281	17.25	3,273
0.50	58	4.75	667	9.00	1,440	13.25	2,337	17.50	3,334
0.75	88	5.00	709	9.25	1,490	13.50	2,393	17.75	3,396
1.00	119	5.25	751	9.50	1,540	13.75	2,449	18.00	3,458
1.25	151	5.50	793	9.75	1,590	14.00	2,506	18.25	3,520
1.50	183	5.75	836	10.00	1,641	14.25	2,563	18.50	3,582
1.75	217	6.00	880	10.25	1,692	14.50	2,621	18.75	3,644
2.00	251	6.25	924	10.50	1,744	14.75	2,678	19.00	3,707
2.25	285	6.50	968	10.75	1,796	15.00	2,737	19.25	3,770
2.50	321	6.75	1,014	11.00	1,848	15.25	2,795	19.50	3,834
2.75	357	7.00	1,059	11.25	1,901	15.50	2,854	19.75	3,897
3.00	394	7.25	1,105	11.50	1,954	15.75	2,913	20.00	3,961
3.25	431	7.50	1,152	11.75	2,008	16.00	2,972	20.25	4,025
3.50	469	7.75	1,198	12.00	2,062	16.25	3,032	20.50	4,090
3.75	507	8.00	1,246	12.25	2,116	16.50	3,092	20.75	4,154
4.00	546	8.25	1,294	12.50	2,171	16.75	3,152	21.00	4,219



## Capacity/Gauge Table Information

**TCLX 290430**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 230

Reporting Mark: TCLX 290430

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,284	25.50	5,427	29.75	6,628	34.00	7,878	38.25	9,166
21.50	4,350	25.75	5,496	30.00	6,700	34.25	7,953	38.50	9,243
21.75	4,415	26.00	5,565	30.25	6,773	34.50	8,028	38.75	9,320
22.00	4,481	26.25	5,635	30.50	6,845	34.75	8,103	39.00	9,397
22.25	4,547	26.50	5,705	30.75	6,918	35.00	8,178	39.25	9,474
22.50	4,614	26.75	5,775	31.00	6,991	35.25	8,253	39.50	9,552
22.75	4,680	27.00	5,845	31.25	7,064	35.50	8,329	39.75	9,629
23.00	4,747	27.25	5,915	31.50	7,137	35.75	8,404	40.00	9,706
23.25	4,814	27.50	5,986	31.75	7,211	36.00	8,480	40.25	9,784
23.50	4,881	27.75	6,056	32.00	7,284	36.25	8,556	40.50	9,861
23.75	4,949	28.00	6,127	32.25	7,358	36.50	8,632	40.75	9,939
24.00	5,016	28.25	6,198	32.50	7,432	36.75	8,708	41.00	10,017
24.25	5,084	28.50	6,269	32.75	7,506	37.00	8,784	41.25	10,095
24.50	5,152	28.75	6,341	33.00	7,580	37.25	8,860	41.50	10,173
24.75	5,221	29.00	6,412	33.25	7,654	37.50	8,937	41.75	10,251
25.00	5,289	29.25	6,484	33.50	7,729	37.75	9,013	42.00	10,329
25.25	5,358	29.50	6,556	33.75	7,803	38.00	9,090	42.25	10,407



## Capacity/Gauge Table Information

**TCLX 290430**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 230

Reporting Mark: TCLX 290430

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,485	46.75	11,826	51.00	13,180	55.25	14,541	59.50	15,900
42.75	10,563	47.00	11,905	51.25	13,260	55.50	14,621	59.75	15,980
43.00	10,642	47.25	11,984	51.50	13,340	55.75	14,701	60.00	16,059
43.25	10,720	47.50	12,064	51.75	13,420	56.00	14,781	60.25	16,139
43.50	10,799	47.75	12,143	52.00	13,500	56.25	14,861	60.50	16,219
43.75	10,877	48.00	12,223	52.25	13,580	56.50	14,941	60.75	16,298
44.00	10,956	48.25	12,302	52.50	13,660	56.75	15,021	61.00	16,378
44.25	11,035	48.50	12,382	52.75	13,740	57.00	15,101	61.25	16,457
44.50	11,114	48.75	12,462	53.00	13,820	57.25	15,181	61.50	16,537
44.75	11,193	49.00	12,541	53.25	13,900	57.50	15,261	61.75	16,616
45.00	11,272	49.25	12,621	53.50	13,980	57.75	15,341	62.00	16,696
45.25	11,351	49.50	12,701	53.75	14,060	58.00	15,421	62.25	16,775
45.50	11,430	49.75	12,781	54.00	14,140	58.25	15,501	62.50	16,854
45.75	11,509	50.00	12,861	54.25	14,220	58.50	15,581	62.75	16,934
46.00	11,588	50.25	12,940	54.50	14,301	58.75	15,661	63.00	17,013
46.25	11,667	50.50	13,020	54.75	14,381	59.00	15,740	63.25	17,092
46.50	11,746	50.75	13,100	55.00	14,461	59.25	15,820	63.50	17,171



## Capacity/Gauge Table Information

**TCLX 290430**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 230

Reporting Mark: TCLX 290430

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,250	68.00	18,583	72.25	19,892	76.50	21,167	80.75	22,399
64.00	17,329	68.25	18,661	72.50	19,968	76.75	21,240	81.00	22,470
64.25	17,408	68.50	18,739	72.75	20,044	77.00	21,314	81.25	22,541
64.50	17,487	68.75	18,816	73.00	20,119	77.25	21,388	81.50	22,612
64.75	17,566	69.00	18,894	73.25	20,195	77.50	21,461	81.75	22,682
65.00	17,644	69.25	18,971	73.50	20,270	77.75	21,534	82.00	22,753
65.25	17,723	69.50	19,048	73.75	20,346	78.00	21,607	82.25	22,823
65.50	17,802	69.75	19,126	74.00	20,421	78.25	21,680	82.50	22,892
65.75	17,880	70.00	19,203	74.25	20,496	78.50	21,753	82.75	22,962
66.00	17,959	70.25	19,280	74.50	20,571	78.75	21,825	83.00	23,032
66.25	18,037	70.50	19,356	74.75	20,646	79.00	21,898	83.25	23,101
66.50	18,115	70.75	19,433	75.00	20,721	79.25	21,970	83.50	23,170
66.75	18,193	71.00	19,510	75.25	20,796	79.50	22,042	83.75	23,239
67.00	18,272	71.25	19,586	75.50	20,870	79.75	22,114	84.00	23,308
67.25	18,350	71.50	19,663	75.75	20,944	80.00	22,185	84.25	23,376
67.50	18,428	71.75	19,739	76.00	21,019	80.25	22,257	84.50	23,444
67.75	18,505	72.00	19,816	76.25	21,093	80.50	22,328	84.75	23,512



## Capacity/Gauge Table Information

**TCLX 290430**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 230

Reporting Mark: TCLX 290430

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,580	89.25	24,698	93.50	25,740	97.75	26,692	102.00	27,534
85.25	23,648	89.50	24,761	93.75	25,799	98.00	26,745	102.25	27,579
85.50	23,715	89.75	24,825	94.00	25,857	98.25	26,797	102.50	27,624
85.75	23,782	90.00	24,888	94.25	25,915	98.50	26,849	102.75	27,669
86.00	23,849	90.25	24,951	94.50	25,973	98.75	26,901	103.00	27,713
86.25	23,916	90.50	25,013	94.75	26,030	99.00	26,952	103.25	27,757
86.50	23,982	90.75	25,075	95.00	26,087	99.25	27,003	103.50	27,800
86.75	24,049	91.00	25,137	95.25	26,144	99.50	27,053	103.75	27,842
87.00	24,115	91.25	25,199	95.50	26,201	99.75	27,103	104.00	27,884
87.25	24,181	91.50	25,260	95.75	26,257	100.00	27,153	104.25	27,926
87.50	24,246	91.75	25,321	96.00	26,312	100.25	27,202	104.50	27,967
87.75	24,311	92.00	25,382	96.25	26,368	100.50	27,251	104.75	28,007
88.00	24,376	92.25	25,442	96.50	26,423	100.75	27,299	105.00	28,047
88.25	24,441	92.50	25,503	96.75	26,477	101.00	27,347	105.25	28,086
88.50	24,506	92.75	25,562	97.00	26,531	101.25	27,394	105.50	28,125
88.75	24,570	93.00	25,622	97.25	26,585	101.50	27,441	105.75	28,163
89.00	24,634	93.25	25,681	97.50	26,639	101.75	27,488	106.00	28,200



## Capacity/Gauge Table Information

**TCLX 290430**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 230

Reporting Mark: TCLX 290430

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,237	110.50	28,751	114.75	28,963
106.50	28,273	110.75	28,773	115.00	28,967
106.75	28,309	111.00	28,794	115.25	28,970
107.00	28,344	111.25	28,813	115.50	28,972
107.25	28,378	111.50	28,831	115.75	28,974
107.50	28,412	111.75	28,847	116.00	28,975
107.75	28,445	112.00	28,863	116.25	28,976
108.00	28,477	112.25	28,877	116.50	28,976
108.25	28,508	112.50	28,890	116.75	28,977
108.50	28,539	112.75	28,902		
108.75	28,568	113.00	28,913		
109.00	28,597	113.25	28,923		
109.25	28,625	113.50	28,932		
109.50	28,653	113.75	28,940		
109.75	28,679	114.00	28,947		
110.00	28,704	114.25	28,954		
110.25	28,728	114.50	28,959		





## Capacity/Gauge Table Information

**TCLX 290431**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 231

Reporting Mark: TCLX 290431

Date: 07/07/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,222	17.00	3,208
0.25	28	4.50	625	8.75	1,388	13.00	2,278	17.25	3,269
0.50	58	4.75	666	9.00	1,437	13.25	2,333	17.50	3,330
0.75	88	5.00	707	9.25	1,487	13.50	2,390	17.75	3,392
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,453
1.25	150	5.50	792	9.75	1,587	14.00	2,503	18.25	3,515
1.50	183	5.75	835	10.00	1,638	14.25	2,560	18.50	3,578
1.75	216	6.00	878	10.25	1,689	14.50	2,617	18.75	3,640
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,703
2.25	285	6.50	966	10.75	1,793	15.00	2,733	19.25	3,766
2.50	320	6.75	1,011	11.00	1,845	15.25	2,791	19.50	3,829
2.75	356	7.00	1,057	11.25	1,898	15.50	2,850	19.75	3,893
3.00	392	7.25	1,103	11.50	1,951	15.75	2,909	20.00	3,957
3.25	430	7.50	1,149	11.75	2,005	16.00	2,968	20.25	4,021
3.50	468	7.75	1,196	12.00	2,059	16.25	3,028	20.50	4,085
3.75	506	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,150
4.00	545	8.25	1,291	12.50	2,167	16.75	3,148	21.00	4,214



## Capacity/Gauge Table Information

**TCLX 290431**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 231

Reporting Mark: TCLX 290431

Date: 07/07/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,280	25.50	5,422	29.75	6,622	34.00	7,872	38.25	9,160
21.50	4,345	25.75	5,491	30.00	6,695	34.25	7,946	38.50	9,237
21.75	4,410	26.00	5,560	30.25	6,767	34.50	8,021	38.75	9,314
22.00	4,476	26.25	5,630	30.50	6,840	34.75	8,096	39.00	9,391
22.25	4,542	26.50	5,699	30.75	6,912	35.00	8,172	39.25	9,468
22.50	4,609	26.75	5,769	31.00	6,985	35.25	8,247	39.50	9,545
22.75	4,675	27.00	5,839	31.25	7,058	35.50	8,322	39.75	9,622
23.00	4,742	27.25	5,910	31.50	7,132	35.75	8,398	40.00	9,700
23.25	4,809	27.50	5,980	31.75	7,205	36.00	8,474	40.25	9,777
23.50	4,876	27.75	6,051	32.00	7,278	36.25	8,549	40.50	9,855
23.75	4,944	28.00	6,122	32.25	7,352	36.50	8,625	40.75	9,932
24.00	5,011	28.25	6,193	32.50	7,426	36.75	8,701	41.00	10,010
24.25	5,079	28.50	6,264	32.75	7,500	37.00	8,777	41.25	10,088
24.50	5,147	28.75	6,335	33.00	7,574	37.25	8,854	41.50	10,166
24.75	5,215	29.00	6,407	33.25	7,648	37.50	8,930	41.75	10,244
25.00	5,284	29.25	6,478	33.50	7,723	37.75	9,007	42.00	10,322
25.25	5,353	29.50	6,550	33.75	7,797	38.00	9,083	42.25	10,400



## Capacity/Gauge Table Information

**TCLX 290431**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 231

Reporting Mark: TCLX 290431

Date: 07/07/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,478	46.75	11,818	51.00	13,173	55.25	14,533	59.50	15,892
42.75	10,557	47.00	11,898	51.25	13,253	55.50	14,613	59.75	15,972
43.00	10,635	47.25	11,977	51.50	13,333	55.75	14,693	60.00	16,052
43.25	10,713	47.50	12,057	51.75	13,413	56.00	14,773	60.25	16,132
43.50	10,792	47.75	12,136	52.00	13,493	56.25	14,853	60.50	16,211
43.75	10,871	48.00	12,216	52.25	13,573	56.50	14,933	60.75	16,291
44.00	10,949	48.25	12,295	52.50	13,653	56.75	15,013	61.00	16,370
44.25	11,028	48.50	12,375	52.75	13,733	57.00	15,093	61.25	16,450
44.50	11,107	48.75	12,455	53.00	13,813	57.25	15,173	61.50	16,529
44.75	11,186	49.00	12,534	53.25	13,893	57.50	15,253	61.75	16,609
45.00	11,264	49.25	12,614	53.50	13,973	57.75	15,333	62.00	16,688
45.25	11,343	49.50	12,694	53.75	14,053	58.00	15,413	62.25	16,767
45.50	11,422	49.75	12,773	54.00	14,133	58.25	15,493	62.50	16,847
45.75	11,502	50.00	12,853	54.25	14,213	58.50	15,573	62.75	16,926
46.00	11,581	50.25	12,933	54.50	14,293	58.75	15,653	63.00	17,005
46.25	11,660	50.50	13,013	54.75	14,373	59.00	15,733	63.25	17,084
46.50	11,739	50.75	13,093	55.00	14,453	59.25	15,813	63.50	17,163



## Capacity/Gauge Table Information

**TCLX 290431**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 231

Reporting Mark: TCLX 290431

Date: 07/07/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,242	68.00	18,576	72.25	19,884	76.50	21,159	80.75	22,393
64.00	17,321	68.25	18,654	72.50	19,960	76.75	21,233	81.00	22,464
64.25	17,400	68.50	18,731	72.75	20,036	77.00	21,307	81.25	22,534
64.50	17,479	68.75	18,809	73.00	20,112	77.25	21,380	81.50	22,605
64.75	17,558	69.00	18,886	73.25	20,188	77.50	21,454	81.75	22,676
65.00	17,637	69.25	18,964	73.50	20,263	77.75	21,527	82.00	22,746
65.25	17,715	69.50	19,041	73.75	20,339	78.00	21,600	82.25	22,816
65.50	17,794	69.75	19,118	74.00	20,414	78.25	21,673	82.50	22,886
65.75	17,872	70.00	19,195	74.25	20,489	78.50	21,746	82.75	22,955
66.00	17,951	70.25	19,272	74.50	20,564	78.75	21,818	83.00	23,025
66.25	18,029	70.50	19,349	74.75	20,639	79.00	21,891	83.25	23,094
66.50	18,108	70.75	19,426	75.00	20,714	79.25	21,963	83.50	23,163
66.75	18,186	71.00	19,502	75.25	20,788	79.50	22,035	83.75	23,232
67.00	18,264	71.25	19,579	75.50	20,863	79.75	22,107	84.00	23,301
67.25	18,342	71.50	19,656	75.75	20,937	80.00	22,178	84.25	23,370
67.50	18,420	71.75	19,732	76.00	21,011	80.25	22,250	84.50	23,438
67.75	18,498	72.00	19,808	76.25	21,086	80.50	22,321	84.75	23,506



## Capacity/Gauge Table Information

**TCLX 290431**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 231

Reporting Mark: TCLX 290431

Date: 07/07/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,574	89.25	24,692	93.50	25,735	97.75	26,688	102.00	27,530
85.25	23,641	89.50	24,756	93.75	25,794	98.00	26,741	102.25	27,576
85.50	23,709	89.75	24,819	94.00	25,852	98.25	26,793	102.50	27,621
85.75	23,776	90.00	24,882	94.25	25,910	98.50	26,845	102.75	27,666
86.00	23,843	90.25	24,945	94.50	25,968	98.75	26,897	103.00	27,710
86.25	23,910	90.50	25,007	94.75	26,025	99.00	26,948	103.25	27,754
86.50	23,976	90.75	25,070	95.00	26,083	99.25	26,999	103.50	27,797
86.75	24,042	91.00	25,131	95.25	26,139	99.50	27,049	103.75	27,839
87.00	24,109	91.25	25,193	95.50	26,196	99.75	27,099	104.00	27,881
87.25	24,174	91.50	25,255	95.75	26,252	100.00	27,149	104.25	27,923
87.50	24,240	91.75	25,316	96.00	26,308	100.25	27,198	104.50	27,964
87.75	24,305	92.00	25,376	96.25	26,363	100.50	27,247	104.75	28,005
88.00	24,370	92.25	25,437	96.50	26,418	100.75	27,295	105.00	28,044
88.25	24,435	92.50	25,497	96.75	26,473	101.00	27,343	105.25	28,084
88.50	24,500	92.75	25,557	97.00	26,527	101.25	27,391	105.50	28,123
88.75	24,564	93.00	25,617	97.25	26,581	101.50	27,438	105.75	28,161
89.00	24,628	93.25	25,676	97.50	26,634	101.75	27,484	106.00	28,198



## Capacity/Gauge Table Information

**TCLX 290431**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 231

Reporting Mark: TCLX 290431

Date: 07/07/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,235	110.50	28,751	114.75	28,965
106.50	28,272	110.75	28,773	115.00	28,969
106.75	28,307	111.00	28,794	115.25	28,972
107.00	28,342	111.25	28,813	115.50	28,975
107.25	28,377	111.50	28,831	115.75	28,976
107.50	28,410	111.75	28,848	116.00	28,977
107.75	28,443	112.00	28,864	116.25	28,978
108.00	28,475	112.25	28,878	116.50	28,979
108.25	28,507	112.50	28,892	116.75	28,979
108.50	28,537	112.75	28,904		
108.75	28,567	113.00	28,915		
109.00	28,596	113.25	28,925		
109.25	28,625	113.50	28,934		
109.50	28,652	113.75	28,942		
109.75	28,678	114.00	28,949		
110.00	28,704	114.25	28,955		
110.25	28,728	114.50	28,961		



## Capacity/Gauge Table Information

**TCLX 290432**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 232

Reporting Mark: TCLX 290432

Date: 07/07/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,344	12.75	2,228	17.00	3,215
0.25	29	4.50	627	8.75	1,392	13.00	2,283	17.25	3,276
0.50	58	4.75	668	9.00	1,441	13.25	2,339	17.50	3,337
0.75	88	5.00	710	9.25	1,491	13.50	2,395	17.75	3,398
1.00	119	5.25	752	9.50	1,541	13.75	2,452	18.00	3,460
1.25	151	5.50	794	9.75	1,592	14.00	2,508	18.25	3,522
1.50	184	5.75	837	10.00	1,642	14.25	2,565	18.50	3,584
1.75	217	6.00	881	10.25	1,694	14.50	2,623	18.75	3,647
2.00	251	6.25	925	10.50	1,745	14.75	2,681	19.00	3,710
2.25	286	6.50	970	10.75	1,798	15.00	2,739	19.25	3,773
2.50	321	6.75	1,015	11.00	1,850	15.25	2,797	19.50	3,836
2.75	357	7.00	1,060	11.25	1,903	15.50	2,856	19.75	3,900
3.00	394	7.25	1,106	11.50	1,956	15.75	2,915	20.00	3,964
3.25	431	7.50	1,153	11.75	2,010	16.00	2,974	20.25	4,028
3.50	469	7.75	1,200	12.00	2,064	16.25	3,034	20.50	4,092
3.75	508	8.00	1,247	12.25	2,118	16.50	3,094	20.75	4,157
4.00	547	8.25	1,295	12.50	2,173	16.75	3,154	21.00	4,222





## Capacity/Gauge Table Information

**TCLX 290432**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 232

Reporting Mark: TCLX 290432

Date: 07/07/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,287	25.50	5,430	29.75	6,631	34.00	7,881	38.25	9,170
21.50	4,352	25.75	5,499	30.00	6,704	34.25	7,956	38.50	9,247
21.75	4,418	26.00	5,568	30.25	6,776	34.50	8,031	38.75	9,323
22.00	4,484	26.25	5,638	30.50	6,849	34.75	8,106	39.00	9,401
22.25	4,550	26.50	5,708	30.75	6,921	35.00	8,181	39.25	9,478
22.50	4,616	26.75	5,778	31.00	6,994	35.25	8,257	39.50	9,555
22.75	4,683	27.00	5,848	31.25	7,067	35.50	8,332	39.75	9,632
23.00	4,750	27.25	5,918	31.50	7,141	35.75	8,408	40.00	9,710
23.25	4,817	27.50	5,989	31.75	7,214	36.00	8,483	40.25	9,787
23.50	4,884	27.75	6,059	32.00	7,288	36.25	8,559	40.50	9,865
23.75	4,951	28.00	6,130	32.25	7,361	36.50	8,635	40.75	9,942
24.00	5,019	28.25	6,201	32.50	7,435	36.75	8,711	41.00	10,020
24.25	5,087	28.50	6,272	32.75	7,509	37.00	8,787	41.25	10,098
24.50	5,155	28.75	6,344	33.00	7,583	37.25	8,864	41.50	10,176
24.75	5,224	29.00	6,415	33.25	7,657	37.50	8,940	41.75	10,254
25.00	5,292	29.25	6,487	33.50	7,732	37.75	9,016	42.00	10,332
25.25	5,361	29.50	6,559	33.75	7,806	38.00	9,093	42.25	10,410



## Capacity/Gauge Table Information

**TCLX 290432**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 232

Reporting Mark: TCLX 290432

Date: 07/07/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,488	46.75	11,829	51.00	13,183	55.25	14,544	59.50	15,903
42.75	10,567	47.00	11,908	51.25	13,263	55.50	14,624	59.75	15,983
43.00	10,645	47.25	11,988	51.50	13,343	55.75	14,704	60.00	16,062
43.25	10,724	47.50	12,067	51.75	13,423	56.00	14,784	60.25	16,142
43.50	10,802	47.75	12,147	52.00	13,503	56.25	14,864	60.50	16,222
43.75	10,881	48.00	12,226	52.25	13,583	56.50	14,944	60.75	16,301
44.00	10,959	48.25	12,306	52.50	13,663	56.75	15,024	61.00	16,381
44.25	11,038	48.50	12,385	52.75	13,743	57.00	15,104	61.25	16,460
44.50	11,117	48.75	12,465	53.00	13,823	57.25	15,184	61.50	16,540
44.75	11,196	49.00	12,545	53.25	13,903	57.50	15,264	61.75	16,619
45.00	11,275	49.25	12,624	53.50	13,983	57.75	15,344	62.00	16,699
45.25	11,354	49.50	12,704	53.75	14,063	58.00	15,424	62.25	16,778
45.50	11,433	49.75	12,784	54.00	14,144	58.25	15,504	62.50	16,857
45.75	11,512	50.00	12,864	54.25	14,224	58.50	15,584	62.75	16,936
46.00	11,591	50.25	12,944	54.50	14,304	58.75	15,664	63.00	17,016
46.25	11,670	50.50	13,023	54.75	14,384	59.00	15,743	63.25	17,095
46.50	11,750	50.75	13,103	55.00	14,464	59.25	15,823	63.50	17,174



## Capacity/Gauge Table Information

**TCLX 290432**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 232

Reporting Mark: TCLX 290432

Date: 07/07/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,253	68.00	18,586	72.25	19,894	76.50	21,169	80.75	22,401
64.00	17,332	68.25	18,664	72.50	19,970	76.75	21,243	81.00	22,472
64.25	17,411	68.50	18,741	72.75	20,046	77.00	21,316	81.25	22,543
64.50	17,490	68.75	18,819	73.00	20,122	77.25	21,390	81.50	22,614
64.75	17,568	69.00	18,896	73.25	20,197	77.50	21,463	81.75	22,684
65.00	17,647	69.25	18,974	73.50	20,273	77.75	21,536	82.00	22,754
65.25	17,726	69.50	19,051	73.75	20,348	78.00	21,609	82.25	22,824
65.50	17,804	69.75	19,128	74.00	20,423	78.25	21,682	82.50	22,894
65.75	17,883	70.00	19,205	74.25	20,499	78.50	21,755	82.75	22,964
66.00	17,961	70.25	19,282	74.50	20,574	78.75	21,827	83.00	23,033
66.25	18,040	70.50	19,359	74.75	20,649	79.00	21,900	83.25	23,103
66.50	18,118	70.75	19,436	75.00	20,723	79.25	21,972	83.50	23,172
66.75	18,196	71.00	19,512	75.25	20,798	79.50	22,044	83.75	23,241
67.00	18,274	71.25	19,589	75.50	20,872	79.75	22,116	84.00	23,309
67.25	18,352	71.50	19,665	75.75	20,947	80.00	22,187	84.25	23,378
67.50	18,430	71.75	19,742	76.00	21,021	80.25	22,259	84.50	23,446
67.75	18,508	72.00	19,818	76.25	21,095	80.50	22,330	84.75	23,514



## Capacity/Gauge Table Information

**TCLX 290432**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 232

Reporting Mark: TCLX 290432

Date: 07/07/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,582	89.25	24,699	93.50	25,741	97.75	26,693	102.00	27,534
85.25	23,649	89.50	24,763	93.75	25,800	98.00	26,745	102.25	27,579
85.50	23,717	89.75	24,826	94.00	25,858	98.25	26,798	102.50	27,624
85.75	23,784	90.00	24,889	94.25	25,916	98.50	26,850	102.75	27,669
86.00	23,851	90.25	24,952	94.50	25,974	98.75	26,901	103.00	27,713
86.25	23,918	90.50	25,014	94.75	26,031	99.00	26,953	103.25	27,756
86.50	23,984	90.75	25,076	95.00	26,088	99.25	27,003	103.50	27,800
86.75	24,050	91.00	25,138	95.25	26,145	99.50	27,054	103.75	27,842
87.00	24,116	91.25	25,200	95.50	26,201	99.75	27,104	104.00	27,884
87.25	24,182	91.50	25,261	95.75	26,257	100.00	27,153	104.25	27,925
87.50	24,248	91.75	25,322	96.00	26,313	100.25	27,202	104.50	27,966
87.75	24,313	92.00	25,383	96.25	26,368	100.50	27,251	104.75	28,007
88.00	24,378	92.25	25,444	96.50	26,423	100.75	27,299	105.00	28,047
88.25	24,443	92.50	25,504	96.75	26,478	101.00	27,347	105.25	28,086
88.50	24,507	92.75	25,564	97.00	26,532	101.25	27,394	105.50	28,124
88.75	24,571	93.00	25,623	97.25	26,586	101.50	27,441	105.75	28,162
89.00	24,636	93.25	25,682	97.50	26,640	101.75	27,488	106.00	28,200



## Capacity/Gauge Table Information

**TCLX 290432**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 232

Reporting Mark: TCLX 290432

Date: 07/07/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,237	110.50	28,749	114.75	28,960
106.50	28,273	110.75	28,771	115.00	28,964
106.75	28,308	111.00	28,791	115.25	28,967
107.00	28,343	111.25	28,810	115.50	28,969
107.25	28,377	111.50	28,828	115.75	28,971
107.50	28,411	111.75	28,845	116.00	28,972
107.75	28,444	112.00	28,860	116.25	28,973
108.00	28,476	112.25	28,874	116.50	28,973
108.25	28,507	112.50	28,888	116.75	28,973
108.50	28,537	112.75	28,900		
108.75	28,567	113.00	28,911		
109.00	28,596	113.25	28,920		
109.25	28,624	113.50	28,929		
109.50	28,651	113.75	28,937		
109.75	28,677	114.00	28,944		
110.00	28,702	114.25	28,950		
110.25	28,727	114.50	28,956		



## Capacity/Gauge Table Information

**TCLX 290433**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 233

Reporting Mark: TCLX 290433

Date: 30/06/2015

Capacity: 28,974 US Gallons (109,679 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,335	12.75	2,217	17.00	3,201
0.25	28	4.50	623	8.75	1,384	13.00	2,272	17.25	3,262
0.50	57	4.75	663	9.00	1,433	13.25	2,327	17.50	3,323
0.75	87	5.00	704	9.25	1,482	13.50	2,383	17.75	3,384
1.00	118	5.25	746	9.50	1,532	13.75	2,440	18.00	3,446
1.25	150	5.50	789	9.75	1,582	14.00	2,496	18.25	3,508
1.50	182	5.75	831	10.00	1,633	14.25	2,553	18.50	3,570
1.75	215	6.00	875	10.25	1,684	14.50	2,611	18.75	3,632
2.00	249	6.25	919	10.50	1,736	14.75	2,668	19.00	3,695
2.25	283	6.50	963	10.75	1,788	15.00	2,726	19.25	3,758
2.50	318	6.75	1,008	11.00	1,840	15.25	2,784	19.50	3,821
2.75	354	7.00	1,053	11.25	1,893	15.50	2,843	19.75	3,884
3.00	391	7.25	1,099	11.50	1,946	15.75	2,902	20.00	3,948
3.25	428	7.50	1,145	11.75	1,999	16.00	2,961	20.25	4,012
3.50	466	7.75	1,192	12.00	2,053	16.25	3,021	20.50	4,077
3.75	504	8.00	1,239	12.25	2,107	16.50	3,080	20.75	4,141
4.00	543	8.25	1,287	12.50	2,162	16.75	3,141	21.00	4,206



## Capacity/Gauge Table Information

**TCLX 290433**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 233

Reporting Mark: TCLX 290433

Date: 30/06/2015

Capacity: 28,974 US Gallons (109,679 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,271	25.50	5,412	29.75	6,611	34.00	7,860	38.25	9,147
21.50	4,336	25.75	5,481	30.00	6,684	34.25	7,934	38.50	9,224
21.75	4,402	26.00	5,550	30.25	6,756	34.50	8,009	38.75	9,300
22.00	4,467	26.25	5,619	30.50	6,828	34.75	8,084	39.00	9,377
22.25	4,533	26.50	5,689	30.75	6,901	35.00	8,159	39.25	9,454
22.50	4,600	26.75	5,759	31.00	6,974	35.25	8,235	39.50	9,532
22.75	4,666	27.00	5,829	31.25	7,047	35.50	8,310	39.75	9,609
23.00	4,733	27.25	5,899	31.50	7,120	35.75	8,385	40.00	9,686
23.25	4,800	27.50	5,970	31.75	7,193	36.00	8,461	40.25	9,764
23.50	4,867	27.75	6,040	32.00	7,267	36.25	8,537	40.50	9,841
23.75	4,934	28.00	6,111	32.25	7,340	36.50	8,613	40.75	9,919
24.00	5,002	28.25	6,182	32.50	7,414	36.75	8,689	41.00	9,996
24.25	5,069	28.50	6,253	32.75	7,488	37.00	8,765	41.25	10,074
24.50	5,137	28.75	6,324	33.00	7,562	37.25	8,841	41.50	10,152
24.75	5,206	29.00	6,396	33.25	7,636	37.50	8,917	41.75	10,230
25.00	5,274	29.25	6,468	33.50	7,711	37.75	8,994	42.00	10,308
25.25	5,343	29.50	6,539	33.75	7,785	38.00	9,070	42.25	10,386





## Capacity/Gauge Table Information

**TCLX 290433**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 233

Reporting Mark: TCLX 290433

Date: 30/06/2015

Capacity: 28,974 US Gallons (109,679 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,464	46.75	11,804	51.00	13,157	55.25	14,517	59.50	15,876
42.75	10,543	47.00	11,883	51.25	13,237	55.50	14,597	59.75	15,956
43.00	10,621	47.25	11,963	51.50	13,317	55.75	14,677	60.00	16,035
43.25	10,699	47.50	12,042	51.75	13,397	56.00	14,757	60.25	16,115
43.50	10,778	47.75	12,121	52.00	13,477	56.25	14,837	60.50	16,195
43.75	10,856	48.00	12,201	52.25	13,557	56.50	14,917	60.75	16,274
44.00	10,935	48.25	12,280	52.50	13,637	56.75	14,997	61.00	16,354
44.25	11,014	48.50	12,360	52.75	13,717	57.00	15,077	61.25	16,433
44.50	11,092	48.75	12,440	53.00	13,797	57.25	15,157	61.50	16,513
44.75	11,171	49.00	12,519	53.25	13,877	57.50	15,237	61.75	16,592
45.00	11,250	49.25	12,599	53.50	13,957	57.75	15,317	62.00	16,672
45.25	11,329	49.50	12,679	53.75	14,037	58.00	15,397	62.25	16,751
45.50	11,408	49.75	12,758	54.00	14,117	58.25	15,477	62.50	16,830
45.75	11,487	50.00	12,838	54.25	14,197	58.50	15,557	62.75	16,909
46.00	11,566	50.25	12,918	54.50	14,277	58.75	15,637	63.00	16,989
46.25	11,645	50.50	12,998	54.75	14,357	59.00	15,717	63.25	17,068
46.50	11,725	50.75	13,078	55.00	14,437	59.25	15,796	63.50	17,147



## Capacity/Gauge Table Information

**TCLX 290433**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 233

Reporting Mark: TCLX 290433

Date: 30/06/2015

Capacity: 28,974 US Gallons (109,679 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,226	68.00	18,559	72.25	19,867	76.50	21,142	80.75	22,376
64.00	17,305	68.25	18,637	72.50	19,943	76.75	21,216	81.00	22,447
64.25	17,384	68.50	18,714	72.75	20,019	77.00	21,290	81.25	22,517
64.50	17,462	68.75	18,792	73.00	20,095	77.25	21,363	81.50	22,588
64.75	17,541	69.00	18,869	73.25	20,170	77.50	21,437	81.75	22,659
65.00	17,620	69.25	18,947	73.50	20,246	77.75	21,510	82.00	22,729
65.25	17,699	69.50	19,024	73.75	20,321	78.00	21,583	82.25	22,799
65.50	17,777	69.75	19,101	74.00	20,397	78.25	21,656	82.50	22,869
65.75	17,856	70.00	19,178	74.25	20,472	78.50	21,729	82.75	22,939
66.00	17,934	70.25	19,255	74.50	20,547	78.75	21,801	83.00	23,008
66.25	18,012	70.50	19,332	74.75	20,622	79.00	21,873	83.25	23,077
66.50	18,091	70.75	19,409	75.00	20,697	79.25	21,946	83.50	23,147
66.75	18,169	71.00	19,485	75.25	20,771	79.50	22,018	83.75	23,216
67.00	18,247	71.25	19,562	75.50	20,846	79.75	22,090	84.00	23,284
67.25	18,325	71.50	19,638	75.75	20,920	80.00	22,161	84.25	23,353
67.50	18,403	71.75	19,715	76.00	20,994	80.25	22,233	84.50	23,421
67.75	18,481	72.00	19,791	76.25	21,068	80.50	22,304	84.75	23,489



## Capacity/Gauge Table Information

**TCLX 290433**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 233

Reporting Mark: TCLX 290433

Date: 30/06/2015

Capacity: 28,974 US Gallons (109,679 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,557	89.25	24,676	93.50	25,720	97.75	26,673	102.00	27,517
85.25	23,625	89.50	24,739	93.75	25,778	98.00	26,726	102.25	27,563
85.50	23,692	89.75	24,803	94.00	25,837	98.25	26,779	102.50	27,608
85.75	23,759	90.00	24,866	94.25	25,895	98.50	26,831	102.75	27,653
86.00	23,826	90.25	24,929	94.50	25,953	98.75	26,882	103.00	27,697
86.25	23,893	90.50	24,991	94.75	26,010	99.00	26,934	103.25	27,741
86.50	23,960	90.75	25,054	95.00	26,067	99.25	26,985	103.50	27,784
86.75	24,026	91.00	25,116	95.25	26,124	99.50	27,035	103.75	27,827
87.00	24,092	91.25	25,177	95.50	26,181	99.75	27,085	104.00	27,869
87.25	24,158	91.50	25,239	95.75	26,237	100.00	27,135	104.25	27,911
87.50	24,224	91.75	25,300	96.00	26,293	100.25	27,184	104.50	27,952
87.75	24,289	92.00	25,361	96.25	26,348	100.50	27,233	104.75	27,992
88.00	24,354	92.25	25,421	96.50	26,403	100.75	27,282	105.00	28,032
88.25	24,419	92.50	25,482	96.75	26,458	101.00	27,330	105.25	28,072
88.50	24,484	92.75	25,541	97.00	26,512	101.25	27,377	105.50	28,111
88.75	24,548	93.00	25,601	97.25	26,566	101.50	27,424	105.75	28,149
89.00	24,612	93.25	25,661	97.50	26,620	101.75	27,471	106.00	28,187



## Capacity/Gauge Table Information

**TCLX 290433**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 233

Reporting Mark: TCLX 290433

Date: 30/06/2015

Capacity: 28,974 US Gallons (109,679 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,224	110.50	28,743	114.75	28,961
106.50	28,260	110.75	28,765	115.00	28,964
106.75	28,296	111.00	28,786	115.25	28,968
107.00	28,331	111.25	28,806	115.50	28,970
107.25	28,366	111.50	28,824	115.75	28,972
107.50	28,400	111.75	28,842	116.00	28,973
107.75	28,433	112.00	28,858	116.25	28,974
108.00	28,465	112.25	28,872	116.50	28,974
108.25	28,497	112.50	28,886	116.75	28,974
108.50	28,528	112.75	28,898		
108.75	28,558	113.00	28,909		
109.00	28,587	113.25	28,920		
109.25	28,615	113.50	28,929		
109.50	28,643	113.75	28,937		
109.75	28,669	114.00	28,944		
110.00	28,695	114.25	28,951		
110.25	28,720	114.50	28,956		



## Capacity/Gauge Table Information

**TCLX 290434**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 234

Reporting Mark: TCLX 290434

Date: 30/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,225	17.00	3,212
0.25	28	4.50	626	8.75	1,390	13.00	2,280	17.25	3,272
0.50	58	4.75	667	9.00	1,439	13.25	2,336	17.50	3,333
0.75	88	5.00	709	9.25	1,489	13.50	2,392	17.75	3,395
1.00	119	5.25	750	9.50	1,539	13.75	2,449	18.00	3,457
1.25	151	5.50	793	9.75	1,589	14.00	2,505	18.25	3,519
1.50	183	5.75	836	10.00	1,640	14.25	2,562	18.50	3,581
1.75	217	6.00	880	10.25	1,691	14.50	2,620	18.75	3,643
2.00	251	6.25	924	10.50	1,743	14.75	2,678	19.00	3,706
2.25	285	6.50	968	10.75	1,795	15.00	2,736	19.25	3,769
2.50	321	6.75	1,013	11.00	1,848	15.25	2,794	19.50	3,832
2.75	357	7.00	1,059	11.25	1,900	15.50	2,853	19.75	3,896
3.00	393	7.25	1,105	11.50	1,954	15.75	2,912	20.00	3,960
3.25	431	7.50	1,151	11.75	2,007	16.00	2,971	20.25	4,024
3.50	469	7.75	1,198	12.00	2,061	16.25	3,031	20.50	4,088
3.75	507	8.00	1,245	12.25	2,115	16.50	3,091	20.75	4,153
4.00	546	8.25	1,293	12.50	2,170	16.75	3,151	21.00	4,218



## Capacity/Gauge Table Information

**TCLX 290434**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 234

Reporting Mark: TCLX 290434

Date: 30/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,283	25.50	5,425	29.75	6,626	34.00	7,876	38.25	9,164
21.50	4,348	25.75	5,494	30.00	6,699	34.25	7,951	38.50	9,241
21.75	4,414	26.00	5,564	30.25	6,771	34.50	8,026	38.75	9,318
22.00	4,480	26.25	5,633	30.50	6,844	34.75	8,101	39.00	9,395
22.25	4,546	26.50	5,703	30.75	6,916	35.00	8,176	39.25	9,472
22.50	4,612	26.75	5,773	31.00	6,989	35.25	8,251	39.50	9,549
22.75	4,679	27.00	5,843	31.25	7,062	35.50	8,327	39.75	9,626
23.00	4,746	27.25	5,913	31.50	7,136	35.75	8,402	40.00	9,704
23.25	4,813	27.50	5,984	31.75	7,209	36.00	8,478	40.25	9,781
23.50	4,880	27.75	6,055	32.00	7,282	36.25	8,554	40.50	9,859
23.75	4,947	28.00	6,125	32.25	7,356	36.50	8,630	40.75	9,937
24.00	5,015	28.25	6,196	32.50	7,430	36.75	8,706	41.00	10,014
24.25	5,083	28.50	6,268	32.75	7,504	37.00	8,782	41.25	10,092
24.50	5,151	28.75	6,339	33.00	7,578	37.25	8,858	41.50	10,170
24.75	5,219	29.00	6,411	33.25	7,652	37.50	8,934	41.75	10,248
25.00	5,288	29.25	6,482	33.50	7,727	37.75	9,011	42.00	10,326
25.25	5,356	29.50	6,554	33.75	7,801	38.00	9,087	42.25	10,404



## Capacity/Gauge Table Information

**TCLX 290434**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 234

Reporting Mark: TCLX 290434

Date: 30/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,483	46.75	11,823	51.00	13,177	55.25	14,537	59.50	15,896
42.75	10,561	47.00	11,902	51.25	13,257	55.50	14,617	59.75	15,976
43.00	10,639	47.25	11,982	51.50	13,337	55.75	14,698	60.00	16,056
43.25	10,718	47.50	12,061	51.75	13,417	56.00	14,778	60.25	16,135
43.50	10,796	47.75	12,140	52.00	13,497	56.25	14,858	60.50	16,215
43.75	10,875	48.00	12,220	52.25	13,577	56.50	14,938	60.75	16,295
44.00	10,954	48.25	12,300	52.50	13,657	56.75	15,018	61.00	16,374
44.25	11,032	48.50	12,379	52.75	13,737	57.00	15,098	61.25	16,454
44.50	11,111	48.75	12,459	53.00	13,817	57.25	15,178	61.50	16,533
44.75	11,190	49.00	12,539	53.25	13,897	57.50	15,258	61.75	16,613
45.00	11,269	49.25	12,618	53.50	13,977	57.75	15,337	62.00	16,692
45.25	11,348	49.50	12,698	53.75	14,057	58.00	15,417	62.25	16,771
45.50	11,427	49.75	12,778	54.00	14,137	58.25	15,497	62.50	16,851
45.75	11,506	50.00	12,858	54.25	14,217	58.50	15,577	62.75	16,930
46.00	11,585	50.25	12,937	54.50	14,297	58.75	15,657	63.00	17,009
46.25	11,664	50.50	13,017	54.75	14,377	59.00	15,737	63.25	17,088
46.50	11,744	50.75	13,097	55.00	14,457	59.25	15,817	63.50	17,167





## Capacity/Gauge Table Information

**TCLX 290434**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 234

Reporting Mark: TCLX 290434

Date: 30/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,246	68.00	18,579	72.25	19,887	76.50	21,162	80.75	22,395
64.00	17,325	68.25	18,657	72.50	19,963	76.75	21,236	81.00	22,466
64.25	17,404	68.50	18,735	72.75	20,039	77.00	21,310	81.25	22,536
64.50	17,483	68.75	18,812	73.00	20,115	77.25	21,383	81.50	22,607
64.75	17,562	69.00	18,890	73.25	20,191	77.50	21,456	81.75	22,678
65.00	17,640	69.25	18,967	73.50	20,266	77.75	21,529	82.00	22,748
65.25	17,719	69.50	19,044	73.75	20,342	78.00	21,602	82.25	22,818
65.50	17,798	69.75	19,121	74.00	20,417	78.25	21,675	82.50	22,888
65.75	17,876	70.00	19,198	74.25	20,492	78.50	21,748	82.75	22,957
66.00	17,955	70.25	19,275	74.50	20,567	78.75	21,821	83.00	23,027
66.25	18,033	70.50	19,352	74.75	20,642	79.00	21,893	83.25	23,096
66.50	18,111	70.75	19,429	75.00	20,717	79.25	21,965	83.50	23,165
66.75	18,189	71.00	19,506	75.25	20,791	79.50	22,037	83.75	23,234
67.00	18,268	71.25	19,582	75.50	20,866	79.75	22,109	84.00	23,303
67.25	18,346	71.50	19,659	75.75	20,940	80.00	22,181	84.25	23,371
67.50	18,424	71.75	19,735	76.00	21,014	80.25	22,252	84.50	23,439
67.75	18,501	72.00	19,811	76.25	21,088	80.50	22,324	84.75	23,507



## Capacity/Gauge Table Information

**TCLX 290434**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 234

Reporting Mark: TCLX 290434

Date: 30/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,575	89.25	24,693	93.50	25,735	97.75	26,687	102.00	27,528
85.25	23,643	89.50	24,756	93.75	25,794	98.00	26,740	102.25	27,574
85.50	23,710	89.75	24,820	94.00	25,852	98.25	26,792	102.50	27,619
85.75	23,777	90.00	24,883	94.25	25,910	98.50	26,844	102.75	27,664
86.00	23,844	90.25	24,945	94.50	25,968	98.75	26,896	103.00	27,708
86.25	23,911	90.50	25,008	94.75	26,025	99.00	26,947	103.25	27,751
86.50	23,978	90.75	25,070	95.00	26,082	99.25	26,998	103.50	27,794
86.75	24,044	91.00	25,132	95.25	26,139	99.50	27,048	103.75	27,837
87.00	24,110	91.25	25,194	95.50	26,195	99.75	27,098	104.00	27,879
87.25	24,176	91.50	25,255	95.75	26,251	100.00	27,148	104.25	27,920
87.50	24,241	91.75	25,316	96.00	26,307	100.25	27,197	104.50	27,961
87.75	24,306	92.00	25,377	96.25	26,362	100.50	27,245	104.75	28,002
88.00	24,371	92.25	25,437	96.50	26,417	100.75	27,294	105.00	28,042
88.25	24,436	92.50	25,497	96.75	26,472	101.00	27,342	105.25	28,081
88.50	24,501	92.75	25,557	97.00	26,526	101.25	27,389	105.50	28,119
88.75	24,565	93.00	25,617	97.25	26,580	101.50	27,436	105.75	28,158
89.00	24,629	93.25	25,676	97.50	26,634	101.75	27,482	106.00	28,195



## Capacity/Gauge Table Information

**TCLX 290434**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 234

Reporting Mark: TCLX 290434

Date: 30/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,232	110.50	28,746	114.75	28,958
106.50	28,268	110.75	28,768	115.00	28,962
106.75	28,304	111.00	28,788	115.25	28,965
107.00	28,339	111.25	28,807	115.50	28,967
107.25	28,373	111.50	28,825	115.75	28,969
107.50	28,406	111.75	28,842	116.00	28,970
107.75	28,439	112.00	28,857	116.25	28,971
108.00	28,471	112.25	28,872	116.50	28,971
108.25	28,503	112.50	28,885	116.75	28,971
108.50	28,533	112.75	28,897		
108.75	28,563	113.00	28,908		
109.00	28,592	113.25	28,918		
109.25	28,620	113.50	28,927		
109.50	28,647	113.75	28,935		
109.75	28,673	114.00	28,942		
110.00	28,699	114.25	28,948		
110.25	28,723	114.50	28,953		



## Capacity/Gauge Table Information

**TCLX 290435**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 235

Reporting Mark: TCLX 290435

Date: 07/07/2015

Capacity: 28,951 US Gallons (109,592 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	592	8.50	1,352	12.75	2,239	17.00	3,229
0.25	29	4.50	633	8.75	1,401	13.00	2,295	17.25	3,290
0.50	59	4.75	674	9.00	1,451	13.25	2,351	17.50	3,351
0.75	89	5.00	716	9.25	1,500	13.50	2,407	17.75	3,413
1.00	121	5.25	758	9.50	1,551	13.75	2,464	18.00	3,474
1.25	153	5.50	801	9.75	1,601	14.00	2,521	18.25	3,537
1.50	186	5.75	844	10.00	1,652	14.25	2,578	18.50	3,599
1.75	219	6.00	888	10.25	1,704	14.50	2,636	18.75	3,662
2.00	254	6.25	932	10.50	1,756	14.75	2,693	19.00	3,725
2.25	289	6.50	977	10.75	1,808	15.00	2,752	19.25	3,788
2.50	324	6.75	1,022	11.00	1,860	15.25	2,810	19.50	3,851
2.75	361	7.00	1,068	11.25	1,914	15.50	2,869	19.75	3,915
3.00	398	7.25	1,114	11.50	1,967	15.75	2,928	20.00	3,979
3.25	436	7.50	1,161	11.75	2,021	16.00	2,988	20.25	4,043
3.50	474	7.75	1,208	12.00	2,075	16.25	3,048	20.50	4,108
3.75	513	8.00	1,256	12.25	2,129	16.50	3,108	20.75	4,173
4.00	552	8.25	1,304	12.50	2,184	16.75	3,168	21.00	4,238



## Capacity/Gauge Table Information

**TCLX 290435**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 235

Reporting Mark: TCLX 290435

Date: 07/07/2015

Capacity: 28,951 US Gallons (109,592 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,303	25.50	5,447	29.75	6,650	34.00	7,900	38.25	9,190
21.50	4,368	25.75	5,516	30.00	6,722	34.25	7,975	38.50	9,267
21.75	4,434	26.00	5,586	30.25	6,795	34.50	8,050	38.75	9,343
22.00	4,500	26.25	5,655	30.50	6,867	34.75	8,125	39.00	9,421
22.25	4,566	26.50	5,725	30.75	6,940	35.00	8,201	39.25	9,498
22.50	4,633	26.75	5,795	31.00	7,013	35.25	8,276	39.50	9,575
22.75	4,699	27.00	5,865	31.25	7,086	35.50	8,352	39.75	9,652
23.00	4,766	27.25	5,936	31.50	7,159	35.75	8,427	40.00	9,730
23.25	4,833	27.50	6,006	31.75	7,233	36.00	8,503	40.25	9,807
23.50	4,901	27.75	6,077	32.00	7,307	36.25	8,579	40.50	9,885
23.75	4,968	28.00	6,148	32.25	7,380	36.50	8,655	40.75	9,963
24.00	5,036	28.25	6,219	32.50	7,454	36.75	8,731	41.00	10,040
24.25	5,104	28.50	6,291	32.75	7,528	37.00	8,807	41.25	10,118
24.50	5,172	28.75	6,362	33.00	7,602	37.25	8,883	41.50	10,196
24.75	5,241	29.00	6,434	33.25	7,677	37.50	8,960	41.75	10,274
25.00	5,309	29.25	6,506	33.50	7,751	37.75	9,036	42.00	10,352
25.25	5,378	29.50	6,578	33.75	7,826	38.00	9,113	42.25	10,430



## Capacity/Gauge Table Information

**TCLX 290435**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 235

Reporting Mark: TCLX 290435

Date: 07/07/2015

Capacity: 28,951 US Gallons (109,592 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,509	46.75	11,849	51.00	13,204	55.25	14,564	59.50	15,922
42.75	10,587	47.00	11,929	51.25	13,284	55.50	14,644	59.75	16,002
43.00	10,665	47.25	12,008	51.50	13,364	55.75	14,724	60.00	16,082
43.25	10,744	47.50	12,088	51.75	13,443	56.00	14,804	60.25	16,161
43.50	10,823	47.75	12,167	52.00	13,523	56.25	14,884	60.50	16,241
43.75	10,901	48.00	12,247	52.25	13,603	56.50	14,964	60.75	16,321
44.00	10,980	48.25	12,326	52.50	13,683	56.75	15,044	61.00	16,400
44.25	11,059	48.50	12,406	52.75	13,763	57.00	15,124	61.25	16,480
44.50	11,137	48.75	12,485	53.00	13,843	57.25	15,204	61.50	16,559
44.75	11,216	49.00	12,565	53.25	13,924	57.50	15,284	61.75	16,638
45.00	11,295	49.25	12,645	53.50	14,004	57.75	15,364	62.00	16,718
45.25	11,374	49.50	12,725	53.75	14,084	58.00	15,444	62.25	16,797
45.50	11,453	49.75	12,804	54.00	14,164	58.25	15,523	62.50	16,876
45.75	11,532	50.00	12,884	54.25	14,244	58.50	15,603	62.75	16,955
46.00	11,612	50.25	12,964	54.50	14,324	58.75	15,683	63.00	17,035
46.25	11,691	50.50	13,044	54.75	14,404	59.00	15,763	63.25	17,114
46.50	11,770	50.75	13,124	55.00	14,484	59.25	15,843	63.50	17,193



## Capacity/Gauge Table Information

**TCLX 290435**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 235

Reporting Mark: TCLX 290435

Date: 07/07/2015

Capacity: 28,951 US Gallons (109,592 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,272	68.00	18,604	72.25	19,910	76.50	21,184	80.75	22,415
64.00	17,350	68.25	18,681	72.50	19,986	76.75	21,257	81.00	22,485
64.25	17,429	68.50	18,759	72.75	20,062	77.00	21,331	81.25	22,556
64.50	17,508	68.75	18,836	73.00	20,138	77.25	21,404	81.50	22,627
64.75	17,587	69.00	18,914	73.25	20,213	77.50	21,478	81.75	22,697
65.00	17,665	69.25	18,991	73.50	20,289	77.75	21,551	82.00	22,767
65.25	17,744	69.50	19,068	73.75	20,364	78.00	21,624	82.25	22,837
65.50	17,823	69.75	19,145	74.00	20,439	78.25	21,696	82.50	22,907
65.75	17,901	70.00	19,222	74.25	20,514	78.50	21,769	82.75	22,976
66.00	17,979	70.25	19,299	74.50	20,589	78.75	21,841	83.00	23,046
66.25	18,058	70.50	19,376	74.75	20,664	79.00	21,914	83.25	23,115
66.50	18,136	70.75	19,453	75.00	20,739	79.25	21,986	83.50	23,184
66.75	18,214	71.00	19,529	75.25	20,813	79.50	22,058	83.75	23,252
67.00	18,292	71.25	19,606	75.50	20,888	79.75	22,129	84.00	23,321
67.25	18,370	71.50	19,682	75.75	20,962	80.00	22,201	84.25	23,389
67.50	18,448	71.75	19,758	76.00	21,036	80.25	22,272	84.50	23,457
67.75	18,526	72.00	19,834	76.25	21,110	80.50	22,343	84.75	23,525





## Capacity/Gauge Table Information

**TCLX 290435**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 235

Reporting Mark: TCLX 290435

Date: 07/07/2015

Capacity: 28,951 US Gallons (109,592 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,593	89.25	24,708	93.50	25,747	97.75	26,695	102.00	27,532
85.25	23,660	89.50	24,771	93.75	25,806	98.00	26,748	102.25	27,578
85.50	23,728	89.75	24,834	94.00	25,864	98.25	26,800	102.50	27,622
85.75	23,795	90.00	24,897	94.25	25,922	98.50	26,852	102.75	27,667
86.00	23,861	90.25	24,960	94.50	25,979	98.75	26,903	103.00	27,710
86.25	23,928	90.50	25,022	94.75	26,036	99.00	26,954	103.25	27,754
86.50	23,994	90.75	25,084	95.00	26,093	99.25	27,005	103.50	27,797
86.75	24,060	91.00	25,146	95.25	26,150	99.50	27,055	103.75	27,839
87.00	24,126	91.25	25,207	95.50	26,206	99.75	27,104	104.00	27,880
87.25	24,192	91.50	25,269	95.75	26,262	100.00	27,154	104.25	27,922
87.50	24,257	91.75	25,329	96.00	26,317	100.25	27,203	104.50	27,962
87.75	24,322	92.00	25,390	96.25	26,372	100.50	27,251	104.75	28,002
88.00	24,387	92.25	25,450	96.50	26,427	100.75	27,299	105.00	28,042
88.25	24,452	92.50	25,510	96.75	26,481	101.00	27,347	105.25	28,081
88.50	24,516	92.75	25,570	97.00	26,535	101.25	27,394	105.50	28,119
88.75	24,580	93.00	25,629	97.25	26,589	101.50	27,440	105.75	28,157
89.00	24,644	93.25	25,688	97.50	26,642	101.75	27,487	106.00	28,194



## Capacity/Gauge Table Information

**TCLX 290435**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 235

Reporting Mark: TCLX 290435

Date: 07/07/2015

Capacity: 28,951 US Gallons (109,592 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,230	110.50	28,735	114.75	28,938
106.50	28,266	110.75	28,756	115.00	28,942
106.75	28,301	111.00	28,776	115.25	28,945
107.00	28,336	111.25	28,794	115.50	28,947
107.25	28,370	111.50	28,811	115.75	28,949
107.50	28,403	111.75	28,827	116.00	28,950
107.75	28,435	112.00	28,842	116.25	28,951
108.00	28,467	112.25	28,856	116.50	28,951
108.25	28,498	112.50	28,868	116.75	28,951
108.50	28,528	112.75	28,880		
108.75	28,557	113.00	28,891		
109.00	28,585	113.25	28,900		
109.25	28,613	113.50	28,909		
109.50	28,639	113.75	28,916		
109.75	28,665	114.00	28,923		
110.00	28,689	114.25	28,929		
110.25	28,713	114.50	28,934		



## Capacity/Gauge Table Information

**TCLX 290436**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 236

Reporting Mark: TCLX 290436

Date: 30/06/2015

Capacity: 28,972 US Gallons (109,669 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,346	12.75	2,232	17.00	3,220
0.25	29	4.50	629	8.75	1,395	13.00	2,287	17.25	3,281
0.50	58	4.75	670	9.00	1,445	13.25	2,343	17.50	3,342
0.75	89	5.00	712	9.25	1,494	13.50	2,399	17.75	3,403
1.00	120	5.25	754	9.50	1,544	13.75	2,456	18.00	3,465
1.25	152	5.50	796	9.75	1,595	14.00	2,512	18.25	3,527
1.50	184	5.75	840	10.00	1,646	14.25	2,570	18.50	3,589
1.75	218	6.00	883	10.25	1,697	14.50	2,627	18.75	3,652
2.00	252	6.25	927	10.50	1,749	14.75	2,685	19.00	3,715
2.25	287	6.50	972	10.75	1,801	15.00	2,743	19.25	3,778
2.50	322	6.75	1,017	11.00	1,854	15.25	2,802	19.50	3,841
2.75	359	7.00	1,063	11.25	1,906	15.50	2,860	19.75	3,905
3.00	395	7.25	1,109	11.50	1,960	15.75	2,920	20.00	3,969
3.25	433	7.50	1,156	11.75	2,013	16.00	2,979	20.25	4,033
3.50	471	7.75	1,203	12.00	2,067	16.25	3,039	20.50	4,098
3.75	510	8.00	1,250	12.25	2,122	16.50	3,099	20.75	4,162
4.00	549	8.25	1,298	12.50	2,177	16.75	3,159	21.00	4,227



## Capacity/Gauge Table Information

**TCLX 290436**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 236

Reporting Mark: TCLX 290436

Date: 30/06/2015

Capacity: 28,972 US Gallons (109,669 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,292	25.50	5,436	29.75	6,638	34.00	7,888	38.25	9,177
21.50	4,358	25.75	5,505	30.00	6,710	34.25	7,963	38.50	9,254
21.75	4,424	26.00	5,574	30.25	6,783	34.50	8,038	38.75	9,331
22.00	4,489	26.25	5,644	30.50	6,855	34.75	8,113	39.00	9,408
22.25	4,556	26.50	5,714	30.75	6,928	35.00	8,188	39.25	9,485
22.50	4,622	26.75	5,784	31.00	7,001	35.25	8,264	39.50	9,562
22.75	4,689	27.00	5,854	31.25	7,074	35.50	8,339	39.75	9,640
23.00	4,755	27.25	5,924	31.50	7,147	35.75	8,415	40.00	9,717
23.25	4,822	27.50	5,995	31.75	7,221	36.00	8,490	40.25	9,795
23.50	4,890	27.75	6,066	32.00	7,294	36.25	8,566	40.50	9,872
23.75	4,957	28.00	6,137	32.25	7,368	36.50	8,642	40.75	9,950
24.00	5,025	28.25	6,208	32.50	7,442	36.75	8,718	41.00	10,028
24.25	5,093	28.50	6,279	32.75	7,516	37.00	8,794	41.25	10,105
24.50	5,161	28.75	6,350	33.00	7,590	37.25	8,871	41.50	10,183
24.75	5,229	29.00	6,422	33.25	7,664	37.50	8,947	41.75	10,261
25.00	5,298	29.25	6,494	33.50	7,739	37.75	9,024	42.00	10,340
25.25	5,367	29.50	6,566	33.75	7,813	38.00	9,100	42.25	10,418



## Capacity/Gauge Table Information

**TCLX 290436**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 236

Reporting Mark: TCLX 290436

Date: 30/06/2015

Capacity: 28,972 US Gallons (109,669 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,496	46.75	11,837	51.00	13,191	55.25	14,552	59.50	15,911
42.75	10,574	47.00	11,916	51.25	13,271	55.50	14,632	59.75	15,991
43.00	10,653	47.25	11,996	51.50	13,351	55.75	14,712	60.00	16,070
43.25	10,731	47.50	12,075	51.75	13,431	56.00	14,792	60.25	16,150
43.50	10,810	47.75	12,154	52.00	13,511	56.25	14,872	60.50	16,230
43.75	10,888	48.00	12,234	52.25	13,591	56.50	14,952	60.75	16,309
44.00	10,967	48.25	12,314	52.50	13,671	56.75	15,032	61.00	16,389
44.25	11,046	48.50	12,393	52.75	13,751	57.00	15,112	61.25	16,468
44.50	11,125	48.75	12,473	53.00	13,831	57.25	15,192	61.50	16,548
44.75	11,204	49.00	12,553	53.25	13,911	57.50	15,272	61.75	16,627
45.00	11,283	49.25	12,632	53.50	13,991	57.75	15,352	62.00	16,707
45.25	11,362	49.50	12,712	53.75	14,071	58.00	15,432	62.25	16,786
45.50	11,441	49.75	12,792	54.00	14,151	58.25	15,512	62.50	16,865
45.75	11,520	50.00	12,872	54.25	14,232	58.50	15,592	62.75	16,944
46.00	11,599	50.25	12,952	54.50	14,312	58.75	15,672	63.00	17,024
46.25	11,678	50.50	13,031	54.75	14,392	59.00	15,751	63.25	17,103
46.50	11,757	50.75	13,111	55.00	14,472	59.25	15,831	63.50	17,182



## Capacity/Gauge Table Information

**TCLX 290436**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 236

Reporting Mark: TCLX 290436

Date: 30/06/2015

Capacity: 28,972 US Gallons (109,669 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,261	68.00	18,594	72.25	19,902	76.50	21,176	80.75	22,408
64.00	17,340	68.25	18,671	72.50	19,978	76.75	21,250	81.00	22,479
64.25	17,419	68.50	18,749	72.75	20,054	77.00	21,324	81.25	22,550
64.50	17,497	68.75	18,827	73.00	20,129	77.25	21,397	81.50	22,621
64.75	17,576	69.00	18,904	73.25	20,205	77.50	21,470	81.75	22,691
65.00	17,655	69.25	18,981	73.50	20,280	77.75	21,543	82.00	22,761
65.25	17,734	69.50	19,059	73.75	20,356	78.00	21,616	82.25	22,831
65.50	17,812	69.75	19,136	74.00	20,431	78.25	21,689	82.50	22,901
65.75	17,891	70.00	19,213	74.25	20,506	78.50	21,762	82.75	22,971
66.00	17,969	70.25	19,290	74.50	20,581	78.75	21,834	83.00	23,040
66.25	18,047	70.50	19,367	74.75	20,656	79.00	21,907	83.25	23,109
66.50	18,126	70.75	19,443	75.00	20,731	79.25	21,979	83.50	23,179
66.75	18,204	71.00	19,520	75.25	20,805	79.50	22,051	83.75	23,247
67.00	18,282	71.25	19,597	75.50	20,880	79.75	22,123	84.00	23,316
67.25	18,360	71.50	19,673	75.75	20,954	80.00	22,194	84.25	23,384
67.50	18,438	71.75	19,749	76.00	21,028	80.25	22,266	84.50	23,453
67.75	18,516	72.00	19,826	76.25	21,102	80.50	22,337	84.75	23,521



## Capacity/Gauge Table Information

**TCLX 290436**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 236

Reporting Mark: TCLX 290436

Date: 30/06/2015

Capacity: 28,972 US Gallons (109,669 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,588	89.25	24,705	93.50	25,747	97.75	26,697	102.00	27,538
85.25	23,656	89.50	24,769	93.75	25,805	98.00	26,750	102.25	27,583
85.50	23,723	89.75	24,832	94.00	25,864	98.25	26,802	102.50	27,628
85.75	23,790	90.00	24,895	94.25	25,922	98.50	26,854	102.75	27,672
86.00	23,857	90.25	24,958	94.50	25,979	98.75	26,906	103.00	27,716
86.25	23,924	90.50	25,020	94.75	26,037	99.00	26,957	103.25	27,760
86.50	23,990	90.75	25,082	95.00	26,094	99.25	27,008	103.50	27,803
86.75	24,057	91.00	25,144	95.25	26,150	99.50	27,058	103.75	27,845
87.00	24,123	91.25	25,206	95.50	26,206	99.75	27,108	104.00	27,887
87.25	24,188	91.50	25,267	95.75	26,262	100.00	27,157	104.25	27,929
87.50	24,254	91.75	25,328	96.00	26,318	100.25	27,206	104.50	27,969
87.75	24,319	92.00	25,389	96.25	26,373	100.50	27,255	104.75	28,010
88.00	24,384	92.25	25,449	96.50	26,428	100.75	27,303	105.00	28,049
88.25	24,449	92.50	25,509	96.75	26,483	101.00	27,351	105.25	28,089
88.50	24,513	92.75	25,569	97.00	26,537	101.25	27,398	105.50	28,127
88.75	24,578	93.00	25,629	97.25	26,591	101.50	27,445	105.75	28,165
89.00	24,642	93.25	25,688	97.50	26,644	101.75	27,492	106.00	28,202





## Capacity/Gauge Table Information

**TCLX 290436**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 236

Reporting Mark: TCLX 290436

Date: 30/06/2015

Capacity: 28,972 US Gallons (109,669 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,239	110.50	28,750	114.75	28,959
106.50	28,275	110.75	28,771	115.00	28,962
106.75	28,311	111.00	28,791	115.25	28,965
107.00	28,345	111.25	28,810	115.50	28,968
107.25	28,380	111.50	28,828	115.75	28,969
107.50	28,413	111.75	28,844	116.00	28,970
107.75	28,446	112.00	28,860	116.25	28,971
108.00	28,478	112.25	28,874	116.50	28,971
108.25	28,509	112.50	28,887	116.75	28,972
108.50	28,539	112.75	28,899		
108.75	28,569	113.00	28,909		
109.00	28,597	113.25	28,919		
109.25	28,625	113.50	28,928		
109.50	28,652	113.75	28,936		
109.75	28,678	114.00	28,943		
110.00	28,703	114.25	28,949		
110.25	28,727	114.50	28,954		



## Capacity/Gauge Table Information

**TCLX 290437**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 237

Reporting Mark: TCLX 290437

Date: 30/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,346	12.75	2,231	17.00	3,218
0.25	29	4.50	629	8.75	1,395	13.00	2,286	17.25	3,279
0.50	58	4.75	670	9.00	1,444	13.25	2,342	17.50	3,340
0.75	89	5.00	711	9.25	1,494	13.50	2,398	17.75	3,402
1.00	120	5.25	753	9.50	1,544	13.75	2,455	18.00	3,464
1.25	152	5.50	796	9.75	1,594	14.00	2,512	18.25	3,526
1.50	184	5.75	839	10.00	1,645	14.25	2,569	18.50	3,588
1.75	218	6.00	883	10.25	1,696	14.50	2,626	18.75	3,651
2.00	252	6.25	927	10.50	1,748	14.75	2,684	19.00	3,713
2.25	287	6.50	972	10.75	1,800	15.00	2,742	19.25	3,777
2.50	322	6.75	1,017	11.00	1,853	15.25	2,801	19.50	3,840
2.75	358	7.00	1,062	11.25	1,906	15.50	2,859	19.75	3,904
3.00	395	7.25	1,109	11.50	1,959	15.75	2,918	20.00	3,967
3.25	433	7.50	1,155	11.75	2,013	16.00	2,978	20.25	4,032
3.50	471	7.75	1,202	12.00	2,067	16.25	3,038	20.50	4,096
3.75	509	8.00	1,250	12.25	2,121	16.50	3,098	20.75	4,161
4.00	549	8.25	1,298	12.50	2,176	16.75	3,158	21.00	4,226



## Capacity/Gauge Table Information

**TCLX 290437**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 237

Reporting Mark: TCLX 290437

Date: 30/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,291	25.50	5,434	29.75	6,635	34.00	7,885	38.25	9,174
21.50	4,356	25.75	5,503	30.00	6,708	34.25	7,960	38.50	9,251
21.75	4,422	26.00	5,572	30.25	6,780	34.50	8,035	38.75	9,327
22.00	4,488	26.25	5,642	30.50	6,853	34.75	8,110	39.00	9,404
22.25	4,554	26.50	5,712	30.75	6,926	35.00	8,185	39.25	9,482
22.50	4,620	26.75	5,782	31.00	6,998	35.25	8,261	39.50	9,559
22.75	4,687	27.00	5,852	31.25	7,072	35.50	8,336	39.75	9,636
23.00	4,754	27.25	5,922	31.50	7,145	35.75	8,412	40.00	9,714
23.25	4,821	27.50	5,993	31.75	7,218	36.00	8,487	40.25	9,791
23.50	4,888	27.75	6,063	32.00	7,292	36.25	8,563	40.50	9,869
23.75	4,955	28.00	6,134	32.25	7,365	36.50	8,639	40.75	9,946
24.00	5,023	28.25	6,205	32.50	7,439	36.75	8,715	41.00	10,024
24.25	5,091	28.50	6,277	32.75	7,513	37.00	8,791	41.25	10,102
24.50	5,159	28.75	6,348	33.00	7,587	37.25	8,868	41.50	10,180
24.75	5,228	29.00	6,420	33.25	7,662	37.50	8,944	41.75	10,258
25.00	5,296	29.25	6,491	33.50	7,736	37.75	9,020	42.00	10,336
25.25	5,365	29.50	6,563	33.75	7,811	38.00	9,097	42.25	10,414



## Capacity/Gauge Table Information

**TCLX 290437**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 237

Reporting Mark: TCLX 290437

Date: 30/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,492	46.75	11,832	51.00	13,187	55.25	14,547	59.50	15,905
42.75	10,571	47.00	11,912	51.25	13,266	55.50	14,627	59.75	15,985
43.00	10,649	47.25	11,991	51.50	13,346	55.75	14,707	60.00	16,065
43.25	10,727	47.50	12,071	51.75	13,426	56.00	14,787	60.25	16,144
43.50	10,806	47.75	12,150	52.00	13,506	56.25	14,867	60.50	16,224
43.75	10,885	48.00	12,230	52.25	13,586	56.50	14,947	60.75	16,303
44.00	10,963	48.25	12,309	52.50	13,666	56.75	15,027	61.00	16,383
44.25	11,042	48.50	12,389	52.75	13,746	57.00	15,107	61.25	16,463
44.50	11,121	48.75	12,468	53.00	13,826	57.25	15,187	61.50	16,542
44.75	11,200	49.00	12,548	53.25	13,906	57.50	15,267	61.75	16,621
45.00	11,279	49.25	12,628	53.50	13,986	57.75	15,347	62.00	16,701
45.25	11,357	49.50	12,708	53.75	14,066	58.00	15,426	62.25	16,780
45.50	11,437	49.75	12,787	54.00	14,146	58.25	15,506	62.50	16,859
45.75	11,516	50.00	12,867	54.25	14,227	58.50	15,586	62.75	16,938
46.00	11,595	50.25	12,947	54.50	14,307	58.75	15,666	63.00	17,018
46.25	11,674	50.50	13,027	54.75	14,387	59.00	15,746	63.25	17,097
46.50	11,753	50.75	13,107	55.00	14,467	59.25	15,826	63.50	17,176



## Capacity/Gauge Table Information

**TCLX 290437**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 237

Reporting Mark: TCLX 290437

Date: 30/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,255	68.00	18,587	72.25	19,895	76.50	21,169	80.75	22,400
64.00	17,334	68.25	18,665	72.50	19,971	76.75	21,242	81.00	22,471
64.25	17,413	68.50	18,742	72.75	20,046	77.00	21,316	81.25	22,542
64.50	17,491	68.75	18,820	73.00	20,122	77.25	21,389	81.50	22,613
64.75	17,570	69.00	18,897	73.25	20,198	77.50	21,463	81.75	22,683
65.00	17,649	69.25	18,975	73.50	20,273	77.75	21,536	82.00	22,753
65.25	17,727	69.50	19,052	73.75	20,349	78.00	21,609	82.25	22,823
65.50	17,806	69.75	19,129	74.00	20,424	78.25	21,682	82.50	22,893
65.75	17,884	70.00	19,206	74.25	20,499	78.50	21,754	82.75	22,963
66.00	17,963	70.25	19,283	74.50	20,574	78.75	21,827	83.00	23,032
66.25	18,041	70.50	19,360	74.75	20,649	79.00	21,899	83.25	23,101
66.50	18,119	70.75	19,437	75.00	20,723	79.25	21,971	83.50	23,170
66.75	18,198	71.00	19,513	75.25	20,798	79.50	22,043	83.75	23,239
67.00	18,276	71.25	19,590	75.50	20,872	79.75	22,115	84.00	23,308
67.25	18,354	71.50	19,666	75.75	20,947	80.00	22,187	84.25	23,376
67.50	18,432	71.75	19,742	76.00	21,021	80.25	22,258	84.50	23,444
67.75	18,509	72.00	19,819	76.25	21,095	80.50	22,329	84.75	23,512



## Capacity/Gauge Table Information

**TCLX 290437**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 237

Reporting Mark: TCLX 290437

Date: 30/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,580	89.25	24,697	93.50	25,738	97.75	26,688	102.00	27,528
85.25	23,648	89.50	24,760	93.75	25,796	98.00	26,740	102.25	27,573
85.50	23,715	89.75	24,823	94.00	25,854	98.25	26,793	102.50	27,618
85.75	23,782	90.00	24,886	94.25	25,912	98.50	26,845	102.75	27,662
86.00	23,849	90.25	24,949	94.50	25,970	98.75	26,896	103.00	27,706
86.25	23,915	90.50	25,011	94.75	26,027	99.00	26,947	103.25	27,750
86.50	23,982	90.75	25,073	95.00	26,084	99.25	26,998	103.50	27,793
86.75	24,048	91.00	25,135	95.25	26,141	99.50	27,048	103.75	27,835
87.00	24,114	91.25	25,197	95.50	26,197	99.75	27,098	104.00	27,877
87.25	24,180	91.50	25,258	95.75	26,253	100.00	27,148	104.25	27,918
87.50	24,245	91.75	25,319	96.00	26,309	100.25	27,197	104.50	27,959
87.75	24,310	92.00	25,380	96.25	26,364	100.50	27,245	104.75	28,000
88.00	24,375	92.25	25,440	96.50	26,419	100.75	27,293	105.00	28,039
88.25	24,440	92.50	25,500	96.75	26,473	101.00	27,341	105.25	28,078
88.50	24,505	92.75	25,560	97.00	26,527	101.25	27,388	105.50	28,117
88.75	24,569	93.00	25,619	97.25	26,581	101.50	27,435	105.75	28,155
89.00	24,633	93.25	25,679	97.50	26,635	101.75	27,482	106.00	28,192



## Capacity/Gauge Table Information

**TCLX 290437**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 237

Reporting Mark: TCLX 290437

Date: 30/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,229	110.50	28,739	114.75	28,948
106.50	28,265	110.75	28,761	115.00	28,952
106.75	28,300	111.00	28,781	115.25	28,955
107.00	28,335	111.25	28,800	115.50	28,957
107.25	28,369	111.50	28,817	115.75	28,959
107.50	28,403	111.75	28,834	116.00	28,960
107.75	28,435	112.00	28,849	116.25	28,960
108.00	28,467	112.25	28,863	116.50	28,961
108.25	28,498	112.50	28,876	116.75	28,961
108.50	28,529	112.75	28,888		
108.75	28,558	113.00	28,899		
109.00	28,587	113.25	28,909		
109.25	28,615	113.50	28,917		
109.50	28,642	113.75	28,925		
109.75	28,668	114.00	28,932		
110.00	28,693	114.25	28,938		
110.25	28,717	114.50	28,943		





## Capacity/Gauge Table Information

**TCLX 290438**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 238

Reporting Mark: TCLX 290438

Date: 01/07/2015

Capacity: 29,005 US Gallons (109,797 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,348	12.75	2,234	17.00	3,223
0.25	29	4.50	630	8.75	1,397	13.00	2,290	17.25	3,284
0.50	58	4.75	671	9.00	1,446	13.25	2,346	17.50	3,346
0.75	89	5.00	712	9.25	1,496	13.50	2,402	17.75	3,407
1.00	120	5.25	755	9.50	1,546	13.75	2,458	18.00	3,469
1.25	152	5.50	797	9.75	1,597	14.00	2,515	18.25	3,531
1.50	185	5.75	840	10.00	1,648	14.25	2,573	18.50	3,594
1.75	218	6.00	884	10.25	1,699	14.50	2,630	18.75	3,656
2.00	252	6.25	928	10.50	1,751	14.75	2,688	19.00	3,719
2.25	287	6.50	973	10.75	1,803	15.00	2,746	19.25	3,782
2.50	323	6.75	1,018	11.00	1,856	15.25	2,805	19.50	3,846
2.75	359	7.00	1,064	11.25	1,909	15.50	2,864	19.75	3,910
3.00	396	7.25	1,110	11.50	1,962	15.75	2,923	20.00	3,974
3.25	433	7.50	1,157	11.75	2,016	16.00	2,982	20.25	4,038
3.50	471	7.75	1,204	12.00	2,070	16.25	3,042	20.50	4,102
3.75	510	8.00	1,251	12.25	2,124	16.50	3,102	20.75	4,167
4.00	549	8.25	1,299	12.50	2,179	16.75	3,163	21.00	4,232



## Capacity/Gauge Table Information

**TCLX 290438**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 238

Reporting Mark: TCLX 290438

Date: 01/07/2015

Capacity: 29,005 US Gallons (109,797 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,298	25.50	5,442	29.75	6,646	34.00	7,898	38.25	9,189
21.50	4,363	25.75	5,512	30.00	6,718	34.25	7,973	38.50	9,266
21.75	4,429	26.00	5,581	30.25	6,791	34.50	8,048	38.75	9,343
22.00	4,495	26.25	5,651	30.50	6,864	34.75	8,123	39.00	9,420
22.25	4,561	26.50	5,721	30.75	6,937	35.00	8,199	39.25	9,497
22.50	4,627	26.75	5,791	31.00	7,010	35.25	8,274	39.50	9,574
22.75	4,694	27.00	5,861	31.25	7,083	35.50	8,350	39.75	9,652
23.00	4,761	27.25	5,932	31.50	7,156	35.75	8,425	40.00	9,729
23.25	4,828	27.50	6,002	31.75	7,230	36.00	8,501	40.25	9,807
23.50	4,896	27.75	6,073	32.00	7,303	36.25	8,577	40.50	9,885
23.75	4,963	28.00	6,144	32.25	7,377	36.50	8,653	40.75	9,963
24.00	5,031	28.25	6,215	32.50	7,451	36.75	8,729	41.00	10,040
24.25	5,099	28.50	6,287	32.75	7,525	37.00	8,806	41.25	10,118
24.50	5,167	28.75	6,358	33.00	7,600	37.25	8,882	41.50	10,196
24.75	5,236	29.00	6,430	33.25	7,674	37.50	8,959	41.75	10,275
25.00	5,304	29.25	6,502	33.50	7,749	37.75	9,035	42.00	10,353
25.25	5,373	29.50	6,574	33.75	7,823	38.00	9,112	42.25	10,431



## Capacity/Gauge Table Information

**TCLX 290438**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 238

Reporting Mark: TCLX 290438

Date: 01/07/2015

Capacity: 29,005 US Gallons (109,797 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,510	46.75	11,852	51.00	13,208	55.25	14,571	59.50	15,932
42.75	10,588	47.00	11,932	51.25	13,289	55.50	14,651	59.75	16,012
43.00	10,666	47.25	12,011	51.50	13,369	55.75	14,731	60.00	16,092
43.25	10,745	47.50	12,091	51.75	13,449	56.00	14,811	60.25	16,171
43.50	10,824	47.75	12,170	52.00	13,529	56.25	14,892	60.50	16,251
43.75	10,902	48.00	12,250	52.25	13,609	56.50	14,972	60.75	16,331
44.00	10,981	48.25	12,330	52.50	13,689	56.75	15,052	61.00	16,410
44.25	11,060	48.50	12,409	52.75	13,769	57.00	15,132	61.25	16,490
44.50	11,139	48.75	12,489	53.00	13,849	57.25	15,212	61.50	16,570
44.75	11,218	49.00	12,569	53.25	13,930	57.50	15,292	61.75	16,649
45.00	11,297	49.25	12,649	53.50	14,010	57.75	15,372	62.00	16,729
45.25	11,376	49.50	12,729	53.75	14,090	58.00	15,452	62.25	16,808
45.50	11,455	49.75	12,809	54.00	14,170	58.25	15,532	62.50	16,887
45.75	11,535	50.00	12,888	54.25	14,250	58.50	15,612	62.75	16,967
46.00	11,614	50.25	12,968	54.50	14,330	58.75	15,692	63.00	17,046
46.25	11,693	50.50	13,048	54.75	14,411	59.00	15,772	63.25	17,125
46.50	11,773	50.75	13,128	55.00	14,491	59.25	15,852	63.50	17,204



## Capacity/Gauge Table Information

**TCLX 290438**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 238

Reporting Mark: TCLX 290438

Date: 01/07/2015

Capacity: 29,005 US Gallons (109,797 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,284	68.00	18,618	72.25	19,928	76.50	21,204	80.75	22,437
64.00	17,363	68.25	18,696	72.50	20,004	76.75	21,278	81.00	22,509
64.25	17,442	68.50	18,774	72.75	20,080	77.00	21,351	81.25	22,579
64.50	17,521	68.75	18,851	73.00	20,156	77.25	21,425	81.50	22,650
64.75	17,599	69.00	18,929	73.25	20,231	77.50	21,498	81.75	22,721
65.00	17,678	69.25	19,006	73.50	20,307	77.75	21,572	82.00	22,791
65.25	17,757	69.50	19,084	73.75	20,382	78.00	21,645	82.25	22,861
65.50	17,836	69.75	19,161	74.00	20,458	78.25	21,718	82.50	22,931
65.75	17,914	70.00	19,238	74.25	20,533	78.50	21,790	82.75	23,001
66.00	17,993	70.25	19,315	74.50	20,608	78.75	21,863	83.00	23,070
66.25	18,071	70.50	19,392	74.75	20,683	79.00	21,935	83.25	23,139
66.50	18,150	70.75	19,469	75.00	20,758	79.25	22,008	83.50	23,208
66.75	18,228	71.00	19,546	75.25	20,833	79.50	22,080	83.75	23,277
67.00	18,306	71.25	19,622	75.50	20,907	79.75	22,152	84.00	23,346
67.25	18,384	71.50	19,699	75.75	20,982	80.00	22,223	84.25	23,415
67.50	18,462	71.75	19,775	76.00	21,056	80.25	22,295	84.50	23,483
67.75	18,540	72.00	19,852	76.25	21,130	80.50	22,366	84.75	23,551



## Capacity/Gauge Table Information

**TCLX 290438**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 238

Reporting Mark: TCLX 290438

Date: 01/07/2015

Capacity: 29,005 US Gallons (109,797 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,619	89.25	24,737	93.50	25,779	97.75	26,730	102.00	27,571
85.25	23,686	89.50	24,800	93.75	25,838	98.00	26,783	102.25	27,617
85.50	23,754	89.75	24,864	94.00	25,896	98.25	26,836	102.50	27,662
85.75	23,821	90.00	24,927	94.25	25,954	98.50	26,887	102.75	27,706
86.00	23,888	90.25	24,989	94.50	26,012	98.75	26,939	103.00	27,750
86.25	23,955	90.50	25,052	94.75	26,069	99.00	26,990	103.25	27,794
86.50	24,021	90.75	25,114	95.00	26,126	99.25	27,041	103.50	27,837
86.75	24,087	91.00	25,176	95.25	26,183	99.50	27,091	103.75	27,879
87.00	24,154	91.25	25,238	95.50	26,239	99.75	27,141	104.00	27,921
87.25	24,219	91.50	25,299	95.75	26,295	100.00	27,191	104.25	27,962
87.50	24,285	91.75	25,360	96.00	26,351	100.25	27,240	104.50	28,003
87.75	24,350	92.00	25,421	96.25	26,406	100.50	27,289	104.75	28,043
88.00	24,415	92.25	25,481	96.50	26,461	100.75	27,337	105.00	28,083
88.25	24,480	92.50	25,541	96.75	26,516	101.00	27,385	105.25	28,122
88.50	24,545	92.75	25,601	97.00	26,570	101.25	27,432	105.50	28,161
88.75	24,609	93.00	25,661	97.25	26,624	101.50	27,479	105.75	28,199
89.00	24,673	93.25	25,720	97.50	26,677	101.75	27,525	106.00	28,236



## Capacity/Gauge Table Information

**TCLX 290438**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 238

Reporting Mark: TCLX 290438

Date: 01/07/2015

Capacity: 29,005 US Gallons (109,797 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,273	110.50	28,784	114.75	28,992
106.50	28,309	110.75	28,805	115.00	28,996
106.75	28,344	111.00	28,825	115.25	28,999
107.00	28,379	111.25	28,844	115.50	29,001
107.25	28,413	111.50	28,862	115.75	29,003
107.50	28,447	111.75	28,878	116.00	29,004
107.75	28,479	112.00	28,893	116.25	29,005
108.00	28,511	112.25	28,907	116.50	29,005
108.25	28,543	112.50	28,920	116.75	29,005
108.50	28,573	112.75	28,932		
108.75	28,602	113.00	28,943		
109.00	28,631	113.25	28,953		
109.25	28,659	113.50	28,962		
109.50	28,686	113.75	28,970		
109.75	28,712	114.00	28,977		
110.00	28,737	114.25	28,983		
110.25	28,761	114.50	28,988		



## Capacity/Gauge Table Information

**TCLX 290439**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 239

Reporting Mark: TCLX 290439

Date: 01/07/2015

Capacity: 28,962 US Gallons (109,634 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,348	12.75	2,234	17.00	3,222
0.25	29	4.50	630	8.75	1,397	13.00	2,289	17.25	3,283
0.50	58	4.75	671	9.00	1,446	13.25	2,345	17.50	3,344
0.75	89	5.00	713	9.25	1,496	13.50	2,401	17.75	3,406
1.00	120	5.25	755	9.50	1,546	13.75	2,458	18.00	3,468
1.25	152	5.50	798	9.75	1,597	14.00	2,515	18.25	3,530
1.50	185	5.75	841	10.00	1,648	14.25	2,572	18.50	3,592
1.75	218	6.00	884	10.25	1,699	14.50	2,629	18.75	3,655
2.00	252	6.25	929	10.50	1,751	14.75	2,687	19.00	3,717
2.25	287	6.50	973	10.75	1,803	15.00	2,745	19.25	3,781
2.50	323	6.75	1,019	11.00	1,855	15.25	2,804	19.50	3,844
2.75	359	7.00	1,064	11.25	1,908	15.50	2,863	19.75	3,908
3.00	396	7.25	1,110	11.50	1,962	15.75	2,922	20.00	3,972
3.25	434	7.50	1,157	11.75	2,015	16.00	2,981	20.25	4,036
3.50	472	7.75	1,204	12.00	2,069	16.25	3,041	20.50	4,100
3.75	510	8.00	1,252	12.25	2,124	16.50	3,101	20.75	4,165
4.00	550	8.25	1,300	12.50	2,179	16.75	3,161	21.00	4,230





## Capacity/Gauge Table Information

**TCLX 290439**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 239

Reporting Mark: TCLX 290439

Date: 01/07/2015

Capacity: 28,962 US Gallons (109,634 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,295	25.50	5,439	29.75	6,641	34.00	7,891	38.25	9,180
21.50	4,361	25.75	5,508	30.00	6,713	34.25	7,966	38.50	9,257
21.75	4,426	26.00	5,577	30.25	6,786	34.50	8,041	38.75	9,334
22.00	4,492	26.25	5,647	30.50	6,858	34.75	8,116	39.00	9,411
22.25	4,558	26.50	5,717	30.75	6,931	35.00	8,191	39.25	9,488
22.50	4,625	26.75	5,787	31.00	7,004	35.25	8,267	39.50	9,565
22.75	4,691	27.00	5,857	31.25	7,077	35.50	8,342	39.75	9,643
23.00	4,758	27.25	5,927	31.50	7,151	35.75	8,418	40.00	9,720
23.25	4,825	27.50	5,998	31.75	7,224	36.00	8,494	40.25	9,798
23.50	4,893	27.75	6,069	32.00	7,298	36.25	8,569	40.50	9,875
23.75	4,960	28.00	6,140	32.25	7,371	36.50	8,645	40.75	9,953
24.00	5,028	28.25	6,211	32.50	7,445	36.75	8,721	41.00	10,031
24.25	5,096	28.50	6,282	32.75	7,519	37.00	8,798	41.25	10,109
24.50	5,164	28.75	6,353	33.00	7,593	37.25	8,874	41.50	10,187
24.75	5,232	29.00	6,425	33.25	7,668	37.50	8,950	41.75	10,265
25.00	5,301	29.25	6,497	33.50	7,742	37.75	9,027	42.00	10,343
25.25	5,370	29.50	6,569	33.75	7,817	38.00	9,104	42.25	10,421



## Capacity/Gauge Table Information

**TCLX 290439**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 239

Reporting Mark: TCLX 290439

Date: 01/07/2015

Capacity: 28,962 US Gallons (109,634 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,499	46.75	11,840	51.00	13,194	55.25	14,555	59.50	15,914
42.75	10,578	47.00	11,919	51.25	13,274	55.50	14,635	59.75	15,993
43.00	10,656	47.25	11,999	51.50	13,354	55.75	14,715	60.00	16,073
43.25	10,734	47.50	12,078	51.75	13,434	56.00	14,795	60.25	16,153
43.50	10,813	47.75	12,158	52.00	13,514	56.25	14,875	60.50	16,232
43.75	10,892	48.00	12,237	52.25	13,594	56.50	14,955	60.75	16,312
44.00	10,970	48.25	12,317	52.50	13,674	56.75	15,035	61.00	16,391
44.25	11,049	48.50	12,396	52.75	13,754	57.00	15,115	61.25	16,471
44.50	11,128	48.75	12,476	53.00	13,834	57.25	15,195	61.50	16,550
44.75	11,207	49.00	12,556	53.25	13,914	57.50	15,275	61.75	16,630
45.00	11,286	49.25	12,635	53.50	13,994	57.75	15,355	62.00	16,709
45.25	11,365	49.50	12,715	53.75	14,074	58.00	15,435	62.25	16,788
45.50	11,444	49.75	12,795	54.00	14,154	58.25	15,514	62.50	16,868
45.75	11,523	50.00	12,875	54.25	14,234	58.50	15,594	62.75	16,947
46.00	11,602	50.25	12,955	54.50	14,314	58.75	15,674	63.00	17,026
46.25	11,681	50.50	13,034	54.75	14,395	59.00	15,754	63.25	17,105
46.50	11,761	50.75	13,114	55.00	14,475	59.25	15,834	63.50	17,184



## Capacity/Gauge Table Information

**TCLX 290439**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 239

Reporting Mark: TCLX 290439

Date: 01/07/2015

Capacity: 28,962 US Gallons (109,634 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,263	68.00	18,596	72.25	19,903	76.50	21,177	80.75	22,409
64.00	17,342	68.25	18,673	72.50	19,979	76.75	21,251	81.00	22,480
64.25	17,421	68.50	18,751	72.75	20,055	77.00	21,325	81.25	22,550
64.50	17,500	68.75	18,828	73.00	20,131	77.25	21,398	81.50	22,621
64.75	17,578	69.00	18,906	73.25	20,206	77.50	21,471	81.75	22,691
65.00	17,657	69.25	18,983	73.50	20,282	77.75	21,544	82.00	22,762
65.25	17,736	69.50	19,060	73.75	20,357	78.00	21,617	82.25	22,832
65.50	17,814	69.75	19,138	74.00	20,432	78.25	21,690	82.50	22,901
65.75	17,893	70.00	19,215	74.25	20,507	78.50	21,763	82.75	22,971
66.00	17,971	70.25	19,292	74.50	20,582	78.75	21,835	83.00	23,040
66.25	18,050	70.50	19,368	74.75	20,657	79.00	21,907	83.25	23,110
66.50	18,128	70.75	19,445	75.00	20,732	79.25	21,980	83.50	23,179
66.75	18,206	71.00	19,522	75.25	20,807	79.50	22,052	83.75	23,247
67.00	18,284	71.25	19,598	75.50	20,881	79.75	22,123	84.00	23,316
67.25	18,362	71.50	19,675	75.75	20,955	80.00	22,195	84.25	23,384
67.50	18,440	71.75	19,751	76.00	21,029	80.25	22,266	84.50	23,453
67.75	18,518	72.00	19,827	76.25	21,103	80.50	22,338	84.75	23,520



## Capacity/Gauge Table Information

**TCLX 290439**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 239

Reporting Mark: TCLX 290439

Date: 01/07/2015

Capacity: 28,962 US Gallons (109,634 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,588	89.25	24,704	93.50	25,745	97.75	26,695	102.00	27,534
85.25	23,656	89.50	24,768	93.75	25,804	98.00	26,747	102.25	27,579
85.50	23,723	89.75	24,831	94.00	25,862	98.25	26,799	102.50	27,624
85.75	23,790	90.00	24,894	94.25	25,920	98.50	26,851	102.75	27,668
86.00	23,857	90.25	24,957	94.50	25,977	98.75	26,903	103.00	27,712
86.25	23,924	90.50	25,019	94.75	26,035	99.00	26,954	103.25	27,756
86.50	23,990	90.75	25,081	95.00	26,091	99.25	27,005	103.50	27,799
86.75	24,056	91.00	25,143	95.25	26,148	99.50	27,055	103.75	27,841
87.00	24,122	91.25	25,204	95.50	26,204	99.75	27,105	104.00	27,883
87.25	24,188	91.50	25,266	95.75	26,260	100.00	27,154	104.25	27,924
87.50	24,253	91.75	25,327	96.00	26,316	100.25	27,203	104.50	27,965
87.75	24,318	92.00	25,387	96.25	26,371	100.50	27,252	104.75	28,005
88.00	24,383	92.25	25,448	96.50	26,426	100.75	27,300	105.00	28,045
88.25	24,448	92.50	25,508	96.75	26,480	101.00	27,347	105.25	28,084
88.50	24,513	92.75	25,568	97.00	26,534	101.25	27,395	105.50	28,122
88.75	24,577	93.00	25,627	97.25	26,588	101.50	27,441	105.75	28,160
89.00	24,641	93.25	25,686	97.50	26,642	101.75	27,488	106.00	28,197



## Capacity/Gauge Table Information

**TCLX 290439**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 239

Reporting Mark: TCLX 290439

Date: 01/07/2015

Capacity: 28,962 US Gallons (109,634 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,234	110.50	28,743	114.75	28,950
106.50	28,270	110.75	28,764	115.00	28,953
106.75	28,305	111.00	28,784	115.25	28,956
107.00	28,340	111.25	28,802	115.50	28,958
107.25	28,374	111.50	28,820	115.75	28,960
107.50	28,407	111.75	28,836	116.00	28,961
107.75	28,440	112.00	28,851	116.25	28,962
108.00	28,472	112.25	28,865	116.50	28,962
108.25	28,503	112.50	28,878	116.75	28,962
108.50	28,533	112.75	28,890		
108.75	28,562	113.00	28,901		
109.00	28,591	113.25	28,911		
109.25	28,619	113.50	28,919		
109.50	28,646	113.75	28,927		
109.75	28,671	114.00	28,934		
110.00	28,696	114.25	28,940		
110.25	28,720	114.50	28,945		



## Capacity/Gauge Table Information

**TCLX 290440**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 240

Reporting Mark: TCLX 290440

Date: 02/07/2015

Capacity: 29,028 US Gallons (109,884 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,349	12.75	2,236	17.00	3,226
0.25	29	4.50	630	8.75	1,398	13.00	2,292	17.25	3,287
0.50	58	4.75	671	9.00	1,447	13.25	2,348	17.50	3,348
0.75	89	5.00	713	9.25	1,497	13.50	2,404	17.75	3,410
1.00	120	5.25	755	9.50	1,547	13.75	2,460	18.00	3,472
1.25	152	5.50	798	9.75	1,598	14.00	2,517	18.25	3,534
1.50	185	5.75	841	10.00	1,649	14.25	2,575	18.50	3,597
1.75	218	6.00	885	10.25	1,700	14.50	2,632	18.75	3,659
2.00	252	6.25	929	10.50	1,752	14.75	2,690	19.00	3,722
2.25	287	6.50	974	10.75	1,804	15.00	2,749	19.25	3,786
2.50	323	6.75	1,019	11.00	1,857	15.25	2,807	19.50	3,849
2.75	359	7.00	1,065	11.25	1,910	15.50	2,866	19.75	3,913
3.00	396	7.25	1,111	11.50	1,963	15.75	2,925	20.00	3,977
3.25	434	7.50	1,158	11.75	2,017	16.00	2,985	20.25	4,041
3.50	472	7.75	1,205	12.00	2,071	16.25	3,045	20.50	4,106
3.75	511	8.00	1,252	12.25	2,126	16.50	3,105	20.75	4,171
4.00	550	8.25	1,301	12.50	2,181	16.75	3,165	21.00	4,236



## Capacity/Gauge Table Information

**TCLX 290440**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 240

Reporting Mark: TCLX 290440

Date: 02/07/2015

Capacity: 29,028 US Gallons (109,884 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,301	25.50	5,447	29.75	6,652	34.00	7,905	38.25	9,197
21.50	4,367	25.75	5,516	30.00	6,724	34.25	7,980	38.50	9,274
21.75	4,433	26.00	5,586	30.25	6,797	34.50	8,055	38.75	9,351
22.00	4,499	26.25	5,656	30.50	6,870	34.75	8,131	39.00	9,429
22.25	4,565	26.50	5,726	30.75	6,943	35.00	8,206	39.25	9,506
22.50	4,631	26.75	5,796	31.00	7,016	35.25	8,281	39.50	9,583
22.75	4,698	27.00	5,866	31.25	7,089	35.50	8,357	39.75	9,661
23.00	4,765	27.25	5,937	31.50	7,163	35.75	8,433	40.00	9,738
23.25	4,832	27.50	6,007	31.75	7,236	36.00	8,509	40.25	9,816
23.50	4,900	27.75	6,078	32.00	7,310	36.25	8,585	40.50	9,894
23.75	4,967	28.00	6,149	32.25	7,384	36.50	8,661	40.75	9,972
24.00	5,035	28.25	6,221	32.50	7,458	36.75	8,737	41.00	10,050
24.25	5,103	28.50	6,292	32.75	7,532	37.00	8,814	41.25	10,128
24.50	5,172	28.75	6,364	33.00	7,606	37.25	8,890	41.50	10,206
24.75	5,240	29.00	6,436	33.25	7,681	37.50	8,967	41.75	10,284
25.00	5,309	29.25	6,507	33.50	7,755	37.75	9,043	42.00	10,362
25.25	5,378	29.50	6,580	33.75	7,830	38.00	9,120	42.25	10,441





## Capacity/Gauge Table Information

**TCLX 290440**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 240

Reporting Mark: TCLX 290440

Date: 02/07/2015

Capacity: 29,028 US Gallons (109,884 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,519	46.75	11,863	51.00	13,221	55.25	14,585	59.50	15,947
42.75	10,598	47.00	11,943	51.25	13,301	55.50	14,665	59.75	16,027
43.00	10,676	47.25	12,022	51.50	13,381	55.75	14,745	60.00	16,107
43.25	10,755	47.50	12,102	51.75	13,461	56.00	14,826	60.25	16,187
43.50	10,834	47.75	12,182	52.00	13,542	56.25	14,906	60.50	16,267
43.75	10,913	48.00	12,261	52.25	13,622	56.50	14,986	60.75	16,346
44.00	10,992	48.25	12,341	52.50	13,702	56.75	15,066	61.00	16,426
44.25	11,070	48.50	12,421	52.75	13,782	57.00	15,146	61.25	16,506
44.50	11,150	48.75	12,501	53.00	13,863	57.25	15,227	61.50	16,585
44.75	11,229	49.00	12,581	53.25	13,943	57.50	15,307	61.75	16,665
45.00	11,308	49.25	12,661	53.50	14,023	57.75	15,387	62.00	16,745
45.25	11,387	49.50	12,741	53.75	14,103	58.00	15,467	62.25	16,824
45.50	11,466	49.75	12,821	54.00	14,184	58.25	15,547	62.50	16,904
45.75	11,545	50.00	12,901	54.25	14,264	58.50	15,627	62.75	16,983
46.00	11,625	50.25	12,981	54.50	14,344	58.75	15,707	63.00	17,062
46.25	11,704	50.50	13,061	54.75	14,424	59.00	15,787	63.25	17,142
46.50	11,784	50.75	13,141	55.00	14,505	59.25	15,867	63.50	17,221



## Capacity/Gauge Table Information

**TCLX 290440**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 240

Reporting Mark: TCLX 290440

Date: 02/07/2015

Capacity: 29,028 US Gallons (109,884 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,300	68.00	18,636	72.25	19,947	76.50	21,224	80.75	22,458
64.00	17,379	68.25	18,714	72.50	20,023	76.75	21,298	81.00	22,530
64.25	17,458	68.50	18,792	72.75	20,099	77.00	21,372	81.25	22,600
64.50	17,537	68.75	18,869	73.00	20,175	77.25	21,445	81.50	22,671
64.75	17,616	69.00	18,947	73.25	20,251	77.50	21,519	81.75	22,742
65.00	17,695	69.25	19,025	73.50	20,326	77.75	21,592	82.00	22,812
65.25	17,774	69.50	19,102	73.75	20,402	78.00	21,665	82.25	22,882
65.50	17,853	69.75	19,179	74.00	20,477	78.25	21,738	82.50	22,952
65.75	17,931	70.00	19,256	74.25	20,552	78.50	21,811	82.75	23,022
66.00	18,010	70.25	19,334	74.50	20,628	78.75	21,883	83.00	23,091
66.25	18,089	70.50	19,411	74.75	20,703	79.00	21,956	83.25	23,161
66.50	18,167	70.75	19,488	75.00	20,778	79.25	22,028	83.50	23,230
66.75	18,245	71.00	19,564	75.25	20,852	79.50	22,100	83.75	23,299
67.00	18,324	71.25	19,641	75.50	20,927	79.75	22,172	84.00	23,368
67.25	18,402	71.50	19,718	75.75	21,001	80.00	22,244	84.25	23,436
67.50	18,480	71.75	19,794	76.00	21,076	80.25	22,316	84.50	23,505
67.75	18,558	72.00	19,871	76.25	21,150	80.50	22,387	84.75	23,573



## Capacity/Gauge Table Information

**TCLX 290440**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 240

Reporting Mark: TCLX 290440

Date: 02/07/2015

Capacity: 29,028 US Gallons (109,884 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,641	89.25	24,759	93.50	25,802	97.75	26,754	102.00	27,595
85.25	23,708	89.50	24,823	93.75	25,861	98.00	26,807	102.25	27,640
85.50	23,776	89.75	24,886	94.00	25,919	98.25	26,859	102.50	27,685
85.75	23,843	90.00	24,949	94.25	25,977	98.50	26,911	102.75	27,730
86.00	23,910	90.25	25,012	94.50	26,035	98.75	26,962	103.00	27,774
86.25	23,977	90.50	25,075	94.75	26,092	99.00	27,014	103.25	27,817
86.50	24,043	90.75	25,137	95.00	26,149	99.25	27,064	103.50	27,860
86.75	24,110	91.00	25,199	95.25	26,206	99.50	27,115	103.75	27,903
87.00	24,176	91.25	25,260	95.50	26,262	99.75	27,165	104.00	27,944
87.25	24,242	91.50	25,322	95.75	26,318	100.00	27,214	104.25	27,986
87.50	24,307	91.75	25,383	96.00	26,374	100.25	27,263	104.50	28,027
87.75	24,372	92.00	25,444	96.25	26,429	100.50	27,312	104.75	28,067
88.00	24,438	92.25	25,504	96.50	26,484	100.75	27,360	105.00	28,107
88.25	24,502	92.50	25,564	96.75	26,539	101.00	27,408	105.25	28,146
88.50	24,567	92.75	25,624	97.00	26,593	101.25	27,455	105.50	28,184
88.75	24,631	93.00	25,684	97.25	26,647	101.50	27,502	105.75	28,222
89.00	24,696	93.25	25,743	97.50	26,701	101.75	27,549	106.00	28,260



## Capacity/Gauge Table Information

**TCLX 290440**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 240

Reporting Mark: TCLX 290440

Date: 02/07/2015

Capacity: 29,028 US Gallons (109,884 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,296	110.50	28,807	114.75	29,015
106.50	28,333	110.75	28,828	115.00	29,019
106.75	28,368	111.00	28,848	115.25	29,022
107.00	28,403	111.25	28,867	115.50	29,024
107.25	28,437	111.50	28,885	115.75	29,026
107.50	28,470	111.75	28,901	116.00	29,027
107.75	28,503	112.00	28,916	116.25	29,028
108.00	28,535	112.25	28,931	116.50	29,028
108.25	28,566	112.50	28,943	116.75	29,028
108.50	28,596	112.75	28,955		
108.75	28,626	113.00	28,966		
109.00	28,655	113.25	28,976		
109.25	28,682	113.50	28,985		
109.50	28,709	113.75	28,993		
109.75	28,735	114.00	29,000		
110.00	28,760	114.25	29,006		
110.25	28,784	114.50	29,011		



## Capacity/Gauge Table Information

**TCLX 290441**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 241

Reporting Mark: TCLX 290441

Date: 26/06/2015

Capacity: 28,953 US Gallons (109,599 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,233	17.00	3,221
0.25	29	4.50	630	8.75	1,396	13.00	2,288	17.25	3,282
0.50	58	4.75	671	9.00	1,446	13.25	2,344	17.50	3,343
0.75	89	5.00	712	9.25	1,495	13.50	2,400	17.75	3,404
1.00	120	5.25	755	9.50	1,545	13.75	2,457	18.00	3,466
1.25	152	5.50	797	9.75	1,596	14.00	2,514	18.25	3,528
1.50	185	5.75	840	10.00	1,647	14.25	2,571	18.50	3,590
1.75	218	6.00	884	10.25	1,698	14.50	2,628	18.75	3,653
2.00	252	6.25	928	10.50	1,750	14.75	2,686	19.00	3,716
2.25	287	6.50	973	10.75	1,802	15.00	2,744	19.25	3,779
2.50	323	6.75	1,018	11.00	1,855	15.25	2,803	19.50	3,842
2.75	359	7.00	1,064	11.25	1,907	15.50	2,862	19.75	3,906
3.00	396	7.25	1,110	11.50	1,961	15.75	2,921	20.00	3,970
3.25	433	7.50	1,156	11.75	2,014	16.00	2,980	20.25	4,034
3.50	471	7.75	1,203	12.00	2,068	16.25	3,040	20.50	4,099
3.75	510	8.00	1,251	12.25	2,123	16.50	3,100	20.75	4,163
4.00	549	8.25	1,299	12.50	2,178	16.75	3,160	21.00	4,228



## Capacity/Gauge Table Information

**TCLX 290441**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 241

Reporting Mark: TCLX 290441

Date: 26/06/2015

Capacity: 28,953 US Gallons (109,599 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,293	25.50	5,437	29.75	6,638	34.00	7,888	38.25	9,177
21.50	4,359	25.75	5,506	30.00	6,711	34.25	7,963	38.50	9,254
21.75	4,424	26.00	5,575	30.25	6,783	34.50	8,038	38.75	9,330
22.00	4,490	26.25	5,645	30.50	6,856	34.75	8,113	39.00	9,407
22.25	4,557	26.50	5,714	30.75	6,928	35.00	8,188	39.25	9,485
22.50	4,623	26.75	5,784	31.00	7,001	35.25	8,264	39.50	9,562
22.75	4,689	27.00	5,855	31.25	7,074	35.50	8,339	39.75	9,639
23.00	4,756	27.25	5,925	31.50	7,148	35.75	8,415	40.00	9,716
23.25	4,823	27.50	5,995	31.75	7,221	36.00	8,490	40.25	9,794
23.50	4,891	27.75	6,066	32.00	7,295	36.25	8,566	40.50	9,872
23.75	4,958	28.00	6,137	32.25	7,368	36.50	8,642	40.75	9,949
24.00	5,026	28.25	6,208	32.50	7,442	36.75	8,718	41.00	10,027
24.25	5,094	28.50	6,279	32.75	7,516	37.00	8,794	41.25	10,105
24.50	5,162	28.75	6,351	33.00	7,590	37.25	8,871	41.50	10,183
24.75	5,230	29.00	6,422	33.25	7,665	37.50	8,947	41.75	10,261
25.00	5,299	29.25	6,494	33.50	7,739	37.75	9,023	42.00	10,339
25.25	5,368	29.50	6,566	33.75	7,814	38.00	9,100	42.25	10,417



## Capacity/Gauge Table Information

**TCLX 290441**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 241

Reporting Mark: TCLX 290441

Date: 26/06/2015

Capacity: 28,953 US Gallons (109,599 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,495	46.75	11,835	51.00	13,189	55.25	14,549	59.50	15,908
42.75	10,573	47.00	11,915	51.25	13,269	55.50	14,629	59.75	15,987
43.00	10,652	47.25	11,994	51.50	13,349	55.75	14,709	60.00	16,067
43.25	10,730	47.50	12,073	51.75	13,429	56.00	14,789	60.25	16,147
43.50	10,809	47.75	12,153	52.00	13,509	56.25	14,869	60.50	16,226
43.75	10,887	48.00	12,232	52.25	13,589	56.50	14,949	60.75	16,306
44.00	10,966	48.25	12,312	52.50	13,669	56.75	15,029	61.00	16,385
44.25	11,045	48.50	12,392	52.75	13,749	57.00	15,109	61.25	16,465
44.50	11,124	48.75	12,471	53.00	13,829	57.25	15,189	61.50	16,544
44.75	11,202	49.00	12,551	53.25	13,909	57.50	15,269	61.75	16,624
45.00	11,281	49.25	12,631	53.50	13,989	57.75	15,349	62.00	16,703
45.25	11,360	49.50	12,710	53.75	14,069	58.00	15,429	62.25	16,782
45.50	11,439	49.75	12,790	54.00	14,149	58.25	15,509	62.50	16,861
45.75	11,518	50.00	12,870	54.25	14,229	58.50	15,589	62.75	16,941
46.00	11,598	50.25	12,950	54.50	14,309	58.75	15,668	63.00	17,020
46.25	11,677	50.50	13,030	54.75	14,389	59.00	15,748	63.25	17,099
46.50	11,756	50.75	13,109	55.00	14,469	59.25	15,828	63.50	17,178





## Capacity/Gauge Table Information

**TCLX 290441**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 241

Reporting Mark: TCLX 290441

Date: 26/06/2015

Capacity: 28,953 US Gallons (109,599 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,257	68.00	18,589	72.25	19,896	76.50	21,170	80.75	22,401
64.00	17,336	68.25	18,667	72.50	19,972	76.75	21,243	81.00	22,472
64.25	17,415	68.50	18,744	72.75	20,048	77.00	21,317	81.25	22,542
64.50	17,493	68.75	18,822	73.00	20,123	77.25	21,390	81.50	22,613
64.75	17,572	69.00	18,899	73.25	20,199	77.50	21,464	81.75	22,683
65.00	17,651	69.25	18,976	73.50	20,274	77.75	21,537	82.00	22,754
65.25	17,729	69.50	19,054	73.75	20,350	78.00	21,610	82.25	22,824
65.50	17,808	69.75	19,131	74.00	20,425	78.25	21,682	82.50	22,893
65.75	17,886	70.00	19,208	74.25	20,500	78.50	21,755	82.75	22,963
66.00	17,965	70.25	19,285	74.50	20,575	78.75	21,827	83.00	23,032
66.25	18,043	70.50	19,361	74.75	20,650	79.00	21,900	83.25	23,101
66.50	18,121	70.75	19,438	75.00	20,724	79.25	21,972	83.50	23,170
66.75	18,199	71.00	19,515	75.25	20,799	79.50	22,044	83.75	23,239
67.00	18,277	71.25	19,591	75.50	20,873	79.75	22,115	84.00	23,308
67.25	18,355	71.50	19,668	75.75	20,948	80.00	22,187	84.25	23,376
67.50	18,433	71.75	19,744	76.00	21,022	80.25	22,259	84.50	23,444
67.75	18,511	72.00	19,820	76.25	21,096	80.50	22,330	84.75	23,512



## Capacity/Gauge Table Information

**TCLX 290441**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 241

Reporting Mark: TCLX 290441

Date: 26/06/2015

Capacity: 28,953 US Gallons (109,599 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,580	89.25	24,696	93.50	25,736	97.75	26,686	102.00	27,524
85.25	23,647	89.50	24,759	93.75	25,795	98.00	26,738	102.25	27,570
85.50	23,715	89.75	24,822	94.00	25,853	98.25	26,790	102.50	27,615
85.75	23,782	90.00	24,885	94.25	25,911	98.50	26,842	102.75	27,659
86.00	23,849	90.25	24,948	94.50	25,968	98.75	26,894	103.00	27,703
86.25	23,915	90.50	25,010	94.75	26,026	99.00	26,945	103.25	27,746
86.50	23,982	90.75	25,072	95.00	26,083	99.25	26,995	103.50	27,789
86.75	24,048	91.00	25,134	95.25	26,139	99.50	27,046	103.75	27,832
87.00	24,114	91.25	25,196	95.50	26,195	99.75	27,096	104.00	27,874
87.25	24,179	91.50	25,257	95.75	26,251	100.00	27,145	104.25	27,915
87.50	24,245	91.75	25,318	96.00	26,307	100.25	27,194	104.50	27,956
87.75	24,310	92.00	25,379	96.25	26,362	100.50	27,243	104.75	27,996
88.00	24,375	92.25	25,439	96.50	26,417	100.75	27,291	105.00	28,035
88.25	24,440	92.50	25,499	96.75	26,471	101.00	27,338	105.25	28,074
88.50	24,504	92.75	25,559	97.00	26,525	101.25	27,386	105.50	28,113
88.75	24,568	93.00	25,618	97.25	26,579	101.50	27,432	105.75	28,151
89.00	24,632	93.25	25,677	97.50	26,633	101.75	27,479	106.00	28,188



## Capacity/Gauge Table Information

**TCLX 290441**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 241

Reporting Mark: TCLX 290441

Date: 26/06/2015

Capacity: 28,953 US Gallons (109,599 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,225	110.50	28,733	114.75	28,940
106.50	28,261	110.75	28,755	115.00	28,944
106.75	28,296	111.00	28,774	115.25	28,947
107.00	28,331	111.25	28,793	115.50	28,949
107.25	28,365	111.50	28,811	115.75	28,951
107.50	28,398	111.75	28,827	116.00	28,952
107.75	28,430	112.00	28,842	116.25	28,953
108.00	28,462	112.25	28,856	116.50	28,953
108.25	28,493	112.50	28,869	116.75	28,953
108.50	28,524	112.75	28,881		
108.75	28,553	113.00	28,891		
109.00	28,582	113.25	28,901		
109.25	28,609	113.50	28,910		
109.50	28,636	113.75	28,918		
109.75	28,662	114.00	28,925		
110.00	28,687	114.25	28,931		
110.25	28,711	114.50	28,936		



## Capacity/Gauge Table Information

**TCLX 290442**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 242

Reporting Mark: TCLX 290442

Date: 26/06/2015

Capacity: 28,943 US Gallons (109,561 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,345	12.75	2,230	17.00	3,217
0.25	29	4.50	629	8.75	1,394	13.00	2,285	17.25	3,278
0.50	58	4.75	669	9.00	1,443	13.25	2,341	17.50	3,339
0.75	88	5.00	711	9.25	1,493	13.50	2,397	17.75	3,400
1.00	120	5.25	753	9.50	1,543	13.75	2,454	18.00	3,462
1.25	151	5.50	796	9.75	1,593	14.00	2,510	18.25	3,524
1.50	184	5.75	839	10.00	1,644	14.25	2,567	18.50	3,586
1.75	218	6.00	882	10.25	1,696	14.50	2,625	18.75	3,649
2.00	252	6.25	926	10.50	1,747	14.75	2,683	19.00	3,712
2.25	286	6.50	971	10.75	1,799	15.00	2,741	19.25	3,775
2.50	322	6.75	1,016	11.00	1,852	15.25	2,799	19.50	3,838
2.75	358	7.00	1,062	11.25	1,905	15.50	2,858	19.75	3,902
3.00	395	7.25	1,108	11.50	1,958	15.75	2,917	20.00	3,966
3.25	432	7.50	1,154	11.75	2,012	16.00	2,976	20.25	4,030
3.50	470	7.75	1,201	12.00	2,066	16.25	3,036	20.50	4,094
3.75	509	8.00	1,249	12.25	2,120	16.50	3,096	20.75	4,159
4.00	548	8.25	1,297	12.50	2,175	16.75	3,156	21.00	4,224



## Capacity/Gauge Table Information

**TCLX 290442**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 242

Reporting Mark: TCLX 290442

Date: 26/06/2015

Capacity: 28,943 US Gallons (109,561 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,289	25.50	5,432	29.75	6,633	34.00	7,882	38.25	9,170
21.50	4,354	25.75	5,501	30.00	6,705	34.25	7,957	38.50	9,247
21.75	4,420	26.00	5,570	30.25	6,777	34.50	8,032	38.75	9,324
22.00	4,486	26.25	5,640	30.50	6,850	34.75	8,107	39.00	9,401
22.25	4,552	26.50	5,709	30.75	6,923	35.00	8,182	39.25	9,478
22.50	4,618	26.75	5,779	31.00	6,996	35.25	8,257	39.50	9,555
22.75	4,685	27.00	5,849	31.25	7,069	35.50	8,333	39.75	9,632
23.00	4,752	27.25	5,920	31.50	7,142	35.75	8,408	40.00	9,710
23.25	4,819	27.50	5,990	31.75	7,215	36.00	8,484	40.25	9,787
23.50	4,886	27.75	6,061	32.00	7,289	36.25	8,560	40.50	9,865
23.75	4,953	28.00	6,132	32.25	7,363	36.50	8,636	40.75	9,943
24.00	5,021	28.25	6,203	32.50	7,436	36.75	8,712	41.00	10,020
24.25	5,089	28.50	6,274	32.75	7,510	37.00	8,788	41.25	10,098
24.50	5,157	28.75	6,345	33.00	7,584	37.25	8,864	41.50	10,176
24.75	5,225	29.00	6,417	33.25	7,659	37.50	8,941	41.75	10,254
25.00	5,294	29.25	6,489	33.50	7,733	37.75	9,017	42.00	10,332
25.25	5,363	29.50	6,561	33.75	7,808	38.00	9,094	42.25	10,410



## Capacity/Gauge Table Information

**TCLX 290442**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 242

Reporting Mark: TCLX 290442

Date: 26/06/2015

Capacity: 28,943 US Gallons (109,561 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,488	46.75	11,828	51.00	13,182	55.25	14,541	59.50	15,899
42.75	10,567	47.00	11,907	51.25	13,262	55.50	14,621	59.75	15,979
43.00	10,645	47.25	11,987	51.50	13,341	55.75	14,701	60.00	16,059
43.25	10,723	47.50	12,066	51.75	13,421	56.00	14,781	60.25	16,138
43.50	10,802	47.75	12,146	52.00	13,501	56.25	14,861	60.50	16,218
43.75	10,880	48.00	12,225	52.25	13,581	56.50	14,941	60.75	16,297
44.00	10,959	48.25	12,305	52.50	13,661	56.75	15,021	61.00	16,377
44.25	11,038	48.50	12,384	52.75	13,741	57.00	15,101	61.25	16,456
44.50	11,117	48.75	12,464	53.00	13,821	57.25	15,181	61.50	16,536
44.75	11,195	49.00	12,543	53.25	13,901	57.50	15,261	61.75	16,615
45.00	11,274	49.25	12,623	53.50	13,981	57.75	15,341	62.00	16,694
45.25	11,353	49.50	12,703	53.75	14,061	58.00	15,421	62.25	16,774
45.50	11,432	49.75	12,783	54.00	14,141	58.25	15,501	62.50	16,853
45.75	11,511	50.00	12,862	54.25	14,221	58.50	15,580	62.75	16,932
46.00	11,590	50.25	12,942	54.50	14,301	58.75	15,660	63.00	17,011
46.25	11,670	50.50	13,022	54.75	14,381	59.00	15,740	63.25	17,090
46.50	11,749	50.75	13,102	55.00	14,461	59.25	15,820	63.50	17,169



## Capacity/Gauge Table Information

**TCLX 290442**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 242

Reporting Mark: TCLX 290442

Date: 26/06/2015

Capacity: 28,943 US Gallons (109,561 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,248	68.00	18,580	72.25	19,887	76.50	21,160	80.75	22,391
64.00	17,327	68.25	18,658	72.50	19,963	76.75	21,234	81.00	22,462
64.25	17,406	68.50	18,735	72.75	20,039	77.00	21,308	81.25	22,533
64.50	17,485	68.75	18,813	73.00	20,114	77.25	21,381	81.50	22,603
64.75	17,563	69.00	18,890	73.25	20,190	77.50	21,454	81.75	22,674
65.00	17,642	69.25	18,967	73.50	20,265	77.75	21,527	82.00	22,744
65.25	17,721	69.50	19,045	73.75	20,341	78.00	21,600	82.25	22,814
65.50	17,799	69.75	19,122	74.00	20,416	78.25	21,673	82.50	22,884
65.75	17,878	70.00	19,199	74.25	20,491	78.50	21,745	82.75	22,953
66.00	17,956	70.25	19,276	74.50	20,566	78.75	21,818	83.00	23,023
66.25	18,034	70.50	19,352	74.75	20,641	79.00	21,890	83.25	23,092
66.50	18,112	70.75	19,429	75.00	20,715	79.25	21,962	83.50	23,161
66.75	18,191	71.00	19,506	75.25	20,790	79.50	22,034	83.75	23,229
67.00	18,269	71.25	19,582	75.50	20,864	79.75	22,106	84.00	23,298
67.25	18,347	71.50	19,658	75.75	20,938	80.00	22,178	84.25	23,366
67.50	18,425	71.75	19,735	76.00	21,013	80.25	22,249	84.50	23,435
67.75	18,502	72.00	19,811	76.25	21,087	80.50	22,320	84.75	23,502





## Capacity/Gauge Table Information

**TCLX 290442**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 242

Reporting Mark: TCLX 290442

Date: 26/06/2015

Capacity: 28,943 US Gallons (109,561 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,570	89.25	24,686	93.50	25,726	97.75	26,675	102.00	27,514
85.25	23,638	89.50	24,749	93.75	25,785	98.00	26,728	102.25	27,559
85.50	23,705	89.75	24,813	94.00	25,843	98.25	26,780	102.50	27,604
85.75	23,772	90.00	24,875	94.25	25,901	98.50	26,832	102.75	27,649
86.00	23,839	90.25	24,938	94.50	25,958	98.75	26,883	103.00	27,693
86.25	23,905	90.50	25,000	94.75	26,015	99.00	26,934	103.25	27,736
86.50	23,972	90.75	25,062	95.00	26,072	99.25	26,985	103.50	27,779
86.75	24,038	91.00	25,124	95.25	26,129	99.50	27,035	103.75	27,821
87.00	24,104	91.25	25,186	95.50	26,185	99.75	27,085	104.00	27,863
87.25	24,169	91.50	25,247	95.75	26,241	100.00	27,135	104.25	27,904
87.50	24,235	91.75	25,308	96.00	26,297	100.25	27,184	104.50	27,945
87.75	24,300	92.00	25,368	96.25	26,352	100.50	27,232	104.75	27,985
88.00	24,365	92.25	25,429	96.50	26,407	100.75	27,280	105.00	28,025
88.25	24,430	92.50	25,489	96.75	26,461	101.00	27,328	105.25	28,064
88.50	24,494	92.75	25,549	97.00	26,515	101.25	27,375	105.50	28,102
88.75	24,558	93.00	25,608	97.25	26,569	101.50	27,422	105.75	28,140
89.00	24,622	93.25	25,667	97.50	26,622	101.75	27,468	106.00	28,178



## Capacity/Gauge Table Information

**TCLX 290442**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 242

Reporting Mark: TCLX 290442

Date: 26/06/2015

Capacity: 28,943 US Gallons (109,561 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,214	110.50	28,723	114.75	28,930
106.50	28,250	110.75	28,744	115.00	28,934
106.75	28,285	111.00	28,764	115.25	28,937
107.00	28,320	111.25	28,783	115.50	28,939
107.25	28,354	111.50	28,800	115.75	28,941
107.50	28,387	111.75	28,817	116.00	28,942
107.75	28,420	112.00	28,832	116.25	28,943
108.00	28,452	112.25	28,846	116.50	28,943
108.25	28,483	112.50	28,859	116.75	28,943
108.50	28,513	112.75	28,871		
108.75	28,543	113.00	28,881		
109.00	28,571	113.25	28,891		
109.25	28,599	113.50	28,900		
109.50	28,626	113.75	28,908		
109.75	28,652	114.00	28,914		
110.00	28,677	114.25	28,921		
110.25	28,700	114.50	28,926		



## Capacity/Gauge Table Information

**TCLX 290443**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 243

Reporting Mark: TCLX 290443

Date: 25/06/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,341	12.75	2,225	17.00	3,211
0.25	28	4.50	626	8.75	1,390	13.00	2,280	17.25	3,272
0.50	58	4.75	667	9.00	1,439	13.25	2,336	17.50	3,333
0.75	88	5.00	708	9.25	1,489	13.50	2,392	17.75	3,395
1.00	119	5.25	750	9.50	1,539	13.75	2,448	18.00	3,456
1.25	151	5.50	793	9.75	1,589	14.00	2,505	18.25	3,518
1.50	183	5.75	836	10.00	1,640	14.25	2,562	18.50	3,580
1.75	217	6.00	879	10.25	1,691	14.50	2,620	18.75	3,643
2.00	251	6.25	923	10.50	1,743	14.75	2,677	19.00	3,706
2.25	285	6.50	968	10.75	1,795	15.00	2,735	19.25	3,769
2.50	321	6.75	1,013	11.00	1,847	15.25	2,794	19.50	3,832
2.75	357	7.00	1,059	11.25	1,900	15.50	2,853	19.75	3,896
3.00	393	7.25	1,105	11.50	1,953	15.75	2,912	20.00	3,959
3.25	431	7.50	1,151	11.75	2,007	16.00	2,971	20.25	4,024
3.50	469	7.75	1,198	12.00	2,061	16.25	3,030	20.50	4,088
3.75	507	8.00	1,245	12.25	2,115	16.50	3,090	20.75	4,153
4.00	546	8.25	1,293	12.50	2,170	16.75	3,151	21.00	4,217



## Capacity/Gauge Table Information

**TCLX 290443**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 243

Reporting Mark: TCLX 290443

Date: 25/06/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,283	25.50	5,425	29.75	6,625	34.00	7,875	38.25	9,163
21.50	4,348	25.75	5,494	30.00	6,698	34.25	7,949	38.50	9,239
21.75	4,413	26.00	5,563	30.25	6,770	34.50	8,024	38.75	9,316
22.00	4,479	26.25	5,633	30.50	6,843	34.75	8,099	39.00	9,393
22.25	4,545	26.50	5,702	30.75	6,915	35.00	8,175	39.25	9,470
22.50	4,612	26.75	5,772	31.00	6,988	35.25	8,250	39.50	9,548
22.75	4,678	27.00	5,842	31.25	7,061	35.50	8,325	39.75	9,625
23.00	4,745	27.25	5,913	31.50	7,135	35.75	8,401	40.00	9,702
23.25	4,812	27.50	5,983	31.75	7,208	36.00	8,477	40.25	9,780
23.50	4,879	27.75	6,054	32.00	7,281	36.25	8,552	40.50	9,857
23.75	4,947	28.00	6,125	32.25	7,355	36.50	8,628	40.75	9,935
24.00	5,014	28.25	6,196	32.50	7,429	36.75	8,704	41.00	10,013
24.25	5,082	28.50	6,267	32.75	7,503	37.00	8,780	41.25	10,091
24.50	5,150	28.75	6,338	33.00	7,577	37.25	8,857	41.50	10,168
24.75	5,218	29.00	6,410	33.25	7,651	37.50	8,933	41.75	10,246
25.00	5,287	29.25	6,482	33.50	7,726	37.75	9,009	42.00	10,324
25.25	5,356	29.50	6,553	33.75	7,800	38.00	9,086	42.25	10,403



## Capacity/Gauge Table Information

**TCLX 290443**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 243

Reporting Mark: TCLX 290443

Date: 25/06/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,481	46.75	11,821	51.00	13,175	55.25	14,535	59.50	15,893
42.75	10,559	47.00	11,900	51.25	13,255	55.50	14,615	59.75	15,973
43.00	10,637	47.25	11,979	51.50	13,335	55.75	14,695	60.00	16,053
43.25	10,716	47.50	12,059	51.75	13,414	56.00	14,775	60.25	16,133
43.50	10,794	47.75	12,138	52.00	13,494	56.25	14,855	60.50	16,212
43.75	10,873	48.00	12,218	52.25	13,574	56.50	14,935	60.75	16,292
44.00	10,952	48.25	12,297	52.50	13,654	56.75	15,015	61.00	16,371
44.25	11,030	48.50	12,377	52.75	13,734	57.00	15,095	61.25	16,451
44.50	11,109	48.75	12,457	53.00	13,814	57.25	15,175	61.50	16,530
44.75	11,188	49.00	12,536	53.25	13,894	57.50	15,255	61.75	16,610
45.00	11,267	49.25	12,616	53.50	13,974	57.75	15,335	62.00	16,689
45.25	11,346	49.50	12,696	53.75	14,055	58.00	15,415	62.25	16,768
45.50	11,425	49.75	12,775	54.00	14,135	58.25	15,494	62.50	16,848
45.75	11,504	50.00	12,855	54.25	14,215	58.50	15,574	62.75	16,927
46.00	11,583	50.25	12,935	54.50	14,295	58.75	15,654	63.00	17,006
46.25	11,662	50.50	13,015	54.75	14,375	59.00	15,734	63.25	17,085
46.50	11,742	50.75	13,095	55.00	14,455	59.25	15,814	63.50	17,164



## Capacity/Gauge Table Information

**TCLX 290443**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 243

Reporting Mark: TCLX 290443

Date: 25/06/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,243	68.00	18,576	72.25	19,884	76.50	21,158	80.75	22,391
64.00	17,322	68.25	18,654	72.50	19,960	76.75	21,232	81.00	22,462
64.25	17,401	68.50	18,731	72.75	20,036	77.00	21,306	81.25	22,533
64.50	17,480	68.75	18,809	73.00	20,111	77.25	21,379	81.50	22,603
64.75	17,558	69.00	18,886	73.25	20,187	77.50	21,453	81.75	22,674
65.00	17,637	69.25	18,963	73.50	20,263	77.75	21,526	82.00	22,744
65.25	17,716	69.50	19,041	73.75	20,338	78.00	21,599	82.25	22,814
65.50	17,794	69.75	19,118	74.00	20,413	78.25	21,672	82.50	22,884
65.75	17,873	70.00	19,195	74.25	20,488	78.50	21,744	82.75	22,953
66.00	17,951	70.25	19,272	74.50	20,563	78.75	21,817	83.00	23,023
66.25	18,030	70.50	19,349	74.75	20,638	79.00	21,889	83.25	23,092
66.50	18,108	70.75	19,426	75.00	20,713	79.25	21,961	83.50	23,161
66.75	18,186	71.00	19,502	75.25	20,787	79.50	22,033	83.75	23,230
67.00	18,264	71.25	19,579	75.50	20,862	79.75	22,105	84.00	23,299
67.25	18,342	71.50	19,655	75.75	20,936	80.00	22,177	84.25	23,367
67.50	18,420	71.75	19,731	76.00	21,010	80.25	22,248	84.50	23,435
67.75	18,498	72.00	19,808	76.25	21,085	80.50	22,320	84.75	23,504



## Capacity/Gauge Table Information

**TCLX 290443**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 243

Reporting Mark: TCLX 290443

Date: 25/06/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,571	89.25	24,689	93.50	25,731	97.75	26,683	102.00	27,525
85.25	23,639	89.50	24,753	93.75	25,790	98.00	26,736	102.25	27,570
85.50	23,706	89.75	24,816	94.00	25,848	98.25	26,788	102.50	27,615
85.75	23,773	90.00	24,879	94.25	25,906	98.50	26,840	102.75	27,660
86.00	23,840	90.25	24,942	94.50	25,964	98.75	26,892	103.00	27,704
86.25	23,907	90.50	25,004	94.75	26,021	99.00	26,943	103.25	27,748
86.50	23,974	90.75	25,066	95.00	26,078	99.25	26,994	103.50	27,791
86.75	24,040	91.00	25,128	95.25	26,135	99.50	27,044	103.75	27,833
87.00	24,106	91.25	25,190	95.50	26,191	99.75	27,094	104.00	27,875
87.25	24,172	91.50	25,251	95.75	26,247	100.00	27,144	104.25	27,917
87.50	24,237	91.75	25,312	96.00	26,303	100.25	27,193	104.50	27,958
87.75	24,302	92.00	25,373	96.25	26,358	100.50	27,242	104.75	27,998
88.00	24,367	92.25	25,433	96.50	26,413	100.75	27,290	105.00	28,038
88.25	24,432	92.50	25,494	96.75	26,468	101.00	27,338	105.25	28,077
88.50	24,497	92.75	25,553	97.00	26,522	101.25	27,385	105.50	28,116
88.75	24,561	93.00	25,613	97.25	26,576	101.50	27,432	105.75	28,154
89.00	24,625	93.25	25,672	97.50	26,630	101.75	27,479	106.00	28,192





## Capacity/Gauge Table Information

**TCLX 290443**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 243

Reporting Mark: TCLX 290443

Date: 25/06/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,228	110.50	28,743	114.75	28,955
106.50	28,265	110.75	28,765	115.00	28,959
106.75	28,300	111.00	28,785	115.25	28,962
107.00	28,335	111.25	28,804	115.50	28,964
107.25	28,369	111.50	28,822	115.75	28,966
107.50	28,403	111.75	28,839	116.00	28,967
107.75	28,436	112.00	28,854	116.25	28,968
108.00	28,468	112.25	28,869	116.50	28,968
108.25	28,499	112.50	28,882	116.75	28,968
108.50	28,530	112.75	28,894		
108.75	28,560	113.00	28,905		
109.00	28,589	113.25	28,915		
109.25	28,617	113.50	28,924		
109.50	28,644	113.75	28,932		
109.75	28,670	114.00	28,939		
110.00	28,696	114.25	28,945		
110.25	28,720	114.50	28,951		



## Capacity/Gauge Table Information

**TCLX 290444**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 244

Reporting Mark: TCLX 290444

Date: 26/06/2015

Capacity: 28,969 US Gallons (109,661 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,348	12.75	2,234	17.00	3,223
0.25	29	4.50	630	8.75	1,397	13.00	2,290	17.25	3,284
0.50	58	4.75	671	9.00	1,446	13.25	2,345	17.50	3,345
0.75	89	5.00	713	9.25	1,496	13.50	2,402	17.75	3,406
1.00	120	5.25	755	9.50	1,546	13.75	2,458	18.00	3,468
1.25	152	5.50	798	9.75	1,597	14.00	2,515	18.25	3,530
1.50	185	5.75	841	10.00	1,648	14.25	2,572	18.50	3,593
1.75	218	6.00	885	10.25	1,699	14.50	2,630	18.75	3,655
2.00	252	6.25	929	10.50	1,751	14.75	2,688	19.00	3,718
2.25	287	6.50	973	10.75	1,803	15.00	2,746	19.25	3,781
2.50	323	6.75	1,019	11.00	1,856	15.25	2,804	19.50	3,845
2.75	359	7.00	1,064	11.25	1,909	15.50	2,863	19.75	3,908
3.00	396	7.25	1,111	11.50	1,962	15.75	2,922	20.00	3,972
3.25	434	7.50	1,157	11.75	2,016	16.00	2,982	20.25	4,037
3.50	472	7.75	1,204	12.00	2,070	16.25	3,042	20.50	4,101
3.75	510	8.00	1,252	12.25	2,124	16.50	3,102	20.75	4,166
4.00	550	8.25	1,300	12.50	2,179	16.75	3,162	21.00	4,231



## Capacity/Gauge Table Information

**TCLX 290444**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 244

Reporting Mark: TCLX 290444

Date: 26/06/2015

Capacity: 28,969 US Gallons (109,661 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,296	25.50	5,440	29.75	6,642	34.00	7,893	38.25	9,182
21.50	4,361	25.75	5,509	30.00	6,715	34.25	7,968	38.50	9,259
21.75	4,427	26.00	5,579	30.25	6,787	34.50	8,043	38.75	9,336
22.00	4,493	26.25	5,648	30.50	6,860	34.75	8,118	39.00	9,413
22.25	4,559	26.50	5,718	30.75	6,933	35.00	8,193	39.25	9,490
22.50	4,626	26.75	5,788	31.00	7,006	35.25	8,269	39.50	9,568
22.75	4,692	27.00	5,858	31.25	7,079	35.50	8,344	39.75	9,645
23.00	4,759	27.25	5,929	31.50	7,152	35.75	8,420	40.00	9,722
23.25	4,826	27.50	5,999	31.75	7,226	36.00	8,496	40.25	9,800
23.50	4,894	27.75	6,070	32.00	7,299	36.25	8,571	40.50	9,878
23.75	4,961	28.00	6,141	32.25	7,373	36.50	8,647	40.75	9,955
24.00	5,029	28.25	6,212	32.50	7,447	36.75	8,723	41.00	10,033
24.25	5,097	28.50	6,283	32.75	7,521	37.00	8,800	41.25	10,111
24.50	5,165	28.75	6,355	33.00	7,595	37.25	8,876	41.50	10,189
24.75	5,233	29.00	6,426	33.25	7,669	37.50	8,952	41.75	10,267
25.00	5,302	29.25	6,498	33.50	7,744	37.75	9,029	42.00	10,345
25.25	5,371	29.50	6,570	33.75	7,818	38.00	9,106	42.25	10,423



## Capacity/Gauge Table Information

**TCLX 290444**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 244

Reporting Mark: TCLX 290444

Date: 26/06/2015

Capacity: 28,969 US Gallons (109,661 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,502	46.75	11,843	51.00	13,198	55.25	14,558	59.50	15,918
42.75	10,580	47.00	11,922	51.25	13,277	55.50	14,638	59.75	15,997
43.00	10,658	47.25	12,002	51.50	13,357	55.75	14,718	60.00	16,077
43.25	10,737	47.50	12,081	51.75	13,437	56.00	14,799	60.25	16,157
43.50	10,816	47.75	12,161	52.00	13,517	56.25	14,879	60.50	16,236
43.75	10,894	48.00	12,240	52.25	13,597	56.50	14,959	60.75	16,316
44.00	10,973	48.25	12,320	52.50	13,678	56.75	15,039	61.00	16,396
44.25	11,052	48.50	12,399	52.75	13,758	57.00	15,119	61.25	16,475
44.50	11,131	48.75	12,479	53.00	13,838	57.25	15,199	61.50	16,555
44.75	11,209	49.00	12,559	53.25	13,918	57.50	15,279	61.75	16,634
45.00	11,288	49.25	12,638	53.50	13,998	57.75	15,359	62.00	16,713
45.25	11,367	49.50	12,718	53.75	14,078	58.00	15,439	62.25	16,793
45.50	11,447	49.75	12,798	54.00	14,158	58.25	15,518	62.50	16,872
45.75	11,526	50.00	12,878	54.25	14,238	58.50	15,598	62.75	16,951
46.00	11,605	50.25	12,958	54.50	14,318	58.75	15,678	63.00	17,030
46.25	11,684	50.50	13,038	54.75	14,398	59.00	15,758	63.25	17,110
46.50	11,763	50.75	13,118	55.00	14,478	59.25	15,838	63.50	17,189



## Capacity/Gauge Table Information

**TCLX 290444**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 244

Reporting Mark: TCLX 290444

Date: 26/06/2015

Capacity: 28,969 US Gallons (109,661 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,268	68.00	18,601	72.25	19,908	76.50	21,183	80.75	22,415
64.00	17,347	68.25	18,678	72.50	19,984	76.75	21,257	81.00	22,486
64.25	17,425	68.50	18,756	72.75	20,060	77.00	21,330	81.25	22,556
64.50	17,504	68.75	18,833	73.00	20,136	77.25	21,404	81.50	22,627
64.75	17,583	69.00	18,911	73.25	20,212	77.50	21,477	81.75	22,697
65.00	17,662	69.25	18,988	73.50	20,287	77.75	21,550	82.00	22,768
65.25	17,740	69.50	19,065	73.75	20,362	78.00	21,623	82.25	22,838
65.50	17,819	69.75	19,143	74.00	20,438	78.25	21,696	82.50	22,907
65.75	17,897	70.00	19,220	74.25	20,513	78.50	21,768	82.75	22,977
66.00	17,976	70.25	19,297	74.50	20,588	78.75	21,841	83.00	23,046
66.25	18,054	70.50	19,373	74.75	20,663	79.00	21,913	83.25	23,116
66.50	18,133	70.75	19,450	75.00	20,737	79.25	21,985	83.50	23,185
66.75	18,211	71.00	19,527	75.25	20,812	79.50	22,057	83.75	23,253
67.00	18,289	71.25	19,603	75.50	20,886	79.75	22,129	84.00	23,322
67.25	18,367	71.50	19,680	75.75	20,961	80.00	22,201	84.25	23,390
67.50	18,445	71.75	19,756	76.00	21,035	80.25	22,272	84.50	23,459
67.75	18,523	72.00	19,832	76.25	21,109	80.50	22,344	84.75	23,527



## Capacity/Gauge Table Information

**TCLX 290444**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 244

Reporting Mark: TCLX 290444

Date: 26/06/2015

Capacity: 28,969 US Gallons (109,661 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,594	89.25	24,711	93.50	25,752	97.75	26,701	102.00	27,541
85.25	23,662	89.50	24,774	93.75	25,810	98.00	26,754	102.25	27,586
85.50	23,729	89.75	24,838	94.00	25,868	98.25	26,806	102.50	27,631
85.75	23,796	90.00	24,900	94.25	25,926	98.50	26,858	102.75	27,675
86.00	23,863	90.25	24,963	94.50	25,984	98.75	26,910	103.00	27,719
86.25	23,930	90.50	25,025	94.75	26,041	99.00	26,961	103.25	27,763
86.50	23,996	90.75	25,088	95.00	26,098	99.25	27,011	103.50	27,805
86.75	24,062	91.00	25,149	95.25	26,155	99.50	27,062	103.75	27,848
87.00	24,128	91.25	25,211	95.50	26,211	99.75	27,112	104.00	27,890
87.25	24,194	91.50	25,272	95.75	26,267	100.00	27,161	104.25	27,931
87.50	24,260	91.75	25,333	96.00	26,322	100.25	27,210	104.50	27,972
87.75	24,325	92.00	25,394	96.25	26,378	100.50	27,259	104.75	28,012
88.00	24,390	92.25	25,454	96.50	26,433	100.75	27,307	105.00	28,052
88.25	24,454	92.50	25,514	96.75	26,487	101.00	27,354	105.25	28,091
88.50	24,519	92.75	25,574	97.00	26,541	101.25	27,402	105.50	28,129
88.75	24,583	93.00	25,634	97.25	26,595	101.50	27,448	105.75	28,167
89.00	24,647	93.25	25,693	97.50	26,648	101.75	27,495	106.00	28,204



## Capacity/Gauge Table Information

**TCLX 290444**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 244

Reporting Mark: TCLX 290444

Date: 26/06/2015

Capacity: 28,969 US Gallons (109,661 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,241	110.50	28,750	114.75	28,957
106.50	28,277	110.75	28,771	115.00	28,960
106.75	28,312	111.00	28,791	115.25	28,963
107.00	28,347	111.25	28,809	115.50	28,965
107.25	28,381	111.50	28,827	115.75	28,967
107.50	28,414	111.75	28,843	116.00	28,968
107.75	28,447	112.00	28,858	116.25	28,969
108.00	28,479	112.25	28,872	116.50	28,969
108.25	28,510	112.50	28,885	116.75	28,969
108.50	28,540	112.75	28,897		
108.75	28,569	113.00	28,908		
109.00	28,598	113.25	28,918		
109.25	28,626	113.50	28,926		
109.50	28,653	113.75	28,934		
109.75	28,678	114.00	28,941		
110.00	28,703	114.25	28,947		
110.25	28,727	114.50	28,952		





## Capacity/Gauge Table Information

**TCLX 290445**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 245

Reporting Mark: TCLX 290445

Date: 25/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,348	12.75	2,234	17.00	3,223
0.25	29	4.50	630	8.75	1,397	13.00	2,290	17.25	3,284
0.50	58	4.75	671	9.00	1,447	13.25	2,346	17.50	3,345
0.75	89	5.00	713	9.25	1,496	13.50	2,402	17.75	3,406
1.00	120	5.25	755	9.50	1,547	13.75	2,458	18.00	3,468
1.25	152	5.50	798	9.75	1,597	14.00	2,515	18.25	3,530
1.50	185	5.75	841	10.00	1,648	14.25	2,572	18.50	3,593
1.75	218	6.00	885	10.25	1,699	14.50	2,630	18.75	3,655
2.00	253	6.25	929	10.50	1,751	14.75	2,688	19.00	3,718
2.25	288	6.50	974	10.75	1,803	15.00	2,746	19.25	3,781
2.50	323	6.75	1,019	11.00	1,856	15.25	2,805	19.50	3,845
2.75	359	7.00	1,065	11.25	1,909	15.50	2,863	19.75	3,908
3.00	396	7.25	1,111	11.50	1,962	15.75	2,922	20.00	3,972
3.25	434	7.50	1,157	11.75	2,016	16.00	2,982	20.25	4,036
3.50	472	7.75	1,204	12.00	2,070	16.25	3,042	20.50	4,101
3.75	511	8.00	1,252	12.25	2,124	16.50	3,102	20.75	4,166
4.00	550	8.25	1,300	12.50	2,179	16.75	3,162	21.00	4,231



## Capacity/Gauge Table Information

**TCLX 290445**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 245

Reporting Mark: TCLX 290445

Date: 25/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,296	25.50	5,439	29.75	6,641	34.00	7,892	38.25	9,180
21.50	4,361	25.75	5,509	30.00	6,714	34.25	7,966	38.50	9,257
21.75	4,427	26.00	5,578	30.25	6,786	34.50	8,041	38.75	9,334
22.00	4,493	26.25	5,647	30.50	6,859	34.75	8,116	39.00	9,411
22.25	4,559	26.50	5,717	30.75	6,932	35.00	8,192	39.25	9,488
22.50	4,625	26.75	5,787	31.00	7,005	35.25	8,267	39.50	9,566
22.75	4,692	27.00	5,857	31.25	7,078	35.50	8,342	39.75	9,643
23.00	4,759	27.25	5,928	31.50	7,151	35.75	8,418	40.00	9,720
23.25	4,826	27.50	5,998	31.75	7,224	36.00	8,494	40.25	9,798
23.50	4,893	27.75	6,069	32.00	7,298	36.25	8,570	40.50	9,875
23.75	4,961	28.00	6,140	32.25	7,372	36.50	8,646	40.75	9,953
24.00	5,028	28.25	6,211	32.50	7,445	36.75	8,722	41.00	10,031
24.25	5,096	28.50	6,282	32.75	7,519	37.00	8,798	41.25	10,109
24.50	5,165	28.75	6,354	33.00	7,594	37.25	8,874	41.50	10,187
24.75	5,233	29.00	6,425	33.25	7,668	37.50	8,951	41.75	10,265
25.00	5,302	29.25	6,497	33.50	7,742	37.75	9,027	42.00	10,343
25.25	5,370	29.50	6,569	33.75	7,817	38.00	9,104	42.25	10,421



## Capacity/Gauge Table Information

**TCLX 290445**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 245

Reporting Mark: TCLX 290445

Date: 25/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,499	46.75	11,840	51.00	13,194	55.25	14,554	59.50	15,913
42.75	10,577	47.00	11,919	51.25	13,274	55.50	14,634	59.75	15,992
43.00	10,656	47.25	11,998	51.50	13,354	55.75	14,714	60.00	16,072
43.25	10,734	47.50	12,078	51.75	13,434	56.00	14,794	60.25	16,152
43.50	10,813	47.75	12,157	52.00	13,514	56.25	14,874	60.50	16,231
43.75	10,891	48.00	12,237	52.25	13,594	56.50	14,954	60.75	16,311
44.00	10,970	48.25	12,316	52.50	13,674	56.75	15,034	61.00	16,390
44.25	11,049	48.50	12,396	52.75	13,754	57.00	15,114	61.25	16,470
44.50	11,128	48.75	12,476	53.00	13,834	57.25	15,194	61.50	16,549
44.75	11,207	49.00	12,555	53.25	13,914	57.50	15,274	61.75	16,629
45.00	11,286	49.25	12,635	53.50	13,994	57.75	15,354	62.00	16,708
45.25	11,364	49.50	12,715	53.75	14,074	58.00	15,434	62.25	16,787
45.50	11,444	49.75	12,794	54.00	14,154	58.25	15,514	62.50	16,867
45.75	11,523	50.00	12,874	54.25	14,234	58.50	15,593	62.75	16,946
46.00	11,602	50.25	12,954	54.50	14,314	58.75	15,673	63.00	17,025
46.25	11,681	50.50	13,034	54.75	14,394	59.00	15,753	63.25	17,104
46.50	11,760	50.75	13,114	55.00	14,474	59.25	15,833	63.50	17,183



## Capacity/Gauge Table Information

**TCLX 290445**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 245

Reporting Mark: TCLX 290445

Date: 25/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,262	68.00	18,594	72.25	19,902	76.50	21,176	80.75	22,407
64.00	17,341	68.25	18,672	72.50	19,978	76.75	21,249	81.00	22,478
64.25	17,420	68.50	18,750	72.75	20,053	77.00	21,323	81.25	22,549
64.50	17,499	68.75	18,827	73.00	20,129	77.25	21,396	81.50	22,619
64.75	17,577	69.00	18,905	73.25	20,205	77.50	21,470	81.75	22,690
65.00	17,656	69.25	18,982	73.50	20,280	77.75	21,543	82.00	22,760
65.25	17,735	69.50	19,059	73.75	20,356	78.00	21,616	82.25	22,830
65.50	17,813	69.75	19,136	74.00	20,431	78.25	21,688	82.50	22,900
65.75	17,892	70.00	19,213	74.25	20,506	78.50	21,761	82.75	22,969
66.00	17,970	70.25	19,290	74.50	20,581	78.75	21,833	83.00	23,039
66.25	18,048	70.50	19,367	74.75	20,656	79.00	21,906	83.25	23,108
66.50	18,127	70.75	19,444	75.00	20,730	79.25	21,978	83.50	23,177
66.75	18,205	71.00	19,520	75.25	20,805	79.50	22,050	83.75	23,246
67.00	18,283	71.25	19,597	75.50	20,879	79.75	22,122	84.00	23,314
67.25	18,361	71.50	19,673	75.75	20,954	80.00	22,193	84.25	23,383
67.50	18,439	71.75	19,749	76.00	21,028	80.25	22,265	84.50	23,451
67.75	18,517	72.00	19,826	76.25	21,102	80.50	22,336	84.75	23,519



## Capacity/Gauge Table Information

**TCLX 290445**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 245

Reporting Mark: TCLX 290445

Date: 25/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,586	89.25	24,703	93.50	25,743	97.75	26,693	102.00	27,532
85.25	23,654	89.50	24,766	93.75	25,802	98.00	26,746	102.25	27,577
85.50	23,721	89.75	24,829	94.00	25,860	98.25	26,798	102.50	27,622
85.75	23,788	90.00	24,892	94.25	25,918	98.50	26,850	102.75	27,667
86.00	23,855	90.25	24,955	94.50	25,976	98.75	26,901	103.00	27,711
86.25	23,922	90.50	25,017	94.75	26,033	99.00	26,952	103.25	27,754
86.50	23,988	90.75	25,079	95.00	26,090	99.25	27,003	103.50	27,797
86.75	24,054	91.00	25,141	95.25	26,146	99.50	27,053	103.75	27,839
87.00	24,120	91.25	25,203	95.50	26,203	99.75	27,103	104.00	27,881
87.25	24,186	91.50	25,264	95.75	26,258	100.00	27,152	104.25	27,923
87.50	24,251	91.75	25,325	96.00	26,314	100.25	27,201	104.50	27,963
87.75	24,317	92.00	25,386	96.25	26,369	100.50	27,250	104.75	28,004
88.00	24,382	92.25	25,446	96.50	26,424	100.75	27,298	105.00	28,043
88.25	24,446	92.50	25,506	96.75	26,479	101.00	27,346	105.25	28,082
88.50	24,511	92.75	25,566	97.00	26,533	101.25	27,393	105.50	28,121
88.75	24,575	93.00	25,625	97.25	26,587	101.50	27,440	105.75	28,159
89.00	24,639	93.25	25,684	97.50	26,640	101.75	27,486	106.00	28,196



## Capacity/Gauge Table Information

**TCLX 290445**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 245

Reporting Mark: TCLX 290445

Date: 25/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,232	110.50	28,741	114.75	28,948
106.50	28,268	110.75	28,762	115.00	28,952
106.75	28,304	111.00	28,782	115.25	28,955
107.00	28,339	111.25	28,801	115.50	28,957
107.25	28,372	111.50	28,819	115.75	28,959
107.50	28,406	111.75	28,835	116.00	28,960
107.75	28,438	112.00	28,850	116.25	28,960
108.00	28,470	112.25	28,864	116.50	28,961
108.25	28,501	112.50	28,877	116.75	28,961
108.50	28,532	112.75	28,889		
108.75	28,561	113.00	28,899		
109.00	28,590	113.25	28,909		
109.25	28,617	113.50	28,918		
109.50	28,644	113.75	28,926		
109.75	28,670	114.00	28,932		
110.00	28,695	114.25	28,938		
110.25	28,719	114.50	28,944		



## Capacity/Gauge Table Information

**TCLX 290446**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 246

Reporting Mark: TCLX 290446

Date: 26/06/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,337	12.75	2,219	17.00	3,205
0.25	28	4.50	624	8.75	1,386	13.00	2,275	17.25	3,265
0.50	57	4.75	665	9.00	1,435	13.25	2,330	17.50	3,326
0.75	88	5.00	706	9.25	1,485	13.50	2,386	17.75	3,388
1.00	118	5.25	748	9.50	1,535	13.75	2,443	18.00	3,449
1.25	150	5.50	790	9.75	1,585	14.00	2,499	18.25	3,511
1.50	182	5.75	833	10.00	1,636	14.25	2,556	18.50	3,573
1.75	216	6.00	876	10.25	1,687	14.50	2,614	18.75	3,636
2.00	249	6.25	920	10.50	1,738	14.75	2,671	19.00	3,699
2.25	284	6.50	965	10.75	1,790	15.00	2,729	19.25	3,762
2.50	319	6.75	1,010	11.00	1,843	15.25	2,788	19.50	3,825
2.75	355	7.00	1,055	11.25	1,895	15.50	2,846	19.75	3,888
3.00	392	7.25	1,101	11.50	1,948	15.75	2,905	20.00	3,952
3.25	429	7.50	1,147	11.75	2,002	16.00	2,965	20.25	4,016
3.50	467	7.75	1,194	12.00	2,056	16.25	3,024	20.50	4,081
3.75	505	8.00	1,242	12.25	2,110	16.50	3,084	20.75	4,145
4.00	544	8.25	1,289	12.50	2,165	16.75	3,144	21.00	4,210





## Capacity/Gauge Table Information

**TCLX 290446**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 246

Reporting Mark: TCLX 290446

Date: 26/06/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,275	25.50	5,416	29.75	6,616	34.00	7,865	38.25	9,152
21.50	4,340	25.75	5,485	30.00	6,688	34.25	7,939	38.50	9,229
21.75	4,406	26.00	5,554	30.25	6,761	34.50	8,014	38.75	9,306
22.00	4,472	26.25	5,624	30.50	6,833	34.75	8,089	39.00	9,383
22.25	4,538	26.50	5,694	30.75	6,906	35.00	8,164	39.25	9,460
22.50	4,604	26.75	5,763	31.00	6,979	35.25	8,240	39.50	9,537
22.75	4,670	27.00	5,833	31.25	7,052	35.50	8,315	39.75	9,614
23.00	4,737	27.25	5,904	31.50	7,125	35.75	8,391	40.00	9,691
23.25	4,804	27.50	5,974	31.75	7,198	36.00	8,466	40.25	9,769
23.50	4,871	27.75	6,045	32.00	7,272	36.25	8,542	40.50	9,846
23.75	4,938	28.00	6,116	32.25	7,345	36.50	8,618	40.75	9,924
24.00	5,006	28.25	6,187	32.50	7,419	36.75	8,694	41.00	10,002
24.25	5,074	28.50	6,258	32.75	7,493	37.00	8,770	41.25	10,079
24.50	5,142	28.75	6,329	33.00	7,567	37.25	8,846	41.50	10,157
24.75	5,210	29.00	6,401	33.25	7,641	37.50	8,922	41.75	10,235
25.00	5,279	29.25	6,472	33.50	7,716	37.75	8,999	42.00	10,313
25.25	5,347	29.50	6,544	33.75	7,790	38.00	9,075	42.25	10,391



## Capacity/Gauge Table Information

**TCLX 290446**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 246

Reporting Mark: TCLX 290446

Date: 26/06/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,470	46.75	11,809	51.00	13,163	55.25	14,522	59.50	15,881
42.75	10,548	47.00	11,888	51.25	13,243	55.50	14,603	59.75	15,961
43.00	10,626	47.25	11,968	51.50	13,322	55.75	14,683	60.00	16,040
43.25	10,705	47.50	12,047	51.75	13,402	56.00	14,763	60.25	16,120
43.50	10,783	47.75	12,127	52.00	13,482	56.25	14,843	60.50	16,200
43.75	10,862	48.00	12,206	52.25	13,562	56.50	14,923	60.75	16,279
44.00	10,940	48.25	12,286	52.50	13,642	56.75	15,003	61.00	16,359
44.25	11,019	48.50	12,365	52.75	13,722	57.00	15,082	61.25	16,438
44.50	11,098	48.75	12,445	53.00	13,802	57.25	15,162	61.50	16,518
44.75	11,177	49.00	12,524	53.25	13,882	57.50	15,242	61.75	16,597
45.00	11,255	49.25	12,604	53.50	13,962	57.75	15,322	62.00	16,676
45.25	11,334	49.50	12,684	53.75	14,042	58.00	15,402	62.25	16,756
45.50	11,413	49.75	12,764	54.00	14,122	58.25	15,482	62.50	16,835
45.75	11,492	50.00	12,843	54.25	14,202	58.50	15,562	62.75	16,914
46.00	11,571	50.25	12,923	54.50	14,282	58.75	15,642	63.00	16,993
46.25	11,651	50.50	13,003	54.75	14,362	59.00	15,722	63.25	17,073
46.50	11,730	50.75	13,083	55.00	14,442	59.25	15,801	63.50	17,152



## Capacity/Gauge Table Information

**TCLX 290446**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 246

Reporting Mark: TCLX 290446

Date: 26/06/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,231	68.00	18,563	72.25	19,872	76.50	21,147	80.75	22,380
64.00	17,310	68.25	18,641	72.50	19,948	76.75	21,220	81.00	22,451
64.25	17,388	68.50	18,719	72.75	20,024	77.00	21,294	81.25	22,521
64.50	17,467	68.75	18,796	73.00	20,099	77.25	21,368	81.50	22,592
64.75	17,546	69.00	18,874	73.25	20,175	77.50	21,441	81.75	22,663
65.00	17,625	69.25	18,951	73.50	20,250	77.75	21,514	82.00	22,733
65.25	17,703	69.50	19,028	73.75	20,326	78.00	21,587	82.25	22,803
65.50	17,782	69.75	19,106	74.00	20,401	78.25	21,660	82.50	22,873
65.75	17,860	70.00	19,183	74.25	20,476	78.50	21,733	82.75	22,943
66.00	17,939	70.25	19,260	74.50	20,551	78.75	21,805	83.00	23,012
66.25	18,017	70.50	19,337	74.75	20,626	79.00	21,878	83.25	23,081
66.50	18,095	70.75	19,413	75.00	20,701	79.25	21,950	83.50	23,151
66.75	18,174	71.00	19,490	75.25	20,776	79.50	22,022	83.75	23,219
67.00	18,252	71.25	19,566	75.50	20,850	79.75	22,094	84.00	23,288
67.25	18,330	71.50	19,643	75.75	20,924	80.00	22,166	84.25	23,357
67.50	18,408	71.75	19,719	76.00	20,999	80.25	22,237	84.50	23,425
67.75	18,486	72.00	19,796	76.25	21,073	80.50	22,308	84.75	23,493



## Capacity/Gauge Table Information

**TCLX 290446**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 246

Reporting Mark: TCLX 290446

Date: 26/06/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,561	89.25	24,679	93.50	25,723	97.75	26,676	102.00	27,520
85.25	23,628	89.50	24,743	93.75	25,782	98.00	26,729	102.25	27,565
85.50	23,696	89.75	24,806	94.00	25,840	98.25	26,781	102.50	27,610
85.75	23,763	90.00	24,869	94.25	25,898	98.50	26,834	102.75	27,655
86.00	23,830	90.25	24,932	94.50	25,956	98.75	26,885	103.00	27,699
86.25	23,897	90.50	24,995	94.75	26,013	99.00	26,937	103.25	27,743
86.50	23,963	90.75	25,057	95.00	26,070	99.25	26,987	103.50	27,786
86.75	24,030	91.00	25,119	95.25	26,127	99.50	27,038	103.75	27,829
87.00	24,096	91.25	25,181	95.50	26,184	99.75	27,088	104.00	27,871
87.25	24,162	91.50	25,242	95.75	26,240	100.00	27,138	104.25	27,913
87.50	24,227	91.75	25,303	96.00	26,296	100.25	27,187	104.50	27,954
87.75	24,293	92.00	25,364	96.25	26,351	100.50	27,236	104.75	27,994
88.00	24,358	92.25	25,425	96.50	26,406	100.75	27,284	105.00	28,034
88.25	24,422	92.50	25,485	96.75	26,461	101.00	27,332	105.25	28,074
88.50	24,487	92.75	25,545	97.00	26,515	101.25	27,380	105.50	28,113
88.75	24,551	93.00	25,604	97.25	26,569	101.50	27,427	105.75	28,151
89.00	24,616	93.25	25,664	97.50	26,623	101.75	27,473	106.00	28,189



## Capacity/Gauge Table Information

**TCLX 290446**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 246

Reporting Mark: TCLX 290446

Date: 26/06/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,226	110.50	28,744	114.75	28,960
106.50	28,262	110.75	28,766	115.00	28,963
106.75	28,298	111.00	28,787	115.25	28,966
107.00	28,333	111.25	28,806	115.50	28,969
107.25	28,367	111.50	28,824	115.75	28,971
107.50	28,401	111.75	28,841	116.00	28,972
107.75	28,434	112.00	28,857	116.25	28,973
108.00	28,466	112.25	28,872	116.50	28,973
108.25	28,498	112.50	28,885	116.75	28,973
108.50	28,529	112.75	28,897		
108.75	28,559	113.00	28,909		
109.00	28,588	113.25	28,919		
109.25	28,616	113.50	28,928		
109.50	28,644	113.75	28,936		
109.75	28,670	114.00	28,943		
110.00	28,696	114.25	28,950		
110.25	28,720	114.50	28,955		



## Capacity/Gauge Table Information

**TCLX 290447**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 247

Reporting Mark: TCLX 290447

Date: 06/07/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,345	12.75	2,230	17.00	3,217
0.25	29	4.50	629	8.75	1,394	13.00	2,285	17.25	3,278
0.50	58	4.75	669	9.00	1,443	13.25	2,341	17.50	3,339
0.75	88	5.00	711	9.25	1,493	13.50	2,397	17.75	3,400
1.00	120	5.25	753	9.50	1,543	13.75	2,453	18.00	3,462
1.25	152	5.50	796	9.75	1,593	14.00	2,510	18.25	3,524
1.50	184	5.75	839	10.00	1,644	14.25	2,567	18.50	3,586
1.75	218	6.00	882	10.25	1,696	14.50	2,625	18.75	3,649
2.00	252	6.25	926	10.50	1,747	14.75	2,683	19.00	3,711
2.25	287	6.50	971	10.75	1,799	15.00	2,741	19.25	3,775
2.50	322	6.75	1,016	11.00	1,852	15.25	2,799	19.50	3,838
2.75	358	7.00	1,062	11.25	1,905	15.50	2,858	19.75	3,901
3.00	395	7.25	1,108	11.50	1,958	15.75	2,917	20.00	3,965
3.25	432	7.50	1,154	11.75	2,011	16.00	2,976	20.25	4,029
3.50	470	7.75	1,201	12.00	2,065	16.25	3,036	20.50	4,094
3.75	509	8.00	1,249	12.25	2,120	16.50	3,096	20.75	4,158
4.00	548	8.25	1,297	12.50	2,175	16.75	3,156	21.00	4,223



## Capacity/Gauge Table Information

**TCLX 290447**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 247

Reporting Mark: TCLX 290447

Date: 06/07/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,288	25.50	5,431	29.75	6,632	34.00	7,881	38.25	9,168
21.50	4,354	25.75	5,500	30.00	6,704	34.25	7,955	38.50	9,245
21.75	4,419	26.00	5,569	30.25	6,776	34.50	8,030	38.75	9,322
22.00	4,485	26.25	5,639	30.50	6,849	34.75	8,105	39.00	9,399
22.25	4,551	26.50	5,708	30.75	6,922	35.00	8,181	39.25	9,476
22.50	4,618	26.75	5,778	31.00	6,994	35.25	8,256	39.50	9,553
22.75	4,684	27.00	5,849	31.25	7,068	35.50	8,331	39.75	9,631
23.00	4,751	27.25	5,919	31.50	7,141	35.75	8,407	40.00	9,708
23.25	4,818	27.50	5,989	31.75	7,214	36.00	8,482	40.25	9,785
23.50	4,885	27.75	6,060	32.00	7,288	36.25	8,558	40.50	9,863
23.75	4,953	28.00	6,131	32.25	7,361	36.50	8,634	40.75	9,940
24.00	5,020	28.25	6,202	32.50	7,435	36.75	8,710	41.00	10,018
24.25	5,088	28.50	6,273	32.75	7,509	37.00	8,786	41.25	10,096
24.50	5,156	28.75	6,344	33.00	7,583	37.25	8,862	41.50	10,174
24.75	5,225	29.00	6,416	33.25	7,657	37.50	8,939	41.75	10,252
25.00	5,293	29.25	6,488	33.50	7,732	37.75	9,015	42.00	10,330
25.25	5,362	29.50	6,560	33.75	7,806	38.00	9,092	42.25	10,408





## Capacity/Gauge Table Information

**TCLX 290447**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 247

Reporting Mark: TCLX 290447

Date: 06/07/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,486	46.75	11,825	51.00	13,179	55.25	14,538	59.50	15,896
42.75	10,564	47.00	11,905	51.25	13,259	55.50	14,618	59.75	15,975
43.00	10,643	47.25	11,984	51.50	13,338	55.75	14,698	60.00	16,055
43.25	10,721	47.50	12,064	51.75	13,418	56.00	14,778	60.25	16,135
43.50	10,800	47.75	12,143	52.00	13,498	56.25	14,858	60.50	16,214
43.75	10,878	48.00	12,222	52.25	13,578	56.50	14,938	60.75	16,294
44.00	10,957	48.25	12,302	52.50	13,658	56.75	15,018	61.00	16,373
44.25	11,035	48.50	12,381	52.75	13,738	57.00	15,098	61.25	16,453
44.50	11,114	48.75	12,461	53.00	13,818	57.25	15,178	61.50	16,532
44.75	11,193	49.00	12,541	53.25	13,898	57.50	15,258	61.75	16,611
45.00	11,272	49.25	12,620	53.50	13,978	57.75	15,337	62.00	16,691
45.25	11,351	49.50	12,700	53.75	14,058	58.00	15,417	62.25	16,770
45.50	11,430	49.75	12,780	54.00	14,138	58.25	15,497	62.50	16,849
45.75	11,509	50.00	12,859	54.25	14,218	58.50	15,577	62.75	16,928
46.00	11,588	50.25	12,939	54.50	14,298	58.75	15,657	63.00	17,007
46.25	11,667	50.50	13,019	54.75	14,378	59.00	15,736	63.25	17,087
46.50	11,746	50.75	13,099	55.00	14,458	59.25	15,816	63.50	17,166



## Capacity/Gauge Table Information

**TCLX 290447**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 247

Reporting Mark: TCLX 290447

Date: 06/07/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,244	68.00	18,576	72.25	19,883	76.50	21,156	80.75	22,388
64.00	17,323	68.25	18,654	72.50	19,959	76.75	21,230	81.00	22,459
64.25	17,402	68.50	18,731	72.75	20,035	77.00	21,304	81.25	22,529
64.50	17,481	68.75	18,809	73.00	20,110	77.25	21,377	81.50	22,600
64.75	17,560	69.00	18,886	73.25	20,186	77.50	21,450	81.75	22,670
65.00	17,638	69.25	18,964	73.50	20,261	77.75	21,523	82.00	22,740
65.25	17,717	69.50	19,041	73.75	20,337	78.00	21,596	82.25	22,810
65.50	17,795	69.75	19,118	74.00	20,412	78.25	21,669	82.50	22,880
65.75	17,874	70.00	19,195	74.25	20,487	78.50	21,742	82.75	22,950
66.00	17,952	70.25	19,272	74.50	20,562	78.75	21,814	83.00	23,019
66.25	18,030	70.50	19,348	74.75	20,637	79.00	21,886	83.25	23,088
66.50	18,109	70.75	19,425	75.00	20,711	79.25	21,959	83.50	23,157
66.75	18,187	71.00	19,502	75.25	20,786	79.50	22,030	83.75	23,226
67.00	18,265	71.25	19,578	75.50	20,860	79.75	22,102	84.00	23,295
67.25	18,343	71.50	19,655	75.75	20,935	80.00	22,174	84.25	23,363
67.50	18,421	71.75	19,731	76.00	21,009	80.25	22,245	84.50	23,431
67.75	18,498	72.00	19,807	76.25	21,083	80.50	22,317	84.75	23,499



## Capacity/Gauge Table Information

**TCLX 290447**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 247

Reporting Mark: TCLX 290447

Date: 06/07/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,567	89.25	24,683	93.50	25,724	97.75	26,674	102.00	27,514
85.25	23,634	89.50	24,746	93.75	25,782	98.00	26,727	102.25	27,559
85.50	23,702	89.75	24,810	94.00	25,841	98.25	26,779	102.50	27,604
85.75	23,769	90.00	24,873	94.25	25,899	98.50	26,831	102.75	27,649
86.00	23,836	90.25	24,935	94.50	25,956	98.75	26,882	103.00	27,693
86.25	23,902	90.50	24,998	94.75	26,013	99.00	26,933	103.25	27,736
86.50	23,969	90.75	25,060	95.00	26,070	99.25	26,984	103.50	27,779
86.75	24,035	91.00	25,122	95.25	26,127	99.50	27,034	103.75	27,821
87.00	24,101	91.25	25,183	95.50	26,183	99.75	27,084	104.00	27,863
87.25	24,166	91.50	25,244	95.75	26,239	100.00	27,134	104.25	27,905
87.50	24,232	91.75	25,305	96.00	26,295	100.25	27,183	104.50	27,945
87.75	24,297	92.00	25,366	96.25	26,350	100.50	27,231	104.75	27,986
88.00	24,362	92.25	25,426	96.50	26,405	100.75	27,280	105.00	28,025
88.25	24,427	92.50	25,486	96.75	26,459	101.00	27,327	105.25	28,065
88.50	24,491	92.75	25,546	97.00	26,514	101.25	27,375	105.50	28,103
88.75	24,555	93.00	25,606	97.25	26,567	101.50	27,421	105.75	28,141
89.00	24,619	93.25	25,665	97.50	26,621	101.75	27,468	106.00	28,178



## Capacity/Gauge Table Information

**TCLX 290447**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 247

Reporting Mark: TCLX 290447

Date: 06/07/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,215	110.50	28,726	114.75	28,935
106.50	28,251	110.75	28,747	115.00	28,938
106.75	28,287	111.00	28,767	115.25	28,941
107.00	28,321	111.25	28,786	115.50	28,944
107.25	28,356	111.50	28,804	115.75	28,945
107.50	28,389	111.75	28,820	116.00	28,947
107.75	28,422	112.00	28,836	116.25	28,947
108.00	28,453	112.25	28,850	116.50	28,948
108.25	28,485	112.50	28,863	116.75	28,948
108.50	28,515	112.75	28,875		
108.75	28,545	113.00	28,886		
109.00	28,573	113.25	28,895		
109.25	28,601	113.50	28,904		
109.50	28,628	113.75	28,912		
109.75	28,654	114.00	28,919		
110.00	28,679	114.25	28,925		
110.25	28,703	114.50	28,930		



## Capacity/Gauge Table Information

**TCLX 290448**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 248

Reporting Mark: TCLX 290448

Date: 24/06/2015

Capacity: 29,001 US Gallons (109,780 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	575	8.50	1,323	12.75	2,200	17.00	3,181
0.25	28	4.50	615	8.75	1,371	13.00	2,255	17.25	3,241
0.50	56	4.75	655	9.00	1,420	13.25	2,310	17.50	3,302
0.75	86	5.00	696	9.25	1,469	13.50	2,366	17.75	3,363
1.00	116	5.25	738	9.50	1,518	13.75	2,422	18.00	3,425
1.25	147	5.50	780	9.75	1,568	14.00	2,478	18.25	3,486
1.50	179	5.75	822	10.00	1,619	14.25	2,535	18.50	3,548
1.75	212	6.00	865	10.25	1,670	14.50	2,592	18.75	3,611
2.00	245	6.25	909	10.50	1,721	14.75	2,650	19.00	3,673
2.25	279	6.50	953	10.75	1,773	15.00	2,707	19.25	3,736
2.50	314	6.75	997	11.00	1,825	15.25	2,765	19.50	3,799
2.75	349	7.00	1,042	11.25	1,877	15.50	2,824	19.75	3,862
3.00	385	7.25	1,088	11.50	1,930	15.75	2,883	20.00	3,926
3.25	422	7.50	1,134	11.75	1,983	16.00	2,942	20.25	3,990
3.50	459	7.75	1,180	12.00	2,037	16.25	3,001	20.50	4,054
3.75	497	8.00	1,227	12.25	2,091	16.50	3,061	20.75	4,118
4.00	536	8.25	1,275	12.50	2,145	16.75	3,120	21.00	4,183



## Capacity/Gauge Table Information

**TCLX 290448**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 248

Reporting Mark: TCLX 290448

Date: 24/06/2015

Capacity: 29,001 US Gallons (109,780 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,248	25.50	5,386	29.75	6,584	34.00	7,831	38.25	9,117
21.50	4,313	25.75	5,455	30.00	6,656	34.25	7,905	38.50	9,193
21.75	4,378	26.00	5,524	30.25	6,728	34.50	7,980	38.75	9,270
22.00	4,444	26.25	5,593	30.50	6,801	34.75	8,055	39.00	9,347
22.25	4,510	26.50	5,663	30.75	6,873	35.00	8,130	39.25	9,424
22.50	4,576	26.75	5,733	31.00	6,946	35.25	8,205	39.50	9,501
22.75	4,642	27.00	5,803	31.25	7,019	35.50	8,281	39.75	9,578
23.00	4,708	27.25	5,873	31.50	7,092	35.75	8,356	40.00	9,656
23.25	4,775	27.50	5,943	31.75	7,165	36.00	8,432	40.25	9,733
23.50	4,842	27.75	6,014	32.00	7,239	36.25	8,507	40.50	9,811
23.75	4,909	28.00	6,084	32.25	7,312	36.50	8,583	40.75	9,888
24.00	4,977	28.25	6,155	32.50	7,386	36.75	8,659	41.00	9,966
24.25	5,045	28.50	6,226	32.75	7,459	37.00	8,735	41.25	10,044
24.50	5,112	28.75	6,297	33.00	7,533	37.25	8,811	41.50	10,121
24.75	5,181	29.00	6,369	33.25	7,608	37.50	8,887	41.75	10,199
25.00	5,249	29.25	6,440	33.50	7,682	37.75	8,964	42.00	10,277
25.25	5,317	29.50	6,512	33.75	7,756	38.00	9,040	42.25	10,355



## Capacity/Gauge Table Information

**TCLX 290448**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 248

Reporting Mark: TCLX 290448

Date: 24/06/2015

Capacity: 29,001 US Gallons (109,780 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,433	46.75	11,772	51.00	13,126	55.25	14,486	59.50	15,845
42.75	10,512	47.00	11,852	51.25	13,206	55.50	14,566	59.75	15,925
43.00	10,590	47.25	11,931	51.50	13,286	55.75	14,646	60.00	16,005
43.25	10,668	47.50	12,011	51.75	13,366	56.00	14,726	60.25	16,084
43.50	10,747	47.75	12,090	52.00	13,446	56.25	14,806	60.50	16,164
43.75	10,825	48.00	12,169	52.25	13,526	56.50	14,886	60.75	16,244
44.00	10,904	48.25	12,249	52.50	13,606	56.75	14,966	61.00	16,323
44.25	10,983	48.50	12,328	52.75	13,686	57.00	15,046	61.25	16,403
44.50	11,061	48.75	12,408	53.00	13,766	57.25	15,126	61.50	16,482
44.75	11,140	49.00	12,488	53.25	13,846	57.50	15,206	61.75	16,562
45.00	11,219	49.25	12,567	53.50	13,926	57.75	15,286	62.00	16,641
45.25	11,298	49.50	12,647	53.75	14,006	58.00	15,366	62.25	16,720
45.50	11,377	49.75	12,727	54.00	14,086	58.25	15,446	62.50	16,800
45.75	11,456	50.00	12,807	54.25	14,166	58.50	15,526	62.75	16,879
46.00	11,535	50.25	12,886	54.50	14,246	58.75	15,606	63.00	16,958
46.25	11,614	50.50	12,966	54.75	14,326	59.00	15,686	63.25	17,037
46.50	11,693	50.75	13,046	55.00	14,406	59.25	15,765	63.50	17,117





## Capacity/Gauge Table Information

**TCLX 290448**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 248

Reporting Mark: TCLX 290448

Date: 24/06/2015

Capacity: 29,001 US Gallons (109,780 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,196	68.00	18,530	72.25	19,840	76.50	21,117	80.75	22,352
64.00	17,275	68.25	18,608	72.50	19,916	76.75	21,191	81.00	22,423
64.25	17,354	68.50	18,685	72.75	19,992	77.00	21,264	81.25	22,494
64.50	17,433	68.75	18,763	73.00	20,068	77.25	21,338	81.50	22,565
64.75	17,511	69.00	18,841	73.25	20,143	77.50	21,412	81.75	22,636
65.00	17,590	69.25	18,918	73.50	20,219	77.75	21,485	82.00	22,706
65.25	17,669	69.50	18,995	73.75	20,295	78.00	21,558	82.25	22,777
65.50	17,747	69.75	19,073	74.00	20,370	78.25	21,631	82.50	22,847
65.75	17,826	70.00	19,150	74.25	20,445	78.50	21,704	82.75	22,917
66.00	17,905	70.25	19,227	74.50	20,520	78.75	21,777	83.00	22,986
66.25	17,983	70.50	19,304	74.75	20,595	79.00	21,849	83.25	23,056
66.50	18,061	70.75	19,381	75.00	20,670	79.25	21,922	83.50	23,125
66.75	18,140	71.00	19,457	75.25	20,745	79.50	21,994	83.75	23,194
67.00	18,218	71.25	19,534	75.50	20,820	79.75	22,066	84.00	23,263
67.25	18,296	71.50	19,611	75.75	20,894	80.00	22,138	84.25	23,332
67.50	18,374	71.75	19,687	76.00	20,969	80.25	22,209	84.50	23,400
67.75	18,452	72.00	19,763	76.25	21,043	80.50	22,281	84.75	23,468



## Capacity/Gauge Table Information

**TCLX 290448**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 248

Reporting Mark: TCLX 290448

Date: 24/06/2015

Capacity: 29,001 US Gallons (109,780 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,536	89.25	24,658	93.50	25,706	97.75	26,664	102.00	27,514
85.25	23,604	89.50	24,722	93.75	25,765	98.00	26,717	102.25	27,560
85.50	23,672	89.75	24,786	94.00	25,824	98.25	26,770	102.50	27,605
85.75	23,739	90.00	24,849	94.25	25,882	98.50	26,823	102.75	27,650
86.00	23,806	90.25	24,912	94.50	25,940	98.75	26,875	103.00	27,695
86.25	23,873	90.50	24,975	94.75	25,998	99.00	26,926	103.25	27,739
86.50	23,940	90.75	25,037	95.00	26,055	99.25	26,977	103.50	27,783
86.75	24,007	91.00	25,100	95.25	26,112	99.50	27,028	103.75	27,826
87.00	24,073	91.25	25,162	95.50	26,169	99.75	27,079	104.00	27,869
87.25	24,139	91.50	25,223	95.75	26,225	100.00	27,129	104.25	27,911
87.50	24,205	91.75	25,285	96.00	26,282	100.25	27,178	104.50	27,952
87.75	24,270	92.00	25,346	96.25	26,337	100.50	27,228	104.75	27,993
88.00	24,336	92.25	25,406	96.50	26,393	100.75	27,276	105.00	28,034
88.25	24,401	92.50	25,467	96.75	26,448	101.00	27,325	105.25	28,074
88.50	24,466	92.75	25,527	97.00	26,502	101.25	27,373	105.50	28,113
88.75	24,530	93.00	25,587	97.25	26,557	101.50	27,420	105.75	28,152
89.00	24,594	93.25	25,647	97.50	26,611	101.75	27,467	106.00	28,190



## Capacity/Gauge Table Information

**TCLX 290448**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 248

Reporting Mark: TCLX 290448

Date: 24/06/2015

Capacity: 29,001 US Gallons (109,780 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,227	110.50	28,757	114.75	28,987
106.50	28,264	110.75	28,780	115.00	28,991
106.75	28,301	111.00	28,803	115.25	28,994
107.00	28,336	111.25	28,823	115.50	28,996
107.25	28,371	111.50	28,843	115.75	28,998
107.50	28,406	111.75	28,861	116.00	29,000
107.75	28,439	112.00	28,878	116.25	29,000
108.00	28,472	112.25	28,893	116.50	29,001
108.25	28,504	112.50	28,907	116.75	29,001
108.50	28,536	112.75	28,921		
108.75	28,566	113.00	28,932		
109.00	28,596	113.25	28,943		
109.25	28,625	113.50	28,953		
109.50	28,654	113.75	28,962		
109.75	28,681	114.00	28,969		
110.00	28,707	114.25	28,976		
110.25	28,733	114.50	28,982		



## Capacity/Gauge Table Information

**TCLX 290449**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 249

Reporting Mark: TCLX 290449

Date: 26/06/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,338	12.75	2,220	17.00	3,206
0.25	28	4.50	624	8.75	1,387	13.00	2,276	17.25	3,267
0.50	58	4.75	665	9.00	1,436	13.25	2,331	17.50	3,328
0.75	88	5.00	706	9.25	1,485	13.50	2,387	17.75	3,389
1.00	118	5.25	748	9.50	1,535	13.75	2,444	18.00	3,451
1.25	150	5.50	791	9.75	1,586	14.00	2,500	18.25	3,513
1.50	183	5.75	833	10.00	1,636	14.25	2,557	18.50	3,575
1.75	216	6.00	877	10.25	1,687	14.50	2,615	18.75	3,637
2.00	250	6.25	921	10.50	1,739	14.75	2,672	19.00	3,700
2.25	284	6.50	965	10.75	1,791	15.00	2,730	19.25	3,763
2.50	319	6.75	1,010	11.00	1,843	15.25	2,789	19.50	3,826
2.75	355	7.00	1,056	11.25	1,896	15.50	2,847	19.75	3,890
3.00	392	7.25	1,102	11.50	1,949	15.75	2,906	20.00	3,954
3.25	429	7.50	1,148	11.75	2,003	16.00	2,966	20.25	4,018
3.50	467	7.75	1,195	12.00	2,057	16.25	3,025	20.50	4,082
3.75	505	8.00	1,242	12.25	2,111	16.50	3,085	20.75	4,146
4.00	544	8.25	1,290	12.50	2,165	16.75	3,145	21.00	4,211



## Capacity/Gauge Table Information

**TCLX 290449**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 249

Reporting Mark: TCLX 290449

Date: 26/06/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,276	25.50	5,418	29.75	6,618	34.00	7,867	38.25	9,155
21.50	4,342	25.75	5,487	30.00	6,691	34.25	7,942	38.50	9,232
21.75	4,407	26.00	5,556	30.25	6,763	34.50	8,017	38.75	9,309
22.00	4,473	26.25	5,626	30.50	6,835	34.75	8,092	39.00	9,386
22.25	4,539	26.50	5,695	30.75	6,908	35.00	8,167	39.25	9,463
22.50	4,605	26.75	5,765	31.00	6,981	35.25	8,242	39.50	9,540
22.75	4,672	27.00	5,835	31.25	7,054	35.50	8,318	39.75	9,617
23.00	4,739	27.25	5,906	31.50	7,127	35.75	8,393	40.00	9,694
23.25	4,806	27.50	5,976	31.75	7,201	36.00	8,469	40.25	9,772
23.50	4,873	27.75	6,047	32.00	7,274	36.25	8,545	40.50	9,849
23.75	4,940	28.00	6,118	32.25	7,348	36.50	8,621	40.75	9,927
24.00	5,008	28.25	6,189	32.50	7,421	36.75	8,697	41.00	10,005
24.25	5,076	28.50	6,260	32.75	7,495	37.00	8,773	41.25	10,083
24.50	5,144	28.75	6,331	33.00	7,569	37.25	8,849	41.50	10,161
24.75	5,212	29.00	6,403	33.25	7,644	37.50	8,925	41.75	10,239
25.00	5,280	29.25	6,474	33.50	7,718	37.75	9,002	42.00	10,317
25.25	5,349	29.50	6,546	33.75	7,793	38.00	9,078	42.25	10,395



## Capacity/Gauge Table Information

**TCLX 290449**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 249

Reporting Mark: TCLX 290449

Date: 26/06/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,473	46.75	11,813	51.00	13,167	55.25	14,527	59.50	15,886
42.75	10,551	47.00	11,892	51.25	13,247	55.50	14,607	59.75	15,966
43.00	10,630	47.25	11,972	51.50	13,327	55.75	14,687	60.00	16,045
43.25	10,708	47.50	12,051	51.75	13,407	56.00	14,767	60.25	16,125
43.50	10,787	47.75	12,131	52.00	13,487	56.25	14,847	60.50	16,205
43.75	10,865	48.00	12,210	52.25	13,567	56.50	14,927	60.75	16,284
44.00	10,944	48.25	12,290	52.50	13,647	56.75	15,007	61.00	16,364
44.25	11,023	48.50	12,369	52.75	13,727	57.00	15,087	61.25	16,443
44.50	11,101	48.75	12,449	53.00	13,807	57.25	15,167	61.50	16,523
44.75	11,180	49.00	12,528	53.25	13,887	57.50	15,247	61.75	16,602
45.00	11,259	49.25	12,608	53.50	13,967	57.75	15,327	62.00	16,682
45.25	11,338	49.50	12,688	53.75	14,047	58.00	15,407	62.25	16,761
45.50	11,417	49.75	12,768	54.00	14,127	58.25	15,487	62.50	16,840
45.75	11,496	50.00	12,847	54.25	14,207	58.50	15,567	62.75	16,920
46.00	11,575	50.25	12,927	54.50	14,287	58.75	15,647	63.00	16,999
46.25	11,654	50.50	13,007	54.75	14,367	59.00	15,726	63.25	17,078
46.50	11,734	50.75	13,087	55.00	14,447	59.25	15,806	63.50	17,157



## Capacity/Gauge Table Information

**TCLX 290449**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 249

Reporting Mark: TCLX 290449

Date: 26/06/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,236	68.00	18,569	72.25	19,878	76.50	21,153	80.75	22,386
64.00	17,315	68.25	18,647	72.50	19,954	76.75	21,227	81.00	22,457
64.25	17,394	68.50	18,725	72.75	20,030	77.00	21,300	81.25	22,528
64.50	17,473	68.75	18,802	73.00	20,105	77.25	21,374	81.50	22,599
64.75	17,551	69.00	18,880	73.25	20,181	77.50	21,447	81.75	22,669
65.00	17,630	69.25	18,957	73.50	20,257	77.75	21,520	82.00	22,739
65.25	17,709	69.50	19,034	73.75	20,332	78.00	21,593	82.25	22,809
65.50	17,787	69.75	19,111	74.00	20,407	78.25	21,666	82.50	22,879
65.75	17,866	70.00	19,188	74.25	20,482	78.50	21,739	82.75	22,949
66.00	17,944	70.25	19,265	74.50	20,557	78.75	21,812	83.00	23,019
66.25	18,023	70.50	19,342	74.75	20,632	79.00	21,884	83.25	23,088
66.50	18,101	70.75	19,419	75.00	20,707	79.25	21,956	83.50	23,157
66.75	18,179	71.00	19,496	75.25	20,782	79.50	22,028	83.75	23,226
67.00	18,257	71.25	19,572	75.50	20,856	79.75	22,100	84.00	23,295
67.25	18,335	71.50	19,649	75.75	20,931	80.00	22,172	84.25	23,363
67.50	18,413	71.75	19,725	76.00	21,005	80.25	22,243	84.50	23,431
67.75	18,491	72.00	19,801	76.25	21,079	80.50	22,315	84.75	23,499





## Capacity/Gauge Table Information

**TCLX 290449**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 249

Reporting Mark: TCLX 290449

Date: 26/06/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,567	89.25	24,686	93.50	25,729	97.75	26,682	102.00	27,526
85.25	23,635	89.50	24,750	93.75	25,788	98.00	26,735	102.25	27,571
85.50	23,702	89.75	24,813	94.00	25,846	98.25	26,788	102.50	27,617
85.75	23,770	90.00	24,876	94.25	25,905	98.50	26,840	102.75	27,661
86.00	23,837	90.25	24,939	94.50	25,962	98.75	26,892	103.00	27,705
86.25	23,903	90.50	25,001	94.75	26,020	99.00	26,943	103.25	27,749
86.50	23,970	90.75	25,063	95.00	26,077	99.25	26,994	103.50	27,792
86.75	24,036	91.00	25,125	95.25	26,134	99.50	27,044	103.75	27,835
87.00	24,102	91.25	25,187	95.50	26,190	99.75	27,094	104.00	27,877
87.25	24,168	91.50	25,249	95.75	26,246	100.00	27,144	104.25	27,919
87.50	24,234	91.75	25,310	96.00	26,302	100.25	27,193	104.50	27,960
87.75	24,299	92.00	25,371	96.25	26,357	100.50	27,242	104.75	28,000
88.00	24,364	92.25	25,431	96.50	26,412	100.75	27,290	105.00	28,040
88.25	24,429	92.50	25,491	96.75	26,467	101.00	27,338	105.25	28,080
88.50	24,494	92.75	25,551	97.00	26,522	101.25	27,386	105.50	28,119
88.75	24,558	93.00	25,611	97.25	26,576	101.50	27,433	105.75	28,157
89.00	24,622	93.25	25,670	97.50	26,629	101.75	27,480	106.00	28,195



## Capacity/Gauge Table Information

**TCLX 290449**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 249

Reporting Mark: TCLX 290449

Date: 26/06/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,232	110.50	28,749	114.75	28,965
106.50	28,268	110.75	28,771	115.00	28,969
106.75	28,304	111.00	28,792	115.25	28,972
107.00	28,339	111.25	28,812	115.50	28,974
107.25	28,373	111.50	28,830	115.75	28,976
107.50	28,407	111.75	28,847	116.00	28,977
107.75	28,440	112.00	28,862	116.25	28,978
108.00	28,472	112.25	28,877	116.50	28,978
108.25	28,504	112.50	28,890	116.75	28,978
108.50	28,534	112.75	28,903		
108.75	28,564	113.00	28,914		
109.00	28,594	113.25	28,924		
109.25	28,622	113.50	28,933		
109.50	28,649	113.75	28,941		
109.75	28,676	114.00	28,948		
110.00	28,701	114.25	28,955		
110.25	28,726	114.50	28,960		



## Capacity/Gauge Table Information

**TCLX 290450**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 250

Reporting Mark: TCLX 290450

Date: 26/06/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,338	12.75	2,220	17.00	3,205
0.25	28	4.50	624	8.75	1,386	13.00	2,275	17.25	3,266
0.50	58	4.75	665	9.00	1,435	13.25	2,331	17.50	3,327
0.75	88	5.00	706	9.25	1,485	13.50	2,387	17.75	3,389
1.00	118	5.25	748	9.50	1,535	13.75	2,443	18.00	3,450
1.25	150	5.50	790	9.75	1,585	14.00	2,500	18.25	3,512
1.50	182	5.75	833	10.00	1,636	14.25	2,557	18.50	3,574
1.75	216	6.00	877	10.25	1,687	14.50	2,614	18.75	3,637
2.00	249	6.25	921	10.50	1,739	14.75	2,672	19.00	3,699
2.25	284	6.50	965	10.75	1,791	15.00	2,730	19.25	3,762
2.50	319	6.75	1,010	11.00	1,843	15.25	2,788	19.50	3,826
2.75	355	7.00	1,055	11.25	1,896	15.50	2,847	19.75	3,889
3.00	392	7.25	1,101	11.50	1,949	15.75	2,906	20.00	3,953
3.25	429	7.50	1,148	11.75	2,002	16.00	2,965	20.25	4,017
3.50	467	7.75	1,195	12.00	2,056	16.25	3,025	20.50	4,081
3.75	505	8.00	1,242	12.25	2,110	16.50	3,085	20.75	4,146
4.00	544	8.25	1,290	12.50	2,165	16.75	3,145	21.00	4,211



## Capacity/Gauge Table Information

**TCLX 290450**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 250

Reporting Mark: TCLX 290450

Date: 26/06/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,276	25.50	5,417	29.75	6,618	34.00	7,867	38.25	9,154
21.50	4,341	25.75	5,486	30.00	6,690	34.25	7,941	38.50	9,231
21.75	4,407	26.00	5,556	30.25	6,762	34.50	8,016	38.75	9,308
22.00	4,473	26.25	5,625	30.50	6,835	34.75	8,091	39.00	9,385
22.25	4,539	26.50	5,695	30.75	6,908	35.00	8,166	39.25	9,462
22.50	4,605	26.75	5,765	31.00	6,981	35.25	8,242	39.50	9,539
22.75	4,671	27.00	5,835	31.25	7,054	35.50	8,317	39.75	9,617
23.00	4,738	27.25	5,905	31.50	7,127	35.75	8,393	40.00	9,694
23.25	4,805	27.50	5,976	31.75	7,200	36.00	8,468	40.25	9,771
23.50	4,872	27.75	6,046	32.00	7,274	36.25	8,544	40.50	9,849
23.75	4,940	28.00	6,117	32.25	7,347	36.50	8,620	40.75	9,927
24.00	5,007	28.25	6,188	32.50	7,421	36.75	8,696	41.00	10,004
24.25	5,075	28.50	6,259	32.75	7,495	37.00	8,772	41.25	10,082
24.50	5,143	28.75	6,331	33.00	7,569	37.25	8,848	41.50	10,160
24.75	5,211	29.00	6,402	33.25	7,643	37.50	8,925	41.75	10,238
25.00	5,280	29.25	6,474	33.50	7,718	37.75	9,001	42.00	10,316
25.25	5,349	29.50	6,546	33.75	7,792	38.00	9,078	42.25	10,394



## Capacity/Gauge Table Information

**TCLX 290450**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 250

Reporting Mark: TCLX 290450

Date: 26/06/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,472	46.75	11,812	51.00	13,166	55.25	14,527	59.50	15,886
42.75	10,551	47.00	11,892	51.25	13,246	55.50	14,607	59.75	15,965
43.00	10,629	47.25	11,971	51.50	13,326	55.75	14,687	60.00	16,045
43.25	10,708	47.50	12,050	51.75	13,406	56.00	14,767	60.25	16,125
43.50	10,786	47.75	12,130	52.00	13,486	56.25	14,847	60.50	16,204
43.75	10,865	48.00	12,209	52.25	13,566	56.50	14,927	60.75	16,284
44.00	10,943	48.25	12,289	52.50	13,646	56.75	15,007	61.00	16,363
44.25	11,022	48.50	12,369	52.75	13,726	57.00	15,087	61.25	16,443
44.50	11,101	48.75	12,448	53.00	13,806	57.25	15,167	61.50	16,522
44.75	11,180	49.00	12,528	53.25	13,886	57.50	15,247	61.75	16,602
45.00	11,258	49.25	12,608	53.50	13,966	57.75	15,327	62.00	16,681
45.25	11,337	49.50	12,687	53.75	14,046	58.00	15,407	62.25	16,761
45.50	11,416	49.75	12,767	54.00	14,126	58.25	15,486	62.50	16,840
45.75	11,496	50.00	12,847	54.25	14,206	58.50	15,566	62.75	16,919
46.00	11,575	50.25	12,927	54.50	14,286	58.75	15,646	63.00	16,998
46.25	11,654	50.50	13,007	54.75	14,366	59.00	15,726	63.25	17,077
46.50	11,733	50.75	13,086	55.00	14,447	59.25	15,806	63.50	17,156



## Capacity/Gauge Table Information

**TCLX 290450**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 250

Reporting Mark: TCLX 290450

Date: 26/06/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,236	68.00	18,569	72.25	19,877	76.50	21,152	80.75	22,386
64.00	17,314	68.25	18,646	72.50	19,953	76.75	21,226	81.00	22,457
64.25	17,393	68.50	18,724	72.75	20,029	77.00	21,300	81.25	22,528
64.50	17,472	68.75	18,802	73.00	20,105	77.25	21,373	81.50	22,598
64.75	17,551	69.00	18,879	73.25	20,181	77.50	21,447	81.75	22,669
65.00	17,630	69.25	18,957	73.50	20,256	77.75	21,520	82.00	22,739
65.25	17,708	69.50	19,034	73.75	20,332	78.00	21,593	82.25	22,809
65.50	17,787	69.75	19,111	74.00	20,407	78.25	21,666	82.50	22,879
65.75	17,865	70.00	19,188	74.25	20,482	78.50	21,739	82.75	22,949
66.00	17,944	70.25	19,265	74.50	20,557	78.75	21,811	83.00	23,018
66.25	18,022	70.50	19,342	74.75	20,632	79.00	21,884	83.25	23,088
66.50	18,101	70.75	19,419	75.00	20,707	79.25	21,956	83.50	23,157
66.75	18,179	71.00	19,495	75.25	20,781	79.50	22,028	83.75	23,226
67.00	18,257	71.25	19,572	75.50	20,856	79.75	22,100	84.00	23,294
67.25	18,335	71.50	19,648	75.75	20,930	80.00	22,172	84.25	23,363
67.50	18,413	71.75	19,725	76.00	21,004	80.25	22,243	84.50	23,431
67.75	18,491	72.00	19,801	76.25	21,079	80.50	22,315	84.75	23,499



## Capacity/Gauge Table Information

**TCLX 290450**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 250

Reporting Mark: TCLX 290450

Date: 26/06/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,567	89.25	24,686	93.50	25,729	97.75	26,682	102.00	27,526
85.25	23,635	89.50	24,749	93.75	25,788	98.00	26,735	102.25	27,572
85.50	23,702	89.75	24,813	94.00	25,846	98.25	26,788	102.50	27,617
85.75	23,769	90.00	24,876	94.25	25,905	98.50	26,840	102.75	27,661
86.00	23,836	90.25	24,939	94.50	25,962	98.75	26,892	103.00	27,706
86.25	23,903	90.50	25,001	94.75	26,020	99.00	26,943	103.25	27,749
86.50	23,970	90.75	25,063	95.00	26,077	99.25	26,994	103.50	27,793
86.75	24,036	91.00	25,125	95.25	26,134	99.50	27,044	103.75	27,835
87.00	24,102	91.25	25,187	95.50	26,190	99.75	27,094	104.00	27,877
87.25	24,168	91.50	25,248	95.75	26,246	100.00	27,144	104.25	27,919
87.50	24,233	91.75	25,310	96.00	26,302	100.25	27,193	104.50	27,960
87.75	24,299	92.00	25,370	96.25	26,357	100.50	27,242	104.75	28,001
88.00	24,364	92.25	25,431	96.50	26,412	100.75	27,291	105.00	28,041
88.25	24,429	92.50	25,491	96.75	26,467	101.00	27,339	105.25	28,080
88.50	24,493	92.75	25,551	97.00	26,522	101.25	27,386	105.50	28,119
88.75	24,558	93.00	25,611	97.25	26,576	101.50	27,433	105.75	28,157
89.00	24,622	93.25	25,670	97.50	26,629	101.75	27,480	106.00	28,195





## Capacity/Gauge Table Information

**TCLX 290450**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 250

Reporting Mark: TCLX 290450

Date: 26/06/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,232	110.50	28,750	114.75	28,965
106.50	28,268	110.75	28,772	115.00	28,969
106.75	28,304	111.00	28,792	115.25	28,972
107.00	28,339	111.25	28,812	115.50	28,974
107.25	28,373	111.50	28,830	115.75	28,976
107.50	28,407	111.75	28,847	116.00	28,977
107.75	28,440	112.00	28,863	116.25	28,978
108.00	28,472	112.25	28,877	116.50	28,978
108.25	28,504	112.50	28,891	116.75	28,979
108.50	28,535	112.75	28,903		
108.75	28,565	113.00	28,914		
109.00	28,594	113.25	28,925		
109.25	28,622	113.50	28,934		
109.50	28,650	113.75	28,942		
109.75	28,676	114.00	28,949		
110.00	28,702	114.25	28,955		
110.25	28,726	114.50	28,961		



## Capacity/Gauge Table Information

**TCLX 290451**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 251

Reporting Mark: TCLX 290451

Date: 26/06/2015

Capacity: 28,981 US Gallons (109,706 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,223	17.00	3,209
0.25	28	4.50	625	8.75	1,389	13.00	2,278	17.25	3,270
0.50	58	4.75	666	9.00	1,438	13.25	2,334	17.50	3,331
0.75	88	5.00	707	9.25	1,487	13.50	2,390	17.75	3,392
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,454
1.25	150	5.50	792	9.75	1,588	14.00	2,503	18.25	3,516
1.50	183	5.75	835	10.00	1,638	14.25	2,560	18.50	3,578
1.75	216	6.00	878	10.25	1,690	14.50	2,618	18.75	3,641
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,704
2.25	285	6.50	967	10.75	1,793	15.00	2,733	19.25	3,767
2.50	320	6.75	1,012	11.00	1,846	15.25	2,792	19.50	3,830
2.75	356	7.00	1,057	11.25	1,898	15.50	2,851	19.75	3,894
3.00	393	7.25	1,103	11.50	1,952	15.75	2,910	20.00	3,957
3.25	430	7.50	1,150	11.75	2,005	16.00	2,969	20.25	4,021
3.50	468	7.75	1,197	12.00	2,059	16.25	3,028	20.50	4,086
3.75	506	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,150
4.00	545	8.25	1,292	12.50	2,168	16.75	3,149	21.00	4,215



## Capacity/Gauge Table Information

**TCLX 290451**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 251

Reporting Mark: TCLX 290451

Date: 26/06/2015

Capacity: 28,981 US Gallons (109,706 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,280	25.50	5,422	29.75	6,623	34.00	7,873	38.25	9,161
21.50	4,346	25.75	5,492	30.00	6,696	34.25	7,947	38.50	9,238
21.75	4,411	26.00	5,561	30.25	6,768	34.50	8,022	38.75	9,315
22.00	4,477	26.25	5,630	30.50	6,841	34.75	8,097	39.00	9,392
22.25	4,543	26.50	5,700	30.75	6,913	35.00	8,173	39.25	9,469
22.50	4,609	26.75	5,770	31.00	6,986	35.25	8,248	39.50	9,546
22.75	4,676	27.00	5,840	31.25	7,059	35.50	8,323	39.75	9,623
23.00	4,743	27.25	5,910	31.50	7,132	35.75	8,399	40.00	9,700
23.25	4,810	27.50	5,981	31.75	7,206	36.00	8,475	40.25	9,778
23.50	4,877	27.75	6,052	32.00	7,279	36.25	8,550	40.50	9,856
23.75	4,944	28.00	6,122	32.25	7,353	36.50	8,626	40.75	9,933
24.00	5,012	28.25	6,193	32.50	7,427	36.75	8,702	41.00	10,011
24.25	5,080	28.50	6,265	32.75	7,501	37.00	8,778	41.25	10,089
24.50	5,148	28.75	6,336	33.00	7,575	37.25	8,855	41.50	10,167
24.75	5,216	29.00	6,408	33.25	7,649	37.50	8,931	41.75	10,245
25.00	5,285	29.25	6,479	33.50	7,723	37.75	9,008	42.00	10,323
25.25	5,353	29.50	6,551	33.75	7,798	38.00	9,084	42.25	10,401



## Capacity/Gauge Table Information

**TCLX 290451**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 251

Reporting Mark: TCLX 290451

Date: 26/06/2015

Capacity: 28,981 US Gallons (109,706 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,479	46.75	11,819	51.00	13,174	55.25	14,534	59.50	15,893
42.75	10,557	47.00	11,899	51.25	13,254	55.50	14,614	59.75	15,973
43.00	10,636	47.25	11,978	51.50	13,334	55.75	14,694	60.00	16,053
43.25	10,714	47.50	12,058	51.75	13,414	56.00	14,774	60.25	16,132
43.50	10,793	47.75	12,137	52.00	13,493	56.25	14,854	60.50	16,212
43.75	10,871	48.00	12,217	52.25	13,573	56.50	14,934	60.75	16,292
44.00	10,950	48.25	12,296	52.50	13,654	56.75	15,014	61.00	16,371
44.25	11,029	48.50	12,376	52.75	13,734	57.00	15,094	61.25	16,451
44.50	11,108	48.75	12,455	53.00	13,814	57.25	15,174	61.50	16,530
44.75	11,186	49.00	12,535	53.25	13,894	57.50	15,254	61.75	16,610
45.00	11,265	49.25	12,615	53.50	13,974	57.75	15,334	62.00	16,689
45.25	11,344	49.50	12,695	53.75	14,054	58.00	15,414	62.25	16,768
45.50	11,423	49.75	12,774	54.00	14,134	58.25	15,494	62.50	16,848
45.75	11,503	50.00	12,854	54.25	14,214	58.50	15,574	62.75	16,927
46.00	11,582	50.25	12,934	54.50	14,294	58.75	15,654	63.00	17,006
46.25	11,661	50.50	13,014	54.75	14,374	59.00	15,734	63.25	17,085
46.50	11,740	50.75	13,094	55.00	14,454	59.25	15,813	63.50	17,164



## Capacity/Gauge Table Information

**TCLX 290451**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 251

Reporting Mark: TCLX 290451

Date: 26/06/2015

Capacity: 28,981 US Gallons (109,706 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,243	68.00	18,577	72.25	19,885	76.50	21,160	80.75	22,394
64.00	17,322	68.25	18,654	72.50	19,961	76.75	21,234	81.00	22,465
64.25	17,401	68.50	18,732	72.75	20,037	77.00	21,308	81.25	22,536
64.50	17,480	68.75	18,810	73.00	20,113	77.25	21,381	81.50	22,606
64.75	17,559	69.00	18,887	73.25	20,189	77.50	21,455	81.75	22,677
65.00	17,638	69.25	18,964	73.50	20,264	77.75	21,528	82.00	22,747
65.25	17,716	69.50	19,042	73.75	20,340	78.00	21,601	82.25	22,817
65.50	17,795	69.75	19,119	74.00	20,415	78.25	21,674	82.50	22,887
65.75	17,873	70.00	19,196	74.25	20,490	78.50	21,747	82.75	22,957
66.00	17,952	70.25	19,273	74.50	20,565	78.75	21,819	83.00	23,026
66.25	18,030	70.50	19,350	74.75	20,640	79.00	21,892	83.25	23,095
66.50	18,109	70.75	19,427	75.00	20,715	79.25	21,964	83.50	23,165
66.75	18,187	71.00	19,503	75.25	20,789	79.50	22,036	83.75	23,234
67.00	18,265	71.25	19,580	75.50	20,864	79.75	22,108	84.00	23,302
67.25	18,343	71.50	19,656	75.75	20,938	80.00	22,180	84.25	23,371
67.50	18,421	71.75	19,733	76.00	21,012	80.25	22,251	84.50	23,439
67.75	18,499	72.00	19,809	76.25	21,087	80.50	22,322	84.75	23,507



## Capacity/Gauge Table Information

**TCLX 290451**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 251

Reporting Mark: TCLX 290451

Date: 26/06/2015

Capacity: 28,981 US Gallons (109,706 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,575	89.25	24,693	93.50	25,737	97.75	26,689	102.00	27,532
85.25	23,643	89.50	24,757	93.75	25,795	98.00	26,742	102.25	27,578
85.50	23,710	89.75	24,820	94.00	25,854	98.25	26,795	102.50	27,623
85.75	23,777	90.00	24,883	94.25	25,912	98.50	26,847	102.75	27,668
86.00	23,844	90.25	24,946	94.50	25,970	98.75	26,899	103.00	27,712
86.25	23,911	90.50	25,009	94.75	26,027	99.00	26,950	103.25	27,756
86.50	23,977	90.75	25,071	95.00	26,084	99.25	27,001	103.50	27,799
86.75	24,044	91.00	25,133	95.25	26,141	99.50	27,051	103.75	27,841
87.00	24,110	91.25	25,195	95.50	26,197	99.75	27,101	104.00	27,884
87.25	24,176	91.50	25,256	95.75	26,253	100.00	27,151	104.25	27,925
87.50	24,241	91.75	25,317	96.00	26,309	100.25	27,200	104.50	27,966
87.75	24,307	92.00	25,378	96.25	26,365	100.50	27,249	104.75	28,007
88.00	24,372	92.25	25,438	96.50	26,420	100.75	27,297	105.00	28,047
88.25	24,437	92.50	25,499	96.75	26,474	101.00	27,345	105.25	28,086
88.50	24,501	92.75	25,559	97.00	26,529	101.25	27,393	105.50	28,125
88.75	24,566	93.00	25,618	97.25	26,583	101.50	27,440	105.75	28,163
89.00	24,630	93.25	25,678	97.50	26,636	101.75	27,486	106.00	28,201



## Capacity/Gauge Table Information

**TCLX 290451**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 251

Reporting Mark: TCLX 290451

Date: 26/06/2015

Capacity: 28,981 US Gallons (109,706 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,238	110.50	28,754	114.75	28,968
106.50	28,274	110.75	28,776	115.00	28,972
106.75	28,310	111.00	28,796	115.25	28,975
107.00	28,345	111.25	28,816	115.50	28,977
107.25	28,379	111.50	28,834	115.75	28,979
107.50	28,413	111.75	28,851	116.00	28,980
107.75	28,446	112.00	28,866	116.25	28,981
108.00	28,478	112.25	28,881	116.50	28,981
108.25	28,509	112.50	28,894	116.75	28,981
108.50	28,540	112.75	28,906		
108.75	28,570	113.00	28,918		
109.00	28,599	113.25	28,928		
109.25	28,627	113.50	28,937		
109.50	28,654	113.75	28,945		
109.75	28,681	114.00	28,952		
110.00	28,706	114.25	28,958		
110.25	28,731	114.50	28,963		





## Capacity/Gauge Table Information

**TCLX 290452**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 252

Reporting Mark: TCLX 290452

Date: 26/06/2015

Capacity: 28,946 US Gallons (109,573 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,344	12.75	2,228	17.00	3,215
0.25	29	4.50	628	8.75	1,393	13.00	2,284	17.25	3,276
0.50	58	4.75	669	9.00	1,442	13.25	2,339	17.50	3,337
0.75	88	5.00	710	9.25	1,492	13.50	2,396	17.75	3,399
1.00	119	5.25	752	9.50	1,542	13.75	2,452	18.00	3,460
1.25	151	5.50	795	9.75	1,592	14.00	2,509	18.25	3,522
1.50	184	5.75	838	10.00	1,643	14.25	2,566	18.50	3,585
1.75	217	6.00	881	10.25	1,694	14.50	2,623	18.75	3,647
2.00	251	6.25	926	10.50	1,746	14.75	2,681	19.00	3,710
2.25	286	6.50	970	10.75	1,798	15.00	2,739	19.25	3,773
2.50	322	6.75	1,015	11.00	1,851	15.25	2,798	19.50	3,836
2.75	358	7.00	1,061	11.25	1,903	15.50	2,856	19.75	3,900
3.00	394	7.25	1,107	11.50	1,957	15.75	2,915	20.00	3,964
3.25	432	7.50	1,153	11.75	2,010	16.00	2,975	20.25	4,028
3.50	470	7.75	1,200	12.00	2,064	16.25	3,034	20.50	4,092
3.75	508	8.00	1,248	12.25	2,118	16.50	3,094	20.75	4,157
4.00	548	8.25	1,296	12.50	2,173	16.75	3,155	21.00	4,222



## Capacity/Gauge Table Information

**TCLX 290452**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 252

Reporting Mark: TCLX 290452

Date: 26/06/2015

Capacity: 28,946 US Gallons (109,573 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,287	25.50	5,429	29.75	6,630	34.00	7,879	38.25	9,167
21.50	4,352	25.75	5,498	30.00	6,702	34.25	7,954	38.50	9,244
21.75	4,418	26.00	5,568	30.25	6,775	34.50	8,029	38.75	9,321
22.00	4,484	26.25	5,637	30.50	6,847	34.75	8,104	39.00	9,398
22.25	4,550	26.50	5,707	30.75	6,920	35.00	8,179	39.25	9,475
22.50	4,616	26.75	5,777	31.00	6,993	35.25	8,254	39.50	9,552
22.75	4,683	27.00	5,847	31.25	7,066	35.50	8,330	39.75	9,629
23.00	4,749	27.25	5,917	31.50	7,139	35.75	8,405	40.00	9,706
23.25	4,816	27.50	5,988	31.75	7,212	36.00	8,481	40.25	9,784
23.50	4,884	27.75	6,058	32.00	7,286	36.25	8,557	40.50	9,861
23.75	4,951	28.00	6,129	32.25	7,360	36.50	8,633	40.75	9,939
24.00	5,019	28.25	6,200	32.50	7,433	36.75	8,709	41.00	10,017
24.25	5,087	28.50	6,271	32.75	7,507	37.00	8,785	41.25	10,095
24.50	5,155	28.75	6,343	33.00	7,581	37.25	8,861	41.50	10,172
24.75	5,223	29.00	6,414	33.25	7,656	37.50	8,937	41.75	10,250
25.00	5,291	29.25	6,486	33.50	7,730	37.75	9,014	42.00	10,328
25.25	5,360	29.50	6,558	33.75	7,805	38.00	9,090	42.25	10,407



## Capacity/Gauge Table Information

**TCLX 290452**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 252

Reporting Mark: TCLX 290452

Date: 26/06/2015

Capacity: 28,946 US Gallons (109,573 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,485	46.75	11,824	51.00	13,178	55.25	14,537	59.50	15,895
42.75	10,563	47.00	11,904	51.25	13,258	55.50	14,617	59.75	15,975
43.00	10,641	47.25	11,983	51.50	13,337	55.75	14,697	60.00	16,054
43.25	10,720	47.50	12,062	51.75	13,417	56.00	14,777	60.25	16,134
43.50	10,798	47.75	12,142	52.00	13,497	56.25	14,857	60.50	16,214
43.75	10,877	48.00	12,221	52.25	13,577	56.50	14,937	60.75	16,293
44.00	10,955	48.25	12,301	52.50	13,657	56.75	15,017	61.00	16,373
44.25	11,034	48.50	12,380	52.75	13,737	57.00	15,097	61.25	16,452
44.50	11,113	48.75	12,460	53.00	13,817	57.25	15,177	61.50	16,531
44.75	11,192	49.00	12,540	53.25	13,897	57.50	15,257	61.75	16,611
45.00	11,271	49.25	12,619	53.50	13,977	57.75	15,337	62.00	16,690
45.25	11,350	49.50	12,699	53.75	14,057	58.00	15,416	62.25	16,769
45.50	11,429	49.75	12,779	54.00	14,137	58.25	15,496	62.50	16,849
45.75	11,508	50.00	12,858	54.25	14,217	58.50	15,576	62.75	16,928
46.00	11,587	50.25	12,938	54.50	14,297	58.75	15,656	63.00	17,007
46.25	11,666	50.50	13,018	54.75	14,377	59.00	15,736	63.25	17,086
46.50	11,745	50.75	13,098	55.00	14,457	59.25	15,815	63.50	17,165



## Capacity/Gauge Table Information

**TCLX 290452**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 252

Reporting Mark: TCLX 290452

Date: 26/06/2015

Capacity: 28,946 US Gallons (109,573 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,244	68.00	18,576	72.25	19,883	76.50	21,156	80.75	22,388
64.00	17,323	68.25	18,653	72.50	19,959	76.75	21,230	81.00	22,458
64.25	17,402	68.50	18,731	72.75	20,034	77.00	21,304	81.25	22,529
64.50	17,480	68.75	18,808	73.00	20,110	77.25	21,377	81.50	22,600
64.75	17,559	69.00	18,886	73.25	20,186	77.50	21,450	81.75	22,670
65.00	17,638	69.25	18,963	73.50	20,261	77.75	21,523	82.00	22,740
65.25	17,716	69.50	19,040	73.75	20,336	78.00	21,596	82.25	22,810
65.50	17,795	69.75	19,117	74.00	20,412	78.25	21,669	82.50	22,880
65.75	17,873	70.00	19,194	74.25	20,487	78.50	21,742	82.75	22,950
66.00	17,952	70.25	19,271	74.50	20,562	78.75	21,814	83.00	23,019
66.25	18,030	70.50	19,348	74.75	20,636	79.00	21,886	83.25	23,088
66.50	18,108	70.75	19,425	75.00	20,711	79.25	21,958	83.50	23,157
66.75	18,186	71.00	19,501	75.25	20,786	79.50	22,030	83.75	23,226
67.00	18,264	71.25	19,578	75.50	20,860	79.75	22,102	84.00	23,295
67.25	18,342	71.50	19,654	75.75	20,934	80.00	22,174	84.25	23,363
67.50	18,420	71.75	19,731	76.00	21,008	80.25	22,245	84.50	23,431
67.75	18,498	72.00	19,807	76.25	21,082	80.50	22,316	84.75	23,499



## Capacity/Gauge Table Information

**TCLX 290452**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 252

Reporting Mark: TCLX 290452

Date: 26/06/2015

Capacity: 28,946 US Gallons (109,573 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,567	89.25	24,683	93.50	25,724	97.75	26,674	102.00	27,513
85.25	23,634	89.50	24,746	93.75	25,782	98.00	26,726	102.25	27,559
85.50	23,702	89.75	24,810	94.00	25,841	98.25	26,779	102.50	27,604
85.75	23,769	90.00	24,873	94.25	25,898	98.50	26,831	102.75	27,648
86.00	23,836	90.25	24,935	94.50	25,956	98.75	26,882	103.00	27,692
86.25	23,902	90.50	24,998	94.75	26,013	99.00	26,933	103.25	27,736
86.50	23,969	90.75	25,060	95.00	26,070	99.25	26,984	103.50	27,779
86.75	24,035	91.00	25,121	95.25	26,127	99.50	27,034	103.75	27,821
87.00	24,101	91.25	25,183	95.50	26,183	99.75	27,084	104.00	27,863
87.25	24,166	91.50	25,244	95.75	26,239	100.00	27,133	104.25	27,904
87.50	24,232	91.75	25,305	96.00	26,295	100.25	27,183	104.50	27,945
87.75	24,297	92.00	25,366	96.25	26,350	100.50	27,231	104.75	27,985
88.00	24,362	92.25	25,426	96.50	26,405	100.75	27,279	105.00	28,025
88.25	24,427	92.50	25,486	96.75	26,459	101.00	27,327	105.25	28,064
88.50	24,491	92.75	25,546	97.00	26,513	101.25	27,374	105.50	28,103
88.75	24,555	93.00	25,606	97.25	26,567	101.50	27,421	105.75	28,141
89.00	24,619	93.25	25,665	97.50	26,621	101.75	27,467	106.00	28,178



## Capacity/Gauge Table Information

**TCLX 290452**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 252

Reporting Mark: TCLX 290452

Date: 26/06/2015

Capacity: 28,946 US Gallons (109,573 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,215	110.50	28,725	114.75	28,933
106.50	28,251	110.75	28,746	115.00	28,937
106.75	28,286	111.00	28,766	115.25	28,940
107.00	28,321	111.25	28,785	115.50	28,942
107.25	28,355	111.50	28,803	115.75	28,944
107.50	28,388	111.75	28,819	116.00	28,945
107.75	28,421	112.00	28,834	116.25	28,946
108.00	28,453	112.25	28,849	116.50	28,946
108.25	28,484	112.50	28,861	116.75	28,946
108.50	28,514	112.75	28,873		
108.75	28,544	113.00	28,884		
109.00	28,573	113.25	28,894		
109.25	28,600	113.50	28,903		
109.50	28,627	113.75	28,911		
109.75	28,653	114.00	28,918		
110.00	28,678	114.25	28,924		
110.25	28,702	114.50	28,929		



## Capacity/Gauge Table Information

**TCLX 290453**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 253

Reporting Mark: TCLX 290453

Date: 29/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,349	12.75	2,235	17.00	3,223
0.25	29	4.50	630	8.75	1,398	13.00	2,290	17.25	3,284
0.50	58	4.75	672	9.00	1,447	13.25	2,346	17.50	3,345
0.75	89	5.00	713	9.25	1,497	13.50	2,402	17.75	3,407
1.00	120	5.25	755	9.50	1,547	13.75	2,459	18.00	3,469
1.25	152	5.50	798	9.75	1,597	14.00	2,516	18.25	3,531
1.50	185	5.75	841	10.00	1,648	14.25	2,573	18.50	3,593
1.75	218	6.00	885	10.25	1,700	14.50	2,630	18.75	3,656
2.00	253	6.25	929	10.50	1,751	14.75	2,688	19.00	3,719
2.25	288	6.50	974	10.75	1,804	15.00	2,746	19.25	3,782
2.50	323	6.75	1,019	11.00	1,856	15.25	2,805	19.50	3,845
2.75	359	7.00	1,065	11.25	1,909	15.50	2,864	19.75	3,909
3.00	396	7.25	1,111	11.50	1,962	15.75	2,923	20.00	3,973
3.25	434	7.50	1,158	11.75	2,016	16.00	2,982	20.25	4,037
3.50	472	7.75	1,205	12.00	2,070	16.25	3,042	20.50	4,102
3.75	511	8.00	1,252	12.25	2,125	16.50	3,102	20.75	4,166
4.00	550	8.25	1,300	12.50	2,179	16.75	3,163	21.00	4,231





## Capacity/Gauge Table Information

**TCLX 290453**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 253

Reporting Mark: TCLX 290453

Date: 29/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,296	25.50	5,440	29.75	6,643	34.00	7,893	38.25	9,182
21.50	4,362	25.75	5,509	30.00	6,715	34.25	7,968	38.50	9,259
21.75	4,428	26.00	5,579	30.25	6,787	34.50	8,043	38.75	9,336
22.00	4,494	26.25	5,648	30.50	6,860	34.75	8,118	39.00	9,413
22.25	4,560	26.50	5,718	30.75	6,933	35.00	8,193	39.25	9,490
22.50	4,626	26.75	5,788	31.00	7,006	35.25	8,269	39.50	9,567
22.75	4,693	27.00	5,858	31.25	7,079	35.50	8,344	39.75	9,645
23.00	4,760	27.25	5,929	31.50	7,152	35.75	8,420	40.00	9,722
23.25	4,827	27.50	5,999	31.75	7,226	36.00	8,495	40.25	9,800
23.50	4,894	27.75	6,070	32.00	7,299	36.25	8,571	40.50	9,877
23.75	4,962	28.00	6,141	32.25	7,373	36.50	8,647	40.75	9,955
24.00	5,029	28.25	6,212	32.50	7,447	36.75	8,723	41.00	10,033
24.25	5,097	28.50	6,284	32.75	7,521	37.00	8,799	41.25	10,111
24.50	5,165	28.75	6,355	33.00	7,595	37.25	8,876	41.50	10,188
24.75	5,234	29.00	6,427	33.25	7,669	37.50	8,952	41.75	10,267
25.00	5,302	29.25	6,498	33.50	7,744	37.75	9,029	42.00	10,345
25.25	5,371	29.50	6,570	33.75	7,818	38.00	9,105	42.25	10,423



## Capacity/Gauge Table Information

**TCLX 290453**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 253

Reporting Mark: TCLX 290453

Date: 29/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,501	46.75	11,842	51.00	13,196	55.25	14,557	59.50	15,916
42.75	10,579	47.00	11,921	51.25	13,276	55.50	14,637	59.75	15,995
43.00	10,658	47.25	12,001	51.50	13,356	55.75	14,717	60.00	16,075
43.25	10,736	47.50	12,080	51.75	13,436	56.00	14,797	60.25	16,155
43.50	10,815	47.75	12,160	52.00	13,516	56.25	14,877	60.50	16,234
43.75	10,894	48.00	12,239	52.25	13,596	56.50	14,957	60.75	16,314
44.00	10,972	48.25	12,319	52.50	13,676	56.75	15,037	61.00	16,393
44.25	11,051	48.50	12,398	52.75	13,756	57.00	15,117	61.25	16,473
44.50	11,130	48.75	12,478	53.00	13,836	57.25	15,197	61.50	16,552
44.75	11,209	49.00	12,558	53.25	13,916	57.50	15,277	61.75	16,632
45.00	11,288	49.25	12,637	53.50	13,996	57.75	15,357	62.00	16,711
45.25	11,367	49.50	12,717	53.75	14,076	58.00	15,437	62.25	16,790
45.50	11,446	49.75	12,797	54.00	14,156	58.25	15,517	62.50	16,870
45.75	11,525	50.00	12,877	54.25	14,236	58.50	15,596	62.75	16,949
46.00	11,604	50.25	12,957	54.50	14,317	58.75	15,676	63.00	17,028
46.25	11,683	50.50	13,036	54.75	14,397	59.00	15,756	63.25	17,107
46.50	11,762	50.75	13,116	55.00	14,477	59.25	15,836	63.50	17,186



## Capacity/Gauge Table Information

**TCLX 290453**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 253

Reporting Mark: TCLX 290453

Date: 29/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,265	68.00	18,598	72.25	19,906	76.50	21,180	80.75	22,412
64.00	17,344	68.25	18,676	72.50	19,982	76.75	21,253	81.00	22,482
64.25	17,423	68.50	18,753	72.75	20,057	77.00	21,327	81.25	22,553
64.50	17,502	68.75	18,831	73.00	20,133	77.25	21,400	81.50	22,624
64.75	17,581	69.00	18,908	73.25	20,209	77.50	21,474	81.75	22,694
65.00	17,659	69.25	18,986	73.50	20,284	77.75	21,547	82.00	22,764
65.25	17,738	69.50	19,063	73.75	20,360	78.00	21,620	82.25	22,834
65.50	17,817	69.75	19,140	74.00	20,435	78.25	21,693	82.50	22,904
65.75	17,895	70.00	19,217	74.25	20,510	78.50	21,765	82.75	22,974
66.00	17,973	70.25	19,294	74.50	20,585	78.75	21,838	83.00	23,043
66.25	18,052	70.50	19,371	74.75	20,660	79.00	21,910	83.25	23,112
66.50	18,130	70.75	19,447	75.00	20,734	79.25	21,982	83.50	23,181
66.75	18,208	71.00	19,524	75.25	20,809	79.50	22,054	83.75	23,250
67.00	18,286	71.25	19,601	75.50	20,883	79.75	22,126	84.00	23,319
67.25	18,364	71.50	19,677	75.75	20,958	80.00	22,198	84.25	23,387
67.50	18,442	71.75	19,753	76.00	21,032	80.25	22,269	84.50	23,455
67.75	18,520	72.00	19,830	76.25	21,106	80.50	22,340	84.75	23,523



## Capacity/Gauge Table Information

**TCLX 290453**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 253

Reporting Mark: TCLX 290453

Date: 29/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,591	89.25	24,708	93.50	25,748	97.75	26,698	102.00	27,538
85.25	23,659	89.50	24,771	93.75	25,807	98.00	26,751	102.25	27,583
85.50	23,726	89.75	24,834	94.00	25,865	98.25	26,803	102.50	27,628
85.75	23,793	90.00	24,897	94.25	25,923	98.50	26,855	102.75	27,672
86.00	23,860	90.25	24,960	94.50	25,981	98.75	26,907	103.00	27,716
86.25	23,927	90.50	25,022	94.75	26,038	99.00	26,958	103.25	27,760
86.50	23,993	90.75	25,084	95.00	26,095	99.25	27,008	103.50	27,803
86.75	24,059	91.00	25,146	95.25	26,152	99.50	27,059	103.75	27,845
87.00	24,125	91.25	25,208	95.50	26,208	99.75	27,109	104.00	27,887
87.25	24,191	91.50	25,269	95.75	26,264	100.00	27,158	104.25	27,928
87.50	24,256	91.75	25,330	96.00	26,319	100.25	27,207	104.50	27,969
87.75	24,322	92.00	25,391	96.25	26,375	100.50	27,256	104.75	28,009
88.00	24,387	92.25	25,451	96.50	26,429	100.75	27,304	105.00	28,049
88.25	24,451	92.50	25,511	96.75	26,484	101.00	27,351	105.25	28,088
88.50	24,516	92.75	25,571	97.00	26,538	101.25	27,399	105.50	28,126
88.75	24,580	93.00	25,630	97.25	26,592	101.50	27,446	105.75	28,164
89.00	24,644	93.25	25,690	97.50	26,645	101.75	27,492	106.00	28,202



## Capacity/Gauge Table Information

**TCLX 290453**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 253

Reporting Mark: TCLX 290453

Date: 29/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,238	110.50	28,747	114.75	28,954
106.50	28,274	110.75	28,768	115.00	28,958
106.75	28,310	111.00	28,788	115.25	28,961
107.00	28,344	111.25	28,807	115.50	28,963
107.25	28,378	111.50	28,825	115.75	28,965
107.50	28,412	111.75	28,841	116.00	28,966
107.75	28,444	112.00	28,856	116.25	28,966
108.00	28,476	112.25	28,870	116.50	28,967
108.25	28,507	112.50	28,883	116.75	28,967
108.50	28,537	112.75	28,895		
108.75	28,567	113.00	28,905		
109.00	28,596	113.25	28,915		
109.25	28,623	113.50	28,924		
109.50	28,650	113.75	28,932		
109.75	28,676	114.00	28,938		
110.00	28,701	114.25	28,944		
110.25	28,725	114.50	28,950		



## Capacity/Gauge Table Information

**TCLX 290454**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 254

Reporting Mark: TCLX 290454

Date: 24/06/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,226	17.00	3,212
0.25	28	4.50	627	8.75	1,391	13.00	2,281	17.25	3,273
0.50	58	4.75	667	9.00	1,440	13.25	2,337	17.50	3,334
0.75	88	5.00	709	9.25	1,489	13.50	2,393	17.75	3,396
1.00	119	5.25	751	9.50	1,539	13.75	2,449	18.00	3,457
1.25	151	5.50	793	9.75	1,590	14.00	2,506	18.25	3,519
1.50	183	5.75	836	10.00	1,641	14.25	2,563	18.50	3,581
1.75	217	6.00	880	10.25	1,692	14.50	2,621	18.75	3,644
2.00	251	6.25	924	10.50	1,744	14.75	2,678	19.00	3,707
2.25	285	6.50	968	10.75	1,796	15.00	2,736	19.25	3,770
2.50	321	6.75	1,014	11.00	1,848	15.25	2,795	19.50	3,833
2.75	357	7.00	1,059	11.25	1,901	15.50	2,853	19.75	3,897
3.00	393	7.25	1,105	11.50	1,954	15.75	2,912	20.00	3,961
3.25	431	7.50	1,152	11.75	2,008	16.00	2,972	20.25	4,025
3.50	469	7.75	1,198	12.00	2,062	16.25	3,031	20.50	4,089
3.75	507	8.00	1,246	12.25	2,116	16.50	3,091	20.75	4,154
4.00	546	8.25	1,294	12.50	2,171	16.75	3,152	21.00	4,219



## Capacity/Gauge Table Information

**TCLX 290454**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 254

Reporting Mark: TCLX 290454

Date: 24/06/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,284	25.50	5,426	29.75	6,627	34.00	7,876	38.25	9,164
21.50	4,349	25.75	5,495	30.00	6,699	34.25	7,951	38.50	9,241
21.75	4,415	26.00	5,564	30.25	6,772	34.50	8,026	38.75	9,318
22.00	4,481	26.25	5,634	30.50	6,844	34.75	8,101	39.00	9,395
22.25	4,547	26.50	5,704	30.75	6,917	35.00	8,176	39.25	9,472
22.50	4,613	26.75	5,774	31.00	6,990	35.25	8,252	39.50	9,549
22.75	4,679	27.00	5,844	31.25	7,063	35.50	8,327	39.75	9,627
23.00	4,746	27.25	5,914	31.50	7,136	35.75	8,403	40.00	9,704
23.25	4,813	27.50	5,985	31.75	7,210	36.00	8,478	40.25	9,782
23.50	4,880	27.75	6,055	32.00	7,283	36.25	8,554	40.50	9,859
23.75	4,948	28.00	6,126	32.25	7,357	36.50	8,630	40.75	9,937
24.00	5,016	28.25	6,197	32.50	7,430	36.75	8,706	41.00	10,015
24.25	5,083	28.50	6,268	32.75	7,504	37.00	8,782	41.25	10,092
24.50	5,152	28.75	6,340	33.00	7,579	37.25	8,858	41.50	10,170
24.75	5,220	29.00	6,411	33.25	7,653	37.50	8,935	41.75	10,248
25.00	5,288	29.25	6,483	33.50	7,727	37.75	9,011	42.00	10,326
25.25	5,357	29.50	6,555	33.75	7,802	38.00	9,088	42.25	10,404





## Capacity/Gauge Table Information

**TCLX 290454**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 254

Reporting Mark: TCLX 290454

Date: 24/06/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,483	46.75	11,823	51.00	13,177	55.25	14,537	59.50	15,896
42.75	10,561	47.00	11,902	51.25	13,257	55.50	14,617	59.75	15,975
43.00	10,639	47.25	11,981	51.50	13,337	55.75	14,697	60.00	16,055
43.25	10,718	47.50	12,061	51.75	13,417	56.00	14,777	60.25	16,135
43.50	10,796	47.75	12,140	52.00	13,497	56.25	14,857	60.50	16,214
43.75	10,875	48.00	12,220	52.25	13,576	56.50	14,937	60.75	16,294
44.00	10,954	48.25	12,299	52.50	13,656	56.75	15,017	61.00	16,373
44.25	11,032	48.50	12,379	52.75	13,736	57.00	15,097	61.25	16,453
44.50	11,111	48.75	12,459	53.00	13,817	57.25	15,177	61.50	16,532
44.75	11,190	49.00	12,538	53.25	13,897	57.50	15,257	61.75	16,612
45.00	11,269	49.25	12,618	53.50	13,977	57.75	15,337	62.00	16,691
45.25	11,348	49.50	12,698	53.75	14,057	58.00	15,417	62.25	16,770
45.50	11,427	49.75	12,778	54.00	14,137	58.25	15,497	62.50	16,850
45.75	11,506	50.00	12,857	54.25	14,217	58.50	15,576	62.75	16,929
46.00	11,585	50.25	12,937	54.50	14,297	58.75	15,656	63.00	17,008
46.25	11,664	50.50	13,017	54.75	14,377	59.00	15,736	63.25	17,087
46.50	11,743	50.75	13,097	55.00	14,457	59.25	15,816	63.50	17,166



## Capacity/Gauge Table Information

**TCLX 290454**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 254

Reporting Mark: TCLX 290454

Date: 24/06/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,245	68.00	18,578	72.25	19,886	76.50	21,161	80.75	22,393
64.00	17,324	68.25	18,656	72.50	19,962	76.75	21,235	81.00	22,464
64.25	17,403	68.50	18,733	72.75	20,038	77.00	21,308	81.25	22,535
64.50	17,482	68.75	18,811	73.00	20,114	77.25	21,382	81.50	22,606
64.75	17,561	69.00	18,888	73.25	20,189	77.50	21,455	81.75	22,676
65.00	17,639	69.25	18,966	73.50	20,265	77.75	21,528	82.00	22,746
65.25	17,718	69.50	19,043	73.75	20,340	78.00	21,601	82.25	22,816
65.50	17,797	69.75	19,120	74.00	20,415	78.25	21,674	82.50	22,886
65.75	17,875	70.00	19,197	74.25	20,491	78.50	21,747	82.75	22,956
66.00	17,954	70.25	19,274	74.50	20,566	78.75	21,819	83.00	23,025
66.25	18,032	70.50	19,351	74.75	20,640	79.00	21,891	83.25	23,095
66.50	18,110	70.75	19,428	75.00	20,715	79.25	21,964	83.50	23,164
66.75	18,188	71.00	19,504	75.25	20,790	79.50	22,036	83.75	23,233
67.00	18,266	71.25	19,581	75.50	20,864	79.75	22,108	84.00	23,301
67.25	18,345	71.50	19,657	75.75	20,939	80.00	22,179	84.25	23,370
67.50	18,422	71.75	19,734	76.00	21,013	80.25	22,251	84.50	23,438
67.75	18,500	72.00	19,810	76.25	21,087	80.50	22,322	84.75	23,506



## Capacity/Gauge Table Information

**TCLX 290454**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 254

Reporting Mark: TCLX 290454

Date: 24/06/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,574	89.25	24,691	93.50	25,734	97.75	26,685	102.00	27,527
85.25	23,641	89.50	24,755	93.75	25,792	98.00	26,738	102.25	27,573
85.50	23,709	89.75	24,818	94.00	25,851	98.25	26,791	102.50	27,618
85.75	23,776	90.00	24,881	94.25	25,909	98.50	26,843	102.75	27,662
86.00	23,843	90.25	24,944	94.50	25,966	98.75	26,894	103.00	27,706
86.25	23,910	90.50	25,006	94.75	26,024	99.00	26,945	103.25	27,750
86.50	23,976	90.75	25,069	95.00	26,081	99.25	26,996	103.50	27,793
86.75	24,042	91.00	25,130	95.25	26,137	99.50	27,047	103.75	27,836
87.00	24,108	91.25	25,192	95.50	26,194	99.75	27,097	104.00	27,878
87.25	24,174	91.50	25,253	95.75	26,250	100.00	27,146	104.25	27,919
87.50	24,240	91.75	25,315	96.00	26,306	100.25	27,195	104.50	27,960
87.75	24,305	92.00	25,375	96.25	26,361	100.50	27,244	104.75	28,000
88.00	24,370	92.25	25,436	96.50	26,416	100.75	27,292	105.00	28,040
88.25	24,435	92.50	25,496	96.75	26,470	101.00	27,340	105.25	28,080
88.50	24,499	92.75	25,556	97.00	26,525	101.25	27,388	105.50	28,118
88.75	24,564	93.00	25,615	97.25	26,579	101.50	27,434	105.75	28,156
89.00	24,628	93.25	25,675	97.50	26,632	101.75	27,481	106.00	28,194



## Capacity/Gauge Table Information

**TCLX 290454**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 254

Reporting Mark: TCLX 290454

Date: 24/06/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,231	110.50	28,745	114.75	28,956
106.50	28,267	110.75	28,766	115.00	28,960
106.75	28,302	111.00	28,787	115.25	28,963
107.00	28,337	111.25	28,806	115.50	28,965
107.25	28,372	111.50	28,824	115.75	28,967
107.50	28,405	111.75	28,840	116.00	28,968
107.75	28,438	112.00	28,856	116.25	28,969
108.00	28,470	112.25	28,870	116.50	28,969
108.25	28,501	112.50	28,883	116.75	28,970
108.50	28,532	112.75	28,896		
108.75	28,562	113.00	28,907		
109.00	28,591	113.25	28,916		
109.25	28,619	113.50	28,925		
109.50	28,646	113.75	28,933		
109.75	28,672	114.00	28,940		
110.00	28,697	114.25	28,947		
110.25	28,722	114.50	28,952		



## Capacity/Gauge Table Information

**TCLX 290455**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 255

Reporting Mark: TCLX 290455

Date: 24/06/2015

Capacity: 28,978 US Gallons (109,692 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,226	17.00	3,213
0.25	28	4.50	627	8.75	1,391	13.00	2,281	17.25	3,274
0.50	58	4.75	667	9.00	1,440	13.25	2,337	17.50	3,335
0.75	88	5.00	709	9.25	1,490	13.50	2,393	17.75	3,396
1.00	119	5.25	751	9.50	1,540	13.75	2,450	18.00	3,458
1.25	151	5.50	793	9.75	1,590	14.00	2,506	18.25	3,520
1.50	183	5.75	836	10.00	1,641	14.25	2,563	18.50	3,582
1.75	217	6.00	880	10.25	1,692	14.50	2,621	18.75	3,645
2.00	251	6.25	924	10.50	1,744	14.75	2,679	19.00	3,707
2.25	285	6.50	969	10.75	1,796	15.00	2,737	19.25	3,770
2.50	321	6.75	1,014	11.00	1,848	15.25	2,795	19.50	3,834
2.75	357	7.00	1,059	11.25	1,901	15.50	2,854	19.75	3,897
3.00	394	7.25	1,105	11.50	1,954	15.75	2,913	20.00	3,961
3.25	431	7.50	1,152	11.75	2,008	16.00	2,972	20.25	4,025
3.50	469	7.75	1,199	12.00	2,062	16.25	3,032	20.50	4,090
3.75	507	8.00	1,246	12.25	2,116	16.50	3,092	20.75	4,154
4.00	547	8.25	1,294	12.50	2,171	16.75	3,152	21.00	4,219



## Capacity/Gauge Table Information

**TCLX 290455**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 255

Reporting Mark: TCLX 290455

Date: 24/06/2015

Capacity: 28,978 US Gallons (109,692 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,284	25.50	5,427	29.75	6,628	34.00	7,878	38.25	9,166
21.50	4,350	25.75	5,496	30.00	6,700	34.25	7,953	38.50	9,243
21.75	4,415	26.00	5,565	30.25	6,773	34.50	8,027	38.75	9,320
22.00	4,481	26.25	5,635	30.50	6,845	34.75	8,103	39.00	9,397
22.25	4,547	26.50	5,705	30.75	6,918	35.00	8,178	39.25	9,474
22.50	4,614	26.75	5,775	31.00	6,991	35.25	8,253	39.50	9,551
22.75	4,680	27.00	5,845	31.25	7,064	35.50	8,329	39.75	9,629
23.00	4,747	27.25	5,915	31.50	7,137	35.75	8,404	40.00	9,706
23.25	4,814	27.50	5,986	31.75	7,211	36.00	8,480	40.25	9,783
23.50	4,881	27.75	6,056	32.00	7,284	36.25	8,556	40.50	9,861
23.75	4,949	28.00	6,127	32.25	7,358	36.50	8,632	40.75	9,939
24.00	5,016	28.25	6,198	32.50	7,432	36.75	8,708	41.00	10,016
24.25	5,084	28.50	6,269	32.75	7,506	37.00	8,784	41.25	10,094
24.50	5,152	28.75	6,341	33.00	7,580	37.25	8,860	41.50	10,172
24.75	5,221	29.00	6,412	33.25	7,654	37.50	8,936	41.75	10,250
25.00	5,289	29.25	6,484	33.50	7,729	37.75	9,013	42.00	10,328
25.25	5,358	29.50	6,556	33.75	7,803	38.00	9,089	42.25	10,406



## Capacity/Gauge Table Information

**TCLX 290455**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 255

Reporting Mark: TCLX 290455

Date: 24/06/2015

Capacity: 28,978 US Gallons (109,692 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,485	46.75	11,825	51.00	13,179	55.25	14,540	59.50	15,899
42.75	10,563	47.00	11,904	51.25	13,259	55.50	14,620	59.75	15,979
43.00	10,641	47.25	11,984	51.50	13,339	55.75	14,700	60.00	16,058
43.25	10,720	47.50	12,063	51.75	13,419	56.00	14,780	60.25	16,138
43.50	10,798	47.75	12,143	52.00	13,499	56.25	14,860	60.50	16,218
43.75	10,877	48.00	12,222	52.25	13,579	56.50	14,940	60.75	16,297
44.00	10,956	48.25	12,302	52.50	13,659	56.75	15,020	61.00	16,377
44.25	11,034	48.50	12,381	52.75	13,739	57.00	15,100	61.25	16,456
44.50	11,113	48.75	12,461	53.00	13,819	57.25	15,180	61.50	16,536
44.75	11,192	49.00	12,541	53.25	13,899	57.50	15,260	61.75	16,615
45.00	11,271	49.25	12,620	53.50	13,979	57.75	15,340	62.00	16,695
45.25	11,350	49.50	12,700	53.75	14,059	58.00	15,420	62.25	16,774
45.50	11,429	49.75	12,780	54.00	14,139	58.25	15,500	62.50	16,853
45.75	11,508	50.00	12,860	54.25	14,220	58.50	15,580	62.75	16,932
46.00	11,587	50.25	12,940	54.50	14,300	58.75	15,659	63.00	17,012
46.25	11,666	50.50	13,020	54.75	14,380	59.00	15,739	63.25	17,091
46.50	11,746	50.75	13,099	55.00	14,460	59.25	15,819	63.50	17,170





## Capacity/Gauge Table Information

**TCLX 290455**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 255

Reporting Mark: TCLX 290455

Date: 24/06/2015

Capacity: 28,978 US Gallons (109,692 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,249	68.00	18,582	72.25	19,890	76.50	21,165	80.75	22,398
64.00	17,328	68.25	18,660	72.50	19,966	76.75	21,239	81.00	22,469
64.25	17,407	68.50	18,737	72.75	20,042	77.00	21,313	81.25	22,540
64.50	17,486	68.75	18,815	73.00	20,118	77.25	21,386	81.50	22,611
64.75	17,564	69.00	18,892	73.25	20,194	77.50	21,460	81.75	22,681
65.00	17,643	69.25	18,970	73.50	20,269	77.75	21,533	82.00	22,751
65.25	17,722	69.50	19,047	73.75	20,345	78.00	21,606	82.25	22,821
65.50	17,800	69.75	19,124	74.00	20,420	78.25	21,679	82.50	22,891
65.75	17,879	70.00	19,201	74.25	20,495	78.50	21,751	82.75	22,961
66.00	17,957	70.25	19,278	74.50	20,570	78.75	21,824	83.00	23,030
66.25	18,036	70.50	19,355	74.75	20,645	79.00	21,896	83.25	23,100
66.50	18,114	70.75	19,432	75.00	20,720	79.25	21,968	83.50	23,169
66.75	18,192	71.00	19,509	75.25	20,794	79.50	22,041	83.75	23,238
67.00	18,270	71.25	19,585	75.50	20,869	79.75	22,112	84.00	23,306
67.25	18,348	71.50	19,662	75.75	20,943	80.00	22,184	84.25	23,375
67.50	18,426	71.75	19,738	76.00	21,017	80.25	22,256	84.50	23,443
67.75	18,504	72.00	19,814	76.25	21,091	80.50	22,327	84.75	23,511



## Capacity/Gauge Table Information

**TCLX 290455**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 255

Reporting Mark: TCLX 290455

Date: 24/06/2015

Capacity: 28,978 US Gallons (109,692 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,579	89.25	24,697	93.50	25,740	97.75	26,692	102.00	27,534
85.25	23,647	89.50	24,761	93.75	25,798	98.00	26,745	102.25	27,579
85.50	23,714	89.75	24,824	94.00	25,857	98.25	26,797	102.50	27,624
85.75	23,781	90.00	24,887	94.25	25,915	98.50	26,849	102.75	27,669
86.00	23,848	90.25	24,950	94.50	25,972	98.75	26,901	103.00	27,713
86.25	23,915	90.50	25,012	94.75	26,030	99.00	26,952	103.25	27,757
86.50	23,981	90.75	25,074	95.00	26,087	99.25	27,003	103.50	27,800
86.75	24,048	91.00	25,136	95.25	26,144	99.50	27,053	103.75	27,842
87.00	24,114	91.25	25,198	95.50	26,200	99.75	27,103	104.00	27,884
87.25	24,179	91.50	25,259	95.75	26,256	100.00	27,153	104.25	27,926
87.50	24,245	91.75	25,320	96.00	26,312	100.25	27,202	104.50	27,967
87.75	24,310	92.00	25,381	96.25	26,367	100.50	27,251	104.75	28,007
88.00	24,375	92.25	25,442	96.50	26,422	100.75	27,299	105.00	28,047
88.25	24,440	92.50	25,502	96.75	26,477	101.00	27,347	105.25	28,087
88.50	24,505	92.75	25,562	97.00	26,531	101.25	27,394	105.50	28,125
88.75	24,569	93.00	25,621	97.25	26,585	101.50	27,441	105.75	28,163
89.00	24,633	93.25	25,681	97.50	26,639	101.75	27,488	106.00	28,201



## Capacity/Gauge Table Information

**TCLX 290455**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 255

Reporting Mark: TCLX 290455

Date: 24/06/2015

Capacity: 28,978 US Gallons (109,692 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,238	110.50	28,752	114.75	28,965
106.50	28,274	110.75	28,774	115.00	28,968
106.75	28,310	111.00	28,794	115.25	28,971
107.00	28,345	111.25	28,814	115.50	28,974
107.25	28,379	111.50	28,832	115.75	28,975
107.50	28,412	111.75	28,848	116.00	28,977
107.75	28,445	112.00	28,864	116.25	28,977
108.00	28,477	112.25	28,878	116.50	28,978
108.25	28,509	112.50	28,891	116.75	28,978
108.50	28,539	112.75	28,904		
108.75	28,569	113.00	28,915		
109.00	28,598	113.25	28,925		
109.25	28,626	113.50	28,933		
109.50	28,653	113.75	28,941		
109.75	28,680	114.00	28,949		
110.00	28,705	114.25	28,955		
110.25	28,729	114.50	28,960		



## Capacity/Gauge Table Information

**TCLX 290456**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 256

Reporting Mark: TCLX 290456

Date: 24/06/2015

Capacity: 28,963 US Gallons (109,636 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,344	12.75	2,228	17.00	3,215
0.25	29	4.50	627	8.75	1,392	13.00	2,283	17.25	3,275
0.50	58	4.75	668	9.00	1,442	13.25	2,339	17.50	3,337
0.75	88	5.00	710	9.25	1,491	13.50	2,395	17.75	3,398
1.00	119	5.25	752	9.50	1,541	13.75	2,451	18.00	3,460
1.25	151	5.50	794	9.75	1,592	14.00	2,508	18.25	3,522
1.50	184	5.75	837	10.00	1,643	14.25	2,565	18.50	3,584
1.75	217	6.00	881	10.25	1,694	14.50	2,623	18.75	3,647
2.00	251	6.25	925	10.50	1,745	14.75	2,681	19.00	3,709
2.25	286	6.50	970	10.75	1,798	15.00	2,739	19.25	3,772
2.50	321	6.75	1,015	11.00	1,850	15.25	2,797	19.50	3,836
2.75	357	7.00	1,060	11.25	1,903	15.50	2,856	19.75	3,899
3.00	394	7.25	1,106	11.50	1,956	15.75	2,915	20.00	3,963
3.25	432	7.50	1,153	11.75	2,010	16.00	2,974	20.25	4,027
3.50	470	7.75	1,200	12.00	2,064	16.25	3,034	20.50	4,092
3.75	508	8.00	1,247	12.25	2,118	16.50	3,094	20.75	4,156
4.00	547	8.25	1,295	12.50	2,173	16.75	3,154	21.00	4,221



## Capacity/Gauge Table Information

**TCLX 290456**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 256

Reporting Mark: TCLX 290456

Date: 24/06/2015

Capacity: 28,963 US Gallons (109,636 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,286	25.50	5,429	29.75	6,630	34.00	7,879	38.25	9,168
21.50	4,352	25.75	5,498	30.00	6,702	34.25	7,954	38.50	9,244
21.75	4,417	26.00	5,567	30.25	6,775	34.50	8,029	38.75	9,321
22.00	4,483	26.25	5,637	30.50	6,847	34.75	8,104	39.00	9,398
22.25	4,549	26.50	5,707	30.75	6,920	35.00	8,179	39.25	9,475
22.50	4,616	26.75	5,777	31.00	6,993	35.25	8,255	39.50	9,553
22.75	4,682	27.00	5,847	31.25	7,066	35.50	8,330	39.75	9,630
23.00	4,749	27.25	5,917	31.50	7,139	35.75	8,406	40.00	9,707
23.25	4,816	27.50	5,988	31.75	7,213	36.00	8,481	40.25	9,785
23.50	4,883	27.75	6,058	32.00	7,286	36.25	8,557	40.50	9,862
23.75	4,951	28.00	6,129	32.25	7,360	36.50	8,633	40.75	9,940
24.00	5,018	28.25	6,200	32.50	7,434	36.75	8,709	41.00	10,018
24.25	5,086	28.50	6,271	32.75	7,508	37.00	8,785	41.25	10,095
24.50	5,154	28.75	6,343	33.00	7,582	37.25	8,862	41.50	10,173
24.75	5,223	29.00	6,414	33.25	7,656	37.50	8,938	41.75	10,251
25.00	5,291	29.25	6,486	33.50	7,730	37.75	9,014	42.00	10,329
25.25	5,360	29.50	6,558	33.75	7,805	38.00	9,091	42.25	10,408



## Capacity/Gauge Table Information

**TCLX 290456**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 256

Reporting Mark: TCLX 290456

Date: 24/06/2015

Capacity: 28,963 US Gallons (109,636 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,486	46.75	11,826	51.00	13,180	55.25	14,540	59.50	15,898
42.75	10,564	47.00	11,905	51.25	13,260	55.50	14,620	59.75	15,978
43.00	10,642	47.25	11,985	51.50	13,340	55.75	14,700	60.00	16,058
43.25	10,721	47.50	12,064	51.75	13,419	56.00	14,780	60.25	16,137
43.50	10,799	47.75	12,143	52.00	13,499	56.25	14,860	60.50	16,217
43.75	10,878	48.00	12,223	52.25	13,579	56.50	14,940	60.75	16,296
44.00	10,957	48.25	12,302	52.50	13,659	56.75	15,020	61.00	16,376
44.25	11,035	48.50	12,382	52.75	13,739	57.00	15,100	61.25	16,455
44.50	11,114	48.75	12,462	53.00	13,819	57.25	15,180	61.50	16,535
44.75	11,193	49.00	12,541	53.25	13,899	57.50	15,260	61.75	16,614
45.00	11,272	49.25	12,621	53.50	13,979	57.75	15,339	62.00	16,694
45.25	11,351	49.50	12,701	53.75	14,059	58.00	15,419	62.25	16,773
45.50	11,430	49.75	12,780	54.00	14,140	58.25	15,499	62.50	16,852
45.75	11,509	50.00	12,860	54.25	14,220	58.50	15,579	62.75	16,931
46.00	11,588	50.25	12,940	54.50	14,300	58.75	15,659	63.00	17,011
46.25	11,667	50.50	13,020	54.75	14,380	59.00	15,739	63.25	17,090
46.50	11,747	50.75	13,100	55.00	14,460	59.25	15,818	63.50	17,169



## Capacity/Gauge Table Information

**TCLX 290456**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 256

Reporting Mark: TCLX 290456

Date: 24/06/2015

Capacity: 28,963 US Gallons (109,636 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,248	68.00	18,580	72.25	19,888	76.50	21,162	80.75	22,394
64.00	17,327	68.25	18,658	72.50	19,964	76.75	21,236	81.00	22,465
64.25	17,405	68.50	18,735	72.75	20,040	77.00	21,309	81.25	22,536
64.50	17,484	68.75	18,813	73.00	20,115	77.25	21,383	81.50	22,606
64.75	17,563	69.00	18,890	73.25	20,191	77.50	21,456	81.75	22,677
65.00	17,642	69.25	18,968	73.50	20,266	77.75	21,529	82.00	22,747
65.25	17,720	69.50	19,045	73.75	20,342	78.00	21,602	82.25	22,817
65.50	17,799	69.75	19,122	74.00	20,417	78.25	21,675	82.50	22,887
65.75	17,877	70.00	19,199	74.25	20,492	78.50	21,748	82.75	22,956
66.00	17,956	70.25	19,276	74.50	20,567	78.75	21,820	83.00	23,026
66.25	18,034	70.50	19,353	74.75	20,642	79.00	21,892	83.25	23,095
66.50	18,112	70.75	19,430	75.00	20,717	79.25	21,965	83.50	23,164
66.75	18,190	71.00	19,506	75.25	20,791	79.50	22,037	83.75	23,233
67.00	18,269	71.25	19,583	75.50	20,866	79.75	22,108	84.00	23,302
67.25	18,347	71.50	19,659	75.75	20,940	80.00	22,180	84.25	23,370
67.50	18,425	71.75	19,735	76.00	21,014	80.25	22,252	84.50	23,438
67.75	18,502	72.00	19,812	76.25	21,088	80.50	22,323	84.75	23,506





## Capacity/Gauge Table Information

**TCLX 290456**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 256

Reporting Mark: TCLX 290456

Date: 24/06/2015

Capacity: 28,963 US Gallons (109,636 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,574	89.25	24,691	93.50	25,733	97.75	26,684	102.00	27,525
85.25	23,642	89.50	24,755	93.75	25,791	98.00	26,736	102.25	27,570
85.50	23,709	89.75	24,818	94.00	25,850	98.25	26,789	102.50	27,615
85.75	23,776	90.00	24,881	94.25	25,908	98.50	26,841	102.75	27,660
86.00	23,843	90.25	24,944	94.50	25,965	98.75	26,892	103.00	27,704
86.25	23,910	90.50	25,006	94.75	26,023	99.00	26,943	103.25	27,747
86.50	23,976	90.75	25,068	95.00	26,080	99.25	26,994	103.50	27,790
86.75	24,042	91.00	25,130	95.25	26,136	99.50	27,045	103.75	27,833
87.00	24,108	91.25	25,192	95.50	26,193	99.75	27,095	104.00	27,875
87.25	24,174	91.50	25,253	95.75	26,249	100.00	27,144	104.25	27,916
87.50	24,240	91.75	25,314	96.00	26,304	100.25	27,193	104.50	27,957
87.75	24,305	92.00	25,375	96.25	26,360	100.50	27,242	104.75	27,997
88.00	24,370	92.25	25,435	96.50	26,414	100.75	27,290	105.00	28,037
88.25	24,435	92.50	25,495	96.75	26,469	101.00	27,338	105.25	28,076
88.50	24,499	92.75	25,555	97.00	26,523	101.25	27,385	105.50	28,115
88.75	24,563	93.00	25,615	97.25	26,577	101.50	27,432	105.75	28,153
89.00	24,627	93.25	25,674	97.50	26,631	101.75	27,479	106.00	28,190



## Capacity/Gauge Table Information

**TCLX 290456**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 256

Reporting Mark: TCLX 290456

Date: 24/06/2015

Capacity: 28,963 US Gallons (109,636 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,227	110.50	28,739	114.75	28,950
106.50	28,263	110.75	28,761	115.00	28,953
106.75	28,299	111.00	28,781	115.25	28,956
107.00	28,334	111.25	28,800	115.50	28,959
107.25	28,368	111.50	28,818	115.75	28,960
107.50	28,401	111.75	28,835	116.00	28,962
107.75	28,434	112.00	28,850	116.25	28,962
108.00	28,466	112.25	28,864	116.50	28,963
108.25	28,497	112.50	28,877	116.75	28,963
108.50	28,528	112.75	28,889		
108.75	28,557	113.00	28,900		
109.00	28,586	113.25	28,910		
109.25	28,614	113.50	28,919		
109.50	28,641	113.75	28,927		
109.75	28,667	114.00	28,934		
110.00	28,692	114.25	28,940		
110.25	28,717	114.50	28,945		



## Capacity/Gauge Table Information

**TCLX 290457**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 257

Reporting Mark: TCLX 290457

Date: 24/06/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,339	12.75	2,221	17.00	3,207
0.25	28	4.50	625	8.75	1,388	13.00	2,277	17.25	3,268
0.50	58	4.75	666	9.00	1,437	13.25	2,332	17.50	3,329
0.75	88	5.00	707	9.25	1,486	13.50	2,388	17.75	3,390
1.00	119	5.25	749	9.50	1,536	13.75	2,445	18.00	3,452
1.25	150	5.50	791	9.75	1,587	14.00	2,501	18.25	3,514
1.50	183	5.75	834	10.00	1,637	14.25	2,559	18.50	3,576
1.75	216	6.00	878	10.25	1,689	14.50	2,616	18.75	3,638
2.00	250	6.25	922	10.50	1,740	14.75	2,674	19.00	3,701
2.25	285	6.50	966	10.75	1,792	15.00	2,732	19.25	3,764
2.50	320	6.75	1,011	11.00	1,844	15.25	2,790	19.50	3,827
2.75	356	7.00	1,057	11.25	1,897	15.50	2,849	19.75	3,891
3.00	392	7.25	1,102	11.50	1,950	15.75	2,907	20.00	3,955
3.25	430	7.50	1,149	11.75	2,004	16.00	2,967	20.25	4,019
3.50	467	7.75	1,196	12.00	2,058	16.25	3,026	20.50	4,083
3.75	506	8.00	1,243	12.25	2,112	16.50	3,086	20.75	4,147
4.00	545	8.25	1,291	12.50	2,166	16.75	3,146	21.00	4,212



## Capacity/Gauge Table Information

**TCLX 290457**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 257

Reporting Mark: TCLX 290457

Date: 24/06/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,277	25.50	5,419	29.75	6,619	34.00	7,867	38.25	9,154
21.50	4,343	25.75	5,488	30.00	6,691	34.25	7,942	38.50	9,231
21.75	4,408	26.00	5,557	30.25	6,763	34.50	8,017	38.75	9,308
22.00	4,474	26.25	5,626	30.50	6,836	34.75	8,092	39.00	9,385
22.25	4,540	26.50	5,696	30.75	6,908	35.00	8,167	39.25	9,462
22.50	4,606	26.75	5,766	31.00	6,981	35.25	8,242	39.50	9,539
22.75	4,673	27.00	5,836	31.25	7,054	35.50	8,318	39.75	9,616
23.00	4,739	27.25	5,906	31.50	7,127	35.75	8,393	40.00	9,694
23.25	4,806	27.50	5,977	31.75	7,201	36.00	8,469	40.25	9,771
23.50	4,874	27.75	6,047	32.00	7,274	36.25	8,544	40.50	9,849
23.75	4,941	28.00	6,118	32.25	7,348	36.50	8,620	40.75	9,926
24.00	5,009	28.25	6,189	32.50	7,422	36.75	8,696	41.00	10,004
24.25	5,076	28.50	6,260	32.75	7,496	37.00	8,772	41.25	10,082
24.50	5,144	28.75	6,332	33.00	7,570	37.25	8,849	41.50	10,160
24.75	5,213	29.00	6,403	33.25	7,644	37.50	8,925	41.75	10,238
25.00	5,281	29.25	6,475	33.50	7,718	37.75	9,001	42.00	10,316
25.25	5,350	29.50	6,547	33.75	7,793	38.00	9,078	42.25	10,394



## Capacity/Gauge Table Information

**TCLX 290457**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 257

Reporting Mark: TCLX 290457

Date: 24/06/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,472	46.75	11,811	51.00	13,165	55.25	14,524	59.50	15,882
42.75	10,550	47.00	11,891	51.25	13,244	55.50	14,604	59.75	15,962
43.00	10,629	47.25	11,970	51.50	13,324	55.75	14,684	60.00	16,042
43.25	10,707	47.50	12,049	51.75	13,404	56.00	14,764	60.25	16,121
43.50	10,785	47.75	12,129	52.00	13,484	56.25	14,844	60.50	16,201
43.75	10,864	48.00	12,208	52.25	13,564	56.50	14,924	60.75	16,280
44.00	10,943	48.25	12,288	52.50	13,644	56.75	15,004	61.00	16,360
44.25	11,021	48.50	12,367	52.75	13,724	57.00	15,084	61.25	16,439
44.50	11,100	48.75	12,447	53.00	13,804	57.25	15,164	61.50	16,519
44.75	11,179	49.00	12,526	53.25	13,884	57.50	15,244	61.75	16,598
45.00	11,258	49.25	12,606	53.50	13,964	57.75	15,324	62.00	16,678
45.25	11,337	49.50	12,686	53.75	14,044	58.00	15,404	62.25	16,757
45.50	11,416	49.75	12,766	54.00	14,124	58.25	15,483	62.50	16,836
45.75	11,495	50.00	12,845	54.25	14,204	58.50	15,563	62.75	16,915
46.00	11,574	50.25	12,925	54.50	14,284	58.75	15,643	63.00	16,994
46.25	11,653	50.50	13,005	54.75	14,364	59.00	15,723	63.25	17,074
46.50	11,732	50.75	13,085	55.00	14,444	59.25	15,803	63.50	17,153



## Capacity/Gauge Table Information

**TCLX 290457**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 257

Reporting Mark: TCLX 290457

Date: 24/06/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,232	68.00	18,564	72.25	19,871	76.50	21,146	80.75	22,378
64.00	17,310	68.25	18,642	72.50	19,947	76.75	21,220	81.00	22,449
64.25	17,389	68.50	18,719	72.75	20,023	77.00	21,293	81.25	22,520
64.50	17,468	68.75	18,797	73.00	20,099	77.25	21,367	81.50	22,590
64.75	17,547	69.00	18,874	73.25	20,175	77.50	21,440	81.75	22,661
65.00	17,625	69.25	18,951	73.50	20,250	77.75	21,513	82.00	22,731
65.25	17,704	69.50	19,029	73.75	20,325	78.00	21,586	82.25	22,801
65.50	17,783	69.75	19,106	74.00	20,401	78.25	21,659	82.50	22,871
65.75	17,861	70.00	19,183	74.25	20,476	78.50	21,732	82.75	22,941
66.00	17,939	70.25	19,260	74.50	20,551	78.75	21,804	83.00	23,010
66.25	18,018	70.50	19,337	74.75	20,626	79.00	21,876	83.25	23,079
66.50	18,096	70.75	19,413	75.00	20,700	79.25	21,949	83.50	23,148
66.75	18,174	71.00	19,490	75.25	20,775	79.50	22,021	83.75	23,217
67.00	18,252	71.25	19,566	75.50	20,849	79.75	22,092	84.00	23,286
67.25	18,330	71.50	19,643	75.75	20,924	80.00	22,164	84.25	23,354
67.50	18,408	71.75	19,719	76.00	20,998	80.25	22,236	84.50	23,423
67.75	18,486	72.00	19,795	76.25	21,072	80.50	22,307	84.75	23,491



## Capacity/Gauge Table Information

**TCLX 290457**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 257

Reporting Mark: TCLX 290457

Date: 24/06/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,558	89.25	24,676	93.50	25,718	97.75	26,670	102.00	27,512
85.25	23,626	89.50	24,740	93.75	25,777	98.00	26,723	102.25	27,558
85.50	23,693	89.75	24,803	94.00	25,835	98.25	26,776	102.50	27,603
85.75	23,761	90.00	24,866	94.25	25,893	98.50	26,828	102.75	27,648
86.00	23,827	90.25	24,929	94.50	25,951	98.75	26,879	103.00	27,692
86.25	23,894	90.50	24,991	94.75	26,009	99.00	26,930	103.25	27,736
86.50	23,961	90.75	25,053	95.00	26,066	99.25	26,981	103.50	27,779
86.75	24,027	91.00	25,115	95.25	26,122	99.50	27,032	103.75	27,821
87.00	24,093	91.25	25,177	95.50	26,179	99.75	27,082	104.00	27,863
87.25	24,159	91.50	25,238	95.75	26,235	100.00	27,131	104.25	27,905
87.50	24,224	91.75	25,299	96.00	26,290	100.25	27,181	104.50	27,946
87.75	24,289	92.00	25,360	96.25	26,346	100.50	27,229	104.75	27,986
88.00	24,355	92.25	25,420	96.50	26,401	100.75	27,278	105.00	28,026
88.25	24,419	92.50	25,481	96.75	26,455	101.00	27,325	105.25	28,066
88.50	24,484	92.75	25,541	97.00	26,510	101.25	27,373	105.50	28,104
88.75	24,548	93.00	25,600	97.25	26,564	101.50	27,420	105.75	28,142
89.00	24,612	93.25	25,659	97.50	26,617	101.75	27,466	106.00	28,180





## Capacity/Gauge Table Information

**TCLX 290457**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 257

Reporting Mark: TCLX 290457

Date: 24/06/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,217	110.50	28,733	114.75	28,946
106.50	28,253	110.75	28,755	115.00	28,950
106.75	28,289	111.00	28,775	115.25	28,953
107.00	28,324	111.25	28,795	115.50	28,956
107.25	28,358	111.50	28,813	115.75	28,957
107.50	28,392	111.75	28,829	116.00	28,959
107.75	28,425	112.00	28,845	116.25	28,959
108.00	28,457	112.25	28,860	116.50	28,960
108.25	28,488	112.50	28,873	116.75	28,960
108.50	28,519	112.75	28,885		
108.75	28,549	113.00	28,896		
109.00	28,578	113.25	28,906		
109.25	28,606	113.50	28,915		
109.50	28,633	113.75	28,923		
109.75	28,660	114.00	28,930		
110.00	28,685	114.25	28,937		
110.25	28,709	114.50	28,942		



## Capacity/Gauge Table Information

**TCLX 290458**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 258

Reporting Mark: TCLX 290458

Date: 29/06/2015

Capacity: 28,961 US Gallons (109,631 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,348	12.75	2,234	17.00	3,222
0.25	29	4.50	630	8.75	1,397	13.00	2,289	17.25	3,283
0.50	58	4.75	671	9.00	1,446	13.25	2,345	17.50	3,344
0.75	89	5.00	713	9.25	1,496	13.50	2,401	17.75	3,406
1.00	120	5.25	755	9.50	1,546	13.75	2,458	18.00	3,468
1.25	152	5.50	798	9.75	1,597	14.00	2,515	18.25	3,530
1.50	185	5.75	841	10.00	1,648	14.25	2,572	18.50	3,592
1.75	218	6.00	884	10.25	1,699	14.50	2,629	18.75	3,655
2.00	252	6.25	929	10.50	1,751	14.75	2,687	19.00	3,717
2.25	287	6.50	973	10.75	1,803	15.00	2,745	19.25	3,781
2.50	323	6.75	1,019	11.00	1,855	15.25	2,804	19.50	3,844
2.75	359	7.00	1,064	11.25	1,908	15.50	2,863	19.75	3,908
3.00	396	7.25	1,110	11.50	1,962	15.75	2,922	20.00	3,972
3.25	434	7.50	1,157	11.75	2,015	16.00	2,981	20.25	4,036
3.50	472	7.75	1,204	12.00	2,069	16.25	3,041	20.50	4,100
3.75	510	8.00	1,252	12.25	2,124	16.50	3,101	20.75	4,165
4.00	550	8.25	1,300	12.50	2,179	16.75	3,161	21.00	4,230



## Capacity/Gauge Table Information

**TCLX 290458**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 258

Reporting Mark: TCLX 290458

Date: 29/06/2015

Capacity: 28,961 US Gallons (109,631 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,295	25.50	5,439	29.75	6,641	34.00	7,891	38.25	9,180
21.50	4,361	25.75	5,508	30.00	6,713	34.25	7,966	38.50	9,257
21.75	4,426	26.00	5,577	30.25	6,786	34.50	8,041	38.75	9,334
22.00	4,492	26.25	5,647	30.50	6,858	34.75	8,116	39.00	9,411
22.25	4,558	26.50	5,717	30.75	6,931	35.00	8,191	39.25	9,488
22.50	4,625	26.75	5,787	31.00	7,004	35.25	8,267	39.50	9,565
22.75	4,691	27.00	5,857	31.25	7,077	35.50	8,342	39.75	9,643
23.00	4,758	27.25	5,927	31.50	7,150	35.75	8,418	40.00	9,720
23.25	4,825	27.50	5,998	31.75	7,224	36.00	8,493	40.25	9,798
23.50	4,893	27.75	6,069	32.00	7,297	36.25	8,569	40.50	9,875
23.75	4,960	28.00	6,139	32.25	7,371	36.50	8,645	40.75	9,953
24.00	5,028	28.25	6,211	32.50	7,445	36.75	8,721	41.00	10,031
24.25	5,096	28.50	6,282	32.75	7,519	37.00	8,798	41.25	10,109
24.50	5,164	28.75	6,353	33.00	7,593	37.25	8,874	41.50	10,186
24.75	5,232	29.00	6,425	33.25	7,667	37.50	8,950	41.75	10,265
25.00	5,301	29.25	6,497	33.50	7,742	37.75	9,027	42.00	10,343
25.25	5,370	29.50	6,569	33.75	7,816	38.00	9,103	42.25	10,421



## Capacity/Gauge Table Information

**TCLX 290458**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 258

Reporting Mark: TCLX 290458

Date: 29/06/2015

Capacity: 28,961 US Gallons (109,631 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,499	46.75	11,840	51.00	13,194	55.25	14,554	59.50	15,913
42.75	10,577	47.00	11,919	51.25	13,274	55.50	14,634	59.75	15,993
43.00	10,656	47.25	11,998	51.50	13,354	55.75	14,715	60.00	16,073
43.25	10,734	47.50	12,078	51.75	13,434	56.00	14,795	60.25	16,152
43.50	10,813	47.75	12,157	52.00	13,514	56.25	14,875	60.50	16,232
43.75	10,891	48.00	12,237	52.25	13,594	56.50	14,955	60.75	16,312
44.00	10,970	48.25	12,317	52.50	13,674	56.75	15,035	61.00	16,391
44.25	11,049	48.50	12,396	52.75	13,754	57.00	15,115	61.25	16,471
44.50	11,128	48.75	12,476	53.00	13,834	57.25	15,195	61.50	16,550
44.75	11,207	49.00	12,555	53.25	13,914	57.50	15,275	61.75	16,629
45.00	11,286	49.25	12,635	53.50	13,994	57.75	15,354	62.00	16,709
45.25	11,365	49.50	12,715	53.75	14,074	58.00	15,434	62.25	16,788
45.50	11,444	49.75	12,795	54.00	14,154	58.25	15,514	62.50	16,867
45.75	11,523	50.00	12,875	54.25	14,234	58.50	15,594	62.75	16,947
46.00	11,602	50.25	12,954	54.50	14,314	58.75	15,674	63.00	17,026
46.25	11,681	50.50	13,034	54.75	14,394	59.00	15,754	63.25	17,105
46.50	11,760	50.75	13,114	55.00	14,474	59.25	15,834	63.50	17,184



## Capacity/Gauge Table Information

**TCLX 290458**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 258

Reporting Mark: TCLX 290458

Date: 29/06/2015

Capacity: 28,961 US Gallons (109,631 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,263	68.00	18,595	72.25	19,903	76.50	21,177	80.75	22,408
64.00	17,342	68.25	18,673	72.50	19,979	76.75	21,251	81.00	22,479
64.25	17,421	68.50	18,751	72.75	20,055	77.00	21,324	81.25	22,550
64.50	17,499	68.75	18,828	73.00	20,130	77.25	21,398	81.50	22,621
64.75	17,578	69.00	18,906	73.25	20,206	77.50	21,471	81.75	22,691
65.00	17,657	69.25	18,983	73.50	20,281	77.75	21,544	82.00	22,761
65.25	17,736	69.50	19,060	73.75	20,357	78.00	21,617	82.25	22,831
65.50	17,814	69.75	19,137	74.00	20,432	78.25	21,690	82.50	22,901
65.75	17,893	70.00	19,214	74.25	20,507	78.50	21,762	82.75	22,971
66.00	17,971	70.25	19,291	74.50	20,582	78.75	21,835	83.00	23,040
66.25	18,049	70.50	19,368	74.75	20,657	79.00	21,907	83.25	23,109
66.50	18,128	70.75	19,445	75.00	20,732	79.25	21,979	83.50	23,178
66.75	18,206	71.00	19,521	75.25	20,806	79.50	22,051	83.75	23,247
67.00	18,284	71.25	19,598	75.50	20,881	79.75	22,123	84.00	23,316
67.25	18,362	71.50	19,674	75.75	20,955	80.00	22,195	84.25	23,384
67.50	18,440	71.75	19,751	76.00	21,029	80.25	22,266	84.50	23,452
67.75	18,518	72.00	19,827	76.25	21,103	80.50	22,337	84.75	23,520



## Capacity/Gauge Table Information

**TCLX 290458**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 258

Reporting Mark: TCLX 290458

Date: 29/06/2015

Capacity: 28,961 US Gallons (109,631 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,588	89.25	24,704	93.50	25,744	97.75	26,694	102.00	27,533
85.25	23,655	89.50	24,767	93.75	25,803	98.00	26,747	102.25	27,578
85.50	23,723	89.75	24,831	94.00	25,861	98.25	26,799	102.50	27,623
85.75	23,790	90.00	24,893	94.25	25,919	98.50	26,851	102.75	27,668
86.00	23,857	90.25	24,956	94.50	25,977	98.75	26,902	103.00	27,712
86.25	23,923	90.50	25,018	94.75	26,034	99.00	26,953	103.25	27,755
86.50	23,990	90.75	25,081	95.00	26,091	99.25	27,004	103.50	27,798
86.75	24,056	91.00	25,142	95.25	26,147	99.50	27,054	103.75	27,840
87.00	24,122	91.25	25,204	95.50	26,204	99.75	27,104	104.00	27,882
87.25	24,187	91.50	25,265	95.75	26,260	100.00	27,153	104.25	27,923
87.50	24,253	91.75	25,326	96.00	26,315	100.25	27,202	104.50	27,964
87.75	24,318	92.00	25,387	96.25	26,370	100.50	27,251	104.75	28,004
88.00	24,383	92.25	25,447	96.50	26,425	100.75	27,299	105.00	28,044
88.25	24,448	92.50	25,507	96.75	26,480	101.00	27,347	105.25	28,083
88.50	24,512	92.75	25,567	97.00	26,534	101.25	27,394	105.50	28,121
88.75	24,576	93.00	25,626	97.25	26,588	101.50	27,441	105.75	28,159
89.00	24,640	93.25	25,686	97.50	26,641	101.75	27,487	106.00	28,197



## Capacity/Gauge Table Information

**TCLX 290458**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 258

Reporting Mark: TCLX 290458

Date: 29/06/2015

Capacity: 28,961 US Gallons (109,631 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,233	110.50	28,742	114.75	28,949
106.50	28,269	110.75	28,763	115.00	28,952
106.75	28,304	111.00	28,783	115.25	28,955
107.00	28,339	111.25	28,802	115.50	28,957
107.25	28,373	111.50	28,819	115.75	28,959
107.50	28,406	111.75	28,835	116.00	28,960
107.75	28,439	112.00	28,850	116.25	28,961
108.00	28,471	112.25	28,864	116.50	28,961
108.25	28,502	112.50	28,877	116.75	28,961
108.50	28,532	112.75	28,889		
108.75	28,562	113.00	28,900		
109.00	28,590	113.25	28,910		
109.25	28,618	113.50	28,918		
109.50	28,645	113.75	28,926		
109.75	28,671	114.00	28,933		
110.00	28,695	114.25	28,939		
110.25	28,719	114.50	28,944		





## Capacity/Gauge Table Information

**TCLX 290459**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 259

Reporting Mark: TCLX 290459

Date: 30/06/2015

Capacity: 28,969 US Gallons (109,660 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,225	17.00	3,211
0.25	28	4.50	626	8.75	1,390	13.00	2,280	17.25	3,272
0.50	58	4.75	667	9.00	1,439	13.25	2,336	17.50	3,333
0.75	88	5.00	709	9.25	1,489	13.50	2,392	17.75	3,395
1.00	119	5.25	751	9.50	1,539	13.75	2,449	18.00	3,456
1.25	151	5.50	793	9.75	1,589	14.00	2,505	18.25	3,518
1.50	183	5.75	836	10.00	1,640	14.25	2,562	18.50	3,581
1.75	217	6.00	880	10.25	1,692	14.50	2,620	18.75	3,643
2.00	251	6.25	924	10.50	1,743	14.75	2,678	19.00	3,706
2.25	285	6.50	968	10.75	1,795	15.00	2,736	19.25	3,769
2.50	321	6.75	1,013	11.00	1,848	15.25	2,794	19.50	3,832
2.75	357	7.00	1,059	11.25	1,900	15.50	2,853	19.75	3,896
3.00	393	7.25	1,105	11.50	1,954	15.75	2,912	20.00	3,960
3.25	431	7.50	1,151	11.75	2,007	16.00	2,971	20.25	4,024
3.50	469	7.75	1,198	12.00	2,061	16.25	3,031	20.50	4,088
3.75	507	8.00	1,245	12.25	2,115	16.50	3,091	20.75	4,153
4.00	546	8.25	1,293	12.50	2,170	16.75	3,151	21.00	4,218



## Capacity/Gauge Table Information

**TCLX 290459**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 259

Reporting Mark: TCLX 290459

Date: 30/06/2015

Capacity: 28,969 US Gallons (109,660 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,283	25.50	5,425	29.75	6,626	34.00	7,875	38.25	9,163
21.50	4,348	25.75	5,494	30.00	6,698	34.25	7,950	38.50	9,240
21.75	4,414	26.00	5,563	30.25	6,771	34.50	8,025	38.75	9,317
22.00	4,480	26.25	5,633	30.50	6,843	34.75	8,100	39.00	9,394
22.25	4,546	26.50	5,703	30.75	6,916	35.00	8,175	39.25	9,471
22.50	4,612	26.75	5,773	31.00	6,989	35.25	8,250	39.50	9,548
22.75	4,679	27.00	5,843	31.25	7,062	35.50	8,326	39.75	9,625
23.00	4,745	27.25	5,913	31.50	7,135	35.75	8,401	40.00	9,703
23.25	4,812	27.50	5,984	31.75	7,208	36.00	8,477	40.25	9,780
23.50	4,880	27.75	6,054	32.00	7,282	36.25	8,553	40.50	9,858
23.75	4,947	28.00	6,125	32.25	7,356	36.50	8,629	40.75	9,936
24.00	5,015	28.25	6,196	32.50	7,429	36.75	8,705	41.00	10,013
24.25	5,082	28.50	6,267	32.75	7,503	37.00	8,781	41.25	10,091
24.50	5,151	28.75	6,339	33.00	7,577	37.25	8,857	41.50	10,169
24.75	5,219	29.00	6,410	33.25	7,652	37.50	8,934	41.75	10,247
25.00	5,287	29.25	6,482	33.50	7,726	37.75	9,010	42.00	10,325
25.25	5,356	29.50	6,554	33.75	7,801	38.00	9,087	42.25	10,403



## Capacity/Gauge Table Information

**TCLX 290459**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 259

Reporting Mark: TCLX 290459

Date: 30/06/2015

Capacity: 28,969 US Gallons (109,660 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,481	46.75	11,821	51.00	13,175	55.25	14,536	59.50	15,894
42.75	10,560	47.00	11,901	51.25	13,255	55.50	14,616	59.75	15,974
43.00	10,638	47.25	11,980	51.50	13,335	55.75	14,696	60.00	16,054
43.25	10,717	47.50	12,060	51.75	13,415	56.00	14,776	60.25	16,133
43.50	10,795	47.75	12,139	52.00	13,495	56.25	14,856	60.50	16,213
43.75	10,874	48.00	12,219	52.25	13,575	56.50	14,936	60.75	16,292
44.00	10,952	48.25	12,298	52.50	13,655	56.75	15,016	61.00	16,372
44.25	11,031	48.50	12,378	52.75	13,735	57.00	15,096	61.25	16,452
44.50	11,110	48.75	12,457	53.00	13,815	57.25	15,176	61.50	16,531
44.75	11,189	49.00	12,537	53.25	13,895	57.50	15,255	61.75	16,610
45.00	11,268	49.25	12,617	53.50	13,975	57.75	15,335	62.00	16,690
45.25	11,346	49.50	12,696	53.75	14,055	58.00	15,415	62.25	16,769
45.50	11,426	49.75	12,776	54.00	14,135	58.25	15,495	62.50	16,848
45.75	11,505	50.00	12,856	54.25	14,215	58.50	15,575	62.75	16,928
46.00	11,584	50.25	12,936	54.50	14,295	58.75	15,655	63.00	17,007
46.25	11,663	50.50	13,016	54.75	14,375	59.00	15,735	63.25	17,086
46.50	11,742	50.75	13,095	55.00	14,455	59.25	15,814	63.50	17,165



## Capacity/Gauge Table Information

**TCLX 290459**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 259

Reporting Mark: TCLX 290459

Date: 30/06/2015

Capacity: 28,969 US Gallons (109,660 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,244	68.00	18,577	72.25	19,885	76.50	21,159	80.75	22,392
64.00	17,323	68.25	18,654	72.50	19,961	76.75	21,233	81.00	22,463
64.25	17,402	68.50	18,732	72.75	20,036	77.00	21,307	81.25	22,534
64.50	17,481	68.75	18,810	73.00	20,112	77.25	21,380	81.50	22,604
64.75	17,559	69.00	18,887	73.25	20,188	77.50	21,453	81.75	22,675
65.00	17,638	69.25	18,964	73.50	20,263	77.75	21,527	82.00	22,745
65.25	17,717	69.50	19,042	73.75	20,339	78.00	21,600	82.25	22,815
65.50	17,795	69.75	19,119	74.00	20,414	78.25	21,672	82.50	22,885
65.75	17,874	70.00	19,196	74.25	20,489	78.50	21,745	82.75	22,954
66.00	17,952	70.25	19,273	74.50	20,564	78.75	21,818	83.00	23,024
66.25	18,030	70.50	19,350	74.75	20,639	79.00	21,890	83.25	23,093
66.50	18,109	70.75	19,426	75.00	20,714	79.25	21,962	83.50	23,162
66.75	18,187	71.00	19,503	75.25	20,788	79.50	22,034	83.75	23,231
67.00	18,265	71.25	19,580	75.50	20,863	79.75	22,106	84.00	23,300
67.25	18,343	71.50	19,656	75.75	20,937	80.00	22,178	84.25	23,368
67.50	18,421	71.75	19,732	76.00	21,011	80.25	22,249	84.50	23,436
67.75	18,499	72.00	19,809	76.25	21,085	80.50	22,321	84.75	23,504



## Capacity/Gauge Table Information

**TCLX 290459**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 259

Reporting Mark: TCLX 290459

Date: 30/06/2015

Capacity: 28,969 US Gallons (109,660 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,572	89.25	24,690	93.50	25,732	97.75	26,684	102.00	27,526
85.25	23,640	89.50	24,753	93.75	25,791	98.00	26,737	102.25	27,571
85.50	23,707	89.75	24,817	94.00	25,849	98.25	26,789	102.50	27,616
85.75	23,774	90.00	24,880	94.25	25,907	98.50	26,841	102.75	27,661
86.00	23,841	90.25	24,942	94.50	25,965	98.75	26,893	103.00	27,705
86.25	23,908	90.50	25,005	94.75	26,022	99.00	26,944	103.25	27,749
86.50	23,975	90.75	25,067	95.00	26,079	99.25	26,995	103.50	27,792
86.75	24,041	91.00	25,129	95.25	26,136	99.50	27,045	103.75	27,834
87.00	24,107	91.25	25,191	95.50	26,192	99.75	27,095	104.00	27,876
87.25	24,173	91.50	25,252	95.75	26,249	100.00	27,145	104.25	27,918
87.50	24,238	91.75	25,313	96.00	26,304	100.25	27,194	104.50	27,959
87.75	24,303	92.00	25,374	96.25	26,360	100.50	27,243	104.75	27,999
88.00	24,368	92.25	25,434	96.50	26,415	100.75	27,291	105.00	28,039
88.25	24,433	92.50	25,495	96.75	26,469	101.00	27,339	105.25	28,078
88.50	24,498	92.75	25,554	97.00	26,523	101.25	27,386	105.50	28,117
88.75	24,562	93.00	25,614	97.25	26,577	101.50	27,433	105.75	28,155
89.00	24,626	93.25	25,673	97.50	26,631	101.75	27,480	106.00	28,193



## Capacity/Gauge Table Information

**TCLX 290459**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 259

Reporting Mark: TCLX 290459

Date: 30/06/2015

Capacity: 28,969 US Gallons (109,660 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,230	110.50	28,744	114.75	28,956
106.50	28,266	110.75	28,766	115.00	28,960
106.75	28,301	111.00	28,786	115.25	28,963
107.00	28,336	111.25	28,805	115.50	28,965
107.25	28,371	111.50	28,823	115.75	28,967
107.50	28,404	111.75	28,840	116.00	28,968
107.75	28,437	112.00	28,855	116.25	28,969
108.00	28,469	112.25	28,870	116.50	28,969
108.25	28,500	112.50	28,883	116.75	28,969
108.50	28,531	112.75	28,895		
108.75	28,561	113.00	28,906		
109.00	28,590	113.25	28,916		
109.25	28,618	113.50	28,925		
109.50	28,645	113.75	28,933		
109.75	28,671	114.00	28,940		
110.00	28,697	114.25	28,946		
110.25	28,721	114.50	28,952		



## Capacity/Gauge Table Information

**TCLX 290460**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 260

Reporting Mark: TCLX 290460

Date: 01/07/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,223	17.00	3,209
0.25	28	4.50	625	8.75	1,389	13.00	2,278	17.25	3,270
0.50	58	4.75	666	9.00	1,438	13.25	2,334	17.50	3,331
0.75	88	5.00	707	9.25	1,487	13.50	2,390	17.75	3,392
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,454
1.25	150	5.50	792	9.75	1,588	14.00	2,503	18.25	3,516
1.50	183	5.75	835	10.00	1,638	14.25	2,560	18.50	3,578
1.75	216	6.00	878	10.25	1,690	14.50	2,618	18.75	3,641
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,703
2.25	285	6.50	967	10.75	1,793	15.00	2,733	19.25	3,766
2.50	320	6.75	1,012	11.00	1,846	15.25	2,792	19.50	3,830
2.75	356	7.00	1,057	11.25	1,898	15.50	2,850	19.75	3,893
3.00	393	7.25	1,103	11.50	1,952	15.75	2,909	20.00	3,957
3.25	430	7.50	1,150	11.75	2,005	16.00	2,969	20.25	4,021
3.50	468	7.75	1,197	12.00	2,059	16.25	3,028	20.50	4,086
3.75	506	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,150
4.00	545	8.25	1,292	12.50	2,168	16.75	3,148	21.00	4,215





## Capacity/Gauge Table Information

**TCLX 290460**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 260

Reporting Mark: TCLX 290460

Date: 01/07/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,280	25.50	5,422	29.75	6,623	34.00	7,872	38.25	9,160
21.50	4,345	25.75	5,491	30.00	6,695	34.25	7,947	38.50	9,237
21.75	4,411	26.00	5,560	30.25	6,767	34.50	8,022	38.75	9,314
22.00	4,477	26.25	5,630	30.50	6,840	34.75	8,097	39.00	9,391
22.25	4,543	26.50	5,700	30.75	6,913	35.00	8,172	39.25	9,468
22.50	4,609	26.75	5,770	31.00	6,986	35.25	8,247	39.50	9,545
22.75	4,676	27.00	5,840	31.25	7,059	35.50	8,323	39.75	9,622
23.00	4,742	27.25	5,910	31.50	7,132	35.75	8,398	40.00	9,700
23.25	4,809	27.50	5,980	31.75	7,205	36.00	8,474	40.25	9,777
23.50	4,877	27.75	6,051	32.00	7,279	36.25	8,550	40.50	9,855
23.75	4,944	28.00	6,122	32.25	7,352	36.50	8,625	40.75	9,932
24.00	5,012	28.25	6,193	32.50	7,426	36.75	8,701	41.00	10,010
24.25	5,080	28.50	6,264	32.75	7,500	37.00	8,778	41.25	10,088
24.50	5,148	28.75	6,336	33.00	7,574	37.25	8,854	41.50	10,166
24.75	5,216	29.00	6,407	33.25	7,648	37.50	8,930	41.75	10,244
25.00	5,284	29.25	6,479	33.50	7,723	37.75	9,007	42.00	10,322
25.25	5,353	29.50	6,551	33.75	7,797	38.00	9,083	42.25	10,400



## Capacity/Gauge Table Information

**TCLX 290460**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 260

Reporting Mark: TCLX 290460

Date: 01/07/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,478	46.75	11,818	51.00	13,172	55.25	14,533	59.50	15,891
42.75	10,556	47.00	11,898	51.25	13,252	55.50	14,613	59.75	15,971
43.00	10,635	47.25	11,977	51.50	13,332	55.75	14,693	60.00	16,051
43.25	10,713	47.50	12,056	51.75	13,412	56.00	14,773	60.25	16,131
43.50	10,792	47.75	12,136	52.00	13,492	56.25	14,853	60.50	16,210
43.75	10,870	48.00	12,215	52.25	13,572	56.50	14,933	60.75	16,290
44.00	10,949	48.25	12,295	52.50	13,652	56.75	15,013	61.00	16,369
44.25	11,028	48.50	12,374	52.75	13,732	57.00	15,093	61.25	16,449
44.50	11,107	48.75	12,454	53.00	13,812	57.25	15,173	61.50	16,528
44.75	11,185	49.00	12,534	53.25	13,892	57.50	15,253	61.75	16,608
45.00	11,264	49.25	12,613	53.50	13,972	57.75	15,333	62.00	16,687
45.25	11,343	49.50	12,693	53.75	14,052	58.00	15,412	62.25	16,766
45.50	11,422	49.75	12,773	54.00	14,132	58.25	15,492	62.50	16,846
45.75	11,501	50.00	12,853	54.25	14,212	58.50	15,572	62.75	16,925
46.00	11,580	50.25	12,933	54.50	14,292	58.75	15,652	63.00	17,004
46.25	11,660	50.50	13,012	54.75	14,372	59.00	15,732	63.25	17,083
46.50	11,739	50.75	13,092	55.00	14,452	59.25	15,812	63.50	17,162



## Capacity/Gauge Table Information

**TCLX 290460**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 260

Reporting Mark: TCLX 290460

Date: 01/07/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,241	68.00	18,575	72.25	19,883	76.50	21,158	80.75	22,391
64.00	17,320	68.25	18,652	72.50	19,959	76.75	21,232	81.00	22,462
64.25	17,399	68.50	18,730	72.75	20,035	77.00	21,305	81.25	22,533
64.50	17,478	68.75	18,807	73.00	20,111	77.25	21,379	81.50	22,604
64.75	17,557	69.00	18,885	73.25	20,186	77.50	21,452	81.75	22,674
65.00	17,636	69.25	18,962	73.50	20,262	77.75	21,525	82.00	22,744
65.25	17,714	69.50	19,040	73.75	20,337	78.00	21,598	82.25	22,814
65.50	17,793	69.75	19,117	74.00	20,412	78.25	21,671	82.50	22,884
65.75	17,871	70.00	19,194	74.25	20,488	78.50	21,744	82.75	22,954
66.00	17,950	70.25	19,271	74.50	20,563	78.75	21,817	83.00	23,023
66.25	18,028	70.50	19,348	74.75	20,638	79.00	21,889	83.25	23,093
66.50	18,106	70.75	19,424	75.00	20,712	79.25	21,961	83.50	23,162
66.75	18,185	71.00	19,501	75.25	20,787	79.50	22,033	83.75	23,231
67.00	18,263	71.25	19,578	75.50	20,861	79.75	22,105	84.00	23,299
67.25	18,341	71.50	19,654	75.75	20,936	80.00	22,177	84.25	23,368
67.50	18,419	71.75	19,731	76.00	21,010	80.25	22,248	84.50	23,436
67.75	18,497	72.00	19,807	76.25	21,084	80.50	22,320	84.75	23,504



## Capacity/Gauge Table Information

**TCLX 290460**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 260

Reporting Mark: TCLX 290460

Date: 01/07/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,572	89.25	24,691	93.50	25,734	97.75	26,686	102.00	27,529
85.25	23,640	89.50	24,754	93.75	25,792	98.00	26,739	102.25	27,575
85.50	23,707	89.75	24,817	94.00	25,851	98.25	26,792	102.50	27,620
85.75	23,774	90.00	24,881	94.25	25,909	98.50	26,844	102.75	27,665
86.00	23,841	90.25	24,943	94.50	25,967	98.75	26,895	103.00	27,709
86.25	23,908	90.50	25,006	94.75	26,024	99.00	26,947	103.25	27,753
86.50	23,975	90.75	25,068	95.00	26,081	99.25	26,998	103.50	27,796
86.75	24,041	91.00	25,130	95.25	26,138	99.50	27,048	103.75	27,838
87.00	24,107	91.25	25,192	95.50	26,194	99.75	27,098	104.00	27,880
87.25	24,173	91.50	25,253	95.75	26,250	100.00	27,148	104.25	27,922
87.50	24,238	91.75	25,314	96.00	26,306	100.25	27,197	104.50	27,963
87.75	24,304	92.00	25,375	96.25	26,362	100.50	27,246	104.75	28,004
88.00	24,369	92.25	25,436	96.50	26,417	100.75	27,294	105.00	28,044
88.25	24,434	92.50	25,496	96.75	26,471	101.00	27,342	105.25	28,083
88.50	24,498	92.75	25,556	97.00	26,526	101.25	27,390	105.50	28,122
88.75	24,563	93.00	25,615	97.25	26,580	101.50	27,437	105.75	28,160
89.00	24,627	93.25	25,675	97.50	26,633	101.75	27,483	106.00	28,197



## Capacity/Gauge Table Information

**TCLX 290460**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 260

Reporting Mark: TCLX 290460

Date: 01/07/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,234	110.50	28,751	114.75	28,965
106.50	28,271	110.75	28,773	115.00	28,969
106.75	28,306	111.00	28,793	115.25	28,972
107.00	28,341	111.25	28,813	115.50	28,974
107.25	28,376	111.50	28,831	115.75	28,976
107.50	28,409	111.75	28,848	116.00	28,977
107.75	28,442	112.00	28,863	116.25	28,978
108.00	28,475	112.25	28,878	116.50	28,978
108.25	28,506	112.50	28,891	116.75	28,978
108.50	28,537	112.75	28,903		
108.75	28,567	113.00	28,914		
109.00	28,596	113.25	28,925		
109.25	28,624	113.50	28,934		
109.50	28,651	113.75	28,942		
109.75	28,678	114.00	28,949		
110.00	28,703	114.25	28,955		
110.25	28,728	114.50	28,960		



## Capacity/Gauge Table Information

**TCLX 290461**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 261

Reporting Mark: TCLX 290461

Date: 29/06/2015

Capacity: 28,990 US Gallons (109,741 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,336	12.75	2,217	17.00	3,202
0.25	28	4.50	623	8.75	1,384	13.00	2,272	17.25	3,263
0.50	57	4.75	663	9.00	1,433	13.25	2,328	17.50	3,324
0.75	87	5.00	705	9.25	1,483	13.50	2,384	17.75	3,385
1.00	118	5.25	746	9.50	1,533	13.75	2,440	18.00	3,447
1.25	150	5.50	789	9.75	1,583	14.00	2,497	18.25	3,509
1.50	182	5.75	832	10.00	1,634	14.25	2,554	18.50	3,571
1.75	215	6.00	875	10.25	1,685	14.50	2,611	18.75	3,633
2.00	249	6.25	919	10.50	1,736	14.75	2,669	19.00	3,696
2.25	283	6.50	963	10.75	1,788	15.00	2,727	19.25	3,759
2.50	318	6.75	1,008	11.00	1,840	15.25	2,785	19.50	3,822
2.75	354	7.00	1,053	11.25	1,893	15.50	2,844	19.75	3,886
3.00	391	7.25	1,099	11.50	1,946	15.75	2,903	20.00	3,950
3.25	428	7.50	1,146	11.75	2,000	16.00	2,962	20.25	4,014
3.50	466	7.75	1,192	12.00	2,053	16.25	3,022	20.50	4,078
3.75	504	8.00	1,240	12.25	2,108	16.50	3,081	20.75	4,142
4.00	543	8.25	1,287	12.50	2,162	16.75	3,142	21.00	4,207



## Capacity/Gauge Table Information

**TCLX 290461**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 261

Reporting Mark: TCLX 290461

Date: 29/06/2015

Capacity: 28,990 US Gallons (109,741 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,272	25.50	5,414	29.75	6,614	34.00	7,863	38.25	9,151
21.50	4,338	25.75	5,483	30.00	6,686	34.25	7,938	38.50	9,227
21.75	4,403	26.00	5,552	30.25	6,759	34.50	8,012	38.75	9,304
22.00	4,469	26.25	5,621	30.50	6,831	34.75	8,087	39.00	9,381
22.25	4,535	26.50	5,691	30.75	6,904	35.00	8,163	39.25	9,458
22.50	4,601	26.75	5,761	31.00	6,977	35.25	8,238	39.50	9,536
22.75	4,668	27.00	5,831	31.25	7,050	35.50	8,313	39.75	9,613
23.00	4,734	27.25	5,901	31.50	7,123	35.75	8,389	40.00	9,690
23.25	4,801	27.50	5,972	31.75	7,196	36.00	8,465	40.25	9,768
23.50	4,868	27.75	6,042	32.00	7,270	36.25	8,540	40.50	9,845
23.75	4,936	28.00	6,113	32.25	7,343	36.50	8,616	40.75	9,923
24.00	5,003	28.25	6,184	32.50	7,417	36.75	8,692	41.00	10,001
24.25	5,071	28.50	6,255	32.75	7,491	37.00	8,768	41.25	10,078
24.50	5,139	28.75	6,327	33.00	7,565	37.25	8,845	41.50	10,156
24.75	5,208	29.00	6,398	33.25	7,639	37.50	8,921	41.75	10,234
25.00	5,276	29.25	6,470	33.50	7,714	37.75	8,997	42.00	10,312
25.25	5,345	29.50	6,542	33.75	7,788	38.00	9,074	42.25	10,391





## Capacity/Gauge Table Information

**TCLX 290461**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 261

Reporting Mark: TCLX 290461

Date: 29/06/2015

Capacity: 28,990 US Gallons (109,741 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,469	46.75	11,809	51.00	13,163	55.25	14,524	59.50	15,883
42.75	10,547	47.00	11,888	51.25	13,243	55.50	14,604	59.75	15,963
43.00	10,626	47.25	11,968	51.50	13,323	55.75	14,684	60.00	16,043
43.25	10,704	47.50	12,047	51.75	13,403	56.00	14,764	60.25	16,122
43.50	10,782	47.75	12,127	52.00	13,483	56.25	14,844	60.50	16,202
43.75	10,861	48.00	12,206	52.25	13,563	56.50	14,924	60.75	16,282
44.00	10,940	48.25	12,286	52.50	13,643	56.75	15,004	61.00	16,361
44.25	11,018	48.50	12,365	52.75	13,723	57.00	15,084	61.25	16,441
44.50	11,097	48.75	12,445	53.00	13,803	57.25	15,164	61.50	16,520
44.75	11,176	49.00	12,525	53.25	13,883	57.50	15,244	61.75	16,600
45.00	11,255	49.25	12,604	53.50	13,963	57.75	15,324	62.00	16,679
45.25	11,334	49.50	12,684	53.75	14,043	58.00	15,404	62.25	16,759
45.50	11,413	49.75	12,764	54.00	14,124	58.25	15,484	62.50	16,838
45.75	11,492	50.00	12,844	54.25	14,204	58.50	15,564	62.75	16,917
46.00	11,571	50.25	12,924	54.50	14,284	58.75	15,644	63.00	16,996
46.25	11,650	50.50	13,003	54.75	14,364	59.00	15,724	63.25	17,076
46.50	11,730	50.75	13,083	55.00	14,444	59.25	15,804	63.50	17,155



## Capacity/Gauge Table Information

**TCLX 290461**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 261

Reporting Mark: TCLX 290461

Date: 29/06/2015

Capacity: 28,990 US Gallons (109,741 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,234	68.00	18,568	72.25	19,877	76.50	21,153	80.75	22,387
64.00	17,313	68.25	18,645	72.50	19,953	76.75	21,226	81.00	22,458
64.25	17,392	68.50	18,723	72.75	20,029	77.00	21,300	81.25	22,528
64.50	17,471	68.75	18,801	73.00	20,104	77.25	21,374	81.50	22,599
64.75	17,549	69.00	18,878	73.25	20,180	77.50	21,447	81.75	22,670
65.00	17,628	69.25	18,955	73.50	20,256	77.75	21,520	82.00	22,740
65.25	17,707	69.50	19,033	73.75	20,331	78.00	21,593	82.25	22,810
65.50	17,785	69.75	19,110	74.00	20,407	78.25	21,666	82.50	22,880
65.75	17,864	70.00	19,187	74.25	20,482	78.50	21,739	82.75	22,950
66.00	17,942	70.25	19,264	74.50	20,557	78.75	21,812	83.00	23,020
66.25	18,021	70.50	19,341	74.75	20,632	79.00	21,884	83.25	23,089
66.50	18,099	70.75	19,418	75.00	20,707	79.25	21,956	83.50	23,158
66.75	18,177	71.00	19,495	75.25	20,781	79.50	22,029	83.75	23,227
67.00	18,256	71.25	19,571	75.50	20,856	79.75	22,100	84.00	23,296
67.25	18,334	71.50	19,648	75.75	20,930	80.00	22,172	84.25	23,364
67.50	18,412	71.75	19,724	76.00	21,004	80.25	22,244	84.50	23,433
67.75	18,490	72.00	19,800	76.25	21,079	80.50	22,315	84.75	23,501



## Capacity/Gauge Table Information

**TCLX 290461**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 261

Reporting Mark: TCLX 290461

Date: 29/06/2015

Capacity: 28,990 US Gallons (109,741 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,569	89.25	24,688	93.50	25,733	97.75	26,687	102.00	27,532
85.25	23,636	89.50	24,752	93.75	25,792	98.00	26,740	102.25	27,577
85.50	23,704	89.75	24,815	94.00	25,850	98.25	26,792	102.50	27,623
85.75	23,771	90.00	24,878	94.25	25,908	98.50	26,845	102.75	27,667
86.00	23,838	90.25	24,941	94.50	25,966	98.75	26,896	103.00	27,712
86.25	23,905	90.50	25,004	94.75	26,024	99.00	26,948	103.25	27,756
86.50	23,972	90.75	25,066	95.00	26,081	99.25	26,999	103.50	27,799
86.75	24,038	91.00	25,128	95.25	26,138	99.50	27,049	103.75	27,842
87.00	24,104	91.25	25,190	95.50	26,194	99.75	27,100	104.00	27,884
87.25	24,170	91.50	25,251	95.75	26,250	100.00	27,149	104.25	27,926
87.50	24,236	91.75	25,313	96.00	26,306	100.25	27,199	104.50	27,967
87.75	24,301	92.00	25,374	96.25	26,362	100.50	27,248	104.75	28,007
88.00	24,366	92.25	25,434	96.50	26,417	100.75	27,296	105.00	28,047
88.25	24,431	92.50	25,494	96.75	26,471	101.00	27,344	105.25	28,087
88.50	24,496	92.75	25,554	97.00	26,526	101.25	27,392	105.50	28,126
88.75	24,560	93.00	25,614	97.25	26,580	101.50	27,439	105.75	28,164
89.00	24,624	93.25	25,674	97.50	26,634	101.75	27,485	106.00	28,202



## Capacity/Gauge Table Information

**TCLX 290461**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 261

Reporting Mark: TCLX 290461

Date: 29/06/2015

Capacity: 28,990 US Gallons (109,741 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,239	110.50	28,759	114.75	28,977
106.50	28,276	110.75	28,781	115.00	28,981
106.75	28,311	111.00	28,802	115.25	28,984
107.00	28,347	111.25	28,822	115.50	28,986
107.25	28,381	111.50	28,840	115.75	28,988
107.50	28,415	111.75	28,858	116.00	28,989
107.75	28,448	112.00	28,874	116.25	28,990
108.00	28,480	112.25	28,888	116.50	28,990
108.25	28,512	112.50	28,902	116.75	28,990
108.50	28,543	112.75	28,914		
108.75	28,573	113.00	28,926		
109.00	28,602	113.25	28,936		
109.25	28,631	113.50	28,945		
109.50	28,658	113.75	28,953		
109.75	28,685	114.00	28,961		
110.00	28,711	114.25	28,967		
110.25	28,735	114.50	28,972		



## Capacity/Gauge Table Information

**TCLX 290462**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 262

Reporting Mark: TCLX 290462

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,386 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	609	8.50	1,381	12.75	2,277	17.00	3,274
0.25	30	4.50	650	8.75	1,431	13.00	2,333	17.25	3,335
0.50	61	4.75	692	9.00	1,481	13.25	2,390	17.50	3,397
0.75	93	5.00	735	9.25	1,531	13.50	2,446	17.75	3,459
1.00	125	5.25	778	9.50	1,582	13.75	2,503	18.00	3,521
1.25	159	5.50	821	9.75	1,633	14.00	2,561	18.25	3,584
1.50	193	5.75	865	10.00	1,685	14.25	2,619	18.50	3,646
1.75	227	6.00	910	10.25	1,737	14.50	2,677	18.75	3,709
2.00	263	6.25	955	10.50	1,789	14.75	2,735	19.00	3,773
2.25	299	6.50	1,000	10.75	1,842	15.00	2,794	19.25	3,836
2.50	335	6.75	1,046	11.00	1,895	15.25	2,853	19.50	3,900
2.75	373	7.00	1,093	11.25	1,948	15.50	2,912	19.75	3,964
3.00	411	7.25	1,140	11.50	2,002	15.75	2,972	20.00	4,029
3.25	449	7.50	1,187	11.75	2,057	16.00	3,031	20.25	4,093
3.50	488	7.75	1,235	12.00	2,111	16.25	3,092	20.50	4,158
3.75	528	8.00	1,283	12.25	2,166	16.50	3,152	20.75	4,223
4.00	568	8.25	1,332	12.50	2,222	16.75	3,213	21.00	4,288



## Capacity/Gauge Table Information

**TCLX 290462**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 262

Reporting Mark: TCLX 290462

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,386 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,354	25.50	5,503	29.75	6,710	34.00	7,963	38.25	9,255
21.50	4,420	25.75	5,573	30.00	6,782	34.25	8,038	38.50	9,332
21.75	4,486	26.00	5,642	30.25	6,855	34.50	8,114	38.75	9,409
22.00	4,552	26.25	5,712	30.50	6,928	34.75	8,189	39.00	9,486
22.25	4,619	26.50	5,782	30.75	7,001	35.00	8,264	39.25	9,563
22.50	4,685	26.75	5,852	31.00	7,074	35.25	8,340	39.50	9,641
22.75	4,752	27.00	5,923	31.25	7,147	35.50	8,415	39.75	9,718
23.00	4,819	27.25	5,994	31.50	7,221	35.75	8,491	40.00	9,796
23.25	4,887	27.50	6,064	31.75	7,294	36.00	8,567	40.25	9,873
23.50	4,954	27.75	6,135	32.00	7,368	36.25	8,643	40.50	9,951
23.75	5,022	28.00	6,207	32.25	7,442	36.50	8,719	40.75	10,029
24.00	5,090	28.25	6,278	32.50	7,516	36.75	8,795	41.00	10,107
24.25	5,159	28.50	6,349	32.75	7,590	37.00	8,872	41.25	10,184
24.50	5,227	28.75	6,421	33.00	7,665	37.25	8,948	41.50	10,262
24.75	5,296	29.00	6,493	33.25	7,739	37.50	9,025	41.75	10,341
25.00	5,365	29.25	6,565	33.50	7,814	37.75	9,101	42.00	10,419
25.25	5,434	29.50	6,637	33.75	7,888	38.00	9,178	42.25	10,497



## Capacity/Gauge Table Information

**TCLX 290462**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 262

Reporting Mark: TCLX 290462

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,386 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,575	46.75	11,917	51.00	13,271	55.25	14,631	59.50	15,988
42.75	10,654	47.00	11,996	51.25	13,351	55.50	14,711	59.75	16,068
43.00	10,732	47.25	12,076	51.50	13,431	55.75	14,791	60.00	16,148
43.25	10,811	47.50	12,155	51.75	13,511	56.00	14,871	60.25	16,227
43.50	10,889	47.75	12,235	52.00	13,591	56.25	14,951	60.50	16,307
43.75	10,968	48.00	12,314	52.25	13,671	56.50	15,031	60.75	16,386
44.00	11,047	48.25	12,394	52.50	13,751	56.75	15,111	61.00	16,466
44.25	11,126	48.50	12,473	52.75	13,831	57.00	15,191	61.25	16,545
44.50	11,205	48.75	12,553	53.00	13,911	57.25	15,271	61.50	16,624
44.75	11,283	49.00	12,633	53.25	13,991	57.50	15,350	61.75	16,704
45.00	11,362	49.25	12,712	53.50	14,071	57.75	15,430	62.00	16,783
45.25	11,441	49.50	12,792	53.75	14,151	58.00	15,510	62.25	16,862
45.50	11,521	49.75	12,872	54.00	14,231	58.25	15,590	62.50	16,941
45.75	11,600	50.00	12,952	54.25	14,311	58.50	15,670	62.75	17,020
46.00	11,679	50.25	13,032	54.50	14,391	58.75	15,749	63.00	17,099
46.25	11,758	50.50	13,112	54.75	14,471	59.00	15,829	63.25	17,178
46.50	11,837	50.75	13,191	55.00	14,551	59.25	15,909	63.50	17,257





## Capacity/Gauge Table Information

**TCLX 290462**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 262

Reporting Mark: TCLX 290462

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,386 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,336	68.00	18,666	72.25	19,969	76.50	21,239	80.75	22,465
64.00	17,415	68.25	18,743	72.50	20,045	76.75	21,312	81.00	22,536
64.25	17,493	68.50	18,820	72.75	20,121	77.00	21,386	81.25	22,606
64.50	17,572	68.75	18,898	73.00	20,196	77.25	21,459	81.50	22,676
64.75	17,651	69.00	18,975	73.25	20,272	77.50	21,532	81.75	22,746
65.00	17,729	69.25	19,052	73.50	20,347	77.75	21,605	82.00	22,816
65.25	17,808	69.50	19,129	73.75	20,422	78.00	21,677	82.25	22,886
65.50	17,886	69.75	19,206	74.00	20,497	78.25	21,750	82.50	22,955
65.75	17,964	70.00	19,283	74.25	20,572	78.50	21,822	82.75	23,025
66.00	18,043	70.25	19,360	74.50	20,646	78.75	21,894	83.00	23,094
66.25	18,121	70.50	19,436	74.75	20,721	79.00	21,966	83.25	23,162
66.50	18,199	70.75	19,513	75.00	20,795	79.25	22,038	83.50	23,231
66.75	18,277	71.00	19,589	75.25	20,870	79.50	22,110	83.75	23,299
67.00	18,355	71.25	19,665	75.50	20,944	79.75	22,181	84.00	23,368
67.25	18,433	71.50	19,742	75.75	21,018	80.00	22,252	84.25	23,436
67.50	18,510	71.75	19,818	76.00	21,092	80.25	22,324	84.50	23,503
67.75	18,588	72.00	19,894	76.25	21,165	80.50	22,394	84.75	23,571



## Capacity/Gauge Table Information

**TCLX 290462**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 262

Reporting Mark: TCLX 290462

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,386 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,638	89.25	24,747	93.50	25,779	97.75	26,719	102.00	27,545
85.25	23,705	89.50	24,810	93.75	25,837	98.00	26,770	102.25	27,590
85.50	23,772	89.75	24,873	94.00	25,895	98.25	26,822	102.50	27,634
85.75	23,839	90.00	24,935	94.25	25,952	98.50	26,873	102.75	27,677
86.00	23,905	90.25	24,997	94.50	26,009	98.75	26,924	103.00	27,720
86.25	23,972	90.50	25,059	94.75	26,066	99.00	26,974	103.25	27,763
86.50	24,038	90.75	25,121	95.00	26,122	99.25	27,024	103.50	27,805
86.75	24,103	91.00	25,182	95.25	26,178	99.50	27,074	103.75	27,846
87.00	24,169	91.25	25,243	95.50	26,234	99.75	27,123	104.00	27,887
87.25	24,234	91.50	25,304	95.75	26,289	100.00	27,172	104.25	27,928
87.50	24,299	91.75	25,364	96.00	26,344	100.25	27,220	104.50	27,968
87.75	24,364	92.00	25,425	96.25	26,399	100.50	27,268	104.75	28,007
88.00	24,428	92.25	25,484	96.50	26,453	100.75	27,315	105.00	28,045
88.25	24,493	92.50	25,544	96.75	26,507	101.00	27,362	105.25	28,084
88.50	24,557	92.75	25,603	97.00	26,560	101.25	27,409	105.50	28,121
88.75	24,620	93.00	25,662	97.25	26,613	101.50	27,455	105.75	28,158
89.00	24,684	93.25	25,721	97.50	26,666	101.75	27,500	106.00	28,194



## Capacity/Gauge Table Information

**TCLX 290462**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 262

Reporting Mark: TCLX 290462

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,386 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,230	110.50	28,714	114.75	28,890
106.50	28,265	110.75	28,733	115.00	28,893
106.75	28,299	111.00	28,751	115.25	28,894
107.00	28,332	111.25	28,768	115.50	28,896
107.25	28,365	111.50	28,783	115.75	28,896
107.50	28,397	111.75	28,797	116.00	28,897
107.75	28,428	112.00	28,811	116.25	28,897
108.00	28,459	112.25	28,823		
108.25	28,489	112.50	28,834		
108.50	28,518	112.75	28,844		
108.75	28,546	113.00	28,853		
109.00	28,573	113.25	28,861		
109.25	28,599	113.50	28,868		
109.50	28,624	113.75	28,874		
109.75	28,649	114.00	28,879		
110.00	28,672	114.25	28,884		
110.25	28,693	114.50	28,887		



## Capacity/Gauge Table Information

**TCLX 290463**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 263

Reporting Mark: TCLX 290463

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,387 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	614	8.50	1,390	12.75	2,289	17.00	3,289
0.25	30	4.50	655	8.75	1,439	13.00	2,345	17.25	3,350
0.50	62	4.75	698	9.00	1,490	13.25	2,402	17.50	3,412
0.75	94	5.00	740	9.25	1,540	13.50	2,459	17.75	3,474
1.00	127	5.25	784	9.50	1,591	13.75	2,516	18.00	3,536
1.25	160	5.50	827	9.75	1,642	14.00	2,573	18.25	3,599
1.50	195	5.75	872	10.00	1,694	14.25	2,631	18.50	3,662
1.75	229	6.00	916	10.25	1,746	14.50	2,690	18.75	3,725
2.00	265	6.25	962	10.50	1,799	14.75	2,748	19.00	3,788
2.25	301	6.50	1,007	10.75	1,852	15.00	2,807	19.25	3,852
2.50	338	6.75	1,053	11.00	1,905	15.25	2,866	19.50	3,916
2.75	376	7.00	1,100	11.25	1,959	15.50	2,925	19.75	3,980
3.00	414	7.25	1,147	11.50	2,013	15.75	2,985	20.00	4,045
3.25	453	7.50	1,195	11.75	2,068	16.00	3,045	20.25	4,109
3.50	492	7.75	1,243	12.00	2,122	16.25	3,106	20.50	4,174
3.75	532	8.00	1,291	12.25	2,178	16.50	3,166	20.75	4,240
4.00	573	8.25	1,340	12.50	2,233	16.75	3,227	21.00	4,305



## Capacity/Gauge Table Information

**TCLX 290463**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 263

Reporting Mark: TCLX 290463

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,387 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,371	25.50	5,522	29.75	6,730	34.00	7,986	38.25	9,278
21.50	4,437	25.75	5,592	30.00	6,803	34.25	8,061	38.50	9,355
21.75	4,503	26.00	5,661	30.25	6,876	34.50	8,136	38.75	9,432
22.00	4,569	26.25	5,731	30.50	6,949	34.75	8,211	39.00	9,510
22.25	4,636	26.50	5,802	30.75	7,022	35.00	8,287	39.25	9,587
22.50	4,703	26.75	5,872	31.00	7,095	35.25	8,362	39.50	9,664
22.75	4,770	27.00	5,942	31.25	7,169	35.50	8,438	39.75	9,742
23.00	4,837	27.25	6,013	31.50	7,242	35.75	8,514	40.00	9,820
23.25	4,905	27.50	6,084	31.75	7,316	36.00	8,590	40.25	9,897
23.50	4,972	27.75	6,155	32.00	7,390	36.25	8,666	40.50	9,975
23.75	5,040	28.00	6,227	32.25	7,464	36.50	8,742	40.75	10,053
24.00	5,109	28.25	6,298	32.50	7,538	36.75	8,818	41.00	10,131
24.25	5,177	28.50	6,370	32.75	7,612	37.00	8,895	41.25	10,209
24.50	5,246	28.75	6,441	33.00	7,687	37.25	8,971	41.50	10,287
24.75	5,314	29.00	6,513	33.25	7,761	37.50	9,048	41.75	10,365
25.00	5,383	29.25	6,586	33.50	7,836	37.75	9,125	42.00	10,443
25.25	5,453	29.50	6,658	33.75	7,911	38.00	9,201	42.25	10,522



## Capacity/Gauge Table Information

**TCLX 290463**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 263

Reporting Mark: TCLX 290463

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,387 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,600	46.75	11,942	51.00	13,297	55.25	14,658	59.50	16,015
42.75	10,678	47.00	12,022	51.25	13,377	55.50	14,738	59.75	16,095
43.00	10,757	47.25	12,101	51.50	13,457	55.75	14,818	60.00	16,175
43.25	10,836	47.50	12,181	51.75	13,537	56.00	14,898	60.25	16,254
43.50	10,914	47.75	12,260	52.00	13,617	56.25	14,978	60.50	16,334
43.75	10,993	48.00	12,340	52.25	13,697	56.50	15,058	60.75	16,413
44.00	11,072	48.25	12,420	52.50	13,777	56.75	15,138	61.00	16,493
44.25	11,151	48.50	12,499	52.75	13,857	57.00	15,218	61.25	16,572
44.50	11,230	48.75	12,579	53.00	13,937	57.25	15,297	61.50	16,651
44.75	11,309	49.00	12,659	53.25	14,017	57.50	15,377	61.75	16,731
45.00	11,388	49.25	12,738	53.50	14,097	57.75	15,457	62.00	16,810
45.25	11,467	49.50	12,818	53.75	14,178	58.00	15,537	62.25	16,889
45.50	11,546	49.75	12,898	54.00	14,258	58.25	15,617	62.50	16,968
45.75	11,625	50.00	12,978	54.25	14,338	58.50	15,697	62.75	17,047
46.00	11,704	50.25	13,058	54.50	14,418	58.75	15,776	63.00	17,126
46.25	11,784	50.50	13,138	54.75	14,498	59.00	15,856	63.25	17,205
46.50	11,863	50.75	13,218	55.00	14,578	59.25	15,936	63.50	17,284



## Capacity/Gauge Table Information

**TCLX 290463**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 263

Reporting Mark: TCLX 290463

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,387 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,363	68.00	18,693	72.25	19,996	76.50	21,265	80.75	22,491
64.00	17,442	68.25	18,770	72.50	20,072	76.75	21,339	81.00	22,561
64.25	17,521	68.50	18,847	72.75	20,147	77.00	21,412	81.25	22,632
64.50	17,599	68.75	18,925	73.00	20,223	77.25	21,485	81.50	22,702
64.75	17,678	69.00	19,002	73.25	20,298	77.50	21,558	81.75	22,772
65.00	17,756	69.25	19,079	73.50	20,373	77.75	21,631	82.00	22,842
65.25	17,835	69.50	19,156	73.75	20,448	78.00	21,703	82.25	22,911
65.50	17,913	69.75	19,233	74.00	20,523	78.25	21,776	82.50	22,981
65.75	17,991	70.00	19,310	74.25	20,598	78.50	21,848	82.75	23,050
66.00	18,070	70.25	19,387	74.50	20,673	78.75	21,920	83.00	23,119
66.25	18,148	70.50	19,463	74.75	20,747	79.00	21,992	83.25	23,187
66.50	18,226	70.75	19,540	75.00	20,822	79.25	22,064	83.50	23,256
66.75	18,304	71.00	19,616	75.25	20,896	79.50	22,135	83.75	23,324
67.00	18,382	71.25	19,692	75.50	20,970	79.75	22,207	84.00	23,393
67.25	18,460	71.50	19,768	75.75	21,044	80.00	22,278	84.25	23,460
67.50	18,537	71.75	19,844	76.00	21,118	80.25	22,349	84.50	23,528
67.75	18,615	72.00	19,920	76.25	21,192	80.50	22,420	84.75	23,596





## Capacity/Gauge Table Information

**TCLX 290463**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 263

Reporting Mark: TCLX 290463

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,387 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,663	89.25	24,771	93.50	25,801	97.75	26,738	102.00	27,562
85.25	23,730	89.50	24,833	93.75	25,859	98.00	26,790	102.25	27,606
85.50	23,797	89.75	24,896	94.00	25,916	98.25	26,841	102.50	27,650
85.75	23,863	90.00	24,958	94.25	25,974	98.50	26,892	102.75	27,694
86.00	23,930	90.25	25,020	94.50	26,030	98.75	26,943	103.00	27,737
86.25	23,996	90.50	25,082	94.75	26,087	99.00	26,993	103.25	27,779
86.50	24,062	90.75	25,144	95.00	26,143	99.25	27,043	103.50	27,821
86.75	24,128	91.00	25,205	95.25	26,199	99.50	27,093	103.75	27,862
87.00	24,193	91.25	25,266	95.50	26,255	99.75	27,141	104.00	27,903
87.25	24,258	91.50	25,327	95.75	26,310	100.00	27,190	104.25	27,943
87.50	24,323	91.75	25,387	96.00	26,365	100.25	27,238	104.50	27,982
87.75	24,388	92.00	25,447	96.25	26,419	100.50	27,286	104.75	28,021
88.00	24,452	92.25	25,507	96.50	26,473	100.75	27,333	105.00	28,060
88.25	24,516	92.50	25,566	96.75	26,527	101.00	27,380	105.25	28,098
88.50	24,580	92.75	25,625	97.00	26,580	101.25	27,426	105.50	28,135
88.75	24,644	93.00	25,684	97.25	26,633	101.50	27,472	105.75	28,171
89.00	24,707	93.25	25,743	97.50	26,686	101.75	27,517	106.00	28,207



## Capacity/Gauge Table Information

**TCLX 290463**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 263

Reporting Mark: TCLX 290463

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,387 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,243	110.50	28,720	114.75	28,891
106.50	28,277	110.75	28,738	115.00	28,893
106.75	28,311	111.00	28,756	115.25	28,895
107.00	28,344	111.25	28,772	115.50	28,896
107.25	28,377	111.50	28,787	115.75	28,897
107.50	28,409	111.75	28,801	116.00	28,897
107.75	28,440	112.00	28,814	116.25	28,897
108.00	28,470	112.25	28,825		
108.25	28,499	112.50	28,836		
108.50	28,528	112.75	28,846		
108.75	28,555	113.00	28,854		
109.00	28,582	113.25	28,862		
109.25	28,608	113.50	28,869		
109.50	28,633	113.75	28,875		
109.75	28,656	114.00	28,880		
110.00	28,679	114.25	28,884		
110.25	28,700	114.50	28,888		



## Capacity/Gauge Table Information

**TCLX 290464**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 264

Reporting Mark: TCLX 290464

Date: 19/06/2015

Capacity: 28,907 US Gallons (109,426 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	612	8.50	1,386	12.75	2,285	17.00	3,283
0.25	30	4.50	653	8.75	1,436	13.00	2,341	17.25	3,345
0.50	62	4.75	696	9.00	1,486	13.25	2,397	17.50	3,406
0.75	93	5.00	738	9.25	1,537	13.50	2,454	17.75	3,468
1.00	126	5.25	781	9.50	1,587	13.75	2,511	18.00	3,531
1.25	160	5.50	825	9.75	1,639	14.00	2,569	18.25	3,593
1.50	194	5.75	869	10.00	1,690	14.25	2,626	18.50	3,656
1.75	229	6.00	914	10.25	1,743	14.50	2,685	18.75	3,719
2.00	264	6.25	959	10.50	1,795	14.75	2,743	19.00	3,783
2.25	300	6.50	1,005	10.75	1,848	15.00	2,802	19.25	3,846
2.50	337	6.75	1,051	11.00	1,901	15.25	2,861	19.50	3,910
2.75	375	7.00	1,097	11.25	1,955	15.50	2,920	19.75	3,974
3.00	413	7.25	1,144	11.50	2,009	15.75	2,980	20.00	4,039
3.25	451	7.50	1,192	11.75	2,063	16.00	3,040	20.25	4,104
3.50	491	7.75	1,240	12.00	2,118	16.25	3,100	20.50	4,168
3.75	530	8.00	1,288	12.25	2,173	16.50	3,161	20.75	4,234
4.00	571	8.25	1,337	12.50	2,229	16.75	3,222	21.00	4,299



## Capacity/Gauge Table Information

**TCLX 290464**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 264

Reporting Mark: TCLX 290464

Date: 19/06/2015

Capacity: 28,907 US Gallons (109,426 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,365	25.50	5,515	29.75	6,723	34.00	7,978	38.25	9,271
21.50	4,431	25.75	5,585	30.00	6,796	34.25	8,053	38.50	9,348
21.75	4,497	26.00	5,655	30.25	6,869	34.50	8,128	38.75	9,425
22.00	4,563	26.25	5,725	30.50	6,942	34.75	8,204	39.00	9,502
22.25	4,630	26.50	5,795	30.75	7,015	35.00	8,279	39.25	9,579
22.50	4,696	26.75	5,865	31.00	7,088	35.25	8,355	39.50	9,657
22.75	4,764	27.00	5,936	31.25	7,161	35.50	8,431	39.75	9,734
23.00	4,831	27.25	6,006	31.50	7,235	35.75	8,506	40.00	9,812
23.25	4,898	27.50	6,077	31.75	7,309	36.00	8,582	40.25	9,890
23.50	4,966	27.75	6,148	32.00	7,382	36.25	8,658	40.50	9,967
23.75	5,034	28.00	6,220	32.25	7,456	36.50	8,735	40.75	10,045
24.00	5,102	28.25	6,291	32.50	7,531	36.75	8,811	41.00	10,123
24.25	5,170	28.50	6,363	32.75	7,605	37.00	8,887	41.25	10,201
24.50	5,239	28.75	6,434	33.00	7,679	37.25	8,964	41.50	10,279
24.75	5,308	29.00	6,506	33.25	7,754	37.50	9,040	41.75	10,357
25.00	5,377	29.25	6,579	33.50	7,828	37.75	9,117	42.00	10,436
25.25	5,446	29.50	6,651	33.75	7,903	38.00	9,194	42.25	10,514



## Capacity/Gauge Table Information

**TCLX 290464**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 264

Reporting Mark: TCLX 290464

Date: 19/06/2015

Capacity: 28,907 US Gallons (109,426 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,592	46.75	11,935	51.00	13,290	55.25	14,650	59.50	16,008
42.75	10,671	47.00	12,014	51.25	13,370	55.50	14,730	59.75	16,088
43.00	10,749	47.25	12,094	51.50	13,450	55.75	14,811	60.00	16,168
43.25	10,828	47.50	12,173	51.75	13,530	56.00	14,891	60.25	16,247
43.50	10,907	47.75	12,253	52.00	13,610	56.25	14,970	60.50	16,327
43.75	10,985	48.00	12,332	52.25	13,690	56.50	15,050	60.75	16,406
44.00	11,064	48.25	12,412	52.50	13,770	56.75	15,130	61.00	16,486
44.25	11,143	48.50	12,492	52.75	13,850	57.00	15,210	61.25	16,565
44.50	11,222	48.75	12,571	53.00	13,930	57.25	15,290	61.50	16,645
44.75	11,301	49.00	12,651	53.25	14,010	57.50	15,370	61.75	16,724
45.00	11,380	49.25	12,731	53.50	14,090	57.75	15,450	62.00	16,803
45.25	11,459	49.50	12,811	53.75	14,170	58.00	15,530	62.25	16,882
45.50	11,538	49.75	12,891	54.00	14,250	58.25	15,610	62.50	16,961
45.75	11,617	50.00	12,970	54.25	14,330	58.50	15,690	62.75	17,041
46.00	11,697	50.25	13,050	54.50	14,410	58.75	15,769	63.00	17,120
46.25	11,776	50.50	13,130	54.75	14,490	59.00	15,849	63.25	17,199
46.50	11,855	50.75	13,210	55.00	14,570	59.25	15,929	63.50	17,278



## Capacity/Gauge Table Information

**TCLX 290464**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 264

Reporting Mark: TCLX 290464

Date: 19/06/2015

Capacity: 28,907 US Gallons (109,426 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,356	68.00	18,687	72.25	19,991	76.50	21,260	80.75	22,487
64.00	17,435	68.25	18,764	72.50	20,066	76.75	21,334	81.00	22,557
64.25	17,514	68.50	18,841	72.75	20,142	77.00	21,407	81.25	22,628
64.50	17,593	68.75	18,919	73.00	20,217	77.25	21,480	81.50	22,698
64.75	17,671	69.00	18,996	73.25	20,293	77.50	21,553	81.75	22,768
65.00	17,750	69.25	19,073	73.50	20,368	77.75	21,626	82.00	22,838
65.25	17,828	69.50	19,150	73.75	20,443	78.00	21,699	82.25	22,907
65.50	17,907	69.75	19,227	74.00	20,518	78.25	21,771	82.50	22,977
65.75	17,985	70.00	19,304	74.25	20,593	78.50	21,843	82.75	23,046
66.00	18,063	70.25	19,381	74.50	20,668	78.75	21,916	83.00	23,115
66.25	18,142	70.50	19,457	74.75	20,742	79.00	21,988	83.25	23,184
66.50	18,220	70.75	19,534	75.00	20,817	79.25	22,059	83.50	23,252
66.75	18,298	71.00	19,610	75.25	20,891	79.50	22,131	83.75	23,321
67.00	18,376	71.25	19,687	75.50	20,965	79.75	22,203	84.00	23,389
67.25	18,453	71.50	19,763	75.75	21,039	80.00	22,274	84.25	23,457
67.50	18,531	71.75	19,839	76.00	21,113	80.25	22,345	84.50	23,525
67.75	18,609	72.00	19,915	76.25	21,187	80.50	22,416	84.75	23,592



## Capacity/Gauge Table Information

**TCLX 290464**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 264

Reporting Mark: TCLX 290464

Date: 19/06/2015

Capacity: 28,907 US Gallons (109,426 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,660	89.25	24,768	93.50	25,800	97.75	26,738	102.00	27,564
85.25	23,727	89.50	24,831	93.75	25,858	98.00	26,790	102.25	27,608
85.50	23,794	89.75	24,894	94.00	25,915	98.25	26,842	102.50	27,652
85.75	23,860	90.00	24,956	94.25	25,973	98.50	26,893	102.75	27,696
86.00	23,927	90.25	25,018	94.50	26,030	98.75	26,944	103.00	27,739
86.25	23,993	90.50	25,080	94.75	26,086	99.00	26,994	103.25	27,781
86.50	24,059	90.75	25,142	95.00	26,142	99.25	27,044	103.50	27,823
86.75	24,125	91.00	25,203	95.25	26,198	99.50	27,093	103.75	27,864
87.00	24,190	91.25	25,264	95.50	26,254	99.75	27,142	104.00	27,905
87.25	24,255	91.50	25,325	95.75	26,309	100.00	27,191	104.25	27,946
87.50	24,320	91.75	25,385	96.00	26,364	100.25	27,239	104.50	27,985
87.75	24,385	92.00	25,445	96.25	26,419	100.50	27,287	104.75	28,024
88.00	24,450	92.25	25,505	96.50	26,473	100.75	27,334	105.00	28,063
88.25	24,514	92.50	25,565	96.75	26,527	101.00	27,381	105.25	28,101
88.50	24,578	92.75	25,624	97.00	26,580	101.25	27,427	105.50	28,138
88.75	24,642	93.00	25,683	97.25	26,633	101.50	27,473	105.75	28,175
89.00	24,705	93.25	25,741	97.50	26,686	101.75	27,519	106.00	28,211





## Capacity/Gauge Table Information

**TCLX 290464**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 264

Reporting Mark: TCLX 290464

Date: 19/06/2015

Capacity: 28,907 US Gallons (109,426 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,247	110.50	28,727	114.75	28,901
106.50	28,281	110.75	28,746	115.00	28,903
106.75	28,315	111.00	28,764	115.25	28,905
107.00	28,349	111.25	28,780	115.50	28,906
107.25	28,381	111.50	28,795	115.75	28,907
107.50	28,413	111.75	28,810	116.00	28,907
107.75	28,445	112.00	28,823	116.25	28,907
108.00	28,475	112.25	28,834		
108.25	28,505	112.50	28,845		
108.50	28,533	112.75	28,855		
108.75	28,561	113.00	28,864		
109.00	28,588	113.25	28,872		
109.25	28,614	113.50	28,879		
109.50	28,639	113.75	28,885		
109.75	28,663	114.00	28,890		
110.00	28,686	114.25	28,894		
110.25	28,707	114.50	28,898		



## Capacity/Gauge Table Information

**TCLX 290465**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 265

Reporting Mark: TCLX 290465

Date: 30/06/2015

Capacity: 28,999 US Gallons (109,772 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,233	17.00	3,221
0.25	29	4.50	629	8.75	1,396	13.00	2,288	17.25	3,282
0.50	58	4.75	670	9.00	1,445	13.25	2,344	17.50	3,344
0.75	89	5.00	712	9.25	1,495	13.50	2,400	17.75	3,405
1.00	120	5.25	754	9.50	1,545	13.75	2,457	18.00	3,467
1.25	152	5.50	797	9.75	1,595	14.00	2,514	18.25	3,529
1.50	184	5.75	840	10.00	1,646	14.25	2,571	18.50	3,591
1.75	218	6.00	883	10.25	1,698	14.50	2,628	18.75	3,654
2.00	252	6.25	928	10.50	1,750	14.75	2,686	19.00	3,717
2.25	287	6.50	972	10.75	1,802	15.00	2,745	19.25	3,780
2.50	322	6.75	1,017	11.00	1,854	15.25	2,803	19.50	3,844
2.75	359	7.00	1,063	11.25	1,907	15.50	2,862	19.75	3,907
3.00	395	7.25	1,109	11.50	1,960	15.75	2,921	20.00	3,971
3.25	433	7.50	1,156	11.75	2,014	16.00	2,981	20.25	4,036
3.50	471	7.75	1,203	12.00	2,068	16.25	3,040	20.50	4,100
3.75	510	8.00	1,250	12.25	2,123	16.50	3,100	20.75	4,165
4.00	549	8.25	1,298	12.50	2,177	16.75	3,161	21.00	4,230



## Capacity/Gauge Table Information

**TCLX 290465**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 265

Reporting Mark: TCLX 290465

Date: 30/06/2015

Capacity: 28,999 US Gallons (109,772 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,295	25.50	5,440	29.75	6,643	34.00	7,895	38.25	9,185
21.50	4,361	25.75	5,509	30.00	6,715	34.25	7,969	38.50	9,262
21.75	4,426	26.00	5,578	30.25	6,788	34.50	8,044	38.75	9,339
22.00	4,492	26.25	5,648	30.50	6,861	34.75	8,120	39.00	9,416
22.25	4,559	26.50	5,718	30.75	6,933	35.00	8,195	39.25	9,493
22.50	4,625	26.75	5,788	31.00	7,006	35.25	8,270	39.50	9,571
22.75	4,692	27.00	5,858	31.25	7,080	35.50	8,346	39.75	9,648
23.00	4,759	27.25	5,929	31.50	7,153	35.75	8,422	40.00	9,725
23.25	4,826	27.50	5,999	31.75	7,226	36.00	8,497	40.25	9,803
23.50	4,893	27.75	6,070	32.00	7,300	36.25	8,573	40.50	9,881
23.75	4,961	28.00	6,141	32.25	7,374	36.50	8,649	40.75	9,959
24.00	5,028	28.25	6,212	32.50	7,448	36.75	8,726	41.00	10,036
24.25	5,096	28.50	6,284	32.75	7,522	37.00	8,802	41.25	10,114
24.50	5,165	28.75	6,355	33.00	7,596	37.25	8,878	41.50	10,192
24.75	5,233	29.00	6,427	33.25	7,671	37.50	8,955	41.75	10,271
25.00	5,302	29.25	6,499	33.50	7,745	37.75	9,031	42.00	10,349
25.25	5,371	29.50	6,571	33.75	7,820	38.00	9,108	42.25	10,427



## Capacity/Gauge Table Information

**TCLX 290465**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 265

Reporting Mark: TCLX 290465

Date: 30/06/2015

Capacity: 28,999 US Gallons (109,772 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,505	46.75	11,848	51.00	13,204	55.25	14,566	59.50	15,927
42.75	10,584	47.00	11,927	51.25	13,284	55.50	14,646	59.75	16,007
43.00	10,662	47.25	12,007	51.50	13,364	55.75	14,726	60.00	16,086
43.25	10,741	47.50	12,086	51.75	13,444	56.00	14,806	60.25	16,166
43.50	10,820	47.75	12,166	52.00	13,524	56.25	14,887	60.50	16,246
43.75	10,898	48.00	12,245	52.25	13,604	56.50	14,967	60.75	16,325
44.00	10,977	48.25	12,325	52.50	13,684	56.75	15,047	61.00	16,405
44.25	11,056	48.50	12,405	52.75	13,764	57.00	15,127	61.25	16,485
44.50	11,135	48.75	12,485	53.00	13,845	57.25	15,207	61.50	16,564
44.75	11,214	49.00	12,564	53.25	13,925	57.50	15,287	61.75	16,644
45.00	11,293	49.25	12,644	53.50	14,005	57.75	15,367	62.00	16,723
45.25	11,372	49.50	12,724	53.75	14,085	58.00	15,447	62.25	16,803
45.50	11,451	49.75	12,804	54.00	14,165	58.25	15,527	62.50	16,882
45.75	11,530	50.00	12,884	54.25	14,245	58.50	15,607	62.75	16,961
46.00	11,610	50.25	12,964	54.50	14,326	58.75	15,687	63.00	17,041
46.25	11,689	50.50	13,044	54.75	14,406	59.00	15,767	63.25	17,120
46.50	11,768	50.75	13,124	55.00	14,486	59.25	15,847	63.50	17,199



## Capacity/Gauge Table Information

**TCLX 290465**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 265

Reporting Mark: TCLX 290465

Date: 30/06/2015

Capacity: 28,999 US Gallons (109,772 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,278	68.00	18,613	72.25	19,922	76.50	21,198	80.75	22,431
64.00	17,357	68.25	18,690	72.50	19,998	76.75	21,272	81.00	22,502
64.25	17,436	68.50	18,768	72.75	20,074	77.00	21,345	81.25	22,573
64.50	17,515	68.75	18,846	73.00	20,150	77.25	21,419	81.50	22,644
64.75	17,594	69.00	18,923	73.25	20,225	77.50	21,492	81.75	22,714
65.00	17,673	69.25	19,001	73.50	20,301	77.75	21,565	82.00	22,784
65.25	17,751	69.50	19,078	73.75	20,376	78.00	21,638	82.25	22,854
65.50	17,830	69.75	19,155	74.00	20,452	78.25	21,711	82.50	22,924
65.75	17,909	70.00	19,232	74.25	20,527	78.50	21,784	82.75	22,994
66.00	17,987	70.25	19,309	74.50	20,602	78.75	21,857	83.00	23,064
66.25	18,066	70.50	19,386	74.75	20,677	79.00	21,929	83.25	23,133
66.50	18,144	70.75	19,463	75.00	20,752	79.25	22,001	83.50	23,202
66.75	18,222	71.00	19,540	75.25	20,826	79.50	22,073	83.75	23,271
67.00	18,301	71.25	19,617	75.50	20,901	79.75	22,145	84.00	23,340
67.25	18,379	71.50	19,693	75.75	20,975	80.00	22,217	84.25	23,408
67.50	18,457	71.75	19,769	76.00	21,050	80.25	22,289	84.50	23,476
67.75	18,535	72.00	19,846	76.25	21,124	80.50	22,360	84.75	23,544



## Capacity/Gauge Table Information

**TCLX 290465**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 265

Reporting Mark: TCLX 290465

Date: 30/06/2015

Capacity: 28,999 US Gallons (109,772 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,612	89.25	24,730	93.50	25,772	97.75	26,723	102.00	27,564
85.25	23,680	89.50	24,794	93.75	25,831	98.00	26,776	102.25	27,609
85.50	23,747	89.75	24,857	94.00	25,889	98.25	26,829	102.50	27,654
85.75	23,814	90.00	24,920	94.25	25,947	98.50	26,880	102.75	27,699
86.00	23,881	90.25	24,983	94.50	26,005	98.75	26,932	103.00	27,743
86.25	23,948	90.50	25,045	94.75	26,062	99.00	26,983	103.25	27,786
86.50	24,015	90.75	25,107	95.00	26,119	99.25	27,034	103.50	27,829
86.75	24,081	91.00	25,169	95.25	26,176	99.50	27,084	103.75	27,872
87.00	24,147	91.25	25,231	95.50	26,232	99.75	27,134	104.00	27,914
87.25	24,213	91.50	25,292	95.75	26,288	100.00	27,184	104.25	27,955
87.50	24,278	91.75	25,353	96.00	26,344	100.25	27,233	104.50	27,996
87.75	24,344	92.00	25,414	96.25	26,399	100.50	27,281	104.75	28,036
88.00	24,409	92.25	25,474	96.50	26,454	100.75	27,330	105.00	28,076
88.25	24,473	92.50	25,535	96.75	26,509	101.00	27,377	105.25	28,115
88.50	24,538	92.75	25,595	97.00	26,563	101.25	27,425	105.50	28,154
88.75	24,602	93.00	25,654	97.25	26,617	101.50	27,472	105.75	28,192
89.00	24,666	93.25	25,713	97.50	26,670	101.75	27,518	106.00	28,229



## Capacity/Gauge Table Information

**TCLX 290465**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 265

Reporting Mark: TCLX 290465

Date: 30/06/2015

Capacity: 28,999 US Gallons (109,772 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,266	110.50	28,777	114.75	28,986
106.50	28,302	110.75	28,798	115.00	28,989
106.75	28,337	111.00	28,818	115.25	28,992
107.00	28,372	111.25	28,837	115.50	28,995
107.25	28,406	111.50	28,855	115.75	28,996
107.50	28,440	111.75	28,871	116.00	28,997
107.75	28,472	112.00	28,887	116.25	28,998
108.00	28,504	112.25	28,901	116.50	28,999
108.25	28,535	112.50	28,914	116.75	28,999
108.50	28,566	112.75	28,926		
108.75	28,595	113.00	28,936		
109.00	28,624	113.25	28,946		
109.25	28,652	113.50	28,955		
109.50	28,679	113.75	28,963		
109.75	28,705	114.00	28,970		
110.00	28,730	114.25	28,976		
110.25	28,754	114.50	28,981		





## Capacity/Gauge Table Information

**TCLX 290466**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 266

Reporting Mark: TCLX 290466

Date: 24/06/2015

Capacity: 29,111 US Gallons (110,199 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,348	12.75	2,236	17.00	3,228
0.25	29	4.50	630	8.75	1,397	13.00	2,292	17.25	3,289
0.50	58	4.75	671	9.00	1,447	13.25	2,348	17.50	3,350
0.75	88	5.00	712	9.25	1,497	13.50	2,404	17.75	3,412
1.00	120	5.25	754	9.50	1,547	13.75	2,461	18.00	3,474
1.25	152	5.50	797	9.75	1,598	14.00	2,518	18.25	3,536
1.50	184	5.75	840	10.00	1,649	14.25	2,576	18.50	3,599
1.75	218	6.00	884	10.25	1,700	14.50	2,633	18.75	3,662
2.00	252	6.25	928	10.50	1,752	14.75	2,691	19.00	3,725
2.25	287	6.50	973	10.75	1,804	15.00	2,750	19.25	3,788
2.50	322	6.75	1,018	11.00	1,857	15.25	2,808	19.50	3,852
2.75	359	7.00	1,064	11.25	1,910	15.50	2,867	19.75	3,916
3.00	395	7.25	1,110	11.50	1,964	15.75	2,927	20.00	3,980
3.25	433	7.50	1,157	11.75	2,017	16.00	2,986	20.25	4,044
3.50	471	7.75	1,204	12.00	2,072	16.25	3,046	20.50	4,109
3.75	510	8.00	1,252	12.25	2,126	16.50	3,106	20.75	4,174
4.00	549	8.25	1,300	12.50	2,181	16.75	3,167	21.00	4,239



## Capacity/Gauge Table Information

**TCLX 290466**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 266

Reporting Mark: TCLX 290466

Date: 24/06/2015

Capacity: 29,111 US Gallons (110,199 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,305	25.50	5,452	29.75	6,659	34.00	7,915	38.25	9,209
21.50	4,370	25.75	5,522	30.00	6,732	34.25	7,990	38.50	9,286
21.75	4,436	26.00	5,591	30.25	6,805	34.50	8,065	38.75	9,364
22.00	4,502	26.25	5,661	30.50	6,878	34.75	8,141	39.00	9,441
22.25	4,569	26.50	5,731	30.75	6,951	35.00	8,216	39.25	9,518
22.50	4,635	26.75	5,802	31.00	7,024	35.25	8,292	39.50	9,596
22.75	4,702	27.00	5,872	31.25	7,097	35.50	8,368	39.75	9,674
23.00	4,769	27.25	5,943	31.50	7,171	35.75	8,443	40.00	9,751
23.25	4,837	27.50	6,014	31.75	7,245	36.00	8,519	40.25	9,829
23.50	4,904	27.75	6,085	32.00	7,318	36.25	8,596	40.50	9,907
23.75	4,972	28.00	6,156	32.25	7,392	36.50	8,672	40.75	9,985
24.00	5,040	28.25	6,227	32.50	7,467	36.75	8,748	41.00	10,063
24.25	5,108	28.50	6,299	32.75	7,541	37.00	8,825	41.25	10,141
24.50	5,177	28.75	6,371	33.00	7,615	37.25	8,901	41.50	10,220
24.75	5,245	29.00	6,442	33.25	7,690	37.50	8,978	41.75	10,298
25.00	5,314	29.25	6,515	33.50	7,765	37.75	9,055	42.00	10,377
25.25	5,383	29.50	6,587	33.75	7,840	38.00	9,132	42.25	10,455



## Capacity/Gauge Table Information

**TCLX 290466**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 266

Reporting Mark: TCLX 290466

Date: 24/06/2015

Capacity: 29,111 US Gallons (110,199 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,534	46.75	11,880	51.00	13,241	55.25	14,608	59.50	15,973
42.75	10,612	47.00	11,960	51.25	13,321	55.50	14,688	59.75	16,053
43.00	10,691	47.25	12,040	51.50	13,402	55.75	14,769	60.00	16,133
43.25	10,770	47.50	12,120	51.75	13,482	56.00	14,849	60.25	16,213
43.50	10,849	47.75	12,200	52.00	13,562	56.25	14,929	60.50	16,293
43.75	10,928	48.00	12,279	52.25	13,643	56.50	15,010	60.75	16,373
44.00	11,007	48.25	12,359	52.50	13,723	56.75	15,090	61.00	16,453
44.25	11,086	48.50	12,439	52.75	13,803	57.00	15,171	61.25	16,533
44.50	11,165	48.75	12,519	53.00	13,884	57.25	15,251	61.50	16,613
44.75	11,244	49.00	12,599	53.25	13,964	57.50	15,331	61.75	16,693
45.00	11,324	49.25	12,679	53.50	14,045	57.75	15,412	62.00	16,773
45.25	11,403	49.50	12,760	53.75	14,125	58.00	15,492	62.25	16,852
45.50	11,482	49.75	12,840	54.00	14,206	58.25	15,572	62.50	16,932
45.75	11,562	50.00	12,920	54.25	14,286	58.50	15,652	62.75	17,011
46.00	11,641	50.25	13,000	54.50	14,366	58.75	15,733	63.00	17,091
46.25	11,721	50.50	13,080	54.75	14,447	59.00	15,813	63.25	17,171
46.50	11,801	50.75	13,161	55.00	14,527	59.25	15,893	63.50	17,250



## Capacity/Gauge Table Information

**TCLX 290466**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 266

Reporting Mark: TCLX 290466

Date: 24/06/2015

Capacity: 29,111 US Gallons (110,199 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,329	68.00	18,669	72.25	19,983	76.50	21,264	80.75	22,502
64.00	17,409	68.25	18,747	72.50	20,059	76.75	21,338	81.00	22,574
64.25	17,488	68.50	18,825	72.75	20,136	77.00	21,412	81.25	22,645
64.50	17,567	68.75	18,903	73.00	20,212	77.25	21,486	81.50	22,716
64.75	17,646	69.00	18,981	73.25	20,288	77.50	21,559	81.75	22,787
65.00	17,725	69.25	19,058	73.50	20,364	77.75	21,633	82.00	22,857
65.25	17,804	69.50	19,136	73.75	20,439	78.00	21,706	82.25	22,928
65.50	17,883	69.75	19,213	74.00	20,515	78.25	21,780	82.50	22,998
65.75	17,962	70.00	19,291	74.25	20,590	78.50	21,853	82.75	23,068
66.00	18,041	70.25	19,368	74.50	20,666	78.75	21,925	83.00	23,138
66.25	18,120	70.50	19,445	74.75	20,741	79.00	21,998	83.25	23,207
66.50	18,198	70.75	19,523	75.00	20,816	79.25	22,071	83.50	23,277
66.75	18,277	71.00	19,600	75.25	20,891	79.50	22,143	83.75	23,346
67.00	18,356	71.25	19,676	75.50	20,966	79.75	22,215	84.00	23,415
67.25	18,434	71.50	19,753	75.75	21,041	80.00	22,287	84.25	23,484
67.50	18,512	71.75	19,830	76.00	21,115	80.25	22,359	84.50	23,552
67.75	18,591	72.00	19,907	76.25	21,190	80.50	22,431	84.75	23,621



## Capacity/Gauge Table Information

**TCLX 290466**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 266

Reporting Mark: TCLX 290466

Date: 24/06/2015

Capacity: 29,111 US Gallons (110,199 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,689	89.25	24,812	93.50	25,859	97.75	26,816	102.00	27,661
85.25	23,757	89.50	24,876	93.75	25,918	98.00	26,869	102.25	27,707
85.50	23,824	89.75	24,939	94.00	25,977	98.25	26,921	102.50	27,752
85.75	23,892	90.00	25,003	94.25	26,035	98.50	26,973	102.75	27,797
86.00	23,959	90.25	25,066	94.50	26,093	98.75	27,025	103.00	27,841
86.25	24,026	90.50	25,128	94.75	26,151	99.00	27,077	103.25	27,885
86.50	24,093	90.75	25,191	95.00	26,208	99.25	27,128	103.50	27,929
86.75	24,159	91.00	25,253	95.25	26,265	99.50	27,179	103.75	27,971
87.00	24,226	91.25	25,315	95.50	26,322	99.75	27,229	104.00	28,014
87.25	24,292	91.50	25,377	95.75	26,378	100.00	27,279	104.25	28,055
87.50	24,358	91.75	25,438	96.00	26,434	100.25	27,328	104.50	28,096
87.75	24,423	92.00	25,499	96.25	26,489	100.50	27,377	104.75	28,137
88.00	24,489	92.25	25,560	96.50	26,545	100.75	27,425	105.00	28,177
88.25	24,554	92.50	25,620	96.75	26,600	101.00	27,474	105.25	28,217
88.50	24,619	92.75	25,680	97.00	26,654	101.25	27,521	105.50	28,255
88.75	24,683	93.00	25,740	97.25	26,708	101.50	27,568	105.75	28,294
89.00	24,748	93.25	25,800	97.50	26,762	101.75	27,615	106.00	28,331



## Capacity/Gauge Table Information

**TCLX 290466**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 266

Reporting Mark: TCLX 290466

Date: 24/06/2015

Capacity: 29,111 US Gallons (110,199 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,368	110.50	28,885	114.75	29,098
106.50	28,405	110.75	28,907	115.00	29,102
106.75	28,441	111.00	28,928	115.25	29,105
107.00	28,476	111.25	28,947	115.50	29,107
107.25	28,510	111.50	28,965	115.75	29,109
107.50	28,544	111.75	28,982	116.00	29,110
107.75	28,577	112.00	28,997	116.25	29,111
108.00	28,609	112.25	29,012	116.50	29,111
108.25	28,641	112.50	29,025	116.75	29,111
108.50	28,671	112.75	29,037		
108.75	28,701	113.00	29,048		
109.00	28,730	113.25	29,058		
109.25	28,759	113.50	29,067		
109.50	28,786	113.75	29,075		
109.75	28,812	114.00	29,082		
110.00	28,838	114.25	29,088		
110.25	28,862	114.50	29,094		



## Capacity/Gauge Table Information

**TCLX 290467**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 267

Reporting Mark: TCLX 290467

Date: 19/06/2015

Capacity: 28,929 US Gallons (109,507 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	609	8.50	1,380	12.75	2,277	17.00	3,274
0.25	30	4.50	650	8.75	1,430	13.00	2,333	17.25	3,336
0.50	61	4.75	692	9.00	1,480	13.25	2,389	17.50	3,397
0.75	93	5.00	734	9.25	1,530	13.50	2,446	17.75	3,459
1.00	125	5.25	777	9.50	1,581	13.75	2,503	18.00	3,521
1.25	158	5.50	821	9.75	1,632	14.00	2,561	18.25	3,584
1.50	192	5.75	865	10.00	1,684	14.25	2,618	18.50	3,647
1.75	227	6.00	909	10.25	1,736	14.50	2,676	18.75	3,710
2.00	262	6.25	954	10.50	1,788	14.75	2,735	19.00	3,773
2.25	298	6.50	1,000	10.75	1,841	15.00	2,794	19.25	3,837
2.50	335	6.75	1,046	11.00	1,894	15.25	2,853	19.50	3,901
2.75	372	7.00	1,092	11.25	1,948	15.50	2,912	19.75	3,965
3.00	410	7.25	1,139	11.50	2,002	15.75	2,971	20.00	4,029
3.25	449	7.50	1,187	11.75	2,056	16.00	3,031	20.25	4,094
3.50	488	7.75	1,234	12.00	2,111	16.25	3,092	20.50	4,159
3.75	527	8.00	1,283	12.25	2,166	16.50	3,152	20.75	4,224
4.00	568	8.25	1,331	12.50	2,221	16.75	3,213	21.00	4,289





## Capacity/Gauge Table Information

**TCLX 290467**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 267

Reporting Mark: TCLX 290467

Date: 19/06/2015

Capacity: 28,929 US Gallons (109,507 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,355	25.50	5,505	29.75	6,712	34.00	7,967	38.25	9,259
21.50	4,420	25.75	5,574	30.00	6,785	34.25	8,042	38.50	9,336
21.75	4,487	26.00	5,644	30.25	6,857	34.50	8,117	38.75	9,413
22.00	4,553	26.25	5,714	30.50	6,930	34.75	8,192	39.00	9,490
22.25	4,619	26.50	5,784	30.75	7,003	35.00	8,268	39.25	9,568
22.50	4,686	26.75	5,854	31.00	7,076	35.25	8,343	39.50	9,645
22.75	4,753	27.00	5,925	31.25	7,150	35.50	8,419	39.75	9,723
23.00	4,820	27.25	5,995	31.50	7,223	35.75	8,495	40.00	9,800
23.25	4,888	27.50	6,066	31.75	7,297	36.00	8,571	40.25	9,878
23.50	4,956	27.75	6,137	32.00	7,371	36.25	8,647	40.50	9,956
23.75	5,023	28.00	6,208	32.25	7,445	36.50	8,723	40.75	10,034
24.00	5,092	28.25	6,280	32.50	7,519	36.75	8,799	41.00	10,112
24.25	5,160	28.50	6,351	32.75	7,593	37.00	8,876	41.25	10,190
24.50	5,228	28.75	6,423	33.00	7,668	37.25	8,952	41.50	10,268
24.75	5,297	29.00	6,495	33.25	7,742	37.50	9,029	41.75	10,346
25.00	5,366	29.25	6,567	33.50	7,817	37.75	9,105	42.00	10,424
25.25	5,435	29.50	6,640	33.75	7,892	38.00	9,182	42.25	10,502



## Capacity/Gauge Table Information

**TCLX 290467**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 267

Reporting Mark: TCLX 290467

Date: 19/06/2015

Capacity: 28,929 US Gallons (109,507 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,581	46.75	11,923	51.00	13,279	55.25	14,640	59.50	15,999
42.75	10,659	47.00	12,003	51.25	13,359	55.50	14,720	59.75	16,079
43.00	10,738	47.25	12,082	51.50	13,439	55.75	14,800	60.00	16,158
43.25	10,816	47.50	12,162	51.75	13,519	56.00	14,880	60.25	16,238
43.50	10,895	47.75	12,242	52.00	13,599	56.25	14,960	60.50	16,318
43.75	10,974	48.00	12,321	52.25	13,679	56.50	15,040	60.75	16,397
44.00	11,053	48.25	12,401	52.50	13,759	56.75	15,120	61.00	16,477
44.25	11,132	48.50	12,481	52.75	13,839	57.00	15,200	61.25	16,556
44.50	11,211	48.75	12,560	53.00	13,919	57.25	15,280	61.50	16,635
44.75	11,290	49.00	12,640	53.25	14,000	57.50	15,360	61.75	16,715
45.00	11,369	49.25	12,720	53.50	14,080	57.75	15,440	62.00	16,794
45.25	11,448	49.50	12,800	53.75	14,160	58.00	15,520	62.25	16,873
45.50	11,527	49.75	12,880	54.00	14,240	58.25	15,600	62.50	16,953
45.75	11,606	50.00	12,959	54.25	14,320	58.50	15,680	62.75	17,032
46.00	11,685	50.25	13,039	54.50	14,400	58.75	15,760	63.00	17,111
46.25	11,765	50.50	13,119	54.75	14,480	59.00	15,840	63.25	17,190
46.50	11,844	50.75	13,199	55.00	14,560	59.25	15,919	63.50	17,269



## Capacity/Gauge Table Information

**TCLX 290467**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 267

Reporting Mark: TCLX 290467

Date: 19/06/2015

Capacity: 28,929 US Gallons (109,507 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,348	68.00	18,679	72.25	19,984	76.50	21,255	80.75	22,483
64.00	17,427	68.25	18,757	72.50	20,060	76.75	21,329	81.00	22,554
64.25	17,506	68.50	18,834	72.75	20,136	77.00	21,402	81.25	22,624
64.50	17,584	68.75	18,911	73.00	20,211	77.25	21,475	81.50	22,695
64.75	17,663	69.00	18,989	73.25	20,287	77.50	21,548	81.75	22,765
65.00	17,742	69.25	19,066	73.50	20,362	77.75	21,621	82.00	22,835
65.25	17,820	69.50	19,143	73.75	20,437	78.00	21,694	82.25	22,904
65.50	17,899	69.75	19,220	74.00	20,512	78.25	21,767	82.50	22,974
65.75	17,977	70.00	19,297	74.25	20,587	78.50	21,839	82.75	23,043
66.00	18,055	70.25	19,374	74.50	20,662	78.75	21,911	83.00	23,112
66.25	18,133	70.50	19,450	74.75	20,737	79.00	21,983	83.25	23,181
66.50	18,212	70.75	19,527	75.00	20,811	79.25	22,055	83.50	23,250
66.75	18,290	71.00	19,604	75.25	20,886	79.50	22,127	83.75	23,318
67.00	18,368	71.25	19,680	75.50	20,960	79.75	22,199	84.00	23,387
67.25	18,446	71.50	19,756	75.75	21,034	80.00	22,270	84.25	23,455
67.50	18,524	71.75	19,832	76.00	21,108	80.25	22,341	84.50	23,523
67.75	18,601	72.00	19,908	76.25	21,182	80.50	22,412	84.75	23,590



## Capacity/Gauge Table Information

**TCLX 290467**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 267

Reporting Mark: TCLX 290467

Date: 19/06/2015

Capacity: 28,929 US Gallons (109,507 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,658	89.25	24,768	93.50	25,802	97.75	26,743	102.00	27,571
85.25	23,725	89.50	24,831	93.75	25,860	98.00	26,795	102.25	27,616
85.50	23,792	89.75	24,894	94.00	25,918	98.25	26,847	102.50	27,660
85.75	23,859	90.00	24,957	94.25	25,975	98.50	26,898	102.75	27,704
86.00	23,925	90.25	25,019	94.50	26,032	98.75	26,949	103.00	27,747
86.25	23,992	90.50	25,081	94.75	26,089	99.00	26,999	103.25	27,789
86.50	24,058	90.75	25,143	95.00	26,145	99.25	27,049	103.50	27,832
86.75	24,123	91.00	25,204	95.25	26,201	99.50	27,099	103.75	27,873
87.00	24,189	91.25	25,265	95.50	26,257	99.75	27,148	104.00	27,914
87.25	24,254	91.50	25,326	95.75	26,313	100.00	27,197	104.25	27,955
87.50	24,320	91.75	25,386	96.00	26,368	100.25	27,245	104.50	27,995
87.75	24,384	92.00	25,447	96.25	26,422	100.50	27,293	104.75	28,034
88.00	24,449	92.25	25,507	96.50	26,477	100.75	27,341	105.00	28,073
88.25	24,513	92.50	25,566	96.75	26,531	101.00	27,388	105.25	28,111
88.50	24,577	92.75	25,626	97.00	26,584	101.25	27,434	105.50	28,148
88.75	24,641	93.00	25,685	97.25	26,637	101.50	27,480	105.75	28,185
89.00	24,705	93.25	25,743	97.50	26,690	101.75	27,526	106.00	28,222



## Capacity/Gauge Table Information

**TCLX 290467**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 267

Reporting Mark: TCLX 290467

Date: 19/06/2015

Capacity: 28,929 US Gallons (109,507 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,257	110.50	28,744	114.75	28,922
106.50	28,292	110.75	28,763	115.00	28,925
106.75	28,327	111.00	28,782	115.25	28,926
107.00	28,360	111.25	28,798	115.50	28,928
107.25	28,393	111.50	28,814	115.75	28,928
107.50	28,426	111.75	28,828	116.00	28,929
107.75	28,457	112.00	28,842	116.25	28,929
108.00	28,488	112.25	28,854		
108.25	28,518	112.50	28,865		
108.50	28,547	112.75	28,875		
108.75	28,575	113.00	28,884		
109.00	28,602	113.25	28,892		
109.25	28,629	113.50	28,899		
109.50	28,654	113.75	28,906		
109.75	28,678	114.00	28,911		
110.00	28,702	114.25	28,915		
110.25	28,723	114.50	28,919		



## Capacity/Gauge Table Information

**TCLX 290468**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 268

Reporting Mark: TCLX 290468

Date: 18/06/2015

Capacity: 28,888 US Gallons (109,354 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	613	8.50	1,387	12.75	2,286	17.00	3,284
0.25	30	4.50	654	8.75	1,437	13.00	2,342	17.25	3,346
0.50	62	4.75	696	9.00	1,487	13.25	2,398	17.50	3,408
0.75	94	5.00	739	9.25	1,538	13.50	2,455	17.75	3,470
1.00	126	5.25	782	9.50	1,589	13.75	2,512	18.00	3,532
1.25	160	5.50	826	9.75	1,640	14.00	2,570	18.25	3,595
1.50	194	5.75	870	10.00	1,692	14.25	2,628	18.50	3,657
1.75	229	6.00	915	10.25	1,744	14.50	2,686	18.75	3,721
2.00	265	6.25	960	10.50	1,796	14.75	2,744	19.00	3,784
2.25	301	6.50	1,005	10.75	1,849	15.00	2,803	19.25	3,848
2.50	338	6.75	1,052	11.00	1,903	15.25	2,862	19.50	3,912
2.75	375	7.00	1,098	11.25	1,956	15.50	2,922	19.75	3,976
3.00	413	7.25	1,145	11.50	2,010	15.75	2,981	20.00	4,040
3.25	452	7.50	1,193	11.75	2,065	16.00	3,041	20.25	4,105
3.50	491	7.75	1,241	12.00	2,119	16.25	3,102	20.50	4,170
3.75	531	8.00	1,289	12.25	2,174	16.50	3,162	20.75	4,235
4.00	572	8.25	1,338	12.50	2,230	16.75	3,223	21.00	4,300



## Capacity/Gauge Table Information

**TCLX 290468**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 268

Reporting Mark: TCLX 290468

Date: 18/06/2015

Capacity: 28,888 US Gallons (109,354 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,366	25.50	5,516	29.75	6,724	34.00	7,979	38.25	9,271
21.50	4,432	25.75	5,586	30.00	6,797	34.25	8,054	38.50	9,348
21.75	4,498	26.00	5,656	30.25	6,869	34.50	8,129	38.75	9,425
22.00	4,564	26.25	5,726	30.50	6,942	34.75	8,204	39.00	9,502
22.25	4,631	26.50	5,796	30.75	7,015	35.00	8,280	39.25	9,580
22.50	4,698	26.75	5,866	31.00	7,089	35.25	8,355	39.50	9,657
22.75	4,765	27.00	5,937	31.25	7,162	35.50	8,431	39.75	9,734
23.00	4,832	27.25	6,007	31.50	7,236	35.75	8,507	40.00	9,812
23.25	4,899	27.50	6,078	31.75	7,309	36.00	8,583	40.25	9,890
23.50	4,967	27.75	6,149	32.00	7,383	36.25	8,659	40.50	9,967
23.75	5,035	28.00	6,221	32.25	7,457	36.50	8,735	40.75	10,045
24.00	5,103	28.25	6,292	32.50	7,531	36.75	8,811	41.00	10,123
24.25	5,172	28.50	6,364	32.75	7,605	37.00	8,888	41.25	10,201
24.50	5,240	28.75	6,435	33.00	7,680	37.25	8,964	41.50	10,279
24.75	5,309	29.00	6,507	33.25	7,754	37.50	9,041	41.75	10,357
25.00	5,378	29.25	6,579	33.50	7,829	37.75	9,117	42.00	10,435
25.25	5,447	29.50	6,652	33.75	7,904	38.00	9,194	42.25	10,514





## Capacity/Gauge Table Information

**TCLX 290468**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 268

Reporting Mark: TCLX 290468

Date: 18/06/2015

Capacity: 28,888 US Gallons (109,354 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,592	46.75	11,934	51.00	13,289	55.25	14,649	59.50	16,006
42.75	10,671	47.00	12,013	51.25	13,369	55.50	14,729	59.75	16,086
43.00	10,749	47.25	12,093	51.50	13,449	55.75	14,809	60.00	16,165
43.25	10,828	47.50	12,172	51.75	13,529	56.00	14,888	60.25	16,245
43.50	10,906	47.75	12,252	52.00	13,608	56.25	14,968	60.50	16,324
43.75	10,985	48.00	12,331	52.25	13,688	56.50	15,048	60.75	16,404
44.00	11,064	48.25	12,411	52.50	13,768	56.75	15,128	61.00	16,483
44.25	11,143	48.50	12,491	52.75	13,848	57.00	15,208	61.25	16,562
44.50	11,221	48.75	12,570	53.00	13,928	57.25	15,288	61.50	16,642
44.75	11,300	49.00	12,650	53.25	14,008	57.50	15,368	61.75	16,721
45.00	11,379	49.25	12,730	53.50	14,088	57.75	15,448	62.00	16,800
45.25	11,458	49.50	12,810	53.75	14,168	58.00	15,528	62.25	16,879
45.50	11,538	49.75	12,889	54.00	14,249	58.25	15,607	62.50	16,958
45.75	11,617	50.00	12,969	54.25	14,329	58.50	15,687	62.75	17,037
46.00	11,696	50.25	13,049	54.50	14,409	58.75	15,767	63.00	17,116
46.25	11,775	50.50	13,129	54.75	14,489	59.00	15,847	63.25	17,195
46.50	11,855	50.75	13,209	55.00	14,569	59.25	15,926	63.50	17,274



## Capacity/Gauge Table Information

**TCLX 290468**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 268

Reporting Mark: TCLX 290468

Date: 18/06/2015

Capacity: 28,888 US Gallons (109,354 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,353	68.00	18,682	72.25	19,986	76.50	21,255	80.75	22,480
64.00	17,432	68.25	18,760	72.50	20,061	76.75	21,328	81.00	22,550
64.25	17,511	68.50	18,837	72.75	20,137	77.00	21,401	81.25	22,621
64.50	17,589	68.75	18,915	73.00	20,212	77.25	21,474	81.50	22,691
64.75	17,668	69.00	18,992	73.25	20,288	77.50	21,547	81.75	22,761
65.00	17,746	69.25	19,069	73.50	20,363	77.75	21,620	82.00	22,831
65.25	17,825	69.50	19,146	73.75	20,438	78.00	21,692	82.25	22,900
65.50	17,903	69.75	19,223	74.00	20,513	78.25	21,765	82.50	22,970
65.75	17,981	70.00	19,300	74.25	20,588	78.50	21,837	82.75	23,039
66.00	18,060	70.25	19,376	74.50	20,662	78.75	21,909	83.00	23,108
66.25	18,138	70.50	19,453	74.75	20,737	79.00	21,981	83.25	23,176
66.50	18,216	70.75	19,529	75.00	20,811	79.25	22,053	83.50	23,245
66.75	18,294	71.00	19,606	75.25	20,885	79.50	22,125	83.75	23,313
67.00	18,372	71.25	19,682	75.50	20,960	79.75	22,196	84.00	23,381
67.25	18,450	71.50	19,758	75.75	21,034	80.00	22,267	84.25	23,449
67.50	18,527	71.75	19,834	76.00	21,107	80.25	22,338	84.50	23,517
67.75	18,605	72.00	19,910	76.25	21,181	80.50	22,409	84.75	23,585



## Capacity/Gauge Table Information

**TCLX 290468**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 268

Reporting Mark: TCLX 290468

Date: 18/06/2015

Capacity: 28,888 US Gallons (109,354 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,652	89.25	24,759	93.50	25,790	97.75	26,727	102.00	27,551
85.25	23,719	89.50	24,822	93.75	25,847	98.00	26,779	102.25	27,595
85.50	23,786	89.75	24,885	94.00	25,905	98.25	26,830	102.50	27,639
85.75	23,852	90.00	24,947	94.25	25,962	98.50	26,881	102.75	27,683
86.00	23,919	90.25	25,009	94.50	26,019	98.75	26,932	103.00	27,725
86.25	23,985	90.50	25,071	94.75	26,076	99.00	26,982	103.25	27,768
86.50	24,051	90.75	25,132	95.00	26,132	99.25	27,032	103.50	27,810
86.75	24,116	91.00	25,194	95.25	26,188	99.50	27,081	103.75	27,851
87.00	24,182	91.25	25,255	95.50	26,243	99.75	27,130	104.00	27,892
87.25	24,247	91.50	25,315	95.75	26,298	100.00	27,179	104.25	27,932
87.50	24,312	91.75	25,376	96.00	26,353	100.25	27,227	104.50	27,971
87.75	24,377	92.00	25,436	96.25	26,408	100.50	27,275	104.75	28,010
88.00	24,441	92.25	25,495	96.50	26,462	100.75	27,322	105.00	28,049
88.25	24,505	92.50	25,555	96.75	26,516	101.00	27,368	105.25	28,087
88.50	24,569	92.75	25,614	97.00	26,569	101.25	27,415	105.50	28,124
88.75	24,633	93.00	25,673	97.25	26,622	101.50	27,461	105.75	28,161
89.00	24,696	93.25	25,731	97.50	26,675	101.75	27,506	106.00	28,197



## Capacity/Gauge Table Information

**TCLX 290468**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 268

Reporting Mark: TCLX 290468

Date: 18/06/2015

Capacity: 28,888 US Gallons (109,354 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,232	110.50	28,710	114.75	28,882
106.50	28,267	110.75	28,729	115.00	28,884
106.75	28,300	111.00	28,746	115.25	28,886
107.00	28,334	111.25	28,762	115.50	28,887
107.25	28,366	111.50	28,778	115.75	28,888
107.50	28,398	111.75	28,792	116.00	28,888
107.75	28,429	112.00	28,804	116.25	28,888
108.00	28,459	112.25	28,816		
108.25	28,489	112.50	28,827		
108.50	28,517	112.75	28,837		
108.75	28,545	113.00	28,845		
109.00	28,572	113.25	28,853		
109.25	28,598	113.50	28,860		
109.50	28,623	113.75	28,866		
109.75	28,646	114.00	28,871		
110.00	28,669	114.25	28,876		
110.25	28,690	114.50	28,879		



## Capacity/Gauge Table Information

**TCLX 290469**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 269

Reporting Mark: TCLX 290469

Date: 18/06/2015

Capacity: 28,936 US Gallons (109,535 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	602	8.50	1,369	12.75	2,262	17.00	3,256
0.25	30	4.50	643	8.75	1,419	13.00	2,318	17.25	3,317
0.50	60	4.75	685	9.00	1,468	13.25	2,374	17.50	3,378
0.75	92	5.00	727	9.25	1,519	13.50	2,431	17.75	3,440
1.00	124	5.25	770	9.50	1,569	13.75	2,487	18.00	3,502
1.25	156	5.50	813	9.75	1,620	14.00	2,545	18.25	3,565
1.50	190	5.75	857	10.00	1,672	14.25	2,602	18.50	3,627
1.75	224	6.00	901	10.25	1,723	14.50	2,660	18.75	3,690
2.00	259	6.25	946	10.50	1,775	14.75	2,718	19.00	3,753
2.25	295	6.50	991	10.75	1,828	15.00	2,777	19.25	3,817
2.50	331	6.75	1,037	11.00	1,881	15.25	2,835	19.50	3,880
2.75	368	7.00	1,083	11.25	1,934	15.50	2,895	19.75	3,944
3.00	406	7.25	1,129	11.50	1,988	15.75	2,954	20.00	4,009
3.25	444	7.50	1,177	11.75	2,042	16.00	3,014	20.25	4,073
3.50	483	7.75	1,224	12.00	2,096	16.25	3,074	20.50	4,138
3.75	522	8.00	1,272	12.25	2,151	16.50	3,134	20.75	4,203
4.00	562	8.25	1,321	12.50	2,206	16.75	3,195	21.00	4,268



## Capacity/Gauge Table Information

**TCLX 290469**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 269

Reporting Mark: TCLX 290469

Date: 18/06/2015

Capacity: 28,936 US Gallons (109,535 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,333	25.50	5,481	29.75	6,686	34.00	7,939	38.25	9,230
21.50	4,399	25.75	5,550	30.00	6,758	34.25	8,014	38.50	9,307
21.75	4,465	26.00	5,620	30.25	6,831	34.50	8,089	38.75	9,384
22.00	4,531	26.25	5,690	30.50	6,904	34.75	8,164	39.00	9,461
22.25	4,598	26.50	5,760	30.75	6,977	35.00	8,239	39.25	9,538
22.50	4,664	26.75	5,830	31.00	7,050	35.25	8,315	39.50	9,615
22.75	4,731	27.00	5,900	31.25	7,123	35.50	8,391	39.75	9,693
23.00	4,798	27.25	5,971	31.50	7,197	35.75	8,466	40.00	9,770
23.25	4,865	27.50	6,041	31.75	7,270	36.00	8,542	40.25	9,848
23.50	4,933	27.75	6,112	32.00	7,344	36.25	8,618	40.50	9,926
23.75	5,001	28.00	6,183	32.25	7,418	36.50	8,694	40.75	10,003
24.00	5,069	28.25	6,255	32.50	7,492	36.75	8,770	41.00	10,081
24.25	5,137	28.50	6,326	32.75	7,566	37.00	8,847	41.25	10,159
24.50	5,205	28.75	6,398	33.00	7,640	37.25	8,923	41.50	10,237
24.75	5,274	29.00	6,470	33.25	7,715	37.50	9,000	41.75	10,315
25.00	5,343	29.25	6,542	33.50	7,789	37.75	9,076	42.00	10,394
25.25	5,412	29.50	6,614	33.75	7,864	38.00	9,153	42.25	10,472



## Capacity/Gauge Table Information

**TCLX 290469**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 269

Reporting Mark: TCLX 290469

Date: 18/06/2015

Capacity: 28,936 US Gallons (109,535 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,550	46.75	11,892	51.00	13,247	55.25	14,607	59.50	15,966
42.75	10,629	47.00	11,971	51.25	13,327	55.50	14,687	59.75	16,046
43.00	10,707	47.25	12,051	51.50	13,407	55.75	14,767	60.00	16,125
43.25	10,786	47.50	12,130	51.75	13,487	56.00	14,848	60.25	16,205
43.50	10,864	47.75	12,210	52.00	13,567	56.25	14,928	60.50	16,285
43.75	10,943	48.00	12,289	52.25	13,647	56.50	15,008	60.75	16,364
44.00	11,022	48.25	12,369	52.50	13,727	56.75	15,088	61.00	16,444
44.25	11,101	48.50	12,449	52.75	13,807	57.00	15,167	61.25	16,523
44.50	11,179	48.75	12,528	53.00	13,887	57.25	15,247	61.50	16,602
44.75	11,258	49.00	12,608	53.25	13,967	57.50	15,327	61.75	16,682
45.00	11,337	49.25	12,688	53.50	14,047	57.75	15,407	62.00	16,761
45.25	11,416	49.50	12,768	53.75	14,127	58.00	15,487	62.25	16,840
45.50	11,496	49.75	12,847	54.00	14,207	58.25	15,567	62.50	16,920
45.75	11,575	50.00	12,927	54.25	14,287	58.50	15,647	62.75	16,999
46.00	11,654	50.25	13,007	54.50	14,367	58.75	15,727	63.00	17,078
46.25	11,733	50.50	13,087	54.75	14,447	59.00	15,806	63.25	17,157
46.50	11,812	50.75	13,167	55.00	14,527	59.25	15,886	63.50	17,236





## Capacity/Gauge Table Information

**TCLX 290469**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 269

Reporting Mark: TCLX 290469

Date: 18/06/2015

Capacity: 28,936 US Gallons (109,535 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,315	68.00	18,646	72.25	19,952	76.50	21,224	80.75	22,453
64.00	17,394	68.25	18,724	72.50	20,028	76.75	21,298	81.00	22,524
64.25	17,473	68.50	18,801	72.75	20,104	77.00	21,371	81.25	22,595
64.50	17,551	68.75	18,879	73.00	20,179	77.25	21,445	81.50	22,665
64.75	17,630	69.00	18,956	73.25	20,255	77.50	21,518	81.75	22,735
65.00	17,709	69.25	19,033	73.50	20,330	77.75	21,591	82.00	22,805
65.25	17,787	69.50	19,111	73.75	20,406	78.00	21,663	82.25	22,875
65.50	17,866	69.75	19,188	74.00	20,481	78.25	21,736	82.50	22,945
65.75	17,944	70.00	19,265	74.25	20,556	78.50	21,809	82.75	23,014
66.00	18,022	70.25	19,341	74.50	20,630	78.75	21,881	83.00	23,083
66.25	18,101	70.50	19,418	74.75	20,705	79.00	21,953	83.25	23,152
66.50	18,179	70.75	19,495	75.00	20,780	79.25	22,025	83.50	23,221
66.75	18,257	71.00	19,571	75.25	20,854	79.50	22,097	83.75	23,290
67.00	18,335	71.25	19,648	75.50	20,928	79.75	22,168	84.00	23,358
67.25	18,413	71.50	19,724	75.75	21,003	80.00	22,240	84.25	23,426
67.50	18,491	71.75	19,800	76.00	21,077	80.25	22,311	84.50	23,494
67.75	18,569	72.00	19,876	76.25	21,151	80.50	22,382	84.75	23,562



## Capacity/Gauge Table Information

**TCLX 290469**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 269

Reporting Mark: TCLX 290469

Date: 18/06/2015

Capacity: 28,936 US Gallons (109,535 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,630	89.25	24,742	93.50	25,778	97.75	26,723	102.00	27,555
85.25	23,697	89.50	24,805	93.75	25,837	98.00	26,775	102.25	27,600
85.50	23,764	89.75	24,868	94.00	25,895	98.25	26,827	102.50	27,644
85.75	23,831	90.00	24,931	94.25	25,952	98.50	26,878	102.75	27,688
86.00	23,898	90.25	24,993	94.50	26,009	98.75	26,929	103.00	27,732
86.25	23,964	90.50	25,056	94.75	26,066	99.00	26,980	103.25	27,775
86.50	24,030	90.75	25,117	95.00	26,123	99.25	27,030	103.50	27,817
86.75	24,096	91.00	25,179	95.25	26,179	99.50	27,080	103.75	27,859
87.00	24,162	91.25	25,240	95.50	26,235	99.75	27,130	104.00	27,901
87.25	24,227	91.50	25,301	95.75	26,291	100.00	27,179	104.25	27,941
87.50	24,293	91.75	25,362	96.00	26,346	100.25	27,227	104.50	27,982
87.75	24,358	92.00	25,422	96.25	26,401	100.50	27,276	104.75	28,021
88.00	24,422	92.25	25,482	96.50	26,455	100.75	27,323	105.00	28,060
88.25	24,487	92.50	25,542	96.75	26,510	101.00	27,371	105.25	28,099
88.50	24,551	92.75	25,602	97.00	26,563	101.25	27,417	105.50	28,137
88.75	24,615	93.00	25,661	97.25	26,617	101.50	27,464	105.75	28,174
89.00	24,679	93.25	25,720	97.50	26,670	101.75	27,510	106.00	28,211



## Capacity/Gauge Table Information

**TCLX 290469**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 269

Reporting Mark: TCLX 290469

Date: 18/06/2015

Capacity: 28,936 US Gallons (109,535 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,247	110.50	28,743	114.75	28,929
106.50	28,282	110.75	28,763	115.00	28,932
106.75	28,317	111.00	28,782	115.25	28,934
107.00	28,351	111.25	28,800	115.50	28,935
107.25	28,384	111.50	28,816	115.75	28,936
107.50	28,417	111.75	28,831	116.00	28,936
107.75	28,449	112.00	28,845	116.25	28,936
108.00	28,480	112.25	28,858		
108.25	28,511	112.50	28,870		
108.50	28,540	112.75	28,880		
108.75	28,569	113.00	28,890		
109.00	28,597	113.25	28,898		
109.25	28,624	113.50	28,905		
109.50	28,650	113.75	28,912		
109.75	28,675	114.00	28,917		
110.00	28,699	114.25	28,922		
110.25	28,722	114.50	28,926		



## Capacity/Gauge Table Information

**TCLX 290470**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 270

Reporting Mark: TCLX 290470

Date: 15/06/2015

Capacity: 29,099 US Gallons (110,151 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,352	12.75	2,241	17.00	3,233
0.25	29	4.50	632	8.75	1,401	13.00	2,296	17.25	3,294
0.50	58	4.75	673	9.00	1,450	13.25	2,352	17.50	3,355
0.75	89	5.00	714	9.25	1,500	13.50	2,409	17.75	3,417
1.00	120	5.25	757	9.50	1,550	13.75	2,466	18.00	3,479
1.25	152	5.50	799	9.75	1,601	14.00	2,523	18.25	3,542
1.50	185	5.75	843	10.00	1,652	14.25	2,580	18.50	3,604
1.75	219	6.00	887	10.25	1,704	14.50	2,638	18.75	3,667
2.00	253	6.25	931	10.50	1,756	14.75	2,696	19.00	3,730
2.25	288	6.50	976	10.75	1,808	15.00	2,754	19.25	3,794
2.50	324	6.75	1,021	11.00	1,861	15.25	2,813	19.50	3,857
2.75	360	7.00	1,067	11.25	1,914	15.50	2,872	19.75	3,921
3.00	397	7.25	1,113	11.50	1,968	15.75	2,931	20.00	3,985
3.25	434	7.50	1,160	11.75	2,021	16.00	2,991	20.25	4,050
3.50	473	7.75	1,207	12.00	2,076	16.25	3,051	20.50	4,115
3.75	511	8.00	1,255	12.25	2,130	16.50	3,111	20.75	4,180
4.00	551	8.25	1,303	12.50	2,185	16.75	3,172	21.00	4,245



## Capacity/Gauge Table Information

**TCLX 290470**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 270

Reporting Mark: TCLX 290470

Date: 15/06/2015

Capacity: 29,099 US Gallons (110,151 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,310	25.50	5,458	29.75	6,666	34.00	7,921	38.25	9,216
21.50	4,376	25.75	5,528	30.00	6,738	34.25	7,996	38.50	9,293
21.75	4,442	26.00	5,598	30.25	6,811	34.50	8,072	38.75	9,370
22.00	4,508	26.25	5,668	30.50	6,884	34.75	8,147	39.00	9,447
22.25	4,574	26.50	5,738	30.75	6,957	35.00	8,223	39.25	9,525
22.50	4,641	26.75	5,808	31.00	7,030	35.25	8,298	39.50	9,603
22.75	4,708	27.00	5,878	31.25	7,104	35.50	8,374	39.75	9,680
23.00	4,775	27.25	5,949	31.50	7,177	35.75	8,450	40.00	9,758
23.25	4,842	27.50	6,020	31.75	7,251	36.00	8,526	40.25	9,836
23.50	4,910	27.75	6,091	32.00	7,325	36.25	8,602	40.50	9,914
23.75	4,978	28.00	6,162	32.25	7,399	36.50	8,679	40.75	9,992
24.00	5,046	28.25	6,234	32.50	7,473	36.75	8,755	41.00	10,070
24.25	5,114	28.50	6,305	32.75	7,547	37.00	8,831	41.25	10,148
24.50	5,183	28.75	6,377	33.00	7,622	37.25	8,908	41.50	10,226
24.75	5,251	29.00	6,449	33.25	7,697	37.50	8,985	41.75	10,305
25.00	5,320	29.25	6,521	33.50	7,771	37.75	9,062	42.00	10,383
25.25	5,389	29.50	6,593	33.75	7,846	38.00	9,139	42.25	10,462



## Capacity/Gauge Table Information

**TCLX 290470**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 270

Reporting Mark: TCLX 290470

Date: 15/06/2015

Capacity: 29,099 US Gallons (110,151 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,540	46.75	11,887	51.00	13,247	55.25	14,614	59.50	15,978
42.75	10,619	47.00	11,966	51.25	13,327	55.50	14,694	59.75	16,059
43.00	10,698	47.25	12,046	51.50	13,408	55.75	14,774	60.00	16,139
43.25	10,777	47.50	12,126	51.75	13,488	56.00	14,855	60.25	16,219
43.50	10,855	47.75	12,206	52.00	13,568	56.25	14,935	60.50	16,299
43.75	10,934	48.00	12,286	52.25	13,649	56.50	15,015	60.75	16,379
44.00	11,013	48.25	12,366	52.50	13,729	56.75	15,096	61.00	16,458
44.25	11,092	48.50	12,446	52.75	13,809	57.00	15,176	61.25	16,538
44.50	11,172	48.75	12,526	53.00	13,890	57.25	15,257	61.50	16,618
44.75	11,251	49.00	12,606	53.25	13,970	57.50	15,337	61.75	16,698
45.00	11,330	49.25	12,686	53.50	14,051	57.75	15,417	62.00	16,778
45.25	11,410	49.50	12,766	53.75	14,131	58.00	15,497	62.25	16,857
45.50	11,489	49.75	12,846	54.00	14,211	58.25	15,578	62.50	16,937
45.75	11,568	50.00	12,926	54.25	14,292	58.50	15,658	62.75	17,016
46.00	11,648	50.25	13,006	54.50	14,372	58.75	15,738	63.00	17,096
46.25	11,727	50.50	13,087	54.75	14,453	59.00	15,818	63.25	17,175
46.50	11,807	50.75	13,167	55.00	14,533	59.25	15,898	63.50	17,255



## Capacity/Gauge Table Information

**TCLX 290470**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 270

Reporting Mark: TCLX 290470

Date: 15/06/2015

Capacity: 29,099 US Gallons (110,151 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,334	68.00	18,673	72.25	19,987	76.50	21,267	80.75	22,504
64.00	17,414	68.25	18,751	72.50	20,063	76.75	21,341	81.00	22,576
64.25	17,493	68.50	18,829	72.75	20,139	77.00	21,415	81.25	22,647
64.50	17,572	68.75	18,907	73.00	20,215	77.25	21,488	81.50	22,718
64.75	17,651	69.00	18,985	73.25	20,291	77.50	21,562	81.75	22,788
65.00	17,730	69.25	19,062	73.50	20,367	77.75	21,636	82.00	22,859
65.25	17,809	69.50	19,140	73.75	20,443	78.00	21,709	82.25	22,929
65.50	17,888	69.75	19,217	74.00	20,518	78.25	21,782	82.50	22,999
65.75	17,967	70.00	19,295	74.25	20,594	78.50	21,855	82.75	23,069
66.00	18,046	70.25	19,372	74.50	20,669	78.75	21,928	83.00	23,139
66.25	18,124	70.50	19,449	74.75	20,744	79.00	22,001	83.25	23,209
66.50	18,203	70.75	19,526	75.00	20,819	79.25	22,073	83.50	23,278
66.75	18,281	71.00	19,603	75.25	20,894	79.50	22,145	83.75	23,347
67.00	18,360	71.25	19,680	75.50	20,969	79.75	22,217	84.00	23,416
67.25	18,438	71.50	19,757	75.75	21,044	80.00	22,289	84.25	23,485
67.50	18,517	71.75	19,834	76.00	21,118	80.25	22,361	84.50	23,553
67.75	18,595	72.00	19,910	76.25	21,193	80.50	22,433	84.75	23,622





## Capacity/Gauge Table Information

**TCLX 290470**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 270

Reporting Mark: TCLX 290470

Date: 15/06/2015

Capacity: 29,099 US Gallons (110,151 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,690	89.25	24,812	93.50	25,858	97.75	26,813	102.00	27,657
85.25	23,758	89.50	24,876	93.75	25,917	98.00	26,866	102.25	27,703
85.50	23,825	89.75	24,939	94.00	25,975	98.25	26,918	102.50	27,748
85.75	23,893	90.00	25,002	94.25	26,034	98.50	26,971	102.75	27,793
86.00	23,960	90.25	25,065	94.50	26,091	98.75	27,022	103.00	27,837
86.25	24,027	90.50	25,128	94.75	26,149	99.00	27,074	103.25	27,881
86.50	24,094	90.75	25,190	95.00	26,206	99.25	27,125	103.50	27,924
86.75	24,160	91.00	25,252	95.25	26,263	99.50	27,175	103.75	27,966
87.00	24,226	91.25	25,314	95.50	26,320	99.75	27,225	104.00	28,009
87.25	24,292	91.50	25,376	95.75	26,376	100.00	27,275	104.25	28,050
87.50	24,358	91.75	25,437	96.00	26,432	100.25	27,324	104.50	28,091
87.75	24,424	92.00	25,498	96.25	26,487	100.50	27,373	104.75	28,132
88.00	24,489	92.25	25,559	96.50	26,543	100.75	27,422	105.00	28,172
88.25	24,554	92.50	25,619	96.75	26,597	101.00	27,470	105.25	28,211
88.50	24,619	92.75	25,679	97.00	26,652	101.25	27,517	105.50	28,250
88.75	24,683	93.00	25,739	97.25	26,706	101.50	27,564	105.75	28,288
89.00	24,748	93.25	25,799	97.50	26,760	101.75	27,611	106.00	28,325



## Capacity/Gauge Table Information

**TCLX 290470**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 270

Reporting Mark: TCLX 290470

Date: 15/06/2015

Capacity: 29,099 US Gallons (110,151 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,362	110.50	28,876	114.75	29,086
106.50	28,398	110.75	28,897	115.00	29,089
106.75	28,434	111.00	28,918	115.25	29,092
107.00	28,469	111.25	28,937	115.50	29,095
107.25	28,503	111.50	28,954	115.75	29,097
107.50	28,537	111.75	28,971	116.00	29,098
107.75	28,570	112.00	28,986	116.25	29,098
108.00	28,602	112.25	29,000	116.50	29,099
108.25	28,633	112.50	29,013	116.75	29,099
108.50	28,664	112.75	29,025		
108.75	28,693	113.00	29,036		
109.00	28,722	113.25	29,046		
109.25	28,750	113.50	29,055		
109.50	28,778	113.75	29,063		
109.75	28,804	114.00	29,070		
110.00	28,829	114.25	29,076		
110.25	28,853	114.50	29,081		



## Capacity/Gauge Table Information

**TCLX 290471**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 271

Reporting Mark: TCLX 290471

Date: 15/06/2015

Capacity: 28,990 US Gallons (109,738 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	579	8.50	1,330	12.75	2,209	17.00	3,192
0.25	28	4.50	619	8.75	1,378	13.00	2,264	17.25	3,253
0.50	57	4.75	660	9.00	1,427	13.25	2,320	17.50	3,314
0.75	87	5.00	701	9.25	1,476	13.50	2,376	17.75	3,375
1.00	117	5.25	742	9.50	1,526	13.75	2,432	18.00	3,436
1.25	148	5.50	785	9.75	1,576	14.00	2,488	18.25	3,498
1.50	181	5.75	827	10.00	1,627	14.25	2,545	18.50	3,560
1.75	213	6.00	870	10.25	1,678	14.50	2,602	18.75	3,623
2.00	247	6.25	914	10.50	1,729	14.75	2,660	19.00	3,685
2.25	281	6.50	958	10.75	1,781	15.00	2,718	19.25	3,748
2.50	316	6.75	1,003	11.00	1,833	15.25	2,776	19.50	3,811
2.75	352	7.00	1,048	11.25	1,886	15.50	2,835	19.75	3,875
3.00	388	7.25	1,094	11.50	1,939	15.75	2,893	20.00	3,939
3.25	425	7.50	1,140	11.75	1,992	16.00	2,953	20.25	4,002
3.50	463	7.75	1,187	12.00	2,046	16.25	3,012	20.50	4,067
3.75	501	8.00	1,234	12.25	2,100	16.50	3,072	20.75	4,131
4.00	540	8.25	1,282	12.50	2,154	16.75	3,132	21.00	4,196



## Capacity/Gauge Table Information

**TCLX 290471**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 271

Reporting Mark: TCLX 290471

Date: 15/06/2015

Capacity: 28,990 US Gallons (109,738 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,261	25.50	5,401	29.75	6,600	34.00	7,847	38.25	9,134
21.50	4,326	25.75	5,470	30.00	6,672	34.25	7,922	38.50	9,211
21.75	4,391	26.00	5,539	30.25	6,744	34.50	7,997	38.75	9,288
22.00	4,457	26.25	5,608	30.50	6,817	34.75	8,072	39.00	9,365
22.25	4,523	26.50	5,678	30.75	6,889	35.00	8,147	39.25	9,442
22.50	4,589	26.75	5,748	31.00	6,962	35.25	8,222	39.50	9,519
22.75	4,656	27.00	5,818	31.25	7,035	35.50	8,298	39.75	9,596
23.00	4,722	27.25	5,888	31.50	7,108	35.75	8,373	40.00	9,673
23.25	4,789	27.50	5,958	31.75	7,181	36.00	8,449	40.25	9,751
23.50	4,856	27.75	6,029	32.00	7,255	36.25	8,524	40.50	9,828
23.75	4,923	28.00	6,100	32.25	7,328	36.50	8,600	40.75	9,906
24.00	4,991	28.25	6,170	32.50	7,402	36.75	8,676	41.00	9,984
24.25	5,059	28.50	6,242	32.75	7,476	37.00	8,752	41.25	10,061
24.50	5,127	28.75	6,313	33.00	7,550	37.25	8,828	41.50	10,139
24.75	5,195	29.00	6,384	33.25	7,624	37.50	8,905	41.75	10,217
25.00	5,263	29.25	6,456	33.50	7,698	37.75	8,981	42.00	10,295
25.25	5,332	29.50	6,528	33.75	7,773	38.00	9,058	42.25	10,373



## Capacity/Gauge Table Information

**TCLX 290471**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 271

Reporting Mark: TCLX 290471

Date: 15/06/2015

Capacity: 28,990 US Gallons (109,738 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,452	46.75	11,791	51.00	13,145	55.25	14,505	59.50	15,864
42.75	10,530	47.00	11,870	51.25	13,225	55.50	14,585	59.75	15,944
43.00	10,608	47.25	11,950	51.50	13,305	55.75	14,665	60.00	16,023
43.25	10,687	47.50	12,029	51.75	13,384	56.00	14,745	60.25	16,103
43.50	10,765	47.75	12,109	52.00	13,464	56.25	14,825	60.50	16,183
43.75	10,844	48.00	12,188	52.25	13,544	56.50	14,905	60.75	16,262
44.00	10,922	48.25	12,268	52.50	13,624	56.75	14,985	61.00	16,342
44.25	11,001	48.50	12,347	52.75	13,704	57.00	15,065	61.25	16,421
44.50	11,080	48.75	12,427	53.00	13,784	57.25	15,145	61.50	16,501
44.75	11,158	49.00	12,506	53.25	13,864	57.50	15,225	61.75	16,580
45.00	11,237	49.25	12,586	53.50	13,944	57.75	15,305	62.00	16,660
45.25	11,316	49.50	12,666	53.75	14,025	58.00	15,385	62.25	16,739
45.50	11,395	49.75	12,746	54.00	14,105	58.25	15,465	62.50	16,818
45.75	11,474	50.00	12,825	54.25	14,185	58.50	15,545	62.75	16,898
46.00	11,553	50.25	12,905	54.50	14,265	58.75	15,624	63.00	16,977
46.25	11,633	50.50	12,985	54.75	14,345	59.00	15,704	63.25	17,056
46.50	11,712	50.75	13,065	55.00	14,425	59.25	15,784	63.50	17,135



## Capacity/Gauge Table Information

**TCLX 290471**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 271

Reporting Mark: TCLX 290471

Date: 15/06/2015

Capacity: 28,990 US Gallons (109,738 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,214	68.00	18,548	72.25	19,857	76.50	21,133	80.75	22,368
64.00	17,293	68.25	18,626	72.50	19,933	76.75	21,207	81.00	22,439
64.25	17,372	68.50	18,703	72.75	20,009	77.00	21,281	81.25	22,510
64.50	17,451	68.75	18,781	73.00	20,085	77.25	21,354	81.50	22,580
64.75	17,530	69.00	18,858	73.25	20,161	77.50	21,428	81.75	22,651
65.00	17,608	69.25	18,936	73.50	20,236	77.75	21,501	82.00	22,721
65.25	17,687	69.50	19,013	73.75	20,312	78.00	21,574	82.25	22,792
65.50	17,766	69.75	19,090	74.00	20,387	78.25	21,647	82.50	22,862
65.75	17,844	70.00	19,168	74.25	20,462	78.50	21,720	82.75	22,931
66.00	17,923	70.25	19,245	74.50	20,537	78.75	21,793	83.00	23,001
66.25	18,001	70.50	19,321	74.75	20,612	79.00	21,865	83.25	23,070
66.50	18,080	70.75	19,398	75.00	20,687	79.25	21,937	83.50	23,140
66.75	18,158	71.00	19,475	75.25	20,762	79.50	22,010	83.75	23,209
67.00	18,236	71.25	19,552	75.50	20,836	79.75	22,082	84.00	23,277
67.25	18,314	71.50	19,628	75.75	20,911	80.00	22,153	84.25	23,346
67.50	18,392	71.75	19,705	76.00	20,985	80.25	22,225	84.50	23,414
67.75	18,470	72.00	19,781	76.25	21,059	80.50	22,296	84.75	23,483



## Capacity/Gauge Table Information

**TCLX 290471**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 271

Reporting Mark: TCLX 290471

Date: 15/06/2015

Capacity: 28,990 US Gallons (109,738 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,551	89.25	24,671	93.50	25,717	97.75	26,672	102.00	27,519
85.25	23,618	89.50	24,735	93.75	25,775	98.00	26,725	102.25	27,565
85.50	23,686	89.75	24,798	94.00	25,834	98.25	26,778	102.50	27,610
85.75	23,753	90.00	24,861	94.25	25,892	98.50	26,830	102.75	27,655
86.00	23,820	90.25	24,924	94.50	25,950	98.75	26,882	103.00	27,700
86.25	23,887	90.50	24,987	94.75	26,008	99.00	26,934	103.25	27,744
86.50	23,954	90.75	25,049	95.00	26,065	99.25	26,985	103.50	27,787
86.75	24,020	91.00	25,111	95.25	26,122	99.50	27,035	103.75	27,830
87.00	24,086	91.25	25,173	95.50	26,179	99.75	27,086	104.00	27,872
87.25	24,152	91.50	25,235	95.75	26,235	100.00	27,136	104.25	27,914
87.50	24,218	91.75	25,296	96.00	26,291	100.25	27,185	104.50	27,956
87.75	24,283	92.00	25,357	96.25	26,346	100.50	27,234	104.75	27,996
88.00	24,349	92.25	25,418	96.50	26,402	100.75	27,283	105.00	28,037
88.25	24,414	92.50	25,478	96.75	26,456	101.00	27,331	105.25	28,076
88.50	24,478	92.75	25,538	97.00	26,511	101.25	27,379	105.50	28,115
88.75	24,543	93.00	25,598	97.25	26,565	101.50	27,426	105.75	28,154
89.00	24,607	93.25	25,657	97.50	26,619	101.75	27,473	106.00	28,192





## Capacity/Gauge Table Information

**TCLX 290471**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 271

Reporting Mark: TCLX 290471

Date: 15/06/2015

Capacity: 28,990 US Gallons (109,738 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,229	110.50	28,753	114.75	28,976
106.50	28,266	110.75	28,776	115.00	28,980
106.75	28,302	111.00	28,797	115.25	28,983
107.00	28,337	111.25	28,818	115.50	28,985
107.25	28,372	111.50	28,836	115.75	28,987
107.50	28,406	111.75	28,854	116.00	28,988
107.75	28,439	112.00	28,870	116.25	28,989
108.00	28,472	112.25	28,885	116.50	28,990
108.25	28,504	112.50	28,899	116.75	28,990
108.50	28,535	112.75	28,912		
108.75	28,565	113.00	28,923		
109.00	28,595	113.25	28,934		
109.25	28,623	113.50	28,943		
109.50	28,651	113.75	28,952		
109.75	28,678	114.00	28,959		
110.00	28,704	114.25	28,966		
110.25	28,729	114.50	28,971		



## Capacity/Gauge Table Information

**TCLX 290472**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 272

Reporting Mark: TCLX 290472

Date: 12/06/2015

Capacity: 29,104 US Gallons (110,171 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,350	12.75	2,239	17.00	3,231
0.25	29	4.50	631	8.75	1,399	13.00	2,295	17.25	3,292
0.50	58	4.75	672	9.00	1,449	13.25	2,351	17.50	3,353
0.75	89	5.00	714	9.25	1,499	13.50	2,407	17.75	3,415
1.00	120	5.25	756	9.50	1,549	13.75	2,464	18.00	3,477
1.25	152	5.50	799	9.75	1,600	14.00	2,521	18.25	3,539
1.50	185	5.75	842	10.00	1,651	14.25	2,578	18.50	3,602
1.75	218	6.00	886	10.25	1,702	14.50	2,636	18.75	3,665
2.00	252	6.25	930	10.50	1,754	14.75	2,694	19.00	3,728
2.25	287	6.50	975	10.75	1,807	15.00	2,752	19.25	3,791
2.50	323	6.75	1,020	11.00	1,859	15.25	2,811	19.50	3,855
2.75	359	7.00	1,066	11.25	1,912	15.50	2,870	19.75	3,919
3.00	396	7.25	1,112	11.50	1,966	15.75	2,929	20.00	3,983
3.25	434	7.50	1,159	11.75	2,020	16.00	2,989	20.25	4,048
3.50	472	7.75	1,206	12.00	2,074	16.25	3,049	20.50	4,112
3.75	511	8.00	1,254	12.25	2,129	16.50	3,109	20.75	4,177
4.00	550	8.25	1,302	12.50	2,184	16.75	3,170	21.00	4,242



## Capacity/Gauge Table Information

**TCLX 290472**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 272

Reporting Mark: TCLX 290472

Date: 12/06/2015

Capacity: 29,104 US Gallons (110,171 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,308	25.50	5,456	29.75	6,663	34.00	7,918	38.25	9,213
21.50	4,374	25.75	5,525	30.00	6,736	34.25	7,994	38.50	9,290
21.75	4,439	26.00	5,595	30.25	6,808	34.50	8,069	38.75	9,367
22.00	4,506	26.25	5,665	30.50	6,881	34.75	8,144	39.00	9,445
22.25	4,572	26.50	5,735	30.75	6,954	35.00	8,220	39.25	9,522
22.50	4,639	26.75	5,805	31.00	7,028	35.25	8,296	39.50	9,600
22.75	4,706	27.00	5,876	31.25	7,101	35.50	8,371	39.75	9,677
23.00	4,773	27.25	5,946	31.50	7,175	35.75	8,447	40.00	9,755
23.25	4,840	27.50	6,017	31.75	7,248	36.00	8,523	40.25	9,833
23.50	4,908	27.75	6,088	32.00	7,322	36.25	8,599	40.50	9,911
23.75	4,975	28.00	6,159	32.25	7,396	36.50	8,676	40.75	9,989
24.00	5,043	28.25	6,231	32.50	7,470	36.75	8,752	41.00	10,067
24.25	5,112	28.50	6,302	32.75	7,545	37.00	8,829	41.25	10,145
24.50	5,180	28.75	6,374	33.00	7,619	37.25	8,905	41.50	10,224
24.75	5,249	29.00	6,446	33.25	7,694	37.50	8,982	41.75	10,302
25.00	5,318	29.25	6,518	33.50	7,769	37.75	9,059	42.00	10,380
25.25	5,387	29.50	6,591	33.75	7,843	38.00	9,136	42.25	10,459



## Capacity/Gauge Table Information

**TCLX 290472**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 272

Reporting Mark: TCLX 290472

Date: 12/06/2015

Capacity: 29,104 US Gallons (110,171 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,537	46.75	11,884	51.00	13,244	55.25	14,611	59.50	15,976
42.75	10,616	47.00	11,964	51.25	13,325	55.50	14,691	59.75	16,056
43.00	10,695	47.25	12,043	51.50	13,405	55.75	14,772	60.00	16,136
43.25	10,774	47.50	12,123	51.75	13,485	56.00	14,852	60.25	16,216
43.50	10,853	47.75	12,203	52.00	13,566	56.25	14,933	60.50	16,296
43.75	10,932	48.00	12,283	52.25	13,646	56.50	15,013	60.75	16,376
44.00	11,011	48.25	12,363	52.50	13,726	56.75	15,093	61.00	16,456
44.25	11,090	48.50	12,443	52.75	13,807	57.00	15,174	61.25	16,536
44.50	11,169	48.75	12,523	53.00	13,887	57.25	15,254	61.50	16,616
44.75	11,248	49.00	12,603	53.25	13,968	57.50	15,334	61.75	16,696
45.00	11,327	49.25	12,683	53.50	14,048	57.75	15,415	62.00	16,775
45.25	11,407	49.50	12,763	53.75	14,128	58.00	15,495	62.25	16,855
45.50	11,486	49.75	12,843	54.00	14,209	58.25	15,575	62.50	16,935
45.75	11,566	50.00	12,923	54.25	14,289	58.50	15,655	62.75	17,014
46.00	11,645	50.25	13,004	54.50	14,370	58.75	15,736	63.00	17,094
46.25	11,725	50.50	13,084	54.75	14,450	59.00	15,816	63.25	17,173
46.50	11,804	50.75	13,164	55.00	14,531	59.25	15,896	63.50	17,253



## Capacity/Gauge Table Information

**TCLX 290472**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 272

Reporting Mark: TCLX 290472

Date: 12/06/2015

Capacity: 29,104 US Gallons (110,171 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,332	68.00	18,671	72.25	19,985	76.50	21,265	80.75	22,503
64.00	17,411	68.25	18,749	72.50	20,061	76.75	21,340	81.00	22,575
64.25	17,491	68.50	18,827	72.75	20,138	77.00	21,413	81.25	22,646
64.50	17,570	68.75	18,905	73.00	20,214	77.25	21,487	81.50	22,717
64.75	17,649	69.00	18,983	73.25	20,290	77.50	21,561	81.75	22,787
65.00	17,728	69.25	19,060	73.50	20,365	77.75	21,634	82.00	22,858
65.25	17,807	69.50	19,138	73.75	20,441	78.00	21,708	82.25	22,928
65.50	17,886	69.75	19,216	74.00	20,517	78.25	21,781	82.50	22,999
65.75	17,965	70.00	19,293	74.25	20,592	78.50	21,854	82.75	23,069
66.00	18,044	70.25	19,370	74.50	20,668	78.75	21,927	83.00	23,138
66.25	18,122	70.50	19,447	74.75	20,743	79.00	21,999	83.25	23,208
66.50	18,201	70.75	19,525	75.00	20,818	79.25	22,072	83.50	23,277
66.75	18,279	71.00	19,602	75.25	20,893	79.50	22,144	83.75	23,346
67.00	18,358	71.25	19,678	75.50	20,968	79.75	22,216	84.00	23,415
67.25	18,436	71.50	19,755	75.75	21,042	80.00	22,288	84.25	23,484
67.50	18,515	71.75	19,832	76.00	21,117	80.25	22,360	84.50	23,553
67.75	18,593	72.00	19,909	76.25	21,191	80.50	22,432	84.75	23,621



## Capacity/Gauge Table Information

**TCLX 290472**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 272

Reporting Mark: TCLX 290472

Date: 12/06/2015

Capacity: 29,104 US Gallons (110,171 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,689	89.25	24,812	93.50	25,858	97.75	26,814	102.00	27,659
85.25	23,757	89.50	24,875	93.75	25,917	98.00	26,867	102.25	27,704
85.50	23,825	89.75	24,939	94.00	25,976	98.25	26,919	102.50	27,750
85.75	23,892	90.00	25,002	94.25	26,034	98.50	26,972	102.75	27,794
86.00	23,959	90.25	25,065	94.50	26,092	98.75	27,023	103.00	27,839
86.25	24,026	90.50	25,128	94.75	26,150	99.00	27,075	103.25	27,882
86.50	24,093	90.75	25,190	95.00	26,207	99.25	27,126	103.50	27,926
86.75	24,160	91.00	25,253	95.25	26,264	99.50	27,177	103.75	27,968
87.00	24,226	91.25	25,314	95.50	26,320	99.75	27,227	104.00	28,011
87.25	24,292	91.50	25,376	95.75	26,377	100.00	27,276	104.25	28,052
87.50	24,358	91.75	25,437	96.00	26,433	100.25	27,326	104.50	28,093
87.75	24,423	92.00	25,498	96.25	26,488	100.50	27,375	104.75	28,134
88.00	24,489	92.25	25,559	96.50	26,543	100.75	27,423	105.00	28,174
88.25	24,554	92.50	25,620	96.75	26,598	101.00	27,471	105.25	28,213
88.50	24,619	92.75	25,680	97.00	26,653	101.25	27,519	105.50	28,252
88.75	24,683	93.00	25,740	97.25	26,707	101.50	27,566	105.75	28,290
89.00	24,748	93.25	25,799	97.50	26,761	101.75	27,613	106.00	28,328



## Capacity/Gauge Table Information

**TCLX 290472**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 272

Reporting Mark: TCLX 290472

Date: 12/06/2015

Capacity: 29,104 US Gallons (110,171 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,365	110.50	28,880	114.75	29,091
106.50	28,401	110.75	28,901	115.00	29,095
106.75	28,437	111.00	28,922	115.25	29,098
107.00	28,472	111.25	28,941	115.50	29,100
107.25	28,506	111.50	28,959	115.75	29,102
107.50	28,540	111.75	28,975	116.00	29,103
107.75	28,573	112.00	28,991	116.25	29,104
108.00	28,605	112.25	29,005	116.50	29,104
108.25	28,636	112.50	29,018	116.75	29,104
108.50	28,667	112.75	29,030		
108.75	28,697	113.00	29,041		
109.00	28,726	113.25	29,051		
109.25	28,754	113.50	29,060		
109.50	28,781	113.75	29,068		
109.75	28,807	114.00	29,075		
110.00	28,833	114.25	29,081		
110.25	28,857	114.50	29,087		





## Capacity/Gauge Table Information

**TCLX 290473**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 273

Reporting Mark: TCLX 290473

Date: 15/06/2015

Capacity: 28,971 US Gallons (109,667 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,223	17.00	3,209
0.25	28	4.50	625	8.75	1,389	13.00	2,278	17.25	3,269
0.50	58	4.75	666	9.00	1,438	13.25	2,334	17.50	3,330
0.75	88	5.00	707	9.25	1,487	13.50	2,390	17.75	3,392
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,453
1.25	150	5.50	792	9.75	1,588	14.00	2,503	18.25	3,515
1.50	183	5.75	835	10.00	1,638	14.25	2,560	18.50	3,578
1.75	216	6.00	878	10.25	1,689	14.50	2,617	18.75	3,640
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,703
2.25	285	6.50	967	10.75	1,793	15.00	2,733	19.25	3,766
2.50	320	6.75	1,012	11.00	1,845	15.25	2,791	19.50	3,829
2.75	356	7.00	1,057	11.25	1,898	15.50	2,850	19.75	3,893
3.00	393	7.25	1,103	11.50	1,951	15.75	2,909	20.00	3,957
3.25	430	7.50	1,150	11.75	2,005	16.00	2,968	20.25	4,021
3.50	468	7.75	1,196	12.00	2,059	16.25	3,028	20.50	4,085
3.75	506	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,150
4.00	545	8.25	1,292	12.50	2,168	16.75	3,148	21.00	4,214



## Capacity/Gauge Table Information

**TCLX 290473**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 273

Reporting Mark: TCLX 290473

Date: 15/06/2015

Capacity: 28,971 US Gallons (109,667 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,280	25.50	5,421	29.75	6,622	34.00	7,871	38.25	9,159
21.50	4,345	25.75	5,490	30.00	6,694	34.25	7,946	38.50	9,236
21.75	4,410	26.00	5,560	30.25	6,767	34.50	8,021	38.75	9,312
22.00	4,476	26.25	5,629	30.50	6,839	34.75	8,096	39.00	9,389
22.25	4,542	26.50	5,699	30.75	6,912	35.00	8,171	39.25	9,466
22.50	4,609	26.75	5,769	31.00	6,985	35.25	8,246	39.50	9,544
22.75	4,675	27.00	5,839	31.25	7,058	35.50	8,321	39.75	9,621
23.00	4,742	27.25	5,909	31.50	7,131	35.75	8,397	40.00	9,698
23.25	4,809	27.50	5,980	31.75	7,204	36.00	8,473	40.25	9,776
23.50	4,876	27.75	6,050	32.00	7,278	36.25	8,548	40.50	9,853
23.75	4,943	28.00	6,121	32.25	7,351	36.50	8,624	40.75	9,931
24.00	5,011	28.25	6,192	32.50	7,425	36.75	8,700	41.00	10,009
24.25	5,079	28.50	6,263	32.75	7,499	37.00	8,776	41.25	10,087
24.50	5,147	28.75	6,335	33.00	7,573	37.25	8,853	41.50	10,164
24.75	5,215	29.00	6,406	33.25	7,647	37.50	8,929	41.75	10,242
25.00	5,284	29.25	6,478	33.50	7,722	37.75	9,006	42.00	10,320
25.25	5,352	29.50	6,550	33.75	7,796	38.00	9,082	42.25	10,399



## Capacity/Gauge Table Information

**TCLX 290473**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 273

Reporting Mark: TCLX 290473

Date: 15/06/2015

Capacity: 28,971 US Gallons (109,667 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,477	46.75	11,817	51.00	13,171	55.25	14,531	59.50	15,889
42.75	10,555	47.00	11,896	51.25	13,250	55.50	14,611	59.75	15,969
43.00	10,633	47.25	11,975	51.50	13,330	55.75	14,691	60.00	16,049
43.25	10,712	47.50	12,055	51.75	13,410	56.00	14,771	60.25	16,128
43.50	10,790	47.75	12,134	52.00	13,490	56.25	14,851	60.50	16,208
43.75	10,869	48.00	12,214	52.25	13,570	56.50	14,931	60.75	16,288
44.00	10,948	48.25	12,293	52.50	13,650	56.75	15,011	61.00	16,367
44.25	11,026	48.50	12,373	52.75	13,730	57.00	15,091	61.25	16,447
44.50	11,105	48.75	12,453	53.00	13,810	57.25	15,171	61.50	16,526
44.75	11,184	49.00	12,532	53.25	13,890	57.50	15,251	61.75	16,606
45.00	11,263	49.25	12,612	53.50	13,970	57.75	15,331	62.00	16,685
45.25	11,342	49.50	12,692	53.75	14,050	58.00	15,410	62.25	16,764
45.50	11,421	49.75	12,771	54.00	14,130	58.25	15,490	62.50	16,843
45.75	11,500	50.00	12,851	54.25	14,210	58.50	15,570	62.75	16,923
46.00	11,579	50.25	12,931	54.50	14,291	58.75	15,650	63.00	17,002
46.25	11,658	50.50	13,011	54.75	14,371	59.00	15,730	63.25	17,081
46.50	11,737	50.75	13,091	55.00	14,451	59.25	15,810	63.50	17,160



## Capacity/Gauge Table Information

**TCLX 290473**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 273

Reporting Mark: TCLX 290473

Date: 15/06/2015

Capacity: 28,971 US Gallons (109,667 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,239	68.00	18,572	72.25	19,880	76.50	21,155	80.75	22,388
64.00	17,318	68.25	18,650	72.50	19,956	76.75	21,229	81.00	22,459
64.25	17,397	68.50	18,727	72.75	20,032	77.00	21,302	81.25	22,529
64.50	17,476	68.75	18,805	73.00	20,108	77.25	21,376	81.50	22,600
64.75	17,554	69.00	18,882	73.25	20,183	77.50	21,449	81.75	22,670
65.00	17,633	69.25	18,960	73.50	20,259	77.75	21,522	82.00	22,741
65.25	17,712	69.50	19,037	73.75	20,334	78.00	21,595	82.25	22,811
65.50	17,790	69.75	19,114	74.00	20,409	78.25	21,668	82.50	22,881
65.75	17,869	70.00	19,191	74.25	20,485	78.50	21,741	82.75	22,950
66.00	17,947	70.25	19,268	74.50	20,560	78.75	21,813	83.00	23,020
66.25	18,026	70.50	19,345	74.75	20,634	79.00	21,886	83.25	23,089
66.50	18,104	70.75	19,422	75.00	20,709	79.25	21,958	83.50	23,158
66.75	18,182	71.00	19,498	75.25	20,784	79.50	22,030	83.75	23,227
67.00	18,260	71.25	19,575	75.50	20,858	79.75	22,102	84.00	23,296
67.25	18,338	71.50	19,651	75.75	20,933	80.00	22,173	84.25	23,364
67.50	18,416	71.75	19,728	76.00	21,007	80.25	22,245	84.50	23,432
67.75	18,494	72.00	19,804	76.25	21,081	80.50	22,316	84.75	23,501



## Capacity/Gauge Table Information

**TCLX 290473**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 273

Reporting Mark: TCLX 290473

Date: 15/06/2015

Capacity: 28,971 US Gallons (109,667 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,568	89.25	24,686	93.50	25,729	97.75	26,681	102.00	27,524
85.25	23,636	89.50	24,750	93.75	25,788	98.00	26,734	102.25	27,569
85.50	23,703	89.75	24,813	94.00	25,846	98.25	26,787	102.50	27,614
85.75	23,771	90.00	24,876	94.25	25,904	98.50	26,839	102.75	27,659
86.00	23,837	90.25	24,939	94.50	25,962	98.75	26,890	103.00	27,703
86.25	23,904	90.50	25,001	94.75	26,019	99.00	26,942	103.25	27,747
86.50	23,971	90.75	25,064	95.00	26,076	99.25	26,992	103.50	27,790
86.75	24,037	91.00	25,126	95.25	26,133	99.50	27,043	103.75	27,833
87.00	24,103	91.25	25,187	95.50	26,189	99.75	27,093	104.00	27,875
87.25	24,169	91.50	25,249	95.75	26,246	100.00	27,142	104.25	27,916
87.50	24,234	91.75	25,310	96.00	26,301	100.25	27,192	104.50	27,957
87.75	24,300	92.00	25,371	96.25	26,357	100.50	27,240	104.75	27,998
88.00	24,365	92.25	25,431	96.50	26,412	100.75	27,289	105.00	28,038
88.25	24,430	92.50	25,491	96.75	26,466	101.00	27,337	105.25	28,077
88.50	24,494	92.75	25,551	97.00	26,521	101.25	27,384	105.50	28,116
88.75	24,558	93.00	25,611	97.25	26,575	101.50	27,431	105.75	28,154
89.00	24,623	93.25	25,670	97.50	26,628	101.75	27,478	106.00	28,191



## Capacity/Gauge Table Information

**TCLX 290473**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 273

Reporting Mark: TCLX 290473

Date: 15/06/2015

Capacity: 28,971 US Gallons (109,667 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,228	110.50	28,744	114.75	28,958
106.50	28,265	110.75	28,766	115.00	28,961
106.75	28,300	111.00	28,787	115.25	28,964
107.00	28,335	111.25	28,806	115.50	28,967
107.25	28,370	111.50	28,824	115.75	28,969
107.50	28,403	111.75	28,841	116.00	28,970
107.75	28,436	112.00	28,856	116.25	28,971
108.00	28,468	112.25	28,871	116.50	28,971
108.25	28,500	112.50	28,884	116.75	28,971
108.50	28,530	112.75	28,896		
108.75	28,560	113.00	28,907		
109.00	28,589	113.25	28,917		
109.25	28,617	113.50	28,926		
109.50	28,645	113.75	28,935		
109.75	28,671	114.00	28,942		
110.00	28,696	114.25	28,948		
110.25	28,721	114.50	28,953		



## Capacity/Gauge Table Information

**TCLX 290474**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 274

Reporting Mark: TCLX 290474

Date: 15/06/2015

Capacity: 28,939 US Gallons (109,545 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,223	17.00	3,208
0.25	28	4.50	626	8.75	1,389	13.00	2,278	17.25	3,269
0.50	58	4.75	667	9.00	1,438	13.25	2,334	17.50	3,330
0.75	88	5.00	708	9.25	1,488	13.50	2,390	17.75	3,391
1.00	119	5.25	750	9.50	1,538	13.75	2,446	18.00	3,453
1.25	151	5.50	792	9.75	1,588	14.00	2,503	18.25	3,515
1.50	183	5.75	835	10.00	1,639	14.25	2,560	18.50	3,577
1.75	216	6.00	879	10.25	1,690	14.50	2,617	18.75	3,640
2.00	250	6.25	923	10.50	1,741	14.75	2,675	19.00	3,702
2.25	285	6.50	967	10.75	1,793	15.00	2,733	19.25	3,765
2.50	320	6.75	1,012	11.00	1,846	15.25	2,791	19.50	3,829
2.75	356	7.00	1,058	11.25	1,899	15.50	2,850	19.75	3,892
3.00	393	7.25	1,104	11.50	1,952	15.75	2,909	20.00	3,956
3.25	430	7.50	1,150	11.75	2,005	16.00	2,968	20.25	4,020
3.50	468	7.75	1,197	12.00	2,059	16.25	3,028	20.50	4,084
3.75	507	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,149
4.00	546	8.25	1,292	12.50	2,168	16.75	3,148	21.00	4,214





## Capacity/Gauge Table Information

**TCLX 290474**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 274

Reporting Mark: TCLX 290474

Date: 15/06/2015

Capacity: 28,939 US Gallons (109,545 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,279	25.50	5,420	29.75	6,619	34.00	7,867	38.25	9,154
21.50	4,344	25.75	5,489	30.00	6,692	34.25	7,942	38.50	9,231
21.75	4,409	26.00	5,558	30.25	6,764	34.50	8,017	38.75	9,308
22.00	4,475	26.25	5,627	30.50	6,836	34.75	8,092	39.00	9,385
22.25	4,541	26.50	5,697	30.75	6,909	35.00	8,167	39.25	9,462
22.50	4,607	26.75	5,767	31.00	6,982	35.25	8,242	39.50	9,539
22.75	4,674	27.00	5,837	31.25	7,055	35.50	8,317	39.75	9,616
23.00	4,741	27.25	5,907	31.50	7,128	35.75	8,393	40.00	9,693
23.25	4,808	27.50	5,978	31.75	7,201	36.00	8,469	40.25	9,771
23.50	4,875	27.75	6,048	32.00	7,275	36.25	8,544	40.50	9,848
23.75	4,942	28.00	6,119	32.25	7,348	36.50	8,620	40.75	9,926
24.00	5,010	28.25	6,190	32.50	7,422	36.75	8,696	41.00	10,003
24.25	5,077	28.50	6,261	32.75	7,496	37.00	8,772	41.25	10,081
24.50	5,145	28.75	6,332	33.00	7,570	37.25	8,848	41.50	10,159
24.75	5,214	29.00	6,404	33.25	7,644	37.50	8,925	41.75	10,237
25.00	5,282	29.25	6,476	33.50	7,718	37.75	9,001	42.00	10,315
25.25	5,351	29.50	6,547	33.75	7,793	38.00	9,077	42.25	10,393



## Capacity/Gauge Table Information

**TCLX 290474**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 274

Reporting Mark: TCLX 290474

Date: 15/06/2015

Capacity: 28,939 US Gallons (109,545 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,471	46.75	11,810	51.00	13,162	55.25	14,521	59.50	15,878
42.75	10,549	47.00	11,889	51.25	13,242	55.50	14,601	59.75	15,958
43.00	10,627	47.25	11,968	51.50	13,322	55.75	14,681	60.00	16,037
43.25	10,706	47.50	12,047	51.75	13,402	56.00	14,761	60.25	16,117
43.50	10,784	47.75	12,127	52.00	13,482	56.25	14,841	60.50	16,197
43.75	10,863	48.00	12,206	52.25	13,561	56.50	14,921	60.75	16,276
44.00	10,941	48.25	12,286	52.50	13,641	56.75	15,001	61.00	16,356
44.25	11,020	48.50	12,365	52.75	13,721	57.00	15,080	61.25	16,435
44.50	11,099	48.75	12,445	53.00	13,801	57.25	15,160	61.50	16,514
44.75	11,177	49.00	12,524	53.25	13,881	57.50	15,240	61.75	16,594
45.00	11,256	49.25	12,604	53.50	13,961	57.75	15,320	62.00	16,673
45.25	11,335	49.50	12,684	53.75	14,041	58.00	15,400	62.25	16,752
45.50	11,414	49.75	12,763	54.00	14,121	58.25	15,480	62.50	16,831
45.75	11,493	50.00	12,843	54.25	14,201	58.50	15,559	62.75	16,910
46.00	11,572	50.25	12,923	54.50	14,281	58.75	15,639	63.00	16,990
46.25	11,651	50.50	13,003	54.75	14,361	59.00	15,719	63.25	17,069
46.50	11,730	50.75	13,082	55.00	14,441	59.25	15,799	63.50	17,148



## Capacity/Gauge Table Information

**TCLX 290474**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 274

Reporting Mark: TCLX 290474

Date: 15/06/2015

Capacity: 28,939 US Gallons (109,545 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,226	68.00	18,558	72.25	19,865	76.50	21,138	80.75	22,369
64.00	17,305	68.25	18,636	72.50	19,940	76.75	21,212	81.00	22,440
64.25	17,384	68.50	18,713	72.75	20,016	77.00	21,285	81.25	22,511
64.50	17,463	68.75	18,791	73.00	20,092	77.25	21,358	81.50	22,581
64.75	17,542	69.00	18,868	73.25	20,167	77.50	21,432	81.75	22,652
65.00	17,620	69.25	18,945	73.50	20,243	77.75	21,505	82.00	22,722
65.25	17,699	69.50	19,022	73.75	20,318	78.00	21,578	82.25	22,792
65.50	17,777	69.75	19,099	74.00	20,393	78.25	21,650	82.50	22,861
65.75	17,856	70.00	19,176	74.25	20,468	78.50	21,723	82.75	22,931
66.00	17,934	70.25	19,253	74.50	20,543	78.75	21,796	83.00	23,000
66.25	18,012	70.50	19,330	74.75	20,618	79.00	21,868	83.25	23,070
66.50	18,090	70.75	19,407	75.00	20,693	79.25	21,940	83.50	23,139
66.75	18,169	71.00	19,483	75.25	20,767	79.50	22,012	83.75	23,207
67.00	18,247	71.25	19,560	75.50	20,842	79.75	22,084	84.00	23,276
67.25	18,325	71.50	19,636	75.75	20,916	80.00	22,155	84.25	23,344
67.50	18,402	71.75	19,712	76.00	20,990	80.25	22,227	84.50	23,413
67.75	18,480	72.00	19,788	76.25	21,064	80.50	22,298	84.75	23,481



## Capacity/Gauge Table Information

**TCLX 290474**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 274

Reporting Mark: TCLX 290474

Date: 15/06/2015

Capacity: 28,939 US Gallons (109,545 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,548	89.25	24,665	93.50	25,706	97.75	26,657	102.00	27,497
85.25	23,616	89.50	24,728	93.75	25,765	98.00	26,709	102.25	27,543
85.50	23,683	89.75	24,791	94.00	25,823	98.25	26,762	102.50	27,588
85.75	23,750	90.00	24,854	94.25	25,881	98.50	26,814	102.75	27,632
86.00	23,817	90.25	24,917	94.50	25,938	98.75	26,865	103.00	27,677
86.25	23,884	90.50	24,979	94.75	25,996	99.00	26,916	103.25	27,720
86.50	23,950	90.75	25,042	95.00	26,053	99.25	26,967	103.50	27,763
86.75	24,016	91.00	25,103	95.25	26,109	99.50	27,017	103.75	27,806
87.00	24,082	91.25	25,165	95.50	26,166	99.75	27,067	104.00	27,848
87.25	24,148	91.50	25,226	95.75	26,222	100.00	27,117	104.25	27,889
87.50	24,213	91.75	25,287	96.00	26,277	100.25	27,166	104.50	27,930
87.75	24,279	92.00	25,348	96.25	26,333	100.50	27,215	104.75	27,970
88.00	24,344	92.25	25,408	96.50	26,387	100.75	27,263	105.00	28,010
88.25	24,408	92.50	25,468	96.75	26,442	101.00	27,311	105.25	28,049
88.50	24,473	92.75	25,528	97.00	26,496	101.25	27,358	105.50	28,088
88.75	24,537	93.00	25,588	97.25	26,550	101.50	27,405	105.75	28,126
89.00	24,601	93.25	25,647	97.50	26,604	101.75	27,451	106.00	28,163



## Capacity/Gauge Table Information

**TCLX 290474**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 274

Reporting Mark: TCLX 290474

Date: 15/06/2015

Capacity: 28,939 US Gallons (109,545 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,200	110.50	28,714	114.75	28,926
106.50	28,236	110.75	28,736	115.00	28,929
106.75	28,272	111.00	28,756	115.25	28,932
107.00	28,307	111.25	28,775	115.50	28,935
107.25	28,341	111.50	28,793	115.75	28,937
107.50	28,375	111.75	28,810	116.00	28,938
107.75	28,407	112.00	28,825	116.25	28,938
108.00	28,440	112.25	28,840	116.50	28,939
108.25	28,471	112.50	28,853	116.75	28,939
108.50	28,501	112.75	28,865		
108.75	28,531	113.00	28,876		
109.00	28,560	113.25	28,886		
109.25	28,588	113.50	28,895		
109.50	28,615	113.75	28,903		
109.75	28,641	114.00	28,910		
110.00	28,667	114.25	28,916		
110.25	28,691	114.50	28,921		



## Capacity/Gauge Table Information

**TCLX 290475**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 275

Reporting Mark: TCLX 290475

Date: 10/06/2015

Capacity: 28,983 US Gallons (109,713 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,351	12.75	2,239	17.00	3,228
0.25	29	4.50	632	8.75	1,400	13.00	2,294	17.25	3,289
0.50	59	4.75	673	9.00	1,450	13.25	2,350	17.50	3,351
0.75	89	5.00	715	9.25	1,499	13.50	2,406	17.75	3,412
1.00	120	5.25	757	9.50	1,550	13.75	2,463	18.00	3,474
1.25	153	5.50	800	9.75	1,600	14.00	2,520	18.25	3,536
1.50	185	5.75	843	10.00	1,651	14.25	2,577	18.50	3,599
1.75	219	6.00	887	10.25	1,703	14.50	2,635	18.75	3,661
2.00	253	6.25	931	10.50	1,755	14.75	2,693	19.00	3,724
2.25	288	6.50	976	10.75	1,807	15.00	2,751	19.25	3,788
2.50	324	6.75	1,021	11.00	1,860	15.25	2,810	19.50	3,851
2.75	360	7.00	1,067	11.25	1,913	15.50	2,868	19.75	3,915
3.00	397	7.25	1,113	11.50	1,966	15.75	2,928	20.00	3,979
3.25	435	7.50	1,160	11.75	2,020	16.00	2,987	20.25	4,043
3.50	473	7.75	1,207	12.00	2,074	16.25	3,047	20.50	4,108
3.75	512	8.00	1,255	12.25	2,128	16.50	3,107	20.75	4,172
4.00	551	8.25	1,303	12.50	2,183	16.75	3,168	21.00	4,237



## Capacity/Gauge Table Information

**TCLX 290475**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 275

Reporting Mark: TCLX 290475

Date: 10/06/2015

Capacity: 28,983 US Gallons (109,713 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,303	25.50	5,448	29.75	6,651	34.00	7,903	38.25	9,193
21.50	4,368	25.75	5,517	30.00	6,724	34.25	7,978	38.50	9,270
21.75	4,434	26.00	5,586	30.25	6,796	34.50	8,053	38.75	9,347
22.00	4,500	26.25	5,656	30.50	6,869	34.75	8,128	39.00	9,424
22.25	4,566	26.50	5,726	30.75	6,942	35.00	8,203	39.25	9,501
22.50	4,633	26.75	5,796	31.00	7,015	35.25	8,279	39.50	9,579
22.75	4,699	27.00	5,866	31.25	7,088	35.50	8,354	39.75	9,656
23.00	4,766	27.25	5,937	31.50	7,161	35.75	8,430	40.00	9,733
23.25	4,834	27.50	6,007	31.75	7,235	36.00	8,506	40.25	9,811
23.50	4,901	27.75	6,078	32.00	7,308	36.25	8,582	40.50	9,889
23.75	4,968	28.00	6,149	32.25	7,382	36.50	8,658	40.75	9,967
24.00	5,036	28.25	6,220	32.50	7,456	36.75	8,734	41.00	10,044
24.25	5,104	28.50	6,292	32.75	7,530	37.00	8,810	41.25	10,122
24.50	5,173	28.75	6,363	33.00	7,604	37.25	8,886	41.50	10,200
24.75	5,241	29.00	6,435	33.25	7,679	37.50	8,963	41.75	10,278
25.00	5,310	29.25	6,507	33.50	7,753	37.75	9,040	42.00	10,357
25.25	5,379	29.50	6,579	33.75	7,828	38.00	9,116	42.25	10,435





## Capacity/Gauge Table Information

**TCLX 290475**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 275

Reporting Mark: TCLX 290475

Date: 10/06/2015

Capacity: 28,983 US Gallons (109,713 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,513	46.75	11,855	51.00	13,211	55.25	14,572	59.50	15,932
42.75	10,592	47.00	11,934	51.25	13,291	55.50	14,652	59.75	16,012
43.00	10,670	47.25	12,014	51.50	13,371	55.75	14,732	60.00	16,092
43.25	10,749	47.50	12,093	51.75	13,451	56.00	14,812	60.25	16,171
43.50	10,827	47.75	12,173	52.00	13,531	56.25	14,893	60.50	16,251
43.75	10,906	48.00	12,253	52.25	13,611	56.50	14,973	60.75	16,331
44.00	10,985	48.25	12,332	52.50	13,691	56.75	15,053	61.00	16,410
44.25	11,064	48.50	12,412	52.75	13,771	57.00	15,133	61.25	16,490
44.50	11,142	48.75	12,492	53.00	13,851	57.25	15,213	61.50	16,569
44.75	11,221	49.00	12,571	53.25	13,931	57.50	15,293	61.75	16,649
45.00	11,300	49.25	12,651	53.50	14,011	57.75	15,373	62.00	16,728
45.25	11,379	49.50	12,731	53.75	14,091	58.00	15,453	62.25	16,807
45.50	11,459	49.75	12,811	54.00	14,171	58.25	15,533	62.50	16,887
45.75	11,538	50.00	12,891	54.25	14,252	58.50	15,613	62.75	16,966
46.00	11,617	50.25	12,971	54.50	14,332	58.75	15,692	63.00	17,045
46.25	11,696	50.50	13,051	54.75	14,412	59.00	15,772	63.25	17,124
46.50	11,776	50.75	13,131	55.00	14,492	59.25	15,852	63.50	17,204



## Capacity/Gauge Table Information

**TCLX 290475**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 275

Reporting Mark: TCLX 290475

Date: 10/06/2015

Capacity: 28,983 US Gallons (109,713 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,283	68.00	18,616	72.25	19,924	76.50	21,199	80.75	22,432
64.00	17,362	68.25	18,694	72.50	20,000	76.75	21,273	81.00	22,503
64.25	17,441	68.50	18,771	72.75	20,076	77.00	21,347	81.25	22,573
64.50	17,519	68.75	18,849	73.00	20,152	77.25	21,420	81.50	22,644
64.75	17,598	69.00	18,927	73.25	20,228	77.50	21,493	81.75	22,714
65.00	17,677	69.25	19,004	73.50	20,303	77.75	21,567	82.00	22,785
65.25	17,756	69.50	19,081	73.75	20,379	78.00	21,640	82.25	22,855
65.50	17,834	69.75	19,158	74.00	20,454	78.25	21,712	82.50	22,924
65.75	17,913	70.00	19,235	74.25	20,529	78.50	21,785	82.75	22,994
66.00	17,991	70.25	19,312	74.50	20,604	78.75	21,858	83.00	23,063
66.25	18,070	70.50	19,389	74.75	20,679	79.00	21,930	83.25	23,133
66.50	18,148	70.75	19,466	75.00	20,754	79.25	22,002	83.50	23,202
66.75	18,226	71.00	19,543	75.25	20,828	79.50	22,074	83.75	23,271
67.00	18,304	71.25	19,619	75.50	20,903	79.75	22,146	84.00	23,339
67.25	18,382	71.50	19,696	75.75	20,977	80.00	22,218	84.25	23,408
67.50	18,460	71.75	19,772	76.00	21,051	80.25	22,289	84.50	23,476
67.75	18,538	72.00	19,848	76.25	21,125	80.50	22,360	84.75	23,544



## Capacity/Gauge Table Information

**TCLX 290475**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 275

Reporting Mark: TCLX 290475

Date: 10/06/2015

Capacity: 28,983 US Gallons (109,713 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,612	89.25	24,728	93.50	25,769	97.75	26,719	102.00	27,558
85.25	23,679	89.50	24,792	93.75	25,828	98.00	26,771	102.25	27,603
85.50	23,746	89.75	24,855	94.00	25,886	98.25	26,824	102.50	27,648
85.75	23,814	90.00	24,918	94.25	25,944	98.50	26,876	102.75	27,692
86.00	23,880	90.25	24,980	94.50	26,001	98.75	26,927	103.00	27,736
86.25	23,947	90.50	25,043	94.75	26,059	99.00	26,978	103.25	27,780
86.50	24,013	90.75	25,105	95.00	26,116	99.25	27,029	103.50	27,822
86.75	24,080	91.00	25,167	95.25	26,172	99.50	27,079	103.75	27,865
87.00	24,146	91.25	25,228	95.50	26,228	99.75	27,129	104.00	27,907
87.25	24,211	91.50	25,290	95.75	26,284	100.00	27,178	104.25	27,948
87.50	24,277	91.75	25,351	96.00	26,340	100.25	27,227	104.50	27,989
87.75	24,342	92.00	25,411	96.25	26,395	100.50	27,276	104.75	28,029
88.00	24,407	92.25	25,472	96.50	26,450	100.75	27,324	105.00	28,068
88.25	24,472	92.50	25,532	96.75	26,504	101.00	27,372	105.25	28,107
88.50	24,536	92.75	25,592	97.00	26,559	101.25	27,419	105.50	28,146
88.75	24,601	93.00	25,651	97.25	26,612	101.50	27,466	105.75	28,184
89.00	24,665	93.25	25,710	97.50	26,666	101.75	27,512	106.00	28,221



## Capacity/Gauge Table Information

**TCLX 290475**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 275

Reporting Mark: TCLX 290475

Date: 10/06/2015

Capacity: 28,983 US Gallons (109,713 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,257	110.50	28,765	114.75	28,970
106.50	28,293	110.75	28,786	115.00	28,974
106.75	28,329	111.00	28,806	115.25	28,977
107.00	28,363	111.25	28,824	115.50	28,979
107.25	28,397	111.50	28,842	115.75	28,981
107.50	28,430	111.75	28,858	116.00	28,982
107.75	28,463	112.00	28,873	116.25	28,983
108.00	28,495	112.25	28,887	116.50	28,983
108.25	28,526	112.50	28,900	116.75	28,983
108.50	28,556	112.75	28,911		
108.75	28,585	113.00	28,922		
109.00	28,614	113.25	28,932		
109.25	28,642	113.50	28,940		
109.50	28,668	113.75	28,948		
109.75	28,694	114.00	28,955		
110.00	28,719	114.25	28,961		
110.25	28,742	114.50	28,966		



## Capacity/Gauge Table Information

**TCLX 290476**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 276

Reporting Mark: TCLX 290476

Date: 01/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,334	12.75	2,215	17.00	3,199
0.25	28	4.50	622	8.75	1,382	13.00	2,270	17.25	3,259
0.50	57	4.75	662	9.00	1,431	13.25	2,325	17.50	3,320
0.75	87	5.00	704	9.25	1,481	13.50	2,381	17.75	3,382
1.00	118	5.25	745	9.50	1,531	13.75	2,438	18.00	3,443
1.25	149	5.50	788	9.75	1,581	14.00	2,494	18.25	3,505
1.50	182	5.75	830	10.00	1,632	14.25	2,551	18.50	3,567
1.75	215	6.00	874	10.25	1,683	14.50	2,608	18.75	3,629
2.00	248	6.25	918	10.50	1,734	14.75	2,666	19.00	3,692
2.25	283	6.50	962	10.75	1,786	15.00	2,724	19.25	3,755
2.50	318	6.75	1,007	11.00	1,838	15.25	2,782	19.50	3,818
2.75	354	7.00	1,052	11.25	1,891	15.50	2,841	19.75	3,882
3.00	390	7.25	1,098	11.50	1,944	15.75	2,900	20.00	3,945
3.25	427	7.50	1,144	11.75	1,997	16.00	2,959	20.25	4,009
3.50	465	7.75	1,191	12.00	2,051	16.25	3,018	20.50	4,074
3.75	503	8.00	1,238	12.25	2,105	16.50	3,078	20.75	4,138
4.00	542	8.25	1,286	12.50	2,160	16.75	3,138	21.00	4,203



## Capacity/Gauge Table Information

**TCLX 290476**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 276

Reporting Mark: TCLX 290476

Date: 01/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,268	25.50	5,408	29.75	6,607	34.00	7,855	38.25	9,142
21.50	4,333	25.75	5,477	30.00	6,680	34.25	7,930	38.50	9,219
21.75	4,399	26.00	5,546	30.25	6,752	34.50	8,005	38.75	9,296
22.00	4,464	26.25	5,616	30.50	6,824	34.75	8,080	39.00	9,372
22.25	4,530	26.50	5,685	30.75	6,897	35.00	8,155	39.25	9,450
22.50	4,596	26.75	5,755	31.00	6,970	35.25	8,230	39.50	9,527
22.75	4,663	27.00	5,825	31.25	7,043	35.50	8,305	39.75	9,604
23.00	4,730	27.25	5,895	31.50	7,116	35.75	8,381	40.00	9,681
23.25	4,796	27.50	5,966	31.75	7,189	36.00	8,456	40.25	9,759
23.50	4,864	27.75	6,036	32.00	7,263	36.25	8,532	40.50	9,836
23.75	4,931	28.00	6,107	32.25	7,336	36.50	8,608	40.75	9,914
24.00	4,998	28.25	6,178	32.50	7,410	36.75	8,684	41.00	9,991
24.25	5,066	28.50	6,249	32.75	7,484	37.00	8,760	41.25	10,069
24.50	5,134	28.75	6,321	33.00	7,558	37.25	8,836	41.50	10,147
24.75	5,202	29.00	6,392	33.25	7,632	37.50	8,912	41.75	10,225
25.00	5,271	29.25	6,464	33.50	7,706	37.75	8,989	42.00	10,303
25.25	5,339	29.50	6,535	33.75	7,781	38.00	9,065	42.25	10,381



## Capacity/Gauge Table Information

**TCLX 290476**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 276

Reporting Mark: TCLX 290476

Date: 01/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,459	46.75	11,798	51.00	13,151	55.25	14,511	59.50	15,869
42.75	10,537	47.00	11,877	51.25	13,231	55.50	14,591	59.75	15,949
43.00	10,616	47.25	11,957	51.50	13,311	55.75	14,671	60.00	16,029
43.25	10,694	47.50	12,036	51.75	13,391	56.00	14,751	60.25	16,108
43.50	10,772	47.75	12,116	52.00	13,471	56.25	14,831	60.50	16,188
43.75	10,851	48.00	12,195	52.25	13,551	56.50	14,911	60.75	16,267
44.00	10,930	48.25	12,275	52.50	13,631	56.75	14,991	61.00	16,347
44.25	11,008	48.50	12,354	52.75	13,711	57.00	15,071	61.25	16,426
44.50	11,087	48.75	12,434	53.00	13,791	57.25	15,151	61.50	16,506
44.75	11,166	49.00	12,513	53.25	13,871	57.50	15,231	61.75	16,585
45.00	11,245	49.25	12,593	53.50	13,951	57.75	15,311	62.00	16,665
45.25	11,324	49.50	12,673	53.75	14,031	58.00	15,390	62.25	16,744
45.50	11,403	49.75	12,752	54.00	14,111	58.25	15,470	62.50	16,823
45.75	11,482	50.00	12,832	54.25	14,191	58.50	15,550	62.75	16,902
46.00	11,561	50.25	12,912	54.50	14,271	58.75	15,630	63.00	16,981
46.25	11,640	50.50	12,992	54.75	14,351	59.00	15,710	63.25	17,061
46.50	11,719	50.75	13,072	55.00	14,431	59.25	15,790	63.50	17,140





## Capacity/Gauge Table Information

**TCLX 290476**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 276

Reporting Mark: TCLX 290476

Date: 01/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,219	68.00	18,551	72.25	19,859	76.50	21,134	80.75	22,368
64.00	17,298	68.25	18,629	72.50	19,935	76.75	21,208	81.00	22,439
64.25	17,376	68.50	18,707	72.75	20,011	77.00	21,282	81.25	22,509
64.50	17,455	68.75	18,784	73.00	20,087	77.25	21,355	81.50	22,580
64.75	17,534	69.00	18,862	73.25	20,163	77.50	21,429	81.75	22,651
65.00	17,613	69.25	18,939	73.50	20,238	77.75	21,502	82.00	22,721
65.25	17,691	69.50	19,016	73.75	20,314	78.00	21,575	82.25	22,791
65.50	17,770	69.75	19,093	74.00	20,389	78.25	21,648	82.50	22,861
65.75	17,848	70.00	19,171	74.25	20,464	78.50	21,721	82.75	22,931
66.00	17,927	70.25	19,247	74.50	20,539	78.75	21,793	83.00	23,000
66.25	18,005	70.50	19,324	74.75	20,614	79.00	21,865	83.25	23,069
66.50	18,083	70.75	19,401	75.00	20,689	79.25	21,938	83.50	23,138
66.75	18,162	71.00	19,478	75.25	20,763	79.50	22,010	83.75	23,207
67.00	18,240	71.25	19,554	75.50	20,838	79.75	22,082	84.00	23,276
67.25	18,318	71.50	19,631	75.75	20,912	80.00	22,153	84.25	23,345
67.50	18,396	71.75	19,707	76.00	20,986	80.25	22,225	84.50	23,413
67.75	18,474	72.00	19,783	76.25	21,061	80.50	22,296	84.75	23,481



## Capacity/Gauge Table Information

**TCLX 290476**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 276

Reporting Mark: TCLX 290476

Date: 01/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,549	89.25	24,668	93.50	25,711	97.75	26,665	102.00	27,509
85.25	23,617	89.50	24,731	93.75	25,770	98.00	26,718	102.25	27,555
85.50	23,684	89.75	24,795	94.00	25,829	98.25	26,770	102.50	27,600
85.75	23,751	90.00	24,858	94.25	25,887	98.50	26,823	102.75	27,645
86.00	23,818	90.25	24,920	94.50	25,944	98.75	26,874	103.00	27,689
86.25	23,885	90.50	24,983	94.75	26,002	99.00	26,926	103.25	27,733
86.50	23,951	90.75	25,045	95.00	26,059	99.25	26,977	103.50	27,776
86.75	24,018	91.00	25,107	95.25	26,116	99.50	27,027	103.75	27,819
87.00	24,084	91.25	25,169	95.50	26,172	99.75	27,077	104.00	27,861
87.25	24,150	91.50	25,230	95.75	26,229	100.00	27,127	104.25	27,903
87.50	24,215	91.75	25,292	96.00	26,284	100.25	27,176	104.50	27,944
87.75	24,281	92.00	25,352	96.25	26,340	100.50	27,225	104.75	27,985
88.00	24,346	92.25	25,413	96.50	26,395	100.75	27,274	105.00	28,025
88.25	24,411	92.50	25,473	96.75	26,450	101.00	27,322	105.25	28,064
88.50	24,475	92.75	25,533	97.00	26,504	101.25	27,369	105.50	28,103
88.75	24,540	93.00	25,593	97.25	26,558	101.50	27,416	105.75	28,141
89.00	24,604	93.25	25,652	97.50	26,612	101.75	27,463	106.00	28,179



## Capacity/Gauge Table Information

**TCLX 290476**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 276

Reporting Mark: TCLX 290476

Date: 01/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,216	110.50	28,736	114.75	28,954
106.50	28,253	110.75	28,759	115.00	28,958
106.75	28,289	111.00	28,780	115.25	28,961
107.00	28,324	111.25	28,799	115.50	28,964
107.25	28,358	111.50	28,818	115.75	28,966
107.50	28,392	111.75	28,835	116.00	28,967
107.75	28,425	112.00	28,851	116.25	28,968
108.00	28,458	112.25	28,866	116.50	28,968
108.25	28,489	112.50	28,879	116.75	28,968
108.50	28,520	112.75	28,892		
108.75	28,550	113.00	28,903		
109.00	28,580	113.25	28,913		
109.25	28,608	113.50	28,923		
109.50	28,636	113.75	28,931		
109.75	28,662	114.00	28,938		
110.00	28,688	114.25	28,944		
110.25	28,713	114.50	28,950		



## Capacity/Gauge Table Information

**TCLX 290477**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 277

Reporting Mark: TCLX 290477

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,222	17.00	3,208
0.25	28	4.50	625	8.75	1,388	13.00	2,278	17.25	3,269
0.50	58	4.75	666	9.00	1,437	13.25	2,334	17.50	3,330
0.75	88	5.00	707	9.25	1,487	13.50	2,390	17.75	3,392
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,453
1.25	150	5.50	792	9.75	1,587	14.00	2,503	18.25	3,515
1.50	183	5.75	835	10.00	1,638	14.25	2,560	18.50	3,577
1.75	216	6.00	878	10.25	1,689	14.50	2,617	18.75	3,640
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,703
2.25	285	6.50	967	10.75	1,793	15.00	2,733	19.25	3,766
2.50	320	6.75	1,012	11.00	1,845	15.25	2,791	19.50	3,829
2.75	356	7.00	1,057	11.25	1,898	15.50	2,850	19.75	3,892
3.00	393	7.25	1,103	11.50	1,951	15.75	2,909	20.00	3,956
3.25	430	7.50	1,149	11.75	2,005	16.00	2,968	20.25	4,020
3.50	468	7.75	1,196	12.00	2,059	16.25	3,028	20.50	4,085
3.75	506	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,149
4.00	545	8.25	1,291	12.50	2,167	16.75	3,148	21.00	4,214



## Capacity/Gauge Table Information

**TCLX 290477**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 277

Reporting Mark: TCLX 290477

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,279	25.50	5,421	29.75	6,621	34.00	7,870	38.25	9,158
21.50	4,345	25.75	5,490	30.00	6,694	34.25	7,945	38.50	9,235
21.75	4,410	26.00	5,559	30.25	6,766	34.50	8,020	38.75	9,312
22.00	4,476	26.25	5,629	30.50	6,839	34.75	8,095	39.00	9,389
22.25	4,542	26.50	5,699	30.75	6,911	35.00	8,170	39.25	9,466
22.50	4,608	26.75	5,768	31.00	6,984	35.25	8,245	39.50	9,543
22.75	4,675	27.00	5,838	31.25	7,057	35.50	8,321	39.75	9,620
23.00	4,741	27.25	5,909	31.50	7,130	35.75	8,396	40.00	9,698
23.25	4,808	27.50	5,979	31.75	7,204	36.00	8,472	40.25	9,775
23.50	4,876	27.75	6,050	32.00	7,277	36.25	8,548	40.50	9,853
23.75	4,943	28.00	6,121	32.25	7,351	36.50	8,624	40.75	9,930
24.00	5,011	28.25	6,192	32.50	7,425	36.75	8,700	41.00	10,008
24.25	5,079	28.50	6,263	32.75	7,499	37.00	8,776	41.25	10,086
24.50	5,147	28.75	6,334	33.00	7,573	37.25	8,852	41.50	10,164
24.75	5,215	29.00	6,406	33.25	7,647	37.50	8,928	41.75	10,242
25.00	5,283	29.25	6,478	33.50	7,721	37.75	9,005	42.00	10,320
25.25	5,352	29.50	6,549	33.75	7,796	38.00	9,081	42.25	10,398



## Capacity/Gauge Table Information

**TCLX 290477**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 277

Reporting Mark: TCLX 290477

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,476	46.75	11,816	51.00	13,170	55.25	14,530	59.50	15,888
42.75	10,554	47.00	11,895	51.25	13,250	55.50	14,610	59.75	15,968
43.00	10,633	47.25	11,975	51.50	13,330	55.75	14,690	60.00	16,048
43.25	10,711	47.50	12,054	51.75	13,409	56.00	14,770	60.25	16,127
43.50	10,790	47.75	12,133	52.00	13,489	56.25	14,850	60.50	16,207
43.75	10,868	48.00	12,213	52.25	13,569	56.50	14,930	60.75	16,287
44.00	10,947	48.25	12,292	52.50	13,649	56.75	15,010	61.00	16,366
44.25	11,026	48.50	12,372	52.75	13,729	57.00	15,090	61.25	16,446
44.50	11,104	48.75	12,452	53.00	13,809	57.25	15,170	61.50	16,525
44.75	11,183	49.00	12,531	53.25	13,889	57.50	15,250	61.75	16,605
45.00	11,262	49.25	12,611	53.50	13,969	57.75	15,330	62.00	16,684
45.25	11,341	49.50	12,691	53.75	14,049	58.00	15,410	62.25	16,763
45.50	11,420	49.75	12,771	54.00	14,130	58.25	15,489	62.50	16,842
45.75	11,499	50.00	12,850	54.25	14,210	58.50	15,569	62.75	16,922
46.00	11,578	50.25	12,930	54.50	14,290	58.75	15,649	63.00	17,001
46.25	11,657	50.50	13,010	54.75	14,370	59.00	15,729	63.25	17,080
46.50	11,737	50.75	13,090	55.00	14,450	59.25	15,809	63.50	17,159



## Capacity/Gauge Table Information

**TCLX 290477**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 277

Reporting Mark: TCLX 290477

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,238	68.00	18,571	72.25	19,879	76.50	21,154	80.75	22,386
64.00	17,317	68.25	18,649	72.50	19,955	76.75	21,228	81.00	22,457
64.25	17,396	68.50	18,726	72.75	20,031	77.00	21,301	81.25	22,528
64.50	17,475	68.75	18,804	73.00	20,107	77.25	21,375	81.50	22,599
64.75	17,553	69.00	18,881	73.25	20,182	77.50	21,448	81.75	22,669
65.00	17,632	69.25	18,959	73.50	20,258	77.75	21,521	82.00	22,740
65.25	17,711	69.50	19,036	73.75	20,333	78.00	21,594	82.25	22,810
65.50	17,789	69.75	19,113	74.00	20,408	78.25	21,667	82.50	22,880
65.75	17,868	70.00	19,190	74.25	20,484	78.50	21,740	82.75	22,949
66.00	17,946	70.25	19,267	74.50	20,559	78.75	21,812	83.00	23,019
66.25	18,025	70.50	19,344	74.75	20,633	79.00	21,885	83.25	23,088
66.50	18,103	70.75	19,421	75.00	20,708	79.25	21,957	83.50	23,157
66.75	18,181	71.00	19,497	75.25	20,783	79.50	22,029	83.75	23,226
67.00	18,259	71.25	19,574	75.50	20,857	79.75	22,101	84.00	23,295
67.25	18,337	71.50	19,650	75.75	20,932	80.00	22,172	84.25	23,363
67.50	18,415	71.75	19,727	76.00	21,006	80.25	22,244	84.50	23,431
67.75	18,493	72.00	19,803	76.25	21,080	80.50	22,315	84.75	23,499





## Capacity/Gauge Table Information

**TCLX 290477**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 277

Reporting Mark: TCLX 290477

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,567	89.25	24,685	93.50	25,728	97.75	26,681	102.00	27,523
85.25	23,635	89.50	24,749	93.75	25,787	98.00	26,733	102.25	27,569
85.50	23,702	89.75	24,812	94.00	25,845	98.25	26,786	102.50	27,614
85.75	23,770	90.00	24,875	94.25	25,903	98.50	26,838	102.75	27,658
86.00	23,836	90.25	24,938	94.50	25,961	98.75	26,889	103.00	27,703
86.25	23,903	90.50	25,001	94.75	26,018	99.00	26,941	103.25	27,746
86.50	23,970	90.75	25,063	95.00	26,075	99.25	26,992	103.50	27,789
86.75	24,036	91.00	25,125	95.25	26,132	99.50	27,042	103.75	27,832
87.00	24,102	91.25	25,186	95.50	26,189	99.75	27,092	104.00	27,874
87.25	24,168	91.50	25,248	95.75	26,245	100.00	27,142	104.25	27,916
87.50	24,233	91.75	25,309	96.00	26,300	100.25	27,191	104.50	27,957
87.75	24,299	92.00	25,370	96.25	26,356	100.50	27,240	104.75	27,997
88.00	24,364	92.25	25,430	96.50	26,411	100.75	27,288	105.00	28,037
88.25	24,429	92.50	25,490	96.75	26,466	101.00	27,336	105.25	28,076
88.50	24,493	92.75	25,550	97.00	26,520	101.25	27,383	105.50	28,115
88.75	24,557	93.00	25,610	97.25	26,574	101.50	27,430	105.75	28,153
89.00	24,622	93.25	25,669	97.50	26,627	101.75	27,477	106.00	28,191



## Capacity/Gauge Table Information

**TCLX 290477**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 277

Reporting Mark: TCLX 290477

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,228	110.50	28,744	114.75	28,958
106.50	28,264	110.75	28,766	115.00	28,962
106.75	28,300	111.00	28,787	115.25	28,965
107.00	28,335	111.25	28,806	115.50	28,967
107.25	28,369	111.50	28,824	115.75	28,969
107.50	28,403	111.75	28,841	116.00	28,970
107.75	28,436	112.00	28,856	116.25	28,971
108.00	28,468	112.25	28,871	116.50	28,971
108.25	28,499	112.50	28,884	116.75	28,971
108.50	28,530	112.75	28,896		
108.75	28,560	113.00	28,908		
109.00	28,589	113.25	28,918		
109.25	28,617	113.50	28,927		
109.50	28,645	113.75	28,935		
109.75	28,671	114.00	28,942		
110.00	28,696	114.25	28,948		
110.25	28,721	114.50	28,953		



## Capacity/Gauge Table Information

**TCLX 290478**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 278

Reporting Mark: TCLX 290478

Date: 03/06/2015

Capacity: 28,955 US Gallons (109,606 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,350	12.75	2,237	17.00	3,225
0.25	29	4.50	632	8.75	1,399	13.00	2,292	17.25	3,286
0.50	59	4.75	673	9.00	1,449	13.25	2,348	17.50	3,348
0.75	89	5.00	714	9.25	1,498	13.50	2,404	17.75	3,409
1.00	120	5.25	756	9.50	1,548	13.75	2,461	18.00	3,471
1.25	152	5.50	799	9.75	1,599	14.00	2,518	18.25	3,533
1.50	185	5.75	842	10.00	1,650	14.25	2,575	18.50	3,595
1.75	219	6.00	886	10.25	1,701	14.50	2,633	18.75	3,658
2.00	253	6.25	930	10.50	1,753	14.75	2,690	19.00	3,721
2.25	288	6.50	975	10.75	1,805	15.00	2,749	19.25	3,784
2.50	324	6.75	1,020	11.00	1,858	15.25	2,807	19.50	3,848
2.75	360	7.00	1,066	11.25	1,911	15.50	2,866	19.75	3,911
3.00	397	7.25	1,112	11.50	1,964	15.75	2,925	20.00	3,975
3.25	435	7.50	1,159	11.75	2,018	16.00	2,985	20.25	4,039
3.50	473	7.75	1,206	12.00	2,072	16.25	3,044	20.50	4,104
3.75	512	8.00	1,254	12.25	2,127	16.50	3,104	20.75	4,169
4.00	551	8.25	1,302	12.50	2,181	16.75	3,165	21.00	4,234



## Capacity/Gauge Table Information

**TCLX 290478**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 278

Reporting Mark: TCLX 290478

Date: 03/06/2015

Capacity: 28,955 US Gallons (109,606 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,299	25.50	5,443	29.75	6,645	34.00	7,895	38.25	9,184
21.50	4,364	25.75	5,512	30.00	6,717	34.25	7,970	38.50	9,261
21.75	4,430	26.00	5,581	30.25	6,790	34.50	8,045	38.75	9,338
22.00	4,496	26.25	5,651	30.50	6,862	34.75	8,120	39.00	9,415
22.25	4,562	26.50	5,721	30.75	6,935	35.00	8,195	39.25	9,492
22.50	4,629	26.75	5,791	31.00	7,008	35.25	8,271	39.50	9,569
22.75	4,695	27.00	5,861	31.25	7,081	35.50	8,346	39.75	9,646
23.00	4,762	27.25	5,931	31.50	7,154	35.75	8,422	40.00	9,724
23.25	4,829	27.50	6,002	31.75	7,228	36.00	8,497	40.25	9,801
23.50	4,896	27.75	6,073	32.00	7,301	36.25	8,573	40.50	9,879
23.75	4,964	28.00	6,143	32.25	7,375	36.50	8,649	40.75	9,957
24.00	5,032	28.25	6,215	32.50	7,449	36.75	8,725	41.00	10,034
24.25	5,100	28.50	6,286	32.75	7,523	37.00	8,801	41.25	10,112
24.50	5,168	28.75	6,357	33.00	7,597	37.25	8,878	41.50	10,190
24.75	5,236	29.00	6,429	33.25	7,671	37.50	8,954	41.75	10,268
25.00	5,305	29.25	6,501	33.50	7,746	37.75	9,031	42.00	10,346
25.25	5,374	29.50	6,573	33.75	7,820	38.00	9,107	42.25	10,424



## Capacity/Gauge Table Information

**TCLX 290478**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 278

Reporting Mark: TCLX 290478

Date: 03/06/2015

Capacity: 28,955 US Gallons (109,606 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,503	46.75	11,843	51.00	13,197	55.25	14,557	59.50	15,915
42.75	10,581	47.00	11,922	51.25	13,277	55.50	14,637	59.75	15,995
43.00	10,659	47.25	12,002	51.50	13,357	55.75	14,717	60.00	16,075
43.25	10,738	47.50	12,081	51.75	13,437	56.00	14,797	60.25	16,154
43.50	10,816	47.75	12,161	52.00	13,517	56.25	14,877	60.50	16,234
43.75	10,895	48.00	12,240	52.25	13,597	56.50	14,957	60.75	16,314
44.00	10,974	48.25	12,320	52.50	13,677	56.75	15,037	61.00	16,393
44.25	11,052	48.50	12,399	52.75	13,757	57.00	15,117	61.25	16,473
44.50	11,131	48.75	12,479	53.00	13,837	57.25	15,197	61.50	16,552
44.75	11,210	49.00	12,559	53.25	13,917	57.50	15,277	61.75	16,631
45.00	11,289	49.25	12,638	53.50	13,997	57.75	15,357	62.00	16,711
45.25	11,368	49.50	12,718	53.75	14,077	58.00	15,437	62.25	16,790
45.50	11,447	49.75	12,798	54.00	14,157	58.25	15,517	62.50	16,869
45.75	11,526	50.00	12,878	54.25	14,237	58.50	15,596	62.75	16,948
46.00	11,605	50.25	12,957	54.50	14,317	58.75	15,676	63.00	17,028
46.25	11,684	50.50	13,037	54.75	14,397	59.00	15,756	63.25	17,107
46.50	11,764	50.75	13,117	55.00	14,477	59.25	15,836	63.50	17,186



## Capacity/Gauge Table Information

**TCLX 290478**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 278

Reporting Mark: TCLX 290478

Date: 03/06/2015

Capacity: 28,955 US Gallons (109,606 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,265	68.00	18,597	72.25	19,904	76.50	21,177	80.75	22,408
64.00	17,343	68.25	18,674	72.50	19,980	76.75	21,251	81.00	22,479
64.25	17,422	68.50	18,752	72.75	20,055	77.00	21,324	81.25	22,550
64.50	17,501	68.75	18,829	73.00	20,131	77.25	21,398	81.50	22,620
64.75	17,580	69.00	18,907	73.25	20,207	77.50	21,471	81.75	22,691
65.00	17,658	69.25	18,984	73.50	20,282	77.75	21,544	82.00	22,761
65.25	17,737	69.50	19,061	73.75	20,357	78.00	21,617	82.25	22,831
65.50	17,816	69.75	19,138	74.00	20,433	78.25	21,690	82.50	22,901
65.75	17,894	70.00	19,215	74.25	20,508	78.50	21,762	82.75	22,970
66.00	17,972	70.25	19,292	74.50	20,583	78.75	21,835	83.00	23,039
66.25	18,051	70.50	19,369	74.75	20,657	79.00	21,907	83.25	23,109
66.50	18,129	70.75	19,446	75.00	20,732	79.25	21,979	83.50	23,178
66.75	18,207	71.00	19,522	75.25	20,807	79.50	22,051	83.75	23,246
67.00	18,285	71.25	19,599	75.50	20,881	79.75	22,123	84.00	23,315
67.25	18,363	71.50	19,675	75.75	20,955	80.00	22,194	84.25	23,383
67.50	18,441	71.75	19,751	76.00	21,029	80.25	22,266	84.50	23,451
67.75	18,519	72.00	19,828	76.25	21,103	80.50	22,337	84.75	23,519



## Capacity/Gauge Table Information

**TCLX 290478**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 278

Reporting Mark: TCLX 290478

Date: 03/06/2015

Capacity: 28,955 US Gallons (109,606 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,587	89.25	24,703	93.50	25,743	97.75	26,692	102.00	27,530
85.25	23,655	89.50	24,766	93.75	25,801	98.00	26,744	102.25	27,575
85.50	23,722	89.75	24,829	94.00	25,859	98.25	26,797	102.50	27,620
85.75	23,789	90.00	24,892	94.25	25,917	98.50	26,848	102.75	27,665
86.00	23,856	90.25	24,955	94.50	25,975	98.75	26,900	103.00	27,709
86.25	23,922	90.50	25,017	94.75	26,032	99.00	26,951	103.25	27,752
86.50	23,989	90.75	25,079	95.00	26,089	99.25	27,001	103.50	27,795
86.75	24,055	91.00	25,141	95.25	26,146	99.50	27,052	103.75	27,837
87.00	24,121	91.25	25,202	95.50	26,202	99.75	27,101	104.00	27,879
87.25	24,186	91.50	25,264	95.75	26,258	100.00	27,151	104.25	27,920
87.50	24,252	91.75	25,325	96.00	26,313	100.25	27,200	104.50	27,961
87.75	24,317	92.00	25,385	96.25	26,368	100.50	27,248	104.75	28,001
88.00	24,382	92.25	25,446	96.50	26,423	100.75	27,296	105.00	28,041
88.25	24,447	92.50	25,506	96.75	26,478	101.00	27,344	105.25	28,080
88.50	24,511	92.75	25,565	97.00	26,532	101.25	27,391	105.50	28,118
88.75	24,575	93.00	25,625	97.25	26,585	101.50	27,438	105.75	28,156
89.00	24,639	93.25	25,684	97.50	26,639	101.75	27,484	106.00	28,193





## Capacity/Gauge Table Information

**TCLX 290478**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 278

Reporting Mark: TCLX 290478

Date: 03/06/2015

Capacity: 28,955 US Gallons (109,606 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,229	110.50	28,737	114.75	28,942
106.50	28,265	110.75	28,758	115.00	28,946
106.75	28,301	111.00	28,777	115.25	28,949
107.00	28,335	111.25	28,796	115.50	28,951
107.25	28,369	111.50	28,813	115.75	28,952
107.50	28,402	111.75	28,830	116.00	28,954
107.75	28,435	112.00	28,845	116.25	28,954
108.00	28,467	112.25	28,858	116.50	28,955
108.25	28,498	112.50	28,871	116.75	28,955
108.50	28,528	112.75	28,883		
108.75	28,557	113.00	28,894		
109.00	28,586	113.25	28,903		
109.25	28,613	113.50	28,912		
109.50	28,640	113.75	28,920		
109.75	28,666	114.00	28,927		
110.00	28,691	114.25	28,933		
110.25	28,714	114.50	28,938		



## Capacity/Gauge Table Information

**TCLX 290479**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 279

Reporting Mark: TCLX 290479

Date: 03/06/2015

Capacity: 28,994 US Gallons (109,755 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,233	17.00	3,222
0.25	29	4.50	629	8.75	1,396	13.00	2,288	17.25	3,283
0.50	58	4.75	670	9.00	1,445	13.25	2,344	17.50	3,344
0.75	89	5.00	712	9.25	1,495	13.50	2,401	17.75	3,405
1.00	120	5.25	754	9.50	1,545	13.75	2,457	18.00	3,467
1.25	152	5.50	797	9.75	1,596	14.00	2,514	18.25	3,529
1.50	184	5.75	840	10.00	1,647	14.25	2,571	18.50	3,592
1.75	218	6.00	884	10.25	1,698	14.50	2,629	18.75	3,654
2.00	252	6.25	928	10.50	1,750	14.75	2,687	19.00	3,717
2.25	287	6.50	973	10.75	1,802	15.00	2,745	19.25	3,780
2.50	322	6.75	1,018	11.00	1,855	15.25	2,803	19.50	3,844
2.75	359	7.00	1,063	11.25	1,908	15.50	2,862	19.75	3,908
3.00	396	7.25	1,110	11.50	1,961	15.75	2,921	20.00	3,972
3.25	433	7.50	1,156	11.75	2,015	16.00	2,981	20.25	4,036
3.50	471	7.75	1,203	12.00	2,069	16.25	3,041	20.50	4,100
3.75	510	8.00	1,251	12.25	2,123	16.50	3,101	20.75	4,165
4.00	549	8.25	1,299	12.50	2,178	16.75	3,161	21.00	4,230



## Capacity/Gauge Table Information

**TCLX 290479**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 279

Reporting Mark: TCLX 290479

Date: 03/06/2015

Capacity: 28,994 US Gallons (109,755 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,295	25.50	5,440	29.75	6,643	34.00	7,894	38.25	9,184
21.50	4,361	25.75	5,509	30.00	6,715	34.25	7,969	38.50	9,261
21.75	4,427	26.00	5,578	30.25	6,788	34.50	8,044	38.75	9,338
22.00	4,493	26.25	5,648	30.50	6,860	34.75	8,119	39.00	9,415
22.25	4,559	26.50	5,718	30.75	6,933	35.00	8,194	39.25	9,492
22.50	4,625	26.75	5,788	31.00	7,006	35.25	8,270	39.50	9,570
22.75	4,692	27.00	5,858	31.25	7,079	35.50	8,345	39.75	9,647
23.00	4,759	27.25	5,929	31.50	7,153	35.75	8,421	40.00	9,725
23.25	4,826	27.50	5,999	31.75	7,226	36.00	8,497	40.25	9,802
23.50	4,893	27.75	6,070	32.00	7,300	36.25	8,573	40.50	9,880
23.75	4,961	28.00	6,141	32.25	7,374	36.50	8,649	40.75	9,958
24.00	5,029	28.25	6,212	32.50	7,448	36.75	8,725	41.00	10,036
24.25	5,097	28.50	6,283	32.75	7,522	37.00	8,801	41.25	10,113
24.50	5,165	28.75	6,355	33.00	7,596	37.25	8,878	41.50	10,191
24.75	5,233	29.00	6,427	33.25	7,670	37.50	8,954	41.75	10,270
25.00	5,302	29.25	6,499	33.50	7,745	37.75	9,031	42.00	10,348
25.25	5,371	29.50	6,571	33.75	7,819	38.00	9,107	42.25	10,426



## Capacity/Gauge Table Information

**TCLX 290479**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 279

Reporting Mark: TCLX 290479

Date: 03/06/2015

Capacity: 28,994 US Gallons (109,755 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,504	46.75	11,846	51.00	13,202	55.25	14,564	59.50	15,924
42.75	10,583	47.00	11,926	51.25	13,282	55.50	14,644	59.75	16,004
43.00	10,661	47.25	12,005	51.50	13,362	55.75	14,724	60.00	16,084
43.25	10,740	47.50	12,085	51.75	13,442	56.00	14,804	60.25	16,164
43.50	10,818	47.75	12,164	52.00	13,522	56.25	14,884	60.50	16,243
43.75	10,897	48.00	12,244	52.25	13,602	56.50	14,965	60.75	16,323
44.00	10,976	48.25	12,324	52.50	13,682	56.75	15,045	61.00	16,403
44.25	11,055	48.50	12,403	52.75	13,763	57.00	15,125	61.25	16,482
44.50	11,134	48.75	12,483	53.00	13,843	57.25	15,205	61.50	16,562
44.75	11,213	49.00	12,563	53.25	13,923	57.50	15,285	61.75	16,641
45.00	11,292	49.25	12,643	53.50	14,003	57.75	15,365	62.00	16,721
45.25	11,371	49.50	12,722	53.75	14,083	58.00	15,445	62.25	16,800
45.50	11,450	49.75	12,802	54.00	14,163	58.25	15,525	62.50	16,879
45.75	11,529	50.00	12,882	54.25	14,243	58.50	15,605	62.75	16,959
46.00	11,608	50.25	12,962	54.50	14,324	58.75	15,685	63.00	17,038
46.25	11,688	50.50	13,042	54.75	14,404	59.00	15,765	63.25	17,117
46.50	11,767	50.75	13,122	55.00	14,484	59.25	15,844	63.50	17,196



## Capacity/Gauge Table Information

**TCLX 290479**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 279

Reporting Mark: TCLX 290479

Date: 03/06/2015

Capacity: 28,994 US Gallons (109,755 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,275	68.00	18,609	72.25	19,919	76.50	21,194	80.75	22,427
64.00	17,354	68.25	18,687	72.50	19,995	76.75	21,268	81.00	22,498
64.25	17,433	68.50	18,765	72.75	20,070	77.00	21,342	81.25	22,569
64.50	17,512	68.75	18,843	73.00	20,146	77.25	21,415	81.50	22,640
64.75	17,591	69.00	18,920	73.25	20,222	77.50	21,488	81.75	22,710
65.00	17,670	69.25	18,997	73.50	20,298	77.75	21,562	82.00	22,780
65.25	17,749	69.50	19,075	73.75	20,373	78.00	21,635	82.25	22,851
65.50	17,827	69.75	19,152	74.00	20,448	78.25	21,708	82.50	22,920
65.75	17,906	70.00	19,229	74.25	20,523	78.50	21,780	82.75	22,990
66.00	17,984	70.25	19,306	74.50	20,599	78.75	21,853	83.00	23,060
66.25	18,063	70.50	19,383	74.75	20,673	79.00	21,925	83.25	23,129
66.50	18,141	70.75	19,460	75.00	20,748	79.25	21,997	83.50	23,198
66.75	18,219	71.00	19,537	75.25	20,823	79.50	22,070	83.75	23,267
67.00	18,298	71.25	19,613	75.50	20,897	79.75	22,141	84.00	23,336
67.25	18,376	71.50	19,690	75.75	20,972	80.00	22,213	84.25	23,404
67.50	18,454	71.75	19,766	76.00	21,046	80.25	22,285	84.50	23,472
67.75	18,532	72.00	19,842	76.25	21,120	80.50	22,356	84.75	23,540



## Capacity/Gauge Table Information

**TCLX 290479**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 279

Reporting Mark: TCLX 290479

Date: 03/06/2015

Capacity: 28,994 US Gallons (109,755 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,608	89.25	24,726	93.50	25,768	97.75	26,719	102.00	27,560
85.25	23,676	89.50	24,789	93.75	25,827	98.00	26,772	102.25	27,605
85.50	23,743	89.75	24,853	94.00	25,885	98.25	26,824	102.50	27,650
85.75	23,810	90.00	24,916	94.25	25,943	98.50	26,876	102.75	27,695
86.00	23,877	90.25	24,978	94.50	26,001	98.75	26,928	103.00	27,739
86.25	23,944	90.50	25,041	94.75	26,058	99.00	26,979	103.25	27,782
86.50	24,010	90.75	25,103	95.00	26,115	99.25	27,030	103.50	27,825
86.75	24,077	91.00	25,165	95.25	26,172	99.50	27,080	103.75	27,868
87.00	24,143	91.25	25,227	95.50	26,228	99.75	27,130	104.00	27,910
87.25	24,209	91.50	25,288	95.75	26,284	100.00	27,179	104.25	27,951
87.50	24,274	91.75	25,349	96.00	26,340	100.25	27,229	104.50	27,992
87.75	24,339	92.00	25,410	96.25	26,395	100.50	27,277	104.75	28,032
88.00	24,404	92.25	25,470	96.50	26,450	100.75	27,325	105.00	28,072
88.25	24,469	92.50	25,530	96.75	26,504	101.00	27,373	105.25	28,111
88.50	24,534	92.75	25,590	97.00	26,559	101.25	27,420	105.50	28,150
88.75	24,598	93.00	25,650	97.25	26,613	101.50	27,467	105.75	28,188
89.00	24,662	93.25	25,709	97.50	26,666	101.75	27,514	106.00	28,225



## Capacity/Gauge Table Information

**TCLX 290479**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 279

Reporting Mark: TCLX 290479

Date: 03/06/2015

Capacity: 28,994 US Gallons (109,755 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,262	110.50	28,772	114.75	28,981
106.50	28,298	110.75	28,794	115.00	28,985
106.75	28,333	111.00	28,814	115.25	28,988
107.00	28,368	111.25	28,833	115.50	28,990
107.25	28,402	111.50	28,850	115.75	28,992
107.50	28,435	111.75	28,867	116.00	28,993
107.75	28,468	112.00	28,882	116.25	28,994
108.00	28,500	112.25	28,896	116.50	28,994
108.25	28,531	112.50	28,909	116.75	28,994
108.50	28,562	112.75	28,921		
108.75	28,591	113.00	28,932		
109.00	28,620	113.25	28,942		
109.25	28,648	113.50	28,951		
109.50	28,675	113.75	28,959		
109.75	28,701	114.00	28,965		
110.00	28,726	114.25	28,972		
110.25	28,750	114.50	28,977		





## Capacity/Gauge Table Information

**TCLX 290480**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 280

Reporting Mark: TCLX 290480

Date: 03/06/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	592	8.50	1,353	12.75	2,240	17.00	3,229
0.25	29	4.50	633	8.75	1,402	13.00	2,295	17.25	3,290
0.50	59	4.75	674	9.00	1,451	13.25	2,351	17.50	3,351
0.75	89	5.00	716	9.25	1,501	13.50	2,407	17.75	3,413
1.00	121	5.25	758	9.50	1,551	13.75	2,464	18.00	3,475
1.25	153	5.50	801	9.75	1,602	14.00	2,521	18.25	3,537
1.50	186	5.75	844	10.00	1,653	14.25	2,578	18.50	3,599
1.75	219	6.00	888	10.25	1,704	14.50	2,636	18.75	3,662
2.00	254	6.25	932	10.50	1,756	14.75	2,694	19.00	3,725
2.25	289	6.50	977	10.75	1,808	15.00	2,752	19.25	3,788
2.50	325	6.75	1,022	11.00	1,861	15.25	2,811	19.50	3,852
2.75	361	7.00	1,068	11.25	1,914	15.50	2,869	19.75	3,915
3.00	398	7.25	1,114	11.50	1,967	15.75	2,929	20.00	3,979
3.25	436	7.50	1,161	11.75	2,021	16.00	2,988	20.25	4,044
3.50	474	7.75	1,208	12.00	2,075	16.25	3,048	20.50	4,108
3.75	513	8.00	1,256	12.25	2,130	16.50	3,108	20.75	4,173
4.00	552	8.25	1,304	12.50	2,185	16.75	3,168	21.00	4,238



## Capacity/Gauge Table Information

**TCLX 290480**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 280

Reporting Mark: TCLX 290480

Date: 03/06/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,303	25.50	5,447	29.75	6,650	34.00	7,900	38.25	9,189
21.50	4,368	25.75	5,516	30.00	6,722	34.25	7,975	38.50	9,266
21.75	4,434	26.00	5,586	30.25	6,794	34.50	8,050	38.75	9,343
22.00	4,500	26.25	5,655	30.50	6,867	34.75	8,125	39.00	9,420
22.25	4,566	26.50	5,725	30.75	6,940	35.00	8,200	39.25	9,497
22.50	4,633	26.75	5,795	31.00	7,013	35.25	8,275	39.50	9,574
22.75	4,699	27.00	5,865	31.25	7,086	35.50	8,351	39.75	9,651
23.00	4,766	27.25	5,936	31.50	7,159	35.75	8,426	40.00	9,729
23.25	4,833	27.50	6,006	31.75	7,233	36.00	8,502	40.25	9,806
23.50	4,901	27.75	6,077	32.00	7,306	36.25	8,578	40.50	9,884
23.75	4,968	28.00	6,148	32.25	7,380	36.50	8,654	40.75	9,961
24.00	5,036	28.25	6,219	32.50	7,454	36.75	8,730	41.00	10,039
24.25	5,104	28.50	6,290	32.75	7,528	37.00	8,806	41.25	10,117
24.50	5,172	28.75	6,362	33.00	7,602	37.25	8,882	41.50	10,195
24.75	5,241	29.00	6,434	33.25	7,676	37.50	8,959	41.75	10,273
25.00	5,309	29.25	6,505	33.50	7,751	37.75	9,035	42.00	10,351
25.25	5,378	29.50	6,577	33.75	7,825	38.00	9,112	42.25	10,429



## Capacity/Gauge Table Information

**TCLX 290480**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 280

Reporting Mark: TCLX 290480

Date: 03/06/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,507	46.75	11,848	51.00	13,201	55.25	14,561	59.50	15,919
42.75	10,586	47.00	11,927	51.25	13,281	55.50	14,641	59.75	15,999
43.00	10,664	47.25	12,006	51.50	13,361	55.75	14,721	60.00	16,079
43.25	10,743	47.50	12,086	51.75	13,441	56.00	14,801	60.25	16,158
43.50	10,821	47.75	12,165	52.00	13,521	56.25	14,881	60.50	16,238
43.75	10,900	48.00	12,245	52.25	13,601	56.50	14,961	60.75	16,317
44.00	10,978	48.25	12,324	52.50	13,681	56.75	15,041	61.00	16,397
44.25	11,057	48.50	12,404	52.75	13,761	57.00	15,121	61.25	16,476
44.50	11,136	48.75	12,483	53.00	13,841	57.25	15,201	61.50	16,556
44.75	11,215	49.00	12,563	53.25	13,921	57.50	15,281	61.75	16,635
45.00	11,294	49.25	12,643	53.50	14,001	57.75	15,361	62.00	16,714
45.25	11,373	49.50	12,723	53.75	14,081	58.00	15,441	62.25	16,794
45.50	11,452	49.75	12,802	54.00	14,161	58.25	15,521	62.50	16,873
45.75	11,531	50.00	12,882	54.25	14,241	58.50	15,600	62.75	16,952
46.00	11,610	50.25	12,962	54.50	14,321	58.75	15,680	63.00	17,031
46.25	11,689	50.50	13,042	54.75	14,401	59.00	15,760	63.25	17,110
46.50	11,768	50.75	13,122	55.00	14,481	59.25	15,840	63.50	17,189



## Capacity/Gauge Table Information

**TCLX 290480**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 280

Reporting Mark: TCLX 290480

Date: 03/06/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,268	68.00	18,600	72.25	19,906	76.50	21,179	80.75	22,410
64.00	17,347	68.25	18,678	72.50	19,982	76.75	21,253	81.00	22,481
64.25	17,426	68.50	18,755	72.75	20,058	77.00	21,327	81.25	22,552
64.50	17,505	68.75	18,832	73.00	20,134	77.25	21,400	81.50	22,622
64.75	17,583	69.00	18,910	73.25	20,209	77.50	21,473	81.75	22,692
65.00	17,662	69.25	18,987	73.50	20,285	77.75	21,546	82.00	22,762
65.25	17,741	69.50	19,064	73.75	20,360	78.00	21,619	82.25	22,832
65.50	17,819	69.75	19,141	74.00	20,435	78.25	21,692	82.50	22,902
65.75	17,897	70.00	19,218	74.25	20,510	78.50	21,764	82.75	22,972
66.00	17,976	70.25	19,295	74.50	20,585	78.75	21,837	83.00	23,041
66.25	18,054	70.50	19,372	74.75	20,660	79.00	21,909	83.25	23,110
66.50	18,132	70.75	19,449	75.00	20,735	79.25	21,981	83.50	23,179
66.75	18,210	71.00	19,525	75.25	20,809	79.50	22,053	83.75	23,248
67.00	18,288	71.25	19,602	75.50	20,883	79.75	22,125	84.00	23,316
67.25	18,366	71.50	19,678	75.75	20,958	80.00	22,196	84.25	23,385
67.50	18,444	71.75	19,754	76.00	21,032	80.25	22,268	84.50	23,453
67.75	18,522	72.00	19,830	76.25	21,106	80.50	22,339	84.75	23,521



## Capacity/Gauge Table Information

**TCLX 290480**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 280

Reporting Mark: TCLX 290480

Date: 03/06/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,588	89.25	24,703	93.50	25,743	97.75	26,691	102.00	27,528
85.25	23,656	89.50	24,767	93.75	25,801	98.00	26,743	102.25	27,574
85.50	23,723	89.75	24,830	94.00	25,859	98.25	26,796	102.50	27,618
85.75	23,790	90.00	24,893	94.25	25,917	98.50	26,847	102.75	27,663
86.00	23,857	90.25	24,955	94.50	25,975	98.75	26,899	103.00	27,706
86.25	23,923	90.50	25,018	94.75	26,032	99.00	26,950	103.25	27,750
86.50	23,990	90.75	25,080	95.00	26,089	99.25	27,000	103.50	27,793
86.75	24,056	91.00	25,141	95.25	26,145	99.50	27,050	103.75	27,835
87.00	24,122	91.25	25,203	95.50	26,201	99.75	27,100	104.00	27,877
87.25	24,187	91.50	25,264	95.75	26,257	100.00	27,150	104.25	27,918
87.50	24,253	91.75	25,325	96.00	26,313	100.25	27,198	104.50	27,958
87.75	24,318	92.00	25,385	96.25	26,368	100.50	27,247	104.75	27,998
88.00	24,383	92.25	25,446	96.50	26,423	100.75	27,295	105.00	28,038
88.25	24,447	92.50	25,506	96.75	26,477	101.00	27,343	105.25	28,077
88.50	24,512	92.75	25,565	97.00	26,531	101.25	27,390	105.50	28,115
88.75	24,576	93.00	25,625	97.25	26,585	101.50	27,436	105.75	28,153
89.00	24,640	93.25	25,684	97.50	26,638	101.75	27,483	106.00	28,190



## Capacity/Gauge Table Information

**TCLX 290480**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 280

Reporting Mark: TCLX 290480

Date: 03/06/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,226	110.50	28,732	114.75	28,935
106.50	28,262	110.75	28,752	115.00	28,939
106.75	28,298	111.00	28,772	115.25	28,942
107.00	28,332	111.25	28,791	115.50	28,944
107.25	28,366	111.50	28,808	115.75	28,946
107.50	28,399	111.75	28,824	116.00	28,947
107.75	28,431	112.00	28,839	116.25	28,947
108.00	28,463	112.25	28,852	116.50	28,948
108.25	28,494	112.50	28,865	116.75	28,948
108.50	28,524	112.75	28,877		
108.75	28,553	113.00	28,887		
109.00	28,582	113.25	28,897		
109.25	28,609	113.50	28,905		
109.50	28,636	113.75	28,913		
109.75	28,661	114.00	28,920		
110.00	28,686	114.25	28,926		
110.25	28,709	114.50	28,931		



## Capacity/Gauge Table Information

**TCLX 290481**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 281

Reporting Mark: TCLX 290481

Date: 04/06/2015

Capacity: 29,022 US Gallons (109,860 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,341	12.75	2,226	17.00	3,213
0.25	28	4.50	626	8.75	1,390	13.00	2,281	17.25	3,274
0.50	58	4.75	667	9.00	1,439	13.25	2,337	17.50	3,335
0.75	88	5.00	708	9.25	1,489	13.50	2,393	17.75	3,397
1.00	119	5.25	750	9.50	1,539	13.75	2,449	18.00	3,459
1.25	151	5.50	793	9.75	1,590	14.00	2,506	18.25	3,521
1.50	183	5.75	836	10.00	1,640	14.25	2,563	18.50	3,583
1.75	216	6.00	879	10.25	1,692	14.50	2,621	18.75	3,645
2.00	250	6.25	923	10.50	1,743	14.75	2,679	19.00	3,708
2.25	285	6.50	968	10.75	1,795	15.00	2,737	19.25	3,771
2.50	320	6.75	1,013	11.00	1,848	15.25	2,795	19.50	3,835
2.75	356	7.00	1,058	11.25	1,901	15.50	2,854	19.75	3,899
3.00	393	7.25	1,104	11.50	1,954	15.75	2,913	20.00	3,963
3.25	430	7.50	1,151	11.75	2,008	16.00	2,973	20.25	4,027
3.50	468	7.75	1,198	12.00	2,062	16.25	3,032	20.50	4,091
3.75	507	8.00	1,245	12.25	2,116	16.50	3,092	20.75	4,156
4.00	546	8.25	1,293	12.50	2,171	16.75	3,153	21.00	4,221





## Capacity/Gauge Table Information

**TCLX 290481**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 281

Reporting Mark: TCLX 290481

Date: 04/06/2015

Capacity: 29,022 US Gallons (109,860 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,286	25.50	5,430	29.75	6,633	34.00	7,884	38.25	9,175
21.50	4,351	25.75	5,499	30.00	6,705	34.25	7,959	38.50	9,252
21.75	4,417	26.00	5,569	30.25	6,778	34.50	8,034	38.75	9,329
22.00	4,483	26.25	5,638	30.50	6,850	34.75	8,109	39.00	9,406
22.25	4,549	26.50	5,708	30.75	6,923	35.00	8,185	39.25	9,483
22.50	4,616	26.75	5,778	31.00	6,996	35.25	8,260	39.50	9,560
22.75	4,682	27.00	5,848	31.25	7,069	35.50	8,336	39.75	9,638
23.00	4,749	27.25	5,919	31.50	7,143	35.75	8,411	40.00	9,715
23.25	4,816	27.50	5,989	31.75	7,216	36.00	8,487	40.25	9,793
23.50	4,884	27.75	6,060	32.00	7,290	36.25	8,563	40.50	9,871
23.75	4,951	28.00	6,131	32.25	7,364	36.50	8,639	40.75	9,948
24.00	5,019	28.25	6,202	32.50	7,438	36.75	8,715	41.00	10,026
24.25	5,087	28.50	6,274	32.75	7,512	37.00	8,792	41.25	10,104
24.50	5,155	28.75	6,345	33.00	7,586	37.25	8,868	41.50	10,182
24.75	5,223	29.00	6,417	33.25	7,660	37.50	8,944	41.75	10,260
25.00	5,292	29.25	6,489	33.50	7,735	37.75	9,021	42.00	10,339
25.25	5,361	29.50	6,561	33.75	7,809	38.00	9,098	42.25	10,417



## Capacity/Gauge Table Information

**TCLX 290481**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 281

Reporting Mark: TCLX 290481

Date: 04/06/2015

Capacity: 29,022 US Gallons (109,860 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,495	46.75	11,838	51.00	13,194	55.25	14,557	59.50	15,919
42.75	10,574	47.00	11,917	51.25	13,275	55.50	14,638	59.75	15,999
43.00	10,652	47.25	11,997	51.50	13,355	55.75	14,718	60.00	16,079
43.25	10,731	47.50	12,076	51.75	13,435	56.00	14,798	60.25	16,158
43.50	10,809	47.75	12,156	52.00	13,515	56.25	14,878	60.50	16,238
43.75	10,888	48.00	12,236	52.25	13,595	56.50	14,958	60.75	16,318
44.00	10,967	48.25	12,315	52.50	13,675	56.75	15,038	61.00	16,398
44.25	11,046	48.50	12,395	52.75	13,755	57.00	15,119	61.25	16,477
44.50	11,125	48.75	12,475	53.00	13,836	57.25	15,199	61.50	16,557
44.75	11,204	49.00	12,555	53.25	13,916	57.50	15,279	61.75	16,636
45.00	11,283	49.25	12,635	53.50	13,996	57.75	15,359	62.00	16,716
45.25	11,362	49.50	12,715	53.75	14,076	58.00	15,439	62.25	16,795
45.50	11,441	49.75	12,794	54.00	14,156	58.25	15,519	62.50	16,875
45.75	11,520	50.00	12,874	54.25	14,237	58.50	15,599	62.75	16,954
46.00	11,600	50.25	12,954	54.50	14,317	58.75	15,679	63.00	17,034
46.25	11,679	50.50	13,034	54.75	14,397	59.00	15,759	63.25	17,113
46.50	11,758	50.75	13,114	55.00	14,477	59.25	15,839	63.50	17,192



## Capacity/Gauge Table Information

**TCLX 290481**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 281

Reporting Mark: TCLX 290481

Date: 04/06/2015

Capacity: 29,022 US Gallons (109,860 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,271	68.00	18,607	72.25	19,917	76.50	21,194	80.75	22,429
64.00	17,350	68.25	18,685	72.50	19,993	76.75	21,268	81.00	22,500
64.25	17,429	68.50	18,762	72.75	20,069	77.00	21,342	81.25	22,571
64.50	17,508	68.75	18,840	73.00	20,145	77.25	21,416	81.50	22,642
64.75	17,587	69.00	18,918	73.25	20,221	77.50	21,489	81.75	22,713
65.00	17,666	69.25	18,995	73.50	20,297	77.75	21,562	82.00	22,783
65.25	17,745	69.50	19,073	73.75	20,372	78.00	21,636	82.25	22,853
65.50	17,824	69.75	19,150	74.00	20,448	78.25	21,709	82.50	22,923
65.75	17,902	70.00	19,227	74.25	20,523	78.50	21,781	82.75	22,993
66.00	17,981	70.25	19,304	74.50	20,598	78.75	21,854	83.00	23,063
66.25	18,059	70.50	19,381	74.75	20,673	79.00	21,927	83.25	23,132
66.50	18,138	70.75	19,458	75.00	20,748	79.25	21,999	83.50	23,201
66.75	18,216	71.00	19,535	75.25	20,823	79.50	22,071	83.75	23,270
67.00	18,294	71.25	19,612	75.50	20,897	79.75	22,143	84.00	23,339
67.25	18,373	71.50	19,688	75.75	20,972	80.00	22,215	84.25	23,408
67.50	18,451	71.75	19,765	76.00	21,046	80.25	22,287	84.50	23,476
67.75	18,529	72.00	19,841	76.25	21,120	80.50	22,358	84.75	23,544



## Capacity/Gauge Table Information

**TCLX 290481**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 281

Reporting Mark: TCLX 290481

Date: 04/06/2015

Capacity: 29,022 US Gallons (109,860 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,612	89.25	24,732	93.50	25,776	97.75	26,730	102.00	27,573
85.25	23,680	89.50	24,796	93.75	25,835	98.00	26,783	102.25	27,619
85.50	23,747	89.75	24,859	94.00	25,894	98.25	26,835	102.50	27,664
85.75	23,815	90.00	24,922	94.25	25,952	98.50	26,887	102.75	27,709
86.00	23,882	90.25	24,985	94.50	26,009	98.75	26,939	103.00	27,753
86.25	23,949	90.50	25,048	94.75	26,067	99.00	26,990	103.25	27,797
86.50	24,015	90.75	25,110	95.00	26,124	99.25	27,041	103.50	27,840
86.75	24,082	91.00	25,172	95.25	26,181	99.50	27,092	103.75	27,882
87.00	24,148	91.25	25,234	95.50	26,237	99.75	27,142	104.00	27,925
87.25	24,214	91.50	25,295	95.75	26,294	100.00	27,192	104.25	27,966
87.50	24,279	91.75	25,356	96.00	26,349	100.25	27,241	104.50	28,007
87.75	24,345	92.00	25,417	96.25	26,405	100.50	27,290	104.75	28,048
88.00	24,410	92.25	25,478	96.50	26,460	100.75	27,338	105.00	28,088
88.25	24,475	92.50	25,538	96.75	26,515	101.00	27,386	105.25	28,127
88.50	24,540	92.75	25,598	97.00	26,569	101.25	27,433	105.50	28,166
88.75	24,604	93.00	25,658	97.25	26,623	101.50	27,481	105.75	28,204
89.00	24,668	93.25	25,717	97.50	26,677	101.75	27,527	106.00	28,242



## Capacity/Gauge Table Information

**TCLX 290481**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 281

Reporting Mark: TCLX 290481

Date: 04/06/2015

Capacity: 29,022 US Gallons (109,860 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,279	110.50	28,795	114.75	29,009
106.50	28,315	110.75	28,817	115.00	29,013
106.75	28,351	111.00	28,837	115.25	29,016
107.00	28,386	111.25	28,857	115.50	29,018
107.25	28,420	111.50	28,875	115.75	29,020
107.50	28,454	111.75	28,892	116.00	29,021
107.75	28,487	112.00	28,907	116.25	29,022
108.00	28,519	112.25	28,922	116.50	29,022
108.25	28,550	112.50	28,935	116.75	29,022
108.50	28,581	112.75	28,947		
108.75	28,611	113.00	28,958		
109.00	28,640	113.25	28,968		
109.25	28,668	113.50	28,978		
109.50	28,695	113.75	28,986		
109.75	28,722	114.00	28,993		
110.00	28,747	114.25	28,999		
110.25	28,772	114.50	29,004		



## Capacity/Gauge Table Information

**TCLX 290482**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 282

Reporting Mark: TCLX 290482

Date: 03/06/2015

Capacity: 29,120 US Gallons (110,232 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,352	12.75	2,241	17.00	3,233
0.25	29	4.50	631	8.75	1,401	13.00	2,296	17.25	3,294
0.50	58	4.75	672	9.00	1,450	13.25	2,352	17.50	3,356
0.75	89	5.00	714	9.25	1,500	13.50	2,409	17.75	3,418
1.00	120	5.25	756	9.50	1,550	13.75	2,466	18.00	3,480
1.25	152	5.50	799	9.75	1,601	14.00	2,523	18.25	3,542
1.50	185	5.75	843	10.00	1,652	14.25	2,580	18.50	3,605
1.75	218	6.00	886	10.25	1,704	14.50	2,638	18.75	3,667
2.00	253	6.25	931	10.50	1,756	14.75	2,696	19.00	3,731
2.25	288	6.50	976	10.75	1,808	15.00	2,754	19.25	3,794
2.50	323	6.75	1,021	11.00	1,861	15.25	2,813	19.50	3,858
2.75	360	7.00	1,067	11.25	1,914	15.50	2,872	19.75	3,922
3.00	397	7.25	1,113	11.50	1,967	15.75	2,932	20.00	3,986
3.25	434	7.50	1,160	11.75	2,021	16.00	2,991	20.25	4,050
3.50	472	7.75	1,207	12.00	2,076	16.25	3,051	20.50	4,115
3.75	511	8.00	1,255	12.25	2,130	16.50	3,112	20.75	4,180
4.00	551	8.25	1,303	12.50	2,185	16.75	3,172	21.00	4,245



## Capacity/Gauge Table Information

**TCLX 290482**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 282

Reporting Mark: TCLX 290482

Date: 03/06/2015

Capacity: 29,120 US Gallons (110,232 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,311	25.50	5,460	29.75	6,667	34.00	7,923	38.25	9,218
21.50	4,377	25.75	5,529	30.00	6,740	34.25	7,999	38.50	9,296
21.75	4,443	26.00	5,599	30.25	6,813	34.50	8,074	38.75	9,373
22.00	4,509	26.25	5,669	30.50	6,886	34.75	8,149	39.00	9,450
22.25	4,575	26.50	5,739	30.75	6,959	35.00	8,225	39.25	9,528
22.50	4,642	26.75	5,809	31.00	7,032	35.25	8,301	39.50	9,605
22.75	4,709	27.00	5,880	31.25	7,106	35.50	8,376	39.75	9,683
23.00	4,776	27.25	5,950	31.50	7,179	35.75	8,452	40.00	9,761
23.25	4,843	27.50	6,021	31.75	7,253	36.00	8,529	40.25	9,839
23.50	4,911	27.75	6,092	32.00	7,327	36.25	8,605	40.50	9,917
23.75	4,979	28.00	6,163	32.25	7,401	36.50	8,681	40.75	9,995
24.00	5,047	28.25	6,235	32.50	7,475	36.75	8,757	41.00	10,073
24.25	5,115	28.50	6,307	32.75	7,549	37.00	8,834	41.25	10,151
24.50	5,184	28.75	6,378	33.00	7,624	37.25	8,911	41.50	10,230
24.75	5,252	29.00	6,450	33.25	7,699	37.50	8,987	41.75	10,308
25.00	5,321	29.25	6,522	33.50	7,773	37.75	9,064	42.00	10,387
25.25	5,390	29.50	6,595	33.75	7,848	38.00	9,141	42.25	10,465





## Capacity/Gauge Table Information

**TCLX 290482**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 282

Reporting Mark: TCLX 290482

Date: 03/06/2015

Capacity: 29,120 US Gallons (110,232 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,544	46.75	11,891	51.00	13,252	55.25	14,619	59.50	15,985
42.75	10,622	47.00	11,971	51.25	13,332	55.50	14,700	59.75	16,065
43.00	10,701	47.25	12,050	51.50	13,413	55.75	14,780	60.00	16,145
43.25	10,780	47.50	12,130	51.75	13,493	56.00	14,861	60.25	16,225
43.50	10,859	47.75	12,210	52.00	13,573	56.25	14,941	60.50	16,305
43.75	10,938	48.00	12,290	52.25	13,654	56.50	15,021	60.75	16,385
44.00	11,017	48.25	12,370	52.50	13,734	56.75	15,102	61.00	16,465
44.25	11,096	48.50	12,450	52.75	13,815	57.00	15,182	61.25	16,545
44.50	11,175	48.75	12,530	53.00	13,895	57.25	15,263	61.50	16,625
44.75	11,255	49.00	12,610	53.25	13,976	57.50	15,343	61.75	16,705
45.00	11,334	49.25	12,690	53.50	14,056	57.75	15,423	62.00	16,785
45.25	11,413	49.50	12,771	53.75	14,136	58.00	15,504	62.25	16,864
45.50	11,493	49.75	12,851	54.00	14,217	58.25	15,584	62.50	16,944
45.75	11,572	50.00	12,931	54.25	14,297	58.50	15,664	62.75	17,024
46.00	11,652	50.25	13,011	54.50	14,378	58.75	15,744	63.00	17,103
46.25	11,732	50.50	13,091	54.75	14,458	59.00	15,825	63.25	17,183
46.50	11,811	50.75	13,172	55.00	14,539	59.25	15,905	63.50	17,262



## Capacity/Gauge Table Information

**TCLX 290482**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 282

Reporting Mark: TCLX 290482

Date: 03/06/2015

Capacity: 29,120 US Gallons (110,232 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,342	68.00	18,681	72.25	19,996	76.50	21,277	80.75	22,516
64.00	17,421	68.25	18,759	72.50	20,072	76.75	21,351	81.00	22,587
64.25	17,500	68.50	18,837	72.75	20,148	77.00	21,425	81.25	22,658
64.50	17,580	68.75	18,915	73.00	20,225	77.25	21,499	81.50	22,729
64.75	17,659	69.00	18,993	73.25	20,301	77.50	21,573	81.75	22,800
65.00	17,738	69.25	19,071	73.50	20,377	77.75	21,646	82.00	22,870
65.25	17,817	69.50	19,149	73.75	20,452	78.00	21,719	82.25	22,941
65.50	17,896	69.75	19,226	74.00	20,528	78.25	21,793	82.50	23,011
65.75	17,975	70.00	19,304	74.25	20,603	78.50	21,866	82.75	23,081
66.00	18,054	70.25	19,381	74.50	20,679	78.75	21,939	83.00	23,151
66.25	18,132	70.50	19,458	74.75	20,754	79.00	22,011	83.25	23,220
66.50	18,211	70.75	19,535	75.00	20,829	79.25	22,084	83.50	23,290
66.75	18,290	71.00	19,612	75.25	20,904	79.50	22,156	83.75	23,359
67.00	18,368	71.25	19,689	75.50	20,979	79.75	22,228	84.00	23,428
67.25	18,446	71.50	19,766	75.75	21,054	80.00	22,301	84.25	23,497
67.50	18,525	71.75	19,843	76.00	21,128	80.25	22,372	84.50	23,565
67.75	18,603	72.00	19,919	76.25	21,203	80.50	22,444	84.75	23,634



## Capacity/Gauge Table Information

**TCLX 290482**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 282

Reporting Mark: TCLX 290482

Date: 03/06/2015

Capacity: 29,120 US Gallons (110,232 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,702	89.25	24,825	93.50	25,872	97.75	26,828	102.00	27,674
85.25	23,770	89.50	24,889	93.75	25,931	98.00	26,881	102.25	27,720
85.50	23,838	89.75	24,952	94.00	25,990	98.25	26,934	102.50	27,765
85.75	23,905	90.00	25,016	94.25	26,048	98.50	26,986	102.75	27,810
86.00	23,972	90.25	25,079	94.50	26,106	98.75	27,038	103.00	27,854
86.25	24,039	90.50	25,142	94.75	26,164	99.00	27,090	103.25	27,898
86.50	24,106	90.75	25,204	95.00	26,221	99.25	27,141	103.50	27,941
86.75	24,173	91.00	25,266	95.25	26,278	99.50	27,191	103.75	27,984
87.00	24,239	91.25	25,328	95.50	26,335	99.75	27,241	104.00	28,026
87.25	24,305	91.50	25,390	95.75	26,391	100.00	27,291	104.25	28,067
87.50	24,371	91.75	25,451	96.00	26,447	100.25	27,341	104.50	28,109
87.75	24,437	92.00	25,512	96.25	26,502	100.50	27,390	104.75	28,149
88.00	24,502	92.25	25,573	96.50	26,558	100.75	27,438	105.00	28,189
88.25	24,567	92.50	25,633	96.75	26,613	101.00	27,486	105.25	28,229
88.50	24,632	92.75	25,694	97.00	26,667	101.25	27,534	105.50	28,267
88.75	24,697	93.00	25,753	97.25	26,721	101.50	27,581	105.75	28,306
89.00	24,761	93.25	25,813	97.50	26,775	101.75	27,628	106.00	28,343



## Capacity/Gauge Table Information

**TCLX 290482**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 282

Reporting Mark: TCLX 290482

Date: 03/06/2015

Capacity: 29,120 US Gallons (110,232 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,380	110.50	28,895	114.75	29,107
106.50	28,417	110.75	28,917	115.00	29,111
106.75	28,452	111.00	28,938	115.25	29,114
107.00	28,487	111.25	28,957	115.50	29,116
107.25	28,522	111.50	28,975	115.75	29,118
107.50	28,555	111.75	28,991	116.00	29,119
107.75	28,588	112.00	29,007	116.25	29,120
108.00	28,620	112.25	29,021	116.50	29,120
108.25	28,652	112.50	29,034	116.75	29,120
108.50	28,683	112.75	29,046		
108.75	28,712	113.00	29,057		
109.00	28,741	113.25	29,067		
109.25	28,769	113.50	29,076		
109.50	28,797	113.75	29,084		
109.75	28,823	114.00	29,091		
110.00	28,848	114.25	29,097		
110.25	28,872	114.50	29,103		



## Capacity/Gauge Table Information

**TCLX 290483**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 283

Reporting Mark: TCLX 290483

Date: 01/06/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,344	12.75	2,228	17.00	3,215
0.25	29	4.50	628	8.75	1,393	13.00	2,283	17.25	3,276
0.50	58	4.75	669	9.00	1,442	13.25	2,339	17.50	3,337
0.75	88	5.00	710	9.25	1,491	13.50	2,395	17.75	3,398
1.00	119	5.25	752	9.50	1,541	13.75	2,452	18.00	3,460
1.25	151	5.50	795	9.75	1,592	14.00	2,509	18.25	3,522
1.50	184	5.75	838	10.00	1,643	14.25	2,566	18.50	3,584
1.75	217	6.00	881	10.25	1,694	14.50	2,623	18.75	3,647
2.00	251	6.25	925	10.50	1,746	14.75	2,681	19.00	3,710
2.25	286	6.50	970	10.75	1,798	15.00	2,739	19.25	3,773
2.50	321	6.75	1,015	11.00	1,850	15.25	2,797	19.50	3,836
2.75	358	7.00	1,061	11.25	1,903	15.50	2,856	19.75	3,900
3.00	394	7.25	1,107	11.50	1,956	15.75	2,915	20.00	3,964
3.25	432	7.50	1,153	11.75	2,010	16.00	2,974	20.25	4,028
3.50	470	7.75	1,200	12.00	2,064	16.25	3,034	20.50	4,092
3.75	508	8.00	1,248	12.25	2,118	16.50	3,094	20.75	4,157
4.00	548	8.25	1,296	12.50	2,173	16.75	3,154	21.00	4,222



## Capacity/Gauge Table Information

**TCLX 290483**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 283

Reporting Mark: TCLX 290483

Date: 01/06/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,287	25.50	5,429	29.75	6,630	34.00	7,880	38.25	9,168
21.50	4,352	25.75	5,498	30.00	6,703	34.25	7,954	38.50	9,245
21.75	4,418	26.00	5,568	30.25	6,775	34.50	8,029	38.75	9,321
22.00	4,484	26.25	5,637	30.50	6,848	34.75	8,104	39.00	9,398
22.25	4,550	26.50	5,707	30.75	6,920	35.00	8,180	39.25	9,475
22.50	4,616	26.75	5,777	31.00	6,993	35.25	8,255	39.50	9,553
22.75	4,683	27.00	5,847	31.25	7,066	35.50	8,330	39.75	9,630
23.00	4,749	27.25	5,917	31.50	7,139	35.75	8,406	40.00	9,707
23.25	4,816	27.50	5,988	31.75	7,213	36.00	8,482	40.25	9,785
23.50	4,884	27.75	6,058	32.00	7,286	36.25	8,557	40.50	9,862
23.75	4,951	28.00	6,129	32.25	7,360	36.50	8,633	40.75	9,940
24.00	5,019	28.25	6,200	32.50	7,434	36.75	8,709	41.00	10,018
24.25	5,087	28.50	6,272	32.75	7,508	37.00	8,785	41.25	10,096
24.50	5,155	28.75	6,343	33.00	7,582	37.25	8,862	41.50	10,173
24.75	5,223	29.00	6,415	33.25	7,656	37.50	8,938	41.75	10,251
25.00	5,291	29.25	6,486	33.50	7,730	37.75	9,014	42.00	10,329
25.25	5,360	29.50	6,558	33.75	7,805	38.00	9,091	42.25	10,408



## Capacity/Gauge Table Information

**TCLX 290483**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 283

Reporting Mark: TCLX 290483

Date: 01/06/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,486	46.75	11,826	51.00	13,180	55.25	14,539	59.50	15,898
42.75	10,564	47.00	11,905	51.25	13,259	55.50	14,619	59.75	15,978
43.00	10,643	47.25	11,984	51.50	13,339	55.75	14,699	60.00	16,057
43.25	10,721	47.50	12,064	51.75	13,419	56.00	14,779	60.25	16,137
43.50	10,799	47.75	12,143	52.00	13,499	56.25	14,859	60.50	16,216
43.75	10,878	48.00	12,223	52.25	13,579	56.50	14,939	60.75	16,296
44.00	10,957	48.25	12,302	52.50	13,659	56.75	15,019	61.00	16,376
44.25	11,035	48.50	12,382	52.75	13,739	57.00	15,099	61.25	16,455
44.50	11,114	48.75	12,462	53.00	13,819	57.25	15,179	61.50	16,534
44.75	11,193	49.00	12,541	53.25	13,899	57.50	15,259	61.75	16,614
45.00	11,272	49.25	12,621	53.50	13,979	57.75	15,339	62.00	16,693
45.25	11,351	49.50	12,701	53.75	14,059	58.00	15,419	62.25	16,772
45.50	11,430	49.75	12,780	54.00	14,139	58.25	15,499	62.50	16,852
45.75	11,509	50.00	12,860	54.25	14,219	58.50	15,579	62.75	16,931
46.00	11,588	50.25	12,940	54.50	14,299	58.75	15,659	63.00	17,010
46.25	11,667	50.50	13,020	54.75	14,379	59.00	15,738	63.25	17,089
46.50	11,746	50.75	13,100	55.00	14,459	59.25	15,818	63.50	17,168





## Capacity/Gauge Table Information

**TCLX 290483**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 283

Reporting Mark: TCLX 290483

Date: 01/06/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,247	68.00	18,580	72.25	19,887	76.50	21,161	80.75	22,393
64.00	17,326	68.25	18,657	72.50	19,963	76.75	21,235	81.00	22,464
64.25	17,405	68.50	18,735	72.75	20,039	77.00	21,308	81.25	22,535
64.50	17,484	68.75	18,812	73.00	20,114	77.25	21,382	81.50	22,605
64.75	17,562	69.00	18,890	73.25	20,190	77.50	21,455	81.75	22,675
65.00	17,641	69.25	18,967	73.50	20,266	77.75	21,528	82.00	22,746
65.25	17,720	69.50	19,044	73.75	20,341	78.00	21,601	82.25	22,816
65.50	17,798	69.75	19,121	74.00	20,416	78.25	21,674	82.50	22,885
65.75	17,877	70.00	19,198	74.25	20,491	78.50	21,747	82.75	22,955
66.00	17,955	70.25	19,275	74.50	20,566	78.75	21,819	83.00	23,025
66.25	18,033	70.50	19,352	74.75	20,641	79.00	21,891	83.25	23,094
66.50	18,112	70.75	19,429	75.00	20,716	79.25	21,963	83.50	23,163
66.75	18,190	71.00	19,505	75.25	20,790	79.50	22,035	83.75	23,232
67.00	18,268	71.25	19,582	75.50	20,865	79.75	22,107	84.00	23,300
67.25	18,346	71.50	19,658	75.75	20,939	80.00	22,179	84.25	23,369
67.50	18,424	71.75	19,735	76.00	21,013	80.25	22,250	84.50	23,437
67.75	18,502	72.00	19,811	76.25	21,087	80.50	22,322	84.75	23,505



## Capacity/Gauge Table Information

**TCLX 290483**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 283

Reporting Mark: TCLX 290483

Date: 01/06/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,573	89.25	24,689	93.50	25,731	97.75	26,681	102.00	27,522
85.25	23,640	89.50	24,753	93.75	25,789	98.00	26,734	102.25	27,567
85.50	23,707	89.75	24,816	94.00	25,848	98.25	26,786	102.50	27,612
85.75	23,775	90.00	24,879	94.25	25,906	98.50	26,838	102.75	27,657
86.00	23,841	90.25	24,942	94.50	25,963	98.75	26,890	103.00	27,701
86.25	23,908	90.50	25,004	94.75	26,020	99.00	26,941	103.25	27,744
86.50	23,975	90.75	25,066	95.00	26,077	99.25	26,992	103.50	27,787
86.75	24,041	91.00	25,128	95.25	26,134	99.50	27,042	103.75	27,830
87.00	24,107	91.25	25,190	95.50	26,190	99.75	27,092	104.00	27,872
87.25	24,172	91.50	25,251	95.75	26,246	100.00	27,141	104.25	27,913
87.50	24,238	91.75	25,312	96.00	26,302	100.25	27,191	104.50	27,954
87.75	24,303	92.00	25,373	96.25	26,357	100.50	27,239	104.75	27,994
88.00	24,368	92.25	25,433	96.50	26,412	100.75	27,287	105.00	28,034
88.25	24,433	92.50	25,493	96.75	26,467	101.00	27,335	105.25	28,073
88.50	24,497	92.75	25,553	97.00	26,521	101.25	27,383	105.50	28,112
88.75	24,562	93.00	25,613	97.25	26,575	101.50	27,429	105.75	28,150
89.00	24,626	93.25	25,672	97.50	26,628	101.75	27,476	106.00	28,187



## Capacity/Gauge Table Information

**TCLX 290483**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 283

Reporting Mark: TCLX 290483

Date: 01/06/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,224	110.50	28,736	114.75	28,946
106.50	28,260	110.75	28,757	115.00	28,950
106.75	28,296	111.00	28,778	115.25	28,953
107.00	28,330	111.25	28,797	115.50	28,955
107.25	28,365	111.50	28,814	115.75	28,957
107.50	28,398	111.75	28,831	116.00	28,958
107.75	28,431	112.00	28,846	116.25	28,959
108.00	28,463	112.25	28,861	116.50	28,959
108.25	28,494	112.50	28,874	116.75	28,959
108.50	28,524	112.75	28,886		
108.75	28,554	113.00	28,897		
109.00	28,583	113.25	28,906		
109.25	28,611	113.50	28,915		
109.50	28,638	113.75	28,923		
109.75	28,664	114.00	28,930		
110.00	28,689	114.25	28,936		
110.25	28,713	114.50	28,942		



## Capacity/Gauge Table Information

**TCLX 290484**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 284

Reporting Mark: TCLX 290484

Date: 03/06/2015

Capacity: 29,109 US Gallons (110,189 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	593	8.50	1,355	12.75	2,245	17.00	3,239
0.25	29	4.50	633	8.75	1,404	13.00	2,301	17.25	3,300
0.50	59	4.75	675	9.00	1,454	13.25	2,357	17.50	3,361
0.75	89	5.00	717	9.25	1,504	13.50	2,414	17.75	3,423
1.00	121	5.25	759	9.50	1,554	13.75	2,471	18.00	3,485
1.25	153	5.50	802	9.75	1,605	14.00	2,528	18.25	3,548
1.50	186	5.75	845	10.00	1,656	14.25	2,585	18.50	3,610
1.75	219	6.00	889	10.25	1,708	14.50	2,643	18.75	3,673
2.00	254	6.25	934	10.50	1,760	14.75	2,701	19.00	3,737
2.25	289	6.50	978	10.75	1,812	15.00	2,760	19.25	3,800
2.50	325	6.75	1,024	11.00	1,865	15.25	2,818	19.50	3,864
2.75	361	7.00	1,070	11.25	1,918	15.50	2,878	19.75	3,928
3.00	398	7.25	1,116	11.50	1,972	15.75	2,937	20.00	3,992
3.25	436	7.50	1,163	11.75	2,026	16.00	2,997	20.25	4,057
3.50	474	7.75	1,210	12.00	2,080	16.25	3,057	20.50	4,121
3.75	513	8.00	1,258	12.25	2,135	16.50	3,117	20.75	4,186
4.00	553	8.25	1,306	12.50	2,190	16.75	3,178	21.00	4,252



## Capacity/Gauge Table Information

**TCLX 290484**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 284

Reporting Mark: TCLX 290484

Date: 03/06/2015

Capacity: 29,109 US Gallons (110,189 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,317	25.50	5,467	29.75	6,675	34.00	7,931	38.25	9,227
21.50	4,383	25.75	5,536	30.00	6,748	34.25	8,007	38.50	9,304
21.75	4,449	26.00	5,606	30.25	6,820	34.50	8,082	38.75	9,381
22.00	4,515	26.25	5,676	30.50	6,893	34.75	8,157	39.00	9,459
22.25	4,582	26.50	5,746	30.75	6,967	35.00	8,233	39.25	9,536
22.50	4,649	26.75	5,816	31.00	7,040	35.25	8,309	39.50	9,614
22.75	4,715	27.00	5,887	31.25	7,113	35.50	8,385	39.75	9,692
23.00	4,783	27.25	5,958	31.50	7,187	35.75	8,461	40.00	9,769
23.25	4,850	27.50	6,029	31.75	7,261	36.00	8,537	40.25	9,847
23.50	4,918	27.75	6,100	32.00	7,335	36.25	8,613	40.50	9,925
23.75	4,986	28.00	6,171	32.25	7,409	36.50	8,689	40.75	10,003
24.00	5,054	28.25	6,242	32.50	7,483	36.75	8,766	41.00	10,082
24.25	5,122	28.50	6,314	32.75	7,557	37.00	8,842	41.25	10,160
24.50	5,190	28.75	6,386	33.00	7,632	37.25	8,919	41.50	10,238
24.75	5,259	29.00	6,458	33.25	7,707	37.50	8,996	41.75	10,317
25.00	5,328	29.25	6,530	33.50	7,781	37.75	9,073	42.00	10,395
25.25	5,397	29.50	6,602	33.75	7,856	38.00	9,150	42.25	10,474



## Capacity/Gauge Table Information

**TCLX 290484**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 284

Reporting Mark: TCLX 290484

Date: 03/06/2015

Capacity: 29,109 US Gallons (110,189 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,552	46.75	11,900	51.00	13,261	55.25	14,628	59.50	15,994
42.75	10,631	47.00	11,979	51.25	13,341	55.50	14,708	59.75	16,074
43.00	10,710	47.25	12,059	51.50	13,421	55.75	14,789	60.00	16,154
43.25	10,789	47.50	12,139	51.75	13,502	56.00	14,869	60.25	16,234
43.50	10,868	47.75	12,219	52.00	13,582	56.25	14,950	60.50	16,314
43.75	10,947	48.00	12,299	52.25	13,663	56.50	15,030	60.75	16,394
44.00	11,026	48.25	12,379	52.50	13,743	56.75	15,110	61.00	16,474
44.25	11,105	48.50	12,459	52.75	13,823	57.00	15,191	61.25	16,554
44.50	11,184	48.75	12,539	53.00	13,904	57.25	15,271	61.50	16,633
44.75	11,263	49.00	12,619	53.25	13,984	57.50	15,352	61.75	16,713
45.00	11,343	49.25	12,699	53.50	14,065	57.75	15,432	62.00	16,793
45.25	11,422	49.50	12,779	53.75	14,145	58.00	15,512	62.25	16,873
45.50	11,502	49.75	12,859	54.00	14,226	58.25	15,592	62.50	16,952
45.75	11,581	50.00	12,940	54.25	14,306	58.50	15,673	62.75	17,032
46.00	11,661	50.25	13,020	54.50	14,387	58.75	15,753	63.00	17,111
46.25	11,740	50.50	13,100	54.75	14,467	59.00	15,833	63.25	17,191
46.50	11,820	50.75	13,180	55.00	14,547	59.25	15,913	63.50	17,270



## Capacity/Gauge Table Information

**TCLX 290484**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 284

Reporting Mark: TCLX 290484

Date: 03/06/2015

Capacity: 29,109 US Gallons (110,189 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,350	68.00	18,689	72.25	20,003	76.50	21,284	80.75	22,521
64.00	17,429	68.25	18,767	72.50	20,079	76.75	21,358	81.00	22,593
64.25	17,508	68.50	18,845	72.75	20,156	77.00	21,432	81.25	22,664
64.50	17,588	68.75	18,923	73.00	20,232	77.25	21,505	81.50	22,735
64.75	17,667	69.00	19,001	73.25	20,308	77.50	21,579	81.75	22,805
65.00	17,746	69.25	19,079	73.50	20,384	77.75	21,652	82.00	22,876
65.25	17,825	69.50	19,156	73.75	20,459	78.00	21,726	82.25	22,946
65.50	17,904	69.75	19,234	74.00	20,535	78.25	21,799	82.50	23,016
65.75	17,983	70.00	19,311	74.25	20,610	78.50	21,872	82.75	23,086
66.00	18,061	70.25	19,388	74.50	20,686	78.75	21,945	83.00	23,156
66.25	18,140	70.50	19,466	74.75	20,761	79.00	22,017	83.25	23,226
66.50	18,219	70.75	19,543	75.00	20,836	79.25	22,090	83.50	23,295
66.75	18,297	71.00	19,620	75.25	20,911	79.50	22,162	83.75	23,364
67.00	18,376	71.25	19,697	75.50	20,986	79.75	22,234	84.00	23,433
67.25	18,454	71.50	19,773	75.75	21,060	80.00	22,306	84.25	23,502
67.50	18,533	71.75	19,850	76.00	21,135	80.25	22,378	84.50	23,570
67.75	18,611	72.00	19,927	76.25	21,209	80.50	22,450	84.75	23,639





## Capacity/Gauge Table Information

**TCLX 290484**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 284

Reporting Mark: TCLX 290484

Date: 03/06/2015

Capacity: 29,109 US Gallons (110,189 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,707	89.25	24,829	93.50	25,875	97.75	26,829	102.00	27,673
85.25	23,775	89.50	24,892	93.75	25,933	98.00	26,882	102.25	27,718
85.50	23,842	89.75	24,956	94.00	25,992	98.25	26,935	102.50	27,763
85.75	23,910	90.00	25,019	94.25	26,050	98.50	26,987	102.75	27,808
86.00	23,977	90.25	25,082	94.50	26,108	98.75	27,038	103.00	27,852
86.25	24,044	90.50	25,145	94.75	26,166	99.00	27,090	103.25	27,896
86.50	24,111	90.75	25,207	95.00	26,223	99.25	27,141	103.50	27,939
86.75	24,177	91.00	25,269	95.25	26,280	99.50	27,191	103.75	27,981
87.00	24,243	91.25	25,331	95.50	26,336	99.75	27,241	104.00	28,024
87.25	24,309	91.50	25,393	95.75	26,392	100.00	27,291	104.25	28,065
87.50	24,375	91.75	25,454	96.00	26,448	100.25	27,340	104.50	28,106
87.75	24,441	92.00	25,515	96.25	26,504	100.50	27,389	104.75	28,146
88.00	24,506	92.25	25,576	96.50	26,559	100.75	27,437	105.00	28,186
88.25	24,571	92.50	25,636	96.75	26,614	101.00	27,485	105.25	28,226
88.50	24,636	92.75	25,696	97.00	26,668	101.25	27,533	105.50	28,264
88.75	24,700	93.00	25,756	97.25	26,722	101.50	27,580	105.75	28,302
89.00	24,765	93.25	25,815	97.50	26,776	101.75	27,626	106.00	28,340



## Capacity/Gauge Table Information

**TCLX 290484**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 284

Reporting Mark: TCLX 290484

Date: 03/06/2015

Capacity: 29,109 US Gallons (110,189 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,377	110.50	28,888	114.75	29,096
106.50	28,413	110.75	28,909	115.00	29,100
106.75	28,448	111.00	28,929	115.25	29,103
107.00	28,483	111.25	28,948	115.50	29,105
107.25	28,517	111.50	28,966	115.75	29,107
107.50	28,551	111.75	28,982	116.00	29,108
107.75	28,584	112.00	28,997	116.25	29,109
108.00	28,616	112.25	29,011	116.50	29,109
108.25	28,647	112.50	29,024	116.75	29,109
108.50	28,677	112.75	29,036		
108.75	28,707	113.00	29,047		
109.00	28,736	113.25	29,057		
109.25	28,764	113.50	29,066		
109.50	28,790	113.75	29,073		
109.75	28,816	114.00	29,080		
110.00	28,841	114.25	29,086		
110.25	28,865	114.50	29,092		



## Capacity/Gauge Table Information

**TCLX 290485**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 285

Reporting Mark: TCLX 290485

Date: 01/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,344	12.75	2,228	17.00	3,215
0.25	29	4.50	628	8.75	1,392	13.00	2,283	17.25	3,276
0.50	58	4.75	668	9.00	1,442	13.25	2,339	17.50	3,337
0.75	88	5.00	710	9.25	1,491	13.50	2,395	17.75	3,398
1.00	119	5.25	752	9.50	1,541	13.75	2,452	18.00	3,460
1.25	151	5.50	794	9.75	1,592	14.00	2,508	18.25	3,522
1.50	184	5.75	838	10.00	1,643	14.25	2,565	18.50	3,584
1.75	217	6.00	881	10.25	1,694	14.50	2,623	18.75	3,647
2.00	251	6.25	925	10.50	1,746	14.75	2,681	19.00	3,710
2.25	286	6.50	970	10.75	1,798	15.00	2,739	19.25	3,773
2.50	321	6.75	1,015	11.00	1,850	15.25	2,797	19.50	3,836
2.75	357	7.00	1,060	11.25	1,903	15.50	2,856	19.75	3,900
3.00	394	7.25	1,106	11.50	1,956	15.75	2,915	20.00	3,964
3.25	432	7.50	1,153	11.75	2,010	16.00	2,974	20.25	4,028
3.50	470	7.75	1,200	12.00	2,064	16.25	3,034	20.50	4,092
3.75	508	8.00	1,247	12.25	2,118	16.50	3,094	20.75	4,157
4.00	547	8.25	1,295	12.50	2,173	16.75	3,154	21.00	4,222



## Capacity/Gauge Table Information

**TCLX 290485**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 285

Reporting Mark: TCLX 290485

Date: 01/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,287	25.50	5,429	29.75	6,631	34.00	7,880	38.25	9,168
21.50	4,352	25.75	5,498	30.00	6,703	34.25	7,955	38.50	9,245
21.75	4,418	26.00	5,568	30.25	6,775	34.50	8,030	38.75	9,322
22.00	4,484	26.25	5,637	30.50	6,848	34.75	8,105	39.00	9,399
22.25	4,550	26.50	5,707	30.75	6,921	35.00	8,180	39.25	9,476
22.50	4,616	26.75	5,777	31.00	6,994	35.25	8,255	39.50	9,553
22.75	4,683	27.00	5,847	31.25	7,067	35.50	8,331	39.75	9,631
23.00	4,749	27.25	5,918	31.50	7,140	35.75	8,406	40.00	9,708
23.25	4,816	27.50	5,988	31.75	7,213	36.00	8,482	40.25	9,786
23.50	4,884	27.75	6,059	32.00	7,287	36.25	8,558	40.50	9,863
23.75	4,951	28.00	6,130	32.25	7,360	36.50	8,634	40.75	9,941
24.00	5,019	28.25	6,201	32.50	7,434	36.75	8,710	41.00	10,019
24.25	5,087	28.50	6,272	32.75	7,508	37.00	8,786	41.25	10,096
24.50	5,155	28.75	6,343	33.00	7,582	37.25	8,862	41.50	10,174
24.75	5,223	29.00	6,415	33.25	7,657	37.50	8,939	41.75	10,252
25.00	5,292	29.25	6,487	33.50	7,731	37.75	9,015	42.00	10,330
25.25	5,360	29.50	6,559	33.75	7,805	38.00	9,092	42.25	10,409



## Capacity/Gauge Table Information

**TCLX 290485**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 285

Reporting Mark: TCLX 290485

Date: 01/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,487	46.75	11,827	51.00	13,181	55.25	14,541	59.50	15,900
42.75	10,565	47.00	11,906	51.25	13,261	55.50	14,621	59.75	15,980
43.00	10,644	47.25	11,986	51.50	13,341	55.75	14,701	60.00	16,059
43.25	10,722	47.50	12,065	51.75	13,421	56.00	14,781	60.25	16,139
43.50	10,800	47.75	12,145	52.00	13,501	56.25	14,861	60.50	16,219
43.75	10,879	48.00	12,224	52.25	13,581	56.50	14,941	60.75	16,298
44.00	10,958	48.25	12,304	52.50	13,661	56.75	15,021	61.00	16,378
44.25	11,036	48.50	12,383	52.75	13,741	57.00	15,101	61.25	16,457
44.50	11,115	48.75	12,463	53.00	13,821	57.25	15,181	61.50	16,537
44.75	11,194	49.00	12,543	53.25	13,901	57.50	15,261	61.75	16,616
45.00	11,273	49.25	12,622	53.50	13,981	57.75	15,341	62.00	16,695
45.25	11,352	49.50	12,702	53.75	14,061	58.00	15,421	62.25	16,775
45.50	11,431	49.75	12,782	54.00	14,141	58.25	15,501	62.50	16,854
45.75	11,510	50.00	12,862	54.25	14,221	58.50	15,581	62.75	16,933
46.00	11,589	50.25	12,941	54.50	14,301	58.75	15,661	63.00	17,012
46.25	11,668	50.50	13,021	54.75	14,381	59.00	15,740	63.25	17,091
46.50	11,748	50.75	13,101	55.00	14,461	59.25	15,820	63.50	17,170



## Capacity/Gauge Table Information

**TCLX 290485**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 285

Reporting Mark: TCLX 290485

Date: 01/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,249	68.00	18,582	72.25	19,890	76.50	21,164	80.75	22,397
64.00	17,328	68.25	18,660	72.50	19,966	76.75	21,238	81.00	22,468
64.25	17,407	68.50	18,737	72.75	20,042	77.00	21,312	81.25	22,538
64.50	17,486	68.75	18,815	73.00	20,117	77.25	21,385	81.50	22,609
64.75	17,565	69.00	18,892	73.25	20,193	77.50	21,458	81.75	22,679
65.00	17,644	69.25	18,970	73.50	20,269	77.75	21,532	82.00	22,750
65.25	17,722	69.50	19,047	73.75	20,344	78.00	21,605	82.25	22,820
65.50	17,801	69.75	19,124	74.00	20,419	78.25	21,677	82.50	22,889
65.75	17,879	70.00	19,201	74.25	20,494	78.50	21,750	82.75	22,959
66.00	17,958	70.25	19,278	74.50	20,569	78.75	21,823	83.00	23,029
66.25	18,036	70.50	19,355	74.75	20,644	79.00	21,895	83.25	23,098
66.50	18,114	70.75	19,432	75.00	20,719	79.25	21,967	83.50	23,167
66.75	18,192	71.00	19,508	75.25	20,794	79.50	22,039	83.75	23,236
67.00	18,271	71.25	19,585	75.50	20,868	79.75	22,111	84.00	23,304
67.25	18,349	71.50	19,661	75.75	20,942	80.00	22,183	84.25	23,373
67.50	18,426	71.75	19,738	76.00	21,016	80.25	22,254	84.50	23,441
67.75	18,504	72.00	19,814	76.25	21,091	80.50	22,325	84.75	23,509



## Capacity/Gauge Table Information

**TCLX 290485**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 285

Reporting Mark: TCLX 290485

Date: 01/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,577	89.25	24,694	93.50	25,736	97.75	26,687	102.00	27,528
85.25	23,644	89.50	24,758	93.75	25,794	98.00	26,740	102.25	27,574
85.50	23,712	89.75	24,821	94.00	25,853	98.25	26,792	102.50	27,619
85.75	23,779	90.00	24,884	94.25	25,911	98.50	26,844	102.75	27,663
86.00	23,846	90.25	24,946	94.50	25,968	98.75	26,896	103.00	27,707
86.25	23,912	90.50	25,009	94.75	26,026	99.00	26,947	103.25	27,751
86.50	23,979	90.75	25,071	95.00	26,083	99.25	26,998	103.50	27,794
86.75	24,045	91.00	25,133	95.25	26,139	99.50	27,048	103.75	27,836
87.00	24,111	91.25	25,195	95.50	26,196	99.75	27,098	104.00	27,878
87.25	24,177	91.50	25,256	95.75	26,252	100.00	27,147	104.25	27,920
87.50	24,242	91.75	25,317	96.00	26,307	100.25	27,197	104.50	27,961
87.75	24,308	92.00	25,378	96.25	26,363	100.50	27,245	104.75	28,001
88.00	24,373	92.25	25,438	96.50	26,418	100.75	27,294	105.00	28,041
88.25	24,437	92.50	25,498	96.75	26,472	101.00	27,341	105.25	28,080
88.50	24,502	92.75	25,558	97.00	26,527	101.25	27,389	105.50	28,119
88.75	24,566	93.00	25,618	97.25	26,580	101.50	27,436	105.75	28,157
89.00	24,630	93.25	25,677	97.50	26,634	101.75	27,482	106.00	28,194





## Capacity/Gauge Table Information

**TCLX 290485**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 285

Reporting Mark: TCLX 290485

Date: 01/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,231	110.50	28,743	114.75	28,954
106.50	28,267	110.75	28,765	115.00	28,958
106.75	28,302	111.00	28,785	115.25	28,960
107.00	28,337	111.25	28,804	115.50	28,963
107.25	28,371	111.50	28,822	115.75	28,965
107.50	28,405	111.75	28,839	116.00	28,966
107.75	28,438	112.00	28,854	116.25	28,966
108.00	28,470	112.25	28,868	116.50	28,967
108.25	28,501	112.50	28,881	116.75	28,967
108.50	28,531	112.75	28,893		
108.75	28,561	113.00	28,904		
109.00	28,590	113.25	28,914		
109.25	28,618	113.50	28,923		
109.50	28,645	113.75	28,931		
109.75	28,671	114.00	28,938		
110.00	28,696	114.25	28,944		
110.25	28,720	114.50	28,949		



## Capacity/Gauge Table Information

**TCLX 290486**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 286

Reporting Mark: TCLX 290486

Date: 03/06/2015

Capacity: 29,116 US Gallons (110,214 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,346	12.75	2,233	17.00	3,224
0.25	29	4.50	628	8.75	1,395	13.00	2,289	17.25	3,285
0.50	58	4.75	669	9.00	1,444	13.25	2,345	17.50	3,346
0.75	88	5.00	711	9.25	1,494	13.50	2,401	17.75	3,408
1.00	119	5.25	753	9.50	1,544	13.75	2,458	18.00	3,470
1.25	151	5.50	795	9.75	1,595	14.00	2,515	18.25	3,532
1.50	184	5.75	839	10.00	1,646	14.25	2,572	18.50	3,595
1.75	217	6.00	882	10.25	1,697	14.50	2,630	18.75	3,658
2.00	251	6.25	927	10.50	1,749	14.75	2,688	19.00	3,721
2.25	286	6.50	971	10.75	1,802	15.00	2,746	19.25	3,784
2.50	321	6.75	1,016	11.00	1,854	15.25	2,805	19.50	3,848
2.75	358	7.00	1,062	11.25	1,907	15.50	2,864	19.75	3,911
3.00	394	7.25	1,108	11.50	1,961	15.75	2,923	20.00	3,976
3.25	432	7.50	1,155	11.75	2,014	16.00	2,983	20.25	4,040
3.50	470	7.75	1,202	12.00	2,069	16.25	3,042	20.50	4,105
3.75	509	8.00	1,250	12.25	2,123	16.50	3,103	20.75	4,170
4.00	548	8.25	1,298	12.50	2,178	16.75	3,163	21.00	4,235



## Capacity/Gauge Table Information

**TCLX 290486**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 286

Reporting Mark: TCLX 290486

Date: 03/06/2015

Capacity: 29,116 US Gallons (110,214 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,300	25.50	5,447	29.75	6,654	34.00	7,909	38.25	9,203
21.50	4,366	25.75	5,517	30.00	6,726	34.25	7,984	38.50	9,280
21.75	4,432	26.00	5,587	30.25	6,799	34.50	8,059	38.75	9,357
22.00	4,498	26.25	5,656	30.50	6,872	34.75	8,135	39.00	9,435
22.25	4,564	26.50	5,726	30.75	6,945	35.00	8,210	39.25	9,512
22.50	4,631	26.75	5,797	31.00	7,018	35.25	8,286	39.50	9,590
22.75	4,698	27.00	5,867	31.25	7,092	35.50	8,362	39.75	9,667
23.00	4,765	27.25	5,938	31.50	7,165	35.75	8,438	40.00	9,745
23.25	4,832	27.50	6,008	31.75	7,239	36.00	8,514	40.25	9,823
23.50	4,899	27.75	6,079	32.00	7,313	36.25	8,590	40.50	9,901
23.75	4,967	28.00	6,151	32.25	7,387	36.50	8,666	40.75	9,979
24.00	5,035	28.25	6,222	32.50	7,461	36.75	8,742	41.00	10,057
24.25	5,103	28.50	6,294	32.75	7,535	37.00	8,819	41.25	10,135
24.50	5,172	28.75	6,365	33.00	7,610	37.25	8,895	41.50	10,214
24.75	5,240	29.00	6,437	33.25	7,684	37.50	8,972	41.75	10,292
25.00	5,309	29.25	6,509	33.50	7,759	37.75	9,049	42.00	10,370
25.25	5,378	29.50	6,581	33.75	7,834	38.00	9,126	42.25	10,449



## Capacity/Gauge Table Information

**TCLX 290486**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 286

Reporting Mark: TCLX 290486

Date: 03/06/2015

Capacity: 29,116 US Gallons (110,214 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,527	46.75	11,874	51.00	13,234	55.25	14,601	59.50	15,966
42.75	10,606	47.00	11,954	51.25	13,315	55.50	14,681	59.75	16,046
43.00	10,685	47.25	12,033	51.50	13,395	55.75	14,762	60.00	16,127
43.25	10,764	47.50	12,113	51.75	13,475	56.00	14,842	60.25	16,207
43.50	10,843	47.75	12,193	52.00	13,556	56.25	14,923	60.50	16,287
43.75	10,922	48.00	12,273	52.25	13,636	56.50	15,003	60.75	16,367
44.00	11,001	48.25	12,353	52.50	13,716	56.75	15,083	61.00	16,446
44.25	11,080	48.50	12,433	52.75	13,797	57.00	15,164	61.25	16,526
44.50	11,159	48.75	12,513	53.00	13,877	57.25	15,244	61.50	16,606
44.75	11,238	49.00	12,593	53.25	13,958	57.50	15,324	61.75	16,686
45.00	11,317	49.25	12,673	53.50	14,038	57.75	15,405	62.00	16,766
45.25	11,397	49.50	12,753	53.75	14,118	58.00	15,485	62.25	16,845
45.50	11,476	49.75	12,833	54.00	14,199	58.25	15,565	62.50	16,925
45.75	11,555	50.00	12,913	54.25	14,279	58.50	15,646	62.75	17,005
46.00	11,635	50.25	12,994	54.50	14,360	58.75	15,726	63.00	17,084
46.25	11,715	50.50	13,074	54.75	14,440	59.00	15,806	63.25	17,164
46.50	11,794	50.75	13,154	55.00	14,521	59.25	15,886	63.50	17,243



## Capacity/Gauge Table Information

**TCLX 290486**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 286

Reporting Mark: TCLX 290486

Date: 03/06/2015

Capacity: 29,116 US Gallons (110,214 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,323	68.00	18,662	72.25	19,977	76.50	21,258	80.75	22,497
64.00	17,402	68.25	18,740	72.50	20,053	76.75	21,332	81.00	22,568
64.25	17,481	68.50	18,818	72.75	20,129	77.00	21,406	81.25	22,639
64.50	17,560	68.75	18,896	73.00	20,205	77.25	21,480	81.50	22,710
64.75	17,640	69.00	18,974	73.25	20,281	77.50	21,554	81.75	22,781
65.00	17,719	69.25	19,052	73.50	20,357	77.75	21,627	82.00	22,852
65.25	17,798	69.50	19,129	73.75	20,433	78.00	21,700	82.25	22,922
65.50	17,877	69.75	19,207	74.00	20,509	78.25	21,774	82.50	22,992
65.75	17,956	70.00	19,284	74.25	20,584	78.50	21,847	82.75	23,062
66.00	18,034	70.25	19,362	74.50	20,660	78.75	21,920	83.00	23,132
66.25	18,113	70.50	19,439	74.75	20,735	79.00	21,992	83.25	23,202
66.50	18,192	70.75	19,516	75.00	20,810	79.25	22,065	83.50	23,271
66.75	18,270	71.00	19,593	75.25	20,885	79.50	22,137	83.75	23,340
67.00	18,349	71.25	19,670	75.50	20,960	79.75	22,210	84.00	23,410
67.25	18,427	71.50	19,747	75.75	21,035	80.00	22,282	84.25	23,478
67.50	18,506	71.75	19,824	76.00	21,109	80.25	22,353	84.50	23,547
67.75	18,584	72.00	19,900	76.25	21,184	80.50	22,425	84.75	23,615



## Capacity/Gauge Table Information

**TCLX 290486**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 286

Reporting Mark: TCLX 290486

Date: 03/06/2015

Capacity: 29,116 US Gallons (110,214 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,684	89.25	24,807	93.50	25,855	97.75	26,813	102.00	27,660
85.25	23,751	89.50	24,871	93.75	25,914	98.00	26,866	102.25	27,705
85.50	23,819	89.75	24,935	94.00	25,973	98.25	26,918	102.50	27,751
85.75	23,887	90.00	24,998	94.25	26,031	98.50	26,971	102.75	27,796
86.00	23,954	90.25	25,061	94.50	26,089	98.75	27,023	103.00	27,840
86.25	24,021	90.50	25,124	94.75	26,147	99.00	27,074	103.25	27,884
86.50	24,088	90.75	25,187	95.00	26,205	99.25	27,125	103.50	27,927
86.75	24,155	91.00	25,249	95.25	26,262	99.50	27,176	103.75	27,970
87.00	24,221	91.25	25,311	95.50	26,318	99.75	27,226	104.00	28,013
87.25	24,287	91.50	25,372	95.75	26,375	100.00	27,276	104.25	28,054
87.50	24,353	91.75	25,434	96.00	26,431	100.25	27,326	104.50	28,096
87.75	24,419	92.00	25,495	96.25	26,486	100.50	27,375	104.75	28,136
88.00	24,484	92.25	25,556	96.50	26,542	100.75	27,423	105.00	28,176
88.25	24,549	92.50	25,616	96.75	26,597	101.00	27,472	105.25	28,216
88.50	24,614	92.75	25,677	97.00	26,651	101.25	27,519	105.50	28,255
88.75	24,679	93.00	25,736	97.25	26,705	101.50	27,567	105.75	28,293
89.00	24,743	93.25	25,796	97.50	26,759	101.75	27,613	106.00	28,331



## Capacity/Gauge Table Information

**TCLX 290486**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 286

Reporting Mark: TCLX 290486

Date: 03/06/2015

Capacity: 29,116 US Gallons (110,214 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,368	110.50	28,887	114.75	29,102
106.50	28,405	110.75	28,909	115.00	29,106
106.75	28,441	111.00	28,930	115.25	29,109
107.00	28,476	111.25	28,949	115.50	29,111
107.25	28,510	111.50	28,968	115.75	29,113
107.50	28,544	111.75	28,984	116.00	29,114
107.75	28,577	112.00	29,000	116.25	29,115
108.00	28,610	112.25	29,015	116.50	29,115
108.25	28,641	112.50	29,028	116.75	29,116
108.50	28,672	112.75	29,040		
108.75	28,702	113.00	29,052		
109.00	28,731	113.25	29,062		
109.25	28,760	113.50	29,071		
109.50	28,787	113.75	29,079		
109.75	28,814	114.00	29,086		
110.00	28,839	114.25	29,092		
110.25	28,864	114.50	29,098		





## Capacity/Gauge Table Information

**TCLX 290487**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 287

Reporting Mark: TCLX 290487

Date: 12/06/2015

Capacity: 28,968 US Gallons (109,654 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,225	17.00	3,212
0.25	28	4.50	627	8.75	1,391	13.00	2,281	17.25	3,273
0.50	58	4.75	667	9.00	1,440	13.25	2,337	17.50	3,334
0.75	88	5.00	709	9.25	1,489	13.50	2,393	17.75	3,395
1.00	119	5.25	751	9.50	1,539	13.75	2,449	18.00	3,457
1.25	151	5.50	793	9.75	1,590	14.00	2,506	18.25	3,519
1.50	183	5.75	836	10.00	1,641	14.25	2,563	18.50	3,581
1.75	217	6.00	880	10.25	1,692	14.50	2,620	18.75	3,644
2.00	251	6.25	924	10.50	1,744	14.75	2,678	19.00	3,707
2.25	285	6.50	968	10.75	1,796	15.00	2,736	19.25	3,770
2.50	321	6.75	1,013	11.00	1,848	15.25	2,795	19.50	3,833
2.75	357	7.00	1,059	11.25	1,901	15.50	2,853	19.75	3,897
3.00	393	7.25	1,105	11.50	1,954	15.75	2,912	20.00	3,960
3.25	431	7.50	1,151	11.75	2,008	16.00	2,972	20.25	4,024
3.50	469	7.75	1,198	12.00	2,061	16.25	3,031	20.50	4,089
3.75	507	8.00	1,246	12.25	2,116	16.50	3,091	20.75	4,153
4.00	546	8.25	1,294	12.50	2,170	16.75	3,151	21.00	4,218



## Capacity/Gauge Table Information

**TCLX 290487**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 287

Reporting Mark: TCLX 290487

Date: 12/06/2015

Capacity: 28,968 US Gallons (109,654 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,283	25.50	5,426	29.75	6,627	34.00	7,876	38.25	9,164
21.50	4,349	25.75	5,495	30.00	6,699	34.25	7,950	38.50	9,241
21.75	4,414	26.00	5,564	30.25	6,771	34.50	8,025	38.75	9,317
22.00	4,480	26.25	5,634	30.50	6,844	34.75	8,100	39.00	9,394
22.25	4,546	26.50	5,703	30.75	6,916	35.00	8,176	39.25	9,471
22.50	4,613	26.75	5,773	31.00	6,989	35.25	8,251	39.50	9,549
22.75	4,679	27.00	5,843	31.25	7,062	35.50	8,326	39.75	9,626
23.00	4,746	27.25	5,914	31.50	7,136	35.75	8,402	40.00	9,703
23.25	4,813	27.50	5,984	31.75	7,209	36.00	8,478	40.25	9,781
23.50	4,880	27.75	6,055	32.00	7,282	36.25	8,553	40.50	9,858
23.75	4,948	28.00	6,126	32.25	7,356	36.50	8,629	40.75	9,936
24.00	5,015	28.25	6,197	32.50	7,430	36.75	8,705	41.00	10,014
24.25	5,083	28.50	6,268	32.75	7,504	37.00	8,781	41.25	10,092
24.50	5,151	28.75	6,339	33.00	7,578	37.25	8,858	41.50	10,169
24.75	5,219	29.00	6,411	33.25	7,652	37.50	8,934	41.75	10,247
25.00	5,288	29.25	6,483	33.50	7,727	37.75	9,010	42.00	10,325
25.25	5,357	29.50	6,554	33.75	7,801	38.00	9,087	42.25	10,404



## Capacity/Gauge Table Information

**TCLX 290487**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 287

Reporting Mark: TCLX 290487

Date: 12/06/2015

Capacity: 28,968 US Gallons (109,654 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,482	46.75	11,822	51.00	13,176	55.25	14,536	59.50	15,894
42.75	10,560	47.00	11,901	51.25	13,256	55.50	14,616	59.75	15,974
43.00	10,639	47.25	11,980	51.50	13,335	55.75	14,696	60.00	16,054
43.25	10,717	47.50	12,060	51.75	13,415	56.00	14,776	60.25	16,133
43.50	10,795	47.75	12,139	52.00	13,495	56.25	14,856	60.50	16,213
43.75	10,874	48.00	12,219	52.25	13,575	56.50	14,936	60.75	16,293
44.00	10,953	48.25	12,298	52.50	13,655	56.75	15,016	61.00	16,372
44.25	11,031	48.50	12,378	52.75	13,735	57.00	15,096	61.25	16,452
44.50	11,110	48.75	12,458	53.00	13,815	57.25	15,176	61.50	16,531
44.75	11,189	49.00	12,537	53.25	13,895	57.50	15,256	61.75	16,610
45.00	11,268	49.25	12,617	53.50	13,975	57.75	15,336	62.00	16,690
45.25	11,347	49.50	12,697	53.75	14,055	58.00	15,415	62.25	16,769
45.50	11,426	49.75	12,776	54.00	14,136	58.25	15,495	62.50	16,848
45.75	11,505	50.00	12,856	54.25	14,216	58.50	15,575	62.75	16,928
46.00	11,584	50.25	12,936	54.50	14,296	58.75	15,655	63.00	17,007
46.25	11,663	50.50	13,016	54.75	14,376	59.00	15,735	63.25	17,086
46.50	11,743	50.75	13,096	55.00	14,456	59.25	15,815	63.50	17,165



## Capacity/Gauge Table Information

**TCLX 290487**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 287

Reporting Mark: TCLX 290487

Date: 12/06/2015

Capacity: 28,968 US Gallons (109,654 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,244	68.00	18,577	72.25	19,884	76.50	21,159	80.75	22,391
64.00	17,323	68.25	18,654	72.50	19,960	76.75	21,233	81.00	22,462
64.25	17,402	68.50	18,732	72.75	20,036	77.00	21,306	81.25	22,533
64.50	17,481	68.75	18,809	73.00	20,112	77.25	21,380	81.50	22,604
64.75	17,559	69.00	18,887	73.25	20,188	77.50	21,453	81.75	22,674
65.00	17,638	69.25	18,964	73.50	20,263	77.75	21,526	82.00	22,744
65.25	17,717	69.50	19,041	73.75	20,339	78.00	21,599	82.25	22,814
65.50	17,795	69.75	19,119	74.00	20,414	78.25	21,672	82.50	22,884
65.75	17,874	70.00	19,196	74.25	20,489	78.50	21,745	82.75	22,954
66.00	17,952	70.25	19,273	74.50	20,564	78.75	21,817	83.00	23,023
66.25	18,030	70.50	19,349	74.75	20,639	79.00	21,890	83.25	23,093
66.50	18,109	70.75	19,426	75.00	20,714	79.25	21,962	83.50	23,162
66.75	18,187	71.00	19,503	75.25	20,788	79.50	22,034	83.75	23,231
67.00	18,265	71.25	19,579	75.50	20,863	79.75	22,106	84.00	23,299
67.25	18,343	71.50	19,656	75.75	20,937	80.00	22,177	84.25	23,368
67.50	18,421	71.75	19,732	76.00	21,011	80.25	22,249	84.50	23,436
67.75	18,499	72.00	19,808	76.25	21,085	80.50	22,320	84.75	23,504



## Capacity/Gauge Table Information

**TCLX 290487**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 287

Reporting Mark: TCLX 290487

Date: 12/06/2015

Capacity: 28,968 US Gallons (109,654 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,572	89.25	24,689	93.50	25,732	97.75	26,683	102.00	27,525
85.25	23,639	89.50	24,753	93.75	25,790	98.00	26,736	102.25	27,570
85.50	23,707	89.75	24,816	94.00	25,849	98.25	26,788	102.50	27,615
85.75	23,774	90.00	24,879	94.25	25,907	98.50	26,840	102.75	27,660
86.00	23,841	90.25	24,942	94.50	25,964	98.75	26,892	103.00	27,704
86.25	23,908	90.50	25,004	94.75	26,022	99.00	26,943	103.25	27,748
86.50	23,974	90.75	25,066	95.00	26,079	99.25	26,994	103.50	27,791
86.75	24,040	91.00	25,128	95.25	26,135	99.50	27,044	103.75	27,833
87.00	24,106	91.25	25,190	95.50	26,192	99.75	27,094	104.00	27,875
87.25	24,172	91.50	25,251	95.75	26,248	100.00	27,144	104.25	27,917
87.50	24,238	91.75	25,312	96.00	26,303	100.25	27,193	104.50	27,958
87.75	24,303	92.00	25,373	96.25	26,359	100.50	27,242	104.75	27,998
88.00	24,368	92.25	25,434	96.50	26,414	100.75	27,290	105.00	28,038
88.25	24,433	92.50	25,494	96.75	26,468	101.00	27,338	105.25	28,077
88.50	24,497	92.75	25,554	97.00	26,523	101.25	27,385	105.50	28,116
88.75	24,562	93.00	25,613	97.25	26,576	101.50	27,432	105.75	28,154
89.00	24,626	93.25	25,673	97.50	26,630	101.75	27,479	106.00	28,192



## Capacity/Gauge Table Information

**TCLX 290487**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 287

Reporting Mark: TCLX 290487

Date: 12/06/2015

Capacity: 28,968 US Gallons (109,654 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,228	110.50	28,742	114.75	28,954
106.50	28,265	110.75	28,764	115.00	28,958
106.75	28,300	111.00	28,785	115.25	28,961
107.00	28,335	111.25	28,804	115.50	28,964
107.25	28,369	111.50	28,822	115.75	28,965
107.50	28,403	111.75	28,838	116.00	28,966
107.75	28,436	112.00	28,854	116.25	28,967
108.00	28,468	112.25	28,868	116.50	28,968
108.25	28,499	112.50	28,881	116.75	28,968
108.50	28,530	112.75	28,893		
108.75	28,560	113.00	28,905		
109.00	28,588	113.25	28,914		
109.25	28,617	113.50	28,923		
109.50	28,644	113.75	28,931		
109.75	28,670	114.00	28,938		
110.00	28,695	114.25	28,945		
110.25	28,719	114.50	28,950		



## Capacity/Gauge Table Information

**TCLX 290488**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 288

Reporting Mark: TCLX 290488

Date: 01/06/2015

Capacity: 28,933 US Gallons (109,523 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,349	12.75	2,234	17.00	3,222
0.25	29	4.50	631	8.75	1,398	13.00	2,290	17.25	3,283
0.50	58	4.75	672	9.00	1,447	13.25	2,346	17.50	3,345
0.75	89	5.00	713	9.25	1,497	13.50	2,402	17.75	3,406
1.00	120	5.25	756	9.50	1,547	13.75	2,458	18.00	3,468
1.25	152	5.50	798	9.75	1,597	14.00	2,515	18.25	3,530
1.50	185	5.75	841	10.00	1,648	14.25	2,573	18.50	3,592
1.75	219	6.00	885	10.25	1,700	14.50	2,630	18.75	3,655
2.00	253	6.25	929	10.50	1,752	14.75	2,688	19.00	3,718
2.25	288	6.50	974	10.75	1,804	15.00	2,746	19.25	3,781
2.50	323	6.75	1,019	11.00	1,856	15.25	2,805	19.50	3,844
2.75	360	7.00	1,065	11.25	1,909	15.50	2,863	19.75	3,908
3.00	397	7.25	1,111	11.50	1,962	15.75	2,922	20.00	3,972
3.25	434	7.50	1,158	11.75	2,016	16.00	2,982	20.25	4,036
3.50	472	7.75	1,205	12.00	2,070	16.25	3,042	20.50	4,100
3.75	511	8.00	1,252	12.25	2,125	16.50	3,102	20.75	4,165
4.00	550	8.25	1,300	12.50	2,179	16.75	3,162	21.00	4,230





## Capacity/Gauge Table Information

**TCLX 290488**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 288

Reporting Mark: TCLX 290488

Date: 01/06/2015

Capacity: 28,933 US Gallons (109,523 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,295	25.50	5,438	29.75	6,639	34.00	7,889	38.25	9,177
21.50	4,360	25.75	5,507	30.00	6,712	34.25	7,964	38.50	9,253
21.75	4,426	26.00	5,576	30.25	6,784	34.50	8,038	38.75	9,330
22.00	4,492	26.25	5,646	30.50	6,857	34.75	8,113	39.00	9,407
22.25	4,558	26.50	5,716	30.75	6,929	35.00	8,189	39.25	9,484
22.50	4,624	26.75	5,786	31.00	7,002	35.25	8,264	39.50	9,562
22.75	4,691	27.00	5,856	31.25	7,075	35.50	8,339	39.75	9,639
23.00	4,758	27.25	5,926	31.50	7,149	35.75	8,415	40.00	9,716
23.25	4,825	27.50	5,997	31.75	7,222	36.00	8,491	40.25	9,794
23.50	4,892	27.75	6,067	32.00	7,295	36.25	8,566	40.50	9,871
23.75	4,960	28.00	6,138	32.25	7,369	36.50	8,642	40.75	9,949
24.00	5,027	28.25	6,209	32.50	7,443	36.75	8,718	41.00	10,027
24.25	5,095	28.50	6,281	32.75	7,517	37.00	8,794	41.25	10,104
24.50	5,163	28.75	6,352	33.00	7,591	37.25	8,871	41.50	10,182
24.75	5,232	29.00	6,424	33.25	7,665	37.50	8,947	41.75	10,260
25.00	5,300	29.25	6,495	33.50	7,740	37.75	9,023	42.00	10,338
25.25	5,369	29.50	6,567	33.75	7,814	38.00	9,100	42.25	10,416



## Capacity/Gauge Table Information

**TCLX 290488**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 288

Reporting Mark: TCLX 290488

Date: 01/06/2015

Capacity: 28,933 US Gallons (109,523 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,495	46.75	11,834	51.00	13,187	55.25	14,546	59.50	15,904
42.75	10,573	47.00	11,913	51.25	13,267	55.50	14,626	59.75	15,983
43.00	10,651	47.25	11,993	51.50	13,347	55.75	14,706	60.00	16,063
43.25	10,730	47.50	12,072	51.75	13,427	56.00	14,786	60.25	16,143
43.50	10,808	47.75	12,151	52.00	13,507	56.25	14,866	60.50	16,222
43.75	10,887	48.00	12,231	52.25	13,587	56.50	14,946	60.75	16,302
44.00	10,965	48.25	12,310	52.50	13,667	56.75	15,026	61.00	16,381
44.25	11,044	48.50	12,390	52.75	13,746	57.00	15,106	61.25	16,460
44.50	11,123	48.75	12,469	53.00	13,826	57.25	15,186	61.50	16,540
44.75	11,201	49.00	12,549	53.25	13,906	57.50	15,266	61.75	16,619
45.00	11,280	49.25	12,629	53.50	13,986	57.75	15,345	62.00	16,698
45.25	11,359	49.50	12,708	53.75	14,066	58.00	15,425	62.25	16,778
45.50	11,438	49.75	12,788	54.00	14,146	58.25	15,505	62.50	16,857
45.75	11,517	50.00	12,868	54.25	14,226	58.50	15,585	62.75	16,936
46.00	11,596	50.25	12,948	54.50	14,306	58.75	15,665	63.00	17,015
46.25	11,676	50.50	13,027	54.75	14,386	59.00	15,744	63.25	17,094
46.50	11,755	50.75	13,107	55.00	14,466	59.25	15,824	63.50	17,173



## Capacity/Gauge Table Information

**TCLX 290488**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 288

Reporting Mark: TCLX 290488

Date: 01/06/2015

Capacity: 28,933 US Gallons (109,523 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,252	68.00	18,583	72.25	19,889	76.50	21,162	80.75	22,392
64.00	17,331	68.25	18,661	72.50	19,965	76.75	21,236	81.00	22,463
64.25	17,410	68.50	18,738	72.75	20,041	77.00	21,309	81.25	22,534
64.50	17,488	68.75	18,816	73.00	20,117	77.25	21,382	81.50	22,604
64.75	17,567	69.00	18,893	73.25	20,192	77.50	21,455	81.75	22,674
65.00	17,646	69.25	18,970	73.50	20,267	77.75	21,529	82.00	22,744
65.25	17,724	69.50	19,047	73.75	20,343	78.00	21,601	82.25	22,814
65.50	17,803	69.75	19,124	74.00	20,418	78.25	21,674	82.50	22,884
65.75	17,881	70.00	19,201	74.25	20,493	78.50	21,747	82.75	22,954
66.00	17,959	70.25	19,278	74.50	20,568	78.75	21,819	83.00	23,023
66.25	18,038	70.50	19,355	74.75	20,642	79.00	21,891	83.25	23,092
66.50	18,116	70.75	19,432	75.00	20,717	79.25	21,963	83.50	23,161
66.75	18,194	71.00	19,508	75.25	20,792	79.50	22,035	83.75	23,230
67.00	18,272	71.25	19,585	75.50	20,866	79.75	22,107	84.00	23,298
67.25	18,350	71.50	19,661	75.75	20,940	80.00	22,178	84.25	23,366
67.50	18,428	71.75	19,737	76.00	21,014	80.25	22,250	84.50	23,435
67.75	18,505	72.00	19,813	76.25	21,088	80.50	22,321	84.75	23,502



## Capacity/Gauge Table Information

**TCLX 290488**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 288

Reporting Mark: TCLX 290488

Date: 01/06/2015

Capacity: 28,933 US Gallons (109,523 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,570	89.25	24,685	93.50	25,724	97.75	26,672	102.00	27,510
85.25	23,637	89.50	24,748	93.75	25,782	98.00	26,725	102.25	27,555
85.50	23,705	89.75	24,811	94.00	25,841	98.25	26,777	102.50	27,600
85.75	23,772	90.00	24,874	94.25	25,898	98.50	26,829	102.75	27,644
86.00	23,838	90.25	24,937	94.50	25,956	98.75	26,880	103.00	27,688
86.25	23,905	90.50	24,999	94.75	26,013	99.00	26,931	103.25	27,731
86.50	23,971	90.75	25,061	95.00	26,070	99.25	26,982	103.50	27,774
86.75	24,037	91.00	25,123	95.25	26,126	99.50	27,032	103.75	27,816
87.00	24,103	91.25	25,184	95.50	26,183	99.75	27,082	104.00	27,858
87.25	24,169	91.50	25,245	95.75	26,238	100.00	27,131	104.25	27,899
87.50	24,234	91.75	25,306	96.00	26,294	100.25	27,180	104.50	27,940
87.75	24,299	92.00	25,367	96.25	26,349	100.50	27,228	104.75	27,980
88.00	24,364	92.25	25,427	96.50	26,404	100.75	27,276	105.00	28,020
88.25	24,429	92.50	25,487	96.75	26,458	101.00	27,324	105.25	28,059
88.50	24,493	92.75	25,547	97.00	26,512	101.25	27,371	105.50	28,097
88.75	24,557	93.00	25,606	97.25	26,566	101.50	27,418	105.75	28,135
89.00	24,621	93.25	25,665	97.50	26,619	101.75	27,464	106.00	28,172



## Capacity/Gauge Table Information

**TCLX 290488**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 288

Reporting Mark: TCLX 290488

Date: 01/06/2015

Capacity: 28,933 US Gallons (109,523 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,209	110.50	28,715	114.75	28,920
106.50	28,244	110.75	28,736	115.00	28,924
106.75	28,280	111.00	28,756	115.25	28,927
107.00	28,314	111.25	28,774	115.50	28,929
107.25	28,348	111.50	28,792	115.75	28,931
107.50	28,381	111.75	28,808	116.00	28,932
107.75	28,414	112.00	28,823	116.25	28,932
108.00	28,445	112.25	28,837	116.50	28,933
108.25	28,476	112.50	28,850	116.75	28,933
108.50	28,507	112.75	28,861		
108.75	28,536	113.00	28,872		
109.00	28,564	113.25	28,881		
109.25	28,592	113.50	28,890		
109.50	28,619	113.75	28,898		
109.75	28,644	114.00	28,905		
110.00	28,669	114.25	28,911		
110.25	28,693	114.50	28,916		



## Capacity/Gauge Table Information

**TCLX 290489**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 289

Reporting Mark: TCLX 290489

Date: 01/06/2015

Capacity: 29,124 US Gallons (110,248 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,345	12.75	2,231	17.00	3,222
0.25	28	4.50	627	8.75	1,393	13.00	2,287	17.25	3,283
0.50	58	4.75	668	9.00	1,443	13.25	2,343	17.50	3,344
0.75	88	5.00	710	9.25	1,493	13.50	2,399	17.75	3,406
1.00	119	5.25	752	9.50	1,543	13.75	2,456	18.00	3,468
1.25	151	5.50	794	9.75	1,593	14.00	2,513	18.25	3,530
1.50	183	5.75	837	10.00	1,644	14.25	2,570	18.50	3,592
1.75	217	6.00	881	10.25	1,696	14.50	2,628	18.75	3,655
2.00	251	6.25	925	10.50	1,748	14.75	2,686	19.00	3,718
2.25	285	6.50	970	10.75	1,800	15.00	2,744	19.25	3,782
2.50	321	6.75	1,015	11.00	1,852	15.25	2,802	19.50	3,845
2.75	357	7.00	1,061	11.25	1,905	15.50	2,861	19.75	3,909
3.00	394	7.25	1,107	11.50	1,959	15.75	2,921	20.00	3,973
3.25	431	7.50	1,154	11.75	2,012	16.00	2,980	20.25	4,037
3.50	469	7.75	1,201	12.00	2,067	16.25	3,040	20.50	4,102
3.75	508	8.00	1,248	12.25	2,121	16.50	3,100	20.75	4,167
4.00	547	8.25	1,296	12.50	2,176	16.75	3,161	21.00	4,232



## Capacity/Gauge Table Information

**TCLX 290489**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 289

Reporting Mark: TCLX 290489

Date: 01/06/2015

Capacity: 29,124 US Gallons (110,248 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,298	25.50	5,445	29.75	6,651	34.00	7,906	38.25	9,200
21.50	4,363	25.75	5,514	30.00	6,724	34.25	7,981	38.50	9,278
21.75	4,429	26.00	5,584	30.25	6,796	34.50	8,057	38.75	9,355
22.00	4,495	26.25	5,654	30.50	6,869	34.75	8,132	39.00	9,432
22.25	4,562	26.50	5,724	30.75	6,942	35.00	8,208	39.25	9,510
22.50	4,628	26.75	5,794	31.00	7,016	35.25	8,283	39.50	9,587
22.75	4,695	27.00	5,864	31.25	7,089	35.50	8,359	39.75	9,665
23.00	4,762	27.25	5,935	31.50	7,163	35.75	8,435	40.00	9,743
23.25	4,829	27.50	6,006	31.75	7,236	36.00	8,511	40.25	9,820
23.50	4,897	27.75	6,077	32.00	7,310	36.25	8,587	40.50	9,898
23.75	4,965	28.00	6,148	32.25	7,384	36.50	8,663	40.75	9,976
24.00	5,033	28.25	6,219	32.50	7,458	36.75	8,740	41.00	10,055
24.25	5,101	28.50	6,291	32.75	7,533	37.00	8,816	41.25	10,133
24.50	5,169	28.75	6,363	33.00	7,607	37.25	8,893	41.50	10,211
24.75	5,238	29.00	6,434	33.25	7,682	37.50	8,970	41.75	10,289
25.00	5,306	29.25	6,507	33.50	7,756	37.75	9,046	42.00	10,368
25.25	5,376	29.50	6,579	33.75	7,831	38.00	9,123	42.25	10,446





## Capacity/Gauge Table Information

**TCLX 290489**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 289

Reporting Mark: TCLX 290489

Date: 01/06/2015

Capacity: 29,124 US Gallons (110,248 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,525	46.75	11,872	51.00	13,232	55.25	14,599	59.50	15,965
42.75	10,604	47.00	11,951	51.25	13,313	55.50	14,680	59.75	16,045
43.00	10,682	47.25	12,031	51.50	13,393	55.75	14,760	60.00	16,125
43.25	10,761	47.50	12,111	51.75	13,473	56.00	14,841	60.25	16,205
43.50	10,840	47.75	12,191	52.00	13,554	56.25	14,921	60.50	16,285
43.75	10,919	48.00	12,271	52.25	13,634	56.50	15,001	60.75	16,365
44.00	10,998	48.25	12,351	52.50	13,714	56.75	15,082	61.00	16,445
44.25	11,077	48.50	12,431	52.75	13,795	57.00	15,162	61.25	16,525
44.50	11,156	48.75	12,511	53.00	13,875	57.25	15,243	61.50	16,605
44.75	11,236	49.00	12,591	53.25	13,956	57.50	15,323	61.75	16,685
45.00	11,315	49.25	12,671	53.50	14,036	57.75	15,403	62.00	16,765
45.25	11,394	49.50	12,751	53.75	14,117	58.00	15,484	62.25	16,844
45.50	11,474	49.75	12,831	54.00	14,197	58.25	15,564	62.50	16,924
45.75	11,553	50.00	12,911	54.25	14,278	58.50	15,644	62.75	17,004
46.00	11,633	50.25	12,991	54.50	14,358	58.75	15,724	63.00	17,083
46.25	11,712	50.50	13,072	54.75	14,438	59.00	15,805	63.25	17,163
46.50	11,792	50.75	13,152	55.00	14,519	59.25	15,885	63.50	17,242



## Capacity/Gauge Table Information

**TCLX 290489**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 289

Reporting Mark: TCLX 290489

Date: 01/06/2015

Capacity: 29,124 US Gallons (110,248 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,322	68.00	18,662	72.25	19,977	76.50	21,258	80.75	22,498
64.00	17,401	68.25	18,740	72.50	20,053	76.75	21,332	81.00	22,569
64.25	17,480	68.50	18,818	72.75	20,129	77.00	21,406	81.25	22,640
64.50	17,560	68.75	18,896	73.00	20,205	77.25	21,480	81.50	22,711
64.75	17,639	69.00	18,974	73.25	20,281	77.50	21,554	81.75	22,782
65.00	17,718	69.25	19,051	73.50	20,357	77.75	21,628	82.00	22,853
65.25	17,797	69.50	19,129	73.75	20,433	78.00	21,701	82.25	22,923
65.50	17,876	69.75	19,207	74.00	20,509	78.25	21,774	82.50	22,993
65.75	17,955	70.00	19,284	74.25	20,584	78.50	21,847	82.75	23,064
66.00	18,034	70.25	19,361	74.50	20,660	78.75	21,920	83.00	23,133
66.25	18,112	70.50	19,439	74.75	20,735	79.00	21,993	83.25	23,203
66.50	18,191	70.75	19,516	75.00	20,810	79.25	22,066	83.50	23,273
66.75	18,270	71.00	19,593	75.25	20,885	79.50	22,138	83.75	23,342
67.00	18,348	71.25	19,670	75.50	20,960	79.75	22,210	84.00	23,411
67.25	18,427	71.50	19,747	75.75	21,035	80.00	22,282	84.25	23,480
67.50	18,505	71.75	19,823	76.00	21,109	80.25	22,354	84.50	23,548
67.75	18,583	72.00	19,900	76.25	21,184	80.50	22,426	84.75	23,617



## Capacity/Gauge Table Information

**TCLX 290489**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 289

Reporting Mark: TCLX 290489

Date: 01/06/2015

Capacity: 29,124 US Gallons (110,248 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,685	89.25	24,809	93.50	25,858	97.75	26,816	102.00	27,664
85.25	23,753	89.50	24,873	93.75	25,917	98.00	26,869	102.25	27,710
85.50	23,821	89.75	24,937	94.00	25,976	98.25	26,922	102.50	27,755
85.75	23,888	90.00	25,000	94.25	26,034	98.50	26,974	102.75	27,800
86.00	23,956	90.25	25,063	94.50	26,092	98.75	27,026	103.00	27,845
86.25	24,023	90.50	25,126	94.75	26,150	99.00	27,078	103.25	27,889
86.50	24,090	90.75	25,189	95.00	26,207	99.25	27,129	103.50	27,932
86.75	24,156	91.00	25,251	95.25	26,265	99.50	27,180	103.75	27,975
87.00	24,223	91.25	25,313	95.50	26,321	99.75	27,230	104.00	28,017
87.25	24,289	91.50	25,375	95.75	26,378	100.00	27,280	104.25	28,059
87.50	24,355	91.75	25,436	96.00	26,434	100.25	27,330	104.50	28,100
87.75	24,420	92.00	25,497	96.25	26,489	100.50	27,379	104.75	28,141
88.00	24,486	92.25	25,558	96.50	26,545	100.75	27,427	105.00	28,181
88.25	24,551	92.50	25,619	96.75	26,600	101.00	27,476	105.25	28,221
88.50	24,616	92.75	25,679	97.00	26,654	101.25	27,523	105.50	28,260
88.75	24,681	93.00	25,739	97.25	26,709	101.50	27,571	105.75	28,298
89.00	24,745	93.25	25,799	97.50	26,763	101.75	27,618	106.00	28,336



## Capacity/Gauge Table Information

**TCLX 290489**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 289

Reporting Mark: TCLX 290489

Date: 01/06/2015

Capacity: 29,124 US Gallons (110,248 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,374	110.50	28,894	114.75	29,111
106.50	28,410	110.75	28,916	115.00	29,115
106.75	28,446	111.00	28,937	115.25	29,118
107.00	28,481	111.25	28,957	115.50	29,120
107.25	28,516	111.50	28,975	115.75	29,122
107.50	28,550	111.75	28,992	116.00	29,123
107.75	28,583	112.00	29,008	116.25	29,124
108.00	28,615	112.25	29,023	116.50	29,124
108.25	28,647	112.50	29,036	116.75	29,124
108.50	28,678	112.75	29,049		
108.75	28,708	113.00	29,060		
109.00	28,738	113.25	29,070		
109.25	28,766	113.50	29,079		
109.50	28,794	113.75	29,087		
109.75	28,820	114.00	29,095		
110.00	28,846	114.25	29,101		
110.25	28,870	114.50	29,106		



## Capacity/Gauge Table Information

**TCLX 290490**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 290

Reporting Mark: TCLX 290490

Date: 06/10/2015

Capacity: 28,938 US Gallons (109,542 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,232	17.00	3,220
0.25	29	4.50	630	8.75	1,396	13.00	2,288	17.25	3,281
0.50	58	4.75	671	9.00	1,445	13.25	2,344	17.50	3,342
0.75	89	5.00	712	9.25	1,495	13.50	2,400	17.75	3,403
1.00	120	5.25	755	9.50	1,545	13.75	2,456	18.00	3,465
1.25	152	5.50	797	9.75	1,596	14.00	2,513	18.25	3,527
1.50	185	5.75	840	10.00	1,647	14.25	2,570	18.50	3,589
1.75	218	6.00	884	10.25	1,698	14.50	2,628	18.75	3,652
2.00	252	6.25	928	10.50	1,750	14.75	2,686	19.00	3,715
2.25	287	6.50	973	10.75	1,802	15.00	2,744	19.25	3,778
2.50	323	6.75	1,018	11.00	1,854	15.25	2,802	19.50	3,841
2.75	359	7.00	1,064	11.25	1,907	15.50	2,861	19.75	3,905
3.00	396	7.25	1,110	11.50	1,960	15.75	2,920	20.00	3,969
3.25	433	7.50	1,156	11.75	2,014	16.00	2,979	20.25	4,033
3.50	471	7.75	1,203	12.00	2,068	16.25	3,039	20.50	4,097
3.75	510	8.00	1,251	12.25	2,123	16.50	3,099	20.75	4,162
4.00	549	8.25	1,299	12.50	2,177	16.75	3,159	21.00	4,227



## Capacity/Gauge Table Information

**TCLX 290490**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 290

Reporting Mark: TCLX 290490

Date: 06/10/2015

Capacity: 28,938 US Gallons (109,542 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,292	25.50	5,434	29.75	6,635	34.00	7,884	38.25	9,172
21.50	4,357	25.75	5,504	30.00	6,708	34.25	7,959	38.50	9,249
21.75	4,423	26.00	5,573	30.25	6,780	34.50	8,034	38.75	9,326
22.00	4,489	26.25	5,642	30.50	6,853	34.75	8,109	39.00	9,402
22.25	4,555	26.50	5,712	30.75	6,925	35.00	8,184	39.25	9,480
22.50	4,621	26.75	5,782	31.00	6,998	35.25	8,259	39.50	9,557
22.75	4,688	27.00	5,852	31.25	7,071	35.50	8,335	39.75	9,634
23.00	4,755	27.25	5,923	31.50	7,144	35.75	8,410	40.00	9,711
23.25	4,822	27.50	5,993	31.75	7,218	36.00	8,486	40.25	9,789
23.50	4,889	27.75	6,064	32.00	7,291	36.25	8,562	40.50	9,866
23.75	4,956	28.00	6,135	32.25	7,365	36.50	8,638	40.75	9,944
24.00	5,024	28.25	6,206	32.50	7,439	36.75	8,714	41.00	10,022
24.25	5,092	28.50	6,277	32.75	7,513	37.00	8,790	41.25	10,099
24.50	5,160	28.75	6,348	33.00	7,587	37.25	8,866	41.50	10,177
24.75	5,228	29.00	6,420	33.25	7,661	37.50	8,942	41.75	10,255
25.00	5,297	29.25	6,491	33.50	7,735	37.75	9,019	42.00	10,333
25.25	5,366	29.50	6,563	33.75	7,810	38.00	9,095	42.25	10,411



## Capacity/Gauge Table Information

**TCLX 290490**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 290

Reporting Mark: TCLX 290490

Date: 06/10/2015

Capacity: 28,938 US Gallons (109,542 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,489	46.75	11,828	51.00	13,181	55.25	14,540	59.50	15,898
42.75	10,568	47.00	11,908	51.25	13,261	55.50	14,620	59.75	15,977
43.00	10,646	47.25	11,987	51.50	13,341	55.75	14,700	60.00	16,057
43.25	10,724	47.50	12,066	51.75	13,421	56.00	14,780	60.25	16,136
43.50	10,803	47.75	12,146	52.00	13,501	56.25	14,860	60.50	16,216
43.75	10,881	48.00	12,225	52.25	13,581	56.50	14,940	60.75	16,295
44.00	10,960	48.25	12,305	52.50	13,661	56.75	15,020	61.00	16,375
44.25	11,039	48.50	12,384	52.75	13,741	57.00	15,100	61.25	16,454
44.50	11,117	48.75	12,464	53.00	13,821	57.25	15,180	61.50	16,534
44.75	11,196	49.00	12,543	53.25	13,900	57.50	15,259	61.75	16,613
45.00	11,275	49.25	12,623	53.50	13,980	57.75	15,339	62.00	16,692
45.25	11,354	49.50	12,703	53.75	14,060	58.00	15,419	62.25	16,771
45.50	11,433	49.75	12,782	54.00	14,140	58.25	15,499	62.50	16,851
45.75	11,512	50.00	12,862	54.25	14,220	58.50	15,579	62.75	16,930
46.00	11,591	50.25	12,942	54.50	14,300	58.75	15,658	63.00	17,009
46.25	11,670	50.50	13,022	54.75	14,380	59.00	15,738	63.25	17,088
46.50	11,749	50.75	13,101	55.00	14,460	59.25	15,818	63.50	17,167





## Capacity/Gauge Table Information

**TCLX 290490**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 290

Reporting Mark: TCLX 290490

Date: 06/10/2015

Capacity: 28,938 US Gallons (109,542 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,246	68.00	18,577	72.25	19,883	76.50	21,156	80.75	22,387
64.00	17,325	68.25	18,655	72.50	19,959	76.75	21,230	81.00	22,457
64.25	17,403	68.50	18,732	72.75	20,035	77.00	21,303	81.25	22,528
64.50	17,482	68.75	18,809	73.00	20,110	77.25	21,376	81.50	22,599
64.75	17,561	69.00	18,887	73.25	20,186	77.50	21,450	81.75	22,669
65.00	17,639	69.25	18,964	73.50	20,261	77.75	21,523	82.00	22,739
65.25	17,718	69.50	19,041	73.75	20,337	78.00	21,596	82.25	22,809
65.50	17,796	69.75	19,118	74.00	20,412	78.25	21,668	82.50	22,879
65.75	17,875	70.00	19,195	74.25	20,487	78.50	21,741	82.75	22,948
66.00	17,953	70.25	19,272	74.50	20,562	78.75	21,813	83.00	23,018
66.25	18,031	70.50	19,349	74.75	20,636	79.00	21,886	83.25	23,087
66.50	18,109	70.75	19,425	75.00	20,711	79.25	21,958	83.50	23,156
66.75	18,188	71.00	19,502	75.25	20,786	79.50	22,030	83.75	23,224
67.00	18,266	71.25	19,578	75.50	20,860	79.75	22,101	84.00	23,293
67.25	18,344	71.50	19,655	75.75	20,934	80.00	22,173	84.25	23,361
67.50	18,421	71.75	19,731	76.00	21,008	80.25	22,244	84.50	23,429
67.75	18,499	72.00	19,807	76.25	21,082	80.50	22,316	84.75	23,497



## Capacity/Gauge Table Information

**TCLX 290490**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 290

Reporting Mark: TCLX 290490

Date: 06/10/2015

Capacity: 28,938 US Gallons (109,542 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,565	89.25	24,681	93.50	25,721	97.75	26,670	102.00	27,509
85.25	23,633	89.50	24,744	93.75	25,779	98.00	26,723	102.25	27,554
85.50	23,700	89.75	24,807	94.00	25,837	98.25	26,775	102.50	27,599
85.75	23,767	90.00	24,870	94.25	25,895	98.50	26,827	102.75	27,644
86.00	23,834	90.25	24,933	94.50	25,953	98.75	26,878	103.00	27,687
86.25	23,900	90.50	24,995	94.75	26,010	99.00	26,929	103.25	27,731
86.50	23,967	90.75	25,057	95.00	26,067	99.25	26,980	103.50	27,774
86.75	24,033	91.00	25,119	95.25	26,124	99.50	27,030	103.75	27,816
87.00	24,099	91.25	25,180	95.50	26,180	99.75	27,080	104.00	27,858
87.25	24,164	91.50	25,242	95.75	26,236	100.00	27,129	104.25	27,899
87.50	24,230	91.75	25,302	96.00	26,291	100.25	27,178	104.50	27,940
87.75	24,295	92.00	25,363	96.25	26,346	100.50	27,227	104.75	27,980
88.00	24,360	92.25	25,423	96.50	26,401	100.75	27,275	105.00	28,020
88.25	24,424	92.50	25,483	96.75	26,456	101.00	27,323	105.25	28,059
88.50	24,489	92.75	25,543	97.00	26,510	101.25	27,370	105.50	28,097
88.75	24,553	93.00	25,603	97.25	26,564	101.50	27,417	105.75	28,135
89.00	24,617	93.25	25,662	97.50	26,617	101.75	27,463	106.00	28,173



## Capacity/Gauge Table Information

**TCLX 290490**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 290

Reporting Mark: TCLX 290490

Date: 06/10/2015

Capacity: 28,938 US Gallons (109,542 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,209	110.50	28,718	114.75	28,925
106.50	28,245	110.75	28,739	115.00	28,929
106.75	28,281	111.00	28,759	115.25	28,932
107.00	28,315	111.25	28,778	115.50	28,934
107.25	28,349	111.50	28,796	115.75	28,936
107.50	28,383	111.75	28,812	116.00	28,937
107.75	28,415	112.00	28,827	116.25	28,938
108.00	28,447	112.25	28,841	116.50	28,938
108.25	28,478	112.50	28,854	116.75	28,938
108.50	28,508	112.75	28,866		
108.75	28,538	113.00	28,876		
109.00	28,567	113.25	28,886		
109.25	28,594	113.50	28,895		
109.50	28,621	113.75	28,903		
109.75	28,647	114.00	28,910		
110.00	28,672	114.25	28,916		
110.25	28,696	114.50	28,921		



## Capacity/Gauge Table Information

**TCLX 290491**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 291

Reporting Mark: TCLX 290491

Date: 27/05/2015

Capacity: 28,939 US Gallons (109,547 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	579	8.50	1,329	12.75	2,208	17.00	3,190
0.25	28	4.50	619	8.75	1,378	13.00	2,263	17.25	3,251
0.50	57	4.75	660	9.00	1,427	13.25	2,319	17.50	3,311
0.75	87	5.00	701	9.25	1,476	13.50	2,374	17.75	3,373
1.00	117	5.25	743	9.50	1,526	13.75	2,431	18.00	3,434
1.25	149	5.50	785	9.75	1,576	14.00	2,487	18.25	3,496
1.50	181	5.75	827	10.00	1,626	14.25	2,544	18.50	3,558
1.75	214	6.00	871	10.25	1,677	14.50	2,601	18.75	3,620
2.00	247	6.25	914	10.50	1,729	14.75	2,658	19.00	3,682
2.25	282	6.50	958	10.75	1,780	15.00	2,716	19.25	3,745
2.50	316	6.75	1,003	11.00	1,833	15.25	2,774	19.50	3,808
2.75	352	7.00	1,048	11.25	1,885	15.50	2,833	19.75	3,872
3.00	388	7.25	1,094	11.50	1,938	15.75	2,892	20.00	3,935
3.25	425	7.50	1,140	11.75	1,991	16.00	2,951	20.25	3,999
3.50	463	7.75	1,187	12.00	2,045	16.25	3,010	20.50	4,063
3.75	501	8.00	1,234	12.25	2,099	16.50	3,070	20.75	4,128
4.00	540	8.25	1,281	12.50	2,153	16.75	3,130	21.00	4,192



## Capacity/Gauge Table Information

**TCLX 290491**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 291

Reporting Mark: TCLX 290491

Date: 27/05/2015

Capacity: 28,939 US Gallons (109,547 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,257	25.50	5,395	29.75	6,592	34.00	7,838	38.25	9,122
21.50	4,322	25.75	5,464	30.00	6,664	34.25	7,912	38.50	9,199
21.75	4,388	26.00	5,533	30.25	6,737	34.50	7,987	38.75	9,276
22.00	4,453	26.25	5,603	30.50	6,809	34.75	8,062	39.00	9,353
22.25	4,519	26.50	5,672	30.75	6,881	35.00	8,137	39.25	9,429
22.50	4,585	26.75	5,742	31.00	6,954	35.25	8,212	39.50	9,506
22.75	4,651	27.00	5,812	31.25	7,027	35.50	8,287	39.75	9,583
23.00	4,718	27.25	5,882	31.50	7,100	35.75	8,363	40.00	9,661
23.25	4,785	27.50	5,952	31.75	7,173	36.00	8,438	40.25	9,738
23.50	4,852	27.75	6,022	32.00	7,246	36.25	8,514	40.50	9,815
23.75	4,919	28.00	6,093	32.25	7,320	36.50	8,589	40.75	9,893
24.00	4,986	28.25	6,164	32.50	7,393	36.75	8,665	41.00	9,970
24.25	5,054	28.50	6,235	32.75	7,467	37.00	8,741	41.25	10,048
24.50	5,122	28.75	6,306	33.00	7,541	37.25	8,817	41.50	10,126
24.75	5,190	29.00	6,377	33.25	7,615	37.50	8,893	41.75	10,203
25.00	5,258	29.25	6,449	33.50	7,689	37.75	8,970	42.00	10,281
25.25	5,327	29.50	6,520	33.75	7,763	38.00	9,046	42.25	10,359



## Capacity/Gauge Table Information

**TCLX 290491**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 291

Reporting Mark: TCLX 290491

Date: 27/05/2015

Capacity: 28,939 US Gallons (109,547 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,437	46.75	11,774	51.00	13,125	55.25	14,483	59.50	15,839
42.75	10,515	47.00	11,853	51.25	13,205	55.50	14,563	59.75	15,919
43.00	10,594	47.25	11,933	51.50	13,285	55.75	14,643	60.00	15,998
43.25	10,672	47.50	12,012	51.75	13,365	56.00	14,722	60.25	16,078
43.50	10,750	47.75	12,091	52.00	13,444	56.25	14,802	60.50	16,157
43.75	10,829	48.00	12,170	52.25	13,524	56.50	14,882	60.75	16,237
44.00	10,907	48.25	12,250	52.50	13,604	56.75	14,962	61.00	16,316
44.25	10,986	48.50	12,329	52.75	13,684	57.00	15,042	61.25	16,396
44.50	11,064	48.75	12,409	53.00	13,764	57.25	15,122	61.50	16,475
44.75	11,143	49.00	12,488	53.25	13,844	57.50	15,202	61.75	16,554
45.00	11,222	49.25	12,568	53.50	13,924	57.75	15,281	62.00	16,633
45.25	11,300	49.50	12,647	53.75	14,003	58.00	15,361	62.25	16,713
45.50	11,379	49.75	12,727	54.00	14,083	58.25	15,441	62.50	16,792
45.75	11,458	50.00	12,807	54.25	14,163	58.50	15,521	62.75	16,871
46.00	11,537	50.25	12,886	54.50	14,243	58.75	15,600	63.00	16,950
46.25	11,616	50.50	12,966	54.75	14,323	59.00	15,680	63.25	17,029
46.50	11,695	50.75	13,046	55.00	14,403	59.25	15,760	63.50	17,108



## Capacity/Gauge Table Information

**TCLX 290491**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 291

Reporting Mark: TCLX 290491

Date: 27/05/2015

Capacity: 28,939 US Gallons (109,547 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,187	68.00	18,518	72.25	19,825	76.50	21,098	80.75	22,331
64.00	17,266	68.25	18,596	72.50	19,901	76.75	21,172	81.00	22,402
64.25	17,344	68.50	18,673	72.75	19,976	77.00	21,246	81.25	22,472
64.50	17,423	68.75	18,751	73.00	20,052	77.25	21,319	81.50	22,543
64.75	17,502	69.00	18,828	73.25	20,128	77.50	21,392	81.75	22,613
65.00	17,580	69.25	18,905	73.50	20,203	77.75	21,466	82.00	22,684
65.25	17,659	69.50	18,982	73.75	20,278	78.00	21,539	82.25	22,754
65.50	17,737	69.75	19,059	74.00	20,354	78.25	21,611	82.50	22,824
65.75	17,816	70.00	19,136	74.25	20,429	78.50	21,684	82.75	22,893
66.00	17,894	70.25	19,213	74.50	20,504	78.75	21,757	83.00	22,963
66.25	17,972	70.50	19,290	74.75	20,578	79.00	21,829	83.25	23,032
66.50	18,051	70.75	19,367	75.00	20,653	79.25	21,901	83.50	23,101
66.75	18,129	71.00	19,443	75.25	20,728	79.50	21,973	83.75	23,170
67.00	18,207	71.25	19,520	75.50	20,802	79.75	22,045	84.00	23,239
67.25	18,285	71.50	19,596	75.75	20,876	80.00	22,117	84.25	23,307
67.50	18,362	71.75	19,672	76.00	20,951	80.25	22,188	84.50	23,375
67.75	18,440	72.00	19,749	76.25	21,025	80.50	22,259	84.75	23,443





## Capacity/Gauge Table Information

**TCLX 290491**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 291

Reporting Mark: TCLX 290491

Date: 27/05/2015

Capacity: 28,939 US Gallons (109,547 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,511	89.25	24,630	93.50	25,673	97.75	26,628	102.00	27,473
85.25	23,579	89.50	24,693	93.75	25,732	98.00	26,680	102.25	27,519
85.50	23,646	89.75	24,757	94.00	25,791	98.25	26,733	102.50	27,564
85.75	23,713	90.00	24,820	94.25	25,849	98.50	26,785	102.75	27,609
86.00	23,780	90.25	24,882	94.50	25,907	98.75	26,837	103.00	27,653
86.25	23,847	90.50	24,945	94.75	25,964	99.00	26,888	103.25	27,697
86.50	23,914	90.75	25,007	95.00	26,021	99.25	26,939	103.50	27,740
86.75	23,980	91.00	25,069	95.25	26,078	99.50	26,990	103.75	27,783
87.00	24,046	91.25	25,131	95.50	26,135	99.75	27,040	104.00	27,825
87.25	24,112	91.50	25,192	95.75	26,191	100.00	27,090	104.25	27,867
87.50	24,177	91.75	25,254	96.00	26,247	100.25	27,139	104.50	27,908
87.75	24,243	92.00	25,314	96.25	26,302	100.50	27,188	104.75	27,949
88.00	24,308	92.25	25,375	96.50	26,357	100.75	27,237	105.00	27,989
88.25	24,373	92.50	25,435	96.75	26,412	101.00	27,285	105.25	28,029
88.50	24,437	92.75	25,495	97.00	26,466	101.25	27,333	105.50	28,068
88.75	24,502	93.00	25,555	97.25	26,521	101.50	27,380	105.75	28,106
89.00	24,566	93.25	25,614	97.50	26,574	101.75	27,426	106.00	28,144



## Capacity/Gauge Table Information

**TCLX 290491**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 291

Reporting Mark: TCLX 290491

Date: 27/05/2015

Capacity: 28,939 US Gallons (109,547 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,181	110.50	28,704	114.75	28,926
106.50	28,218	110.75	28,727	115.00	28,930
106.75	28,254	111.00	28,748	115.25	28,933
107.00	28,289	111.25	28,768	115.50	28,935
107.25	28,324	111.50	28,787	115.75	28,937
107.50	28,358	111.75	28,804	116.00	28,938
107.75	28,391	112.00	28,821	116.25	28,939
108.00	28,424	112.25	28,836	116.50	28,939
108.25	28,456	112.50	28,849	116.75	28,939
108.50	28,487	112.75	28,862		
108.75	28,517	113.00	28,873		
109.00	28,546	113.25	28,884		
109.25	28,575	113.50	28,893		
109.50	28,603	113.75	28,902		
109.75	28,630	114.00	28,909		
110.00	28,655	114.25	28,915		
110.25	28,680	114.50	28,921		



## Capacity/Gauge Table Information

**TCLX 290492**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 292

Reporting Mark: TCLX 290492

Date: 05/06/2015

Capacity: 28,981 US Gallons (109,704 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,233	17.00	3,221
0.25	29	4.50	629	8.75	1,396	13.00	2,288	17.25	3,282
0.50	58	4.75	670	9.00	1,445	13.25	2,344	17.50	3,343
0.75	89	5.00	712	9.25	1,495	13.50	2,400	17.75	3,405
1.00	120	5.25	754	9.50	1,545	13.75	2,457	18.00	3,466
1.25	152	5.50	797	9.75	1,595	14.00	2,513	18.25	3,528
1.50	184	5.75	840	10.00	1,646	14.25	2,571	18.50	3,591
1.75	218	6.00	884	10.25	1,698	14.50	2,628	18.75	3,653
2.00	252	6.25	928	10.50	1,750	14.75	2,686	19.00	3,716
2.25	287	6.50	972	10.75	1,802	15.00	2,744	19.25	3,780
2.50	322	6.75	1,018	11.00	1,854	15.25	2,803	19.50	3,843
2.75	359	7.00	1,063	11.25	1,907	15.50	2,862	19.75	3,907
3.00	396	7.25	1,109	11.50	1,960	15.75	2,921	20.00	3,971
3.25	433	7.50	1,156	11.75	2,014	16.00	2,980	20.25	4,035
3.50	471	7.75	1,203	12.00	2,068	16.25	3,040	20.50	4,099
3.75	510	8.00	1,251	12.25	2,123	16.50	3,100	20.75	4,164
4.00	549	8.25	1,299	12.50	2,177	16.75	3,160	21.00	4,229



## Capacity/Gauge Table Information

**TCLX 290492**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 292

Reporting Mark: TCLX 290492

Date: 05/06/2015

Capacity: 28,981 US Gallons (109,704 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,294	25.50	5,438	29.75	6,641	34.00	7,892	38.25	9,181
21.50	4,360	25.75	5,507	30.00	6,713	34.25	7,966	38.50	9,258
21.75	4,425	26.00	5,577	30.25	6,786	34.50	8,041	38.75	9,335
22.00	4,491	26.25	5,646	30.50	6,858	34.75	8,117	39.00	9,412
22.25	4,557	26.50	5,716	30.75	6,931	35.00	8,192	39.25	9,489
22.50	4,624	26.75	5,786	31.00	7,004	35.25	8,267	39.50	9,567
22.75	4,691	27.00	5,856	31.25	7,077	35.50	8,343	39.75	9,644
23.00	4,757	27.25	5,927	31.50	7,151	35.75	8,418	40.00	9,721
23.25	4,824	27.50	5,997	31.75	7,224	36.00	8,494	40.25	9,799
23.50	4,892	27.75	6,068	32.00	7,298	36.25	8,570	40.50	9,877
23.75	4,959	28.00	6,139	32.25	7,371	36.50	8,646	40.75	9,954
24.00	5,027	28.25	6,210	32.50	7,445	36.75	8,722	41.00	10,032
24.25	5,095	28.50	6,282	32.75	7,519	37.00	8,798	41.25	10,110
24.50	5,163	28.75	6,353	33.00	7,593	37.25	8,875	41.50	10,188
24.75	5,232	29.00	6,425	33.25	7,668	37.50	8,951	41.75	10,266
25.00	5,300	29.25	6,497	33.50	7,742	37.75	9,028	42.00	10,344
25.25	5,369	29.50	6,569	33.75	7,817	38.00	9,104	42.25	10,423



## Capacity/Gauge Table Information

**TCLX 290492**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 292

Reporting Mark: TCLX 290492

Date: 05/06/2015

Capacity: 28,981 US Gallons (109,704 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,501	46.75	11,842	51.00	13,197	55.25	14,559	59.50	15,918
42.75	10,579	47.00	11,922	51.25	13,277	55.50	14,639	59.75	15,998
43.00	10,658	47.25	12,001	51.50	13,357	55.75	14,719	60.00	16,078
43.25	10,736	47.50	12,081	51.75	13,437	56.00	14,799	60.25	16,158
43.50	10,815	47.75	12,160	52.00	13,517	56.25	14,879	60.50	16,237
43.75	10,893	48.00	12,240	52.25	13,598	56.50	14,959	60.75	16,317
44.00	10,972	48.25	12,319	52.50	13,678	56.75	15,039	61.00	16,397
44.25	11,051	48.50	12,399	52.75	13,758	57.00	15,119	61.25	16,476
44.50	11,130	48.75	12,479	53.00	13,838	57.25	15,199	61.50	16,556
44.75	11,209	49.00	12,558	53.25	13,918	57.50	15,279	61.75	16,635
45.00	11,288	49.25	12,638	53.50	13,998	57.75	15,359	62.00	16,714
45.25	11,367	49.50	12,718	53.75	14,078	58.00	15,439	62.25	16,794
45.50	11,446	49.75	12,798	54.00	14,158	58.25	15,519	62.50	16,873
45.75	11,525	50.00	12,878	54.25	14,238	58.50	15,599	62.75	16,952
46.00	11,604	50.25	12,958	54.50	14,318	58.75	15,679	63.00	17,032
46.25	11,684	50.50	13,038	54.75	14,398	59.00	15,759	63.25	17,111
46.50	11,763	50.75	13,117	55.00	14,479	59.25	15,839	63.50	17,190



## Capacity/Gauge Table Information

**TCLX 290492**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 292

Reporting Mark: TCLX 290492

Date: 05/06/2015

Capacity: 28,981 US Gallons (109,704 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,269	68.00	18,602	72.25	19,911	76.50	21,186	80.75	22,418
64.00	17,348	68.25	18,680	72.50	19,987	76.75	21,260	81.00	22,489
64.25	17,427	68.50	18,758	72.75	20,063	77.00	21,333	81.25	22,560
64.50	17,506	68.75	18,835	73.00	20,139	77.25	21,407	81.50	22,631
64.75	17,585	69.00	18,913	73.25	20,214	77.50	21,480	81.75	22,701
65.00	17,663	69.25	18,990	73.50	20,290	77.75	21,553	82.00	22,771
65.25	17,742	69.50	19,068	73.75	20,365	78.00	21,626	82.25	22,841
65.50	17,821	69.75	19,145	74.00	20,440	78.25	21,699	82.50	22,911
65.75	17,899	70.00	19,222	74.25	20,516	78.50	21,772	82.75	22,981
66.00	17,978	70.25	19,299	74.50	20,591	78.75	21,844	83.00	23,050
66.25	18,056	70.50	19,376	74.75	20,665	79.00	21,917	83.25	23,120
66.50	18,134	70.75	19,452	75.00	20,740	79.25	21,989	83.50	23,189
66.75	18,212	71.00	19,529	75.25	20,815	79.50	22,061	83.75	23,258
67.00	18,291	71.25	19,606	75.50	20,889	79.75	22,133	84.00	23,326
67.25	18,369	71.50	19,682	75.75	20,964	80.00	22,204	84.25	23,395
67.50	18,447	71.75	19,759	76.00	21,038	80.25	22,276	84.50	23,463
67.75	18,525	72.00	19,835	76.25	21,112	80.50	22,347	84.75	23,531



## Capacity/Gauge Table Information

**TCLX 290492**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 292

Reporting Mark: TCLX 290492

Date: 05/06/2015

Capacity: 28,981 US Gallons (109,704 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,599	89.25	24,716	93.50	25,757	97.75	26,708	102.00	27,548
85.25	23,666	89.50	24,779	93.75	25,816	98.00	26,761	102.25	27,593
85.50	23,734	89.75	24,843	94.00	25,874	98.25	26,813	102.50	27,638
85.75	23,801	90.00	24,906	94.25	25,932	98.50	26,865	102.75	27,683
86.00	23,868	90.25	24,968	94.50	25,990	98.75	26,916	103.00	27,727
86.25	23,934	90.50	25,031	94.75	26,047	99.00	26,967	103.25	27,770
86.50	24,001	90.75	25,093	95.00	26,104	99.25	27,018	103.50	27,813
86.75	24,067	91.00	25,155	95.25	26,161	99.50	27,069	103.75	27,856
87.00	24,133	91.25	25,216	95.50	26,217	99.75	27,118	104.00	27,898
87.25	24,199	91.50	25,278	95.75	26,273	100.00	27,168	104.25	27,939
87.50	24,264	91.75	25,339	96.00	26,329	100.25	27,217	104.50	27,980
87.75	24,330	92.00	25,399	96.25	26,384	100.50	27,266	104.75	28,020
88.00	24,395	92.25	25,460	96.50	26,439	100.75	27,314	105.00	28,060
88.25	24,459	92.50	25,520	96.75	26,493	101.00	27,361	105.25	28,099
88.50	24,524	92.75	25,580	97.00	26,548	101.25	27,409	105.50	28,137
88.75	24,588	93.00	25,639	97.25	26,601	101.50	27,456	105.75	28,175
89.00	24,652	93.25	25,698	97.50	26,655	101.75	27,502	106.00	28,213





## Capacity/Gauge Table Information

**TCLX 290492**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 292

Reporting Mark: TCLX 290492

Date: 05/06/2015

Capacity: 28,981 US Gallons (109,704 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,249	110.50	28,760	114.75	28,968
106.50	28,285	110.75	28,781	115.00	28,972
106.75	28,321	111.00	28,801	115.25	28,974
107.00	28,355	111.25	28,820	115.50	28,977
107.25	28,390	111.50	28,837	115.75	28,978
107.50	28,423	111.75	28,854	116.00	28,980
107.75	28,456	112.00	28,869	116.25	28,980
108.00	28,487	112.25	28,883	116.50	28,981
108.25	28,519	112.50	28,896	116.75	28,981
108.50	28,549	112.75	28,908		
108.75	28,579	113.00	28,919		
109.00	28,607	113.25	28,929		
109.25	28,635	113.50	28,937		
109.50	28,662	113.75	28,945		
109.75	28,688	114.00	28,952		
110.00	28,713	114.25	28,958		
110.25	28,737	114.50	28,963		



## Capacity/Gauge Table Information

**TCLX 290493**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 293

Reporting Mark: TCLX 290493

Date: 12/06/2015

Capacity: 28,956 US Gallons (109,611 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,350	12.75	2,237	17.00	3,226
0.25	29	4.50	632	8.75	1,399	13.00	2,293	17.25	3,287
0.50	59	4.75	673	9.00	1,449	13.25	2,348	17.50	3,348
0.75	89	5.00	714	9.25	1,498	13.50	2,405	17.75	3,410
1.00	120	5.25	757	9.50	1,549	13.75	2,461	18.00	3,471
1.25	152	5.50	799	9.75	1,599	14.00	2,518	18.25	3,534
1.50	185	5.75	843	10.00	1,650	14.25	2,575	18.50	3,596
1.75	219	6.00	886	10.25	1,702	14.50	2,633	18.75	3,659
2.00	253	6.25	931	10.50	1,754	14.75	2,691	19.00	3,722
2.25	288	6.50	975	10.75	1,806	15.00	2,749	19.25	3,785
2.50	324	6.75	1,021	11.00	1,858	15.25	2,808	19.50	3,848
2.75	360	7.00	1,066	11.25	1,911	15.50	2,866	19.75	3,912
3.00	397	7.25	1,113	11.50	1,965	15.75	2,926	20.00	3,976
3.25	435	7.50	1,159	11.75	2,018	16.00	2,985	20.25	4,040
3.50	473	7.75	1,206	12.00	2,072	16.25	3,045	20.50	4,105
3.75	512	8.00	1,254	12.25	2,127	16.50	3,105	20.75	4,169
4.00	551	8.25	1,302	12.50	2,182	16.75	3,165	21.00	4,234



## Capacity/Gauge Table Information

**TCLX 290493**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 293

Reporting Mark: TCLX 290493

Date: 12/06/2015

Capacity: 28,956 US Gallons (109,611 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,299	25.50	5,443	29.75	6,646	34.00	7,896	38.25	9,185
21.50	4,365	25.75	5,513	30.00	6,718	34.25	7,971	38.50	9,262
21.75	4,431	26.00	5,582	30.25	6,791	34.50	8,046	38.75	9,339
22.00	4,497	26.25	5,652	30.50	6,863	34.75	8,121	39.00	9,416
22.25	4,563	26.50	5,721	30.75	6,936	35.00	8,197	39.25	9,493
22.50	4,629	26.75	5,791	31.00	7,009	35.25	8,272	39.50	9,571
22.75	4,696	27.00	5,862	31.25	7,082	35.50	8,347	39.75	9,648
23.00	4,763	27.25	5,932	31.50	7,155	35.75	8,423	40.00	9,725
23.25	4,830	27.50	6,003	31.75	7,229	36.00	8,499	40.25	9,803
23.50	4,897	27.75	6,073	32.00	7,302	36.25	8,575	40.50	9,880
23.75	4,965	28.00	6,144	32.25	7,376	36.50	8,651	40.75	9,958
24.00	5,032	28.25	6,215	32.50	7,450	36.75	8,727	41.00	10,036
24.25	5,100	28.50	6,287	32.75	7,524	37.00	8,803	41.25	10,114
24.50	5,169	28.75	6,358	33.00	7,598	37.25	8,879	41.50	10,192
24.75	5,237	29.00	6,430	33.25	7,673	37.50	8,956	41.75	10,270
25.00	5,306	29.25	6,502	33.50	7,747	37.75	9,032	42.00	10,348
25.25	5,374	29.50	6,574	33.75	7,822	38.00	9,109	42.25	10,426



## Capacity/Gauge Table Information

**TCLX 290493**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 293

Reporting Mark: TCLX 290493

Date: 12/06/2015

Capacity: 28,956 US Gallons (109,611 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,504	46.75	11,845	51.00	13,199	55.25	14,560	59.50	15,918
42.75	10,583	47.00	11,924	51.25	13,279	55.50	14,640	59.75	15,998
43.00	10,661	47.25	12,004	51.50	13,359	55.75	14,720	60.00	16,078
43.25	10,740	47.50	12,083	51.75	13,439	56.00	14,800	60.25	16,157
43.50	10,818	47.75	12,163	52.00	13,519	56.25	14,880	60.50	16,237
43.75	10,897	48.00	12,242	52.25	13,599	56.50	14,960	60.75	16,316
44.00	10,975	48.25	12,322	52.50	13,679	56.75	15,040	61.00	16,396
44.25	11,054	48.50	12,401	52.75	13,759	57.00	15,120	61.25	16,475
44.50	11,133	48.75	12,481	53.00	13,839	57.25	15,200	61.50	16,555
44.75	11,212	49.00	12,561	53.25	13,919	57.50	15,279	61.75	16,634
45.00	11,291	49.25	12,640	53.50	13,999	57.75	15,359	62.00	16,713
45.25	11,370	49.50	12,720	53.75	14,079	58.00	15,439	62.25	16,793
45.50	11,449	49.75	12,800	54.00	14,159	58.25	15,519	62.50	16,872
45.75	11,528	50.00	12,880	54.25	14,239	58.50	15,599	62.75	16,951
46.00	11,607	50.25	12,960	54.50	14,319	58.75	15,679	63.00	17,030
46.25	11,686	50.50	13,039	54.75	14,399	59.00	15,759	63.25	17,109
46.50	11,766	50.75	13,119	55.00	14,479	59.25	15,838	63.50	17,188



## Capacity/Gauge Table Information

**TCLX 290493**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 293

Reporting Mark: TCLX 290493

Date: 12/06/2015

Capacity: 28,956 US Gallons (109,611 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,267	68.00	18,600	72.25	19,907	76.50	21,180	80.75	22,412
64.00	17,346	68.25	18,677	72.50	19,983	76.75	21,254	81.00	22,482
64.25	17,425	68.50	18,755	72.75	20,059	77.00	21,328	81.25	22,553
64.50	17,504	68.75	18,832	73.00	20,134	77.25	21,401	81.50	22,624
64.75	17,583	69.00	18,910	73.25	20,210	77.50	21,474	81.75	22,694
65.00	17,661	69.25	18,987	73.50	20,285	77.75	21,547	82.00	22,764
65.25	17,740	69.50	19,064	73.75	20,361	78.00	21,620	82.25	22,834
65.50	17,819	69.75	19,141	74.00	20,436	78.25	21,693	82.50	22,904
65.75	17,897	70.00	19,218	74.25	20,511	78.50	21,766	82.75	22,973
66.00	17,975	70.25	19,295	74.50	20,586	78.75	21,838	83.00	23,043
66.25	18,054	70.50	19,372	74.75	20,661	79.00	21,910	83.25	23,112
66.50	18,132	70.75	19,449	75.00	20,735	79.25	21,982	83.50	23,181
66.75	18,210	71.00	19,525	75.25	20,810	79.50	22,054	83.75	23,250
67.00	18,288	71.25	19,602	75.50	20,884	79.75	22,126	84.00	23,318
67.25	18,366	71.50	19,678	75.75	20,958	80.00	22,198	84.25	23,387
67.50	18,444	71.75	19,755	76.00	21,033	80.25	22,269	84.50	23,455
67.75	18,522	72.00	19,831	76.25	21,107	80.50	22,340	84.75	23,523



## Capacity/Gauge Table Information

**TCLX 290493**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 293

Reporting Mark: TCLX 290493

Date: 12/06/2015

Capacity: 28,956 US Gallons (109,611 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,590	89.25	24,706	93.50	25,746	97.75	26,695	102.00	27,533
85.25	23,658	89.50	24,769	93.75	25,804	98.00	26,747	102.25	27,578
85.50	23,725	89.75	24,833	94.00	25,862	98.25	26,799	102.50	27,623
85.75	23,792	90.00	24,895	94.25	25,920	98.50	26,851	102.75	27,667
86.00	23,859	90.25	24,958	94.50	25,978	98.75	26,903	103.00	27,711
86.25	23,926	90.50	25,020	94.75	26,035	99.00	26,954	103.25	27,754
86.50	23,992	90.75	25,082	95.00	26,092	99.25	27,004	103.50	27,797
86.75	24,058	91.00	25,144	95.25	26,148	99.50	27,054	103.75	27,839
87.00	24,124	91.25	25,206	95.50	26,205	99.75	27,104	104.00	27,881
87.25	24,190	91.50	25,267	95.75	26,261	100.00	27,154	104.25	27,922
87.50	24,255	91.75	25,328	96.00	26,316	100.25	27,202	104.50	27,963
87.75	24,320	92.00	25,388	96.25	26,371	100.50	27,251	104.75	28,003
88.00	24,385	92.25	25,449	96.50	26,426	100.75	27,299	105.00	28,043
88.25	24,450	92.50	25,509	96.75	26,480	101.00	27,347	105.25	28,082
88.50	24,514	92.75	25,568	97.00	26,535	101.25	27,394	105.50	28,120
88.75	24,578	93.00	25,628	97.25	26,588	101.50	27,441	105.75	28,158
89.00	24,642	93.25	25,687	97.50	26,642	101.75	27,487	106.00	28,195



## Capacity/Gauge Table Information

**TCLX 290493**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 293

Reporting Mark: TCLX 290493

Date: 12/06/2015

Capacity: 28,956 US Gallons (109,611 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,232	110.50	28,738	114.75	28,944
106.50	28,268	110.75	28,759	115.00	28,947
106.75	28,303	111.00	28,779	115.25	28,950
107.00	28,337	111.25	28,798	115.50	28,952
107.25	28,371	111.50	28,815	115.75	28,954
107.50	28,404	111.75	28,831	116.00	28,955
107.75	28,437	112.00	28,846	116.25	28,956
108.00	28,469	112.25	28,860	116.50	28,956
108.25	28,500	112.50	28,873	116.75	28,956
108.50	28,530	112.75	28,885		
108.75	28,559	113.00	28,895		
109.00	28,588	113.25	28,905		
109.25	28,615	113.50	28,914		
109.50	28,642	113.75	28,921		
109.75	28,668	114.00	28,928		
110.00	28,692	114.25	28,934		
110.25	28,716	114.50	28,939		





## Capacity/Gauge Table Information

**TCLX 290494**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 294

Reporting Mark: TCLX 290494

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,346	12.75	2,231	17.00	3,219
0.25	29	4.50	629	8.75	1,395	13.00	2,287	17.25	3,280
0.50	58	4.75	670	9.00	1,444	13.25	2,343	17.50	3,341
0.75	89	5.00	712	9.25	1,494	13.50	2,399	17.75	3,403
1.00	120	5.25	754	9.50	1,544	13.75	2,455	18.00	3,465
1.25	152	5.50	796	9.75	1,595	14.00	2,512	18.25	3,527
1.50	184	5.75	839	10.00	1,646	14.25	2,569	18.50	3,589
1.75	218	6.00	883	10.25	1,697	14.50	2,627	18.75	3,652
2.00	252	6.25	927	10.50	1,749	14.75	2,685	19.00	3,715
2.25	287	6.50	972	10.75	1,801	15.00	2,743	19.25	3,778
2.50	322	6.75	1,017	11.00	1,853	15.25	2,801	19.50	3,841
2.75	358	7.00	1,063	11.25	1,906	15.50	2,860	19.75	3,905
3.00	395	7.25	1,109	11.50	1,959	15.75	2,919	20.00	3,969
3.25	433	7.50	1,155	11.75	2,013	16.00	2,979	20.25	4,033
3.50	471	7.75	1,202	12.00	2,067	16.25	3,038	20.50	4,097
3.75	509	8.00	1,250	12.25	2,122	16.50	3,098	20.75	4,162
4.00	549	8.25	1,298	12.50	2,176	16.75	3,159	21.00	4,227



## Capacity/Gauge Table Information

**TCLX 290494**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 294

Reporting Mark: TCLX 290494

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,292	25.50	5,435	29.75	6,637	34.00	7,888	38.25	9,177
21.50	4,358	25.75	5,505	30.00	6,710	34.25	7,963	38.50	9,254
21.75	4,423	26.00	5,574	30.25	6,782	34.50	8,038	38.75	9,330
22.00	4,489	26.25	5,644	30.50	6,855	34.75	8,113	39.00	9,408
22.25	4,555	26.50	5,713	30.75	6,928	35.00	8,188	39.25	9,485
22.50	4,622	26.75	5,783	31.00	7,001	35.25	8,263	39.50	9,562
22.75	4,688	27.00	5,854	31.25	7,074	35.50	8,339	39.75	9,639
23.00	4,755	27.25	5,924	31.50	7,147	35.75	8,414	40.00	9,717
23.25	4,822	27.50	5,994	31.75	7,220	36.00	8,490	40.25	9,794
23.50	4,889	27.75	6,065	32.00	7,294	36.25	8,566	40.50	9,872
23.75	4,957	28.00	6,136	32.25	7,368	36.50	8,642	40.75	9,949
24.00	5,025	28.25	6,207	32.50	7,442	36.75	8,718	41.00	10,027
24.25	5,093	28.50	6,278	32.75	7,516	37.00	8,794	41.25	10,105
24.50	5,161	28.75	6,350	33.00	7,590	37.25	8,870	41.50	10,183
24.75	5,229	29.00	6,422	33.25	7,664	37.50	8,947	41.75	10,261
25.00	5,298	29.25	6,493	33.50	7,738	37.75	9,023	42.00	10,339
25.25	5,366	29.50	6,565	33.75	7,813	38.00	9,100	42.25	10,417



## Capacity/Gauge Table Information

**TCLX 290494**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 294

Reporting Mark: TCLX 290494

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,496	46.75	11,836	51.00	13,191	55.25	14,552	59.50	15,911
42.75	10,574	47.00	11,916	51.25	13,271	55.50	14,632	59.75	15,990
43.00	10,652	47.25	11,995	51.50	13,351	55.75	14,712	60.00	16,070
43.25	10,731	47.50	12,075	51.75	13,431	56.00	14,792	60.25	16,150
43.50	10,809	47.75	12,154	52.00	13,511	56.25	14,872	60.50	16,229
43.75	10,888	48.00	12,234	52.25	13,591	56.50	14,952	60.75	16,309
44.00	10,967	48.25	12,313	52.50	13,671	56.75	15,032	61.00	16,389
44.25	11,046	48.50	12,393	52.75	13,751	57.00	15,112	61.25	16,468
44.50	11,124	48.75	12,473	53.00	13,831	57.25	15,192	61.50	16,548
44.75	11,203	49.00	12,552	53.25	13,911	57.50	15,272	61.75	16,627
45.00	11,282	49.25	12,632	53.50	13,991	57.75	15,352	62.00	16,706
45.25	11,361	49.50	12,712	53.75	14,071	58.00	15,432	62.25	16,786
45.50	11,440	49.75	12,792	54.00	14,151	58.25	15,512	62.50	16,865
45.75	11,519	50.00	12,871	54.25	14,231	58.50	15,591	62.75	16,944
46.00	11,599	50.25	12,951	54.50	14,311	58.75	15,671	63.00	17,023
46.25	11,678	50.50	13,031	54.75	14,391	59.00	15,751	63.25	17,102
46.50	11,757	50.75	13,111	55.00	14,471	59.25	15,831	63.50	17,182



## Capacity/Gauge Table Information

**TCLX 290494**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 294

Reporting Mark: TCLX 290494

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,261	68.00	18,594	72.25	19,901	76.50	21,176	80.75	22,408
64.00	17,340	68.25	18,671	72.50	19,977	76.75	21,250	81.00	22,479
64.25	17,418	68.50	18,749	72.75	20,053	77.00	21,323	81.25	22,550
64.50	17,497	68.75	18,826	73.00	20,129	77.25	21,397	81.50	22,620
64.75	17,576	69.00	18,904	73.25	20,205	77.50	21,470	81.75	22,691
65.00	17,655	69.25	18,981	73.50	20,280	77.75	21,543	82.00	22,761
65.25	17,733	69.50	19,058	73.75	20,356	78.00	21,616	82.25	22,831
65.50	17,812	69.75	19,136	74.00	20,431	78.25	21,689	82.50	22,901
65.75	17,890	70.00	19,213	74.25	20,506	78.50	21,762	82.75	22,971
66.00	17,969	70.25	19,290	74.50	20,581	78.75	21,834	83.00	23,040
66.25	18,047	70.50	19,366	74.75	20,656	79.00	21,906	83.25	23,109
66.50	18,125	70.75	19,443	75.00	20,730	79.25	21,979	83.50	23,178
66.75	18,204	71.00	19,520	75.25	20,805	79.50	22,051	83.75	23,247
67.00	18,282	71.25	19,596	75.50	20,880	79.75	22,123	84.00	23,316
67.25	18,360	71.50	19,673	75.75	20,954	80.00	22,194	84.25	23,384
67.50	18,438	71.75	19,749	76.00	21,028	80.25	22,266	84.50	23,452
67.75	18,516	72.00	19,825	76.25	21,102	80.50	22,337	84.75	23,520



## Capacity/Gauge Table Information

**TCLX 290494**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 294

Reporting Mark: TCLX 290494

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,588	89.25	24,705	93.50	25,746	97.75	26,697	102.00	27,537
85.25	23,656	89.50	24,769	93.75	25,805	98.00	26,750	102.25	27,582
85.50	23,723	89.75	24,832	94.00	25,863	98.25	26,802	102.50	27,627
85.75	23,790	90.00	24,895	94.25	25,921	98.50	26,854	102.75	27,672
86.00	23,857	90.25	24,957	94.50	25,979	98.75	26,905	103.00	27,716
86.25	23,924	90.50	25,020	94.75	26,036	99.00	26,956	103.25	27,759
86.50	23,990	90.75	25,082	95.00	26,093	99.25	27,007	103.50	27,802
86.75	24,056	91.00	25,144	95.25	26,150	99.50	27,058	103.75	27,845
87.00	24,122	91.25	25,205	95.50	26,206	99.75	27,107	104.00	27,887
87.25	24,188	91.50	25,267	95.75	26,262	100.00	27,157	104.25	27,928
87.50	24,254	91.75	25,328	96.00	26,318	100.25	27,206	104.50	27,969
87.75	24,319	92.00	25,388	96.25	26,373	100.50	27,255	104.75	28,009
88.00	24,384	92.25	25,449	96.50	26,428	100.75	27,303	105.00	28,049
88.25	24,449	92.50	25,509	96.75	26,482	101.00	27,351	105.25	28,088
88.50	24,513	92.75	25,569	97.00	26,537	101.25	27,398	105.50	28,127
88.75	24,577	93.00	25,628	97.25	26,590	101.50	27,445	105.75	28,164
89.00	24,641	93.25	25,688	97.50	26,644	101.75	27,491	106.00	28,202



## Capacity/Gauge Table Information

**TCLX 290494**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 294

Reporting Mark: TCLX 290494

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,239	110.50	28,749	114.75	28,958
106.50	28,275	110.75	28,771	115.00	28,961
106.75	28,310	111.00	28,791	115.25	28,964
107.00	28,345	111.25	28,810	115.50	28,967
107.25	28,379	111.50	28,827	115.75	28,968
107.50	28,412	111.75	28,844	116.00	28,970
107.75	28,445	112.00	28,859	116.25	28,970
108.00	28,477	112.25	28,873	116.50	28,971
108.25	28,508	112.50	28,886	116.75	28,971
108.50	28,538	112.75	28,898		
108.75	28,568	113.00	28,909		
109.00	28,597	113.25	28,918		
109.25	28,625	113.50	28,927		
109.50	28,652	113.75	28,935		
109.75	28,678	114.00	28,942		
110.00	28,703	114.25	28,948		
110.25	28,726	114.50	28,953		



## Capacity/Gauge Table Information

**TCLX 290495**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 295

Reporting Mark: TCLX 290495

Date: 27/05/2015

Capacity: 28,966 US Gallons (109,648 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,223	17.00	3,208
0.25	28	4.50	625	8.75	1,389	13.00	2,278	17.25	3,269
0.50	58	4.75	666	9.00	1,438	13.25	2,334	17.50	3,330
0.75	88	5.00	708	9.25	1,487	13.50	2,390	17.75	3,392
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,453
1.25	150	5.50	792	9.75	1,588	14.00	2,503	18.25	3,515
1.50	183	5.75	835	10.00	1,638	14.25	2,560	18.50	3,577
1.75	216	6.00	878	10.25	1,690	14.50	2,617	18.75	3,640
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,703
2.25	285	6.50	967	10.75	1,793	15.00	2,733	19.25	3,766
2.50	320	6.75	1,012	11.00	1,846	15.25	2,791	19.50	3,829
2.75	356	7.00	1,057	11.25	1,898	15.50	2,850	19.75	3,893
3.00	393	7.25	1,103	11.50	1,951	15.75	2,909	20.00	3,956
3.25	430	7.50	1,150	11.75	2,005	16.00	2,968	20.25	4,020
3.50	468	7.75	1,197	12.00	2,059	16.25	3,028	20.50	4,085
3.75	506	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,149
4.00	545	8.25	1,292	12.50	2,168	16.75	3,148	21.00	4,214





## Capacity/Gauge Table Information

**TCLX 290495**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 295

Reporting Mark: TCLX 290495

Date: 27/05/2015

Capacity: 28,966 US Gallons (109,648 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,279	25.50	5,421	29.75	6,621	34.00	7,870	38.25	9,157
21.50	4,344	25.75	5,490	30.00	6,693	34.25	7,944	38.50	9,234
21.75	4,410	26.00	5,559	30.25	6,766	34.50	8,019	38.75	9,311
22.00	4,476	26.25	5,629	30.50	6,838	34.75	8,094	39.00	9,388
22.25	4,542	26.50	5,698	30.75	6,911	35.00	8,169	39.25	9,465
22.50	4,608	26.75	5,768	31.00	6,984	35.25	8,245	39.50	9,542
22.75	4,675	27.00	5,838	31.25	7,057	35.50	8,320	39.75	9,619
23.00	4,741	27.25	5,908	31.50	7,130	35.75	8,395	40.00	9,696
23.25	4,808	27.50	5,979	31.75	7,203	36.00	8,471	40.25	9,774
23.50	4,875	27.75	6,049	32.00	7,277	36.25	8,547	40.50	9,851
23.75	4,943	28.00	6,120	32.25	7,350	36.50	8,623	40.75	9,929
24.00	5,010	28.25	6,191	32.50	7,424	36.75	8,699	41.00	10,007
24.25	5,078	28.50	6,262	32.75	7,498	37.00	8,775	41.25	10,084
24.50	5,146	28.75	6,334	33.00	7,572	37.25	8,851	41.50	10,162
24.75	5,215	29.00	6,405	33.25	7,646	37.50	8,927	41.75	10,240
25.00	5,283	29.25	6,477	33.50	7,720	37.75	9,004	42.00	10,318
25.25	5,352	29.50	6,549	33.75	7,795	38.00	9,080	42.25	10,396



## Capacity/Gauge Table Information

**TCLX 290495**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 295

Reporting Mark: TCLX 290495

Date: 27/05/2015

Capacity: 28,966 US Gallons (109,648 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,475	46.75	11,814	51.00	13,167	55.25	14,527	59.50	15,885
42.75	10,553	47.00	11,893	51.25	13,247	55.50	14,607	59.75	15,965
43.00	10,631	47.25	11,973	51.50	13,327	55.75	14,687	60.00	16,045
43.25	10,710	47.50	12,052	51.75	13,407	56.00	14,767	60.25	16,124
43.50	10,788	47.75	12,132	52.00	13,487	56.25	14,847	60.50	16,204
43.75	10,867	48.00	12,211	52.25	13,567	56.50	14,927	60.75	16,283
44.00	10,945	48.25	12,291	52.50	13,647	56.75	15,007	61.00	16,363
44.25	11,024	48.50	12,370	52.75	13,727	57.00	15,087	61.25	16,442
44.50	11,103	48.75	12,450	53.00	13,807	57.25	15,167	61.50	16,522
44.75	11,181	49.00	12,529	53.25	13,887	57.50	15,247	61.75	16,601
45.00	11,260	49.25	12,609	53.50	13,967	57.75	15,327	62.00	16,681
45.25	11,339	49.50	12,689	53.75	14,047	58.00	15,407	62.25	16,760
45.50	11,418	49.75	12,768	54.00	14,127	58.25	15,486	62.50	16,839
45.75	11,497	50.00	12,848	54.25	14,207	58.50	15,566	62.75	16,918
46.00	11,576	50.25	12,928	54.50	14,287	58.75	15,646	63.00	16,998
46.25	11,656	50.50	13,008	54.75	14,367	59.00	15,726	63.25	17,077
46.50	11,735	50.75	13,088	55.00	14,447	59.25	15,806	63.50	17,156



## Capacity/Gauge Table Information

**TCLX 290495**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 295

Reporting Mark: TCLX 290495

Date: 27/05/2015

Capacity: 28,966 US Gallons (109,648 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,235	68.00	18,567	72.25	19,875	76.50	21,149	80.75	22,382
64.00	17,314	68.25	18,645	72.50	19,951	76.75	21,223	81.00	22,453
64.25	17,392	68.50	18,722	72.75	20,027	77.00	21,297	81.25	22,524
64.50	17,471	68.75	18,800	73.00	20,102	77.25	21,370	81.50	22,594
64.75	17,550	69.00	18,877	73.25	20,178	77.50	21,444	81.75	22,665
65.00	17,629	69.25	18,955	73.50	20,254	77.75	21,517	82.00	22,735
65.25	17,707	69.50	19,032	73.75	20,329	78.00	21,590	82.25	22,805
65.50	17,786	69.75	19,109	74.00	20,404	78.25	21,662	82.50	22,875
65.75	17,864	70.00	19,186	74.25	20,479	78.50	21,735	82.75	22,944
66.00	17,943	70.25	19,263	74.50	20,554	78.75	21,808	83.00	23,014
66.25	18,021	70.50	19,340	74.75	20,629	79.00	21,880	83.25	23,083
66.50	18,099	70.75	19,417	75.00	20,704	79.25	21,952	83.50	23,152
66.75	18,177	71.00	19,493	75.25	20,778	79.50	22,024	83.75	23,221
67.00	18,256	71.25	19,570	75.50	20,853	79.75	22,096	84.00	23,290
67.25	18,334	71.50	19,646	75.75	20,927	80.00	22,168	84.25	23,358
67.50	18,412	71.75	19,723	76.00	21,001	80.25	22,239	84.50	23,427
67.75	18,489	72.00	19,799	76.25	21,075	80.50	22,311	84.75	23,495



## Capacity/Gauge Table Information

**TCLX 290495**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 295

Reporting Mark: TCLX 290495

Date: 27/05/2015

Capacity: 28,966 US Gallons (109,648 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,562	89.25	24,680	93.50	25,723	97.75	26,675	102.00	27,518
85.25	23,630	89.50	24,744	93.75	25,782	98.00	26,728	102.25	27,563
85.50	23,697	89.75	24,807	94.00	25,840	98.25	26,780	102.50	27,608
85.75	23,765	90.00	24,870	94.25	25,898	98.50	26,833	102.75	27,653
86.00	23,832	90.25	24,933	94.50	25,956	98.75	26,884	103.00	27,697
86.25	23,898	90.50	24,995	94.75	26,013	99.00	26,935	103.25	27,741
86.50	23,965	90.75	25,058	95.00	26,070	99.25	26,986	103.50	27,784
86.75	24,031	91.00	25,120	95.25	26,127	99.50	27,037	103.75	27,827
87.00	24,097	91.25	25,181	95.50	26,183	99.75	27,087	104.00	27,869
87.25	24,163	91.50	25,243	95.75	26,239	100.00	27,136	104.25	27,910
87.50	24,228	91.75	25,304	96.00	26,295	100.25	27,186	104.50	27,951
87.75	24,294	92.00	25,364	96.25	26,351	100.50	27,234	104.75	27,992
88.00	24,359	92.25	25,425	96.50	26,406	100.75	27,283	105.00	28,032
88.25	24,424	92.50	25,485	96.75	26,460	101.00	27,331	105.25	28,071
88.50	24,488	92.75	25,545	97.00	26,515	101.25	27,378	105.50	28,110
88.75	24,552	93.00	25,605	97.25	26,568	101.50	27,425	105.75	28,148
89.00	24,616	93.25	25,664	97.50	26,622	101.75	27,472	106.00	28,186



## Capacity/Gauge Table Information

**TCLX 290495**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 295

Reporting Mark: TCLX 290495

Date: 27/05/2015

Capacity: 28,966 US Gallons (109,648 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,223	110.50	28,739	114.75	28,953
106.50	28,259	110.75	28,761	115.00	28,956
106.75	28,295	111.00	28,781	115.25	28,959
107.00	28,330	111.25	28,801	115.50	28,962
107.25	28,364	111.50	28,819	115.75	28,963
107.50	28,398	111.75	28,835	116.00	28,965
107.75	28,430	112.00	28,851	116.25	28,965
108.00	28,463	112.25	28,866	116.50	28,966
108.25	28,494	112.50	28,879	116.75	28,966
108.50	28,525	112.75	28,891		
108.75	28,555	113.00	28,902		
109.00	28,584	113.25	28,912		
109.25	28,612	113.50	28,921		
109.50	28,639	113.75	28,929		
109.75	28,666	114.00	28,936		
110.00	28,691	114.25	28,943		
110.25	28,715	114.50	28,948		



## Capacity/Gauge Table Information

**TCLX 290496**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 296

Reporting Mark: TCLX 290496

Date: 10/06/2015

Capacity: 28,970 US Gallons (109,665 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,345	12.75	2,229	17.00	3,216
0.25	29	4.50	628	8.75	1,393	13.00	2,285	17.25	3,277
0.50	58	4.75	669	9.00	1,443	13.25	2,340	17.50	3,338
0.75	88	5.00	711	9.25	1,492	13.50	2,396	17.75	3,400
1.00	119	5.25	753	9.50	1,542	13.75	2,453	18.00	3,462
1.25	151	5.50	795	9.75	1,593	14.00	2,510	18.25	3,524
1.50	184	5.75	838	10.00	1,644	14.25	2,567	18.50	3,586
1.75	217	6.00	882	10.25	1,695	14.50	2,624	18.75	3,649
2.00	251	6.25	926	10.50	1,747	14.75	2,682	19.00	3,711
2.25	286	6.50	971	10.75	1,799	15.00	2,740	19.25	3,774
2.50	322	6.75	1,016	11.00	1,851	15.25	2,799	19.50	3,838
2.75	358	7.00	1,061	11.25	1,904	15.50	2,857	19.75	3,901
3.00	395	7.25	1,107	11.50	1,957	15.75	2,916	20.00	3,965
3.25	432	7.50	1,154	11.75	2,011	16.00	2,976	20.25	4,030
3.50	470	7.75	1,201	12.00	2,065	16.25	3,036	20.50	4,094
3.75	509	8.00	1,248	12.25	2,119	16.50	3,096	20.75	4,159
4.00	548	8.25	1,296	12.50	2,174	16.75	3,156	21.00	4,223



## Capacity/Gauge Table Information

**TCLX 290496**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 296

Reporting Mark: TCLX 290496

Date: 10/06/2015

Capacity: 28,970 US Gallons (109,665 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,289	25.50	5,431	29.75	6,633	34.00	7,883	38.25	9,171
21.50	4,354	25.75	5,501	30.00	6,705	34.25	7,958	38.50	9,248
21.75	4,420	26.00	5,570	30.25	6,778	34.50	8,033	38.75	9,325
22.00	4,486	26.25	5,640	30.50	6,850	34.75	8,108	39.00	9,402
22.25	4,552	26.50	5,709	30.75	6,923	35.00	8,183	39.25	9,479
22.50	4,618	26.75	5,779	31.00	6,996	35.25	8,258	39.50	9,557
22.75	4,685	27.00	5,849	31.25	7,069	35.50	8,334	39.75	9,634
23.00	4,751	27.25	5,920	31.50	7,142	35.75	8,409	40.00	9,711
23.25	4,818	27.50	5,990	31.75	7,216	36.00	8,485	40.25	9,789
23.50	4,886	27.75	6,061	32.00	7,289	36.25	8,561	40.50	9,866
23.75	4,953	28.00	6,132	32.25	7,363	36.50	8,637	40.75	9,944
24.00	5,021	28.25	6,203	32.50	7,437	36.75	8,713	41.00	10,022
24.25	5,089	28.50	6,274	32.75	7,511	37.00	8,789	41.25	10,100
24.50	5,157	28.75	6,346	33.00	7,585	37.25	8,865	41.50	10,178
24.75	5,225	29.00	6,417	33.25	7,659	37.50	8,942	41.75	10,256
25.00	5,294	29.25	6,489	33.50	7,734	37.75	9,018	42.00	10,334
25.25	5,363	29.50	6,561	33.75	7,808	38.00	9,095	42.25	10,412





## Capacity/Gauge Table Information

**TCLX 290496**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 296

Reporting Mark: TCLX 290496

Date: 10/06/2015

Capacity: 28,970 US Gallons (109,665 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,490	46.75	11,830	51.00	13,185	55.25	14,545	59.50	15,904
42.75	10,568	47.00	11,910	51.25	13,265	55.50	14,625	59.75	15,984
43.00	10,647	47.25	11,989	51.50	13,345	55.75	14,705	60.00	16,063
43.25	10,725	47.50	12,069	51.75	13,425	56.00	14,785	60.25	16,143
43.50	10,804	47.75	12,148	52.00	13,504	56.25	14,865	60.50	16,223
43.75	10,882	48.00	12,228	52.25	13,584	56.50	14,945	60.75	16,302
44.00	10,961	48.25	12,307	52.50	13,665	56.75	15,025	61.00	16,382
44.25	11,040	48.50	12,387	52.75	13,745	57.00	15,105	61.25	16,461
44.50	11,119	48.75	12,466	53.00	13,825	57.25	15,185	61.50	16,541
44.75	11,197	49.00	12,546	53.25	13,905	57.50	15,265	61.75	16,620
45.00	11,276	49.25	12,626	53.50	13,985	57.75	15,345	62.00	16,700
45.25	11,355	49.50	12,706	53.75	14,065	58.00	15,425	62.25	16,779
45.50	11,434	49.75	12,785	54.00	14,145	58.25	15,505	62.50	16,858
45.75	11,513	50.00	12,865	54.25	14,225	58.50	15,585	62.75	16,937
46.00	11,593	50.25	12,945	54.50	14,305	58.75	15,665	63.00	17,017
46.25	11,672	50.50	13,025	54.75	14,385	59.00	15,744	63.25	17,096
46.50	11,751	50.75	13,105	55.00	14,465	59.25	15,824	63.50	17,175



## Capacity/Gauge Table Information

**TCLX 290496**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 296

Reporting Mark: TCLX 290496

Date: 10/06/2015

Capacity: 28,970 US Gallons (109,665 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,254	68.00	18,587	72.25	19,894	76.50	21,169	80.75	22,401
64.00	17,333	68.25	18,664	72.50	19,970	76.75	21,243	81.00	22,472
64.25	17,412	68.50	18,742	72.75	20,046	77.00	21,316	81.25	22,543
64.50	17,490	68.75	18,819	73.00	20,122	77.25	21,390	81.50	22,614
64.75	17,569	69.00	18,897	73.25	20,198	77.50	21,463	81.75	22,684
65.00	17,648	69.25	18,974	73.50	20,273	77.75	21,536	82.00	22,754
65.25	17,726	69.50	19,051	73.75	20,349	78.00	21,609	82.25	22,824
65.50	17,805	69.75	19,129	74.00	20,424	78.25	21,682	82.50	22,894
65.75	17,884	70.00	19,206	74.25	20,499	78.50	21,755	82.75	22,964
66.00	17,962	70.25	19,283	74.50	20,574	78.75	21,827	83.00	23,033
66.25	18,040	70.50	19,359	74.75	20,649	79.00	21,900	83.25	23,102
66.50	18,119	70.75	19,436	75.00	20,724	79.25	21,972	83.50	23,172
66.75	18,197	71.00	19,513	75.25	20,798	79.50	22,044	83.75	23,240
67.00	18,275	71.25	19,589	75.50	20,873	79.75	22,116	84.00	23,309
67.25	18,353	71.50	19,666	75.75	20,947	80.00	22,187	84.25	23,377
67.50	18,431	71.75	19,742	76.00	21,021	80.25	22,259	84.50	23,446
67.75	18,509	72.00	19,818	76.25	21,095	80.50	22,330	84.75	23,514



## Capacity/Gauge Table Information

**TCLX 290496**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 296

Reporting Mark: TCLX 290496

Date: 10/06/2015

Capacity: 28,970 US Gallons (109,665 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,581	89.25	24,699	93.50	25,740	97.75	26,691	102.00	27,532
85.25	23,649	89.50	24,762	93.75	25,799	98.00	26,744	102.25	27,578
85.50	23,716	89.75	24,825	94.00	25,857	98.25	26,797	102.50	27,623
85.75	23,784	90.00	24,888	94.25	25,915	98.50	26,849	102.75	27,667
86.00	23,850	90.25	24,951	94.50	25,973	98.75	26,900	103.00	27,711
86.25	23,917	90.50	25,014	94.75	26,030	99.00	26,951	103.25	27,755
86.50	23,984	90.75	25,076	95.00	26,087	99.25	27,002	103.50	27,798
86.75	24,050	91.00	25,138	95.25	26,144	99.50	27,052	103.75	27,840
87.00	24,116	91.25	25,199	95.50	26,200	99.75	27,102	104.00	27,882
87.25	24,182	91.50	25,261	95.75	26,256	100.00	27,152	104.25	27,924
87.50	24,247	91.75	25,322	96.00	26,312	100.25	27,201	104.50	27,965
87.75	24,312	92.00	25,382	96.25	26,367	100.50	27,250	104.75	28,005
88.00	24,377	92.25	25,443	96.50	26,422	100.75	27,298	105.00	28,045
88.25	24,442	92.50	25,503	96.75	26,477	101.00	27,346	105.25	28,084
88.50	24,507	92.75	25,563	97.00	26,531	101.25	27,393	105.50	28,123
88.75	24,571	93.00	25,622	97.25	26,585	101.50	27,440	105.75	28,161
89.00	24,635	93.25	25,682	97.50	26,638	101.75	27,486	106.00	28,198



## Capacity/Gauge Table Information

**TCLX 290496**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 296

Reporting Mark: TCLX 290496

Date: 10/06/2015

Capacity: 28,970 US Gallons (109,665 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,235	110.50	28,747	114.75	28,957
106.50	28,271	110.75	28,769	115.00	28,961
106.75	28,306	111.00	28,789	115.25	28,964
107.00	28,341	111.25	28,808	115.50	28,966
107.25	28,375	111.50	28,826	115.75	28,968
107.50	28,409	111.75	28,842	116.00	28,969
107.75	28,442	112.00	28,858	116.25	28,970
108.00	28,474	112.25	28,872	116.50	28,970
108.25	28,505	112.50	28,885	116.75	28,970
108.50	28,535	112.75	28,897		
108.75	28,565	113.00	28,908		
109.00	28,594	113.25	28,918		
109.25	28,622	113.50	28,927		
109.50	28,649	113.75	28,935		
109.75	28,675	114.00	28,942		
110.00	28,700	114.25	28,948		
110.25	28,724	114.50	28,953		



## Capacity/Gauge Table Information

**TCLX 290497**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 297

Reporting Mark: TCLX 290497

Date: 04/06/2015

Capacity: 28,957 US Gallons (109,613 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,350	12.75	2,237	17.00	3,226
0.25	29	4.50	631	8.75	1,399	13.00	2,292	17.25	3,287
0.50	59	4.75	673	9.00	1,448	13.25	2,348	17.50	3,348
0.75	89	5.00	714	9.25	1,498	13.50	2,404	17.75	3,409
1.00	120	5.25	756	9.50	1,548	13.75	2,461	18.00	3,471
1.25	152	5.50	799	9.75	1,599	14.00	2,518	18.25	3,533
1.50	185	5.75	842	10.00	1,650	14.25	2,575	18.50	3,596
1.75	219	6.00	886	10.25	1,701	14.50	2,633	18.75	3,658
2.00	253	6.25	930	10.50	1,753	14.75	2,690	19.00	3,721
2.25	288	6.50	975	10.75	1,805	15.00	2,749	19.25	3,784
2.50	324	6.75	1,020	11.00	1,858	15.25	2,807	19.50	3,848
2.75	360	7.00	1,066	11.25	1,911	15.50	2,866	19.75	3,911
3.00	397	7.25	1,112	11.50	1,964	15.75	2,925	20.00	3,975
3.25	435	7.50	1,159	11.75	2,018	16.00	2,985	20.25	4,040
3.50	473	7.75	1,206	12.00	2,072	16.25	3,044	20.50	4,104
3.75	512	8.00	1,254	12.25	2,127	16.50	3,105	20.75	4,169
4.00	551	8.25	1,302	12.50	2,181	16.75	3,165	21.00	4,234



## Capacity/Gauge Table Information

**TCLX 290497**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 297

Reporting Mark: TCLX 290497

Date: 04/06/2015

Capacity: 28,957 US Gallons (109,613 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,299	25.50	5,443	29.75	6,645	34.00	7,896	38.25	9,185
21.50	4,365	25.75	5,512	30.00	6,718	34.25	7,971	38.50	9,262
21.75	4,430	26.00	5,582	30.25	6,790	34.50	8,046	38.75	9,339
22.00	4,496	26.25	5,651	30.50	6,863	34.75	8,121	39.00	9,416
22.25	4,562	26.50	5,721	30.75	6,936	35.00	8,196	39.25	9,493
22.50	4,629	26.75	5,791	31.00	7,009	35.25	8,272	39.50	9,570
22.75	4,695	27.00	5,861	31.25	7,082	35.50	8,347	39.75	9,648
23.00	4,762	27.25	5,932	31.50	7,155	35.75	8,423	40.00	9,725
23.25	4,829	27.50	6,002	31.75	7,229	36.00	8,498	40.25	9,803
23.50	4,897	27.75	6,073	32.00	7,302	36.25	8,574	40.50	9,880
23.75	4,964	28.00	6,144	32.25	7,376	36.50	8,650	40.75	9,958
24.00	5,032	28.25	6,215	32.50	7,450	36.75	8,726	41.00	10,036
24.25	5,100	28.50	6,286	32.75	7,524	37.00	8,802	41.25	10,114
24.50	5,168	28.75	6,358	33.00	7,598	37.25	8,879	41.50	10,192
24.75	5,237	29.00	6,430	33.25	7,672	37.50	8,955	41.75	10,270
25.00	5,305	29.25	6,501	33.50	7,747	37.75	9,032	42.00	10,348
25.25	5,374	29.50	6,573	33.75	7,821	38.00	9,108	42.25	10,426



## Capacity/Gauge Table Information

**TCLX 290497**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 297

Reporting Mark: TCLX 290497

Date: 04/06/2015

Capacity: 28,957 US Gallons (109,613 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,504	46.75	11,845	51.00	13,199	55.25	14,559	59.50	15,918
42.75	10,582	47.00	11,924	51.25	13,279	55.50	14,639	59.75	15,998
43.00	10,661	47.25	12,004	51.50	13,359	55.75	14,719	60.00	16,077
43.25	10,739	47.50	12,083	51.75	13,439	56.00	14,800	60.25	16,157
43.50	10,818	47.75	12,162	52.00	13,519	56.25	14,880	60.50	16,237
43.75	10,897	48.00	12,242	52.25	13,599	56.50	14,960	60.75	16,316
44.00	10,975	48.25	12,322	52.50	13,679	56.75	15,040	61.00	16,396
44.25	11,054	48.50	12,401	52.75	13,759	57.00	15,120	61.25	16,475
44.50	11,133	48.75	12,481	53.00	13,839	57.25	15,199	61.50	16,555
44.75	11,212	49.00	12,561	53.25	13,919	57.50	15,279	61.75	16,634
45.00	11,291	49.25	12,640	53.50	13,999	57.75	15,359	62.00	16,713
45.25	11,370	49.50	12,720	53.75	14,079	58.00	15,439	62.25	16,793
45.50	11,449	49.75	12,800	54.00	14,159	58.25	15,519	62.50	16,872
45.75	11,528	50.00	12,880	54.25	14,239	58.50	15,599	62.75	16,951
46.00	11,607	50.25	12,959	54.50	14,319	58.75	15,679	63.00	17,030
46.25	11,686	50.50	13,039	54.75	14,399	59.00	15,759	63.25	17,109
46.50	11,765	50.75	13,119	55.00	14,479	59.25	15,838	63.50	17,189





## Capacity/Gauge Table Information

**TCLX 290497**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 297

Reporting Mark: TCLX 290497

Date: 04/06/2015

Capacity: 28,957 US Gallons (109,613 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,267	68.00	18,600	72.25	19,907	76.50	21,181	80.75	22,412
64.00	17,346	68.25	18,677	72.50	19,983	76.75	21,254	81.00	22,483
64.25	17,425	68.50	18,755	72.75	20,059	77.00	21,328	81.25	22,553
64.50	17,504	68.75	18,833	73.00	20,134	77.25	21,401	81.50	22,624
64.75	17,583	69.00	18,910	73.25	20,210	77.50	21,474	81.75	22,694
65.00	17,661	69.25	18,987	73.50	20,285	77.75	21,548	82.00	22,764
65.25	17,740	69.50	19,064	73.75	20,361	78.00	21,621	82.25	22,834
65.50	17,819	69.75	19,142	74.00	20,436	78.25	21,693	82.50	22,904
65.75	17,897	70.00	19,219	74.25	20,511	78.50	21,766	82.75	22,974
66.00	17,975	70.25	19,295	74.50	20,586	78.75	21,838	83.00	23,043
66.25	18,054	70.50	19,372	74.75	20,661	79.00	21,911	83.25	23,112
66.50	18,132	70.75	19,449	75.00	20,735	79.25	21,983	83.50	23,181
66.75	18,210	71.00	19,526	75.25	20,810	79.50	22,055	83.75	23,250
67.00	18,288	71.25	19,602	75.50	20,884	79.75	22,126	84.00	23,319
67.25	18,366	71.50	19,678	75.75	20,959	80.00	22,198	84.25	23,387
67.50	18,444	71.75	19,755	76.00	21,033	80.25	22,269	84.50	23,455
67.75	18,522	72.00	19,831	76.25	21,107	80.50	22,341	84.75	23,523



## Capacity/Gauge Table Information

**TCLX 290497**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 297

Reporting Mark: TCLX 290497

Date: 04/06/2015

Capacity: 28,957 US Gallons (109,613 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,591	89.25	24,706	93.50	25,746	97.75	26,695	102.00	27,533
85.25	23,658	89.50	24,770	93.75	25,805	98.00	26,748	102.25	27,578
85.50	23,725	89.75	24,833	94.00	25,863	98.25	26,800	102.50	27,623
85.75	23,792	90.00	24,896	94.25	25,921	98.50	26,852	102.75	27,668
86.00	23,859	90.25	24,958	94.50	25,978	98.75	26,903	103.00	27,711
86.25	23,926	90.50	25,021	94.75	26,035	99.00	26,954	103.25	27,755
86.50	23,992	90.75	25,083	95.00	26,092	99.25	27,005	103.50	27,798
86.75	24,058	91.00	25,144	95.25	26,149	99.50	27,055	103.75	27,840
87.00	24,124	91.25	25,206	95.50	26,205	99.75	27,105	104.00	27,882
87.25	24,190	91.50	25,267	95.75	26,261	100.00	27,154	104.25	27,923
87.50	24,255	91.75	25,328	96.00	26,316	100.25	27,203	104.50	27,964
87.75	24,321	92.00	25,389	96.25	26,372	100.50	27,251	104.75	28,004
88.00	24,385	92.25	25,449	96.50	26,426	100.75	27,300	105.00	28,043
88.25	24,450	92.50	25,509	96.75	26,481	101.00	27,347	105.25	28,082
88.50	24,515	92.75	25,569	97.00	26,535	101.25	27,394	105.50	28,121
88.75	24,579	93.00	25,628	97.25	26,589	101.50	27,441	105.75	28,158
89.00	24,643	93.25	25,687	97.50	26,642	101.75	27,487	106.00	28,196



## Capacity/Gauge Table Information

**TCLX 290497**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 297

Reporting Mark: TCLX 290497

Date: 04/06/2015

Capacity: 28,957 US Gallons (109,613 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,232	110.50	28,739	114.75	28,944
106.50	28,268	110.75	28,760	115.00	28,948
106.75	28,303	111.00	28,780	115.25	28,950
107.00	28,338	111.25	28,798	115.50	28,953
107.25	28,372	111.50	28,816	115.75	28,954
107.50	28,405	111.75	28,832	116.00	28,956
107.75	28,437	112.00	28,847	116.25	28,956
108.00	28,469	112.25	28,861	116.50	28,957
108.25	28,500	112.50	28,873	116.75	28,957
108.50	28,530	112.75	28,885		
108.75	28,560	113.00	28,896		
109.00	28,588	113.25	28,905		
109.25	28,616	113.50	28,914		
109.50	28,642	113.75	28,922		
109.75	28,668	114.00	28,929		
110.00	28,693	114.25	28,934		
110.25	28,716	114.50	28,940		



## Capacity/Gauge Table Information

**TCLX 290498**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 298

Reporting Mark: TCLX 290498

Date: 05/06/2015

Capacity: 28,962 US Gallons (109,633 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,346	12.75	2,231	17.00	3,219
0.25	29	4.50	629	8.75	1,395	13.00	2,286	17.25	3,279
0.50	58	4.75	670	9.00	1,444	13.25	2,342	17.50	3,341
0.75	89	5.00	711	9.25	1,494	13.50	2,398	17.75	3,402
1.00	120	5.25	754	9.50	1,544	13.75	2,455	18.00	3,464
1.25	152	5.50	796	9.75	1,594	14.00	2,512	18.25	3,526
1.50	184	5.75	839	10.00	1,645	14.25	2,569	18.50	3,588
1.75	218	6.00	883	10.25	1,697	14.50	2,626	18.75	3,651
2.00	252	6.25	927	10.50	1,748	14.75	2,684	19.00	3,714
2.25	287	6.50	972	10.75	1,800	15.00	2,742	19.25	3,777
2.50	322	6.75	1,017	11.00	1,853	15.25	2,801	19.50	3,840
2.75	358	7.00	1,062	11.25	1,906	15.50	2,860	19.75	3,904
3.00	395	7.25	1,109	11.50	1,959	15.75	2,919	20.00	3,968
3.25	433	7.50	1,155	11.75	2,013	16.00	2,978	20.25	4,032
3.50	471	7.75	1,202	12.00	2,067	16.25	3,038	20.50	4,096
3.75	509	8.00	1,250	12.25	2,121	16.50	3,098	20.75	4,161
4.00	549	8.25	1,298	12.50	2,176	16.75	3,158	21.00	4,226



## Capacity/Gauge Table Information

**TCLX 290498**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 298

Reporting Mark: TCLX 290498

Date: 05/06/2015

Capacity: 28,962 US Gallons (109,633 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,291	25.50	5,434	29.75	6,636	34.00	7,885	38.25	9,174
21.50	4,356	25.75	5,503	30.00	6,708	34.25	7,960	38.50	9,251
21.75	4,422	26.00	5,573	30.25	6,780	34.50	8,035	38.75	9,328
22.00	4,488	26.25	5,642	30.50	6,853	34.75	8,110	39.00	9,405
22.25	4,554	26.50	5,712	30.75	6,926	35.00	8,185	39.25	9,482
22.50	4,620	26.75	5,782	31.00	6,999	35.25	8,261	39.50	9,559
22.75	4,687	27.00	5,852	31.25	7,072	35.50	8,336	39.75	9,636
23.00	4,754	27.25	5,922	31.50	7,145	35.75	8,412	40.00	9,714
23.25	4,821	27.50	5,993	31.75	7,218	36.00	8,487	40.25	9,791
23.50	4,888	27.75	6,064	32.00	7,292	36.25	8,563	40.50	9,869
23.75	4,956	28.00	6,134	32.25	7,366	36.50	8,639	40.75	9,946
24.00	5,023	28.25	6,206	32.50	7,439	36.75	8,715	41.00	10,024
24.25	5,091	28.50	6,277	32.75	7,513	37.00	8,791	41.25	10,102
24.50	5,159	28.75	6,348	33.00	7,588	37.25	8,868	41.50	10,180
24.75	5,228	29.00	6,420	33.25	7,662	37.50	8,944	41.75	10,258
25.00	5,296	29.25	6,492	33.50	7,736	37.75	9,021	42.00	10,336
25.25	5,365	29.50	6,564	33.75	7,811	38.00	9,097	42.25	10,414



## Capacity/Gauge Table Information

**TCLX 290498**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 298

Reporting Mark: TCLX 290498

Date: 05/06/2015

Capacity: 28,962 US Gallons (109,633 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,492	46.75	11,832	51.00	13,186	55.25	14,547	59.50	15,905
42.75	10,571	47.00	11,912	51.25	13,266	55.50	14,627	59.75	15,985
43.00	10,649	47.25	11,991	51.50	13,346	55.75	14,707	60.00	16,065
43.25	10,727	47.50	12,071	51.75	13,426	56.00	14,787	60.25	16,144
43.50	10,806	47.75	12,150	52.00	13,506	56.25	14,867	60.50	16,224
43.75	10,885	48.00	12,230	52.25	13,586	56.50	14,947	60.75	16,303
44.00	10,963	48.25	12,309	52.50	13,666	56.75	15,027	61.00	16,383
44.25	11,042	48.50	12,389	52.75	13,746	57.00	15,107	61.25	16,462
44.50	11,121	48.75	12,468	53.00	13,826	57.25	15,187	61.50	16,542
44.75	11,200	49.00	12,548	53.25	13,906	57.50	15,266	61.75	16,621
45.00	11,279	49.25	12,628	53.50	13,986	57.75	15,346	62.00	16,701
45.25	11,358	49.50	12,708	53.75	14,066	58.00	15,426	62.25	16,780
45.50	11,437	49.75	12,787	54.00	14,146	58.25	15,506	62.50	16,859
45.75	11,516	50.00	12,867	54.25	14,226	58.50	15,586	62.75	16,938
46.00	11,595	50.25	12,947	54.50	14,306	58.75	15,666	63.00	17,017
46.25	11,674	50.50	13,027	54.75	14,387	59.00	15,746	63.25	17,097
46.50	11,753	50.75	13,107	55.00	14,467	59.25	15,825	63.50	17,176



## Capacity/Gauge Table Information

**TCLX 290498**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 298

Reporting Mark: TCLX 290498

Date: 05/06/2015

Capacity: 28,962 US Gallons (109,633 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,255	68.00	18,587	72.25	19,894	76.50	21,169	80.75	22,400
64.00	17,333	68.25	18,665	72.50	19,970	76.75	21,242	81.00	22,471
64.25	17,412	68.50	18,742	72.75	20,046	77.00	21,316	81.25	22,542
64.50	17,491	68.75	18,820	73.00	20,122	77.25	21,389	81.50	22,613
64.75	17,570	69.00	18,897	73.25	20,198	77.50	21,463	81.75	22,683
65.00	17,649	69.25	18,974	73.50	20,273	77.75	21,536	82.00	22,753
65.25	17,727	69.50	19,052	73.75	20,348	78.00	21,609	82.25	22,823
65.50	17,806	69.75	19,129	74.00	20,424	78.25	21,681	82.50	22,893
65.75	17,884	70.00	19,206	74.25	20,499	78.50	21,754	82.75	22,963
66.00	17,963	70.25	19,283	74.50	20,574	78.75	21,827	83.00	23,032
66.25	18,041	70.50	19,360	74.75	20,649	79.00	21,899	83.25	23,101
66.50	18,119	70.75	19,436	75.00	20,723	79.25	21,971	83.50	23,170
66.75	18,197	71.00	19,513	75.25	20,798	79.50	22,043	83.75	23,239
67.00	18,275	71.25	19,589	75.50	20,872	79.75	22,115	84.00	23,308
67.25	18,353	71.50	19,666	75.75	20,947	80.00	22,186	84.25	23,376
67.50	18,431	71.75	19,742	76.00	21,021	80.25	22,258	84.50	23,444
67.75	18,509	72.00	19,818	76.25	21,095	80.50	22,329	84.75	23,512





## Capacity/Gauge Table Information

**TCLX 290498**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 298

Reporting Mark: TCLX 290498

Date: 05/06/2015

Capacity: 28,962 US Gallons (109,633 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,580	89.25	24,697	93.50	25,738	97.75	26,688	102.00	27,528
85.25	23,648	89.50	24,760	93.75	25,796	98.00	26,741	102.25	27,574
85.50	23,715	89.75	24,823	94.00	25,855	98.25	26,793	102.50	27,619
85.75	23,782	90.00	24,886	94.25	25,913	98.50	26,845	102.75	27,663
86.00	23,849	90.25	24,949	94.50	25,970	98.75	26,897	103.00	27,707
86.25	23,916	90.50	25,011	94.75	26,028	99.00	26,948	103.25	27,751
86.50	23,982	90.75	25,074	95.00	26,085	99.25	26,999	103.50	27,794
86.75	24,048	91.00	25,135	95.25	26,141	99.50	27,049	103.75	27,836
87.00	24,114	91.25	25,197	95.50	26,197	99.75	27,099	104.00	27,878
87.25	24,180	91.50	25,258	95.75	26,253	100.00	27,148	104.25	27,919
87.50	24,245	91.75	25,319	96.00	26,309	100.25	27,197	104.50	27,960
87.75	24,311	92.00	25,380	96.25	26,364	100.50	27,246	104.75	28,000
88.00	24,376	92.25	25,440	96.50	26,419	100.75	27,294	105.00	28,040
88.25	24,440	92.50	25,500	96.75	26,474	101.00	27,342	105.25	28,079
88.50	24,505	92.75	25,560	97.00	26,528	101.25	27,389	105.50	28,118
88.75	24,569	93.00	25,620	97.25	26,582	101.50	27,436	105.75	28,156
89.00	24,633	93.25	25,679	97.50	26,635	101.75	27,482	106.00	28,193



## Capacity/Gauge Table Information

**TCLX 290498**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 298

Reporting Mark: TCLX 290498

Date: 05/06/2015

Capacity: 28,962 US Gallons (109,633 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,230	110.50	28,740	114.75	28,949
106.50	28,266	110.75	28,762	115.00	28,953
106.75	28,301	111.00	28,782	115.25	28,956
107.00	28,336	111.25	28,801	115.50	28,958
107.25	28,370	111.50	28,818	115.75	28,960
107.50	28,404	111.75	28,835	116.00	28,961
107.75	28,436	112.00	28,850	116.25	28,962
108.00	28,468	112.25	28,864	116.50	28,962
108.25	28,499	112.50	28,877	116.75	28,962
108.50	28,530	112.75	28,889		
108.75	28,559	113.00	28,900		
109.00	28,588	113.25	28,910		
109.25	28,616	113.50	28,918		
109.50	28,643	113.75	28,926		
109.75	28,669	114.00	28,933		
110.00	28,694	114.25	28,939		
110.25	28,718	114.50	28,945		



## Capacity/Gauge Table Information

**TCLX 290499**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 299

Reporting Mark: TCLX 290499

Date: 28/05/2015

Capacity: 29,014 US Gallons (109,830 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	575	8.50	1,323	12.75	2,201	17.00	3,182
0.25	28	4.50	615	8.75	1,372	13.00	2,256	17.25	3,243
0.50	56	4.75	656	9.00	1,420	13.25	2,311	17.50	3,304
0.75	86	5.00	696	9.25	1,470	13.50	2,367	17.75	3,365
1.00	116	5.25	738	9.50	1,519	13.75	2,423	18.00	3,426
1.25	147	5.50	780	9.75	1,569	14.00	2,479	18.25	3,488
1.50	179	5.75	822	10.00	1,620	14.25	2,536	18.50	3,550
1.75	212	6.00	866	10.25	1,671	14.50	2,593	18.75	3,612
2.00	245	6.25	909	10.50	1,722	14.75	2,651	19.00	3,675
2.25	279	6.50	953	10.75	1,773	15.00	2,709	19.25	3,738
2.50	314	6.75	998	11.00	1,826	15.25	2,767	19.50	3,801
2.75	349	7.00	1,043	11.25	1,878	15.50	2,825	19.75	3,864
3.00	385	7.25	1,088	11.50	1,931	15.75	2,884	20.00	3,928
3.25	422	7.50	1,134	11.75	1,984	16.00	2,943	20.25	3,992
3.50	460	7.75	1,181	12.00	2,038	16.25	3,002	20.50	4,056
3.75	498	8.00	1,228	12.25	2,092	16.50	3,062	20.75	4,120
4.00	536	8.25	1,275	12.50	2,146	16.75	3,122	21.00	4,185



## Capacity/Gauge Table Information

**TCLX 290499**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 299

Reporting Mark: TCLX 290499

Date: 28/05/2015

Capacity: 29,014 US Gallons (109,830 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,250	25.50	5,389	29.75	6,588	34.00	7,835	38.25	9,122
21.50	4,315	25.75	5,458	30.00	6,660	34.25	7,910	38.50	9,199
21.75	4,380	26.00	5,527	30.25	6,732	34.50	7,985	38.75	9,276
22.00	4,446	26.25	5,596	30.50	6,804	34.75	8,060	39.00	9,353
22.25	4,512	26.50	5,666	30.75	6,877	35.00	8,135	39.25	9,430
22.50	4,578	26.75	5,736	31.00	6,950	35.25	8,210	39.50	9,507
22.75	4,644	27.00	5,806	31.25	7,023	35.50	8,285	39.75	9,584
23.00	4,711	27.25	5,876	31.50	7,096	35.75	8,361	40.00	9,661
23.25	4,778	27.50	5,946	31.75	7,169	36.00	8,436	40.25	9,739
23.50	4,845	27.75	6,017	32.00	7,243	36.25	8,512	40.50	9,816
23.75	4,912	28.00	6,088	32.25	7,316	36.50	8,588	40.75	9,894
24.00	4,980	28.25	6,158	32.50	7,390	36.75	8,664	41.00	9,972
24.25	5,047	28.50	6,230	32.75	7,464	37.00	8,740	41.25	10,050
24.50	5,115	28.75	6,301	33.00	7,538	37.25	8,816	41.50	10,127
24.75	5,183	29.00	6,372	33.25	7,612	37.50	8,893	41.75	10,205
25.00	5,252	29.25	6,444	33.50	7,686	37.75	8,969	42.00	10,283
25.25	5,320	29.50	6,516	33.75	7,761	38.00	9,046	42.25	10,362



## Capacity/Gauge Table Information

**TCLX 290499**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 299

Reporting Mark: TCLX 290499

Date: 28/05/2015

Capacity: 29,014 US Gallons (109,830 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,440	46.75	11,780	51.00	13,134	55.25	14,495	59.50	15,855
42.75	10,518	47.00	11,859	51.25	13,214	55.50	14,575	59.75	15,935
43.00	10,596	47.25	11,938	51.50	13,294	55.75	14,655	60.00	16,015
43.25	10,675	47.50	12,018	51.75	13,374	56.00	14,735	60.25	16,095
43.50	10,753	47.75	12,097	52.00	13,454	56.25	14,816	60.50	16,174
43.75	10,832	48.00	12,177	52.25	13,534	56.50	14,896	60.75	16,254
44.00	10,911	48.25	12,256	52.50	13,614	56.75	14,976	61.00	16,334
44.25	10,989	48.50	12,336	52.75	13,694	57.00	15,056	61.25	16,413
44.50	11,068	48.75	12,416	53.00	13,774	57.25	15,136	61.50	16,493
44.75	11,147	49.00	12,495	53.25	13,854	57.50	15,216	61.75	16,572
45.00	11,226	49.25	12,575	53.50	13,934	57.75	15,296	62.00	16,652
45.25	11,305	49.50	12,655	53.75	14,014	58.00	15,376	62.25	16,731
45.50	11,384	49.75	12,735	54.00	14,095	58.25	15,456	62.50	16,810
45.75	11,463	50.00	12,815	54.25	14,175	58.50	15,536	62.75	16,890
46.00	11,542	50.25	12,894	54.50	14,255	58.75	15,616	63.00	16,969
46.25	11,621	50.50	12,974	54.75	14,335	59.00	15,695	63.25	17,048
46.50	11,700	50.75	13,054	55.00	14,415	59.25	15,775	63.50	17,127



## Capacity/Gauge Table Information

**TCLX 290499**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 299

Reporting Mark: TCLX 290499

Date: 28/05/2015

Capacity: 29,014 US Gallons (109,830 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,207	68.00	18,542	72.25	19,852	76.50	21,130	80.75	22,366
64.00	17,286	68.25	18,619	72.50	19,928	76.75	21,204	81.00	22,437
64.25	17,365	68.50	18,697	72.75	20,004	77.00	21,278	81.25	22,508
64.50	17,444	68.75	18,775	73.00	20,080	77.25	21,351	81.50	22,579
64.75	17,522	69.00	18,852	73.25	20,156	77.50	21,425	81.75	22,650
65.00	17,601	69.25	18,930	73.50	20,232	77.75	21,498	82.00	22,720
65.25	17,680	69.50	19,007	73.75	20,307	78.00	21,571	82.25	22,790
65.50	17,759	69.75	19,085	74.00	20,383	78.25	21,644	82.50	22,861
65.75	17,837	70.00	19,162	74.25	20,458	78.50	21,717	82.75	22,930
66.00	17,916	70.25	19,239	74.50	20,533	78.75	21,790	83.00	23,000
66.25	17,994	70.50	19,316	74.75	20,608	79.00	21,863	83.25	23,070
66.50	18,073	70.75	19,393	75.00	20,683	79.25	21,935	83.50	23,139
66.75	18,151	71.00	19,470	75.25	20,758	79.50	22,007	83.75	23,208
67.00	18,229	71.25	19,546	75.50	20,833	79.75	22,079	84.00	23,277
67.25	18,308	71.50	19,623	75.75	20,907	80.00	22,151	84.25	23,346
67.50	18,386	71.75	19,699	76.00	20,982	80.25	22,223	84.50	23,414
67.75	18,464	72.00	19,776	76.25	21,056	80.50	22,295	84.75	23,482



## Capacity/Gauge Table Information

**TCLX 290499**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 299

Reporting Mark: TCLX 290499

Date: 28/05/2015

Capacity: 29,014 US Gallons (109,830 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,551	89.25	24,673	93.50	25,721	97.75	26,679	102.00	27,528
85.25	23,618	89.50	24,737	93.75	25,780	98.00	26,732	102.25	27,574
85.50	23,686	89.75	24,800	94.00	25,838	98.25	26,785	102.50	27,620
85.75	23,753	90.00	24,864	94.25	25,897	98.50	26,837	102.75	27,665
86.00	23,821	90.25	24,927	94.50	25,955	98.75	26,889	103.00	27,709
86.25	23,888	90.50	24,989	94.75	26,012	99.00	26,941	103.25	27,754
86.50	23,954	90.75	25,052	95.00	26,070	99.25	26,992	103.50	27,797
86.75	24,021	91.00	25,114	95.25	26,127	99.50	27,043	103.75	27,840
87.00	24,087	91.25	25,176	95.50	26,184	99.75	27,093	104.00	27,883
87.25	24,153	91.50	25,238	95.75	26,240	100.00	27,143	104.25	27,925
87.50	24,219	91.75	25,299	96.00	26,296	100.25	27,193	104.50	27,966
87.75	24,285	92.00	25,360	96.25	26,352	100.50	27,242	104.75	28,007
88.00	24,350	92.25	25,421	96.50	26,407	100.75	27,291	105.00	28,048
88.25	24,415	92.50	25,482	96.75	26,462	101.00	27,339	105.25	28,088
88.50	24,480	92.75	25,542	97.00	26,517	101.25	27,387	105.50	28,127
88.75	24,544	93.00	25,602	97.25	26,571	101.50	27,435	105.75	28,166
89.00	24,609	93.25	25,661	97.50	26,625	101.75	27,482	106.00	28,204





## Capacity/Gauge Table Information

**TCLX 290499**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 299

Reporting Mark: TCLX 290499

Date: 28/05/2015

Capacity: 29,014 US Gallons (109,830 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,241	110.50	28,771	114.75	29,000
106.50	28,278	110.75	28,794	115.00	29,004
106.75	28,315	111.00	28,816	115.25	29,007
107.00	28,350	111.25	28,837	115.50	29,010
107.25	28,385	111.50	28,856	115.75	29,011
107.50	28,420	111.75	28,874	116.00	29,013
107.75	28,453	112.00	28,891	116.25	29,014
108.00	28,486	112.25	28,907	116.50	29,014
108.25	28,518	112.50	28,921	116.75	29,014
108.50	28,550	112.75	28,934		
108.75	28,580	113.00	28,946		
109.00	28,610	113.25	28,957		
109.25	28,639	113.50	28,966		
109.50	28,667	113.75	28,975		
109.75	28,695	114.00	28,983		
110.00	28,721	114.25	28,989		
110.25	28,746	114.50	28,995		



## Capacity/Gauge Table Information

**TCLX 290500**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 300

Reporting Mark: TCLX 290500

Date: 10/06/2015

Capacity: 28,954 US Gallons (109,604 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	592	8.50	1,352	12.75	2,240	17.00	3,229
0.25	29	4.50	633	8.75	1,401	13.00	2,295	17.25	3,290
0.50	59	4.75	674	9.00	1,451	13.25	2,351	17.50	3,351
0.75	89	5.00	716	9.25	1,501	13.50	2,407	17.75	3,413
1.00	121	5.25	758	9.50	1,551	13.75	2,464	18.00	3,475
1.25	153	5.50	801	9.75	1,601	14.00	2,521	18.25	3,537
1.50	186	5.75	844	10.00	1,652	14.25	2,578	18.50	3,599
1.75	219	6.00	888	10.25	1,704	14.50	2,636	18.75	3,662
2.00	254	6.25	932	10.50	1,756	14.75	2,694	19.00	3,725
2.25	289	6.50	977	10.75	1,808	15.00	2,752	19.25	3,788
2.50	324	6.75	1,022	11.00	1,861	15.25	2,810	19.50	3,852
2.75	361	7.00	1,068	11.25	1,914	15.50	2,869	19.75	3,915
3.00	398	7.25	1,114	11.50	1,967	15.75	2,929	20.00	3,979
3.25	436	7.50	1,161	11.75	2,021	16.00	2,988	20.25	4,044
3.50	474	7.75	1,208	12.00	2,075	16.25	3,048	20.50	4,108
3.75	513	8.00	1,256	12.25	2,129	16.50	3,108	20.75	4,173
4.00	552	8.25	1,304	12.50	2,184	16.75	3,168	21.00	4,238



## Capacity/Gauge Table Information

**TCLX 290500**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 300

Reporting Mark: TCLX 290500

Date: 10/06/2015

Capacity: 28,954 US Gallons (109,604 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,303	25.50	5,447	29.75	6,650	34.00	7,901	38.25	9,190
21.50	4,369	25.75	5,517	30.00	6,722	34.25	7,976	38.50	9,267
21.75	4,434	26.00	5,586	30.25	6,795	34.50	8,051	38.75	9,344
22.00	4,500	26.25	5,656	30.50	6,868	34.75	8,126	39.00	9,421
22.25	4,566	26.50	5,726	30.75	6,940	35.00	8,201	39.25	9,498
22.50	4,633	26.75	5,796	31.00	7,013	35.25	8,276	39.50	9,575
22.75	4,700	27.00	5,866	31.25	7,087	35.50	8,352	39.75	9,653
23.00	4,766	27.25	5,936	31.50	7,160	35.75	8,427	40.00	9,730
23.25	4,834	27.50	6,007	31.75	7,233	36.00	8,503	40.25	9,808
23.50	4,901	27.75	6,078	32.00	7,307	36.25	8,579	40.50	9,885
23.75	4,968	28.00	6,148	32.25	7,381	36.50	8,655	40.75	9,963
24.00	5,036	28.25	6,220	32.50	7,455	36.75	8,731	41.00	10,041
24.25	5,104	28.50	6,291	32.75	7,529	37.00	8,807	41.25	10,119
24.50	5,172	28.75	6,362	33.00	7,603	37.25	8,884	41.50	10,196
24.75	5,241	29.00	6,434	33.25	7,677	37.50	8,960	41.75	10,274
25.00	5,309	29.25	6,506	33.50	7,751	37.75	9,037	42.00	10,353
25.25	5,378	29.50	6,578	33.75	7,826	38.00	9,113	42.25	10,431



## Capacity/Gauge Table Information

**TCLX 290500**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 300

Reporting Mark: TCLX 290500

Date: 10/06/2015

Capacity: 28,954 US Gallons (109,604 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,509	46.75	11,850	51.00	13,204	55.25	14,564	59.50	15,923
42.75	10,587	47.00	11,929	51.25	13,284	55.50	14,644	59.75	16,002
43.00	10,666	47.25	12,008	51.50	13,364	55.75	14,724	60.00	16,082
43.25	10,744	47.50	12,088	51.75	13,444	56.00	14,804	60.25	16,162
43.50	10,823	47.75	12,167	52.00	13,524	56.25	14,884	60.50	16,241
43.75	10,901	48.00	12,247	52.25	13,604	56.50	14,964	60.75	16,321
44.00	10,980	48.25	12,326	52.50	13,684	56.75	15,044	61.00	16,400
44.25	11,059	48.50	12,406	52.75	13,764	57.00	15,124	61.25	16,480
44.50	11,138	48.75	12,486	53.00	13,844	57.25	15,204	61.50	16,559
44.75	11,217	49.00	12,565	53.25	13,924	57.50	15,284	61.75	16,639
45.00	11,296	49.25	12,645	53.50	14,004	57.75	15,364	62.00	16,718
45.25	11,375	49.50	12,725	53.75	14,084	58.00	15,444	62.25	16,797
45.50	11,454	49.75	12,805	54.00	14,164	58.25	15,524	62.50	16,877
45.75	11,533	50.00	12,884	54.25	14,244	58.50	15,604	62.75	16,956
46.00	11,612	50.25	12,964	54.50	14,324	58.75	15,683	63.00	17,035
46.25	11,691	50.50	13,044	54.75	14,404	59.00	15,763	63.25	17,114
46.50	11,770	50.75	13,124	55.00	14,484	59.25	15,843	63.50	17,193



## Capacity/Gauge Table Information

**TCLX 290500**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 300

Reporting Mark: TCLX 290500

Date: 10/06/2015

Capacity: 28,954 US Gallons (109,604 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,272	68.00	18,604	72.25	19,911	76.50	21,184	80.75	22,415
64.00	17,351	68.25	18,682	72.50	19,987	76.75	21,258	81.00	22,486
64.25	17,430	68.50	18,759	72.75	20,063	77.00	21,332	81.25	22,557
64.50	17,508	68.75	18,837	73.00	20,138	77.25	21,405	81.50	22,627
64.75	17,587	69.00	18,914	73.25	20,214	77.50	21,478	81.75	22,698
65.00	17,666	69.25	18,991	73.50	20,289	77.75	21,551	82.00	22,768
65.25	17,744	69.50	19,069	73.75	20,365	78.00	21,624	82.25	22,838
65.50	17,823	69.75	19,146	74.00	20,440	78.25	21,697	82.50	22,907
65.75	17,901	70.00	19,223	74.25	20,515	78.50	21,769	82.75	22,977
66.00	17,980	70.25	19,300	74.50	20,590	78.75	21,842	83.00	23,046
66.25	18,058	70.50	19,376	74.75	20,665	79.00	21,914	83.25	23,116
66.50	18,136	70.75	19,453	75.00	20,739	79.25	21,986	83.50	23,184
66.75	18,214	71.00	19,530	75.25	20,814	79.50	22,058	83.75	23,253
67.00	18,293	71.25	19,606	75.50	20,888	79.75	22,130	84.00	23,322
67.25	18,371	71.50	19,683	75.75	20,962	80.00	22,202	84.25	23,390
67.50	18,448	71.75	19,759	76.00	21,037	80.25	22,273	84.50	23,458
67.75	18,526	72.00	19,835	76.25	21,111	80.50	22,344	84.75	23,526



## Capacity/Gauge Table Information

**TCLX 290500**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 300

Reporting Mark: TCLX 290500

Date: 10/06/2015

Capacity: 28,954 US Gallons (109,604 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,594	89.25	24,709	93.50	25,749	97.75	26,697	102.00	27,535
85.25	23,661	89.50	24,773	93.75	25,807	98.00	26,750	102.25	27,580
85.50	23,729	89.75	24,836	94.00	25,865	98.25	26,802	102.50	27,625
85.75	23,796	90.00	24,899	94.25	25,923	98.50	26,854	102.75	27,669
86.00	23,862	90.25	24,961	94.50	25,981	98.75	26,905	103.00	27,713
86.25	23,929	90.50	25,023	94.75	26,038	99.00	26,956	103.25	27,756
86.50	23,995	90.75	25,085	95.00	26,095	99.25	27,006	103.50	27,799
86.75	24,061	91.00	25,147	95.25	26,151	99.50	27,057	103.75	27,841
87.00	24,127	91.25	25,209	95.50	26,207	99.75	27,106	104.00	27,883
87.25	24,193	91.50	25,270	95.75	26,263	100.00	27,156	104.25	27,924
87.50	24,258	91.75	25,331	96.00	26,319	100.25	27,205	104.50	27,965
87.75	24,324	92.00	25,391	96.25	26,374	100.50	27,253	104.75	28,005
88.00	24,388	92.25	25,452	96.50	26,429	100.75	27,301	105.00	28,044
88.25	24,453	92.50	25,512	96.75	26,483	101.00	27,349	105.25	28,083
88.50	24,517	92.75	25,571	97.00	26,537	101.25	27,396	105.50	28,121
88.75	24,582	93.00	25,631	97.25	26,591	101.50	27,443	105.75	28,159
89.00	24,646	93.25	25,690	97.50	26,644	101.75	27,489	106.00	28,196



## Capacity/Gauge Table Information

**TCLX 290500**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 300

Reporting Mark: TCLX 290500

Date: 10/06/2015

Capacity: 28,954 US Gallons (109,604 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,233	110.50	28,738	114.75	28,942
106.50	28,269	110.75	28,759	115.00	28,945
106.75	28,304	111.00	28,779	115.25	28,948
107.00	28,338	111.25	28,797	115.50	28,950
107.25	28,372	111.50	28,814	115.75	28,952
107.50	28,405	111.75	28,830	116.00	28,953
107.75	28,438	112.00	28,845	116.25	28,954
108.00	28,469	112.25	28,859	116.50	28,954
108.25	28,500	112.50	28,872	116.75	28,954
108.50	28,530	112.75	28,883		
108.75	28,560	113.00	28,894		
109.00	28,588	113.25	28,903		
109.25	28,616	113.50	28,912		
109.50	28,642	113.75	28,920		
109.75	28,668	114.00	28,926		
110.00	28,692	114.25	28,932		
110.25	28,716	114.50	28,937		





## Capacity/Gauge Table Information

**TCLX 290401**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 201

Reporting Mark: TCLX 290401

Date: 16/07/2015

Capacity: 28,993 US Gallons (109,749 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	578	8.50	1,327	12.75	2,206	17.00	3,188
0.25	28	4.50	618	8.75	1,375	13.00	2,261	17.25	3,248
0.50	57	4.75	658	9.00	1,424	13.25	2,316	17.50	3,309
0.75	86	5.00	699	9.25	1,474	13.50	2,372	17.75	3,371
1.00	117	5.25	741	9.50	1,523	13.75	2,428	18.00	3,432
1.25	148	5.50	783	9.75	1,573	14.00	2,485	18.25	3,494
1.50	180	5.75	825	10.00	1,624	14.25	2,541	18.50	3,556
1.75	213	6.00	869	10.25	1,675	14.50	2,599	18.75	3,618
2.00	246	6.25	912	10.50	1,726	14.75	2,656	19.00	3,681
2.25	281	6.50	956	10.75	1,778	15.00	2,714	19.25	3,744
2.50	315	6.75	1,001	11.00	1,830	15.25	2,772	19.50	3,807
2.75	351	7.00	1,046	11.25	1,883	15.50	2,831	19.75	3,870
3.00	387	7.25	1,092	11.50	1,935	15.75	2,889	20.00	3,934
3.25	424	7.50	1,138	11.75	1,989	16.00	2,948	20.25	3,998
3.50	462	7.75	1,185	12.00	2,042	16.25	3,008	20.50	4,062
3.75	500	8.00	1,232	12.25	2,096	16.50	3,068	20.75	4,126
4.00	538	8.25	1,279	12.50	2,151	16.75	3,128	21.00	4,191



## Capacity/Gauge Table Information

**TCLX 290401**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 201

Reporting Mark: TCLX 290401

Date: 16/07/2015

Capacity: 28,993 US Gallons (109,749 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,256	25.50	5,395	29.75	6,594	34.00	7,841	38.25	9,128
21.50	4,321	25.75	5,464	30.00	6,666	34.25	7,916	38.50	9,204
21.75	4,386	26.00	5,533	30.25	6,738	34.50	7,991	38.75	9,281
22.00	4,452	26.25	5,603	30.50	6,811	34.75	8,065	39.00	9,358
22.25	4,518	26.50	5,672	30.75	6,883	35.00	8,141	39.25	9,435
22.50	4,584	26.75	5,742	31.00	6,956	35.25	8,216	39.50	9,512
22.75	4,650	27.00	5,812	31.25	7,029	35.50	8,291	39.75	9,589
23.00	4,717	27.25	5,882	31.50	7,102	35.75	8,367	40.00	9,667
23.25	4,784	27.50	5,952	31.75	7,175	36.00	8,442	40.25	9,744
23.50	4,851	27.75	6,023	32.00	7,249	36.25	8,518	40.50	9,822
23.75	4,918	28.00	6,094	32.25	7,322	36.50	8,594	40.75	9,899
24.00	4,986	28.25	6,165	32.50	7,396	36.75	8,670	41.00	9,977
24.25	5,053	28.50	6,236	32.75	7,470	37.00	8,746	41.25	10,055
24.50	5,121	28.75	6,307	33.00	7,544	37.25	8,822	41.50	10,132
24.75	5,189	29.00	6,378	33.25	7,618	37.50	8,898	41.75	10,210
25.00	5,258	29.25	6,450	33.50	7,692	37.75	8,974	42.00	10,288
25.25	5,326	29.50	6,522	33.75	7,766	38.00	9,051	42.25	10,366



## Capacity/Gauge Table Information

**TCLX 290401**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 201

Reporting Mark: TCLX 290401

Date: 16/07/2015

Capacity: 28,993 US Gallons (109,749 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,445	46.75	11,784	51.00	13,137	55.25	14,498	59.50	15,857
42.75	10,523	47.00	11,863	51.25	13,217	55.50	14,578	59.75	15,936
43.00	10,601	47.25	11,943	51.50	13,297	55.75	14,658	60.00	16,016
43.25	10,680	47.50	12,022	51.75	13,377	56.00	14,738	60.25	16,096
43.50	10,758	47.75	12,101	52.00	13,457	56.25	14,818	60.50	16,175
43.75	10,837	48.00	12,181	52.25	13,537	56.50	14,898	60.75	16,255
44.00	10,915	48.25	12,260	52.50	13,617	56.75	14,978	61.00	16,335
44.25	10,994	48.50	12,340	52.75	13,697	57.00	15,058	61.25	16,414
44.50	11,073	48.75	12,420	53.00	13,777	57.25	15,138	61.50	16,494
44.75	11,151	49.00	12,499	53.25	13,857	57.50	15,218	61.75	16,573
45.00	11,230	49.25	12,579	53.50	13,937	57.75	15,298	62.00	16,652
45.25	11,309	49.50	12,659	53.75	14,017	58.00	15,378	62.25	16,732
45.50	11,388	49.75	12,738	54.00	14,097	58.25	15,457	62.50	16,811
45.75	11,467	50.00	12,818	54.25	14,177	58.50	15,537	62.75	16,890
46.00	11,546	50.25	12,898	54.50	14,257	58.75	15,617	63.00	16,970
46.25	11,625	50.50	12,978	54.75	14,337	59.00	15,697	63.25	17,049
46.50	11,705	50.75	13,058	55.00	14,418	59.25	15,777	63.50	17,128



## Capacity/Gauge Table Information

**TCLX 290401**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 201

Reporting Mark: TCLX 290401

Date: 16/07/2015

Capacity: 28,993 US Gallons (109,749 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,207	68.00	18,541	72.25	19,850	76.50	21,127	80.75	22,361
64.00	17,286	68.25	18,619	72.50	19,926	76.75	21,201	81.00	22,433
64.25	17,365	68.50	18,696	72.75	20,002	77.00	21,274	81.25	22,503
64.50	17,444	68.75	18,774	73.00	20,078	77.25	21,348	81.50	22,574
64.75	17,523	69.00	18,851	73.25	20,154	77.50	21,421	81.75	22,645
65.00	17,601	69.25	18,929	73.50	20,229	77.75	21,495	82.00	22,715
65.25	17,680	69.50	19,006	73.75	20,305	78.00	21,568	82.25	22,785
65.50	17,759	69.75	19,083	74.00	20,380	78.25	21,641	82.50	22,855
65.75	17,837	70.00	19,161	74.25	20,455	78.50	21,713	82.75	22,925
66.00	17,916	70.25	19,238	74.50	20,531	78.75	21,786	83.00	22,995
66.25	17,994	70.50	19,315	74.75	20,606	79.00	21,859	83.25	23,064
66.50	18,072	70.75	19,391	75.00	20,680	79.25	21,931	83.50	23,134
66.75	18,151	71.00	19,468	75.25	20,755	79.50	22,003	83.75	23,203
67.00	18,229	71.25	19,545	75.50	20,830	79.75	22,075	84.00	23,271
67.25	18,307	71.50	19,621	75.75	20,904	80.00	22,147	84.25	23,340
67.50	18,385	71.75	19,698	76.00	20,978	80.25	22,219	84.50	23,408
67.75	18,463	72.00	19,774	76.25	21,053	80.50	22,290	84.75	23,477



## Capacity/Gauge Table Information

**TCLX 290401**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 201

Reporting Mark: TCLX 290401

Date: 16/07/2015

Capacity: 28,993 US Gallons (109,749 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,545	89.25	24,666	93.50	25,712	97.75	26,668	102.00	27,516
85.25	23,612	89.50	24,729	93.75	25,771	98.00	26,721	102.25	27,562
85.50	23,680	89.75	24,793	94.00	25,829	98.25	26,774	102.50	27,607
85.75	23,747	90.00	24,856	94.25	25,888	98.50	26,826	102.75	27,652
86.00	23,814	90.25	24,919	94.50	25,946	98.75	26,878	103.00	27,697
86.25	23,881	90.50	24,982	94.75	26,003	99.00	26,930	103.25	27,741
86.50	23,948	90.75	25,044	95.00	26,061	99.25	26,981	103.50	27,784
86.75	24,014	91.00	25,106	95.25	26,118	99.50	27,032	103.75	27,827
87.00	24,081	91.25	25,168	95.50	26,174	99.75	27,082	104.00	27,870
87.25	24,147	91.50	25,230	95.75	26,230	100.00	27,132	104.25	27,912
87.50	24,212	91.75	25,291	96.00	26,286	100.25	27,182	104.50	27,953
87.75	24,278	92.00	25,352	96.25	26,342	100.50	27,231	104.75	27,994
88.00	24,343	92.25	25,413	96.50	26,397	100.75	27,279	105.00	28,034
88.25	24,408	92.50	25,473	96.75	26,452	101.00	27,328	105.25	28,074
88.50	24,473	92.75	25,533	97.00	26,507	101.25	27,375	105.50	28,113
88.75	24,537	93.00	25,593	97.25	26,561	101.50	27,423	105.75	28,152
89.00	24,602	93.25	25,653	97.50	26,615	101.75	27,470	106.00	28,190



## Capacity/Gauge Table Information

**TCLX 290401**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 201

Reporting Mark: TCLX 290401

Date: 16/07/2015

Capacity: 28,993 US Gallons (109,749 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,227	110.50	28,753	114.75	28,979
106.50	28,264	110.75	28,776	115.00	28,983
106.75	28,300	111.00	28,798	115.25	28,986
107.00	28,336	111.25	28,819	115.50	28,988
107.25	28,370	111.50	28,838	115.75	28,990
107.50	28,405	111.75	28,855	116.00	28,991
107.75	28,438	112.00	28,872	116.25	28,992
108.00	28,471	112.25	28,887	116.50	28,993
108.25	28,503	112.50	28,901	116.75	28,993
108.50	28,534	112.75	28,914		
108.75	28,564	113.00	28,926		
109.00	28,594	113.25	28,936		
109.25	28,623	113.50	28,946		
109.50	28,651	113.75	28,954		
109.75	28,678	114.00	28,962		
110.00	28,704	114.25	28,968		
110.25	28,729	114.50	28,974		



## Capacity/Gauge Table Information

**TCLX 290402**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 202

Reporting Mark: TCLX 290402

Date: 16/07/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,336	12.75	2,217	17.00	3,202
0.25	28	4.50	623	8.75	1,384	13.00	2,273	17.25	3,263
0.50	57	4.75	663	9.00	1,433	13.25	2,328	17.50	3,324
0.75	87	5.00	705	9.25	1,483	13.50	2,384	17.75	3,385
1.00	118	5.25	746	9.50	1,533	13.75	2,441	18.00	3,447
1.25	150	5.50	789	9.75	1,583	14.00	2,497	18.25	3,509
1.50	182	5.75	832	10.00	1,634	14.25	2,554	18.50	3,571
1.75	215	6.00	875	10.25	1,685	14.50	2,611	18.75	3,634
2.00	249	6.25	919	10.50	1,736	14.75	2,669	19.00	3,696
2.25	283	6.50	963	10.75	1,788	15.00	2,727	19.25	3,759
2.50	318	6.75	1,008	11.00	1,841	15.25	2,785	19.50	3,822
2.75	354	7.00	1,054	11.25	1,893	15.50	2,844	19.75	3,886
3.00	391	7.25	1,099	11.50	1,946	15.75	2,903	20.00	3,950
3.25	428	7.50	1,146	11.75	2,000	16.00	2,962	20.25	4,014
3.50	466	7.75	1,193	12.00	2,054	16.25	3,022	20.50	4,078
3.75	504	8.00	1,240	12.25	2,108	16.50	3,082	20.75	4,143
4.00	543	8.25	1,288	12.50	2,162	16.75	3,142	21.00	4,207





## Capacity/Gauge Table Information

**TCLX 290402**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 202

Reporting Mark: TCLX 290402

Date: 16/07/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,273	25.50	5,414	29.75	6,614	34.00	7,863	38.25	9,151
21.50	4,338	25.75	5,483	30.00	6,686	34.25	7,938	38.50	9,228
21.75	4,403	26.00	5,552	30.25	6,759	34.50	8,013	38.75	9,304
22.00	4,469	26.25	5,622	30.50	6,831	34.75	8,088	39.00	9,381
22.25	4,535	26.50	5,691	30.75	6,904	35.00	8,163	39.25	9,459
22.50	4,601	26.75	5,761	31.00	6,977	35.25	8,238	39.50	9,536
22.75	4,668	27.00	5,831	31.25	7,050	35.50	8,313	39.75	9,613
23.00	4,735	27.25	5,902	31.50	7,123	35.75	8,389	40.00	9,690
23.25	4,802	27.50	5,972	31.75	7,196	36.00	8,465	40.25	9,768
23.50	4,869	27.75	6,043	32.00	7,270	36.25	8,540	40.50	9,845
23.75	4,936	28.00	6,113	32.25	7,343	36.50	8,616	40.75	9,923
24.00	5,004	28.25	6,184	32.50	7,417	36.75	8,692	41.00	10,001
24.25	5,072	28.50	6,256	32.75	7,491	37.00	8,768	41.25	10,079
24.50	5,140	28.75	6,327	33.00	7,565	37.25	8,845	41.50	10,156
24.75	5,208	29.00	6,398	33.25	7,639	37.50	8,921	41.75	10,234
25.00	5,276	29.25	6,470	33.50	7,714	37.75	8,998	42.00	10,313
25.25	5,345	29.50	6,542	33.75	7,788	38.00	9,074	42.25	10,391



## Capacity/Gauge Table Information

**TCLX 290402**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 202

Reporting Mark: TCLX 290402

Date: 16/07/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,469	46.75	11,809	51.00	13,163	55.25	14,524	59.50	15,883
42.75	10,547	47.00	11,888	51.25	13,243	55.50	14,604	59.75	15,963
43.00	10,626	47.25	11,968	51.50	13,323	55.75	14,684	60.00	16,043
43.25	10,704	47.50	12,047	51.75	13,403	56.00	14,764	60.25	16,122
43.50	10,783	47.75	12,127	52.00	13,483	56.25	14,844	60.50	16,202
43.75	10,861	48.00	12,206	52.25	13,563	56.50	14,924	60.75	16,282
44.00	10,940	48.25	12,286	52.50	13,643	56.75	15,004	61.00	16,361
44.25	11,019	48.50	12,365	52.75	13,723	57.00	15,084	61.25	16,441
44.50	11,097	48.75	12,445	53.00	13,803	57.25	15,164	61.50	16,520
44.75	11,176	49.00	12,525	53.25	13,883	57.50	15,244	61.75	16,600
45.00	11,255	49.25	12,604	53.50	13,963	57.75	15,324	62.00	16,679
45.25	11,334	49.50	12,684	53.75	14,043	58.00	15,404	62.25	16,758
45.50	11,413	49.75	12,764	54.00	14,123	58.25	15,484	62.50	16,838
45.75	11,492	50.00	12,844	54.25	14,204	58.50	15,564	62.75	16,917
46.00	11,571	50.25	12,924	54.50	14,284	58.75	15,644	63.00	16,996
46.25	11,651	50.50	13,003	54.75	14,364	59.00	15,724	63.25	17,075
46.50	11,730	50.75	13,083	55.00	14,444	59.25	15,803	63.50	17,155



## Capacity/Gauge Table Information

**TCLX 290402**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 202

Reporting Mark: TCLX 290402

Date: 16/07/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,234	68.00	18,567	72.25	19,876	76.50	21,152	80.75	22,386
64.00	17,313	68.25	18,645	72.50	19,952	76.75	21,226	81.00	22,457
64.25	17,391	68.50	18,723	72.75	20,028	77.00	21,300	81.25	22,528
64.50	17,470	68.75	18,800	73.00	20,104	77.25	21,373	81.50	22,599
64.75	17,549	69.00	18,878	73.25	20,180	77.50	21,447	81.75	22,669
65.00	17,628	69.25	18,955	73.50	20,255	77.75	21,520	82.00	22,739
65.25	17,707	69.50	19,032	73.75	20,331	78.00	21,593	82.25	22,810
65.50	17,785	69.75	19,110	74.00	20,406	78.25	21,666	82.50	22,879
65.75	17,864	70.00	19,187	74.25	20,481	78.50	21,739	82.75	22,949
66.00	17,942	70.25	19,264	74.50	20,556	78.75	21,811	83.00	23,019
66.25	18,021	70.50	19,341	74.75	20,631	79.00	21,884	83.25	23,088
66.50	18,099	70.75	19,418	75.00	20,706	79.25	21,956	83.50	23,157
66.75	18,177	71.00	19,494	75.25	20,781	79.50	22,028	83.75	23,226
67.00	18,255	71.25	19,571	75.50	20,855	79.75	22,100	84.00	23,295
67.25	18,333	71.50	19,647	75.75	20,930	80.00	22,172	84.25	23,364
67.50	18,411	71.75	19,724	76.00	21,004	80.25	22,243	84.50	23,432
67.75	18,489	72.00	19,800	76.25	21,078	80.50	22,315	84.75	23,500



## Capacity/Gauge Table Information

**TCLX 290402**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 202

Reporting Mark: TCLX 290402

Date: 16/07/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,568	89.25	24,687	93.50	25,732	97.75	26,686	102.00	27,530
85.25	23,636	89.50	24,751	93.75	25,790	98.00	26,739	102.25	27,576
85.50	23,703	89.75	24,814	94.00	25,849	98.25	26,791	102.50	27,621
85.75	23,770	90.00	24,877	94.25	25,907	98.50	26,843	102.75	27,666
86.00	23,837	90.25	24,940	94.50	25,965	98.75	26,895	103.00	27,710
86.25	23,904	90.50	25,003	94.75	26,022	99.00	26,946	103.25	27,754
86.50	23,971	90.75	25,065	95.00	26,080	99.25	26,997	103.50	27,797
86.75	24,037	91.00	25,127	95.25	26,136	99.50	27,048	103.75	27,840
87.00	24,103	91.25	25,189	95.50	26,193	99.75	27,098	104.00	27,882
87.25	24,169	91.50	25,250	95.75	26,249	100.00	27,148	104.25	27,924
87.50	24,235	91.75	25,312	96.00	26,305	100.25	27,197	104.50	27,965
87.75	24,300	92.00	25,373	96.25	26,360	100.50	27,246	104.75	28,006
88.00	24,365	92.25	25,433	96.50	26,415	100.75	27,295	105.00	28,046
88.25	24,430	92.50	25,493	96.75	26,470	101.00	27,343	105.25	28,085
88.50	24,495	92.75	25,553	97.00	26,525	101.25	27,390	105.50	28,124
88.75	24,559	93.00	25,613	97.25	26,579	101.50	27,437	105.75	28,162
89.00	24,623	93.25	25,673	97.50	26,632	101.75	27,484	106.00	28,200



## Capacity/Gauge Table Information

**TCLX 290402**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 202

Reporting Mark: TCLX 290402

Date: 16/07/2015

Capacity: 28,988 US Gallons (109,732 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,237	110.50	28,757	114.75	28,975
106.50	28,274	110.75	28,779	115.00	28,978
106.75	28,310	111.00	28,800	115.25	28,982
107.00	28,345	111.25	28,820	115.50	28,984
107.25	28,379	111.50	28,838	115.75	28,986
107.50	28,413	111.75	28,855	116.00	28,987
107.75	28,446	112.00	28,871	116.25	28,988
108.00	28,479	112.25	28,886	116.50	28,988
108.25	28,510	112.50	28,900	116.75	28,988
108.50	28,541	112.75	28,912		
108.75	28,571	113.00	28,923		
109.00	28,600	113.25	28,934		
109.25	28,629	113.50	28,943		
109.50	28,656	113.75	28,951		
109.75	28,683	114.00	28,958		
110.00	28,709	114.25	28,965		
110.25	28,733	114.50	28,970		



## Capacity/Gauge Table Information

**TCLX 290403**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 203

Reporting Mark: TCLX 290403

Date: 15/07/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,232	17.00	3,221
0.25	29	4.50	629	8.75	1,396	13.00	2,288	17.25	3,282
0.50	58	4.75	670	9.00	1,445	13.25	2,344	17.50	3,343
0.75	89	5.00	712	9.25	1,495	13.50	2,400	17.75	3,404
1.00	120	5.25	754	9.50	1,545	13.75	2,456	18.00	3,466
1.25	152	5.50	797	9.75	1,595	14.00	2,513	18.25	3,528
1.50	184	5.75	840	10.00	1,646	14.25	2,570	18.50	3,590
1.75	218	6.00	883	10.25	1,698	14.50	2,628	18.75	3,653
2.00	252	6.25	928	10.50	1,749	14.75	2,686	19.00	3,716
2.25	287	6.50	972	10.75	1,802	15.00	2,744	19.25	3,779
2.50	322	6.75	1,018	11.00	1,854	15.25	2,802	19.50	3,843
2.75	359	7.00	1,063	11.25	1,907	15.50	2,861	19.75	3,906
3.00	395	7.25	1,109	11.50	1,960	15.75	2,920	20.00	3,970
3.25	433	7.50	1,156	11.75	2,014	16.00	2,980	20.25	4,034
3.50	471	7.75	1,203	12.00	2,068	16.25	3,040	20.50	4,099
3.75	510	8.00	1,250	12.25	2,122	16.50	3,100	20.75	4,164
4.00	549	8.25	1,298	12.50	2,177	16.75	3,160	21.00	4,229



## Capacity/Gauge Table Information

**TCLX 290403**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 203

Reporting Mark: TCLX 290403

Date: 15/07/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,294	25.50	5,437	29.75	6,640	34.00	7,891	38.25	9,180
21.50	4,359	25.75	5,507	30.00	6,712	34.25	7,965	38.50	9,257
21.75	4,425	26.00	5,576	30.25	6,785	34.50	8,040	38.75	9,334
22.00	4,491	26.25	5,646	30.50	6,857	34.75	8,116	39.00	9,411
22.25	4,557	26.50	5,716	30.75	6,930	35.00	8,191	39.25	9,488
22.50	4,623	26.75	5,786	31.00	7,003	35.25	8,266	39.50	9,565
22.75	4,690	27.00	5,856	31.25	7,076	35.50	8,342	39.75	9,643
23.00	4,757	27.25	5,926	31.50	7,150	35.75	8,417	40.00	9,720
23.25	4,824	27.50	5,997	31.75	7,223	36.00	8,493	40.25	9,798
23.50	4,891	27.75	6,067	32.00	7,297	36.25	8,569	40.50	9,875
23.75	4,959	28.00	6,138	32.25	7,370	36.50	8,645	40.75	9,953
24.00	5,027	28.25	6,210	32.50	7,444	36.75	8,721	41.00	10,031
24.25	5,095	28.50	6,281	32.75	7,518	37.00	8,797	41.25	10,109
24.50	5,163	28.75	6,352	33.00	7,592	37.25	8,874	41.50	10,187
24.75	5,231	29.00	6,424	33.25	7,667	37.50	8,950	41.75	10,265
25.00	5,300	29.25	6,496	33.50	7,741	37.75	9,027	42.00	10,343
25.25	5,368	29.50	6,568	33.75	7,816	38.00	9,103	42.25	10,421





## Capacity/Gauge Table Information

**TCLX 290403**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 203

Reporting Mark: TCLX 290403

Date: 15/07/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,499	46.75	11,840	51.00	13,195	55.25	14,557	59.50	15,916
42.75	10,578	47.00	11,920	51.25	13,275	55.50	14,637	59.75	15,996
43.00	10,656	47.25	11,999	51.50	13,355	55.75	14,717	60.00	16,076
43.25	10,735	47.50	12,079	51.75	13,435	56.00	14,797	60.25	16,155
43.50	10,813	47.75	12,158	52.00	13,515	56.25	14,877	60.50	16,235
43.75	10,892	48.00	12,238	52.25	13,595	56.50	14,957	60.75	16,314
44.00	10,971	48.25	12,318	52.50	13,676	56.75	15,037	61.00	16,394
44.25	11,049	48.50	12,397	52.75	13,756	57.00	15,117	61.25	16,474
44.50	11,128	48.75	12,477	53.00	13,836	57.25	15,197	61.50	16,553
44.75	11,207	49.00	12,557	53.25	13,916	57.50	15,277	61.75	16,633
45.00	11,286	49.25	12,636	53.50	13,996	57.75	15,357	62.00	16,712
45.25	11,365	49.50	12,716	53.75	14,076	58.00	15,437	62.25	16,791
45.50	11,444	49.75	12,796	54.00	14,156	58.25	15,517	62.50	16,871
45.75	11,523	50.00	12,876	54.25	14,236	58.50	15,597	62.75	16,950
46.00	11,603	50.25	12,956	54.50	14,316	58.75	15,677	63.00	17,029
46.25	11,682	50.50	13,036	54.75	14,396	59.00	15,756	63.25	17,108
46.50	11,761	50.75	13,115	55.00	14,476	59.25	15,836	63.50	17,187



## Capacity/Gauge Table Information

**TCLX 290403**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 203

Reporting Mark: TCLX 290403

Date: 15/07/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,266	68.00	18,600	72.25	19,908	76.50	21,183	80.75	22,415
64.00	17,345	68.25	18,677	72.50	19,984	76.75	21,257	81.00	22,486
64.25	17,424	68.50	18,755	72.75	20,060	77.00	21,330	81.25	22,557
64.50	17,503	68.75	18,833	73.00	20,136	77.25	21,404	81.50	22,628
64.75	17,582	69.00	18,910	73.25	20,211	77.50	21,477	81.75	22,698
65.00	17,661	69.25	18,987	73.50	20,287	77.75	21,550	82.00	22,768
65.25	17,739	69.50	19,065	73.75	20,362	78.00	21,623	82.25	22,839
65.50	17,818	69.75	19,142	74.00	20,438	78.25	21,696	82.50	22,908
65.75	17,896	70.00	19,219	74.25	20,513	78.50	21,769	82.75	22,978
66.00	17,975	70.25	19,296	74.50	20,588	78.75	21,841	83.00	23,048
66.25	18,053	70.50	19,373	74.75	20,663	79.00	21,914	83.25	23,117
66.50	18,132	70.75	19,450	75.00	20,737	79.25	21,986	83.50	23,186
66.75	18,210	71.00	19,526	75.25	20,812	79.50	22,058	83.75	23,255
67.00	18,288	71.25	19,603	75.50	20,886	79.75	22,130	84.00	23,323
67.25	18,366	71.50	19,679	75.75	20,961	80.00	22,201	84.25	23,392
67.50	18,444	71.75	19,756	76.00	21,035	80.25	22,273	84.50	23,460
67.75	18,522	72.00	19,832	76.25	21,109	80.50	22,344	84.75	23,528



## Capacity/Gauge Table Information

**TCLX 290403**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 203

Reporting Mark: TCLX 290403

Date: 15/07/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,596	89.25	24,713	93.50	25,755	97.75	26,706	102.00	27,546
85.25	23,663	89.50	24,777	93.75	25,813	98.00	26,758	102.25	27,591
85.50	23,731	89.75	24,840	94.00	25,872	98.25	26,811	102.50	27,636
85.75	23,798	90.00	24,903	94.25	25,930	98.50	26,863	102.75	27,681
86.00	23,865	90.25	24,966	94.50	25,987	98.75	26,914	103.00	27,725
86.25	23,932	90.50	25,028	94.75	26,045	99.00	26,965	103.25	27,768
86.50	23,998	90.75	25,090	95.00	26,102	99.25	27,016	103.50	27,811
86.75	24,064	91.00	25,152	95.25	26,158	99.50	27,066	103.75	27,854
87.00	24,130	91.25	25,214	95.50	26,215	99.75	27,116	104.00	27,896
87.25	24,196	91.50	25,275	95.75	26,271	100.00	27,166	104.25	27,937
87.50	24,261	91.75	25,336	96.00	26,326	100.25	27,215	104.50	27,978
87.75	24,327	92.00	25,397	96.25	26,381	100.50	27,263	104.75	28,018
88.00	24,392	92.25	25,457	96.50	26,436	100.75	27,312	105.00	28,058
88.25	24,457	92.50	25,517	96.75	26,491	101.00	27,359	105.25	28,097
88.50	24,521	92.75	25,577	97.00	26,545	101.25	27,407	105.50	28,136
88.75	24,585	93.00	25,637	97.25	26,599	101.50	27,454	105.75	28,174
89.00	24,649	93.25	25,696	97.50	26,652	101.75	27,500	106.00	28,211



## Capacity/Gauge Table Information

**TCLX 290403**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 203

Reporting Mark: TCLX 290403

Date: 15/07/2015

Capacity: 28,980 US Gallons (109,702 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,248	110.50	28,758	114.75	28,967
106.50	28,284	110.75	28,780	115.00	28,971
106.75	28,319	111.00	28,800	115.25	28,974
107.00	28,354	111.25	28,819	115.50	28,976
107.25	28,388	111.50	28,837	115.75	28,978
107.50	28,421	111.75	28,853	116.00	28,979
107.75	28,454	112.00	28,868	116.25	28,980
108.00	28,486	112.25	28,882	116.50	28,980
108.25	28,517	112.50	28,895	116.75	28,980
108.50	28,548	112.75	28,907		
108.75	28,577	113.00	28,918		
109.00	28,606	113.25	28,928		
109.25	28,634	113.50	28,937		
109.50	28,661	113.75	28,945		
109.75	28,687	114.00	28,952		
110.00	28,712	114.25	28,958		
110.25	28,736	114.50	28,963		



## Capacity/Gauge Table Information

**TCLX 290404**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 204

Reporting Mark: TCLX 290404

Date: 14/07/2015

Capacity: 28,978 US Gallons (109,695 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,223	17.00	3,209
0.25	28	4.50	625	8.75	1,388	13.00	2,278	17.25	3,270
0.50	58	4.75	666	9.00	1,438	13.25	2,334	17.50	3,331
0.75	88	5.00	707	9.25	1,487	13.50	2,390	17.75	3,392
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,454
1.25	150	5.50	792	9.75	1,587	14.00	2,503	18.25	3,516
1.50	183	5.75	835	10.00	1,638	14.25	2,560	18.50	3,578
1.75	216	6.00	878	10.25	1,689	14.50	2,617	18.75	3,640
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,703
2.25	285	6.50	967	10.75	1,793	15.00	2,733	19.25	3,766
2.50	320	6.75	1,012	11.00	1,845	15.25	2,791	19.50	3,829
2.75	356	7.00	1,057	11.25	1,898	15.50	2,850	19.75	3,893
3.00	393	7.25	1,103	11.50	1,951	15.75	2,909	20.00	3,957
3.25	430	7.50	1,150	11.75	2,005	16.00	2,968	20.25	4,021
3.50	468	7.75	1,196	12.00	2,059	16.25	3,028	20.50	4,085
3.75	506	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,150
4.00	545	8.25	1,292	12.50	2,168	16.75	3,148	21.00	4,215



## Capacity/Gauge Table Information

**TCLX 290404**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 204

Reporting Mark: TCLX 290404

Date: 14/07/2015

Capacity: 28,978 US Gallons (109,695 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,280	25.50	5,422	29.75	6,623	34.00	7,872	38.25	9,160
21.50	4,345	25.75	5,491	30.00	6,695	34.25	7,947	38.50	9,237
21.75	4,411	26.00	5,560	30.25	6,767	34.50	8,022	38.75	9,314
22.00	4,477	26.25	5,630	30.50	6,840	34.75	8,097	39.00	9,391
22.25	4,543	26.50	5,700	30.75	6,913	35.00	8,172	39.25	9,468
22.50	4,609	26.75	5,769	31.00	6,986	35.25	8,247	39.50	9,545
22.75	4,676	27.00	5,840	31.25	7,059	35.50	8,323	39.75	9,623
23.00	4,742	27.25	5,910	31.50	7,132	35.75	8,398	40.00	9,700
23.25	4,809	27.50	5,980	31.75	7,205	36.00	8,474	40.25	9,777
23.50	4,876	27.75	6,051	32.00	7,279	36.25	8,550	40.50	9,855
23.75	4,944	28.00	6,122	32.25	7,352	36.50	8,626	40.75	9,933
24.00	5,012	28.25	6,193	32.50	7,426	36.75	8,702	41.00	10,010
24.25	5,079	28.50	6,264	32.75	7,500	37.00	8,778	41.25	10,088
24.50	5,147	28.75	6,336	33.00	7,574	37.25	8,854	41.50	10,166
24.75	5,216	29.00	6,407	33.25	7,649	37.50	8,930	41.75	10,244
25.00	5,284	29.25	6,479	33.50	7,723	37.75	9,007	42.00	10,322
25.25	5,353	29.50	6,551	33.75	7,797	38.00	9,084	42.25	10,400



## Capacity/Gauge Table Information

**TCLX 290404**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 204

Reporting Mark: TCLX 290404

Date: 14/07/2015

Capacity: 28,978 US Gallons (109,695 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,479	46.75	11,819	51.00	13,173	55.25	14,534	59.50	15,893
42.75	10,557	47.00	11,898	51.25	13,253	55.50	14,614	59.75	15,972
43.00	10,635	47.25	11,978	51.50	13,333	55.75	14,694	60.00	16,052
43.25	10,714	47.50	12,057	51.75	13,413	56.00	14,774	60.25	16,132
43.50	10,792	47.75	12,137	52.00	13,493	56.25	14,854	60.50	16,211
43.75	10,871	48.00	12,216	52.25	13,573	56.50	14,934	60.75	16,291
44.00	10,950	48.25	12,296	52.50	13,653	56.75	15,014	61.00	16,371
44.25	11,028	48.50	12,375	52.75	13,733	57.00	15,094	61.25	16,450
44.50	11,107	48.75	12,455	53.00	13,813	57.25	15,174	61.50	16,530
44.75	11,186	49.00	12,535	53.25	13,893	57.50	15,254	61.75	16,609
45.00	11,265	49.25	12,614	53.50	13,973	57.75	15,334	62.00	16,688
45.25	11,344	49.50	12,694	53.75	14,053	58.00	15,414	62.25	16,768
45.50	11,423	49.75	12,774	54.00	14,133	58.25	15,494	62.50	16,847
45.75	11,502	50.00	12,854	54.25	14,213	58.50	15,573	62.75	16,926
46.00	11,581	50.25	12,933	54.50	14,293	58.75	15,653	63.00	17,006
46.25	11,660	50.50	13,013	54.75	14,373	59.00	15,733	63.25	17,085
46.50	11,740	50.75	13,093	55.00	14,454	59.25	15,813	63.50	17,164





## Capacity/Gauge Table Information

**TCLX 290404**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 204

Reporting Mark: TCLX 290404

Date: 14/07/2015

Capacity: 28,978 US Gallons (109,695 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,243	68.00	18,576	72.25	19,885	76.50	21,160	80.75	22,393
64.00	17,322	68.25	18,654	72.50	19,961	76.75	21,233	81.00	22,464
64.25	17,401	68.50	18,731	72.75	20,036	77.00	21,307	81.25	22,535
64.50	17,480	68.75	18,809	73.00	20,112	77.25	21,381	81.50	22,605
64.75	17,558	69.00	18,886	73.25	20,188	77.50	21,454	81.75	22,676
65.00	17,637	69.25	18,964	73.50	20,263	77.75	21,527	82.00	22,746
65.25	17,716	69.50	19,041	73.75	20,339	78.00	21,600	82.25	22,816
65.50	17,794	69.75	19,118	74.00	20,414	78.25	21,673	82.50	22,886
65.75	17,873	70.00	19,195	74.25	20,489	78.50	21,746	82.75	22,956
66.00	17,951	70.25	19,272	74.50	20,564	78.75	21,818	83.00	23,025
66.25	18,030	70.50	19,349	74.75	20,639	79.00	21,891	83.25	23,094
66.50	18,108	70.75	19,426	75.00	20,714	79.25	21,963	83.50	23,164
66.75	18,186	71.00	19,503	75.25	20,789	79.50	22,035	83.75	23,232
67.00	18,264	71.25	19,579	75.50	20,863	79.75	22,107	84.00	23,301
67.25	18,342	71.50	19,656	75.75	20,937	80.00	22,179	84.25	23,370
67.50	18,420	71.75	19,732	76.00	21,012	80.25	22,250	84.50	23,438
67.75	18,498	72.00	19,808	76.25	21,086	80.50	22,322	84.75	23,506



## Capacity/Gauge Table Information

**TCLX 290404**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 204

Reporting Mark: TCLX 290404

Date: 14/07/2015

Capacity: 28,978 US Gallons (109,695 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,574	89.25	24,692	93.50	25,735	97.75	26,688	102.00	27,530
85.25	23,641	89.50	24,756	93.75	25,794	98.00	26,740	102.25	27,576
85.50	23,709	89.75	24,819	94.00	25,852	98.25	26,793	102.50	27,621
85.75	23,776	90.00	24,882	94.25	25,910	98.50	26,845	102.75	27,666
86.00	23,843	90.25	24,945	94.50	25,968	98.75	26,897	103.00	27,710
86.25	23,910	90.50	25,007	94.75	26,025	99.00	26,948	103.25	27,753
86.50	23,976	90.75	25,070	95.00	26,082	99.25	26,999	103.50	27,796
86.75	24,043	91.00	25,131	95.25	26,139	99.50	27,049	103.75	27,839
87.00	24,109	91.25	25,193	95.50	26,196	99.75	27,099	104.00	27,881
87.25	24,174	91.50	25,255	95.75	26,252	100.00	27,149	104.25	27,923
87.50	24,240	91.75	25,316	96.00	26,307	100.25	27,198	104.50	27,964
87.75	24,305	92.00	25,376	96.25	26,363	100.50	27,247	104.75	28,004
88.00	24,370	92.25	25,437	96.50	26,418	100.75	27,295	105.00	28,044
88.25	24,435	92.50	25,497	96.75	26,473	101.00	27,343	105.25	28,084
88.50	24,500	92.75	25,557	97.00	26,527	101.25	27,391	105.50	28,122
88.75	24,564	93.00	25,617	97.25	26,581	101.50	27,438	105.75	28,160
89.00	24,628	93.25	25,676	97.50	26,634	101.75	27,484	106.00	28,198



## Capacity/Gauge Table Information

**TCLX 290404**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 204

Reporting Mark: TCLX 290404

Date: 14/07/2015

Capacity: 28,978 US Gallons (109,695 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,235	110.50	28,751	114.75	28,965
106.50	28,271	110.75	28,773	115.00	28,969
106.75	28,307	111.00	28,794	115.25	28,972
107.00	28,342	111.25	28,813	115.50	28,974
107.25	28,376	111.50	28,831	115.75	28,976
107.50	28,410	111.75	28,848	116.00	28,977
107.75	28,443	112.00	28,863	116.25	28,978
108.00	28,475	112.25	28,878	116.50	28,978
108.25	28,506	112.50	28,891	116.75	28,978
108.50	28,537	112.75	28,903		
108.75	28,567	113.00	28,915		
109.00	28,596	113.25	28,925		
109.25	28,624	113.50	28,934		
109.50	28,652	113.75	28,942		
109.75	28,678	114.00	28,949		
110.00	28,703	114.25	28,955		
110.25	28,728	114.50	28,960		



## Capacity/Gauge Table Information

**TCLX 290405**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 205

Reporting Mark: TCLX 290405

Date: 16/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,339	12.75	2,221	17.00	3,206
0.25	28	4.50	625	8.75	1,387	13.00	2,276	17.25	3,267
0.50	58	4.75	665	9.00	1,437	13.25	2,332	17.50	3,328
0.75	88	5.00	707	9.25	1,486	13.50	2,388	17.75	3,390
1.00	119	5.25	749	9.50	1,536	13.75	2,444	18.00	3,451
1.25	150	5.50	791	9.75	1,586	14.00	2,501	18.25	3,513
1.50	183	5.75	834	10.00	1,637	14.25	2,558	18.50	3,575
1.75	216	6.00	878	10.25	1,688	14.50	2,615	18.75	3,638
2.00	250	6.25	921	10.50	1,740	14.75	2,673	19.00	3,700
2.25	284	6.50	966	10.75	1,792	15.00	2,731	19.25	3,763
2.50	320	6.75	1,011	11.00	1,844	15.25	2,789	19.50	3,827
2.75	356	7.00	1,056	11.25	1,897	15.50	2,848	19.75	3,890
3.00	392	7.25	1,102	11.50	1,950	15.75	2,907	20.00	3,954
3.25	429	7.50	1,149	11.75	2,003	16.00	2,966	20.25	4,018
3.50	467	7.75	1,196	12.00	2,057	16.25	3,026	20.50	4,082
3.75	506	8.00	1,243	12.25	2,112	16.50	3,086	20.75	4,147
4.00	545	8.25	1,291	12.50	2,166	16.75	3,146	21.00	4,212



## Capacity/Gauge Table Information

**TCLX 290405**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 205

Reporting Mark: TCLX 290405

Date: 16/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,277	25.50	5,418	29.75	6,618	34.00	7,866	38.25	9,153
21.50	4,342	25.75	5,487	30.00	6,690	34.25	7,941	38.50	9,230
21.75	4,408	26.00	5,556	30.25	6,762	34.50	8,016	38.75	9,307
22.00	4,473	26.25	5,626	30.50	6,835	34.75	8,091	39.00	9,384
22.25	4,539	26.50	5,695	30.75	6,908	35.00	8,166	39.25	9,461
22.50	4,606	26.75	5,765	31.00	6,980	35.25	8,241	39.50	9,538
22.75	4,672	27.00	5,835	31.25	7,053	35.50	8,317	39.75	9,615
23.00	4,739	27.25	5,906	31.50	7,127	35.75	8,392	40.00	9,693
23.25	4,806	27.50	5,976	31.75	7,200	36.00	8,468	40.25	9,770
23.50	4,873	27.75	6,047	32.00	7,273	36.25	8,543	40.50	9,848
23.75	4,940	28.00	6,117	32.25	7,347	36.50	8,619	40.75	9,925
24.00	5,008	28.25	6,188	32.50	7,421	36.75	8,695	41.00	10,003
24.25	5,076	28.50	6,259	32.75	7,495	37.00	8,771	41.25	10,081
24.50	5,144	28.75	6,331	33.00	7,569	37.25	8,848	41.50	10,159
24.75	5,212	29.00	6,402	33.25	7,643	37.50	8,924	41.75	10,236
25.00	5,280	29.25	6,474	33.50	7,717	37.75	9,000	42.00	10,314
25.25	5,349	29.50	6,546	33.75	7,792	38.00	9,077	42.25	10,393



## Capacity/Gauge Table Information

**TCLX 290405**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 205

Reporting Mark: TCLX 290405

Date: 16/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,471	46.75	11,810	51.00	13,163	55.25	14,523	59.50	15,881
42.75	10,549	47.00	11,889	51.25	13,243	55.50	14,603	59.75	15,960
43.00	10,627	47.25	11,969	51.50	13,323	55.75	14,683	60.00	16,040
43.25	10,706	47.50	12,048	51.75	13,403	56.00	14,763	60.25	16,120
43.50	10,784	47.75	12,127	52.00	13,483	56.25	14,843	60.50	16,199
43.75	10,863	48.00	12,207	52.25	13,563	56.50	14,923	60.75	16,279
44.00	10,941	48.25	12,286	52.50	13,643	56.75	15,003	61.00	16,358
44.25	11,020	48.50	12,366	52.75	13,723	57.00	15,082	61.25	16,438
44.50	11,099	48.75	12,446	53.00	13,803	57.25	15,162	61.50	16,517
44.75	11,178	49.00	12,525	53.25	13,883	57.50	15,242	61.75	16,597
45.00	11,256	49.25	12,605	53.50	13,963	57.75	15,322	62.00	16,676
45.25	11,335	49.50	12,684	53.75	14,043	58.00	15,402	62.25	16,755
45.50	11,414	49.75	12,764	54.00	14,123	58.25	15,482	62.50	16,834
45.75	11,493	50.00	12,844	54.25	14,203	58.50	15,562	62.75	16,914
46.00	11,572	50.25	12,924	54.50	14,283	58.75	15,642	63.00	16,993
46.25	11,652	50.50	13,004	54.75	14,363	59.00	15,721	63.25	17,072
46.50	11,731	50.75	13,083	55.00	14,443	59.25	15,801	63.50	17,151



## Capacity/Gauge Table Information

**TCLX 290405**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 205

Reporting Mark: TCLX 290405

Date: 16/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,230	68.00	18,562	72.25	19,870	76.50	21,144	80.75	22,376
64.00	17,309	68.25	18,640	72.50	19,946	76.75	21,218	81.00	22,447
64.25	17,388	68.50	18,717	72.75	20,021	77.00	21,291	81.25	22,518
64.50	17,466	68.75	18,795	73.00	20,097	77.25	21,365	81.50	22,588
64.75	17,545	69.00	18,872	73.25	20,173	77.50	21,438	81.75	22,659
65.00	17,624	69.25	18,950	73.50	20,248	77.75	21,511	82.00	22,729
65.25	17,702	69.50	19,027	73.75	20,324	78.00	21,584	82.25	22,799
65.50	17,781	69.75	19,104	74.00	20,399	78.25	21,657	82.50	22,869
65.75	17,859	70.00	19,181	74.25	20,474	78.50	21,730	82.75	22,939
66.00	17,938	70.25	19,258	74.50	20,549	78.75	21,802	83.00	23,008
66.25	18,016	70.50	19,335	74.75	20,624	79.00	21,874	83.25	23,077
66.50	18,094	70.75	19,411	75.00	20,698	79.25	21,947	83.50	23,146
66.75	18,172	71.00	19,488	75.25	20,773	79.50	22,019	83.75	23,215
67.00	18,251	71.25	19,565	75.50	20,848	79.75	22,090	84.00	23,284
67.25	18,329	71.50	19,641	75.75	20,922	80.00	22,162	84.25	23,352
67.50	18,406	71.75	19,717	76.00	20,996	80.25	22,234	84.50	23,421
67.75	18,484	72.00	19,794	76.25	21,070	80.50	22,305	84.75	23,489





## Capacity/Gauge Table Information

**TCLX 290405**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 205

Reporting Mark: TCLX 290405

Date: 16/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,556	89.25	24,674	93.50	25,716	97.75	26,668	102.00	27,510
85.25	23,624	89.50	24,738	93.75	25,775	98.00	26,721	102.25	27,556
85.50	23,691	89.75	24,801	94.00	25,833	98.25	26,774	102.50	27,601
85.75	23,759	90.00	24,864	94.25	25,891	98.50	26,826	102.75	27,646
86.00	23,825	90.25	24,927	94.50	25,949	98.75	26,877	103.00	27,690
86.25	23,892	90.50	24,989	94.75	26,006	99.00	26,928	103.25	27,734
86.50	23,959	90.75	25,051	95.00	26,064	99.25	26,979	103.50	27,777
86.75	24,025	91.00	25,113	95.25	26,120	99.50	27,030	103.75	27,819
87.00	24,091	91.25	25,175	95.50	26,177	99.75	27,080	104.00	27,861
87.25	24,157	91.50	25,236	95.75	26,233	100.00	27,129	104.25	27,903
87.50	24,222	91.75	25,297	96.00	26,288	100.25	27,179	104.50	27,944
87.75	24,287	92.00	25,358	96.25	26,344	100.50	27,227	104.75	27,984
88.00	24,353	92.25	25,418	96.50	26,399	100.75	27,276	105.00	28,024
88.25	24,417	92.50	25,479	96.75	26,453	101.00	27,323	105.25	28,064
88.50	24,482	92.75	25,538	97.00	26,508	101.25	27,371	105.50	28,102
88.75	24,546	93.00	25,598	97.25	26,562	101.50	27,418	105.75	28,141
89.00	24,610	93.25	25,657	97.50	26,615	101.75	27,464	106.00	28,178



## Capacity/Gauge Table Information

**TCLX 290405**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 205

Reporting Mark: TCLX 290405

Date: 16/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,215	110.50	28,731	114.75	28,945
106.50	28,251	110.75	28,753	115.00	28,949
106.75	28,287	111.00	28,773	115.25	28,952
107.00	28,322	111.25	28,793	115.50	28,954
107.25	28,356	111.50	28,811	115.75	28,956
107.50	28,390	111.75	28,828	116.00	28,957
107.75	28,423	112.00	28,843	116.25	28,958
108.00	28,455	112.25	28,858	116.50	28,958
108.25	28,486	112.50	28,871	116.75	28,958
108.50	28,517	112.75	28,883		
108.75	28,547	113.00	28,894		
109.00	28,576	113.25	28,904		
109.25	28,604	113.50	28,914		
109.50	28,631	113.75	28,922		
109.75	28,658	114.00	28,929		
110.00	28,683	114.25	28,935		
110.25	28,708	114.50	28,940		



## Capacity/Gauge Table Information

**TCLX 290406**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 206

Reporting Mark: TCLX 290406

Date: 16/07/2015

Capacity: 28,976 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,232	17.00	3,220
0.25	29	4.50	629	8.75	1,395	13.00	2,287	17.25	3,281
0.50	58	4.75	670	9.00	1,445	13.25	2,343	17.50	3,342
0.75	89	5.00	712	9.25	1,494	13.50	2,399	17.75	3,404
1.00	120	5.25	754	9.50	1,545	13.75	2,456	18.00	3,466
1.25	152	5.50	797	9.75	1,595	14.00	2,513	18.25	3,528
1.50	184	5.75	840	10.00	1,646	14.25	2,570	18.50	3,590
1.75	218	6.00	883	10.25	1,697	14.50	2,628	18.75	3,653
2.00	252	6.25	927	10.50	1,749	14.75	2,685	19.00	3,715
2.25	287	6.50	972	10.75	1,801	15.00	2,744	19.25	3,779
2.50	322	6.75	1,017	11.00	1,854	15.25	2,802	19.50	3,842
2.75	359	7.00	1,063	11.25	1,907	15.50	2,861	19.75	3,906
3.00	395	7.25	1,109	11.50	1,960	15.75	2,920	20.00	3,970
3.25	433	7.50	1,156	11.75	2,014	16.00	2,979	20.25	4,034
3.50	471	7.75	1,203	12.00	2,068	16.25	3,039	20.50	4,098
3.75	510	8.00	1,250	12.25	2,122	16.50	3,099	20.75	4,163
4.00	549	8.25	1,298	12.50	2,177	16.75	3,160	21.00	4,228



## Capacity/Gauge Table Information

**TCLX 290406**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 206

Reporting Mark: TCLX 290406

Date: 16/07/2015

Capacity: 28,976 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,293	25.50	5,437	29.75	6,639	34.00	7,889	38.25	9,179
21.50	4,359	25.75	5,506	30.00	6,711	34.25	7,964	38.50	9,255
21.75	4,424	26.00	5,575	30.25	6,784	34.50	8,039	38.75	9,332
22.00	4,490	26.25	5,645	30.50	6,856	34.75	8,114	39.00	9,410
22.25	4,556	26.50	5,715	30.75	6,929	35.00	8,190	39.25	9,487
22.50	4,623	26.75	5,785	31.00	7,002	35.25	8,265	39.50	9,564
22.75	4,689	27.00	5,855	31.25	7,075	35.50	8,340	39.75	9,641
23.00	4,756	27.25	5,925	31.50	7,149	35.75	8,416	40.00	9,719
23.25	4,823	27.50	5,996	31.75	7,222	36.00	8,492	40.25	9,796
23.50	4,891	27.75	6,067	32.00	7,296	36.25	8,568	40.50	9,874
23.75	4,958	28.00	6,138	32.25	7,369	36.50	8,644	40.75	9,952
24.00	5,026	28.25	6,209	32.50	7,443	36.75	8,720	41.00	10,029
24.25	5,094	28.50	6,280	32.75	7,517	37.00	8,796	41.25	10,107
24.50	5,162	28.75	6,351	33.00	7,591	37.25	8,872	41.50	10,185
24.75	5,230	29.00	6,423	33.25	7,666	37.50	8,949	41.75	10,263
25.00	5,299	29.25	6,495	33.50	7,740	37.75	9,025	42.00	10,341
25.25	5,368	29.50	6,567	33.75	7,815	38.00	9,102	42.25	10,420



## Capacity/Gauge Table Information

**TCLX 290406**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 206

Reporting Mark: TCLX 290406

Date: 16/07/2015

Capacity: 28,976 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,498	46.75	11,839	51.00	13,194	55.25	14,554	59.50	15,914
42.75	10,576	47.00	11,918	51.25	13,273	55.50	14,634	59.75	15,993
43.00	10,655	47.25	11,998	51.50	13,353	55.75	14,715	60.00	16,073
43.25	10,733	47.50	12,077	51.75	13,433	56.00	14,795	60.25	16,153
43.50	10,812	47.75	12,157	52.00	13,513	56.25	14,875	60.50	16,233
43.75	10,890	48.00	12,236	52.25	13,593	56.50	14,955	60.75	16,312
44.00	10,969	48.25	12,316	52.50	13,674	56.75	15,035	61.00	16,392
44.25	11,048	48.50	12,395	52.75	13,754	57.00	15,115	61.25	16,471
44.50	11,127	48.75	12,475	53.00	13,834	57.25	15,195	61.50	16,551
44.75	11,206	49.00	12,555	53.25	13,914	57.50	15,275	61.75	16,630
45.00	11,285	49.25	12,635	53.50	13,994	57.75	15,355	62.00	16,710
45.25	11,364	49.50	12,714	53.75	14,074	58.00	15,435	62.25	16,789
45.50	11,443	49.75	12,794	54.00	14,154	58.25	15,515	62.50	16,868
45.75	11,522	50.00	12,874	54.25	14,234	58.50	15,594	62.75	16,947
46.00	11,601	50.25	12,954	54.50	14,314	58.75	15,674	63.00	17,027
46.25	11,680	50.50	13,034	54.75	14,394	59.00	15,754	63.25	17,106
46.50	11,759	50.75	13,114	55.00	14,474	59.25	15,834	63.50	17,185



## Capacity/Gauge Table Information

**TCLX 290406**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 206

Reporting Mark: TCLX 290406

Date: 16/07/2015

Capacity: 28,976 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,264	68.00	18,597	72.25	19,905	76.50	21,180	80.75	22,412
64.00	17,343	68.25	18,675	72.50	19,981	76.75	21,254	81.00	22,483
64.25	17,422	68.50	18,752	72.75	20,057	77.00	21,327	81.25	22,554
64.50	17,501	68.75	18,830	73.00	20,133	77.25	21,401	81.50	22,625
64.75	17,579	69.00	18,907	73.25	20,208	77.50	21,474	81.75	22,695
65.00	17,658	69.25	18,985	73.50	20,284	77.75	21,547	82.00	22,765
65.25	17,737	69.50	19,062	73.75	20,359	78.00	21,620	82.25	22,835
65.50	17,815	69.75	19,139	74.00	20,435	78.25	21,693	82.50	22,905
65.75	17,894	70.00	19,216	74.25	20,510	78.50	21,766	82.75	22,975
66.00	17,972	70.25	19,293	74.50	20,585	78.75	21,838	83.00	23,044
66.25	18,051	70.50	19,370	74.75	20,660	79.00	21,911	83.25	23,114
66.50	18,129	70.75	19,447	75.00	20,734	79.25	21,983	83.50	23,183
66.75	18,207	71.00	19,524	75.25	20,809	79.50	22,055	83.75	23,251
67.00	18,285	71.25	19,600	75.50	20,883	79.75	22,127	84.00	23,320
67.25	18,363	71.50	19,677	75.75	20,958	80.00	22,198	84.25	23,389
67.50	18,441	71.75	19,753	76.00	21,032	80.25	22,270	84.50	23,457
67.75	18,519	72.00	19,829	76.25	21,106	80.50	22,341	84.75	23,525



## Capacity/Gauge Table Information

**TCLX 290406**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 206

Reporting Mark: TCLX 290406

Date: 16/07/2015

Capacity: 28,976 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,593	89.25	24,710	93.50	25,751	97.75	26,702	102.00	27,542
85.25	23,660	89.50	24,773	93.75	25,810	98.00	26,755	102.25	27,588
85.50	23,727	89.75	24,836	94.00	25,868	98.25	26,807	102.50	27,633
85.75	23,795	90.00	24,899	94.25	25,926	98.50	26,859	102.75	27,677
86.00	23,862	90.25	24,962	94.50	25,984	98.75	26,911	103.00	27,721
86.25	23,928	90.50	25,025	94.75	26,041	99.00	26,962	103.25	27,765
86.50	23,995	90.75	25,087	95.00	26,098	99.25	27,012	103.50	27,808
86.75	24,061	91.00	25,149	95.25	26,155	99.50	27,063	103.75	27,850
87.00	24,127	91.25	25,210	95.50	26,211	99.75	27,113	104.00	27,892
87.25	24,193	91.50	25,271	95.75	26,267	100.00	27,162	104.25	27,933
87.50	24,258	91.75	25,332	96.00	26,323	100.25	27,211	104.50	27,974
87.75	24,323	92.00	25,393	96.25	26,378	100.50	27,260	104.75	28,015
88.00	24,388	92.25	25,454	96.50	26,433	100.75	27,308	105.00	28,054
88.25	24,453	92.50	25,514	96.75	26,487	101.00	27,356	105.25	28,093
88.50	24,518	92.75	25,574	97.00	26,542	101.25	27,403	105.50	28,132
88.75	24,582	93.00	25,633	97.25	26,595	101.50	27,450	105.75	28,170
89.00	24,646	93.25	25,692	97.50	26,649	101.75	27,496	106.00	28,207





## Capacity/Gauge Table Information

**TCLX 290406**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 206

Reporting Mark: TCLX 290406

Date: 16/07/2015

Capacity: 28,976 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,244	110.50	28,755	114.75	28,963
106.50	28,280	110.75	28,776	115.00	28,967
106.75	28,316	111.00	28,796	115.25	28,970
107.00	28,350	111.25	28,815	115.50	28,972
107.25	28,384	111.50	28,833	115.75	28,974
107.50	28,418	111.75	28,849	116.00	28,975
107.75	28,451	112.00	28,865	116.25	28,976
108.00	28,482	112.25	28,879	116.50	28,976
108.25	28,514	112.50	28,892	116.75	28,976
108.50	28,544	112.75	28,903		
108.75	28,574	113.00	28,914		
109.00	28,602	113.25	28,924		
109.25	28,630	113.50	28,933		
109.50	28,657	113.75	28,941		
109.75	28,683	114.00	28,948		
110.00	28,708	114.25	28,954		
110.25	28,732	114.50	28,959		



## Capacity/Gauge Table Information

**TCLX 290407**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 207

Reporting Mark: TCLX 290407

Date: 16/07/2015

Capacity: 28,994 US Gallons (109,754 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	580	8.50	1,331	12.75	2,211	17.00	3,195
0.25	28	4.50	620	8.75	1,380	13.00	2,267	17.25	3,256
0.50	57	4.75	661	9.00	1,429	13.25	2,322	17.50	3,317
0.75	87	5.00	702	9.25	1,478	13.50	2,378	17.75	3,378
1.00	117	5.25	743	9.50	1,528	13.75	2,434	18.00	3,439
1.25	149	5.50	786	9.75	1,578	14.00	2,491	18.25	3,501
1.50	181	5.75	828	10.00	1,629	14.25	2,548	18.50	3,563
1.75	214	6.00	872	10.25	1,680	14.50	2,605	18.75	3,626
2.00	248	6.25	915	10.50	1,731	14.75	2,663	19.00	3,688
2.25	282	6.50	960	10.75	1,783	15.00	2,720	19.25	3,751
2.50	317	6.75	1,005	11.00	1,835	15.25	2,779	19.50	3,815
2.75	353	7.00	1,050	11.25	1,888	15.50	2,837	19.75	3,878
3.00	389	7.25	1,096	11.50	1,941	15.75	2,896	20.00	3,942
3.25	426	7.50	1,142	11.75	1,994	16.00	2,955	20.25	4,006
3.50	464	7.75	1,188	12.00	2,048	16.25	3,015	20.50	4,070
3.75	502	8.00	1,236	12.25	2,102	16.50	3,075	20.75	4,135
4.00	541	8.25	1,283	12.50	2,156	16.75	3,135	21.00	4,199



## Capacity/Gauge Table Information

**TCLX 290407**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 207

Reporting Mark: TCLX 290407

Date: 16/07/2015

Capacity: 28,994 US Gallons (109,754 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,264	25.50	5,405	29.75	6,604	34.00	7,853	38.25	9,140
21.50	4,330	25.75	5,474	30.00	6,677	34.25	7,927	38.50	9,217
21.75	4,395	26.00	5,543	30.25	6,749	34.50	8,002	38.75	9,294
22.00	4,461	26.25	5,612	30.50	6,821	34.75	8,077	39.00	9,371
22.25	4,527	26.50	5,682	30.75	6,894	35.00	8,152	39.25	9,448
22.50	4,593	26.75	5,752	31.00	6,967	35.25	8,228	39.50	9,525
22.75	4,659	27.00	5,822	31.25	7,040	35.50	8,303	39.75	9,602
23.00	4,726	27.25	5,892	31.50	7,113	35.75	8,379	40.00	9,680
23.25	4,793	27.50	5,963	31.75	7,186	36.00	8,454	40.25	9,757
23.50	4,860	27.75	6,033	32.00	7,260	36.25	8,530	40.50	9,835
23.75	4,927	28.00	6,104	32.25	7,333	36.50	8,606	40.75	9,912
24.00	4,995	28.25	6,175	32.50	7,407	36.75	8,682	41.00	9,990
24.25	5,063	28.50	6,246	32.75	7,481	37.00	8,758	41.25	10,068
24.50	5,131	28.75	6,317	33.00	7,555	37.25	8,834	41.50	10,146
24.75	5,199	29.00	6,389	33.25	7,629	37.50	8,911	41.75	10,224
25.00	5,267	29.25	6,461	33.50	7,704	37.75	8,987	42.00	10,302
25.25	5,336	29.50	6,532	33.75	7,778	38.00	9,064	42.25	10,380



## Capacity/Gauge Table Information

**TCLX 290407**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 207

Reporting Mark: TCLX 290407

Date: 16/07/2015

Capacity: 28,994 US Gallons (109,754 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,458	46.75	11,798	51.00	13,152	55.25	14,513	59.50	15,873
42.75	10,536	47.00	11,878	51.25	13,232	55.50	14,593	59.75	15,952
43.00	10,615	47.25	11,957	51.50	13,312	55.75	14,673	60.00	16,032
43.25	10,693	47.50	12,036	51.75	13,392	56.00	14,753	60.25	16,112
43.50	10,772	47.75	12,116	52.00	13,472	56.25	14,833	60.50	16,192
43.75	10,850	48.00	12,195	52.25	13,552	56.50	14,913	60.75	16,271
44.00	10,929	48.25	12,275	52.50	13,632	56.75	14,993	61.00	16,351
44.25	11,008	48.50	12,355	52.75	13,712	57.00	15,073	61.25	16,430
44.50	11,086	48.75	12,434	53.00	13,792	57.25	15,153	61.50	16,510
44.75	11,165	49.00	12,514	53.25	13,872	57.50	15,233	61.75	16,589
45.00	11,244	49.25	12,594	53.50	13,953	57.75	15,313	62.00	16,669
45.25	11,323	49.50	12,673	53.75	14,033	58.00	15,393	62.25	16,748
45.50	11,402	49.75	12,753	54.00	14,113	58.25	15,473	62.50	16,827
45.75	11,481	50.00	12,833	54.25	14,193	58.50	15,553	62.75	16,907
46.00	11,560	50.25	12,913	54.50	14,273	58.75	15,633	63.00	16,986
46.25	11,640	50.50	12,993	54.75	14,353	59.00	15,713	63.25	17,065
46.50	11,719	50.75	13,073	55.00	14,433	59.25	15,793	63.50	17,144



## Capacity/Gauge Table Information

**TCLX 290407**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 207

Reporting Mark: TCLX 290407

Date: 16/07/2015

Capacity: 28,994 US Gallons (109,754 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,223	68.00	18,557	72.25	19,867	76.50	21,143	80.75	22,378
64.00	17,302	68.25	18,635	72.50	19,943	76.75	21,217	81.00	22,449
64.25	17,381	68.50	18,713	72.75	20,019	77.00	21,291	81.25	22,520
64.50	17,460	68.75	18,790	73.00	20,095	77.25	21,364	81.50	22,590
64.75	17,539	69.00	18,868	73.25	20,170	77.50	21,438	81.75	22,661
65.00	17,618	69.25	18,945	73.50	20,246	77.75	21,511	82.00	22,731
65.25	17,696	69.50	19,023	73.75	20,321	78.00	21,584	82.25	22,801
65.50	17,775	69.75	19,100	74.00	20,397	78.25	21,657	82.50	22,871
65.75	17,854	70.00	19,177	74.25	20,472	78.50	21,730	82.75	22,941
66.00	17,932	70.25	19,254	74.50	20,547	78.75	21,803	83.00	23,011
66.25	18,011	70.50	19,331	74.75	20,622	79.00	21,875	83.25	23,080
66.50	18,089	70.75	19,408	75.00	20,697	79.25	21,947	83.50	23,149
66.75	18,167	71.00	19,485	75.25	20,772	79.50	22,019	83.75	23,218
67.00	18,245	71.25	19,561	75.50	20,846	79.75	22,091	84.00	23,287
67.25	18,323	71.50	19,638	75.75	20,921	80.00	22,163	84.25	23,356
67.50	18,402	71.75	19,714	76.00	20,995	80.25	22,235	84.50	23,424
67.75	18,479	72.00	19,791	76.25	21,069	80.50	22,306	84.75	23,492



## Capacity/Gauge Table Information

**TCLX 290407**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 207

Reporting Mark: TCLX 290407

Date: 16/07/2015

Capacity: 28,994 US Gallons (109,754 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,560	89.25	24,681	93.50	25,726	97.75	26,681	102.00	27,527
85.25	23,628	89.50	24,744	93.75	25,785	98.00	26,734	102.25	27,573
85.50	23,696	89.75	24,808	94.00	25,843	98.25	26,787	102.50	27,618
85.75	23,763	90.00	24,871	94.25	25,901	98.50	26,839	102.75	27,663
86.00	23,830	90.25	24,934	94.50	25,959	98.75	26,891	103.00	27,707
86.25	23,897	90.50	24,996	94.75	26,017	99.00	26,942	103.25	27,751
86.50	23,964	90.75	25,059	95.00	26,074	99.25	26,993	103.50	27,795
86.75	24,030	91.00	25,121	95.25	26,131	99.50	27,044	103.75	27,838
87.00	24,096	91.25	25,183	95.50	26,188	99.75	27,094	104.00	27,880
87.25	24,162	91.50	25,244	95.75	26,244	100.00	27,144	104.25	27,922
87.50	24,228	91.75	25,305	96.00	26,300	100.25	27,193	104.50	27,963
87.75	24,293	92.00	25,366	96.25	26,355	100.50	27,242	104.75	28,004
88.00	24,358	92.25	25,427	96.50	26,411	100.75	27,291	105.00	28,044
88.25	24,423	92.50	25,487	96.75	26,465	101.00	27,339	105.25	28,084
88.50	24,488	92.75	25,547	97.00	26,520	101.25	27,387	105.50	28,123
88.75	24,552	93.00	25,607	97.25	26,574	101.50	27,434	105.75	28,161
89.00	24,617	93.25	25,667	97.50	26,628	101.75	27,481	106.00	28,199



## Capacity/Gauge Table Information

**TCLX 290407**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 207

Reporting Mark: TCLX 290407

Date: 16/07/2015

Capacity: 28,994 US Gallons (109,754 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,236	110.50	28,759	114.75	28,980
106.50	28,273	110.75	28,782	115.00	28,984
106.75	28,309	111.00	28,803	115.25	28,987
107.00	28,344	111.25	28,823	115.50	28,990
107.25	28,379	111.50	28,842	115.75	28,992
107.50	28,413	111.75	28,859	116.00	28,993
107.75	28,446	112.00	28,875	116.25	28,994
108.00	28,478	112.25	28,890	116.50	28,994
108.25	28,510	112.50	28,904	116.75	28,994
108.50	28,541	112.75	28,917		
108.75	28,572	113.00	28,928		
109.00	28,601	113.25	28,939		
109.25	28,630	113.50	28,948		
109.50	28,657	113.75	28,956		
109.75	28,684	114.00	28,964		
110.00	28,710	114.25	28,970		
110.25	28,735	114.50	28,976		





## Capacity/Gauge Table Information

**TCLX 290408**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 208

Reporting Mark: TCLX 290408

Date: 14/07/2015

Capacity: 28,983 US Gallons (109,711 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	579	8.50	1,329	12.75	2,208	17.00	3,190
0.25	28	4.50	619	8.75	1,377	13.00	2,263	17.25	3,251
0.50	57	4.75	659	9.00	1,426	13.25	2,318	17.50	3,312
0.75	87	5.00	700	9.25	1,475	13.50	2,374	17.75	3,373
1.00	117	5.25	742	9.50	1,525	13.75	2,430	18.00	3,435
1.25	148	5.50	784	9.75	1,575	14.00	2,487	18.25	3,496
1.50	180	5.75	827	10.00	1,626	14.25	2,544	18.50	3,558
1.75	213	6.00	870	10.25	1,677	14.50	2,601	18.75	3,621
2.00	247	6.25	914	10.50	1,728	14.75	2,658	19.00	3,683
2.25	281	6.50	958	10.75	1,780	15.00	2,716	19.25	3,746
2.50	316	6.75	1,002	11.00	1,832	15.25	2,774	19.50	3,809
2.75	352	7.00	1,048	11.25	1,885	15.50	2,833	19.75	3,873
3.00	388	7.25	1,093	11.50	1,937	15.75	2,892	20.00	3,936
3.25	425	7.50	1,139	11.75	1,991	16.00	2,951	20.25	4,000
3.50	462	7.75	1,186	12.00	2,044	16.25	3,010	20.50	4,064
3.75	501	8.00	1,233	12.25	2,098	16.50	3,070	20.75	4,129
4.00	539	8.25	1,281	12.50	2,153	16.75	3,130	21.00	4,194



## Capacity/Gauge Table Information

**TCLX 290408**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 208

Reporting Mark: TCLX 290408

Date: 14/07/2015

Capacity: 28,983 US Gallons (109,711 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,259	25.50	5,398	29.75	6,597	34.00	7,844	38.25	9,131
21.50	4,324	25.75	5,467	30.00	6,669	34.25	7,919	38.50	9,207
21.75	4,389	26.00	5,536	30.25	6,741	34.50	7,994	38.75	9,284
22.00	4,455	26.25	5,606	30.50	6,814	34.75	8,068	39.00	9,361
22.25	4,521	26.50	5,675	30.75	6,886	35.00	8,144	39.25	9,438
22.50	4,587	26.75	5,745	31.00	6,959	35.25	8,219	39.50	9,515
22.75	4,653	27.00	5,815	31.25	7,032	35.50	8,294	39.75	9,592
23.00	4,720	27.25	5,885	31.50	7,105	35.75	8,370	40.00	9,670
23.25	4,787	27.50	5,955	31.75	7,178	36.00	8,445	40.25	9,747
23.50	4,854	27.75	6,026	32.00	7,252	36.25	8,521	40.50	9,825
23.75	4,921	28.00	6,097	32.25	7,325	36.50	8,597	40.75	9,902
24.00	4,989	28.25	6,168	32.50	7,399	36.75	8,673	41.00	9,980
24.25	5,056	28.50	6,239	32.75	7,473	37.00	8,749	41.25	10,058
24.50	5,124	28.75	6,310	33.00	7,547	37.25	8,825	41.50	10,135
24.75	5,192	29.00	6,381	33.25	7,621	37.50	8,901	41.75	10,213
25.00	5,261	29.25	6,453	33.50	7,695	37.75	8,977	42.00	10,291
25.25	5,329	29.50	6,525	33.75	7,769	38.00	9,054	42.25	10,369



## Capacity/Gauge Table Information

**TCLX 290408**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 208

Reporting Mark: TCLX 290408

Date: 14/07/2015

Capacity: 28,983 US Gallons (109,711 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,448	46.75	11,787	51.00	13,140	55.25	14,500	59.50	15,859
42.75	10,526	47.00	11,866	51.25	13,220	55.50	14,580	59.75	15,938
43.00	10,604	47.25	11,945	51.50	13,300	55.75	14,660	60.00	16,018
43.25	10,682	47.50	12,025	51.75	13,380	56.00	14,740	60.25	16,098
43.50	10,761	47.75	12,104	52.00	13,460	56.25	14,820	60.50	16,177
43.75	10,839	48.00	12,184	52.25	13,540	56.50	14,900	60.75	16,257
44.00	10,918	48.25	12,263	52.50	13,620	56.75	14,980	61.00	16,337
44.25	10,997	48.50	12,343	52.75	13,700	57.00	15,060	61.25	16,416
44.50	11,075	48.75	12,422	53.00	13,780	57.25	15,140	61.50	16,495
44.75	11,154	49.00	12,502	53.25	13,860	57.50	15,220	61.75	16,575
45.00	11,233	49.25	12,582	53.50	13,940	57.75	15,300	62.00	16,654
45.25	11,312	49.50	12,661	53.75	14,020	58.00	15,380	62.25	16,734
45.50	11,391	49.75	12,741	54.00	14,100	58.25	15,460	62.50	16,813
45.75	11,470	50.00	12,821	54.25	14,180	58.50	15,539	62.75	16,892
46.00	11,549	50.25	12,900	54.50	14,260	58.75	15,619	63.00	16,971
46.25	11,628	50.50	12,980	54.75	14,340	59.00	15,699	63.25	17,051
46.50	11,707	50.75	13,060	55.00	14,420	59.25	15,779	63.50	17,130



## Capacity/Gauge Table Information

**TCLX 290408**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 208

Reporting Mark: TCLX 290408

Date: 14/07/2015

Capacity: 28,983 US Gallons (109,711 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,209	68.00	18,542	72.25	19,851	76.50	21,127	80.75	22,361
64.00	17,288	68.25	18,620	72.50	19,927	76.75	21,201	81.00	22,432
64.25	17,367	68.50	18,697	72.75	20,003	77.00	21,274	81.25	22,503
64.50	17,445	68.75	18,775	73.00	20,079	77.25	21,348	81.50	22,574
64.75	17,524	69.00	18,853	73.25	20,154	77.50	21,421	81.75	22,644
65.00	17,603	69.25	18,930	73.50	20,230	77.75	21,495	82.00	22,715
65.25	17,682	69.50	19,007	73.75	20,306	78.00	21,568	82.25	22,785
65.50	17,760	69.75	19,084	74.00	20,381	78.25	21,641	82.50	22,855
65.75	17,839	70.00	19,162	74.25	20,456	78.50	21,714	82.75	22,925
66.00	17,917	70.25	19,239	74.50	20,531	78.75	21,786	83.00	22,994
66.25	17,996	70.50	19,316	74.75	20,606	79.00	21,859	83.25	23,064
66.50	18,074	70.75	19,392	75.00	20,681	79.25	21,931	83.50	23,133
66.75	18,152	71.00	19,469	75.25	20,756	79.50	22,003	83.75	23,202
67.00	18,230	71.25	19,546	75.50	20,830	79.75	22,075	84.00	23,271
67.25	18,308	71.50	19,622	75.75	20,905	80.00	22,147	84.25	23,339
67.50	18,386	71.75	19,699	76.00	20,979	80.25	22,218	84.50	23,408
67.75	18,464	72.00	19,775	76.25	21,053	80.50	22,290	84.75	23,476



## Capacity/Gauge Table Information

**TCLX 290408**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 208

Reporting Mark: TCLX 290408

Date: 14/07/2015

Capacity: 28,983 US Gallons (109,711 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,544	89.25	24,664	93.50	25,709	97.75	26,665	102.00	27,511
85.25	23,611	89.50	24,728	93.75	25,768	98.00	26,718	102.25	27,557
85.50	23,679	89.75	24,791	94.00	25,827	98.25	26,771	102.50	27,603
85.75	23,746	90.00	24,854	94.25	25,885	98.50	26,823	102.75	27,648
86.00	23,813	90.25	24,917	94.50	25,943	98.75	26,875	103.00	27,692
86.25	23,880	90.50	24,980	94.75	26,000	99.00	26,926	103.25	27,736
86.50	23,947	90.75	25,042	95.00	26,058	99.25	26,977	103.50	27,779
86.75	24,013	91.00	25,104	95.25	26,115	99.50	27,028	103.75	27,822
87.00	24,079	91.25	25,166	95.50	26,171	99.75	27,078	104.00	27,865
87.25	24,145	91.50	25,228	95.75	26,227	100.00	27,128	104.25	27,906
87.50	24,211	91.75	25,289	96.00	26,283	100.25	27,177	104.50	27,948
87.75	24,276	92.00	25,350	96.25	26,339	100.50	27,226	104.75	27,989
88.00	24,342	92.25	25,410	96.50	26,394	100.75	27,275	105.00	28,029
88.25	24,407	92.50	25,471	96.75	26,449	101.00	27,323	105.25	28,069
88.50	24,471	92.75	25,531	97.00	26,504	101.25	27,371	105.50	28,108
88.75	24,536	93.00	25,591	97.25	26,558	101.50	27,418	105.75	28,146
89.00	24,600	93.25	25,650	97.50	26,611	101.75	27,465	106.00	28,184



## Capacity/Gauge Table Information

**TCLX 290408**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 208

Reporting Mark: TCLX 290408

Date: 14/07/2015

Capacity: 28,983 US Gallons (109,711 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,221	110.50	28,746	114.75	28,969
106.50	28,258	110.75	28,768	115.00	28,973
106.75	28,294	111.00	28,790	115.25	28,976
107.00	28,329	111.25	28,810	115.50	28,978
107.25	28,364	111.50	28,829	115.75	28,980
107.50	28,398	111.75	28,847	116.00	28,981
107.75	28,432	112.00	28,863	116.25	28,982
108.00	28,464	112.25	28,878	116.50	28,983
108.25	28,496	112.50	28,892	116.75	28,983
108.50	28,527	112.75	28,905		
108.75	28,558	113.00	28,916		
109.00	28,587	113.25	28,927		
109.25	28,616	113.50	28,936		
109.50	28,644	113.75	28,945		
109.75	28,671	114.00	28,952		
110.00	28,697	114.25	28,959		
110.25	28,722	114.50	28,964		



## Capacity/Gauge Table Information

**TCLX 290409**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 209

Reporting Mark: TCLX 290409

Date: 16/07/2015

Capacity: 28,951 US Gallons (109,590 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,349	12.75	2,236	17.00	3,224
0.25	29	4.50	631	8.75	1,398	13.00	2,291	17.25	3,285
0.50	58	4.75	672	9.00	1,448	13.25	2,347	17.50	3,346
0.75	89	5.00	714	9.25	1,497	13.50	2,403	17.75	3,408
1.00	120	5.25	756	9.50	1,548	13.75	2,460	18.00	3,470
1.25	152	5.50	799	9.75	1,598	14.00	2,517	18.25	3,532
1.50	185	5.75	842	10.00	1,649	14.25	2,574	18.50	3,594
1.75	219	6.00	886	10.25	1,701	14.50	2,631	18.75	3,657
2.00	253	6.25	930	10.50	1,752	14.75	2,689	19.00	3,720
2.25	288	6.50	975	10.75	1,805	15.00	2,747	19.25	3,783
2.50	324	6.75	1,020	11.00	1,857	15.25	2,806	19.50	3,846
2.75	360	7.00	1,066	11.25	1,910	15.50	2,865	19.75	3,910
3.00	397	7.25	1,112	11.50	1,963	15.75	2,924	20.00	3,974
3.25	434	7.50	1,158	11.75	2,017	16.00	2,983	20.25	4,038
3.50	472	7.75	1,205	12.00	2,071	16.25	3,043	20.50	4,102
3.75	511	8.00	1,253	12.25	2,126	16.50	3,103	20.75	4,167
4.00	551	8.25	1,301	12.50	2,180	16.75	3,164	21.00	4,232





## Capacity/Gauge Table Information

**TCLX 290409**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 209

Reporting Mark: TCLX 290409

Date: 16/07/2015

Capacity: 28,951 US Gallons (109,590 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,297	25.50	5,441	29.75	6,643	34.00	7,893	38.25	9,182
21.50	4,363	25.75	5,510	30.00	6,715	34.25	7,968	38.50	9,259
21.75	4,428	26.00	5,580	30.25	6,788	34.50	8,043	38.75	9,336
22.00	4,494	26.25	5,649	30.50	6,860	34.75	8,118	39.00	9,413
22.25	4,561	26.50	5,719	30.75	6,933	35.00	8,193	39.25	9,490
22.50	4,627	26.75	5,789	31.00	7,006	35.25	8,269	39.50	9,567
22.75	4,694	27.00	5,859	31.25	7,079	35.50	8,344	39.75	9,644
23.00	4,760	27.25	5,929	31.50	7,153	35.75	8,420	40.00	9,722
23.25	4,828	27.50	6,000	31.75	7,226	36.00	8,495	40.25	9,799
23.50	4,895	27.75	6,071	32.00	7,300	36.25	8,571	40.50	9,877
23.75	4,962	28.00	6,142	32.25	7,373	36.50	8,647	40.75	9,955
24.00	5,030	28.25	6,213	32.50	7,447	36.75	8,723	41.00	10,032
24.25	5,098	28.50	6,284	32.75	7,521	37.00	8,799	41.25	10,110
24.50	5,166	28.75	6,356	33.00	7,595	37.25	8,876	41.50	10,188
24.75	5,235	29.00	6,427	33.25	7,670	37.50	8,952	41.75	10,266
25.00	5,303	29.25	6,499	33.50	7,744	37.75	9,029	42.00	10,344
25.25	5,372	29.50	6,571	33.75	7,818	38.00	9,105	42.25	10,422



## Capacity/Gauge Table Information

**TCLX 290409**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 209

Reporting Mark: TCLX 290409

Date: 16/07/2015

Capacity: 28,951 US Gallons (109,590 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,501	46.75	11,841	51.00	13,195	55.25	14,555	59.50	15,913
42.75	10,579	47.00	11,920	51.25	13,275	55.50	14,635	59.75	15,993
43.00	10,657	47.25	12,000	51.50	13,355	55.75	14,715	60.00	16,073
43.25	10,736	47.50	12,079	51.75	13,435	56.00	14,795	60.25	16,152
43.50	10,814	47.75	12,158	52.00	13,515	56.25	14,875	60.50	16,232
43.75	10,893	48.00	12,238	52.25	13,595	56.50	14,955	60.75	16,311
44.00	10,972	48.25	12,318	52.50	13,675	56.75	15,035	61.00	16,391
44.25	11,050	48.50	12,397	52.75	13,755	57.00	15,115	61.25	16,470
44.50	11,129	48.75	12,477	53.00	13,835	57.25	15,195	61.50	16,550
44.75	11,208	49.00	12,556	53.25	13,915	57.50	15,275	61.75	16,629
45.00	11,287	49.25	12,636	53.50	13,995	57.75	15,355	62.00	16,708
45.25	11,366	49.50	12,716	53.75	14,075	58.00	15,434	62.25	16,788
45.50	11,445	49.75	12,796	54.00	14,155	58.25	15,514	62.50	16,867
45.75	11,524	50.00	12,875	54.25	14,235	58.50	15,594	62.75	16,946
46.00	11,603	50.25	12,955	54.50	14,315	58.75	15,674	63.00	17,025
46.25	11,682	50.50	13,035	54.75	14,395	59.00	15,754	63.25	17,104
46.50	11,762	50.75	13,115	55.00	14,475	59.25	15,833	63.50	17,183



## Capacity/Gauge Table Information

**TCLX 290409**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 209

Reporting Mark: TCLX 290409

Date: 16/07/2015

Capacity: 28,951 US Gallons (109,590 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,262	68.00	18,594	72.25	19,901	76.50	21,175	80.75	22,406
64.00	17,341	68.25	18,672	72.50	19,977	76.75	21,248	81.00	22,476
64.25	17,420	68.50	18,749	72.75	20,053	77.00	21,322	81.25	22,547
64.50	17,499	68.75	18,827	73.00	20,129	77.25	21,395	81.50	22,618
64.75	17,578	69.00	18,904	73.25	20,204	77.50	21,468	81.75	22,688
65.00	17,656	69.25	18,982	73.50	20,280	77.75	21,541	82.00	22,758
65.25	17,735	69.50	19,059	73.75	20,355	78.00	21,614	82.25	22,828
65.50	17,813	69.75	19,136	74.00	20,430	78.25	21,687	82.50	22,898
65.75	17,892	70.00	19,213	74.25	20,505	78.50	21,760	82.75	22,967
66.00	17,970	70.25	19,290	74.50	20,580	78.75	21,832	83.00	23,037
66.25	18,048	70.50	19,367	74.75	20,655	79.00	21,904	83.25	23,106
66.50	18,127	70.75	19,443	75.00	20,730	79.25	21,977	83.50	23,175
66.75	18,205	71.00	19,520	75.25	20,804	79.50	22,048	83.75	23,244
67.00	18,283	71.25	19,596	75.50	20,878	79.75	22,120	84.00	23,312
67.25	18,361	71.50	19,673	75.75	20,953	80.00	22,192	84.25	23,380
67.50	18,439	71.75	19,749	76.00	21,027	80.25	22,263	84.50	23,449
67.75	18,517	72.00	19,825	76.25	21,101	80.50	22,334	84.75	23,517



## Capacity/Gauge Table Information

**TCLX 290409**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 209

Reporting Mark: TCLX 290409

Date: 16/07/2015

Capacity: 28,951 US Gallons (109,590 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,584	89.25	24,700	93.50	25,740	97.75	26,688	102.00	27,526
85.25	23,652	89.50	24,763	93.75	25,798	98.00	26,741	102.25	27,572
85.50	23,719	89.75	24,826	94.00	25,856	98.25	26,793	102.50	27,617
85.75	23,786	90.00	24,889	94.25	25,914	98.50	26,845	102.75	27,661
86.00	23,853	90.25	24,952	94.50	25,972	98.75	26,896	103.00	27,705
86.25	23,919	90.50	25,014	94.75	26,029	99.00	26,947	103.25	27,748
86.50	23,986	90.75	25,076	95.00	26,086	99.25	26,998	103.50	27,791
86.75	24,052	91.00	25,138	95.25	26,142	99.50	27,048	103.75	27,833
87.00	24,118	91.25	25,199	95.50	26,198	99.75	27,098	104.00	27,875
87.25	24,183	91.50	25,261	95.75	26,254	100.00	27,147	104.25	27,916
87.50	24,249	91.75	25,321	96.00	26,310	100.25	27,196	104.50	27,957
87.75	24,314	92.00	25,382	96.25	26,365	100.50	27,245	104.75	27,997
88.00	24,379	92.25	25,442	96.50	26,420	100.75	27,293	105.00	28,037
88.25	24,444	92.50	25,502	96.75	26,474	101.00	27,340	105.25	28,076
88.50	24,508	92.75	25,562	97.00	26,528	101.25	27,388	105.50	28,114
88.75	24,572	93.00	25,622	97.25	26,582	101.50	27,434	105.75	28,152
89.00	24,636	93.25	25,681	97.50	26,635	101.75	27,481	106.00	28,189



## Capacity/Gauge Table Information

**TCLX 290409**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 209

Reporting Mark: TCLX 290409

Date: 16/07/2015

Capacity: 28,951 US Gallons (109,590 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,226	110.50	28,732	114.75	28,938
106.50	28,261	110.75	28,754	115.00	28,941
106.75	28,297	111.00	28,773	115.25	28,944
107.00	28,331	111.25	28,792	115.50	28,947
107.25	28,365	111.50	28,809	115.75	28,948
107.50	28,398	111.75	28,825	116.00	28,949
107.75	28,431	112.00	28,840	116.25	28,950
108.00	28,463	112.25	28,854	116.50	28,950
108.25	28,494	112.50	28,867	116.75	28,951
108.50	28,524	112.75	28,879		
108.75	28,553	113.00	28,889		
109.00	28,582	113.25	28,899		
109.25	28,609	113.50	28,908		
109.50	28,636	113.75	28,916		
109.75	28,662	114.00	28,922		
110.00	28,686	114.25	28,928		
110.25	28,710	114.50	28,933		



## Capacity/Gauge Table Information

**TCLX 290410**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 210

Reporting Mark: TCLX 290410

Date: 16/07/2015

Capacity: 28,967 US Gallons (109,653 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,335	12.75	2,216	17.00	3,200
0.25	28	4.50	622	8.75	1,384	13.00	2,271	17.25	3,261
0.50	57	4.75	663	9.00	1,433	13.25	2,327	17.50	3,322
0.75	87	5.00	704	9.25	1,482	13.50	2,383	17.75	3,383
1.00	118	5.25	746	9.50	1,532	13.75	2,439	18.00	3,445
1.25	150	5.50	788	9.75	1,582	14.00	2,496	18.25	3,507
1.50	182	5.75	831	10.00	1,633	14.25	2,553	18.50	3,569
1.75	215	6.00	875	10.25	1,684	14.50	2,610	18.75	3,631
2.00	249	6.25	918	10.50	1,735	14.75	2,668	19.00	3,694
2.25	283	6.50	963	10.75	1,787	15.00	2,726	19.25	3,757
2.50	318	6.75	1,008	11.00	1,840	15.25	2,784	19.50	3,820
2.75	354	7.00	1,053	11.25	1,892	15.50	2,842	19.75	3,884
3.00	391	7.25	1,099	11.50	1,945	15.75	2,901	20.00	3,947
3.25	428	7.50	1,145	11.75	1,999	16.00	2,960	20.25	4,011
3.50	465	7.75	1,192	12.00	2,052	16.25	3,020	20.50	4,076
3.75	504	8.00	1,239	12.25	2,107	16.50	3,080	20.75	4,140
4.00	543	8.25	1,287	12.50	2,161	16.75	3,140	21.00	4,205



## Capacity/Gauge Table Information

**TCLX 290410**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 210

Reporting Mark: TCLX 290410

Date: 16/07/2015

Capacity: 28,967 US Gallons (109,653 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,270	25.50	5,410	29.75	6,610	34.00	7,858	38.25	9,145
21.50	4,335	25.75	5,479	30.00	6,682	34.25	7,932	38.50	9,221
21.75	4,401	26.00	5,549	30.25	6,754	34.50	8,007	38.75	9,298
22.00	4,466	26.25	5,618	30.50	6,827	34.75	8,082	39.00	9,375
22.25	4,532	26.50	5,688	30.75	6,899	35.00	8,157	39.25	9,452
22.50	4,599	26.75	5,758	31.00	6,972	35.25	8,233	39.50	9,529
22.75	4,665	27.00	5,828	31.25	7,045	35.50	8,308	39.75	9,607
23.00	4,732	27.25	5,898	31.50	7,118	35.75	8,383	40.00	9,684
23.25	4,799	27.50	5,968	31.75	7,192	36.00	8,459	40.25	9,761
23.50	4,866	27.75	6,039	32.00	7,265	36.25	8,535	40.50	9,839
23.75	4,933	28.00	6,109	32.25	7,339	36.50	8,611	40.75	9,916
24.00	5,001	28.25	6,180	32.50	7,412	36.75	8,687	41.00	9,994
24.25	5,068	28.50	6,252	32.75	7,486	37.00	8,763	41.25	10,072
24.50	5,136	28.75	6,323	33.00	7,560	37.25	8,839	41.50	10,150
24.75	5,204	29.00	6,394	33.25	7,634	37.50	8,915	41.75	10,228
25.00	5,273	29.25	6,466	33.50	7,709	37.75	8,992	42.00	10,306
25.25	5,342	29.50	6,538	33.75	7,783	38.00	9,068	42.25	10,384





## Capacity/Gauge Table Information

**TCLX 290410**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 210

Reporting Mark: TCLX 290410

Date: 16/07/2015

Capacity: 28,967 US Gallons (109,653 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,462	46.75	11,801	51.00	13,154	55.25	14,514	59.50	15,872
42.75	10,540	47.00	11,880	51.25	13,234	55.50	14,594	59.75	15,952
43.00	10,618	47.25	11,960	51.50	13,314	55.75	14,674	60.00	16,031
43.25	10,697	47.50	12,039	51.75	13,394	56.00	14,754	60.25	16,111
43.50	10,775	47.75	12,118	52.00	13,474	56.25	14,834	60.50	16,191
43.75	10,854	48.00	12,198	52.25	13,554	56.50	14,914	60.75	16,270
44.00	10,932	48.25	12,277	52.50	13,634	56.75	14,994	61.00	16,350
44.25	11,011	48.50	12,357	52.75	13,714	57.00	15,074	61.25	16,429
44.50	11,090	48.75	12,437	53.00	13,794	57.25	15,154	61.50	16,509
44.75	11,169	49.00	12,516	53.25	13,874	57.50	15,234	61.75	16,588
45.00	11,247	49.25	12,596	53.50	13,954	57.75	15,313	62.00	16,667
45.25	11,326	49.50	12,676	53.75	14,034	58.00	15,393	62.25	16,747
45.50	11,405	49.75	12,755	54.00	14,114	58.25	15,473	62.50	16,826
45.75	11,484	50.00	12,835	54.25	14,194	58.50	15,553	62.75	16,905
46.00	11,563	50.25	12,915	54.50	14,274	58.75	15,633	63.00	16,984
46.25	11,643	50.50	12,995	54.75	14,354	59.00	15,713	63.25	17,063
46.50	11,722	50.75	13,074	55.00	14,434	59.25	15,792	63.50	17,143



## Capacity/Gauge Table Information

**TCLX 290410**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 210

Reporting Mark: TCLX 290410

Date: 16/07/2015

Capacity: 28,967 US Gallons (109,653 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,222	68.00	18,554	72.25	19,862	76.50	21,137	80.75	22,370
64.00	17,300	68.25	18,632	72.50	19,938	76.75	21,211	81.00	22,441
64.25	17,379	68.50	18,710	72.75	20,014	77.00	21,285	81.25	22,512
64.50	17,458	68.75	18,787	73.00	20,090	77.25	21,358	81.50	22,583
64.75	17,537	69.00	18,865	73.25	20,166	77.50	21,431	81.75	22,653
65.00	17,616	69.25	18,942	73.50	20,241	77.75	21,505	82.00	22,723
65.25	17,694	69.50	19,019	73.75	20,316	78.00	21,578	82.25	22,793
65.50	17,773	69.75	19,096	74.00	20,392	78.25	21,650	82.50	22,863
65.75	17,851	70.00	19,173	74.25	20,467	78.50	21,723	82.75	22,933
66.00	17,930	70.25	19,250	74.50	20,542	78.75	21,796	83.00	23,002
66.25	18,008	70.50	19,327	74.75	20,617	79.00	21,868	83.25	23,072
66.50	18,086	70.75	19,404	75.00	20,692	79.25	21,940	83.50	23,141
66.75	18,164	71.00	19,481	75.25	20,766	79.50	22,012	83.75	23,210
67.00	18,243	71.25	19,557	75.50	20,841	79.75	22,084	84.00	23,279
67.25	18,321	71.50	19,634	75.75	20,915	80.00	22,156	84.25	23,347
67.50	18,399	71.75	19,710	76.00	20,989	80.25	22,228	84.50	23,415
67.75	18,476	72.00	19,786	76.25	21,063	80.50	22,299	84.75	23,483



## Capacity/Gauge Table Information

**TCLX 290410**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 210

Reporting Mark: TCLX 290410

Date: 16/07/2015

Capacity: 28,967 US Gallons (109,653 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,551	89.25	24,670	93.50	25,713	97.75	26,667	102.00	27,511
85.25	23,619	89.50	24,733	93.75	25,772	98.00	26,720	102.25	27,556
85.50	23,686	89.75	24,797	94.00	25,831	98.25	26,772	102.50	27,601
85.75	23,754	90.00	24,860	94.25	25,889	98.50	26,824	102.75	27,646
86.00	23,821	90.25	24,923	94.50	25,946	98.75	26,876	103.00	27,690
86.25	23,887	90.50	24,985	94.75	26,004	99.00	26,927	103.25	27,734
86.50	23,954	90.75	25,047	95.00	26,061	99.25	26,978	103.50	27,777
86.75	24,020	91.00	25,109	95.25	26,118	99.50	27,029	103.75	27,820
87.00	24,086	91.25	25,171	95.50	26,174	99.75	27,079	104.00	27,862
87.25	24,152	91.50	25,233	95.75	26,230	100.00	27,129	104.25	27,904
87.50	24,218	91.75	25,294	96.00	26,286	100.25	27,178	104.50	27,945
87.75	24,283	92.00	25,354	96.25	26,342	100.50	27,227	104.75	27,986
88.00	24,348	92.25	25,415	96.50	26,397	100.75	27,275	105.00	28,026
88.25	24,413	92.50	25,475	96.75	26,451	101.00	27,323	105.25	28,065
88.50	24,478	92.75	25,535	97.00	26,506	101.25	27,371	105.50	28,104
88.75	24,542	93.00	25,595	97.25	26,560	101.50	27,418	105.75	28,142
89.00	24,606	93.25	25,654	97.50	26,613	101.75	27,464	106.00	28,180



## Capacity/Gauge Table Information

**TCLX 290410**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 210

Reporting Mark: TCLX 290410

Date: 16/07/2015

Capacity: 28,967 US Gallons (109,653 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,217	110.50	28,736	114.75	28,954
106.50	28,254	110.75	28,759	115.00	28,958
106.75	28,289	111.00	28,780	115.25	28,961
107.00	28,325	111.25	28,799	115.50	28,963
107.25	28,359	111.50	28,818	115.75	28,965
107.50	28,393	111.75	28,835	116.00	28,966
107.75	28,426	112.00	28,851	116.25	28,967
108.00	28,458	112.25	28,865	116.50	28,967
108.25	28,490	112.50	28,879	116.75	28,967
108.50	28,521	112.75	28,891		
108.75	28,551	113.00	28,903		
109.00	28,580	113.25	28,913		
109.25	28,608	113.50	28,922		
109.50	28,636	113.75	28,930		
109.75	28,663	114.00	28,937		
110.00	28,688	114.25	28,944		
110.25	28,713	114.50	28,949		



## Capacity/Gauge Table Information

**TCLX 290411**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 211

Reporting Mark: TCLX 290411

Date: 14/07/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	583	8.50	1,337	12.75	2,219	17.00	3,204
0.25	28	4.50	624	8.75	1,386	13.00	2,274	17.25	3,264
0.50	57	4.75	664	9.00	1,435	13.25	2,330	17.50	3,325
0.75	87	5.00	706	9.25	1,484	13.50	2,386	17.75	3,387
1.00	118	5.25	747	9.50	1,534	13.75	2,442	18.00	3,448
1.25	150	5.50	790	9.75	1,584	14.00	2,499	18.25	3,510
1.50	182	5.75	833	10.00	1,635	14.25	2,556	18.50	3,572
1.75	215	6.00	876	10.25	1,686	14.50	2,613	18.75	3,635
2.00	249	6.25	920	10.50	1,738	14.75	2,671	19.00	3,698
2.25	284	6.50	964	10.75	1,790	15.00	2,729	19.25	3,761
2.50	319	6.75	1,009	11.00	1,842	15.25	2,787	19.50	3,824
2.75	355	7.00	1,055	11.25	1,895	15.50	2,845	19.75	3,887
3.00	391	7.25	1,101	11.50	1,948	15.75	2,904	20.00	3,951
3.25	429	7.50	1,147	11.75	2,001	16.00	2,964	20.25	4,015
3.50	466	7.75	1,194	12.00	2,055	16.25	3,023	20.50	4,079
3.75	505	8.00	1,241	12.25	2,109	16.50	3,083	20.75	4,144
4.00	544	8.25	1,289	12.50	2,164	16.75	3,143	21.00	4,209



## Capacity/Gauge Table Information

**TCLX 290411**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 211

Reporting Mark: TCLX 290411

Date: 14/07/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,274	25.50	5,415	29.75	6,615	34.00	7,863	38.25	9,150
21.50	4,339	25.75	5,484	30.00	6,687	34.25	7,938	38.50	9,227
21.75	4,405	26.00	5,553	30.25	6,759	34.50	8,013	38.75	9,304
22.00	4,470	26.25	5,623	30.50	6,832	34.75	8,088	39.00	9,381
22.25	4,536	26.50	5,692	30.75	6,904	35.00	8,163	39.25	9,458
22.50	4,603	26.75	5,762	31.00	6,977	35.25	8,238	39.50	9,535
22.75	4,669	27.00	5,832	31.25	7,050	35.50	8,313	39.75	9,612
23.00	4,736	27.25	5,902	31.50	7,123	35.75	8,389	40.00	9,690
23.25	4,803	27.50	5,973	31.75	7,197	36.00	8,464	40.25	9,767
23.50	4,870	27.75	6,043	32.00	7,270	36.25	8,540	40.50	9,845
23.75	4,937	28.00	6,114	32.25	7,344	36.50	8,616	40.75	9,922
24.00	5,005	28.25	6,185	32.50	7,417	36.75	8,692	41.00	10,000
24.25	5,073	28.50	6,256	32.75	7,491	37.00	8,768	41.25	10,078
24.50	5,141	28.75	6,328	33.00	7,565	37.25	8,844	41.50	10,155
24.75	5,209	29.00	6,399	33.25	7,640	37.50	8,921	41.75	10,233
25.00	5,277	29.25	6,471	33.50	7,714	37.75	8,997	42.00	10,311
25.25	5,346	29.50	6,543	33.75	7,788	38.00	9,074	42.25	10,390



## Capacity/Gauge Table Information

**TCLX 290411**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 211

Reporting Mark: TCLX 290411

Date: 14/07/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,468	46.75	11,807	51.00	13,161	55.25	14,520	59.50	15,879
42.75	10,546	47.00	11,886	51.25	13,241	55.50	14,600	59.75	15,959
43.00	10,624	47.25	11,966	51.50	13,320	55.75	14,680	60.00	16,038
43.25	10,703	47.50	12,045	51.75	13,400	56.00	14,760	60.25	16,118
43.50	10,781	47.75	12,125	52.00	13,480	56.25	14,840	60.50	16,197
43.75	10,860	48.00	12,204	52.25	13,560	56.50	14,920	60.75	16,277
44.00	10,938	48.25	12,284	52.50	13,640	56.75	15,000	61.00	16,357
44.25	11,017	48.50	12,363	52.75	13,720	57.00	15,080	61.25	16,436
44.50	11,096	48.75	12,443	53.00	13,800	57.25	15,160	61.50	16,515
44.75	11,175	49.00	12,522	53.25	13,880	57.50	15,240	61.75	16,595
45.00	11,254	49.25	12,602	53.50	13,960	57.75	15,320	62.00	16,674
45.25	11,332	49.50	12,682	53.75	14,040	58.00	15,400	62.25	16,754
45.50	11,411	49.75	12,762	54.00	14,120	58.25	15,480	62.50	16,833
45.75	11,490	50.00	12,841	54.25	14,200	58.50	15,560	62.75	16,912
46.00	11,570	50.25	12,921	54.50	14,280	58.75	15,640	63.00	16,991
46.25	11,649	50.50	13,001	54.75	14,360	59.00	15,719	63.25	17,070
46.50	11,728	50.75	13,081	55.00	14,440	59.25	15,799	63.50	17,149





## Capacity/Gauge Table Information

**TCLX 290411**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 211

Reporting Mark: TCLX 290411

Date: 14/07/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,228	68.00	18,561	72.25	19,869	76.50	21,144	80.75	22,377
64.00	17,307	68.25	18,639	72.50	19,945	76.75	21,218	81.00	22,448
64.25	17,386	68.50	18,716	72.75	20,021	77.00	21,291	81.25	22,519
64.50	17,465	68.75	18,794	73.00	20,097	77.25	21,365	81.50	22,589
64.75	17,544	69.00	18,871	73.25	20,172	77.50	21,438	81.75	22,660
65.00	17,622	69.25	18,949	73.50	20,248	77.75	21,511	82.00	22,730
65.25	17,701	69.50	19,026	73.75	20,323	78.00	21,584	82.25	22,800
65.50	17,780	69.75	19,103	74.00	20,399	78.25	21,657	82.50	22,870
65.75	17,858	70.00	19,180	74.25	20,474	78.50	21,730	82.75	22,940
66.00	17,936	70.25	19,257	74.50	20,549	78.75	21,802	83.00	23,009
66.25	18,015	70.50	19,334	74.75	20,624	79.00	21,875	83.25	23,078
66.50	18,093	70.75	19,411	75.00	20,698	79.25	21,947	83.50	23,148
66.75	18,171	71.00	19,487	75.25	20,773	79.50	22,019	83.75	23,216
67.00	18,249	71.25	19,564	75.50	20,847	79.75	22,091	84.00	23,285
67.25	18,327	71.50	19,640	75.75	20,922	80.00	22,163	84.25	23,354
67.50	18,405	71.75	19,717	76.00	20,996	80.25	22,234	84.50	23,422
67.75	18,483	72.00	19,793	76.25	21,070	80.50	22,306	84.75	23,490



## Capacity/Gauge Table Information

**TCLX 290411**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 211

Reporting Mark: TCLX 290411

Date: 14/07/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,558	89.25	24,676	93.50	25,719	97.75	26,672	102.00	27,516
85.25	23,625	89.50	24,740	93.75	25,778	98.00	26,725	102.25	27,561
85.50	23,693	89.75	24,803	94.00	25,837	98.25	26,778	102.50	27,606
85.75	23,760	90.00	24,866	94.25	25,895	98.50	26,830	102.75	27,651
86.00	23,827	90.25	24,929	94.50	25,952	98.75	26,881	103.00	27,695
86.25	23,894	90.50	24,991	94.75	26,010	99.00	26,933	103.25	27,739
86.50	23,960	90.75	25,054	95.00	26,067	99.25	26,984	103.50	27,782
86.75	24,027	91.00	25,116	95.25	26,124	99.50	27,034	103.75	27,825
87.00	24,093	91.25	25,177	95.50	26,180	99.75	27,084	104.00	27,867
87.25	24,158	91.50	25,239	95.75	26,236	100.00	27,134	104.25	27,909
87.50	24,224	91.75	25,300	96.00	26,292	100.25	27,183	104.50	27,950
87.75	24,289	92.00	25,361	96.25	26,347	100.50	27,232	104.75	27,990
88.00	24,354	92.25	25,421	96.50	26,402	100.75	27,280	105.00	28,030
88.25	24,419	92.50	25,481	96.75	26,457	101.00	27,328	105.25	28,070
88.50	24,484	92.75	25,541	97.00	26,512	101.25	27,376	105.50	28,109
88.75	24,548	93.00	25,601	97.25	26,565	101.50	27,423	105.75	28,147
89.00	24,612	93.25	25,660	97.50	26,619	101.75	27,469	106.00	28,184



## Capacity/Gauge Table Information

**TCLX 290411**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 211

Reporting Mark: TCLX 290411

Date: 14/07/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,221	110.50	28,739	114.75	28,955
106.50	28,258	110.75	28,761	115.00	28,959
106.75	28,294	111.00	28,782	115.25	28,962
107.00	28,329	111.25	28,802	115.50	28,964
107.25	28,363	111.50	28,820	115.75	28,966
107.50	28,397	111.75	28,837	116.00	28,967
107.75	28,430	112.00	28,853	116.25	28,968
108.00	28,462	112.25	28,867	116.50	28,968
108.25	28,494	112.50	28,881	116.75	28,968
108.50	28,524	112.75	28,893		
108.75	28,554	113.00	28,904		
109.00	28,584	113.25	28,914		
109.25	28,612	113.50	28,923		
109.50	28,639	113.75	28,932		
109.75	28,666	114.00	28,939		
110.00	28,691	114.25	28,945		
110.25	28,716	114.50	28,950		



## Capacity/Gauge Table Information

**TCLX 290412**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290412

Date: 23/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,334	12.75	2,215	17.00	3,199
0.25	28	4.50	622	8.75	1,383	13.00	2,270	17.25	3,259
0.50	57	4.75	663	9.00	1,432	13.25	2,326	17.50	3,320
0.75	87	5.00	704	9.25	1,481	13.50	2,381	17.75	3,382
1.00	118	5.25	746	9.50	1,531	13.75	2,438	18.00	3,443
1.25	149	5.50	788	9.75	1,581	14.00	2,494	18.25	3,505
1.50	182	5.75	831	10.00	1,632	14.25	2,551	18.50	3,567
1.75	215	6.00	874	10.25	1,683	14.50	2,609	18.75	3,629
2.00	248	6.25	918	10.50	1,734	14.75	2,666	19.00	3,692
2.25	283	6.50	962	10.75	1,786	15.00	2,724	19.25	3,755
2.50	318	6.75	1,007	11.00	1,838	15.25	2,782	19.50	3,818
2.75	354	7.00	1,052	11.25	1,891	15.50	2,841	19.75	3,882
3.00	390	7.25	1,098	11.50	1,944	15.75	2,900	20.00	3,945
3.25	427	7.50	1,144	11.75	1,997	16.00	2,959	20.25	4,009
3.50	465	7.75	1,191	12.00	2,051	16.25	3,018	20.50	4,074
3.75	503	8.00	1,238	12.25	2,105	16.50	3,078	20.75	4,138
4.00	542	8.25	1,286	12.50	2,160	16.75	3,138	21.00	4,203



## Capacity/Gauge Table Information

**TCLX 290412**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290412

Date: 23/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,268	25.50	5,408	29.75	6,607	34.00	7,854	38.25	9,141
21.50	4,333	25.75	5,477	30.00	6,679	34.25	7,929	38.50	9,217
21.75	4,398	26.00	5,546	30.25	6,751	34.50	8,004	38.75	9,294
22.00	4,464	26.25	5,615	30.50	6,824	34.75	8,079	39.00	9,371
22.25	4,530	26.50	5,685	30.75	6,896	35.00	8,154	39.25	9,448
22.50	4,596	26.75	5,755	31.00	6,969	35.25	8,229	39.50	9,525
22.75	4,663	27.00	5,825	31.25	7,042	35.50	8,304	39.75	9,602
23.00	4,729	27.25	5,895	31.50	7,115	35.75	8,380	40.00	9,680
23.25	4,796	27.50	5,965	31.75	7,188	36.00	8,455	40.25	9,757
23.50	4,863	27.75	6,036	32.00	7,262	36.25	8,531	40.50	9,835
23.75	4,931	28.00	6,107	32.25	7,335	36.50	8,607	40.75	9,912
24.00	4,998	28.25	6,178	32.50	7,409	36.75	8,683	41.00	9,990
24.25	5,066	28.50	6,249	32.75	7,483	37.00	8,759	41.25	10,068
24.50	5,134	28.75	6,320	33.00	7,557	37.25	8,835	41.50	10,145
24.75	5,202	29.00	6,391	33.25	7,631	37.50	8,911	41.75	10,223
25.00	5,270	29.25	6,463	33.50	7,705	37.75	8,988	42.00	10,301
25.25	5,339	29.50	6,535	33.75	7,780	38.00	9,064	42.25	10,379



## Capacity/Gauge Table Information

**TCLX 290412**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290412

Date: 23/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,457	46.75	11,796	51.00	13,149	55.25	14,508	59.50	15,866
42.75	10,536	47.00	11,875	51.25	13,229	55.50	14,588	59.75	15,946
43.00	10,614	47.25	11,955	51.50	13,309	55.75	14,668	60.00	16,025
43.25	10,692	47.50	12,034	51.75	13,389	56.00	14,748	60.25	16,105
43.50	10,771	47.75	12,114	52.00	13,468	56.25	14,828	60.50	16,185
43.75	10,849	48.00	12,193	52.25	13,548	56.50	14,908	60.75	16,264
44.00	10,928	48.25	12,272	52.50	13,628	56.75	14,988	61.00	16,344
44.25	11,007	48.50	12,352	52.75	13,708	57.00	15,068	61.25	16,423
44.50	11,085	48.75	12,432	53.00	13,788	57.25	15,148	61.50	16,502
44.75	11,164	49.00	12,511	53.25	13,868	57.50	15,228	61.75	16,582
45.00	11,243	49.25	12,591	53.50	13,948	57.75	15,308	62.00	16,661
45.25	11,322	49.50	12,670	53.75	14,028	58.00	15,387	62.25	16,740
45.50	11,401	49.75	12,750	54.00	14,108	58.25	15,467	62.50	16,820
45.75	11,480	50.00	12,830	54.25	14,188	58.50	15,547	62.75	16,899
46.00	11,559	50.25	12,910	54.50	14,268	58.75	15,627	63.00	16,978
46.25	11,638	50.50	12,989	54.75	14,348	59.00	15,707	63.25	17,057
46.50	11,717	50.75	13,069	55.00	14,428	59.25	15,786	63.50	17,136



## Capacity/Gauge Table Information

**TCLX 290412**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290412

Date: 23/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,215	68.00	18,547	72.25	19,855	76.50	21,130	80.75	22,362
64.00	17,294	68.25	18,625	72.50	19,931	76.75	21,203	81.00	22,433
64.25	17,373	68.50	18,703	72.75	20,007	77.00	21,277	81.25	22,504
64.50	17,452	68.75	18,780	73.00	20,083	77.25	21,350	81.50	22,575
64.75	17,530	69.00	18,858	73.25	20,158	77.50	21,424	81.75	22,645
65.00	17,609	69.25	18,935	73.50	20,234	77.75	21,497	82.00	22,715
65.25	17,688	69.50	19,012	73.75	20,309	78.00	21,570	82.25	22,785
65.50	17,766	69.75	19,089	74.00	20,384	78.25	21,643	82.50	22,855
65.75	17,845	70.00	19,166	74.25	20,459	78.50	21,715	82.75	22,925
66.00	17,923	70.25	19,243	74.50	20,534	78.75	21,788	83.00	22,995
66.25	18,001	70.50	19,320	74.75	20,609	79.00	21,860	83.25	23,064
66.50	18,079	70.75	19,397	75.00	20,684	79.25	21,933	83.50	23,133
66.75	18,158	71.00	19,473	75.25	20,759	79.50	22,005	83.75	23,202
67.00	18,236	71.25	19,550	75.50	20,833	79.75	22,076	84.00	23,271
67.25	18,314	71.50	19,626	75.75	20,907	80.00	22,148	84.25	23,339
67.50	18,392	71.75	19,703	76.00	20,982	80.25	22,220	84.50	23,407
67.75	18,470	72.00	19,779	76.25	21,056	80.50	22,291	84.75	23,475





## Capacity/Gauge Table Information

**TCLX 290412**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290412

Date: 23/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,543	89.25	24,662	93.50	25,705	97.75	26,658	102.00	27,502
85.25	23,611	89.50	24,725	93.75	25,764	98.00	26,711	102.25	27,548
85.50	23,678	89.75	24,789	94.00	25,822	98.25	26,764	102.50	27,593
85.75	23,745	90.00	24,852	94.25	25,880	98.50	26,816	102.75	27,638
86.00	23,812	90.25	24,914	94.50	25,938	98.75	26,868	103.00	27,682
86.25	23,879	90.50	24,977	94.75	25,996	99.00	26,919	103.25	27,726
86.50	23,946	90.75	25,039	95.00	26,053	99.25	26,970	103.50	27,769
86.75	24,012	91.00	25,101	95.25	26,109	99.50	27,020	103.75	27,812
87.00	24,078	91.25	25,163	95.50	26,166	99.75	27,070	104.00	27,854
87.25	24,144	91.50	25,224	95.75	26,222	100.00	27,120	104.25	27,896
87.50	24,209	91.75	25,285	96.00	26,278	100.25	27,169	104.50	27,937
87.75	24,275	92.00	25,346	96.25	26,333	100.50	27,218	104.75	27,977
88.00	24,340	92.25	25,407	96.50	26,388	100.75	27,267	105.00	28,018
88.25	24,405	92.50	25,467	96.75	26,443	101.00	27,315	105.25	28,057
88.50	24,469	92.75	25,527	97.00	26,497	101.25	27,362	105.50	28,096
88.75	24,534	93.00	25,587	97.25	26,551	101.50	27,409	105.75	28,134
89.00	24,598	93.25	25,646	97.50	26,605	101.75	27,456	106.00	28,172



## Capacity/Gauge Table Information

**TCLX 290412**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290412

Date: 23/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,209	110.50	28,728	114.75	28,946
106.50	28,245	110.75	28,751	115.00	28,950
106.75	28,281	111.00	28,772	115.25	28,953
107.00	28,316	111.25	28,791	115.50	28,955
107.25	28,351	111.50	28,810	115.75	28,957
107.50	28,385	111.75	28,827	116.00	28,958
107.75	28,418	112.00	28,843	116.25	28,959
108.00	28,450	112.25	28,857	116.50	28,959
108.25	28,482	112.50	28,871	116.75	28,959
108.50	28,513	112.75	28,883		
108.75	28,543	113.00	28,895		
109.00	28,572	113.25	28,905		
109.25	28,600	113.50	28,914		
109.50	28,628	113.75	28,922		
109.75	28,654	114.00	28,930		
110.00	28,680	114.25	28,936		
110.25	28,705	114.50	28,941		



## Capacity/Gauge Table Information

**TCLX 290413**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 213

Reporting Mark: TCLX 290413

Date: 09/07/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,341	12.75	2,225	17.00	3,211
0.25	28	4.50	626	8.75	1,390	13.00	2,280	17.25	3,272
0.50	58	4.75	667	9.00	1,439	13.25	2,336	17.50	3,333
0.75	88	5.00	708	9.25	1,489	13.50	2,392	17.75	3,394
1.00	119	5.25	750	9.50	1,539	13.75	2,448	18.00	3,456
1.25	151	5.50	793	9.75	1,589	14.00	2,505	18.25	3,518
1.50	183	5.75	836	10.00	1,640	14.25	2,562	18.50	3,580
1.75	216	6.00	879	10.25	1,691	14.50	2,619	18.75	3,643
2.00	250	6.25	923	10.50	1,743	14.75	2,677	19.00	3,706
2.25	285	6.50	968	10.75	1,795	15.00	2,735	19.25	3,769
2.50	321	6.75	1,013	11.00	1,847	15.25	2,794	19.50	3,832
2.75	357	7.00	1,058	11.25	1,900	15.50	2,852	19.75	3,896
3.00	393	7.25	1,104	11.50	1,953	15.75	2,911	20.00	3,959
3.25	430	7.50	1,151	11.75	2,007	16.00	2,971	20.25	4,023
3.50	468	7.75	1,198	12.00	2,061	16.25	3,030	20.50	4,088
3.75	507	8.00	1,245	12.25	2,115	16.50	3,090	20.75	4,152
4.00	546	8.25	1,293	12.50	2,170	16.75	3,151	21.00	4,217



## Capacity/Gauge Table Information

**TCLX 290413**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 213

Reporting Mark: TCLX 290413

Date: 09/07/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,282	25.50	5,425	29.75	6,626	34.00	7,875	38.25	9,163
21.50	4,348	25.75	5,494	30.00	6,698	34.25	7,950	38.50	9,240
21.75	4,413	26.00	5,563	30.25	6,770	34.50	8,025	38.75	9,317
22.00	4,479	26.25	5,633	30.50	6,843	34.75	8,100	39.00	9,394
22.25	4,545	26.50	5,702	30.75	6,916	35.00	8,175	39.25	9,471
22.50	4,612	26.75	5,772	31.00	6,988	35.25	8,250	39.50	9,548
22.75	4,678	27.00	5,842	31.25	7,062	35.50	8,326	39.75	9,625
23.00	4,745	27.25	5,913	31.50	7,135	35.75	8,401	40.00	9,703
23.25	4,812	27.50	5,983	31.75	7,208	36.00	8,477	40.25	9,780
23.50	4,879	27.75	6,054	32.00	7,282	36.25	8,553	40.50	9,858
23.75	4,947	28.00	6,125	32.25	7,355	36.50	8,628	40.75	9,935
24.00	5,014	28.25	6,196	32.50	7,429	36.75	8,705	41.00	10,013
24.25	5,082	28.50	6,267	32.75	7,503	37.00	8,781	41.25	10,091
24.50	5,150	28.75	6,338	33.00	7,577	37.25	8,857	41.50	10,169
24.75	5,218	29.00	6,410	33.25	7,651	37.50	8,933	41.75	10,247
25.00	5,287	29.25	6,482	33.50	7,726	37.75	9,010	42.00	10,325
25.25	5,356	29.50	6,554	33.75	7,800	38.00	9,086	42.25	10,403



## Capacity/Gauge Table Information

**TCLX 290413**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 213

Reporting Mark: TCLX 290413

Date: 09/07/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,481	46.75	11,821	51.00	13,175	55.25	14,536	59.50	15,895
42.75	10,560	47.00	11,901	51.25	13,255	55.50	14,616	59.75	15,974
43.00	10,638	47.25	11,980	51.50	13,335	55.75	14,696	60.00	16,054
43.25	10,716	47.50	12,060	51.75	13,415	56.00	14,776	60.25	16,134
43.50	10,795	47.75	12,139	52.00	13,495	56.25	14,856	60.50	16,213
43.75	10,874	48.00	12,219	52.25	13,575	56.50	14,936	60.75	16,293
44.00	10,952	48.25	12,298	52.50	13,655	56.75	15,016	61.00	16,372
44.25	11,031	48.50	12,378	52.75	13,735	57.00	15,096	61.25	16,452
44.50	11,110	48.75	12,457	53.00	13,815	57.25	15,176	61.50	16,531
44.75	11,189	49.00	12,537	53.25	13,895	57.50	15,256	61.75	16,611
45.00	11,267	49.25	12,617	53.50	13,975	57.75	15,336	62.00	16,690
45.25	11,346	49.50	12,696	53.75	14,055	58.00	15,416	62.25	16,769
45.50	11,425	49.75	12,776	54.00	14,135	58.25	15,495	62.50	16,849
45.75	11,505	50.00	12,856	54.25	14,215	58.50	15,575	62.75	16,928
46.00	11,584	50.25	12,936	54.50	14,296	58.75	15,655	63.00	17,007
46.25	11,663	50.50	13,016	54.75	14,376	59.00	15,735	63.25	17,086
46.50	11,742	50.75	13,096	55.00	14,456	59.25	15,815	63.50	17,165



## Capacity/Gauge Table Information

**TCLX 290413**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 213

Reporting Mark: TCLX 290413

Date: 09/07/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,244	68.00	18,577	72.25	19,885	76.50	21,160	80.75	22,392
64.00	17,323	68.25	18,655	72.50	19,961	76.75	21,234	81.00	22,463
64.25	17,402	68.50	18,732	72.75	20,037	77.00	21,307	81.25	22,534
64.50	17,481	68.75	18,810	73.00	20,113	77.25	21,381	81.50	22,605
64.75	17,560	69.00	18,887	73.25	20,188	77.50	21,454	81.75	22,675
65.00	17,638	69.25	18,965	73.50	20,264	77.75	21,527	82.00	22,746
65.25	17,717	69.50	19,042	73.75	20,339	78.00	21,600	82.25	22,816
65.50	17,796	69.75	19,119	74.00	20,415	78.25	21,673	82.50	22,885
65.75	17,874	70.00	19,196	74.25	20,490	78.50	21,746	82.75	22,955
66.00	17,953	70.25	19,273	74.50	20,565	78.75	21,818	83.00	23,025
66.25	18,031	70.50	19,350	74.75	20,640	79.00	21,891	83.25	23,094
66.50	18,109	70.75	19,427	75.00	20,714	79.25	21,963	83.50	23,163
66.75	18,187	71.00	19,504	75.25	20,789	79.50	22,035	83.75	23,232
67.00	18,265	71.25	19,580	75.50	20,863	79.75	22,107	84.00	23,300
67.25	18,344	71.50	19,657	75.75	20,938	80.00	22,178	84.25	23,369
67.50	18,421	71.75	19,733	76.00	21,012	80.25	22,250	84.50	23,437
67.75	18,499	72.00	19,809	76.25	21,086	80.50	22,321	84.75	23,505



## Capacity/Gauge Table Information

**TCLX 290413**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 213

Reporting Mark: TCLX 290413

Date: 09/07/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,573	89.25	24,691	93.50	25,733	97.75	26,685	102.00	27,526
85.25	23,641	89.50	24,754	93.75	25,792	98.00	26,737	102.25	27,572
85.50	23,708	89.75	24,817	94.00	25,850	98.25	26,790	102.50	27,617
85.75	23,775	90.00	24,880	94.25	25,908	98.50	26,842	102.75	27,662
86.00	23,842	90.25	24,943	94.50	25,966	98.75	26,893	103.00	27,706
86.25	23,909	90.50	25,006	94.75	26,023	99.00	26,945	103.25	27,749
86.50	23,975	90.75	25,068	95.00	26,080	99.25	26,996	103.50	27,792
86.75	24,042	91.00	25,130	95.25	26,137	99.50	27,046	103.75	27,835
87.00	24,108	91.25	25,191	95.50	26,193	99.75	27,096	104.00	27,877
87.25	24,173	91.50	25,253	95.75	26,249	100.00	27,146	104.25	27,918
87.50	24,239	91.75	25,314	96.00	26,305	100.25	27,195	104.50	27,959
87.75	24,304	92.00	25,375	96.25	26,360	100.50	27,243	104.75	28,000
88.00	24,369	92.25	25,435	96.50	26,415	100.75	27,292	105.00	28,040
88.25	24,434	92.50	25,495	96.75	26,470	101.00	27,340	105.25	28,079
88.50	24,499	92.75	25,555	97.00	26,524	101.25	27,387	105.50	28,118
88.75	24,563	93.00	25,615	97.25	26,578	101.50	27,434	105.75	28,156
89.00	24,627	93.25	25,674	97.50	26,632	101.75	27,480	106.00	28,193





## Capacity/Gauge Table Information

**TCLX 290413**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 213

Reporting Mark: TCLX 290413

Date: 09/07/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,230	110.50	28,744	114.75	28,956
106.50	28,266	110.75	28,766	115.00	28,960
106.75	28,302	111.00	28,786	115.25	28,963
107.00	28,337	111.25	28,806	115.50	28,965
107.25	28,371	111.50	28,824	115.75	28,967
107.50	28,405	111.75	28,840	116.00	28,968
107.75	28,437	112.00	28,856	116.25	28,969
108.00	28,470	112.25	28,870	116.50	28,969
108.25	28,501	112.50	28,883	116.75	28,970
108.50	28,531	112.75	28,895		
108.75	28,561	113.00	28,906		
109.00	28,590	113.25	28,916		
109.25	28,618	113.50	28,925		
109.50	28,645	113.75	28,933		
109.75	28,672	114.00	28,940		
110.00	28,697	114.25	28,947		
110.25	28,721	114.50	28,952		



## Capacity/Gauge Table Information

**TCLX 290414**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290414

Date: 14/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,334	12.75	2,215	17.00	3,199
0.25	28	4.50	622	8.75	1,383	13.00	2,270	17.25	3,259
0.50	57	4.75	663	9.00	1,432	13.25	2,326	17.50	3,320
0.75	87	5.00	704	9.25	1,481	13.50	2,381	17.75	3,382
1.00	118	5.25	746	9.50	1,531	13.75	2,438	18.00	3,443
1.25	149	5.50	788	9.75	1,581	14.00	2,494	18.25	3,505
1.50	182	5.75	831	10.00	1,632	14.25	2,551	18.50	3,567
1.75	215	6.00	874	10.25	1,683	14.50	2,609	18.75	3,629
2.00	248	6.25	918	10.50	1,734	14.75	2,666	19.00	3,692
2.25	283	6.50	962	10.75	1,786	15.00	2,724	19.25	3,755
2.50	318	6.75	1,007	11.00	1,838	15.25	2,782	19.50	3,818
2.75	354	7.00	1,052	11.25	1,891	15.50	2,841	19.75	3,882
3.00	390	7.25	1,098	11.50	1,944	15.75	2,900	20.00	3,945
3.25	427	7.50	1,144	11.75	1,997	16.00	2,959	20.25	4,009
3.50	465	7.75	1,191	12.00	2,051	16.25	3,018	20.50	4,074
3.75	503	8.00	1,238	12.25	2,105	16.50	3,078	20.75	4,138
4.00	542	8.25	1,286	12.50	2,160	16.75	3,138	21.00	4,203



## Capacity/Gauge Table Information

**TCLX 290414**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290414

Date: 14/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,268	25.50	5,408	29.75	6,607	34.00	7,854	38.25	9,141
21.50	4,333	25.75	5,477	30.00	6,679	34.25	7,929	38.50	9,217
21.75	4,398	26.00	5,546	30.25	6,751	34.50	8,004	38.75	9,294
22.00	4,464	26.25	5,615	30.50	6,824	34.75	8,079	39.00	9,371
22.25	4,530	26.50	5,685	30.75	6,896	35.00	8,154	39.25	9,448
22.50	4,596	26.75	5,755	31.00	6,969	35.25	8,229	39.50	9,525
22.75	4,663	27.00	5,825	31.25	7,042	35.50	8,304	39.75	9,602
23.00	4,729	27.25	5,895	31.50	7,115	35.75	8,380	40.00	9,680
23.25	4,796	27.50	5,965	31.75	7,188	36.00	8,455	40.25	9,757
23.50	4,863	27.75	6,036	32.00	7,262	36.25	8,531	40.50	9,835
23.75	4,931	28.00	6,107	32.25	7,335	36.50	8,607	40.75	9,912
24.00	4,998	28.25	6,178	32.50	7,409	36.75	8,683	41.00	9,990
24.25	5,066	28.50	6,249	32.75	7,483	37.00	8,759	41.25	10,068
24.50	5,134	28.75	6,320	33.00	7,557	37.25	8,835	41.50	10,145
24.75	5,202	29.00	6,391	33.25	7,631	37.50	8,911	41.75	10,223
25.00	5,270	29.25	6,463	33.50	7,705	37.75	8,988	42.00	10,301
25.25	5,339	29.50	6,535	33.75	7,780	38.00	9,064	42.25	10,379



## Capacity/Gauge Table Information

**TCLX 290414**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290414

Date: 14/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,457	46.75	11,796	51.00	13,149	55.25	14,508	59.50	15,866
42.75	10,536	47.00	11,875	51.25	13,229	55.50	14,588	59.75	15,946
43.00	10,614	47.25	11,955	51.50	13,309	55.75	14,668	60.00	16,025
43.25	10,692	47.50	12,034	51.75	13,389	56.00	14,748	60.25	16,105
43.50	10,771	47.75	12,114	52.00	13,468	56.25	14,828	60.50	16,185
43.75	10,849	48.00	12,193	52.25	13,548	56.50	14,908	60.75	16,264
44.00	10,928	48.25	12,272	52.50	13,628	56.75	14,988	61.00	16,344
44.25	11,007	48.50	12,352	52.75	13,708	57.00	15,068	61.25	16,423
44.50	11,085	48.75	12,432	53.00	13,788	57.25	15,148	61.50	16,502
44.75	11,164	49.00	12,511	53.25	13,868	57.50	15,228	61.75	16,582
45.00	11,243	49.25	12,591	53.50	13,948	57.75	15,308	62.00	16,661
45.25	11,322	49.50	12,670	53.75	14,028	58.00	15,387	62.25	16,740
45.50	11,401	49.75	12,750	54.00	14,108	58.25	15,467	62.50	16,820
45.75	11,480	50.00	12,830	54.25	14,188	58.50	15,547	62.75	16,899
46.00	11,559	50.25	12,910	54.50	14,268	58.75	15,627	63.00	16,978
46.25	11,638	50.50	12,989	54.75	14,348	59.00	15,707	63.25	17,057
46.50	11,717	50.75	13,069	55.00	14,428	59.25	15,786	63.50	17,136



## Capacity/Gauge Table Information

**TCLX 290414**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290414

Date: 14/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,215	68.00	18,547	72.25	19,855	76.50	21,130	80.75	22,362
64.00	17,294	68.25	18,625	72.50	19,931	76.75	21,203	81.00	22,433
64.25	17,373	68.50	18,703	72.75	20,007	77.00	21,277	81.25	22,504
64.50	17,452	68.75	18,780	73.00	20,083	77.25	21,350	81.50	22,575
64.75	17,530	69.00	18,858	73.25	20,158	77.50	21,424	81.75	22,645
65.00	17,609	69.25	18,935	73.50	20,234	77.75	21,497	82.00	22,715
65.25	17,688	69.50	19,012	73.75	20,309	78.00	21,570	82.25	22,785
65.50	17,766	69.75	19,089	74.00	20,384	78.25	21,643	82.50	22,855
65.75	17,845	70.00	19,166	74.25	20,459	78.50	21,715	82.75	22,925
66.00	17,923	70.25	19,243	74.50	20,534	78.75	21,788	83.00	22,995
66.25	18,001	70.50	19,320	74.75	20,609	79.00	21,860	83.25	23,064
66.50	18,079	70.75	19,397	75.00	20,684	79.25	21,933	83.50	23,133
66.75	18,158	71.00	19,473	75.25	20,759	79.50	22,005	83.75	23,202
67.00	18,236	71.25	19,550	75.50	20,833	79.75	22,076	84.00	23,271
67.25	18,314	71.50	19,626	75.75	20,907	80.00	22,148	84.25	23,339
67.50	18,392	71.75	19,703	76.00	20,982	80.25	22,220	84.50	23,407
67.75	18,470	72.00	19,779	76.25	21,056	80.50	22,291	84.75	23,475



## Capacity/Gauge Table Information

**TCLX 290414**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290414

Date: 14/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,543	89.25	24,662	93.50	25,705	97.75	26,658	102.00	27,502
85.25	23,611	89.50	24,725	93.75	25,764	98.00	26,711	102.25	27,548
85.50	23,678	89.75	24,789	94.00	25,822	98.25	26,764	102.50	27,593
85.75	23,745	90.00	24,852	94.25	25,880	98.50	26,816	102.75	27,638
86.00	23,812	90.25	24,914	94.50	25,938	98.75	26,868	103.00	27,682
86.25	23,879	90.50	24,977	94.75	25,996	99.00	26,919	103.25	27,726
86.50	23,946	90.75	25,039	95.00	26,053	99.25	26,970	103.50	27,769
86.75	24,012	91.00	25,101	95.25	26,109	99.50	27,020	103.75	27,812
87.00	24,078	91.25	25,163	95.50	26,166	99.75	27,070	104.00	27,854
87.25	24,144	91.50	25,224	95.75	26,222	100.00	27,120	104.25	27,896
87.50	24,209	91.75	25,285	96.00	26,278	100.25	27,169	104.50	27,937
87.75	24,275	92.00	25,346	96.25	26,333	100.50	27,218	104.75	27,977
88.00	24,340	92.25	25,407	96.50	26,388	100.75	27,267	105.00	28,018
88.25	24,405	92.50	25,467	96.75	26,443	101.00	27,315	105.25	28,057
88.50	24,469	92.75	25,527	97.00	26,497	101.25	27,362	105.50	28,096
88.75	24,534	93.00	25,587	97.25	26,551	101.50	27,409	105.75	28,134
89.00	24,598	93.25	25,646	97.50	26,605	101.75	27,456	106.00	28,172



## Capacity/Gauge Table Information

**TCLX 290414**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 214

Reporting Mark: TCLX 290414

Date: 14/07/2015

Capacity: 28,959 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,209	110.50	28,728	114.75	28,946
106.50	28,245	110.75	28,751	115.00	28,950
106.75	28,281	111.00	28,772	115.25	28,953
107.00	28,316	111.25	28,791	115.50	28,955
107.25	28,351	111.50	28,810	115.75	28,957
107.50	28,385	111.75	28,827	116.00	28,958
107.75	28,418	112.00	28,843	116.25	28,959
108.00	28,450	112.25	28,857	116.50	28,959
108.25	28,482	112.50	28,871	116.75	28,959
108.50	28,513	112.75	28,883		
108.75	28,543	113.00	28,895		
109.00	28,572	113.25	28,905		
109.25	28,600	113.50	28,914		
109.50	28,628	113.75	28,922		
109.75	28,654	114.00	28,930		
110.00	28,680	114.25	28,936		
110.25	28,705	114.50	28,941		





## Capacity/Gauge Table Information

**TCLX 290415**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 215

Reporting Mark: TCLX 290415

Date: 10/07/2015

Capacity: 28,995 US Gallons (109,758 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	574	8.50	1,320	12.75	2,196	17.00	3,176
0.25	28	4.50	613	8.75	1,368	13.00	2,251	17.25	3,237
0.50	56	4.75	654	9.00	1,417	13.25	2,307	17.50	3,298
0.75	86	5.00	695	9.25	1,466	13.50	2,362	17.75	3,359
1.00	116	5.25	736	9.50	1,516	13.75	2,418	18.00	3,420
1.25	147	5.50	778	9.75	1,566	14.00	2,475	18.25	3,482
1.50	178	5.75	820	10.00	1,616	14.25	2,531	18.50	3,544
1.75	211	6.00	863	10.25	1,667	14.50	2,588	18.75	3,606
2.00	244	6.25	907	10.50	1,718	14.75	2,646	19.00	3,668
2.25	278	6.50	951	10.75	1,770	15.00	2,703	19.25	3,731
2.50	313	6.75	995	11.00	1,822	15.25	2,761	19.50	3,794
2.75	348	7.00	1,040	11.25	1,874	15.50	2,820	19.75	3,857
3.00	384	7.25	1,086	11.50	1,927	15.75	2,878	20.00	3,921
3.25	421	7.50	1,132	11.75	1,980	16.00	2,937	20.25	3,985
3.50	458	7.75	1,178	12.00	2,033	16.25	2,997	20.50	4,049
3.75	496	8.00	1,225	12.25	2,087	16.50	3,056	20.75	4,113
4.00	535	8.25	1,272	12.50	2,142	16.75	3,116	21.00	4,178



## Capacity/Gauge Table Information

**TCLX 290415**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 215

Reporting Mark: TCLX 290415

Date: 10/07/2015

Capacity: 28,995 US Gallons (109,758 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,243	25.50	5,380	29.75	6,578	34.00	7,824	38.25	9,109
21.50	4,308	25.75	5,449	30.00	6,650	34.25	7,898	38.50	9,186
21.75	4,373	26.00	5,518	30.25	6,722	34.50	7,973	38.75	9,263
22.00	4,439	26.25	5,588	30.50	6,794	34.75	8,048	39.00	9,340
22.25	4,504	26.50	5,657	30.75	6,867	35.00	8,123	39.25	9,417
22.50	4,570	26.75	5,727	31.00	6,939	35.25	8,198	39.50	9,494
22.75	4,637	27.00	5,797	31.25	7,012	35.50	8,273	39.75	9,571
23.00	4,703	27.25	5,867	31.50	7,085	35.75	8,349	40.00	9,648
23.25	4,770	27.50	5,937	31.75	7,159	36.00	8,424	40.25	9,725
23.50	4,837	27.75	6,007	32.00	7,232	36.25	8,500	40.50	9,803
23.75	4,904	28.00	6,078	32.25	7,305	36.50	8,576	40.75	9,880
24.00	4,971	28.25	6,149	32.50	7,379	36.75	8,652	41.00	9,958
24.25	5,039	28.50	6,220	32.75	7,453	37.00	8,728	41.25	10,036
24.50	5,107	28.75	6,291	33.00	7,527	37.25	8,804	41.50	10,114
24.75	5,175	29.00	6,362	33.25	7,601	37.50	8,880	41.75	10,191
25.00	5,243	29.25	6,434	33.50	7,675	37.75	8,956	42.00	10,269
25.25	5,312	29.50	6,506	33.75	7,749	38.00	9,033	42.25	10,347



## Capacity/Gauge Table Information

**TCLX 290415**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 215

Reporting Mark: TCLX 290415

Date: 10/07/2015

Capacity: 28,995 US Gallons (109,758 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,426	46.75	11,764	51.00	13,117	55.25	14,477	59.50	15,836
42.75	10,504	47.00	11,843	51.25	13,197	55.50	14,557	59.75	15,916
43.00	10,582	47.25	11,923	51.50	13,277	55.75	14,637	60.00	15,995
43.25	10,660	47.50	12,002	51.75	13,357	56.00	14,717	60.25	16,075
43.50	10,739	47.75	12,082	52.00	13,437	56.25	14,797	60.50	16,155
43.75	10,817	48.00	12,161	52.25	13,517	56.50	14,877	60.75	16,234
44.00	10,896	48.25	12,240	52.50	13,597	56.75	14,957	61.00	16,314
44.25	10,975	48.50	12,320	52.75	13,677	57.00	15,037	61.25	16,393
44.50	11,053	48.75	12,400	53.00	13,757	57.25	15,117	61.50	16,473
44.75	11,132	49.00	12,479	53.25	13,837	57.50	15,197	61.75	16,552
45.00	11,211	49.25	12,559	53.50	13,917	57.75	15,277	62.00	16,632
45.25	11,290	49.50	12,639	53.75	13,997	58.00	15,357	62.25	16,711
45.50	11,369	49.75	12,718	54.00	14,077	58.25	15,437	62.50	16,790
45.75	11,448	50.00	12,798	54.25	14,157	58.50	15,517	62.75	16,870
46.00	11,527	50.25	12,878	54.50	14,237	58.75	15,596	63.00	16,949
46.25	11,606	50.50	12,958	54.75	14,317	59.00	15,676	63.25	17,028
46.50	11,685	50.75	13,037	55.00	14,397	59.25	15,756	63.50	17,107



## Capacity/Gauge Table Information

**TCLX 290415**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 215

Reporting Mark: TCLX 290415

Date: 10/07/2015

Capacity: 28,995 US Gallons (109,758 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,186	68.00	18,520	72.25	19,830	76.50	21,107	80.75	22,342
64.00	17,265	68.25	18,598	72.50	19,906	76.75	21,181	81.00	22,413
64.25	17,344	68.50	18,676	72.75	19,982	77.00	21,254	81.25	22,484
64.50	17,423	68.75	18,753	73.00	20,058	77.25	21,328	81.50	22,555
64.75	17,502	69.00	18,831	73.25	20,134	77.50	21,402	81.75	22,626
65.00	17,581	69.25	18,908	73.50	20,209	77.75	21,475	82.00	22,696
65.25	17,659	69.50	18,986	73.75	20,285	78.00	21,548	82.25	22,766
65.50	17,738	69.75	19,063	74.00	20,360	78.25	21,621	82.50	22,837
65.75	17,816	70.00	19,140	74.25	20,435	78.50	21,694	82.75	22,906
66.00	17,895	70.25	19,217	74.50	20,510	78.75	21,767	83.00	22,976
66.25	17,973	70.50	19,294	74.75	20,585	79.00	21,839	83.25	23,046
66.50	18,052	70.75	19,371	75.00	20,660	79.25	21,911	83.50	23,115
66.75	18,130	71.00	19,448	75.25	20,735	79.50	21,984	83.75	23,184
67.00	18,208	71.25	19,524	75.50	20,810	79.75	22,056	84.00	23,253
67.25	18,286	71.50	19,601	75.75	20,884	80.00	22,128	84.25	23,322
67.50	18,364	71.75	19,677	76.00	20,959	80.25	22,199	84.50	23,390
67.75	18,442	72.00	19,754	76.25	21,033	80.50	22,271	84.75	23,458



## Capacity/Gauge Table Information

**TCLX 290415**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 215

Reporting Mark: TCLX 290415

Date: 10/07/2015

Capacity: 28,995 US Gallons (109,758 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,526	89.25	24,648	93.50	25,696	97.75	26,654	102.00	27,504
85.25	23,594	89.50	24,712	93.75	25,755	98.00	26,708	102.25	27,550
85.50	23,662	89.75	24,776	94.00	25,814	98.25	26,760	102.50	27,596
85.75	23,729	90.00	24,839	94.25	25,872	98.50	26,813	102.75	27,641
86.00	23,796	90.25	24,902	94.50	25,930	98.75	26,865	103.00	27,686
86.25	23,863	90.50	24,965	94.75	25,988	99.00	26,917	103.25	27,730
86.50	23,930	90.75	25,027	95.00	26,045	99.25	26,968	103.50	27,774
86.75	23,997	91.00	25,090	95.25	26,102	99.50	27,019	103.75	27,817
87.00	24,063	91.25	25,152	95.50	26,159	99.75	27,069	104.00	27,859
87.25	24,129	91.50	25,213	95.75	26,216	100.00	27,119	104.25	27,901
87.50	24,195	91.75	25,275	96.00	26,272	100.25	27,169	104.50	27,943
87.75	24,260	92.00	25,336	96.25	26,327	100.50	27,218	104.75	27,984
88.00	24,326	92.25	25,396	96.50	26,383	100.75	27,267	105.00	28,025
88.25	24,391	92.50	25,457	96.75	26,438	101.00	27,315	105.25	28,065
88.50	24,455	92.75	25,517	97.00	26,492	101.25	27,363	105.50	28,104
88.75	24,520	93.00	25,577	97.25	26,547	101.50	27,411	105.75	28,143
89.00	24,584	93.25	25,637	97.50	26,601	101.75	27,458	106.00	28,181



## Capacity/Gauge Table Information

**TCLX 290415**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 215

Reporting Mark: TCLX 290415

Date: 10/07/2015

Capacity: 28,995 US Gallons (109,758 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,219	110.50	28,750	114.75	28,981
106.50	28,256	110.75	28,773	115.00	28,985
106.75	28,292	111.00	28,795	115.25	28,988
107.00	28,328	111.25	28,816	115.50	28,991
107.25	28,363	111.50	28,836	115.75	28,993
107.50	28,397	111.75	28,854	116.00	28,994
107.75	28,431	112.00	28,871	116.25	28,995
108.00	28,464	112.25	28,887	116.50	28,995
108.25	28,496	112.50	28,901	116.75	28,995
108.50	28,527	112.75	28,914		
108.75	28,558	113.00	28,926		
109.00	28,588	113.25	28,937		
109.25	28,617	113.50	28,947		
109.50	28,646	113.75	28,956		
109.75	28,673	114.00	28,963		
110.00	28,699	114.25	28,970		
110.25	28,725	114.50	28,976		



## Capacity/Gauge Table Information

**TCLX 290416**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 216

Reporting Mark: TCLX 290416

Date: 14/07/2015

Capacity: 28,965 US Gallons (109,644 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,350	12.75	2,237	17.00	3,226
0.25	29	4.50	632	8.75	1,399	13.00	2,293	17.25	3,287
0.50	59	4.75	673	9.00	1,449	13.25	2,348	17.50	3,348
0.75	89	5.00	714	9.25	1,498	13.50	2,405	17.75	3,410
1.00	120	5.25	756	9.50	1,549	13.75	2,461	18.00	3,472
1.25	152	5.50	799	9.75	1,599	14.00	2,518	18.25	3,534
1.50	185	5.75	842	10.00	1,650	14.25	2,575	18.50	3,596
1.75	219	6.00	886	10.25	1,702	14.50	2,633	18.75	3,659
2.00	253	6.25	930	10.50	1,753	14.75	2,691	19.00	3,722
2.25	288	6.50	975	10.75	1,806	15.00	2,749	19.25	3,785
2.50	324	6.75	1,020	11.00	1,858	15.25	2,808	19.50	3,848
2.75	360	7.00	1,066	11.25	1,911	15.50	2,867	19.75	3,912
3.00	397	7.25	1,112	11.50	1,965	15.75	2,926	20.00	3,976
3.25	435	7.50	1,159	11.75	2,018	16.00	2,985	20.25	4,040
3.50	473	7.75	1,206	12.00	2,072	16.25	3,045	20.50	4,105
3.75	512	8.00	1,254	12.25	2,127	16.50	3,105	20.75	4,170
4.00	551	8.25	1,302	12.50	2,182	16.75	3,165	21.00	4,235





## Capacity/Gauge Table Information

**TCLX 290416**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 216

Reporting Mark: TCLX 290416

Date: 14/07/2015

Capacity: 28,965 US Gallons (109,644 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,300	25.50	5,444	29.75	6,647	34.00	7,898	38.25	9,187
21.50	4,365	25.75	5,513	30.00	6,719	34.25	7,972	38.50	9,264
21.75	4,431	26.00	5,583	30.25	6,792	34.50	8,047	38.75	9,341
22.00	4,497	26.25	5,652	30.50	6,864	34.75	8,123	39.00	9,418
22.25	4,563	26.50	5,722	30.75	6,937	35.00	8,198	39.25	9,495
22.50	4,630	26.75	5,792	31.00	7,010	35.25	8,273	39.50	9,572
22.75	4,696	27.00	5,862	31.25	7,083	35.50	8,349	39.75	9,650
23.00	4,763	27.25	5,933	31.50	7,157	35.75	8,424	40.00	9,727
23.25	4,830	27.50	6,003	31.75	7,230	36.00	8,500	40.25	9,805
23.50	4,898	27.75	6,074	32.00	7,304	36.25	8,576	40.50	9,882
23.75	4,965	28.00	6,145	32.25	7,377	36.50	8,652	40.75	9,960
24.00	5,033	28.25	6,216	32.50	7,451	36.75	8,728	41.00	10,038
24.25	5,101	28.50	6,288	32.75	7,525	37.00	8,804	41.25	10,116
24.50	5,169	28.75	6,359	33.00	7,599	37.25	8,881	41.50	10,194
24.75	5,238	29.00	6,431	33.25	7,674	37.50	8,957	41.75	10,272
25.00	5,306	29.25	6,503	33.50	7,748	37.75	9,034	42.00	10,350
25.25	5,375	29.50	6,575	33.75	7,823	38.00	9,110	42.25	10,428



## Capacity/Gauge Table Information

**TCLX 290416**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 216

Reporting Mark: TCLX 290416

Date: 14/07/2015

Capacity: 28,965 US Gallons (109,644 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,506	46.75	11,847	51.00	13,202	55.25	14,562	59.50	15,921
42.75	10,585	47.00	11,926	51.25	13,282	55.50	14,642	59.75	16,001
43.00	10,663	47.25	12,006	51.50	13,362	55.75	14,722	60.00	16,081
43.25	10,741	47.50	12,085	51.75	13,442	56.00	14,802	60.25	16,160
43.50	10,820	47.75	12,165	52.00	13,522	56.25	14,883	60.50	16,240
43.75	10,899	48.00	12,244	52.25	13,602	56.50	14,963	60.75	16,320
44.00	10,977	48.25	12,324	52.50	13,682	56.75	15,043	61.00	16,399
44.25	11,056	48.50	12,404	52.75	13,762	57.00	15,123	61.25	16,479
44.50	11,135	48.75	12,483	53.00	13,842	57.25	15,203	61.50	16,558
44.75	11,214	49.00	12,563	53.25	13,922	57.50	15,282	61.75	16,638
45.00	11,293	49.25	12,643	53.50	14,002	57.75	15,362	62.00	16,717
45.25	11,372	49.50	12,723	53.75	14,082	58.00	15,442	62.25	16,796
45.50	11,451	49.75	12,802	54.00	14,162	58.25	15,522	62.50	16,875
45.75	11,530	50.00	12,882	54.25	14,242	58.50	15,602	62.75	16,955
46.00	11,609	50.25	12,962	54.50	14,322	58.75	15,682	63.00	17,034
46.25	11,688	50.50	13,042	54.75	14,402	59.00	15,762	63.25	17,113
46.50	11,768	50.75	13,122	55.00	14,482	59.25	15,842	63.50	17,192



## Capacity/Gauge Table Information

**TCLX 290416**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 216

Reporting Mark: TCLX 290416

Date: 14/07/2015

Capacity: 28,965 US Gallons (109,644 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,271	68.00	18,604	72.25	19,911	76.50	21,185	80.75	22,417
64.00	17,350	68.25	18,681	72.50	19,987	76.75	21,259	81.00	22,488
64.25	17,429	68.50	18,759	72.75	20,063	77.00	21,332	81.25	22,558
64.50	17,508	68.75	18,836	73.00	20,139	77.25	21,406	81.50	22,629
64.75	17,586	69.00	18,914	73.25	20,214	77.50	21,479	81.75	22,699
65.00	17,665	69.25	18,991	73.50	20,290	77.75	21,552	82.00	22,770
65.25	17,744	69.50	19,068	73.75	20,365	78.00	21,625	82.25	22,839
65.50	17,822	69.75	19,146	74.00	20,440	78.25	21,698	82.50	22,909
65.75	17,901	70.00	19,223	74.25	20,515	78.50	21,771	82.75	22,979
66.00	17,979	70.25	19,300	74.50	20,590	78.75	21,843	83.00	23,048
66.25	18,058	70.50	19,376	74.75	20,665	79.00	21,915	83.25	23,117
66.50	18,136	70.75	19,453	75.00	20,740	79.25	21,988	83.50	23,186
66.75	18,214	71.00	19,530	75.25	20,815	79.50	22,060	83.75	23,255
67.00	18,292	71.25	19,606	75.50	20,889	79.75	22,131	84.00	23,324
67.25	18,370	71.50	19,683	75.75	20,963	80.00	22,203	84.25	23,392
67.50	18,448	71.75	19,759	76.00	21,037	80.25	22,274	84.50	23,460
67.75	18,526	72.00	19,835	76.25	21,111	80.50	22,346	84.75	23,528



## Capacity/Gauge Table Information

**TCLX 290416**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 216

Reporting Mark: TCLX 290416

Date: 14/07/2015

Capacity: 28,965 US Gallons (109,644 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,596	89.25	24,712	93.50	25,752	97.75	26,702	102.00	27,540
85.25	23,664	89.50	24,776	93.75	25,811	98.00	26,754	102.25	27,586
85.50	23,731	89.75	24,839	94.00	25,869	98.25	26,807	102.50	27,630
85.75	23,798	90.00	24,902	94.25	25,927	98.50	26,858	102.75	27,675
86.00	23,865	90.25	24,964	94.50	25,985	98.75	26,910	103.00	27,719
86.25	23,931	90.50	25,027	94.75	26,042	99.00	26,961	103.25	27,762
86.50	23,998	90.75	25,089	95.00	26,099	99.25	27,011	103.50	27,805
86.75	24,064	91.00	25,150	95.25	26,155	99.50	27,062	103.75	27,847
87.00	24,130	91.25	25,212	95.50	26,212	99.75	27,112	104.00	27,889
87.25	24,196	91.50	25,273	95.75	26,267	100.00	27,161	104.25	27,930
87.50	24,261	91.75	25,334	96.00	26,323	100.25	27,210	104.50	27,971
87.75	24,326	92.00	25,395	96.25	26,378	100.50	27,258	104.75	28,011
88.00	24,391	92.25	25,455	96.50	26,433	100.75	27,307	105.00	28,051
88.25	24,456	92.50	25,515	96.75	26,487	101.00	27,354	105.25	28,090
88.50	24,520	92.75	25,575	97.00	26,542	101.25	27,401	105.50	28,128
88.75	24,585	93.00	25,634	97.25	26,595	101.50	27,448	105.75	28,166
89.00	24,648	93.25	25,694	97.50	26,649	101.75	27,494	106.00	28,203



## Capacity/Gauge Table Information

**TCLX 290416**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 216

Reporting Mark: TCLX 290416

Date: 14/07/2015

Capacity: 28,965 US Gallons (109,644 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,240	110.50	28,747	114.75	28,952
106.50	28,276	110.75	28,768	115.00	28,956
106.75	28,311	111.00	28,788	115.25	28,959
107.00	28,346	111.25	28,806	115.50	28,961
107.25	28,379	111.50	28,824	115.75	28,963
107.50	28,413	111.75	28,840	116.00	28,964
107.75	28,445	112.00	28,855	116.25	28,964
108.00	28,477	112.25	28,869	116.50	28,965
108.25	28,508	112.50	28,881	116.75	28,965
108.50	28,538	112.75	28,893		
108.75	28,567	113.00	28,904		
109.00	28,596	113.25	28,913		
109.25	28,624	113.50	28,922		
109.50	28,650	113.75	28,930		
109.75	28,676	114.00	28,937		
110.00	28,701	114.25	28,943		
110.25	28,724	114.50	28,948		



## Capacity/Gauge Table Information

**TCLX 290417**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 217

Reporting Mark: TCLX 290417

Date: 13/07/2015

Capacity: 28,996 US Gallons (109,761 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	579	8.50	1,329	12.75	2,208	17.00	3,191
0.25	28	4.50	619	8.75	1,378	13.00	2,264	17.25	3,252
0.50	57	4.75	659	9.00	1,426	13.25	2,319	17.50	3,313
0.75	87	5.00	700	9.25	1,476	13.50	2,375	17.75	3,374
1.00	117	5.25	742	9.50	1,525	13.75	2,431	18.00	3,436
1.25	148	5.50	784	9.75	1,576	14.00	2,488	18.25	3,497
1.50	180	5.75	827	10.00	1,626	14.25	2,544	18.50	3,560
1.75	213	6.00	870	10.25	1,677	14.50	2,602	18.75	3,622
2.00	247	6.25	914	10.50	1,729	14.75	2,659	19.00	3,685
2.25	281	6.50	958	10.75	1,780	15.00	2,717	19.25	3,747
2.50	316	6.75	1,003	11.00	1,833	15.25	2,775	19.50	3,811
2.75	352	7.00	1,048	11.25	1,885	15.50	2,834	19.75	3,874
3.00	388	7.25	1,094	11.50	1,938	15.75	2,893	20.00	3,938
3.25	425	7.50	1,140	11.75	1,991	16.00	2,952	20.25	4,002
3.50	462	7.75	1,186	12.00	2,045	16.25	3,011	20.50	4,066
3.75	501	8.00	1,234	12.25	2,099	16.50	3,071	20.75	4,130
4.00	539	8.25	1,281	12.50	2,154	16.75	3,131	21.00	4,195



## Capacity/Gauge Table Information

**TCLX 290417**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 217

Reporting Mark: TCLX 290417

Date: 13/07/2015

Capacity: 28,996 US Gallons (109,761 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,260	25.50	5,400	29.75	6,599	34.00	7,847	38.25	9,134
21.50	4,325	25.75	5,469	30.00	6,671	34.25	7,921	38.50	9,211
21.75	4,391	26.00	5,538	30.25	6,743	34.50	7,996	38.75	9,287
22.00	4,456	26.25	5,607	30.50	6,816	34.75	8,071	39.00	9,364
22.25	4,522	26.50	5,677	30.75	6,889	35.00	8,146	39.25	9,441
22.50	4,588	26.75	5,747	31.00	6,961	35.25	8,222	39.50	9,519
22.75	4,655	27.00	5,817	31.25	7,034	35.50	8,297	39.75	9,596
23.00	4,721	27.25	5,887	31.50	7,107	35.75	8,373	40.00	9,673
23.25	4,788	27.50	5,957	31.75	7,181	36.00	8,448	40.25	9,751
23.50	4,855	27.75	6,028	32.00	7,254	36.25	8,524	40.50	9,828
23.75	4,923	28.00	6,099	32.25	7,328	36.50	8,600	40.75	9,906
24.00	4,990	28.25	6,170	32.50	7,401	36.75	8,676	41.00	9,983
24.25	5,058	28.50	6,241	32.75	7,475	37.00	8,752	41.25	10,061
24.50	5,126	28.75	6,312	33.00	7,549	37.25	8,828	41.50	10,139
24.75	5,194	29.00	6,384	33.25	7,623	37.50	8,904	41.75	10,217
25.00	5,262	29.25	6,455	33.50	7,698	37.75	8,981	42.00	10,295
25.25	5,331	29.50	6,527	33.75	7,772	38.00	9,057	42.25	10,373





## Capacity/Gauge Table Information

**TCLX 290417**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 217

Reporting Mark: TCLX 290417

Date: 13/07/2015

Capacity: 28,996 US Gallons (109,761 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,451	46.75	11,791	51.00	13,145	55.25	14,505	59.50	15,864
42.75	10,530	47.00	11,870	51.25	13,225	55.50	14,585	59.75	15,944
43.00	10,608	47.25	11,950	51.50	13,305	55.75	14,665	60.00	16,024
43.25	10,686	47.50	12,029	51.75	13,385	56.00	14,745	60.25	16,104
43.50	10,765	47.75	12,108	52.00	13,465	56.25	14,825	60.50	16,183
43.75	10,843	48.00	12,188	52.25	13,545	56.50	14,905	60.75	16,263
44.00	10,922	48.25	12,268	52.50	13,625	56.75	14,985	61.00	16,343
44.25	11,001	48.50	12,347	52.75	13,705	57.00	15,065	61.25	16,422
44.50	11,079	48.75	12,427	53.00	13,785	57.25	15,145	61.50	16,502
44.75	11,158	49.00	12,506	53.25	13,865	57.50	15,225	61.75	16,581
45.00	11,237	49.25	12,586	53.50	13,945	57.75	15,305	62.00	16,660
45.25	11,316	49.50	12,666	53.75	14,025	58.00	15,385	62.25	16,740
45.50	11,395	49.75	12,746	54.00	14,105	58.25	15,465	62.50	16,819
45.75	11,474	50.00	12,825	54.25	14,185	58.50	15,545	62.75	16,898
46.00	11,553	50.25	12,905	54.50	14,265	58.75	15,625	63.00	16,978
46.25	11,632	50.50	12,985	54.75	14,345	59.00	15,705	63.25	17,057
46.50	11,712	50.75	13,065	55.00	14,425	59.25	15,785	63.50	17,136



## Capacity/Gauge Table Information

**TCLX 290417**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 217

Reporting Mark: TCLX 290417

Date: 13/07/2015

Capacity: 28,996 US Gallons (109,761 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,215	68.00	18,549	72.25	19,858	76.50	21,135	80.75	22,370
64.00	17,294	68.25	18,627	72.50	19,935	76.75	21,209	81.00	22,441
64.25	17,373	68.50	18,704	72.75	20,011	77.00	21,283	81.25	22,512
64.50	17,452	68.75	18,782	73.00	20,086	77.25	21,356	81.50	22,583
64.75	17,531	69.00	18,860	73.25	20,162	77.50	21,430	81.75	22,653
65.00	17,609	69.25	18,937	73.50	20,238	77.75	21,503	82.00	22,724
65.25	17,688	69.50	19,014	73.75	20,313	78.00	21,576	82.25	22,794
65.50	17,767	69.75	19,092	74.00	20,389	78.25	21,649	82.50	22,864
65.75	17,845	70.00	19,169	74.25	20,464	78.50	21,722	82.75	22,934
66.00	17,924	70.25	19,246	74.50	20,539	78.75	21,795	83.00	23,003
66.25	18,002	70.50	19,323	74.75	20,614	79.00	21,867	83.25	23,073
66.50	18,081	70.75	19,400	75.00	20,689	79.25	21,939	83.50	23,142
66.75	18,159	71.00	19,476	75.25	20,764	79.50	22,011	83.75	23,211
67.00	18,237	71.25	19,553	75.50	20,838	79.75	22,083	84.00	23,280
67.25	18,315	71.50	19,630	75.75	20,913	80.00	22,155	84.25	23,348
67.50	18,393	71.75	19,706	76.00	20,987	80.25	22,227	84.50	23,417
67.75	18,471	72.00	19,782	76.25	21,061	80.50	22,298	84.75	23,485



## Capacity/Gauge Table Information

**TCLX 290417**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 217

Reporting Mark: TCLX 290417

Date: 13/07/2015

Capacity: 28,996 US Gallons (109,761 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,553	89.25	24,674	93.50	25,720	97.75	26,676	102.00	27,523
85.25	23,621	89.50	24,737	93.75	25,779	98.00	26,729	102.25	27,569
85.50	23,688	89.75	24,801	94.00	25,837	98.25	26,782	102.50	27,614
85.75	23,756	90.00	24,864	94.25	25,895	98.50	26,834	102.75	27,659
86.00	23,823	90.25	24,927	94.50	25,953	98.75	26,886	103.00	27,704
86.25	23,890	90.50	24,990	94.75	26,011	99.00	26,937	103.25	27,748
86.50	23,956	90.75	25,052	95.00	26,068	99.25	26,988	103.50	27,791
86.75	24,023	91.00	25,114	95.25	26,125	99.50	27,039	103.75	27,834
87.00	24,089	91.25	25,176	95.50	26,182	99.75	27,089	104.00	27,877
87.25	24,155	91.50	25,238	95.75	26,238	100.00	27,139	104.25	27,918
87.50	24,221	91.75	25,299	96.00	26,294	100.25	27,189	104.50	27,960
87.75	24,286	92.00	25,360	96.25	26,350	100.50	27,238	104.75	28,001
88.00	24,351	92.25	25,421	96.50	26,405	100.75	27,287	105.00	28,041
88.25	24,416	92.50	25,481	96.75	26,460	101.00	27,335	105.25	28,081
88.50	24,481	92.75	25,541	97.00	26,514	101.25	27,382	105.50	28,120
88.75	24,546	93.00	25,601	97.25	26,569	101.50	27,430	105.75	28,158
89.00	24,610	93.25	25,661	97.50	26,622	101.75	27,477	106.00	28,196



## Capacity/Gauge Table Information

**TCLX 290417**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 217

Reporting Mark: TCLX 290417

Date: 13/07/2015

Capacity: 28,996 US Gallons (109,761 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,234	110.50	28,758	114.75	28,982
106.50	28,270	110.75	28,781	115.00	28,986
106.75	28,306	111.00	28,803	115.25	28,989
107.00	28,342	111.25	28,823	115.50	28,991
107.25	28,376	111.50	28,842	115.75	28,993
107.50	28,411	111.75	28,859	116.00	28,995
107.75	28,444	112.00	28,876	116.25	28,995
108.00	28,477	112.25	28,891	116.50	28,996
108.25	28,508	112.50	28,905	116.75	28,996
108.50	28,540	112.75	28,918		
108.75	28,570	113.00	28,929		
109.00	28,600	113.25	28,940		
109.25	28,628	113.50	28,949		
109.50	28,656	113.75	28,958		
109.75	28,683	114.00	28,965		
110.00	28,709	114.25	28,972		
110.25	28,734	114.50	28,977		



## Capacity/Gauge Table Information

**TCLX 290418**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 218

Reporting Mark: TCLX 290418

Date: 10/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,225	17.00	3,211
0.25	28	4.50	626	8.75	1,390	13.00	2,280	17.25	3,272
0.50	58	4.75	667	9.00	1,439	13.25	2,336	17.50	3,333
0.75	88	5.00	709	9.25	1,489	13.50	2,392	17.75	3,395
1.00	119	5.25	751	9.50	1,539	13.75	2,449	18.00	3,456
1.25	151	5.50	793	9.75	1,589	14.00	2,505	18.25	3,518
1.50	183	5.75	836	10.00	1,640	14.25	2,562	18.50	3,581
1.75	217	6.00	880	10.25	1,692	14.50	2,620	18.75	3,643
2.00	251	6.25	924	10.50	1,743	14.75	2,678	19.00	3,706
2.25	285	6.50	968	10.75	1,795	15.00	2,736	19.25	3,769
2.50	321	6.75	1,013	11.00	1,848	15.25	2,794	19.50	3,832
2.75	357	7.00	1,059	11.25	1,900	15.50	2,853	19.75	3,896
3.00	393	7.25	1,105	11.50	1,954	15.75	2,912	20.00	3,960
3.25	431	7.50	1,151	11.75	2,007	16.00	2,971	20.25	4,024
3.50	469	7.75	1,198	12.00	2,061	16.25	3,031	20.50	4,088
3.75	507	8.00	1,245	12.25	2,115	16.50	3,091	20.75	4,153
4.00	546	8.25	1,293	12.50	2,170	16.75	3,151	21.00	4,218



## Capacity/Gauge Table Information

**TCLX 290418**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 218

Reporting Mark: TCLX 290418

Date: 10/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,283	25.50	5,425	29.75	6,626	34.00	7,875	38.25	9,163
21.50	4,348	25.75	5,494	30.00	6,698	34.25	7,950	38.50	9,240
21.75	4,414	26.00	5,563	30.25	6,771	34.50	8,025	38.75	9,317
22.00	4,480	26.25	5,633	30.50	6,843	34.75	8,100	39.00	9,394
22.25	4,546	26.50	5,703	30.75	6,916	35.00	8,175	39.25	9,471
22.50	4,612	26.75	5,773	31.00	6,989	35.25	8,250	39.50	9,548
22.75	4,679	27.00	5,843	31.25	7,062	35.50	8,326	39.75	9,625
23.00	4,745	27.25	5,913	31.50	7,135	35.75	8,401	40.00	9,703
23.25	4,812	27.50	5,983	31.75	7,208	36.00	8,477	40.25	9,780
23.50	4,879	27.75	6,054	32.00	7,282	36.25	8,553	40.50	9,858
23.75	4,947	28.00	6,125	32.25	7,355	36.50	8,629	40.75	9,935
24.00	5,015	28.25	6,196	32.50	7,429	36.75	8,705	41.00	10,013
24.25	5,082	28.50	6,267	32.75	7,503	37.00	8,781	41.25	10,091
24.50	5,151	28.75	6,339	33.00	7,577	37.25	8,857	41.50	10,169
24.75	5,219	29.00	6,410	33.25	7,652	37.50	8,933	41.75	10,247
25.00	5,287	29.25	6,482	33.50	7,726	37.75	9,010	42.00	10,325
25.25	5,356	29.50	6,554	33.75	7,800	38.00	9,086	42.25	10,403



## Capacity/Gauge Table Information

**TCLX 290418**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 218

Reporting Mark: TCLX 290418

Date: 10/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,481	46.75	11,821	51.00	13,175	55.25	14,535	59.50	15,894
42.75	10,560	47.00	11,901	51.25	13,255	55.50	14,615	59.75	15,974
43.00	10,638	47.25	11,980	51.50	13,335	55.75	14,695	60.00	16,053
43.25	10,716	47.50	12,059	51.75	13,415	56.00	14,775	60.25	16,133
43.50	10,795	47.75	12,139	52.00	13,495	56.25	14,855	60.50	16,213
43.75	10,873	48.00	12,218	52.25	13,575	56.50	14,935	60.75	16,292
44.00	10,952	48.25	12,298	52.50	13,655	56.75	15,015	61.00	16,372
44.25	11,031	48.50	12,377	52.75	13,735	57.00	15,095	61.25	16,451
44.50	11,110	48.75	12,457	53.00	13,815	57.25	15,175	61.50	16,531
44.75	11,188	49.00	12,537	53.25	13,895	57.50	15,255	61.75	16,610
45.00	11,267	49.25	12,616	53.50	13,975	57.75	15,335	62.00	16,689
45.25	11,346	49.50	12,696	53.75	14,055	58.00	15,415	62.25	16,769
45.50	11,425	49.75	12,776	54.00	14,135	58.25	15,495	62.50	16,848
45.75	11,504	50.00	12,856	54.25	14,215	58.50	15,575	62.75	16,927
46.00	11,584	50.25	12,936	54.50	14,295	58.75	15,655	63.00	17,006
46.25	11,663	50.50	13,015	54.75	14,375	59.00	15,734	63.25	17,085
46.50	11,742	50.75	13,095	55.00	14,455	59.25	15,814	63.50	17,165





## Capacity/Gauge Table Information

**TCLX 290418**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 218

Reporting Mark: TCLX 290418

Date: 10/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,244	68.00	18,576	72.25	19,884	76.50	21,159	80.75	22,391
64.00	17,322	68.25	18,654	72.50	19,960	76.75	21,233	81.00	22,462
64.25	17,401	68.50	18,732	72.75	20,036	77.00	21,306	81.25	22,533
64.50	17,480	68.75	18,809	73.00	20,112	77.25	21,380	81.50	22,604
64.75	17,559	69.00	18,887	73.25	20,187	77.50	21,453	81.75	22,674
65.00	17,638	69.25	18,964	73.50	20,263	77.75	21,526	82.00	22,744
65.25	17,716	69.50	19,041	73.75	20,338	78.00	21,599	82.25	22,814
65.50	17,795	69.75	19,118	74.00	20,414	78.25	21,672	82.50	22,884
65.75	17,873	70.00	19,195	74.25	20,489	78.50	21,745	82.75	22,954
66.00	17,952	70.25	19,272	74.50	20,564	78.75	21,817	83.00	23,023
66.25	18,030	70.50	19,349	74.75	20,639	79.00	21,889	83.25	23,093
66.50	18,108	70.75	19,426	75.00	20,713	79.25	21,962	83.50	23,162
66.75	18,186	71.00	19,503	75.25	20,788	79.50	22,034	83.75	23,230
67.00	18,265	71.25	19,579	75.50	20,862	79.75	22,106	84.00	23,299
67.25	18,343	71.50	19,656	75.75	20,937	80.00	22,177	84.25	23,368
67.50	18,421	71.75	19,732	76.00	21,011	80.25	22,249	84.50	23,436
67.75	18,498	72.00	19,808	76.25	21,085	80.50	22,320	84.75	23,504



## Capacity/Gauge Table Information

**TCLX 290418**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 218

Reporting Mark: TCLX 290418

Date: 10/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,572	89.25	24,689	93.50	25,731	97.75	26,683	102.00	27,525
85.25	23,639	89.50	24,753	93.75	25,790	98.00	26,736	102.25	27,570
85.50	23,707	89.75	24,816	94.00	25,848	98.25	26,788	102.50	27,615
85.75	23,774	90.00	24,879	94.25	25,906	98.50	26,840	102.75	27,660
86.00	23,841	90.25	24,942	94.50	25,964	98.75	26,892	103.00	27,704
86.25	23,907	90.50	25,004	94.75	26,022	99.00	26,943	103.25	27,748
86.50	23,974	90.75	25,066	95.00	26,079	99.25	26,994	103.50	27,791
86.75	24,040	91.00	25,128	95.25	26,135	99.50	27,044	103.75	27,833
87.00	24,106	91.25	25,190	95.50	26,192	99.75	27,094	104.00	27,875
87.25	24,172	91.50	25,251	95.75	26,248	100.00	27,144	104.25	27,917
87.50	24,237	91.75	25,312	96.00	26,303	100.25	27,193	104.50	27,958
87.75	24,303	92.00	25,373	96.25	26,359	100.50	27,242	104.75	27,998
88.00	24,368	92.25	25,434	96.50	26,414	100.75	27,290	105.00	28,038
88.25	24,433	92.50	25,494	96.75	26,468	101.00	27,338	105.25	28,077
88.50	24,497	92.75	25,554	97.00	26,523	101.25	27,385	105.50	28,116
88.75	24,561	93.00	25,613	97.25	26,576	101.50	27,432	105.75	28,154
89.00	24,625	93.25	25,672	97.50	26,630	101.75	27,479	106.00	28,192



## Capacity/Gauge Table Information

**TCLX 290418**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 218

Reporting Mark: TCLX 290418

Date: 10/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,228	110.50	28,743	114.75	28,955
106.50	28,265	110.75	28,764	115.00	28,959
106.75	28,300	111.00	28,785	115.25	28,962
107.00	28,335	111.25	28,804	115.50	28,964
107.25	28,369	111.50	28,822	115.75	28,966
107.50	28,403	111.75	28,839	116.00	28,967
107.75	28,436	112.00	28,854	116.25	28,968
108.00	28,468	112.25	28,869	116.50	28,968
108.25	28,499	112.50	28,882	116.75	28,968
108.50	28,530	112.75	28,894		
108.75	28,560	113.00	28,905		
109.00	28,589	113.25	28,915		
109.25	28,617	113.50	28,924		
109.50	28,644	113.75	28,932		
109.75	28,670	114.00	28,939		
110.00	28,695	114.25	28,945		
110.25	28,720	114.50	28,950		



## Capacity/Gauge Table Information

**TCLX 290419**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 219

Reporting Mark: TCLX 290419

Date: 14/07/2015

Capacity: 28,967 US Gallons (109,652 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,222	17.00	3,208
0.25	28	4.50	625	8.75	1,388	13.00	2,278	17.25	3,269
0.50	58	4.75	666	9.00	1,437	13.25	2,333	17.50	3,330
0.75	88	5.00	707	9.25	1,487	13.50	2,389	17.75	3,391
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,453
1.25	150	5.50	792	9.75	1,587	14.00	2,502	18.25	3,515
1.50	183	5.75	835	10.00	1,638	14.25	2,559	18.50	3,577
1.75	216	6.00	878	10.25	1,689	14.50	2,617	18.75	3,639
2.00	250	6.25	922	10.50	1,741	14.75	2,674	19.00	3,702
2.25	285	6.50	967	10.75	1,793	15.00	2,732	19.25	3,765
2.50	320	6.75	1,011	11.00	1,845	15.25	2,791	19.50	3,828
2.75	356	7.00	1,057	11.25	1,898	15.50	2,849	19.75	3,892
3.00	393	7.25	1,103	11.50	1,951	15.75	2,908	20.00	3,956
3.25	430	7.50	1,149	11.75	2,004	16.00	2,968	20.25	4,020
3.50	468	7.75	1,196	12.00	2,058	16.25	3,027	20.50	4,084
3.75	506	8.00	1,244	12.25	2,113	16.50	3,087	20.75	4,149
4.00	545	8.25	1,291	12.50	2,167	16.75	3,147	21.00	4,214



## Capacity/Gauge Table Information

**TCLX 290419**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 219

Reporting Mark: TCLX 290419

Date: 14/07/2015

Capacity: 28,967 US Gallons (109,652 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,279	25.50	5,420	29.75	6,621	34.00	7,870	38.25	9,158
21.50	4,344	25.75	5,489	30.00	6,693	34.25	7,945	38.50	9,234
21.75	4,410	26.00	5,559	30.25	6,765	34.50	8,019	38.75	9,311
22.00	4,475	26.25	5,628	30.50	6,838	34.75	8,094	39.00	9,388
22.25	4,541	26.50	5,698	30.75	6,911	35.00	8,170	39.25	9,465
22.50	4,608	26.75	5,768	31.00	6,984	35.25	8,245	39.50	9,542
22.75	4,674	27.00	5,838	31.25	7,057	35.50	8,320	39.75	9,620
23.00	4,741	27.25	5,908	31.50	7,130	35.75	8,396	40.00	9,697
23.25	4,808	27.50	5,979	31.75	7,203	36.00	8,471	40.25	9,774
23.50	4,875	27.75	6,049	32.00	7,277	36.25	8,547	40.50	9,852
23.75	4,943	28.00	6,120	32.25	7,350	36.50	8,623	40.75	9,930
24.00	5,010	28.25	6,191	32.50	7,424	36.75	8,699	41.00	10,007
24.25	5,078	28.50	6,262	32.75	7,498	37.00	8,775	41.25	10,085
24.50	5,146	28.75	6,334	33.00	7,572	37.25	8,851	41.50	10,163
24.75	5,214	29.00	6,405	33.25	7,646	37.50	8,928	41.75	10,241
25.00	5,283	29.25	6,477	33.50	7,721	37.75	9,004	42.00	10,319
25.25	5,351	29.50	6,549	33.75	7,795	38.00	9,081	42.25	10,397



## Capacity/Gauge Table Information

**TCLX 290419**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 219

Reporting Mark: TCLX 290419

Date: 14/07/2015

Capacity: 28,967 US Gallons (109,652 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,475	46.75	11,815	51.00	13,169	55.25	14,529	59.50	15,888
42.75	10,554	47.00	11,895	51.25	13,249	55.50	14,609	59.75	15,967
43.00	10,632	47.25	11,974	51.50	13,329	55.75	14,689	60.00	16,047
43.25	10,711	47.50	12,053	51.75	13,409	56.00	14,769	60.25	16,127
43.50	10,789	47.75	12,133	52.00	13,489	56.25	14,849	60.50	16,206
43.75	10,868	48.00	12,212	52.25	13,569	56.50	14,929	60.75	16,286
44.00	10,946	48.25	12,292	52.50	13,649	56.75	15,009	61.00	16,365
44.25	11,025	48.50	12,371	52.75	13,729	57.00	15,089	61.25	16,445
44.50	11,104	48.75	12,451	53.00	13,809	57.25	15,169	61.50	16,524
44.75	11,183	49.00	12,531	53.25	13,889	57.50	15,249	61.75	16,604
45.00	11,261	49.25	12,610	53.50	13,969	57.75	15,329	62.00	16,683
45.25	11,340	49.50	12,690	53.75	14,049	58.00	15,409	62.25	16,762
45.50	11,419	49.75	12,770	54.00	14,129	58.25	15,489	62.50	16,842
45.75	11,498	50.00	12,850	54.25	14,209	58.50	15,569	62.75	16,921
46.00	11,578	50.25	12,929	54.50	14,289	58.75	15,648	63.00	17,000
46.25	11,657	50.50	13,009	54.75	14,369	59.00	15,728	63.25	17,079
46.50	11,736	50.75	13,089	55.00	14,449	59.25	15,808	63.50	17,158



## Capacity/Gauge Table Information

**TCLX 290419**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 219

Reporting Mark: TCLX 290419

Date: 14/07/2015

Capacity: 28,967 US Gallons (109,652 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,237	68.00	18,570	72.25	19,878	76.50	21,153	80.75	22,385
64.00	17,316	68.25	18,648	72.50	19,954	76.75	21,226	81.00	22,456
64.25	17,395	68.50	18,725	72.75	20,030	77.00	21,300	81.25	22,527
64.50	17,474	68.75	18,803	73.00	20,106	77.25	21,374	81.50	22,598
64.75	17,553	69.00	18,880	73.25	20,181	77.50	21,447	81.75	22,668
65.00	17,631	69.25	18,958	73.50	20,257	77.75	21,520	82.00	22,738
65.25	17,710	69.50	19,035	73.75	20,332	78.00	21,593	82.25	22,808
65.50	17,789	69.75	19,112	74.00	20,407	78.25	21,666	82.50	22,878
65.75	17,867	70.00	19,189	74.25	20,483	78.50	21,739	82.75	22,948
66.00	17,945	70.25	19,266	74.50	20,558	78.75	21,811	83.00	23,017
66.25	18,024	70.50	19,343	74.75	20,632	79.00	21,883	83.25	23,087
66.50	18,102	70.75	19,420	75.00	20,707	79.25	21,956	83.50	23,156
66.75	18,180	71.00	19,496	75.25	20,782	79.50	22,028	83.75	23,225
67.00	18,258	71.25	19,573	75.50	20,856	79.75	22,100	84.00	23,293
67.25	18,336	71.50	19,649	75.75	20,931	80.00	22,171	84.25	23,362
67.50	18,414	71.75	19,726	76.00	21,005	80.25	22,243	84.50	23,430
67.75	18,492	72.00	19,802	76.25	21,079	80.50	22,314	84.75	23,498





## Capacity/Gauge Table Information

**TCLX 290419**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 219

Reporting Mark: TCLX 290419

Date: 14/07/2015

Capacity: 28,967 US Gallons (109,652 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,566	89.25	24,684	93.50	25,726	97.75	26,678	102.00	27,520
85.25	23,633	89.50	24,747	93.75	25,785	98.00	26,731	102.25	27,566
85.50	23,701	89.75	24,810	94.00	25,843	98.25	26,783	102.50	27,611
85.75	23,768	90.00	24,873	94.25	25,901	98.50	26,835	102.75	27,655
86.00	23,835	90.25	24,936	94.50	25,959	98.75	26,887	103.00	27,700
86.25	23,902	90.50	24,999	94.75	26,016	99.00	26,938	103.25	27,743
86.50	23,968	90.75	25,061	95.00	26,073	99.25	26,989	103.50	27,786
86.75	24,034	91.00	25,123	95.25	26,130	99.50	27,039	103.75	27,829
87.00	24,100	91.25	25,184	95.50	26,186	99.75	27,089	104.00	27,871
87.25	24,166	91.50	25,246	95.75	26,242	100.00	27,139	104.25	27,913
87.50	24,232	91.75	25,307	96.00	26,298	100.25	27,188	104.50	27,954
87.75	24,297	92.00	25,368	96.25	26,354	100.50	27,237	104.75	27,994
88.00	24,362	92.25	25,428	96.50	26,409	100.75	27,285	105.00	28,034
88.25	24,427	92.50	25,488	96.75	26,463	101.00	27,333	105.25	28,073
88.50	24,491	92.75	25,548	97.00	26,517	101.25	27,381	105.50	28,112
88.75	24,556	93.00	25,608	97.25	26,571	101.50	27,428	105.75	28,150
89.00	24,620	93.25	25,667	97.50	26,625	101.75	27,474	106.00	28,188



## Capacity/Gauge Table Information

**TCLX 290419**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 219

Reporting Mark: TCLX 290419

Date: 14/07/2015

Capacity: 28,967 US Gallons (109,652 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,225	110.50	28,740	114.75	28,954
106.50	28,261	110.75	28,762	115.00	28,958
106.75	28,296	111.00	28,783	115.25	28,961
107.00	28,331	111.25	28,802	115.50	28,963
107.25	28,366	111.50	28,820	115.75	28,965
107.50	28,399	111.75	28,837	116.00	28,966
107.75	28,432	112.00	28,853	116.25	28,967
108.00	28,464	112.25	28,867	116.50	28,967
108.25	28,496	112.50	28,880	116.75	28,967
108.50	28,527	112.75	28,892		
108.75	28,556	113.00	28,904		
109.00	28,585	113.25	28,914		
109.25	28,614	113.50	28,923		
109.50	28,641	113.75	28,931		
109.75	28,667	114.00	28,938		
110.00	28,693	114.25	28,944		
110.25	28,717	114.50	28,949		



## Capacity/Gauge Table Information

**TCLX 290420**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 220

Reporting Mark: TCLX 290420

Date: 09/07/2015

Capacity: 28,954 US Gallons (109,601 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,341	12.75	2,224	17.00	3,210
0.25	28	4.50	626	8.75	1,390	13.00	2,279	17.25	3,270
0.50	58	4.75	667	9.00	1,439	13.25	2,335	17.50	3,332
0.75	88	5.00	708	9.25	1,488	13.50	2,391	17.75	3,393
1.00	119	5.25	750	9.50	1,538	13.75	2,447	18.00	3,455
1.25	151	5.50	793	9.75	1,589	14.00	2,504	18.25	3,516
1.50	183	5.75	836	10.00	1,639	14.25	2,561	18.50	3,579
1.75	216	6.00	879	10.25	1,691	14.50	2,618	18.75	3,641
2.00	250	6.25	923	10.50	1,742	14.75	2,676	19.00	3,704
2.25	285	6.50	968	10.75	1,794	15.00	2,734	19.25	3,767
2.50	320	6.75	1,013	11.00	1,847	15.25	2,793	19.50	3,830
2.75	356	7.00	1,058	11.25	1,899	15.50	2,851	19.75	3,894
3.00	393	7.25	1,104	11.50	1,952	15.75	2,910	20.00	3,958
3.25	430	7.50	1,151	11.75	2,006	16.00	2,969	20.25	4,022
3.50	468	7.75	1,197	12.00	2,060	16.25	3,029	20.50	4,086
3.75	507	8.00	1,245	12.25	2,114	16.50	3,089	20.75	4,151
4.00	546	8.25	1,293	12.50	2,169	16.75	3,149	21.00	4,215



## Capacity/Gauge Table Information

**TCLX 290420**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 220

Reporting Mark: TCLX 290420

Date: 09/07/2015

Capacity: 28,954 US Gallons (109,601 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,280	25.50	5,422	29.75	6,622	34.00	7,871	38.25	9,158
21.50	4,346	25.75	5,491	30.00	6,695	34.25	7,946	38.50	9,235
21.75	4,411	26.00	5,560	30.25	6,767	34.50	8,021	38.75	9,312
22.00	4,477	26.25	5,630	30.50	6,839	34.75	8,096	39.00	9,389
22.25	4,543	26.50	5,700	30.75	6,912	35.00	8,171	39.25	9,466
22.50	4,609	26.75	5,769	31.00	6,985	35.25	8,246	39.50	9,543
22.75	4,676	27.00	5,840	31.25	7,058	35.50	8,321	39.75	9,620
23.00	4,743	27.25	5,910	31.50	7,131	35.75	8,397	40.00	9,698
23.25	4,810	27.50	5,980	31.75	7,205	36.00	8,473	40.25	9,775
23.50	4,877	27.75	6,051	32.00	7,278	36.25	8,548	40.50	9,853
23.75	4,944	28.00	6,122	32.25	7,352	36.50	8,624	40.75	9,930
24.00	5,012	28.25	6,193	32.50	7,425	36.75	8,700	41.00	10,008
24.25	5,080	28.50	6,264	32.75	7,499	37.00	8,776	41.25	10,086
24.50	5,148	28.75	6,335	33.00	7,573	37.25	8,852	41.50	10,164
24.75	5,216	29.00	6,407	33.25	7,648	37.50	8,929	41.75	10,242
25.00	5,284	29.25	6,478	33.50	7,722	37.75	9,005	42.00	10,320
25.25	5,353	29.50	6,550	33.75	7,796	38.00	9,082	42.25	10,398



## Capacity/Gauge Table Information

**TCLX 290420**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 220

Reporting Mark: TCLX 290420

Date: 09/07/2015

Capacity: 28,954 US Gallons (109,601 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,476	46.75	11,815	51.00	13,169	55.25	14,528	59.50	15,886
42.75	10,554	47.00	11,895	51.25	13,248	55.50	14,608	59.75	15,966
43.00	10,632	47.25	11,974	51.50	13,328	55.75	14,688	60.00	16,045
43.25	10,711	47.50	12,053	51.75	13,408	56.00	14,768	60.25	16,125
43.50	10,789	47.75	12,133	52.00	13,488	56.25	14,848	60.50	16,205
43.75	10,868	48.00	12,212	52.25	13,568	56.50	14,928	60.75	16,284
44.00	10,947	48.25	12,292	52.50	13,648	56.75	15,008	61.00	16,364
44.25	11,025	48.50	12,371	52.75	13,728	57.00	15,088	61.25	16,443
44.50	11,104	48.75	12,451	53.00	13,808	57.25	15,168	61.50	16,522
44.75	11,183	49.00	12,530	53.25	13,888	57.50	15,248	61.75	16,602
45.00	11,262	49.25	12,610	53.50	13,968	57.75	15,328	62.00	16,681
45.25	11,341	49.50	12,690	53.75	14,048	58.00	15,407	62.25	16,760
45.50	11,420	49.75	12,770	54.00	14,128	58.25	15,487	62.50	16,840
45.75	11,499	50.00	12,849	54.25	14,208	58.50	15,567	62.75	16,919
46.00	11,578	50.25	12,929	54.50	14,288	58.75	15,647	63.00	16,998
46.25	11,657	50.50	13,009	54.75	14,368	59.00	15,727	63.25	17,077
46.50	11,736	50.75	13,089	55.00	14,448	59.25	15,806	63.50	17,156



## Capacity/Gauge Table Information

**TCLX 290420**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 220

Reporting Mark: TCLX 290420

Date: 09/07/2015

Capacity: 28,954 US Gallons (109,601 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,235	68.00	18,567	72.25	19,874	76.50	21,148	80.75	22,380
64.00	17,314	68.25	18,645	72.50	19,950	76.75	21,222	81.00	22,451
64.25	17,393	68.50	18,722	72.75	20,026	77.00	21,296	81.25	22,522
64.50	17,472	68.75	18,800	73.00	20,102	77.25	21,369	81.50	22,592
64.75	17,550	69.00	18,877	73.25	20,177	77.50	21,442	81.75	22,663
65.00	17,629	69.25	18,955	73.50	20,253	77.75	21,515	82.00	22,733
65.25	17,707	69.50	19,032	73.75	20,328	78.00	21,588	82.25	22,803
65.50	17,786	69.75	19,109	74.00	20,403	78.25	21,661	82.50	22,873
65.75	17,864	70.00	19,186	74.25	20,479	78.50	21,734	82.75	22,942
66.00	17,943	70.25	19,263	74.50	20,554	78.75	21,806	83.00	23,012
66.25	18,021	70.50	19,340	74.75	20,628	79.00	21,879	83.25	23,081
66.50	18,099	70.75	19,416	75.00	20,703	79.25	21,951	83.50	23,150
66.75	18,178	71.00	19,493	75.25	20,778	79.50	22,023	83.75	23,219
67.00	18,256	71.25	19,569	75.50	20,852	79.75	22,095	84.00	23,288
67.25	18,334	71.50	19,646	75.75	20,926	80.00	22,166	84.25	23,356
67.50	18,412	71.75	19,722	76.00	21,001	80.25	22,238	84.50	23,424
67.75	18,489	72.00	19,798	76.25	21,075	80.50	22,309	84.75	23,492



## Capacity/Gauge Table Information

**TCLX 290420**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 220

Reporting Mark: TCLX 290420

Date: 09/07/2015

Capacity: 28,954 US Gallons (109,601 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,560	89.25	24,677	93.50	25,719	97.75	26,670	102.00	27,511
85.25	23,628	89.50	24,741	93.75	25,777	98.00	26,723	102.25	27,557
85.50	23,695	89.75	24,804	94.00	25,836	98.25	26,775	102.50	27,602
85.75	23,762	90.00	24,867	94.25	25,894	98.50	26,827	102.75	27,646
86.00	23,829	90.25	24,929	94.50	25,951	98.75	26,879	103.00	27,690
86.25	23,896	90.50	24,992	94.75	26,009	99.00	26,930	103.25	27,734
86.50	23,962	90.75	25,054	95.00	26,066	99.25	26,980	103.50	27,777
86.75	24,028	91.00	25,116	95.25	26,122	99.50	27,031	103.75	27,819
87.00	24,094	91.25	25,177	95.50	26,179	99.75	27,081	104.00	27,861
87.25	24,160	91.50	25,239	95.75	26,235	100.00	27,130	104.25	27,903
87.50	24,225	91.75	25,300	96.00	26,290	100.25	27,179	104.50	27,944
87.75	24,291	92.00	25,361	96.25	26,346	100.50	27,228	104.75	27,984
88.00	24,356	92.25	25,421	96.50	26,401	100.75	27,276	105.00	28,024
88.25	24,420	92.50	25,481	96.75	26,455	101.00	27,324	105.25	28,063
88.50	24,485	92.75	25,541	97.00	26,509	101.25	27,372	105.50	28,102
88.75	24,549	93.00	25,601	97.25	26,563	101.50	27,419	105.75	28,140
89.00	24,613	93.25	25,660	97.50	26,617	101.75	27,465	106.00	28,177





## Capacity/Gauge Table Information

**TCLX 290420**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 220

Reporting Mark: TCLX 290420

Date: 09/07/2015

Capacity: 28,954 US Gallons (109,601 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,214	110.50	28,728	114.75	28,940
106.50	28,251	110.75	28,750	115.00	28,944
106.75	28,286	111.00	28,770	115.25	28,947
107.00	28,321	111.25	28,790	115.50	28,949
107.25	28,355	111.50	28,808	115.75	28,951
107.50	28,389	111.75	28,824	116.00	28,952
107.75	28,422	112.00	28,840	116.25	28,953
108.00	28,454	112.25	28,854	116.50	28,953
108.25	28,485	112.50	28,867	116.75	28,954
108.50	28,516	112.75	28,879		
108.75	28,545	113.00	28,890		
109.00	28,574	113.25	28,900		
109.25	28,602	113.50	28,909		
109.50	28,629	113.75	28,917		
109.75	28,656	114.00	28,924		
110.00	28,681	114.25	28,931		
110.25	28,705	114.50	28,936		



## Capacity/Gauge Table Information

**TCLX 290421**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 221

Reporting Mark: TCLX 290421

Date: 09/07/2015

Capacity: 29,016 US Gallons (109,838 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	581	8.50	1,333	12.75	2,213	17.00	3,198
0.25	28	4.50	621	8.75	1,381	13.00	2,269	17.25	3,259
0.50	57	4.75	661	9.00	1,430	13.25	2,324	17.50	3,320
0.75	87	5.00	702	9.25	1,479	13.50	2,380	17.75	3,381
1.00	118	5.25	744	9.50	1,529	13.75	2,436	18.00	3,443
1.25	149	5.50	786	9.75	1,580	14.00	2,493	18.25	3,504
1.50	181	5.75	829	10.00	1,630	14.25	2,550	18.50	3,567
1.75	214	6.00	873	10.25	1,681	14.50	2,607	18.75	3,629
2.00	248	6.25	916	10.50	1,733	14.75	2,665	19.00	3,692
2.25	282	6.50	961	10.75	1,785	15.00	2,723	19.25	3,755
2.50	317	6.75	1,005	11.00	1,837	15.25	2,781	19.50	3,818
2.75	353	7.00	1,051	11.25	1,890	15.50	2,840	19.75	3,881
3.00	389	7.25	1,097	11.50	1,943	15.75	2,899	20.00	3,945
3.25	426	7.50	1,143	11.75	1,996	16.00	2,958	20.25	4,009
3.50	464	7.75	1,190	12.00	2,050	16.25	3,017	20.50	4,074
3.75	502	8.00	1,237	12.25	2,104	16.50	3,077	20.75	4,138
4.00	541	8.25	1,284	12.50	2,158	16.75	3,137	21.00	4,203



## Capacity/Gauge Table Information

**TCLX 290421**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 221

Reporting Mark: TCLX 290421

Date: 09/07/2015

Capacity: 29,016 US Gallons (109,838 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,268	25.50	5,409	29.75	6,610	34.00	7,859	38.25	9,148
21.50	4,333	25.75	5,478	30.00	6,682	34.25	7,934	38.50	9,225
21.75	4,399	26.00	5,548	30.25	6,755	34.50	8,009	38.75	9,301
22.00	4,465	26.25	5,617	30.50	6,827	34.75	8,084	39.00	9,378
22.25	4,531	26.50	5,687	30.75	6,900	35.00	8,159	39.25	9,456
22.50	4,597	26.75	5,757	31.00	6,973	35.25	8,235	39.50	9,533
22.75	4,663	27.00	5,827	31.25	7,046	35.50	8,310	39.75	9,610
23.00	4,730	27.25	5,897	31.50	7,119	35.75	8,386	40.00	9,688
23.25	4,797	27.50	5,968	31.75	7,192	36.00	8,461	40.25	9,765
23.50	4,864	27.75	6,038	32.00	7,266	36.25	8,537	40.50	9,843
23.75	4,932	28.00	6,109	32.25	7,340	36.50	8,613	40.75	9,920
24.00	4,999	28.25	6,180	32.50	7,413	36.75	8,689	41.00	9,998
24.25	5,067	28.50	6,251	32.75	7,487	37.00	8,765	41.25	10,076
24.50	5,135	28.75	6,323	33.00	7,561	37.25	8,841	41.50	10,154
24.75	5,203	29.00	6,394	33.25	7,636	37.50	8,918	41.75	10,232
25.00	5,272	29.25	6,466	33.50	7,710	37.75	8,994	42.00	10,310
25.25	5,340	29.50	6,538	33.75	7,785	38.00	9,071	42.25	10,388



## Capacity/Gauge Table Information

**TCLX 290421**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 221

Reporting Mark: TCLX 290421

Date: 09/07/2015

Capacity: 29,016 US Gallons (109,838 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,467	46.75	11,808	51.00	13,163	55.25	14,525	59.50	15,885
42.75	10,545	47.00	11,887	51.25	13,243	55.50	14,605	59.75	15,965
43.00	10,623	47.25	11,967	51.50	13,323	55.75	14,685	60.00	16,045
43.25	10,702	47.50	12,046	51.75	13,403	56.00	14,765	60.25	16,125
43.50	10,780	47.75	12,126	52.00	13,483	56.25	14,845	60.50	16,204
43.75	10,859	48.00	12,205	52.25	13,563	56.50	14,925	60.75	16,284
44.00	10,938	48.25	12,285	52.50	13,643	56.75	15,005	61.00	16,364
44.25	11,017	48.50	12,364	52.75	13,723	57.00	15,085	61.25	16,443
44.50	11,095	48.75	12,444	53.00	13,803	57.25	15,165	61.50	16,523
44.75	11,174	49.00	12,524	53.25	13,883	57.50	15,246	61.75	16,602
45.00	11,253	49.25	12,604	53.50	13,964	57.75	15,326	62.00	16,682
45.25	11,332	49.50	12,683	53.75	14,044	58.00	15,406	62.25	16,761
45.50	11,411	49.75	12,763	54.00	14,124	58.25	15,486	62.50	16,841
45.75	11,491	50.00	12,843	54.25	14,204	58.50	15,566	62.75	16,920
46.00	11,570	50.25	12,923	54.50	14,284	58.75	15,645	63.00	16,999
46.25	11,649	50.50	13,003	54.75	14,364	59.00	15,725	63.25	17,078
46.50	11,728	50.75	13,083	55.00	14,444	59.25	15,805	63.50	17,158



## Capacity/Gauge Table Information

**TCLX 290421**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 221

Reporting Mark: TCLX 290421

Date: 09/07/2015

Capacity: 29,016 US Gallons (109,838 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,237	68.00	18,572	72.25	19,882	76.50	21,160	80.75	22,395
64.00	17,316	68.25	18,650	72.50	19,958	76.75	21,234	81.00	22,466
64.25	17,395	68.50	18,727	72.75	20,034	77.00	21,307	81.25	22,537
64.50	17,474	68.75	18,805	73.00	20,110	77.25	21,381	81.50	22,608
64.75	17,553	69.00	18,883	73.25	20,186	77.50	21,454	81.75	22,679
65.00	17,632	69.25	18,960	73.50	20,262	77.75	21,528	82.00	22,749
65.25	17,710	69.50	19,038	73.75	20,337	78.00	21,601	82.25	22,819
65.50	17,789	69.75	19,115	74.00	20,413	78.25	21,674	82.50	22,889
65.75	17,868	70.00	19,192	74.25	20,488	78.50	21,747	82.75	22,959
66.00	17,946	70.25	19,269	74.50	20,563	78.75	21,819	83.00	23,029
66.25	18,025	70.50	19,346	74.75	20,638	79.00	21,892	83.25	23,098
66.50	18,103	70.75	19,423	75.00	20,713	79.25	21,964	83.50	23,167
66.75	18,181	71.00	19,500	75.25	20,788	79.50	22,037	83.75	23,236
67.00	18,260	71.25	19,577	75.50	20,862	79.75	22,109	84.00	23,305
67.25	18,338	71.50	19,653	75.75	20,937	80.00	22,180	84.25	23,374
67.50	18,416	71.75	19,730	76.00	21,011	80.25	22,252	84.50	23,442
67.75	18,494	72.00	19,806	76.25	21,086	80.50	22,324	84.75	23,511



## Capacity/Gauge Table Information

**TCLX 290421**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 221

Reporting Mark: TCLX 290421

Date: 09/07/2015

Capacity: 29,016 US Gallons (109,838 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,579	89.25	24,700	93.50	25,746	97.75	26,702	102.00	27,548
85.25	23,646	89.50	24,763	93.75	25,805	98.00	26,755	102.25	27,594
85.50	23,714	89.75	24,827	94.00	25,863	98.25	26,807	102.50	27,640
85.75	23,781	90.00	24,890	94.25	25,922	98.50	26,860	102.75	27,684
86.00	23,848	90.25	24,953	94.50	25,979	98.75	26,912	103.00	27,729
86.25	23,915	90.50	25,016	94.75	26,037	99.00	26,963	103.25	27,773
86.50	23,982	90.75	25,078	95.00	26,094	99.25	27,014	103.50	27,816
86.75	24,049	91.00	25,140	95.25	26,151	99.50	27,065	103.75	27,859
87.00	24,115	91.25	25,202	95.50	26,208	99.75	27,115	104.00	27,901
87.25	24,181	91.50	25,264	95.75	26,264	100.00	27,165	104.25	27,943
87.50	24,246	91.75	25,325	96.00	26,320	100.25	27,214	104.50	27,985
87.75	24,312	92.00	25,386	96.25	26,376	100.50	27,263	104.75	28,025
88.00	24,377	92.25	25,447	96.50	26,431	100.75	27,312	105.00	28,066
88.25	24,442	92.50	25,507	96.75	26,486	101.00	27,360	105.25	28,105
88.50	24,507	92.75	25,567	97.00	26,540	101.25	27,408	105.50	28,144
88.75	24,571	93.00	25,627	97.25	26,595	101.50	27,455	105.75	28,183
89.00	24,636	93.25	25,687	97.50	26,648	101.75	27,502	106.00	28,221



## Capacity/Gauge Table Information

**TCLX 290421**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 221

Reporting Mark: TCLX 290421

Date: 09/07/2015

Capacity: 29,016 US Gallons (109,838 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,258	110.50	28,781	114.75	29,002
106.50	28,295	110.75	28,804	115.00	29,006
106.75	28,331	111.00	28,825	115.25	29,009
107.00	28,366	111.25	28,845	115.50	29,012
107.25	28,401	111.50	28,864	115.75	29,014
107.50	28,435	111.75	28,881	116.00	29,015
107.75	28,468	112.00	28,897	116.25	29,016
108.00	28,500	112.25	28,912	116.50	29,016
108.25	28,532	112.50	28,926	116.75	29,016
108.50	28,563	112.75	28,939		
108.75	28,594	113.00	28,950		
109.00	28,623	113.25	28,961		
109.25	28,652	113.50	28,970		
109.50	28,679	113.75	28,978		
109.75	28,706	114.00	28,986		
110.00	28,732	114.25	28,992		
110.25	28,757	114.50	28,998		





## Capacity/Gauge Table Information

**TCLX 290422**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 222

Reporting Mark: TCLX 290422

Date: 10/07/2015

Capacity: 28,937 US Gallons (109,539 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,344	12.75	2,229	17.00	3,215
0.25	29	4.50	628	8.75	1,393	13.00	2,284	17.25	3,276
0.50	58	4.75	669	9.00	1,442	13.25	2,340	17.50	3,337
0.75	88	5.00	711	9.25	1,492	13.50	2,396	17.75	3,399
1.00	120	5.25	753	9.50	1,542	13.75	2,452	18.00	3,460
1.25	151	5.50	795	9.75	1,593	14.00	2,509	18.25	3,522
1.50	184	5.75	838	10.00	1,643	14.25	2,566	18.50	3,585
1.75	217	6.00	882	10.25	1,695	14.50	2,624	18.75	3,647
2.00	252	6.25	926	10.50	1,746	14.75	2,681	19.00	3,710
2.25	286	6.50	971	10.75	1,798	15.00	2,739	19.25	3,773
2.50	322	6.75	1,016	11.00	1,851	15.25	2,798	19.50	3,836
2.75	358	7.00	1,061	11.25	1,904	15.50	2,857	19.75	3,900
3.00	395	7.25	1,107	11.50	1,957	15.75	2,916	20.00	3,964
3.25	432	7.50	1,154	11.75	2,011	16.00	2,975	20.25	4,028
3.50	470	7.75	1,201	12.00	2,064	16.25	3,035	20.50	4,092
3.75	509	8.00	1,248	12.25	2,119	16.50	3,094	20.75	4,157
4.00	548	8.25	1,296	12.50	2,174	16.75	3,155	21.00	4,222



## Capacity/Gauge Table Information

**TCLX 290422**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 222

Reporting Mark: TCLX 290422

Date: 10/07/2015

Capacity: 28,937 US Gallons (109,539 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,287	25.50	5,429	29.75	6,629	34.00	7,878	38.25	9,165
21.50	4,352	25.75	5,498	30.00	6,701	34.25	7,953	38.50	9,242
21.75	4,418	26.00	5,567	30.25	6,774	34.50	8,028	38.75	9,319
22.00	4,483	26.25	5,637	30.50	6,846	34.75	8,103	39.00	9,396
22.25	4,550	26.50	5,706	30.75	6,919	35.00	8,178	39.25	9,473
22.50	4,616	26.75	5,776	31.00	6,992	35.25	8,253	39.50	9,550
22.75	4,682	27.00	5,846	31.25	7,065	35.50	8,328	39.75	9,627
23.00	4,749	27.25	5,917	31.50	7,138	35.75	8,404	40.00	9,705
23.25	4,816	27.50	5,987	31.75	7,212	36.00	8,480	40.25	9,782
23.50	4,883	27.75	6,058	32.00	7,285	36.25	8,555	40.50	9,860
23.75	4,951	28.00	6,129	32.25	7,359	36.50	8,631	40.75	9,937
24.00	5,018	28.25	6,200	32.50	7,432	36.75	8,707	41.00	10,015
24.25	5,086	28.50	6,271	32.75	7,506	37.00	8,783	41.25	10,093
24.50	5,154	28.75	6,342	33.00	7,580	37.25	8,859	41.50	10,171
24.75	5,223	29.00	6,414	33.25	7,655	37.50	8,936	41.75	10,248
25.00	5,291	29.25	6,485	33.50	7,729	37.75	9,012	42.00	10,326
25.25	5,360	29.50	6,557	33.75	7,803	38.00	9,089	42.25	10,405



## Capacity/Gauge Table Information

**TCLX 290422**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 222

Reporting Mark: TCLX 290422

Date: 10/07/2015

Capacity: 28,937 US Gallons (109,539 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,483	46.75	11,822	51.00	13,175	55.25	14,534	59.50	15,891
42.75	10,561	47.00	11,901	51.25	13,255	55.50	14,614	59.75	15,971
43.00	10,639	47.25	11,980	51.50	13,334	55.75	14,694	60.00	16,050
43.25	10,718	47.50	12,060	51.75	13,414	56.00	14,774	60.25	16,130
43.50	10,796	47.75	12,139	52.00	13,494	56.25	14,854	60.50	16,210
43.75	10,875	48.00	12,219	52.25	13,574	56.50	14,934	60.75	16,289
44.00	10,953	48.25	12,298	52.50	13,654	56.75	15,013	61.00	16,369
44.25	11,032	48.50	12,378	52.75	13,734	57.00	15,093	61.25	16,448
44.50	11,111	48.75	12,457	53.00	13,814	57.25	15,173	61.50	16,527
44.75	11,189	49.00	12,537	53.25	13,894	57.50	15,253	61.75	16,607
45.00	11,268	49.25	12,617	53.50	13,974	57.75	15,333	62.00	16,686
45.25	11,347	49.50	12,696	53.75	14,054	58.00	15,413	62.25	16,765
45.50	11,426	49.75	12,776	54.00	14,134	58.25	15,493	62.50	16,844
45.75	11,505	50.00	12,856	54.25	14,214	58.50	15,572	62.75	16,924
46.00	11,584	50.25	12,935	54.50	14,294	58.75	15,652	63.00	17,003
46.25	11,663	50.50	13,015	54.75	14,374	59.00	15,732	63.25	17,082
46.50	11,743	50.75	13,095	55.00	14,454	59.25	15,812	63.50	17,161



## Capacity/Gauge Table Information

**TCLX 290422**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 222

Reporting Mark: TCLX 290422

Date: 10/07/2015

Capacity: 28,937 US Gallons (109,539 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,240	68.00	18,571	72.25	19,877	76.50	21,150	80.75	22,381
64.00	17,318	68.25	18,649	72.50	19,953	76.75	21,224	81.00	22,452
64.25	17,397	68.50	18,726	72.75	20,029	77.00	21,298	81.25	22,523
64.50	17,476	68.75	18,803	73.00	20,105	77.25	21,371	81.50	22,593
64.75	17,555	69.00	18,881	73.25	20,180	77.50	21,444	81.75	22,664
65.00	17,633	69.25	18,958	73.50	20,256	77.75	21,517	82.00	22,734
65.25	17,712	69.50	19,035	73.75	20,331	78.00	21,590	82.25	22,804
65.50	17,790	69.75	19,112	74.00	20,406	78.25	21,663	82.50	22,873
65.75	17,869	70.00	19,189	74.25	20,481	78.50	21,735	82.75	22,943
66.00	17,947	70.25	19,266	74.50	20,556	78.75	21,808	83.00	23,012
66.25	18,025	70.50	19,343	74.75	20,631	79.00	21,880	83.25	23,081
66.50	18,103	70.75	19,420	75.00	20,705	79.25	21,952	83.50	23,150
66.75	18,182	71.00	19,496	75.25	20,780	79.50	22,024	83.75	23,219
67.00	18,260	71.25	19,573	75.50	20,854	79.75	22,096	84.00	23,288
67.25	18,338	71.50	19,649	75.75	20,929	80.00	22,167	84.25	23,356
67.50	18,415	71.75	19,725	76.00	21,003	80.25	22,239	84.50	23,424
67.75	18,493	72.00	19,801	76.25	21,077	80.50	22,310	84.75	23,492



## Capacity/Gauge Table Information

**TCLX 290422**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 222

Reporting Mark: TCLX 290422

Date: 10/07/2015

Capacity: 28,937 US Gallons (109,539 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,560	89.25	24,676	93.50	25,716	97.75	26,665	102.00	27,505
85.25	23,627	89.50	24,739	93.75	25,774	98.00	26,718	102.25	27,550
85.50	23,695	89.75	24,802	94.00	25,832	98.25	26,770	102.50	27,595
85.75	23,762	90.00	24,865	94.25	25,890	98.50	26,822	102.75	27,639
86.00	23,828	90.25	24,928	94.50	25,948	98.75	26,873	103.00	27,683
86.25	23,895	90.50	24,990	94.75	26,005	99.00	26,925	103.25	27,727
86.50	23,961	90.75	25,052	95.00	26,062	99.25	26,975	103.50	27,770
86.75	24,028	91.00	25,114	95.25	26,119	99.50	27,026	103.75	27,812
87.00	24,093	91.25	25,175	95.50	26,175	99.75	27,075	104.00	27,854
87.25	24,159	91.50	25,237	95.75	26,231	100.00	27,125	104.25	27,895
87.50	24,224	91.75	25,297	96.00	26,286	100.25	27,174	104.50	27,936
87.75	24,290	92.00	25,358	96.25	26,342	100.50	27,222	104.75	27,976
88.00	24,355	92.25	25,418	96.50	26,396	100.75	27,271	105.00	28,016
88.25	24,419	92.50	25,479	96.75	26,451	101.00	27,318	105.25	28,055
88.50	24,484	92.75	25,538	97.00	26,505	101.25	27,365	105.50	28,094
88.75	24,548	93.00	25,598	97.25	26,559	101.50	27,412	105.75	28,131
89.00	24,612	93.25	25,657	97.50	26,612	101.75	27,459	106.00	28,169



## Capacity/Gauge Table Information

**TCLX 290422**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 222

Reporting Mark: TCLX 290422

Date: 10/07/2015

Capacity: 28,937 US Gallons (109,539 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,205	110.50	28,716	114.75	28,924
106.50	28,241	110.75	28,737	115.00	28,928
106.75	28,277	111.00	28,757	115.25	28,931
107.00	28,312	111.25	28,776	115.50	28,933
107.25	28,346	111.50	28,794	115.75	28,935
107.50	28,379	111.75	28,810	116.00	28,936
107.75	28,412	112.00	28,825	116.25	28,937
108.00	28,444	112.25	28,839	116.50	28,937
108.25	28,475	112.50	28,852	116.75	28,937
108.50	28,505	112.75	28,864		
108.75	28,535	113.00	28,875		
109.00	28,563	113.25	28,885		
109.25	28,591	113.50	28,894		
109.50	28,618	113.75	28,902		
109.75	28,644	114.00	28,908		
110.00	28,669	114.25	28,915		
110.25	28,693	114.50	28,920		



## Capacity/Gauge Table Information

**TCLX 290423**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 223

Reporting Mark: TCLX 290423

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,344	12.75	2,228	17.00	3,214
0.25	29	4.50	627	8.75	1,392	13.00	2,283	17.25	3,275
0.50	58	4.75	668	9.00	1,441	13.25	2,339	17.50	3,336
0.75	88	5.00	710	9.25	1,491	13.50	2,395	17.75	3,398
1.00	119	5.25	752	9.50	1,541	13.75	2,451	18.00	3,460
1.25	151	5.50	794	9.75	1,592	14.00	2,508	18.25	3,522
1.50	184	5.75	837	10.00	1,642	14.25	2,565	18.50	3,584
1.75	217	6.00	881	10.25	1,694	14.50	2,623	18.75	3,646
2.00	251	6.25	925	10.50	1,745	14.75	2,680	19.00	3,709
2.25	286	6.50	970	10.75	1,797	15.00	2,738	19.25	3,772
2.50	321	6.75	1,015	11.00	1,850	15.25	2,797	19.50	3,836
2.75	357	7.00	1,060	11.25	1,903	15.50	2,856	19.75	3,899
3.00	394	7.25	1,106	11.50	1,956	15.75	2,915	20.00	3,963
3.25	432	7.50	1,153	11.75	2,010	16.00	2,974	20.25	4,027
3.50	470	7.75	1,200	12.00	2,064	16.25	3,034	20.50	4,092
3.75	508	8.00	1,247	12.25	2,118	16.50	3,094	20.75	4,156
4.00	547	8.25	1,295	12.50	2,173	16.75	3,154	21.00	4,221





## Capacity/Gauge Table Information

**TCLX 290423**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 223

Reporting Mark: TCLX 290423

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,286	25.50	5,429	29.75	6,630	34.00	7,879	38.25	9,167
21.50	4,352	25.75	5,498	30.00	6,702	34.25	7,954	38.50	9,244
21.75	4,417	26.00	5,567	30.25	6,774	34.50	8,029	38.75	9,321
22.00	4,483	26.25	5,637	30.50	6,847	34.75	8,104	39.00	9,398
22.25	4,549	26.50	5,706	30.75	6,920	35.00	8,179	39.25	9,475
22.50	4,615	26.75	5,776	31.00	6,992	35.25	8,254	39.50	9,552
22.75	4,682	27.00	5,846	31.25	7,065	35.50	8,329	39.75	9,629
23.00	4,749	27.25	5,917	31.50	7,139	35.75	8,405	40.00	9,706
23.25	4,816	27.50	5,987	31.75	7,212	36.00	8,481	40.25	9,784
23.50	4,883	27.75	6,058	32.00	7,286	36.25	8,556	40.50	9,861
23.75	4,950	28.00	6,129	32.25	7,359	36.50	8,632	40.75	9,939
24.00	5,018	28.25	6,200	32.50	7,433	36.75	8,708	41.00	10,017
24.25	5,086	28.50	6,271	32.75	7,507	37.00	8,785	41.25	10,095
24.50	5,154	28.75	6,342	33.00	7,581	37.25	8,861	41.50	10,173
24.75	5,222	29.00	6,414	33.25	7,655	37.50	8,937	41.75	10,251
25.00	5,291	29.25	6,486	33.50	7,730	37.75	9,014	42.00	10,329
25.25	5,360	29.50	6,557	33.75	7,804	38.00	9,090	42.25	10,407



## Capacity/Gauge Table Information

**TCLX 290423**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 223

Reporting Mark: TCLX 290423

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,485	46.75	11,825	51.00	13,179	55.25	14,538	59.50	15,897
42.75	10,563	47.00	11,904	51.25	13,258	55.50	14,618	59.75	15,976
43.00	10,642	47.25	11,983	51.50	13,338	55.75	14,698	60.00	16,056
43.25	10,720	47.50	12,063	51.75	13,418	56.00	14,778	60.25	16,136
43.50	10,799	47.75	12,142	52.00	13,498	56.25	14,858	60.50	16,215
43.75	10,877	48.00	12,222	52.25	13,578	56.50	14,938	60.75	16,295
44.00	10,956	48.25	12,301	52.50	13,658	56.75	15,018	61.00	16,374
44.25	11,034	48.50	12,381	52.75	13,738	57.00	15,098	61.25	16,454
44.50	11,113	48.75	12,461	53.00	13,818	57.25	15,178	61.50	16,533
44.75	11,192	49.00	12,540	53.25	13,898	57.50	15,258	61.75	16,613
45.00	11,271	49.25	12,620	53.50	13,978	57.75	15,338	62.00	16,692
45.25	11,350	49.50	12,700	53.75	14,058	58.00	15,418	62.25	16,771
45.50	11,429	49.75	12,779	54.00	14,138	58.25	15,498	62.50	16,851
45.75	11,508	50.00	12,859	54.25	14,218	58.50	15,578	62.75	16,930
46.00	11,587	50.25	12,939	54.50	14,298	58.75	15,658	63.00	17,009
46.25	11,666	50.50	13,019	54.75	14,378	59.00	15,737	63.25	17,088
46.50	11,746	50.75	13,099	55.00	14,458	59.25	15,817	63.50	17,167



## Capacity/Gauge Table Information

**TCLX 290423**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 223

Reporting Mark: TCLX 290423

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,246	68.00	18,578	72.25	19,886	76.50	21,160	80.75	22,392
64.00	17,325	68.25	18,656	72.50	19,962	76.75	21,234	81.00	22,463
64.25	17,404	68.50	18,734	72.75	20,038	77.00	21,307	81.25	22,534
64.50	17,483	68.75	18,811	73.00	20,113	77.25	21,381	81.50	22,604
64.75	17,561	69.00	18,889	73.25	20,189	77.50	21,454	81.75	22,675
65.00	17,640	69.25	18,966	73.50	20,264	77.75	21,527	82.00	22,745
65.25	17,719	69.50	19,043	73.75	20,340	78.00	21,600	82.25	22,815
65.50	17,797	69.75	19,120	74.00	20,415	78.25	21,673	82.50	22,885
65.75	17,876	70.00	19,197	74.25	20,490	78.50	21,746	82.75	22,954
66.00	17,954	70.25	19,274	74.50	20,565	78.75	21,818	83.00	23,024
66.25	18,032	70.50	19,351	74.75	20,640	79.00	21,890	83.25	23,093
66.50	18,111	70.75	19,428	75.00	20,715	79.25	21,963	83.50	23,162
66.75	18,189	71.00	19,504	75.25	20,789	79.50	22,035	83.75	23,231
67.00	18,267	71.25	19,581	75.50	20,864	79.75	22,106	84.00	23,299
67.25	18,345	71.50	19,657	75.75	20,938	80.00	22,178	84.25	23,368
67.50	18,423	71.75	19,734	76.00	21,012	80.25	22,249	84.50	23,436
67.75	18,501	72.00	19,810	76.25	21,086	80.50	22,321	84.75	23,504



## Capacity/Gauge Table Information

**TCLX 290423**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 223

Reporting Mark: TCLX 290423

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,572	89.25	24,689	93.50	25,730	97.75	26,681	102.00	27,522
85.25	23,639	89.50	24,752	93.75	25,789	98.00	26,734	102.25	27,567
85.50	23,707	89.75	24,815	94.00	25,847	98.25	26,786	102.50	27,612
85.75	23,774	90.00	24,878	94.25	25,905	98.50	26,838	102.75	27,657
86.00	23,841	90.25	24,941	94.50	25,963	98.75	26,890	103.00	27,701
86.25	23,907	90.50	25,003	94.75	26,020	99.00	26,941	103.25	27,744
86.50	23,974	90.75	25,066	95.00	26,077	99.25	26,991	103.50	27,787
86.75	24,040	91.00	25,127	95.25	26,134	99.50	27,042	103.75	27,830
87.00	24,106	91.25	25,189	95.50	26,190	99.75	27,092	104.00	27,872
87.25	24,172	91.50	25,250	95.75	26,246	100.00	27,141	104.25	27,913
87.50	24,237	91.75	25,311	96.00	26,302	100.25	27,190	104.50	27,954
87.75	24,302	92.00	25,372	96.25	26,357	100.50	27,239	104.75	27,994
88.00	24,367	92.25	25,432	96.50	26,412	100.75	27,287	105.00	28,034
88.25	24,432	92.50	25,493	96.75	26,466	101.00	27,335	105.25	28,073
88.50	24,497	92.75	25,552	97.00	26,521	101.25	27,382	105.50	28,112
88.75	24,561	93.00	25,612	97.25	26,574	101.50	27,429	105.75	28,150
89.00	24,625	93.25	25,671	97.50	26,628	101.75	27,476	106.00	28,187



## Capacity/Gauge Table Information

**TCLX 290423**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 223

Reporting Mark: TCLX 290423

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,224	110.50	28,736	114.75	28,947
106.50	28,260	110.75	28,758	115.00	28,950
106.75	28,296	111.00	28,778	115.25	28,953
107.00	28,331	111.25	28,797	115.50	28,956
107.25	28,365	111.50	28,815	115.75	28,957
107.50	28,398	111.75	28,832	116.00	28,959
107.75	28,431	112.00	28,847	116.25	28,959
108.00	28,463	112.25	28,861	116.50	28,960
108.25	28,494	112.50	28,874	116.75	28,960
108.50	28,525	112.75	28,886		
108.75	28,554	113.00	28,897		
109.00	28,583	113.25	28,907		
109.25	28,611	113.50	28,916		
109.50	28,638	113.75	28,924		
109.75	28,664	114.00	28,931		
110.00	28,689	114.25	28,937		
110.25	28,713	114.50	28,942		



## Capacity/Gauge Table Information

**TCLX 290424**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 224

Reporting Mark: TCLX 290424

Date: 10/07/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,346	12.75	2,232	17.00	3,220
0.25	29	4.50	629	8.75	1,395	13.00	2,287	17.25	3,281
0.50	58	4.75	670	9.00	1,444	13.25	2,343	17.50	3,342
0.75	89	5.00	712	9.25	1,494	13.50	2,399	17.75	3,403
1.00	120	5.25	754	9.50	1,544	13.75	2,456	18.00	3,465
1.25	152	5.50	796	9.75	1,595	14.00	2,512	18.25	3,527
1.50	184	5.75	839	10.00	1,646	14.25	2,570	18.50	3,589
1.75	218	6.00	883	10.25	1,697	14.50	2,627	18.75	3,652
2.00	252	6.25	927	10.50	1,749	14.75	2,685	19.00	3,715
2.25	287	6.50	972	10.75	1,801	15.00	2,743	19.25	3,778
2.50	322	6.75	1,017	11.00	1,853	15.25	2,802	19.50	3,841
2.75	358	7.00	1,063	11.25	1,906	15.50	2,860	19.75	3,905
3.00	395	7.25	1,109	11.50	1,960	15.75	2,920	20.00	3,969
3.25	433	7.50	1,155	11.75	2,013	16.00	2,979	20.25	4,033
3.50	471	7.75	1,203	12.00	2,067	16.25	3,039	20.50	4,098
3.75	510	8.00	1,250	12.25	2,122	16.50	3,099	20.75	4,162
4.00	549	8.25	1,298	12.50	2,176	16.75	3,159	21.00	4,227



## Capacity/Gauge Table Information

**TCLX 290424**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 224

Reporting Mark: TCLX 290424

Date: 10/07/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,292	25.50	5,436	29.75	6,638	34.00	7,888	38.25	9,177
21.50	4,358	25.75	5,505	30.00	6,710	34.25	7,963	38.50	9,254
21.75	4,424	26.00	5,574	30.25	6,783	34.50	8,038	38.75	9,331
22.00	4,489	26.25	5,644	30.50	6,855	34.75	8,113	39.00	9,408
22.25	4,556	26.50	5,714	30.75	6,928	35.00	8,188	39.25	9,485
22.50	4,622	26.75	5,784	31.00	7,001	35.25	8,264	39.50	9,562
22.75	4,689	27.00	5,854	31.25	7,074	35.50	8,339	39.75	9,640
23.00	4,755	27.25	5,924	31.50	7,147	35.75	8,415	40.00	9,717
23.25	4,822	27.50	5,995	31.75	7,221	36.00	8,490	40.25	9,795
23.50	4,890	27.75	6,066	32.00	7,294	36.25	8,566	40.50	9,872
23.75	4,957	28.00	6,137	32.25	7,368	36.50	8,642	40.75	9,950
24.00	5,025	28.25	6,208	32.50	7,442	36.75	8,718	41.00	10,028
24.25	5,093	28.50	6,279	32.75	7,516	37.00	8,795	41.25	10,106
24.50	5,161	28.75	6,350	33.00	7,590	37.25	8,871	41.50	10,184
24.75	5,229	29.00	6,422	33.25	7,664	37.50	8,947	41.75	10,262
25.00	5,298	29.25	6,494	33.50	7,739	37.75	9,024	42.00	10,340
25.25	5,367	29.50	6,566	33.75	7,813	38.00	9,100	42.25	10,418





## Capacity/Gauge Table Information

**TCLX 290424**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 224

Reporting Mark: TCLX 290424

Date: 10/07/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,496	46.75	11,837	51.00	13,191	55.25	14,552	59.50	15,911
42.75	10,574	47.00	11,916	51.25	13,271	55.50	14,632	59.75	15,991
43.00	10,653	47.25	11,996	51.50	13,351	55.75	14,712	60.00	16,071
43.25	10,731	47.50	12,075	51.75	13,431	56.00	14,792	60.25	16,150
43.50	10,810	47.75	12,155	52.00	13,511	56.25	14,872	60.50	16,230
43.75	10,889	48.00	12,234	52.25	13,591	56.50	14,952	60.75	16,309
44.00	10,967	48.25	12,314	52.50	13,671	56.75	15,032	61.00	16,389
44.25	11,046	48.50	12,393	52.75	13,751	57.00	15,112	61.25	16,469
44.50	11,125	48.75	12,473	53.00	13,831	57.25	15,192	61.50	16,548
44.75	11,204	49.00	12,553	53.25	13,911	57.50	15,272	61.75	16,627
45.00	11,283	49.25	12,632	53.50	13,992	57.75	15,352	62.00	16,707
45.25	11,362	49.50	12,712	53.75	14,072	58.00	15,432	62.25	16,786
45.50	11,441	49.75	12,792	54.00	14,152	58.25	15,512	62.50	16,865
45.75	11,520	50.00	12,872	54.25	14,232	58.50	15,592	62.75	16,945
46.00	11,599	50.25	12,952	54.50	14,312	58.75	15,672	63.00	17,024
46.25	11,678	50.50	13,032	54.75	14,392	59.00	15,752	63.25	17,103
46.50	11,758	50.75	13,111	55.00	14,472	59.25	15,831	63.50	17,182



## Capacity/Gauge Table Information

**TCLX 290424**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 224

Reporting Mark: TCLX 290424

Date: 10/07/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,261	68.00	18,594	72.25	19,902	76.50	21,177	80.75	22,409
64.00	17,340	68.25	18,672	72.50	19,978	76.75	21,250	81.00	22,480
64.25	17,419	68.50	18,749	72.75	20,054	77.00	21,324	81.25	22,551
64.50	17,498	68.75	18,827	73.00	20,130	77.25	21,397	81.50	22,621
64.75	17,577	69.00	18,904	73.25	20,205	77.50	21,471	81.75	22,692
65.00	17,655	69.25	18,982	73.50	20,281	77.75	21,544	82.00	22,762
65.25	17,734	69.50	19,059	73.75	20,356	78.00	21,617	82.25	22,832
65.50	17,812	69.75	19,136	74.00	20,431	78.25	21,690	82.50	22,902
65.75	17,891	70.00	19,213	74.25	20,507	78.50	21,762	82.75	22,971
66.00	17,969	70.25	19,290	74.50	20,582	78.75	21,835	83.00	23,041
66.25	18,048	70.50	19,367	74.75	20,656	79.00	21,907	83.25	23,110
66.50	18,126	70.75	19,444	75.00	20,731	79.25	21,979	83.50	23,179
66.75	18,204	71.00	19,520	75.25	20,806	79.50	22,051	83.75	23,248
67.00	18,282	71.25	19,597	75.50	20,880	79.75	22,123	84.00	23,317
67.25	18,360	71.50	19,673	75.75	20,955	80.00	22,195	84.25	23,385
67.50	18,438	71.75	19,750	76.00	21,029	80.25	22,266	84.50	23,453
67.75	18,516	72.00	19,826	76.25	21,103	80.50	22,338	84.75	23,521



## Capacity/Gauge Table Information

**TCLX 290424**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 224

Reporting Mark: TCLX 290424

Date: 10/07/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,589	89.25	24,706	93.50	25,748	97.75	26,698	102.00	27,538
85.25	23,657	89.50	24,770	93.75	25,806	98.00	26,751	102.25	27,584
85.50	23,724	89.75	24,833	94.00	25,864	98.25	26,803	102.50	27,629
85.75	23,791	90.00	24,896	94.25	25,922	98.50	26,855	102.75	27,673
86.00	23,858	90.25	24,958	94.50	25,980	98.75	26,907	103.00	27,717
86.25	23,925	90.50	25,021	94.75	26,037	99.00	26,958	103.25	27,761
86.50	23,991	90.75	25,083	95.00	26,094	99.25	27,009	103.50	27,804
86.75	24,057	91.00	25,145	95.25	26,151	99.50	27,059	103.75	27,846
87.00	24,123	91.25	25,206	95.50	26,207	99.75	27,109	104.00	27,888
87.25	24,189	91.50	25,268	95.75	26,263	100.00	27,158	104.25	27,930
87.50	24,254	91.75	25,329	96.00	26,319	100.25	27,207	104.50	27,970
87.75	24,320	92.00	25,389	96.25	26,374	100.50	27,256	104.75	28,011
88.00	24,385	92.25	25,450	96.50	26,429	100.75	27,304	105.00	28,050
88.25	24,450	92.50	25,510	96.75	26,484	101.00	27,352	105.25	28,090
88.50	24,514	92.75	25,570	97.00	26,538	101.25	27,399	105.50	28,128
88.75	24,578	93.00	25,629	97.25	26,592	101.50	27,446	105.75	28,166
89.00	24,642	93.25	25,689	97.50	26,645	101.75	27,493	106.00	28,203



## Capacity/Gauge Table Information

**TCLX 290424**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 224

Reporting Mark: TCLX 290424

Date: 10/07/2015

Capacity: 28,973 US Gallons (109,674 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,240	110.50	28,751	114.75	28,960
106.50	28,276	110.75	28,772	115.00	28,963
106.75	28,312	111.00	28,793	115.25	28,966
107.00	28,346	111.25	28,811	115.50	28,969
107.25	28,381	111.50	28,829	115.75	28,970
107.50	28,414	111.75	28,845	116.00	28,972
107.75	28,447	112.00	28,861	116.25	28,972
108.00	28,479	112.25	28,875	116.50	28,973
108.25	28,510	112.50	28,888	116.75	28,973
108.50	28,540	112.75	28,900		
108.75	28,570	113.00	28,911		
109.00	28,598	113.25	28,920		
109.25	28,626	113.50	28,929		
109.50	28,653	113.75	28,937		
109.75	28,679	114.00	28,944		
110.00	28,704	114.25	28,950		
110.25	28,728	114.50	28,955		



## Capacity/Gauge Table Information

**TCLX 290425**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 225

Reporting Mark: TCLX 290425

Date: 06/07/2015

Capacity: 28,978 US Gallons (109,693 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,349	12.75	2,235	17.00	3,224
0.25	29	4.50	631	8.75	1,398	13.00	2,291	17.25	3,285
0.50	58	4.75	672	9.00	1,447	13.25	2,347	17.50	3,346
0.75	89	5.00	713	9.25	1,497	13.50	2,403	17.75	3,408
1.00	120	5.25	755	9.50	1,547	13.75	2,459	18.00	3,470
1.25	152	5.50	798	9.75	1,598	14.00	2,516	18.25	3,532
1.50	185	5.75	841	10.00	1,649	14.25	2,573	18.50	3,594
1.75	218	6.00	885	10.25	1,700	14.50	2,631	18.75	3,657
2.00	253	6.25	929	10.50	1,752	14.75	2,689	19.00	3,720
2.25	288	6.50	974	10.75	1,804	15.00	2,747	19.25	3,783
2.50	323	6.75	1,019	11.00	1,857	15.25	2,806	19.50	3,846
2.75	359	7.00	1,065	11.25	1,910	15.50	2,864	19.75	3,910
3.00	396	7.25	1,111	11.50	1,963	15.75	2,924	20.00	3,974
3.25	434	7.50	1,158	11.75	2,017	16.00	2,983	20.25	4,038
3.50	472	7.75	1,205	12.00	2,071	16.25	3,043	20.50	4,103
3.75	511	8.00	1,252	12.25	2,125	16.50	3,103	20.75	4,167
4.00	550	8.25	1,300	12.50	2,180	16.75	3,163	21.00	4,232



## Capacity/Gauge Table Information

**TCLX 290425**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 225

Reporting Mark: TCLX 290425

Date: 06/07/2015

Capacity: 28,978 US Gallons (109,693 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,298	25.50	5,442	29.75	6,645	34.00	7,896	38.25	9,186
21.50	4,363	25.75	5,511	30.00	6,717	34.25	7,971	38.50	9,262
21.75	4,429	26.00	5,581	30.25	6,790	34.50	8,046	38.75	9,339
22.00	4,495	26.25	5,650	30.50	6,862	34.75	8,121	39.00	9,416
22.25	4,561	26.50	5,720	30.75	6,935	35.00	8,196	39.25	9,494
22.50	4,627	26.75	5,790	31.00	7,008	35.25	8,272	39.50	9,571
22.75	4,694	27.00	5,860	31.25	7,081	35.50	8,347	39.75	9,648
23.00	4,761	27.25	5,931	31.50	7,155	35.75	8,423	40.00	9,726
23.25	4,828	27.50	6,001	31.75	7,228	36.00	8,498	40.25	9,803
23.50	4,895	27.75	6,072	32.00	7,302	36.25	8,574	40.50	9,881
23.75	4,963	28.00	6,143	32.25	7,375	36.50	8,650	40.75	9,959
24.00	5,031	28.25	6,214	32.50	7,449	36.75	8,726	41.00	10,037
24.25	5,099	28.50	6,286	32.75	7,523	37.00	8,803	41.25	10,114
24.50	5,167	28.75	6,357	33.00	7,598	37.25	8,879	41.50	10,192
24.75	5,235	29.00	6,429	33.25	7,672	37.50	8,956	41.75	10,270
25.00	5,304	29.25	6,501	33.50	7,746	37.75	9,032	42.00	10,349
25.25	5,373	29.50	6,573	33.75	7,821	38.00	9,109	42.25	10,427



## Capacity/Gauge Table Information

**TCLX 290425**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 225

Reporting Mark: TCLX 290425

Date: 06/07/2015

Capacity: 28,978 US Gallons (109,693 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,505	46.75	11,847	51.00	13,202	55.25	14,563	59.50	15,923
42.75	10,584	47.00	11,926	51.25	13,282	55.50	14,643	59.75	16,002
43.00	10,662	47.25	12,005	51.50	13,362	55.75	14,723	60.00	16,082
43.25	10,741	47.50	12,085	51.75	13,442	56.00	14,803	60.25	16,162
43.50	10,819	47.75	12,164	52.00	13,522	56.25	14,883	60.50	16,241
43.75	10,898	48.00	12,244	52.25	13,602	56.50	14,963	60.75	16,321
44.00	10,977	48.25	12,324	52.50	13,682	56.75	15,043	61.00	16,401
44.25	11,055	48.50	12,403	52.75	13,762	57.00	15,123	61.25	16,480
44.50	11,134	48.75	12,483	53.00	13,842	57.25	15,203	61.50	16,560
44.75	11,213	49.00	12,563	53.25	13,922	57.50	15,283	61.75	16,639
45.00	11,292	49.25	12,643	53.50	14,002	57.75	15,363	62.00	16,718
45.25	11,371	49.50	12,722	53.75	14,082	58.00	15,443	62.25	16,798
45.50	11,450	49.75	12,802	54.00	14,162	58.25	15,523	62.50	16,877
45.75	11,529	50.00	12,882	54.25	14,242	58.50	15,603	62.75	16,956
46.00	11,609	50.25	12,962	54.50	14,323	58.75	15,683	63.00	17,036
46.25	11,688	50.50	13,042	54.75	14,403	59.00	15,763	63.25	17,115
46.50	11,767	50.75	13,122	55.00	14,483	59.25	15,843	63.50	17,194





## Capacity/Gauge Table Information

**TCLX 290425**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 225

Reporting Mark: TCLX 290425

Date: 06/07/2015

Capacity: 28,978 US Gallons (109,693 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,273	68.00	18,606	72.25	19,914	76.50	21,189	80.75	22,421
64.00	17,352	68.25	18,684	72.50	19,990	76.75	21,263	81.00	22,492
64.25	17,431	68.50	18,762	72.75	20,066	77.00	21,336	81.25	22,563
64.50	17,510	68.75	18,839	73.00	20,142	77.25	21,410	81.50	22,634
64.75	17,588	69.00	18,917	73.25	20,218	77.50	21,483	81.75	22,704
65.00	17,667	69.25	18,994	73.50	20,293	77.75	21,556	82.00	22,774
65.25	17,746	69.50	19,071	73.75	20,369	78.00	21,629	82.25	22,844
65.50	17,824	69.75	19,148	74.00	20,444	78.25	21,702	82.50	22,914
65.75	17,903	70.00	19,225	74.25	20,519	78.50	21,775	82.75	22,984
66.00	17,981	70.25	19,302	74.50	20,594	78.75	21,847	83.00	23,053
66.25	18,060	70.50	19,379	74.75	20,669	79.00	21,920	83.25	23,122
66.50	18,138	70.75	19,456	75.00	20,744	79.25	21,992	83.50	23,191
66.75	18,216	71.00	19,533	75.25	20,818	79.50	22,064	83.75	23,260
67.00	18,294	71.25	19,609	75.50	20,893	79.75	22,136	84.00	23,329
67.25	18,372	71.50	19,686	75.75	20,967	80.00	22,207	84.25	23,397
67.50	18,450	71.75	19,762	76.00	21,041	80.25	22,279	84.50	23,466
67.75	18,528	72.00	19,838	76.25	21,115	80.50	22,350	84.75	23,534



## Capacity/Gauge Table Information

**TCLX 290425**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 225

Reporting Mark: TCLX 290425

Date: 06/07/2015

Capacity: 28,978 US Gallons (109,693 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,601	89.25	24,718	93.50	25,759	97.75	26,709	102.00	27,549
85.25	23,669	89.50	24,782	93.75	25,818	98.00	26,762	102.25	27,594
85.50	23,736	89.75	24,845	94.00	25,876	98.25	26,814	102.50	27,639
85.75	23,803	90.00	24,908	94.25	25,934	98.50	26,866	102.75	27,683
86.00	23,870	90.25	24,970	94.50	25,991	98.75	26,917	103.00	27,727
86.25	23,937	90.50	25,033	94.75	26,049	99.00	26,969	103.25	27,771
86.50	24,003	90.75	25,095	95.00	26,106	99.25	27,019	103.50	27,814
86.75	24,069	91.00	25,157	95.25	26,162	99.50	27,070	103.75	27,856
87.00	24,135	91.25	25,218	95.50	26,219	99.75	27,119	104.00	27,898
87.25	24,201	91.50	25,280	95.75	26,275	100.00	27,169	104.25	27,939
87.50	24,267	91.75	25,341	96.00	26,330	100.25	27,218	104.50	27,980
87.75	24,332	92.00	25,401	96.25	26,385	100.50	27,266	104.75	28,020
88.00	24,397	92.25	25,462	96.50	26,440	100.75	27,315	105.00	28,060
88.25	24,462	92.50	25,522	96.75	26,495	101.00	27,362	105.25	28,099
88.50	24,526	92.75	25,582	97.00	26,549	101.25	27,410	105.50	28,137
88.75	24,590	93.00	25,641	97.25	26,603	101.50	27,456	105.75	28,175
89.00	24,654	93.25	25,700	97.50	26,656	101.75	27,503	106.00	28,212



## Capacity/Gauge Table Information

**TCLX 290425**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 225

Reporting Mark: TCLX 290425

Date: 06/07/2015

Capacity: 28,978 US Gallons (109,693 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,249	110.50	28,758	114.75	28,965
106.50	28,285	110.75	28,779	115.00	28,969
106.75	28,320	111.00	28,799	115.25	28,971
107.00	28,355	111.25	28,818	115.50	28,974
107.25	28,389	111.50	28,835	115.75	28,975
107.50	28,422	111.75	28,852	116.00	28,977
107.75	28,455	112.00	28,867	116.25	28,977
108.00	28,487	112.25	28,881	116.50	28,978
108.25	28,518	112.50	28,894	116.75	28,978
108.50	28,548	112.75	28,905		
108.75	28,578	113.00	28,916		
109.00	28,606	113.25	28,926		
109.25	28,634	113.50	28,935		
109.50	28,661	113.75	28,942		
109.75	28,687	114.00	28,949		
110.00	28,712	114.25	28,955		
110.25	28,735	114.50	28,960		



## Capacity/Gauge Table Information

**TCLX 290426**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 226

Reporting Mark: TCLX 290426

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,626 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,341	12.75	2,225	17.00	3,211
0.25	28	4.50	626	8.75	1,390	13.00	2,280	17.25	3,271
0.50	58	4.75	667	9.00	1,439	13.25	2,336	17.50	3,333
0.75	88	5.00	708	9.25	1,489	13.50	2,392	17.75	3,394
1.00	119	5.25	750	9.50	1,539	13.75	2,448	18.00	3,456
1.25	151	5.50	793	9.75	1,589	14.00	2,505	18.25	3,518
1.50	183	5.75	836	10.00	1,640	14.25	2,562	18.50	3,580
1.75	217	6.00	879	10.25	1,691	14.50	2,619	18.75	3,642
2.00	251	6.25	923	10.50	1,743	14.75	2,677	19.00	3,705
2.25	285	6.50	968	10.75	1,795	15.00	2,735	19.25	3,768
2.50	321	6.75	1,013	11.00	1,847	15.25	2,793	19.50	3,831
2.75	357	7.00	1,058	11.25	1,900	15.50	2,852	19.75	3,895
3.00	393	7.25	1,104	11.50	1,953	15.75	2,911	20.00	3,959
3.25	431	7.50	1,151	11.75	2,007	16.00	2,970	20.25	4,023
3.50	469	7.75	1,198	12.00	2,061	16.25	3,030	20.50	4,087
3.75	507	8.00	1,245	12.25	2,115	16.50	3,090	20.75	4,152
4.00	546	8.25	1,293	12.50	2,170	16.75	3,150	21.00	4,217



## Capacity/Gauge Table Information

**TCLX 290426**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 226

Reporting Mark: TCLX 290426

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,626 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,282	25.50	5,424	29.75	6,624	34.00	7,873	38.25	9,161
21.50	4,347	25.75	5,493	30.00	6,697	34.25	7,948	38.50	9,238
21.75	4,413	26.00	5,562	30.25	6,769	34.50	8,023	38.75	9,315
22.00	4,479	26.25	5,632	30.50	6,841	34.75	8,098	39.00	9,392
22.25	4,545	26.50	5,701	30.75	6,914	35.00	8,173	39.25	9,469
22.50	4,611	26.75	5,771	31.00	6,987	35.25	8,248	39.50	9,546
22.75	4,677	27.00	5,841	31.25	7,060	35.50	8,324	39.75	9,623
23.00	4,744	27.25	5,912	31.50	7,133	35.75	8,399	40.00	9,700
23.25	4,811	27.50	5,982	31.75	7,207	36.00	8,475	40.25	9,778
23.50	4,878	27.75	6,053	32.00	7,280	36.25	8,551	40.50	9,855
23.75	4,946	28.00	6,123	32.25	7,354	36.50	8,627	40.75	9,933
24.00	5,013	28.25	6,195	32.50	7,427	36.75	8,703	41.00	10,011
24.25	5,081	28.50	6,266	32.75	7,501	37.00	8,779	41.25	10,089
24.50	5,149	28.75	6,337	33.00	7,575	37.25	8,855	41.50	10,166
24.75	5,218	29.00	6,409	33.25	7,650	37.50	8,931	41.75	10,244
25.00	5,286	29.25	6,480	33.50	7,724	37.75	9,008	42.00	10,322
25.25	5,355	29.50	6,552	33.75	7,799	38.00	9,084	42.25	10,401



## Capacity/Gauge Table Information

**TCLX 290426**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 226

Reporting Mark: TCLX 290426

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,626 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,479	46.75	11,818	51.00	13,172	55.25	14,532	59.50	15,890
42.75	10,557	47.00	11,898	51.25	13,252	55.50	14,612	59.75	15,970
43.00	10,635	47.25	11,977	51.50	13,332	55.75	14,692	60.00	16,049
43.25	10,714	47.50	12,056	51.75	13,412	56.00	14,772	60.25	16,129
43.50	10,792	47.75	12,136	52.00	13,492	56.25	14,852	60.50	16,209
43.75	10,871	48.00	12,215	52.25	13,572	56.50	14,932	60.75	16,288
44.00	10,949	48.25	12,295	52.50	13,652	56.75	15,012	61.00	16,368
44.25	11,028	48.50	12,375	52.75	13,732	57.00	15,092	61.25	16,447
44.50	11,107	48.75	12,454	53.00	13,812	57.25	15,172	61.50	16,527
44.75	11,186	49.00	12,534	53.25	13,892	57.50	15,252	61.75	16,606
45.00	11,265	49.25	12,613	53.50	13,972	57.75	15,331	62.00	16,685
45.25	11,344	49.50	12,693	53.75	14,052	58.00	15,411	62.25	16,765
45.50	11,423	49.75	12,773	54.00	14,132	58.25	15,491	62.50	16,844
45.75	11,502	50.00	12,853	54.25	14,212	58.50	15,571	62.75	16,923
46.00	11,581	50.25	12,932	54.50	14,292	58.75	15,651	63.00	17,002
46.25	11,660	50.50	13,012	54.75	14,372	59.00	15,731	63.25	17,081
46.50	11,739	50.75	13,092	55.00	14,452	59.25	15,810	63.50	17,160



## Capacity/Gauge Table Information

**TCLX 290426**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 226

Reporting Mark: TCLX 290426

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,626 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,239	68.00	18,572	72.25	19,879	76.50	21,154	80.75	22,386
64.00	17,318	68.25	18,649	72.50	19,955	76.75	21,227	81.00	22,457
64.25	17,397	68.50	18,727	72.75	20,031	77.00	21,301	81.25	22,527
64.50	17,476	68.75	18,805	73.00	20,107	77.25	21,374	81.50	22,598
64.75	17,555	69.00	18,882	73.25	20,182	77.50	21,448	81.75	22,668
65.00	17,633	69.25	18,959	73.50	20,258	77.75	21,521	82.00	22,739
65.25	17,712	69.50	19,037	73.75	20,333	78.00	21,594	82.25	22,809
65.50	17,791	69.75	19,114	74.00	20,409	78.25	21,667	82.50	22,878
65.75	17,869	70.00	19,191	74.25	20,484	78.50	21,739	82.75	22,948
66.00	17,947	70.25	19,268	74.50	20,559	78.75	21,812	83.00	23,018
66.25	18,026	70.50	19,344	74.75	20,634	79.00	21,884	83.25	23,087
66.50	18,104	70.75	19,421	75.00	20,708	79.25	21,956	83.50	23,156
66.75	18,182	71.00	19,498	75.25	20,783	79.50	22,028	83.75	23,225
67.00	18,260	71.25	19,574	75.50	20,857	79.75	22,100	84.00	23,293
67.25	18,338	71.50	19,651	75.75	20,932	80.00	22,172	84.25	23,362
67.50	18,416	71.75	19,727	76.00	21,006	80.25	22,243	84.50	23,430
67.75	18,494	72.00	19,803	76.25	21,080	80.50	22,315	84.75	23,498





## Capacity/Gauge Table Information

**TCLX 290426**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 226

Reporting Mark: TCLX 290426

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,626 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,566	89.25	24,683	93.50	25,725	97.75	26,676	102.00	27,518
85.25	23,633	89.50	24,747	93.75	25,784	98.00	26,729	102.25	27,563
85.50	23,701	89.75	24,810	94.00	25,842	98.25	26,781	102.50	27,608
85.75	23,768	90.00	24,873	94.25	25,900	98.50	26,833	102.75	27,653
86.00	23,835	90.25	24,936	94.50	25,958	98.75	26,885	103.00	27,697
86.25	23,901	90.50	24,998	94.75	26,015	99.00	26,936	103.25	27,740
86.50	23,968	90.75	25,060	95.00	26,072	99.25	26,987	103.50	27,784
86.75	24,034	91.00	25,122	95.25	26,129	99.50	27,037	103.75	27,826
87.00	24,100	91.25	25,184	95.50	26,185	99.75	27,087	104.00	27,868
87.25	24,166	91.50	25,245	95.75	26,241	100.00	27,137	104.25	27,910
87.50	24,231	91.75	25,306	96.00	26,297	100.25	27,186	104.50	27,951
87.75	24,297	92.00	25,367	96.25	26,352	100.50	27,235	104.75	27,991
88.00	24,362	92.25	25,427	96.50	26,407	100.75	27,283	105.00	28,031
88.25	24,426	92.50	25,487	96.75	26,462	101.00	27,331	105.25	28,070
88.50	24,491	92.75	25,547	97.00	26,516	101.25	27,378	105.50	28,109
88.75	24,555	93.00	25,607	97.25	26,570	101.50	27,425	105.75	28,147
89.00	24,619	93.25	25,666	97.50	26,623	101.75	27,472	106.00	28,184



## Capacity/Gauge Table Information

**TCLX 290426**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 226

Reporting Mark: TCLX 290426

Date: 07/07/2015

Capacity: 28,960 US Gallons (109,626 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,221	110.50	28,735	114.75	28,947
106.50	28,257	110.75	28,757	115.00	28,951
106.75	28,293	111.00	28,777	115.25	28,954
107.00	28,328	111.25	28,796	115.50	28,956
107.25	28,362	111.50	28,814	115.75	28,958
107.50	28,395	111.75	28,831	116.00	28,959
107.75	28,428	112.00	28,846	116.25	28,960
108.00	28,460	112.25	28,861	116.50	28,960
108.25	28,492	112.50	28,874	116.75	28,960
108.50	28,522	112.75	28,886		
108.75	28,552	113.00	28,897		
109.00	28,581	113.25	28,907		
109.25	28,609	113.50	28,916		
109.50	28,636	113.75	28,924		
109.75	28,662	114.00	28,931		
110.00	28,688	114.25	28,937		
110.25	28,712	114.50	28,942		



## Capacity/Gauge Table Information

**TCLX 290427**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 227

Reporting Mark: TCLX 290427

Date: 07/07/2015

Capacity: 29,008 US Gallons (109,806 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	577	8.50	1,326	12.75	2,204	17.00	3,186
0.25	28	4.50	617	8.75	1,374	13.00	2,259	17.25	3,246
0.50	57	4.75	657	9.00	1,423	13.25	2,314	17.50	3,307
0.75	86	5.00	698	9.25	1,472	13.50	2,370	17.75	3,368
1.00	116	5.25	740	9.50	1,522	13.75	2,426	18.00	3,430
1.25	148	5.50	782	9.75	1,572	14.00	2,483	18.25	3,492
1.50	180	5.75	824	10.00	1,622	14.25	2,539	18.50	3,554
1.75	212	6.00	867	10.25	1,673	14.50	2,597	18.75	3,616
2.00	246	6.25	911	10.50	1,724	14.75	2,654	19.00	3,679
2.25	280	6.50	955	10.75	1,776	15.00	2,712	19.25	3,741
2.50	315	6.75	1,000	11.00	1,828	15.25	2,770	19.50	3,805
2.75	350	7.00	1,045	11.25	1,881	15.50	2,829	19.75	3,868
3.00	386	7.25	1,090	11.50	1,934	15.75	2,887	20.00	3,932
3.25	423	7.50	1,137	11.75	1,987	16.00	2,946	20.25	3,996
3.50	461	7.75	1,183	12.00	2,041	16.25	3,006	20.50	4,060
3.75	499	8.00	1,230	12.25	2,095	16.50	3,066	20.75	4,124
4.00	537	8.25	1,278	12.50	2,149	16.75	3,126	21.00	4,189



## Capacity/Gauge Table Information

**TCLX 290427**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 227

Reporting Mark: TCLX 290427

Date: 07/07/2015

Capacity: 29,008 US Gallons (109,806 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,254	25.50	5,393	29.75	6,592	34.00	7,839	38.25	9,126
21.50	4,319	25.75	5,462	30.00	6,664	34.25	7,914	38.50	9,203
21.75	4,384	26.00	5,531	30.25	6,736	34.50	7,989	38.75	9,280
22.00	4,450	26.25	5,601	30.50	6,809	34.75	8,064	39.00	9,357
22.25	4,516	26.50	5,670	30.75	6,881	35.00	8,139	39.25	9,434
22.50	4,582	26.75	5,740	31.00	6,954	35.25	8,214	39.50	9,511
22.75	4,648	27.00	5,810	31.25	7,027	35.50	8,290	39.75	9,588
23.00	4,715	27.25	5,880	31.50	7,100	35.75	8,365	40.00	9,665
23.25	4,782	27.50	5,950	31.75	7,173	36.00	8,441	40.25	9,743
23.50	4,849	27.75	6,021	32.00	7,247	36.25	8,516	40.50	9,820
23.75	4,916	28.00	6,092	32.25	7,320	36.50	8,592	40.75	9,898
24.00	4,984	28.25	6,163	32.50	7,394	36.75	8,668	41.00	9,976
24.25	5,051	28.50	6,234	32.75	7,468	37.00	8,744	41.25	10,053
24.50	5,119	28.75	6,305	33.00	7,542	37.25	8,820	41.50	10,131
24.75	5,187	29.00	6,376	33.25	7,616	37.50	8,897	41.75	10,209
25.00	5,256	29.25	6,448	33.50	7,690	37.75	8,973	42.00	10,287
25.25	5,324	29.50	6,520	33.75	7,765	38.00	9,050	42.25	10,365



## Capacity/Gauge Table Information

**TCLX 290427**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 227

Reporting Mark: TCLX 290427

Date: 07/07/2015

Capacity: 29,008 US Gallons (109,806 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,444	46.75	11,783	51.00	13,137	55.25	14,498	59.50	15,858
42.75	10,522	47.00	11,863	51.25	13,217	55.50	14,578	59.75	15,937
43.00	10,600	47.25	11,942	51.50	13,297	55.75	14,658	60.00	16,017
43.25	10,679	47.50	12,021	51.75	13,377	56.00	14,738	60.25	16,097
43.50	10,757	47.75	12,101	52.00	13,457	56.25	14,818	60.50	16,177
43.75	10,836	48.00	12,180	52.25	13,537	56.50	14,898	60.75	16,256
44.00	10,914	48.25	12,260	52.50	13,617	56.75	14,978	61.00	16,336
44.25	10,993	48.50	12,340	52.75	13,697	57.00	15,058	61.25	16,415
44.50	11,072	48.75	12,419	53.00	13,777	57.25	15,138	61.50	16,495
44.75	11,151	49.00	12,499	53.25	13,857	57.50	15,218	61.75	16,574
45.00	11,230	49.25	12,579	53.50	13,937	57.75	15,298	62.00	16,654
45.25	11,308	49.50	12,658	53.75	14,018	58.00	15,378	62.25	16,733
45.50	11,387	49.75	12,738	54.00	14,098	58.25	15,458	62.50	16,813
45.75	11,467	50.00	12,818	54.25	14,178	58.50	15,538	62.75	16,892
46.00	11,546	50.25	12,898	54.50	14,258	58.75	15,618	63.00	16,971
46.25	11,625	50.50	12,978	54.75	14,338	59.00	15,698	63.25	17,050
46.50	11,704	50.75	13,057	55.00	14,418	59.25	15,778	63.50	17,130



## Capacity/Gauge Table Information

**TCLX 290427**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 227

Reporting Mark: TCLX 290427

Date: 07/07/2015

Capacity: 29,008 US Gallons (109,806 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,209	68.00	18,543	72.25	19,853	76.50	21,131	80.75	22,366
64.00	17,288	68.25	18,621	72.50	19,929	76.75	21,204	81.00	22,437
64.25	17,367	68.50	18,699	72.75	20,005	77.00	21,278	81.25	22,508
64.50	17,446	68.75	18,776	73.00	20,081	77.25	21,352	81.50	22,579
64.75	17,524	69.00	18,854	73.25	20,157	77.50	21,425	81.75	22,650
65.00	17,603	69.25	18,931	73.50	20,233	77.75	21,499	82.00	22,720
65.25	17,682	69.50	19,009	73.75	20,308	78.00	21,572	82.25	22,790
65.50	17,761	69.75	19,086	74.00	20,384	78.25	21,645	82.50	22,860
65.75	17,839	70.00	19,163	74.25	20,459	78.50	21,718	82.75	22,930
66.00	17,918	70.25	19,240	74.50	20,534	78.75	21,790	83.00	23,000
66.25	17,996	70.50	19,317	74.75	20,609	79.00	21,863	83.25	23,069
66.50	18,075	70.75	19,394	75.00	20,684	79.25	21,935	83.50	23,139
66.75	18,153	71.00	19,471	75.25	20,759	79.50	22,008	83.75	23,208
67.00	18,231	71.25	19,548	75.50	20,833	79.75	22,080	84.00	23,277
67.25	18,309	71.50	19,624	75.75	20,908	80.00	22,151	84.25	23,345
67.50	18,387	71.75	19,701	76.00	20,982	80.25	22,223	84.50	23,414
67.75	18,465	72.00	19,777	76.25	21,056	80.50	22,295	84.75	23,482



## Capacity/Gauge Table Information

**TCLX 290427**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 227

Reporting Mark: TCLX 290427

Date: 07/07/2015

Capacity: 29,008 US Gallons (109,806 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,550	89.25	24,672	93.50	25,719	97.75	26,677	102.00	27,526
85.25	23,618	89.50	24,736	93.75	25,778	98.00	26,730	102.25	27,572
85.50	23,686	89.75	24,799	94.00	25,837	98.25	26,783	102.50	27,617
85.75	23,753	90.00	24,863	94.25	25,895	98.50	26,835	102.75	27,662
86.00	23,820	90.25	24,926	94.50	25,953	98.75	26,887	103.00	27,707
86.25	23,887	90.50	24,988	94.75	26,011	99.00	26,939	103.25	27,751
86.50	23,954	90.75	25,051	95.00	26,068	99.25	26,990	103.50	27,794
86.75	24,020	91.00	25,113	95.25	26,125	99.50	27,041	103.75	27,837
87.00	24,087	91.25	25,175	95.50	26,182	99.75	27,091	104.00	27,880
87.25	24,153	91.50	25,237	95.75	26,238	100.00	27,141	104.25	27,922
87.50	24,218	91.75	25,298	96.00	26,294	100.25	27,191	104.50	27,964
87.75	24,284	92.00	25,359	96.25	26,350	100.50	27,240	104.75	28,004
88.00	24,349	92.25	25,420	96.50	26,405	100.75	27,289	105.00	28,045
88.25	24,414	92.50	25,480	96.75	26,460	101.00	27,337	105.25	28,085
88.50	24,479	92.75	25,540	97.00	26,515	101.25	27,385	105.50	28,124
88.75	24,544	93.00	25,600	97.25	26,569	101.50	27,432	105.75	28,163
89.00	24,608	93.25	25,660	97.50	26,623	101.75	27,479	106.00	28,201





## Capacity/Gauge Table Information

**TCLX 290427**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 227

Reporting Mark: TCLX 290427

Date: 07/07/2015

Capacity: 29,008 US Gallons (109,806 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,238	110.50	28,766	114.75	28,993
106.50	28,275	110.75	28,789	115.00	28,997
106.75	28,311	111.00	28,811	115.25	29,001
107.00	28,347	111.25	28,832	115.50	29,003
107.25	28,382	111.50	28,851	115.75	29,005
107.50	28,416	111.75	28,869	116.00	29,006
107.75	28,450	112.00	28,886	116.25	29,007
108.00	28,482	112.25	28,901	116.50	29,007
108.25	28,514	112.50	28,915	116.75	29,008
108.50	28,546	112.75	28,928		
108.75	28,576	113.00	28,940		
109.00	28,606	113.25	28,951		
109.25	28,635	113.50	28,960		
109.50	28,663	113.75	28,969		
109.75	28,690	114.00	28,976		
110.00	28,717	114.25	28,983		
110.25	28,742	114.50	28,989		



## Capacity/Gauge Table Information

**TCLX 290428**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 228

Reporting Mark: TCLX 290428

Date: 10/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,348	12.75	2,234	17.00	3,222
0.25	29	4.50	630	8.75	1,397	13.00	2,289	17.25	3,283
0.50	58	4.75	671	9.00	1,446	13.25	2,345	17.50	3,344
0.75	89	5.00	713	9.25	1,496	13.50	2,401	17.75	3,406
1.00	120	5.25	755	9.50	1,546	13.75	2,458	18.00	3,468
1.25	152	5.50	798	9.75	1,597	14.00	2,515	18.25	3,530
1.50	185	5.75	841	10.00	1,648	14.25	2,572	18.50	3,592
1.75	218	6.00	885	10.25	1,699	14.50	2,630	18.75	3,655
2.00	253	6.25	929	10.50	1,751	14.75	2,687	19.00	3,717
2.25	287	6.50	973	10.75	1,803	15.00	2,746	19.25	3,781
2.50	323	6.75	1,019	11.00	1,856	15.25	2,804	19.50	3,844
2.75	359	7.00	1,064	11.25	1,908	15.50	2,863	19.75	3,908
3.00	396	7.25	1,111	11.50	1,962	15.75	2,922	20.00	3,972
3.25	434	7.50	1,157	11.75	2,015	16.00	2,981	20.25	4,036
3.50	472	7.75	1,204	12.00	2,070	16.25	3,041	20.50	4,100
3.75	511	8.00	1,252	12.25	2,124	16.50	3,101	20.75	4,165
4.00	550	8.25	1,300	12.50	2,179	16.75	3,162	21.00	4,230



## Capacity/Gauge Table Information

**TCLX 290428**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 228

Reporting Mark: TCLX 290428

Date: 10/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,295	25.50	5,439	29.75	6,640	34.00	7,891	38.25	9,179
21.50	4,361	25.75	5,508	30.00	6,713	34.25	7,965	38.50	9,256
21.75	4,426	26.00	5,577	30.25	6,785	34.50	8,040	38.75	9,333
22.00	4,492	26.25	5,647	30.50	6,858	34.75	8,115	39.00	9,410
22.25	4,558	26.50	5,716	30.75	6,931	35.00	8,191	39.25	9,487
22.50	4,625	26.75	5,786	31.00	7,004	35.25	8,266	39.50	9,564
22.75	4,691	27.00	5,857	31.25	7,077	35.50	8,341	39.75	9,642
23.00	4,758	27.25	5,927	31.50	7,150	35.75	8,417	40.00	9,719
23.25	4,825	27.50	5,998	31.75	7,223	36.00	8,493	40.25	9,797
23.50	4,892	27.75	6,068	32.00	7,297	36.25	8,569	40.50	9,874
23.75	4,960	28.00	6,139	32.25	7,371	36.50	8,645	40.75	9,952
24.00	5,028	28.25	6,210	32.50	7,444	36.75	8,721	41.00	10,030
24.25	5,096	28.50	6,282	32.75	7,518	37.00	8,797	41.25	10,107
24.50	5,164	28.75	6,353	33.00	7,593	37.25	8,873	41.50	10,185
24.75	5,232	29.00	6,425	33.25	7,667	37.50	8,949	41.75	10,263
25.00	5,301	29.25	6,496	33.50	7,741	37.75	9,026	42.00	10,342
25.25	5,370	29.50	6,568	33.75	7,816	38.00	9,103	42.25	10,420



## Capacity/Gauge Table Information

**TCLX 290428**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 228

Reporting Mark: TCLX 290428

Date: 10/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,498	46.75	11,838	51.00	13,192	55.25	14,552	59.50	15,911
42.75	10,576	47.00	11,918	51.25	13,272	55.50	14,633	59.75	15,991
43.00	10,655	47.25	11,997	51.50	13,352	55.75	14,713	60.00	16,070
43.25	10,733	47.50	12,076	51.75	13,432	56.00	14,793	60.25	16,150
43.50	10,812	47.75	12,156	52.00	13,512	56.25	14,873	60.50	16,230
43.75	10,890	48.00	12,235	52.25	13,592	56.50	14,953	60.75	16,309
44.00	10,969	48.25	12,315	52.50	13,672	56.75	15,033	61.00	16,389
44.25	11,048	48.50	12,395	52.75	13,752	57.00	15,113	61.25	16,468
44.50	11,126	48.75	12,474	53.00	13,832	57.25	15,192	61.50	16,548
44.75	11,205	49.00	12,554	53.25	13,912	57.50	15,272	61.75	16,627
45.00	11,284	49.25	12,634	53.50	13,992	57.75	15,352	62.00	16,706
45.25	11,363	49.50	12,713	53.75	14,072	58.00	15,432	62.25	16,786
45.50	11,442	49.75	12,793	54.00	14,152	58.25	15,512	62.50	16,865
45.75	11,521	50.00	12,873	54.25	14,232	58.50	15,592	62.75	16,944
46.00	11,601	50.25	12,953	54.50	14,312	58.75	15,672	63.00	17,023
46.25	11,680	50.50	13,033	54.75	14,392	59.00	15,752	63.25	17,102
46.50	11,759	50.75	13,112	55.00	14,472	59.25	15,831	63.50	17,181



## Capacity/Gauge Table Information

**TCLX 290428**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 228

Reporting Mark: TCLX 290428

Date: 10/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,260	68.00	18,593	72.25	19,900	76.50	21,174	80.75	22,405
64.00	17,339	68.25	18,670	72.50	19,976	76.75	21,247	81.00	22,476
64.25	17,418	68.50	18,748	72.75	20,052	77.00	21,321	81.25	22,547
64.50	17,497	68.75	18,825	73.00	20,127	77.25	21,394	81.50	22,617
64.75	17,576	69.00	18,903	73.25	20,203	77.50	21,468	81.75	22,688
65.00	17,654	69.25	18,980	73.50	20,278	77.75	21,541	82.00	22,758
65.25	17,733	69.50	19,057	73.75	20,354	78.00	21,614	82.25	22,828
65.50	17,811	69.75	19,134	74.00	20,429	78.25	21,686	82.50	22,898
65.75	17,890	70.00	19,211	74.25	20,504	78.50	21,759	82.75	22,967
66.00	17,968	70.25	19,288	74.50	20,579	78.75	21,831	83.00	23,037
66.25	18,047	70.50	19,365	74.75	20,654	79.00	21,904	83.25	23,106
66.50	18,125	70.75	19,442	75.00	20,728	79.25	21,976	83.50	23,175
66.75	18,203	71.00	19,518	75.25	20,803	79.50	22,048	83.75	23,244
67.00	18,281	71.25	19,595	75.50	20,877	79.75	22,120	84.00	23,312
67.25	18,359	71.50	19,671	75.75	20,952	80.00	22,191	84.25	23,380
67.50	18,437	71.75	19,748	76.00	21,026	80.25	22,263	84.50	23,449
67.75	18,515	72.00	19,824	76.25	21,100	80.50	22,334	84.75	23,517



## Capacity/Gauge Table Information

**TCLX 290428**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 228

Reporting Mark: TCLX 290428

Date: 10/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,584	89.25	24,700	93.50	25,741	97.75	26,690	102.00	27,529
85.25	23,652	89.50	24,764	93.75	25,799	98.00	26,743	102.25	27,575
85.50	23,719	89.75	24,827	94.00	25,858	98.25	26,795	102.50	27,620
85.75	23,786	90.00	24,890	94.25	25,916	98.50	26,847	102.75	27,664
86.00	23,853	90.25	24,953	94.50	25,973	98.75	26,899	103.00	27,708
86.25	23,920	90.50	25,015	94.75	26,030	99.00	26,950	103.25	27,751
86.50	23,986	90.75	25,077	95.00	26,087	99.25	27,000	103.50	27,794
86.75	24,052	91.00	25,139	95.25	26,144	99.50	27,051	103.75	27,837
87.00	24,118	91.25	25,200	95.50	26,200	99.75	27,101	104.00	27,879
87.25	24,184	91.50	25,262	95.75	26,256	100.00	27,150	104.25	27,920
87.50	24,249	91.75	25,323	96.00	26,312	100.25	27,199	104.50	27,961
87.75	24,314	92.00	25,383	96.25	26,367	100.50	27,247	104.75	28,001
88.00	24,379	92.25	25,444	96.50	26,422	100.75	27,296	105.00	28,040
88.25	24,444	92.50	25,504	96.75	26,476	101.00	27,343	105.25	28,080
88.50	24,509	92.75	25,563	97.00	26,530	101.25	27,391	105.50	28,118
88.75	24,573	93.00	25,623	97.25	26,584	101.50	27,437	105.75	28,156
89.00	24,637	93.25	25,682	97.50	26,637	101.75	27,484	106.00	28,193



## Capacity/Gauge Table Information

**TCLX 290428**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 228

Reporting Mark: TCLX 290428

Date: 10/07/2015

Capacity: 28,958 US Gallons (109,618 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,230	110.50	28,738	114.75	28,945
106.50	28,266	110.75	28,760	115.00	28,949
106.75	28,301	111.00	28,780	115.25	28,952
107.00	28,336	111.25	28,798	115.50	28,954
107.25	28,370	111.50	28,816	115.75	28,956
107.50	28,403	111.75	28,832	116.00	28,957
107.75	28,436	112.00	28,847	116.25	28,958
108.00	28,467	112.25	28,861	116.50	28,958
108.25	28,499	112.50	28,874	116.75	28,958
108.50	28,529	112.75	28,886		
108.75	28,558	113.00	28,897		
109.00	28,587	113.25	28,906		
109.25	28,615	113.50	28,915		
109.50	28,641	113.75	28,923		
109.75	28,667	114.00	28,930		
110.00	28,692	114.25	28,936		
110.25	28,716	114.50	28,941		





## Capacity/Gauge Table Information

**TCLX 290429**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 229

Reporting Mark: TCLX 290429

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,691 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,223	17.00	3,209
0.25	28	4.50	625	8.75	1,388	13.00	2,278	17.25	3,269
0.50	58	4.75	666	9.00	1,437	13.25	2,334	17.50	3,330
0.75	88	5.00	707	9.25	1,487	13.50	2,390	17.75	3,392
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,454
1.25	150	5.50	792	9.75	1,587	14.00	2,503	18.25	3,515
1.50	183	5.75	835	10.00	1,638	14.25	2,560	18.50	3,578
1.75	216	6.00	878	10.25	1,689	14.50	2,617	18.75	3,640
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,703
2.25	285	6.50	967	10.75	1,793	15.00	2,733	19.25	3,766
2.50	320	6.75	1,012	11.00	1,845	15.25	2,791	19.50	3,829
2.75	356	7.00	1,057	11.25	1,898	15.50	2,850	19.75	3,893
3.00	393	7.25	1,103	11.50	1,951	15.75	2,909	20.00	3,957
3.25	430	7.50	1,149	11.75	2,005	16.00	2,968	20.25	4,021
3.50	468	7.75	1,196	12.00	2,059	16.25	3,028	20.50	4,085
3.75	506	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,150
4.00	545	8.25	1,291	12.50	2,168	16.75	3,148	21.00	4,215



## Capacity/Gauge Table Information

**TCLX 290429**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 229

Reporting Mark: TCLX 290429

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,691 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,280	25.50	5,422	29.75	6,623	34.00	7,872	38.25	9,160
21.50	4,345	25.75	5,491	30.00	6,695	34.25	7,947	38.50	9,237
21.75	4,411	26.00	5,560	30.25	6,767	34.50	8,022	38.75	9,314
22.00	4,476	26.25	5,630	30.50	6,840	34.75	8,097	39.00	9,391
22.25	4,543	26.50	5,699	30.75	6,913	35.00	8,172	39.25	9,468
22.50	4,609	26.75	5,769	31.00	6,986	35.25	8,247	39.50	9,545
22.75	4,675	27.00	5,840	31.25	7,059	35.50	8,323	39.75	9,623
23.00	4,742	27.25	5,910	31.50	7,132	35.75	8,398	40.00	9,700
23.25	4,809	27.50	5,980	31.75	7,205	36.00	8,474	40.25	9,778
23.50	4,876	27.75	6,051	32.00	7,279	36.25	8,550	40.50	9,855
23.75	4,944	28.00	6,122	32.25	7,352	36.50	8,626	40.75	9,933
24.00	5,011	28.25	6,193	32.50	7,426	36.75	8,702	41.00	10,011
24.25	5,079	28.50	6,264	32.75	7,500	37.00	8,778	41.25	10,088
24.50	5,147	28.75	6,335	33.00	7,574	37.25	8,854	41.50	10,166
24.75	5,216	29.00	6,407	33.25	7,649	37.50	8,931	41.75	10,244
25.00	5,284	29.25	6,479	33.50	7,723	37.75	9,007	42.00	10,323
25.25	5,353	29.50	6,551	33.75	7,797	38.00	9,084	42.25	10,401



## Capacity/Gauge Table Information

**TCLX 290429**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 229

Reporting Mark: TCLX 290429

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,691 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,479	46.75	11,819	51.00	13,174	55.25	14,534	59.50	15,894
42.75	10,557	47.00	11,899	51.25	13,254	55.50	14,614	59.75	15,973
43.00	10,636	47.25	11,978	51.50	13,334	55.75	14,694	60.00	16,053
43.25	10,714	47.50	12,058	51.75	13,414	56.00	14,774	60.25	16,133
43.50	10,793	47.75	12,137	52.00	13,494	56.25	14,855	60.50	16,212
43.75	10,871	48.00	12,217	52.25	13,574	56.50	14,935	60.75	16,292
44.00	10,950	48.25	12,296	52.50	13,654	56.75	15,015	61.00	16,371
44.25	11,029	48.50	12,376	52.75	13,734	57.00	15,095	61.25	16,451
44.50	11,107	48.75	12,455	53.00	13,814	57.25	15,175	61.50	16,530
44.75	11,186	49.00	12,535	53.25	13,894	57.50	15,255	61.75	16,610
45.00	11,265	49.25	12,615	53.50	13,974	57.75	15,334	62.00	16,689
45.25	11,344	49.50	12,695	53.75	14,054	58.00	15,414	62.25	16,769
45.50	11,423	49.75	12,774	54.00	14,134	58.25	15,494	62.50	16,848
45.75	11,502	50.00	12,854	54.25	14,214	58.50	15,574	62.75	16,927
46.00	11,582	50.25	12,934	54.50	14,294	58.75	15,654	63.00	17,006
46.25	11,661	50.50	13,014	54.75	14,374	59.00	15,734	63.25	17,086
46.50	11,740	50.75	13,094	55.00	14,454	59.25	15,814	63.50	17,165



## Capacity/Gauge Table Information

**TCLX 290429**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 229

Reporting Mark: TCLX 290429

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,691 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,244	68.00	18,577	72.25	19,885	76.50	21,161	80.75	22,394
64.00	17,323	68.25	18,655	72.50	19,962	76.75	21,234	81.00	22,465
64.25	17,402	68.50	18,732	72.75	20,037	77.00	21,308	81.25	22,536
64.50	17,480	68.75	18,810	73.00	20,113	77.25	21,382	81.50	22,606
64.75	17,559	69.00	18,887	73.25	20,189	77.50	21,455	81.75	22,677
65.00	17,638	69.25	18,965	73.50	20,264	77.75	21,528	82.00	22,747
65.25	17,717	69.50	19,042	73.75	20,340	78.00	21,601	82.25	22,817
65.50	17,795	69.75	19,119	74.00	20,415	78.25	21,674	82.50	22,887
65.75	17,874	70.00	19,196	74.25	20,490	78.50	21,747	82.75	22,957
66.00	17,952	70.25	19,273	74.50	20,565	78.75	21,819	83.00	23,026
66.25	18,031	70.50	19,350	74.75	20,640	79.00	21,892	83.25	23,095
66.50	18,109	70.75	19,427	75.00	20,715	79.25	21,964	83.50	23,164
66.75	18,187	71.00	19,504	75.25	20,790	79.50	22,036	83.75	23,233
67.00	18,265	71.25	19,580	75.50	20,864	79.75	22,108	84.00	23,302
67.25	18,343	71.50	19,657	75.75	20,938	80.00	22,180	84.25	23,371
67.50	18,421	71.75	19,733	76.00	21,013	80.25	22,251	84.50	23,439
67.75	18,499	72.00	19,809	76.25	21,087	80.50	22,322	84.75	23,507



## Capacity/Gauge Table Information

**TCLX 290429**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 229

Reporting Mark: TCLX 290429

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,691 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,575	89.25	24,693	93.50	25,736	97.75	26,688	102.00	27,530
85.25	23,642	89.50	24,756	93.75	25,794	98.00	26,741	102.25	27,576
85.50	23,710	89.75	24,820	94.00	25,853	98.25	26,793	102.50	27,621
85.75	23,777	90.00	24,883	94.25	25,911	98.50	26,845	102.75	27,666
86.00	23,844	90.25	24,946	94.50	25,968	98.75	26,897	103.00	27,710
86.25	23,911	90.50	25,008	94.75	26,026	99.00	26,948	103.25	27,753
86.50	23,977	90.75	25,070	95.00	26,083	99.25	26,999	103.50	27,796
86.75	24,043	91.00	25,132	95.25	26,140	99.50	27,049	103.75	27,839
87.00	24,109	91.25	25,194	95.50	26,196	99.75	27,099	104.00	27,881
87.25	24,175	91.50	25,255	95.75	26,252	100.00	27,149	104.25	27,923
87.50	24,241	91.75	25,316	96.00	26,308	100.25	27,198	104.50	27,964
87.75	24,306	92.00	25,377	96.25	26,363	100.50	27,247	104.75	28,004
88.00	24,371	92.25	25,438	96.50	26,418	100.75	27,295	105.00	28,044
88.25	24,436	92.50	25,498	96.75	26,473	101.00	27,343	105.25	28,083
88.50	24,501	92.75	25,558	97.00	26,527	101.25	27,391	105.50	28,122
88.75	24,565	93.00	25,617	97.25	26,581	101.50	27,438	105.75	28,160
89.00	24,629	93.25	25,677	97.50	26,635	101.75	27,484	106.00	28,198



## Capacity/Gauge Table Information

**TCLX 290429**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 229

Reporting Mark: TCLX 290429

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,691 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,235	110.50	28,750	114.75	28,964
106.50	28,271	110.75	28,772	115.00	28,968
106.75	28,307	111.00	28,793	115.25	28,971
107.00	28,342	111.25	28,812	115.50	28,973
107.25	28,376	111.50	28,830	115.75	28,975
107.50	28,409	111.75	28,847	116.00	28,976
107.75	28,442	112.00	28,863	116.25	28,977
108.00	28,475	112.25	28,877	116.50	28,977
108.25	28,506	112.50	28,890	116.75	28,977
108.50	28,537	112.75	28,903		
108.75	28,566	113.00	28,914		
109.00	28,596	113.25	28,924		
109.25	28,624	113.50	28,933		
109.50	28,651	113.75	28,941		
109.75	28,677	114.00	28,948		
110.00	28,703	114.25	28,954		
110.25	28,727	114.50	28,959		



## Capacity/Gauge Table Information

**TCLX 290430**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 230

Reporting Mark: TCLX 290430

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,226	17.00	3,213
0.25	28	4.50	627	8.75	1,391	13.00	2,281	17.25	3,273
0.50	58	4.75	667	9.00	1,440	13.25	2,337	17.50	3,334
0.75	88	5.00	709	9.25	1,490	13.50	2,393	17.75	3,396
1.00	119	5.25	751	9.50	1,540	13.75	2,449	18.00	3,458
1.25	151	5.50	793	9.75	1,590	14.00	2,506	18.25	3,520
1.50	183	5.75	836	10.00	1,641	14.25	2,563	18.50	3,582
1.75	217	6.00	880	10.25	1,692	14.50	2,621	18.75	3,644
2.00	251	6.25	924	10.50	1,744	14.75	2,678	19.00	3,707
2.25	285	6.50	968	10.75	1,796	15.00	2,737	19.25	3,770
2.50	321	6.75	1,014	11.00	1,848	15.25	2,795	19.50	3,834
2.75	357	7.00	1,059	11.25	1,901	15.50	2,854	19.75	3,897
3.00	394	7.25	1,105	11.50	1,954	15.75	2,913	20.00	3,961
3.25	431	7.50	1,152	11.75	2,008	16.00	2,972	20.25	4,025
3.50	469	7.75	1,198	12.00	2,062	16.25	3,032	20.50	4,090
3.75	507	8.00	1,246	12.25	2,116	16.50	3,092	20.75	4,154
4.00	546	8.25	1,294	12.50	2,171	16.75	3,152	21.00	4,219





## Capacity/Gauge Table Information

**TCLX 290430**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 230

Reporting Mark: TCLX 290430

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,284	25.50	5,427	29.75	6,628	34.00	7,878	38.25	9,166
21.50	4,350	25.75	5,496	30.00	6,700	34.25	7,953	38.50	9,243
21.75	4,415	26.00	5,565	30.25	6,773	34.50	8,028	38.75	9,320
22.00	4,481	26.25	5,635	30.50	6,845	34.75	8,103	39.00	9,397
22.25	4,547	26.50	5,705	30.75	6,918	35.00	8,178	39.25	9,474
22.50	4,614	26.75	5,775	31.00	6,991	35.25	8,253	39.50	9,552
22.75	4,680	27.00	5,845	31.25	7,064	35.50	8,329	39.75	9,629
23.00	4,747	27.25	5,915	31.50	7,137	35.75	8,404	40.00	9,706
23.25	4,814	27.50	5,986	31.75	7,211	36.00	8,480	40.25	9,784
23.50	4,881	27.75	6,056	32.00	7,284	36.25	8,556	40.50	9,861
23.75	4,949	28.00	6,127	32.25	7,358	36.50	8,632	40.75	9,939
24.00	5,016	28.25	6,198	32.50	7,432	36.75	8,708	41.00	10,017
24.25	5,084	28.50	6,269	32.75	7,506	37.00	8,784	41.25	10,095
24.50	5,152	28.75	6,341	33.00	7,580	37.25	8,860	41.50	10,173
24.75	5,221	29.00	6,412	33.25	7,654	37.50	8,937	41.75	10,251
25.00	5,289	29.25	6,484	33.50	7,729	37.75	9,013	42.00	10,329
25.25	5,358	29.50	6,556	33.75	7,803	38.00	9,090	42.25	10,407



## Capacity/Gauge Table Information

**TCLX 290430**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 230

Reporting Mark: TCLX 290430

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,485	46.75	11,826	51.00	13,180	55.25	14,541	59.50	15,900
42.75	10,563	47.00	11,905	51.25	13,260	55.50	14,621	59.75	15,980
43.00	10,642	47.25	11,984	51.50	13,340	55.75	14,701	60.00	16,059
43.25	10,720	47.50	12,064	51.75	13,420	56.00	14,781	60.25	16,139
43.50	10,799	47.75	12,143	52.00	13,500	56.25	14,861	60.50	16,219
43.75	10,877	48.00	12,223	52.25	13,580	56.50	14,941	60.75	16,298
44.00	10,956	48.25	12,302	52.50	13,660	56.75	15,021	61.00	16,378
44.25	11,035	48.50	12,382	52.75	13,740	57.00	15,101	61.25	16,457
44.50	11,114	48.75	12,462	53.00	13,820	57.25	15,181	61.50	16,537
44.75	11,193	49.00	12,541	53.25	13,900	57.50	15,261	61.75	16,616
45.00	11,272	49.25	12,621	53.50	13,980	57.75	15,341	62.00	16,696
45.25	11,351	49.50	12,701	53.75	14,060	58.00	15,421	62.25	16,775
45.50	11,430	49.75	12,781	54.00	14,140	58.25	15,501	62.50	16,854
45.75	11,509	50.00	12,861	54.25	14,220	58.50	15,581	62.75	16,934
46.00	11,588	50.25	12,940	54.50	14,301	58.75	15,661	63.00	17,013
46.25	11,667	50.50	13,020	54.75	14,381	59.00	15,740	63.25	17,092
46.50	11,746	50.75	13,100	55.00	14,461	59.25	15,820	63.50	17,171



## Capacity/Gauge Table Information

**TCLX 290430**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 230

Reporting Mark: TCLX 290430

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,250	68.00	18,583	72.25	19,892	76.50	21,167	80.75	22,399
64.00	17,329	68.25	18,661	72.50	19,968	76.75	21,240	81.00	22,470
64.25	17,408	68.50	18,739	72.75	20,044	77.00	21,314	81.25	22,541
64.50	17,487	68.75	18,816	73.00	20,119	77.25	21,388	81.50	22,612
64.75	17,566	69.00	18,894	73.25	20,195	77.50	21,461	81.75	22,682
65.00	17,644	69.25	18,971	73.50	20,270	77.75	21,534	82.00	22,753
65.25	17,723	69.50	19,048	73.75	20,346	78.00	21,607	82.25	22,823
65.50	17,802	69.75	19,126	74.00	20,421	78.25	21,680	82.50	22,892
65.75	17,880	70.00	19,203	74.25	20,496	78.50	21,753	82.75	22,962
66.00	17,959	70.25	19,280	74.50	20,571	78.75	21,825	83.00	23,032
66.25	18,037	70.50	19,356	74.75	20,646	79.00	21,898	83.25	23,101
66.50	18,115	70.75	19,433	75.00	20,721	79.25	21,970	83.50	23,170
66.75	18,193	71.00	19,510	75.25	20,796	79.50	22,042	83.75	23,239
67.00	18,272	71.25	19,586	75.50	20,870	79.75	22,114	84.00	23,308
67.25	18,350	71.50	19,663	75.75	20,944	80.00	22,185	84.25	23,376
67.50	18,428	71.75	19,739	76.00	21,019	80.25	22,257	84.50	23,444
67.75	18,505	72.00	19,816	76.25	21,093	80.50	22,328	84.75	23,512



## Capacity/Gauge Table Information

**TCLX 290430**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 230

Reporting Mark: TCLX 290430

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,580	89.25	24,698	93.50	25,740	97.75	26,692	102.00	27,534
85.25	23,648	89.50	24,761	93.75	25,799	98.00	26,745	102.25	27,579
85.50	23,715	89.75	24,825	94.00	25,857	98.25	26,797	102.50	27,624
85.75	23,782	90.00	24,888	94.25	25,915	98.50	26,849	102.75	27,669
86.00	23,849	90.25	24,951	94.50	25,973	98.75	26,901	103.00	27,713
86.25	23,916	90.50	25,013	94.75	26,030	99.00	26,952	103.25	27,757
86.50	23,982	90.75	25,075	95.00	26,087	99.25	27,003	103.50	27,800
86.75	24,049	91.00	25,137	95.25	26,144	99.50	27,053	103.75	27,842
87.00	24,115	91.25	25,199	95.50	26,201	99.75	27,103	104.00	27,884
87.25	24,181	91.50	25,260	95.75	26,257	100.00	27,153	104.25	27,926
87.50	24,246	91.75	25,321	96.00	26,312	100.25	27,202	104.50	27,967
87.75	24,311	92.00	25,382	96.25	26,368	100.50	27,251	104.75	28,007
88.00	24,376	92.25	25,442	96.50	26,423	100.75	27,299	105.00	28,047
88.25	24,441	92.50	25,503	96.75	26,477	101.00	27,347	105.25	28,086
88.50	24,506	92.75	25,562	97.00	26,531	101.25	27,394	105.50	28,125
88.75	24,570	93.00	25,622	97.25	26,585	101.50	27,441	105.75	28,163
89.00	24,634	93.25	25,681	97.50	26,639	101.75	27,488	106.00	28,200



## Capacity/Gauge Table Information

**TCLX 290430**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 230

Reporting Mark: TCLX 290430

Date: 07/07/2015

Capacity: 28,977 US Gallons (109,688 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,237	110.50	28,751	114.75	28,963
106.50	28,273	110.75	28,773	115.00	28,967
106.75	28,309	111.00	28,794	115.25	28,970
107.00	28,344	111.25	28,813	115.50	28,972
107.25	28,378	111.50	28,831	115.75	28,974
107.50	28,412	111.75	28,847	116.00	28,975
107.75	28,445	112.00	28,863	116.25	28,976
108.00	28,477	112.25	28,877	116.50	28,976
108.25	28,508	112.50	28,890	116.75	28,977
108.50	28,539	112.75	28,902		
108.75	28,568	113.00	28,913		
109.00	28,597	113.25	28,923		
109.25	28,625	113.50	28,932		
109.50	28,653	113.75	28,940		
109.75	28,679	114.00	28,947		
110.00	28,704	114.25	28,954		
110.25	28,728	114.50	28,959		



## Capacity/Gauge Table Information

**TCLX 290431**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 231

Reporting Mark: TCLX 290431

Date: 07/07/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,222	17.00	3,208
0.25	28	4.50	625	8.75	1,388	13.00	2,278	17.25	3,269
0.50	58	4.75	666	9.00	1,437	13.25	2,333	17.50	3,330
0.75	88	5.00	707	9.25	1,487	13.50	2,390	17.75	3,392
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,453
1.25	150	5.50	792	9.75	1,587	14.00	2,503	18.25	3,515
1.50	183	5.75	835	10.00	1,638	14.25	2,560	18.50	3,578
1.75	216	6.00	878	10.25	1,689	14.50	2,617	18.75	3,640
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,703
2.25	285	6.50	966	10.75	1,793	15.00	2,733	19.25	3,766
2.50	320	6.75	1,011	11.00	1,845	15.25	2,791	19.50	3,829
2.75	356	7.00	1,057	11.25	1,898	15.50	2,850	19.75	3,893
3.00	392	7.25	1,103	11.50	1,951	15.75	2,909	20.00	3,957
3.25	430	7.50	1,149	11.75	2,005	16.00	2,968	20.25	4,021
3.50	468	7.75	1,196	12.00	2,059	16.25	3,028	20.50	4,085
3.75	506	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,150
4.00	545	8.25	1,291	12.50	2,167	16.75	3,148	21.00	4,214



## Capacity/Gauge Table Information

**TCLX 290431**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 231

Reporting Mark: TCLX 290431

Date: 07/07/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,280	25.50	5,422	29.75	6,622	34.00	7,872	38.25	9,160
21.50	4,345	25.75	5,491	30.00	6,695	34.25	7,946	38.50	9,237
21.75	4,410	26.00	5,560	30.25	6,767	34.50	8,021	38.75	9,314
22.00	4,476	26.25	5,630	30.50	6,840	34.75	8,096	39.00	9,391
22.25	4,542	26.50	5,699	30.75	6,912	35.00	8,172	39.25	9,468
22.50	4,609	26.75	5,769	31.00	6,985	35.25	8,247	39.50	9,545
22.75	4,675	27.00	5,839	31.25	7,058	35.50	8,322	39.75	9,622
23.00	4,742	27.25	5,910	31.50	7,132	35.75	8,398	40.00	9,700
23.25	4,809	27.50	5,980	31.75	7,205	36.00	8,474	40.25	9,777
23.50	4,876	27.75	6,051	32.00	7,278	36.25	8,549	40.50	9,855
23.75	4,944	28.00	6,122	32.25	7,352	36.50	8,625	40.75	9,932
24.00	5,011	28.25	6,193	32.50	7,426	36.75	8,701	41.00	10,010
24.25	5,079	28.50	6,264	32.75	7,500	37.00	8,777	41.25	10,088
24.50	5,147	28.75	6,335	33.00	7,574	37.25	8,854	41.50	10,166
24.75	5,215	29.00	6,407	33.25	7,648	37.50	8,930	41.75	10,244
25.00	5,284	29.25	6,478	33.50	7,723	37.75	9,007	42.00	10,322
25.25	5,353	29.50	6,550	33.75	7,797	38.00	9,083	42.25	10,400





## Capacity/Gauge Table Information

**TCLX 290431**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 231

Reporting Mark: TCLX 290431

Date: 07/07/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,478	46.75	11,818	51.00	13,173	55.25	14,533	59.50	15,892
42.75	10,557	47.00	11,898	51.25	13,253	55.50	14,613	59.75	15,972
43.00	10,635	47.25	11,977	51.50	13,333	55.75	14,693	60.00	16,052
43.25	10,713	47.50	12,057	51.75	13,413	56.00	14,773	60.25	16,132
43.50	10,792	47.75	12,136	52.00	13,493	56.25	14,853	60.50	16,211
43.75	10,871	48.00	12,216	52.25	13,573	56.50	14,933	60.75	16,291
44.00	10,949	48.25	12,295	52.50	13,653	56.75	15,013	61.00	16,370
44.25	11,028	48.50	12,375	52.75	13,733	57.00	15,093	61.25	16,450
44.50	11,107	48.75	12,455	53.00	13,813	57.25	15,173	61.50	16,529
44.75	11,186	49.00	12,534	53.25	13,893	57.50	15,253	61.75	16,609
45.00	11,264	49.25	12,614	53.50	13,973	57.75	15,333	62.00	16,688
45.25	11,343	49.50	12,694	53.75	14,053	58.00	15,413	62.25	16,767
45.50	11,422	49.75	12,773	54.00	14,133	58.25	15,493	62.50	16,847
45.75	11,502	50.00	12,853	54.25	14,213	58.50	15,573	62.75	16,926
46.00	11,581	50.25	12,933	54.50	14,293	58.75	15,653	63.00	17,005
46.25	11,660	50.50	13,013	54.75	14,373	59.00	15,733	63.25	17,084
46.50	11,739	50.75	13,093	55.00	14,453	59.25	15,813	63.50	17,163



## Capacity/Gauge Table Information

**TCLX 290431**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 231

Reporting Mark: TCLX 290431

Date: 07/07/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,242	68.00	18,576	72.25	19,884	76.50	21,159	80.75	22,393
64.00	17,321	68.25	18,654	72.50	19,960	76.75	21,233	81.00	22,464
64.25	17,400	68.50	18,731	72.75	20,036	77.00	21,307	81.25	22,534
64.50	17,479	68.75	18,809	73.00	20,112	77.25	21,380	81.50	22,605
64.75	17,558	69.00	18,886	73.25	20,188	77.50	21,454	81.75	22,676
65.00	17,637	69.25	18,964	73.50	20,263	77.75	21,527	82.00	22,746
65.25	17,715	69.50	19,041	73.75	20,339	78.00	21,600	82.25	22,816
65.50	17,794	69.75	19,118	74.00	20,414	78.25	21,673	82.50	22,886
65.75	17,872	70.00	19,195	74.25	20,489	78.50	21,746	82.75	22,955
66.00	17,951	70.25	19,272	74.50	20,564	78.75	21,818	83.00	23,025
66.25	18,029	70.50	19,349	74.75	20,639	79.00	21,891	83.25	23,094
66.50	18,108	70.75	19,426	75.00	20,714	79.25	21,963	83.50	23,163
66.75	18,186	71.00	19,502	75.25	20,788	79.50	22,035	83.75	23,232
67.00	18,264	71.25	19,579	75.50	20,863	79.75	22,107	84.00	23,301
67.25	18,342	71.50	19,656	75.75	20,937	80.00	22,178	84.25	23,370
67.50	18,420	71.75	19,732	76.00	21,011	80.25	22,250	84.50	23,438
67.75	18,498	72.00	19,808	76.25	21,086	80.50	22,321	84.75	23,506



## Capacity/Gauge Table Information

**TCLX 290431**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 231

Reporting Mark: TCLX 290431

Date: 07/07/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,574	89.25	24,692	93.50	25,735	97.75	26,688	102.00	27,530
85.25	23,641	89.50	24,756	93.75	25,794	98.00	26,741	102.25	27,576
85.50	23,709	89.75	24,819	94.00	25,852	98.25	26,793	102.50	27,621
85.75	23,776	90.00	24,882	94.25	25,910	98.50	26,845	102.75	27,666
86.00	23,843	90.25	24,945	94.50	25,968	98.75	26,897	103.00	27,710
86.25	23,910	90.50	25,007	94.75	26,025	99.00	26,948	103.25	27,754
86.50	23,976	90.75	25,070	95.00	26,083	99.25	26,999	103.50	27,797
86.75	24,042	91.00	25,131	95.25	26,139	99.50	27,049	103.75	27,839
87.00	24,109	91.25	25,193	95.50	26,196	99.75	27,099	104.00	27,881
87.25	24,174	91.50	25,255	95.75	26,252	100.00	27,149	104.25	27,923
87.50	24,240	91.75	25,316	96.00	26,308	100.25	27,198	104.50	27,964
87.75	24,305	92.00	25,376	96.25	26,363	100.50	27,247	104.75	28,005
88.00	24,370	92.25	25,437	96.50	26,418	100.75	27,295	105.00	28,044
88.25	24,435	92.50	25,497	96.75	26,473	101.00	27,343	105.25	28,084
88.50	24,500	92.75	25,557	97.00	26,527	101.25	27,391	105.50	28,123
88.75	24,564	93.00	25,617	97.25	26,581	101.50	27,438	105.75	28,161
89.00	24,628	93.25	25,676	97.50	26,634	101.75	27,484	106.00	28,198



## Capacity/Gauge Table Information

**TCLX 290431**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 231

Reporting Mark: TCLX 290431

Date: 07/07/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,235	110.50	28,751	114.75	28,965
106.50	28,272	110.75	28,773	115.00	28,969
106.75	28,307	111.00	28,794	115.25	28,972
107.00	28,342	111.25	28,813	115.50	28,975
107.25	28,377	111.50	28,831	115.75	28,976
107.50	28,410	111.75	28,848	116.00	28,977
107.75	28,443	112.00	28,864	116.25	28,978
108.00	28,475	112.25	28,878	116.50	28,979
108.25	28,507	112.50	28,892	116.75	28,979
108.50	28,537	112.75	28,904		
108.75	28,567	113.00	28,915		
109.00	28,596	113.25	28,925		
109.25	28,625	113.50	28,934		
109.50	28,652	113.75	28,942		
109.75	28,678	114.00	28,949		
110.00	28,704	114.25	28,955		
110.25	28,728	114.50	28,961		



## Capacity/Gauge Table Information

**TCLX 290432**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 232

Reporting Mark: TCLX 290432

Date: 07/07/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,344	12.75	2,228	17.00	3,215
0.25	29	4.50	627	8.75	1,392	13.00	2,283	17.25	3,276
0.50	58	4.75	668	9.00	1,441	13.25	2,339	17.50	3,337
0.75	88	5.00	710	9.25	1,491	13.50	2,395	17.75	3,398
1.00	119	5.25	752	9.50	1,541	13.75	2,452	18.00	3,460
1.25	151	5.50	794	9.75	1,592	14.00	2,508	18.25	3,522
1.50	184	5.75	837	10.00	1,642	14.25	2,565	18.50	3,584
1.75	217	6.00	881	10.25	1,694	14.50	2,623	18.75	3,647
2.00	251	6.25	925	10.50	1,745	14.75	2,681	19.00	3,710
2.25	286	6.50	970	10.75	1,798	15.00	2,739	19.25	3,773
2.50	321	6.75	1,015	11.00	1,850	15.25	2,797	19.50	3,836
2.75	357	7.00	1,060	11.25	1,903	15.50	2,856	19.75	3,900
3.00	394	7.25	1,106	11.50	1,956	15.75	2,915	20.00	3,964
3.25	431	7.50	1,153	11.75	2,010	16.00	2,974	20.25	4,028
3.50	469	7.75	1,200	12.00	2,064	16.25	3,034	20.50	4,092
3.75	508	8.00	1,247	12.25	2,118	16.50	3,094	20.75	4,157
4.00	547	8.25	1,295	12.50	2,173	16.75	3,154	21.00	4,222



## Capacity/Gauge Table Information

**TCLX 290432**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 232

Reporting Mark: TCLX 290432

Date: 07/07/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,287	25.50	5,430	29.75	6,631	34.00	7,881	38.25	9,170
21.50	4,352	25.75	5,499	30.00	6,704	34.25	7,956	38.50	9,247
21.75	4,418	26.00	5,568	30.25	6,776	34.50	8,031	38.75	9,323
22.00	4,484	26.25	5,638	30.50	6,849	34.75	8,106	39.00	9,401
22.25	4,550	26.50	5,708	30.75	6,921	35.00	8,181	39.25	9,478
22.50	4,616	26.75	5,778	31.00	6,994	35.25	8,257	39.50	9,555
22.75	4,683	27.00	5,848	31.25	7,067	35.50	8,332	39.75	9,632
23.00	4,750	27.25	5,918	31.50	7,141	35.75	8,408	40.00	9,710
23.25	4,817	27.50	5,989	31.75	7,214	36.00	8,483	40.25	9,787
23.50	4,884	27.75	6,059	32.00	7,288	36.25	8,559	40.50	9,865
23.75	4,951	28.00	6,130	32.25	7,361	36.50	8,635	40.75	9,942
24.00	5,019	28.25	6,201	32.50	7,435	36.75	8,711	41.00	10,020
24.25	5,087	28.50	6,272	32.75	7,509	37.00	8,787	41.25	10,098
24.50	5,155	28.75	6,344	33.00	7,583	37.25	8,864	41.50	10,176
24.75	5,224	29.00	6,415	33.25	7,657	37.50	8,940	41.75	10,254
25.00	5,292	29.25	6,487	33.50	7,732	37.75	9,016	42.00	10,332
25.25	5,361	29.50	6,559	33.75	7,806	38.00	9,093	42.25	10,410



## Capacity/Gauge Table Information

**TCLX 290432**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 232

Reporting Mark: TCLX 290432

Date: 07/07/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,488	46.75	11,829	51.00	13,183	55.25	14,544	59.50	15,903
42.75	10,567	47.00	11,908	51.25	13,263	55.50	14,624	59.75	15,983
43.00	10,645	47.25	11,988	51.50	13,343	55.75	14,704	60.00	16,062
43.25	10,724	47.50	12,067	51.75	13,423	56.00	14,784	60.25	16,142
43.50	10,802	47.75	12,147	52.00	13,503	56.25	14,864	60.50	16,222
43.75	10,881	48.00	12,226	52.25	13,583	56.50	14,944	60.75	16,301
44.00	10,959	48.25	12,306	52.50	13,663	56.75	15,024	61.00	16,381
44.25	11,038	48.50	12,385	52.75	13,743	57.00	15,104	61.25	16,460
44.50	11,117	48.75	12,465	53.00	13,823	57.25	15,184	61.50	16,540
44.75	11,196	49.00	12,545	53.25	13,903	57.50	15,264	61.75	16,619
45.00	11,275	49.25	12,624	53.50	13,983	57.75	15,344	62.00	16,699
45.25	11,354	49.50	12,704	53.75	14,063	58.00	15,424	62.25	16,778
45.50	11,433	49.75	12,784	54.00	14,144	58.25	15,504	62.50	16,857
45.75	11,512	50.00	12,864	54.25	14,224	58.50	15,584	62.75	16,936
46.00	11,591	50.25	12,944	54.50	14,304	58.75	15,664	63.00	17,016
46.25	11,670	50.50	13,023	54.75	14,384	59.00	15,743	63.25	17,095
46.50	11,750	50.75	13,103	55.00	14,464	59.25	15,823	63.50	17,174





## Capacity/Gauge Table Information

**TCLX 290432**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 232

Reporting Mark: TCLX 290432

Date: 07/07/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,253	68.00	18,586	72.25	19,894	76.50	21,169	80.75	22,401
64.00	17,332	68.25	18,664	72.50	19,970	76.75	21,243	81.00	22,472
64.25	17,411	68.50	18,741	72.75	20,046	77.00	21,316	81.25	22,543
64.50	17,490	68.75	18,819	73.00	20,122	77.25	21,390	81.50	22,614
64.75	17,568	69.00	18,896	73.25	20,197	77.50	21,463	81.75	22,684
65.00	17,647	69.25	18,974	73.50	20,273	77.75	21,536	82.00	22,754
65.25	17,726	69.50	19,051	73.75	20,348	78.00	21,609	82.25	22,824
65.50	17,804	69.75	19,128	74.00	20,423	78.25	21,682	82.50	22,894
65.75	17,883	70.00	19,205	74.25	20,499	78.50	21,755	82.75	22,964
66.00	17,961	70.25	19,282	74.50	20,574	78.75	21,827	83.00	23,033
66.25	18,040	70.50	19,359	74.75	20,649	79.00	21,900	83.25	23,103
66.50	18,118	70.75	19,436	75.00	20,723	79.25	21,972	83.50	23,172
66.75	18,196	71.00	19,512	75.25	20,798	79.50	22,044	83.75	23,241
67.00	18,274	71.25	19,589	75.50	20,872	79.75	22,116	84.00	23,309
67.25	18,352	71.50	19,665	75.75	20,947	80.00	22,187	84.25	23,378
67.50	18,430	71.75	19,742	76.00	21,021	80.25	22,259	84.50	23,446
67.75	18,508	72.00	19,818	76.25	21,095	80.50	22,330	84.75	23,514



## Capacity/Gauge Table Information

**TCLX 290432**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 232

Reporting Mark: TCLX 290432

Date: 07/07/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,582	89.25	24,699	93.50	25,741	97.75	26,693	102.00	27,534
85.25	23,649	89.50	24,763	93.75	25,800	98.00	26,745	102.25	27,579
85.50	23,717	89.75	24,826	94.00	25,858	98.25	26,798	102.50	27,624
85.75	23,784	90.00	24,889	94.25	25,916	98.50	26,850	102.75	27,669
86.00	23,851	90.25	24,952	94.50	25,974	98.75	26,901	103.00	27,713
86.25	23,918	90.50	25,014	94.75	26,031	99.00	26,953	103.25	27,756
86.50	23,984	90.75	25,076	95.00	26,088	99.25	27,003	103.50	27,800
86.75	24,050	91.00	25,138	95.25	26,145	99.50	27,054	103.75	27,842
87.00	24,116	91.25	25,200	95.50	26,201	99.75	27,104	104.00	27,884
87.25	24,182	91.50	25,261	95.75	26,257	100.00	27,153	104.25	27,925
87.50	24,248	91.75	25,322	96.00	26,313	100.25	27,202	104.50	27,966
87.75	24,313	92.00	25,383	96.25	26,368	100.50	27,251	104.75	28,007
88.00	24,378	92.25	25,444	96.50	26,423	100.75	27,299	105.00	28,047
88.25	24,443	92.50	25,504	96.75	26,478	101.00	27,347	105.25	28,086
88.50	24,507	92.75	25,564	97.00	26,532	101.25	27,394	105.50	28,124
88.75	24,571	93.00	25,623	97.25	26,586	101.50	27,441	105.75	28,162
89.00	24,636	93.25	25,682	97.50	26,640	101.75	27,488	106.00	28,200



## Capacity/Gauge Table Information

**TCLX 290432**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 232

Reporting Mark: TCLX 290432

Date: 07/07/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,237	110.50	28,749	114.75	28,960
106.50	28,273	110.75	28,771	115.00	28,964
106.75	28,308	111.00	28,791	115.25	28,967
107.00	28,343	111.25	28,810	115.50	28,969
107.25	28,377	111.50	28,828	115.75	28,971
107.50	28,411	111.75	28,845	116.00	28,972
107.75	28,444	112.00	28,860	116.25	28,973
108.00	28,476	112.25	28,874	116.50	28,973
108.25	28,507	112.50	28,888	116.75	28,973
108.50	28,537	112.75	28,900		
108.75	28,567	113.00	28,911		
109.00	28,596	113.25	28,920		
109.25	28,624	113.50	28,929		
109.50	28,651	113.75	28,937		
109.75	28,677	114.00	28,944		
110.00	28,702	114.25	28,950		
110.25	28,727	114.50	28,956		



## Capacity/Gauge Table Information

**TCLX 290433**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 233

Reporting Mark: TCLX 290433

Date: 30/06/2015

Capacity: 28,974 US Gallons (109,679 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,335	12.75	2,217	17.00	3,201
0.25	28	4.50	623	8.75	1,384	13.00	2,272	17.25	3,262
0.50	57	4.75	663	9.00	1,433	13.25	2,327	17.50	3,323
0.75	87	5.00	704	9.25	1,482	13.50	2,383	17.75	3,384
1.00	118	5.25	746	9.50	1,532	13.75	2,440	18.00	3,446
1.25	150	5.50	789	9.75	1,582	14.00	2,496	18.25	3,508
1.50	182	5.75	831	10.00	1,633	14.25	2,553	18.50	3,570
1.75	215	6.00	875	10.25	1,684	14.50	2,611	18.75	3,632
2.00	249	6.25	919	10.50	1,736	14.75	2,668	19.00	3,695
2.25	283	6.50	963	10.75	1,788	15.00	2,726	19.25	3,758
2.50	318	6.75	1,008	11.00	1,840	15.25	2,784	19.50	3,821
2.75	354	7.00	1,053	11.25	1,893	15.50	2,843	19.75	3,884
3.00	391	7.25	1,099	11.50	1,946	15.75	2,902	20.00	3,948
3.25	428	7.50	1,145	11.75	1,999	16.00	2,961	20.25	4,012
3.50	466	7.75	1,192	12.00	2,053	16.25	3,021	20.50	4,077
3.75	504	8.00	1,239	12.25	2,107	16.50	3,080	20.75	4,141
4.00	543	8.25	1,287	12.50	2,162	16.75	3,141	21.00	4,206



## Capacity/Gauge Table Information

**TCLX 290433**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 233

Reporting Mark: TCLX 290433

Date: 30/06/2015

Capacity: 28,974 US Gallons (109,679 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,271	25.50	5,412	29.75	6,611	34.00	7,860	38.25	9,147
21.50	4,336	25.75	5,481	30.00	6,684	34.25	7,934	38.50	9,224
21.75	4,402	26.00	5,550	30.25	6,756	34.50	8,009	38.75	9,300
22.00	4,467	26.25	5,619	30.50	6,828	34.75	8,084	39.00	9,377
22.25	4,533	26.50	5,689	30.75	6,901	35.00	8,159	39.25	9,454
22.50	4,600	26.75	5,759	31.00	6,974	35.25	8,235	39.50	9,532
22.75	4,666	27.00	5,829	31.25	7,047	35.50	8,310	39.75	9,609
23.00	4,733	27.25	5,899	31.50	7,120	35.75	8,385	40.00	9,686
23.25	4,800	27.50	5,970	31.75	7,193	36.00	8,461	40.25	9,764
23.50	4,867	27.75	6,040	32.00	7,267	36.25	8,537	40.50	9,841
23.75	4,934	28.00	6,111	32.25	7,340	36.50	8,613	40.75	9,919
24.00	5,002	28.25	6,182	32.50	7,414	36.75	8,689	41.00	9,996
24.25	5,069	28.50	6,253	32.75	7,488	37.00	8,765	41.25	10,074
24.50	5,137	28.75	6,324	33.00	7,562	37.25	8,841	41.50	10,152
24.75	5,206	29.00	6,396	33.25	7,636	37.50	8,917	41.75	10,230
25.00	5,274	29.25	6,468	33.50	7,711	37.75	8,994	42.00	10,308
25.25	5,343	29.50	6,539	33.75	7,785	38.00	9,070	42.25	10,386



## Capacity/Gauge Table Information

**TCLX 290433**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 233

Reporting Mark: TCLX 290433

Date: 30/06/2015

Capacity: 28,974 US Gallons (109,679 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,464	46.75	11,804	51.00	13,157	55.25	14,517	59.50	15,876
42.75	10,543	47.00	11,883	51.25	13,237	55.50	14,597	59.75	15,956
43.00	10,621	47.25	11,963	51.50	13,317	55.75	14,677	60.00	16,035
43.25	10,699	47.50	12,042	51.75	13,397	56.00	14,757	60.25	16,115
43.50	10,778	47.75	12,121	52.00	13,477	56.25	14,837	60.50	16,195
43.75	10,856	48.00	12,201	52.25	13,557	56.50	14,917	60.75	16,274
44.00	10,935	48.25	12,280	52.50	13,637	56.75	14,997	61.00	16,354
44.25	11,014	48.50	12,360	52.75	13,717	57.00	15,077	61.25	16,433
44.50	11,092	48.75	12,440	53.00	13,797	57.25	15,157	61.50	16,513
44.75	11,171	49.00	12,519	53.25	13,877	57.50	15,237	61.75	16,592
45.00	11,250	49.25	12,599	53.50	13,957	57.75	15,317	62.00	16,672
45.25	11,329	49.50	12,679	53.75	14,037	58.00	15,397	62.25	16,751
45.50	11,408	49.75	12,758	54.00	14,117	58.25	15,477	62.50	16,830
45.75	11,487	50.00	12,838	54.25	14,197	58.50	15,557	62.75	16,909
46.00	11,566	50.25	12,918	54.50	14,277	58.75	15,637	63.00	16,989
46.25	11,645	50.50	12,998	54.75	14,357	59.00	15,717	63.25	17,068
46.50	11,725	50.75	13,078	55.00	14,437	59.25	15,796	63.50	17,147



## Capacity/Gauge Table Information

**TCLX 290433**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 233

Reporting Mark: TCLX 290433

Date: 30/06/2015

Capacity: 28,974 US Gallons (109,679 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,226	68.00	18,559	72.25	19,867	76.50	21,142	80.75	22,376
64.00	17,305	68.25	18,637	72.50	19,943	76.75	21,216	81.00	22,447
64.25	17,384	68.50	18,714	72.75	20,019	77.00	21,290	81.25	22,517
64.50	17,462	68.75	18,792	73.00	20,095	77.25	21,363	81.50	22,588
64.75	17,541	69.00	18,869	73.25	20,170	77.50	21,437	81.75	22,659
65.00	17,620	69.25	18,947	73.50	20,246	77.75	21,510	82.00	22,729
65.25	17,699	69.50	19,024	73.75	20,321	78.00	21,583	82.25	22,799
65.50	17,777	69.75	19,101	74.00	20,397	78.25	21,656	82.50	22,869
65.75	17,856	70.00	19,178	74.25	20,472	78.50	21,729	82.75	22,939
66.00	17,934	70.25	19,255	74.50	20,547	78.75	21,801	83.00	23,008
66.25	18,012	70.50	19,332	74.75	20,622	79.00	21,873	83.25	23,077
66.50	18,091	70.75	19,409	75.00	20,697	79.25	21,946	83.50	23,147
66.75	18,169	71.00	19,485	75.25	20,771	79.50	22,018	83.75	23,216
67.00	18,247	71.25	19,562	75.50	20,846	79.75	22,090	84.00	23,284
67.25	18,325	71.50	19,638	75.75	20,920	80.00	22,161	84.25	23,353
67.50	18,403	71.75	19,715	76.00	20,994	80.25	22,233	84.50	23,421
67.75	18,481	72.00	19,791	76.25	21,068	80.50	22,304	84.75	23,489





## Capacity/Gauge Table Information

**TCLX 290433**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 233

Reporting Mark: TCLX 290433

Date: 30/06/2015

Capacity: 28,974 US Gallons (109,679 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,557	89.25	24,676	93.50	25,720	97.75	26,673	102.00	27,517
85.25	23,625	89.50	24,739	93.75	25,778	98.00	26,726	102.25	27,563
85.50	23,692	89.75	24,803	94.00	25,837	98.25	26,779	102.50	27,608
85.75	23,759	90.00	24,866	94.25	25,895	98.50	26,831	102.75	27,653
86.00	23,826	90.25	24,929	94.50	25,953	98.75	26,882	103.00	27,697
86.25	23,893	90.50	24,991	94.75	26,010	99.00	26,934	103.25	27,741
86.50	23,960	90.75	25,054	95.00	26,067	99.25	26,985	103.50	27,784
86.75	24,026	91.00	25,116	95.25	26,124	99.50	27,035	103.75	27,827
87.00	24,092	91.25	25,177	95.50	26,181	99.75	27,085	104.00	27,869
87.25	24,158	91.50	25,239	95.75	26,237	100.00	27,135	104.25	27,911
87.50	24,224	91.75	25,300	96.00	26,293	100.25	27,184	104.50	27,952
87.75	24,289	92.00	25,361	96.25	26,348	100.50	27,233	104.75	27,992
88.00	24,354	92.25	25,421	96.50	26,403	100.75	27,282	105.00	28,032
88.25	24,419	92.50	25,482	96.75	26,458	101.00	27,330	105.25	28,072
88.50	24,484	92.75	25,541	97.00	26,512	101.25	27,377	105.50	28,111
88.75	24,548	93.00	25,601	97.25	26,566	101.50	27,424	105.75	28,149
89.00	24,612	93.25	25,661	97.50	26,620	101.75	27,471	106.00	28,187



## Capacity/Gauge Table Information

**TCLX 290433**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 233

Reporting Mark: TCLX 290433

Date: 30/06/2015

Capacity: 28,974 US Gallons (109,679 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,224	110.50	28,743	114.75	28,961
106.50	28,260	110.75	28,765	115.00	28,964
106.75	28,296	111.00	28,786	115.25	28,968
107.00	28,331	111.25	28,806	115.50	28,970
107.25	28,366	111.50	28,824	115.75	28,972
107.50	28,400	111.75	28,842	116.00	28,973
107.75	28,433	112.00	28,858	116.25	28,974
108.00	28,465	112.25	28,872	116.50	28,974
108.25	28,497	112.50	28,886	116.75	28,974
108.50	28,528	112.75	28,898		
108.75	28,558	113.00	28,909		
109.00	28,587	113.25	28,920		
109.25	28,615	113.50	28,929		
109.50	28,643	113.75	28,937		
109.75	28,669	114.00	28,944		
110.00	28,695	114.25	28,951		
110.25	28,720	114.50	28,956		



## Capacity/Gauge Table Information

**TCLX 290434**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 234

Reporting Mark: TCLX 290434

Date: 30/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,225	17.00	3,212
0.25	28	4.50	626	8.75	1,390	13.00	2,280	17.25	3,272
0.50	58	4.75	667	9.00	1,439	13.25	2,336	17.50	3,333
0.75	88	5.00	709	9.25	1,489	13.50	2,392	17.75	3,395
1.00	119	5.25	750	9.50	1,539	13.75	2,449	18.00	3,457
1.25	151	5.50	793	9.75	1,589	14.00	2,505	18.25	3,519
1.50	183	5.75	836	10.00	1,640	14.25	2,562	18.50	3,581
1.75	217	6.00	880	10.25	1,691	14.50	2,620	18.75	3,643
2.00	251	6.25	924	10.50	1,743	14.75	2,678	19.00	3,706
2.25	285	6.50	968	10.75	1,795	15.00	2,736	19.25	3,769
2.50	321	6.75	1,013	11.00	1,848	15.25	2,794	19.50	3,832
2.75	357	7.00	1,059	11.25	1,900	15.50	2,853	19.75	3,896
3.00	393	7.25	1,105	11.50	1,954	15.75	2,912	20.00	3,960
3.25	431	7.50	1,151	11.75	2,007	16.00	2,971	20.25	4,024
3.50	469	7.75	1,198	12.00	2,061	16.25	3,031	20.50	4,088
3.75	507	8.00	1,245	12.25	2,115	16.50	3,091	20.75	4,153
4.00	546	8.25	1,293	12.50	2,170	16.75	3,151	21.00	4,218



## Capacity/Gauge Table Information

**TCLX 290434**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 234

Reporting Mark: TCLX 290434

Date: 30/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,283	25.50	5,425	29.75	6,626	34.00	7,876	38.25	9,164
21.50	4,348	25.75	5,494	30.00	6,699	34.25	7,951	38.50	9,241
21.75	4,414	26.00	5,564	30.25	6,771	34.50	8,026	38.75	9,318
22.00	4,480	26.25	5,633	30.50	6,844	34.75	8,101	39.00	9,395
22.25	4,546	26.50	5,703	30.75	6,916	35.00	8,176	39.25	9,472
22.50	4,612	26.75	5,773	31.00	6,989	35.25	8,251	39.50	9,549
22.75	4,679	27.00	5,843	31.25	7,062	35.50	8,327	39.75	9,626
23.00	4,746	27.25	5,913	31.50	7,136	35.75	8,402	40.00	9,704
23.25	4,813	27.50	5,984	31.75	7,209	36.00	8,478	40.25	9,781
23.50	4,880	27.75	6,055	32.00	7,282	36.25	8,554	40.50	9,859
23.75	4,947	28.00	6,125	32.25	7,356	36.50	8,630	40.75	9,937
24.00	5,015	28.25	6,196	32.50	7,430	36.75	8,706	41.00	10,014
24.25	5,083	28.50	6,268	32.75	7,504	37.00	8,782	41.25	10,092
24.50	5,151	28.75	6,339	33.00	7,578	37.25	8,858	41.50	10,170
24.75	5,219	29.00	6,411	33.25	7,652	37.50	8,934	41.75	10,248
25.00	5,288	29.25	6,482	33.50	7,727	37.75	9,011	42.00	10,326
25.25	5,356	29.50	6,554	33.75	7,801	38.00	9,087	42.25	10,404



## Capacity/Gauge Table Information

**TCLX 290434**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 234

Reporting Mark: TCLX 290434

Date: 30/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,483	46.75	11,823	51.00	13,177	55.25	14,537	59.50	15,896
42.75	10,561	47.00	11,902	51.25	13,257	55.50	14,617	59.75	15,976
43.00	10,639	47.25	11,982	51.50	13,337	55.75	14,698	60.00	16,056
43.25	10,718	47.50	12,061	51.75	13,417	56.00	14,778	60.25	16,135
43.50	10,796	47.75	12,140	52.00	13,497	56.25	14,858	60.50	16,215
43.75	10,875	48.00	12,220	52.25	13,577	56.50	14,938	60.75	16,295
44.00	10,954	48.25	12,300	52.50	13,657	56.75	15,018	61.00	16,374
44.25	11,032	48.50	12,379	52.75	13,737	57.00	15,098	61.25	16,454
44.50	11,111	48.75	12,459	53.00	13,817	57.25	15,178	61.50	16,533
44.75	11,190	49.00	12,539	53.25	13,897	57.50	15,258	61.75	16,613
45.00	11,269	49.25	12,618	53.50	13,977	57.75	15,337	62.00	16,692
45.25	11,348	49.50	12,698	53.75	14,057	58.00	15,417	62.25	16,771
45.50	11,427	49.75	12,778	54.00	14,137	58.25	15,497	62.50	16,851
45.75	11,506	50.00	12,858	54.25	14,217	58.50	15,577	62.75	16,930
46.00	11,585	50.25	12,937	54.50	14,297	58.75	15,657	63.00	17,009
46.25	11,664	50.50	13,017	54.75	14,377	59.00	15,737	63.25	17,088
46.50	11,744	50.75	13,097	55.00	14,457	59.25	15,817	63.50	17,167



## Capacity/Gauge Table Information

**TCLX 290434**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 234

Reporting Mark: TCLX 290434

Date: 30/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,246	68.00	18,579	72.25	19,887	76.50	21,162	80.75	22,395
64.00	17,325	68.25	18,657	72.50	19,963	76.75	21,236	81.00	22,466
64.25	17,404	68.50	18,735	72.75	20,039	77.00	21,310	81.25	22,536
64.50	17,483	68.75	18,812	73.00	20,115	77.25	21,383	81.50	22,607
64.75	17,562	69.00	18,890	73.25	20,191	77.50	21,456	81.75	22,678
65.00	17,640	69.25	18,967	73.50	20,266	77.75	21,529	82.00	22,748
65.25	17,719	69.50	19,044	73.75	20,342	78.00	21,602	82.25	22,818
65.50	17,798	69.75	19,121	74.00	20,417	78.25	21,675	82.50	22,888
65.75	17,876	70.00	19,198	74.25	20,492	78.50	21,748	82.75	22,957
66.00	17,955	70.25	19,275	74.50	20,567	78.75	21,821	83.00	23,027
66.25	18,033	70.50	19,352	74.75	20,642	79.00	21,893	83.25	23,096
66.50	18,111	70.75	19,429	75.00	20,717	79.25	21,965	83.50	23,165
66.75	18,189	71.00	19,506	75.25	20,791	79.50	22,037	83.75	23,234
67.00	18,268	71.25	19,582	75.50	20,866	79.75	22,109	84.00	23,303
67.25	18,346	71.50	19,659	75.75	20,940	80.00	22,181	84.25	23,371
67.50	18,424	71.75	19,735	76.00	21,014	80.25	22,252	84.50	23,439
67.75	18,501	72.00	19,811	76.25	21,088	80.50	22,324	84.75	23,507



## Capacity/Gauge Table Information

**TCLX 290434**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 234

Reporting Mark: TCLX 290434

Date: 30/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,575	89.25	24,693	93.50	25,735	97.75	26,687	102.00	27,528
85.25	23,643	89.50	24,756	93.75	25,794	98.00	26,740	102.25	27,574
85.50	23,710	89.75	24,820	94.00	25,852	98.25	26,792	102.50	27,619
85.75	23,777	90.00	24,883	94.25	25,910	98.50	26,844	102.75	27,664
86.00	23,844	90.25	24,945	94.50	25,968	98.75	26,896	103.00	27,708
86.25	23,911	90.50	25,008	94.75	26,025	99.00	26,947	103.25	27,751
86.50	23,978	90.75	25,070	95.00	26,082	99.25	26,998	103.50	27,794
86.75	24,044	91.00	25,132	95.25	26,139	99.50	27,048	103.75	27,837
87.00	24,110	91.25	25,194	95.50	26,195	99.75	27,098	104.00	27,879
87.25	24,176	91.50	25,255	95.75	26,251	100.00	27,148	104.25	27,920
87.50	24,241	91.75	25,316	96.00	26,307	100.25	27,197	104.50	27,961
87.75	24,306	92.00	25,377	96.25	26,362	100.50	27,245	104.75	28,002
88.00	24,371	92.25	25,437	96.50	26,417	100.75	27,294	105.00	28,042
88.25	24,436	92.50	25,497	96.75	26,472	101.00	27,342	105.25	28,081
88.50	24,501	92.75	25,557	97.00	26,526	101.25	27,389	105.50	28,119
88.75	24,565	93.00	25,617	97.25	26,580	101.50	27,436	105.75	28,158
89.00	24,629	93.25	25,676	97.50	26,634	101.75	27,482	106.00	28,195





## Capacity/Gauge Table Information

**TCLX 290434**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 234

Reporting Mark: TCLX 290434

Date: 30/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,232	110.50	28,746	114.75	28,958
106.50	28,268	110.75	28,768	115.00	28,962
106.75	28,304	111.00	28,788	115.25	28,965
107.00	28,339	111.25	28,807	115.50	28,967
107.25	28,373	111.50	28,825	115.75	28,969
107.50	28,406	111.75	28,842	116.00	28,970
107.75	28,439	112.00	28,857	116.25	28,971
108.00	28,471	112.25	28,872	116.50	28,971
108.25	28,503	112.50	28,885	116.75	28,971
108.50	28,533	112.75	28,897		
108.75	28,563	113.00	28,908		
109.00	28,592	113.25	28,918		
109.25	28,620	113.50	28,927		
109.50	28,647	113.75	28,935		
109.75	28,673	114.00	28,942		
110.00	28,699	114.25	28,948		
110.25	28,723	114.50	28,953		



## Capacity/Gauge Table Information

**TCLX 290435**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 235

Reporting Mark: TCLX 290435

Date: 07/07/2015

Capacity: 28,951 US Gallons (109,592 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	592	8.50	1,352	12.75	2,239	17.00	3,229
0.25	29	4.50	633	8.75	1,401	13.00	2,295	17.25	3,290
0.50	59	4.75	674	9.00	1,451	13.25	2,351	17.50	3,351
0.75	89	5.00	716	9.25	1,500	13.50	2,407	17.75	3,413
1.00	121	5.25	758	9.50	1,551	13.75	2,464	18.00	3,474
1.25	153	5.50	801	9.75	1,601	14.00	2,521	18.25	3,537
1.50	186	5.75	844	10.00	1,652	14.25	2,578	18.50	3,599
1.75	219	6.00	888	10.25	1,704	14.50	2,636	18.75	3,662
2.00	254	6.25	932	10.50	1,756	14.75	2,693	19.00	3,725
2.25	289	6.50	977	10.75	1,808	15.00	2,752	19.25	3,788
2.50	324	6.75	1,022	11.00	1,860	15.25	2,810	19.50	3,851
2.75	361	7.00	1,068	11.25	1,914	15.50	2,869	19.75	3,915
3.00	398	7.25	1,114	11.50	1,967	15.75	2,928	20.00	3,979
3.25	436	7.50	1,161	11.75	2,021	16.00	2,988	20.25	4,043
3.50	474	7.75	1,208	12.00	2,075	16.25	3,048	20.50	4,108
3.75	513	8.00	1,256	12.25	2,129	16.50	3,108	20.75	4,173
4.00	552	8.25	1,304	12.50	2,184	16.75	3,168	21.00	4,238



## Capacity/Gauge Table Information

**TCLX 290435**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 235

Reporting Mark: TCLX 290435

Date: 07/07/2015

Capacity: 28,951 US Gallons (109,592 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,303	25.50	5,447	29.75	6,650	34.00	7,900	38.25	9,190
21.50	4,368	25.75	5,516	30.00	6,722	34.25	7,975	38.50	9,267
21.75	4,434	26.00	5,586	30.25	6,795	34.50	8,050	38.75	9,343
22.00	4,500	26.25	5,655	30.50	6,867	34.75	8,125	39.00	9,421
22.25	4,566	26.50	5,725	30.75	6,940	35.00	8,201	39.25	9,498
22.50	4,633	26.75	5,795	31.00	7,013	35.25	8,276	39.50	9,575
22.75	4,699	27.00	5,865	31.25	7,086	35.50	8,352	39.75	9,652
23.00	4,766	27.25	5,936	31.50	7,159	35.75	8,427	40.00	9,730
23.25	4,833	27.50	6,006	31.75	7,233	36.00	8,503	40.25	9,807
23.50	4,901	27.75	6,077	32.00	7,307	36.25	8,579	40.50	9,885
23.75	4,968	28.00	6,148	32.25	7,380	36.50	8,655	40.75	9,963
24.00	5,036	28.25	6,219	32.50	7,454	36.75	8,731	41.00	10,040
24.25	5,104	28.50	6,291	32.75	7,528	37.00	8,807	41.25	10,118
24.50	5,172	28.75	6,362	33.00	7,602	37.25	8,883	41.50	10,196
24.75	5,241	29.00	6,434	33.25	7,677	37.50	8,960	41.75	10,274
25.00	5,309	29.25	6,506	33.50	7,751	37.75	9,036	42.00	10,352
25.25	5,378	29.50	6,578	33.75	7,826	38.00	9,113	42.25	10,430



## Capacity/Gauge Table Information

**TCLX 290435**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 235

Reporting Mark: TCLX 290435

Date: 07/07/2015

Capacity: 28,951 US Gallons (109,592 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,509	46.75	11,849	51.00	13,204	55.25	14,564	59.50	15,922
42.75	10,587	47.00	11,929	51.25	13,284	55.50	14,644	59.75	16,002
43.00	10,665	47.25	12,008	51.50	13,364	55.75	14,724	60.00	16,082
43.25	10,744	47.50	12,088	51.75	13,443	56.00	14,804	60.25	16,161
43.50	10,823	47.75	12,167	52.00	13,523	56.25	14,884	60.50	16,241
43.75	10,901	48.00	12,247	52.25	13,603	56.50	14,964	60.75	16,321
44.00	10,980	48.25	12,326	52.50	13,683	56.75	15,044	61.00	16,400
44.25	11,059	48.50	12,406	52.75	13,763	57.00	15,124	61.25	16,480
44.50	11,137	48.75	12,485	53.00	13,843	57.25	15,204	61.50	16,559
44.75	11,216	49.00	12,565	53.25	13,924	57.50	15,284	61.75	16,638
45.00	11,295	49.25	12,645	53.50	14,004	57.75	15,364	62.00	16,718
45.25	11,374	49.50	12,725	53.75	14,084	58.00	15,444	62.25	16,797
45.50	11,453	49.75	12,804	54.00	14,164	58.25	15,523	62.50	16,876
45.75	11,532	50.00	12,884	54.25	14,244	58.50	15,603	62.75	16,955
46.00	11,612	50.25	12,964	54.50	14,324	58.75	15,683	63.00	17,035
46.25	11,691	50.50	13,044	54.75	14,404	59.00	15,763	63.25	17,114
46.50	11,770	50.75	13,124	55.00	14,484	59.25	15,843	63.50	17,193



## Capacity/Gauge Table Information

**TCLX 290435**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 235

Reporting Mark: TCLX 290435

Date: 07/07/2015

Capacity: 28,951 US Gallons (109,592 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,272	68.00	18,604	72.25	19,910	76.50	21,184	80.75	22,415
64.00	17,350	68.25	18,681	72.50	19,986	76.75	21,257	81.00	22,485
64.25	17,429	68.50	18,759	72.75	20,062	77.00	21,331	81.25	22,556
64.50	17,508	68.75	18,836	73.00	20,138	77.25	21,404	81.50	22,627
64.75	17,587	69.00	18,914	73.25	20,213	77.50	21,478	81.75	22,697
65.00	17,665	69.25	18,991	73.50	20,289	77.75	21,551	82.00	22,767
65.25	17,744	69.50	19,068	73.75	20,364	78.00	21,624	82.25	22,837
65.50	17,823	69.75	19,145	74.00	20,439	78.25	21,696	82.50	22,907
65.75	17,901	70.00	19,222	74.25	20,514	78.50	21,769	82.75	22,976
66.00	17,979	70.25	19,299	74.50	20,589	78.75	21,841	83.00	23,046
66.25	18,058	70.50	19,376	74.75	20,664	79.00	21,914	83.25	23,115
66.50	18,136	70.75	19,453	75.00	20,739	79.25	21,986	83.50	23,184
66.75	18,214	71.00	19,529	75.25	20,813	79.50	22,058	83.75	23,252
67.00	18,292	71.25	19,606	75.50	20,888	79.75	22,129	84.00	23,321
67.25	18,370	71.50	19,682	75.75	20,962	80.00	22,201	84.25	23,389
67.50	18,448	71.75	19,758	76.00	21,036	80.25	22,272	84.50	23,457
67.75	18,526	72.00	19,834	76.25	21,110	80.50	22,343	84.75	23,525



## Capacity/Gauge Table Information

**TCLX 290435**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 235

Reporting Mark: TCLX 290435

Date: 07/07/2015

Capacity: 28,951 US Gallons (109,592 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,593	89.25	24,708	93.50	25,747	97.75	26,695	102.00	27,532
85.25	23,660	89.50	24,771	93.75	25,806	98.00	26,748	102.25	27,578
85.50	23,728	89.75	24,834	94.00	25,864	98.25	26,800	102.50	27,622
85.75	23,795	90.00	24,897	94.25	25,922	98.50	26,852	102.75	27,667
86.00	23,861	90.25	24,960	94.50	25,979	98.75	26,903	103.00	27,710
86.25	23,928	90.50	25,022	94.75	26,036	99.00	26,954	103.25	27,754
86.50	23,994	90.75	25,084	95.00	26,093	99.25	27,005	103.50	27,797
86.75	24,060	91.00	25,146	95.25	26,150	99.50	27,055	103.75	27,839
87.00	24,126	91.25	25,207	95.50	26,206	99.75	27,104	104.00	27,880
87.25	24,192	91.50	25,269	95.75	26,262	100.00	27,154	104.25	27,922
87.50	24,257	91.75	25,329	96.00	26,317	100.25	27,203	104.50	27,962
87.75	24,322	92.00	25,390	96.25	26,372	100.50	27,251	104.75	28,002
88.00	24,387	92.25	25,450	96.50	26,427	100.75	27,299	105.00	28,042
88.25	24,452	92.50	25,510	96.75	26,481	101.00	27,347	105.25	28,081
88.50	24,516	92.75	25,570	97.00	26,535	101.25	27,394	105.50	28,119
88.75	24,580	93.00	25,629	97.25	26,589	101.50	27,440	105.75	28,157
89.00	24,644	93.25	25,688	97.50	26,642	101.75	27,487	106.00	28,194



## Capacity/Gauge Table Information

**TCLX 290435**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 235

Reporting Mark: TCLX 290435

Date: 07/07/2015

Capacity: 28,951 US Gallons (109,592 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,230	110.50	28,735	114.75	28,938
106.50	28,266	110.75	28,756	115.00	28,942
106.75	28,301	111.00	28,776	115.25	28,945
107.00	28,336	111.25	28,794	115.50	28,947
107.25	28,370	111.50	28,811	115.75	28,949
107.50	28,403	111.75	28,827	116.00	28,950
107.75	28,435	112.00	28,842	116.25	28,951
108.00	28,467	112.25	28,856	116.50	28,951
108.25	28,498	112.50	28,868	116.75	28,951
108.50	28,528	112.75	28,880		
108.75	28,557	113.00	28,891		
109.00	28,585	113.25	28,900		
109.25	28,613	113.50	28,909		
109.50	28,639	113.75	28,916		
109.75	28,665	114.00	28,923		
110.00	28,689	114.25	28,929		
110.25	28,713	114.50	28,934		





## Capacity/Gauge Table Information

**TCLX 290436**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 236

Reporting Mark: TCLX 290436

Date: 30/06/2015

Capacity: 28,972 US Gallons (109,669 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,346	12.75	2,232	17.00	3,220
0.25	29	4.50	629	8.75	1,395	13.00	2,287	17.25	3,281
0.50	58	4.75	670	9.00	1,445	13.25	2,343	17.50	3,342
0.75	89	5.00	712	9.25	1,494	13.50	2,399	17.75	3,403
1.00	120	5.25	754	9.50	1,544	13.75	2,456	18.00	3,465
1.25	152	5.50	796	9.75	1,595	14.00	2,512	18.25	3,527
1.50	184	5.75	840	10.00	1,646	14.25	2,570	18.50	3,589
1.75	218	6.00	883	10.25	1,697	14.50	2,627	18.75	3,652
2.00	252	6.25	927	10.50	1,749	14.75	2,685	19.00	3,715
2.25	287	6.50	972	10.75	1,801	15.00	2,743	19.25	3,778
2.50	322	6.75	1,017	11.00	1,854	15.25	2,802	19.50	3,841
2.75	359	7.00	1,063	11.25	1,906	15.50	2,860	19.75	3,905
3.00	395	7.25	1,109	11.50	1,960	15.75	2,920	20.00	3,969
3.25	433	7.50	1,156	11.75	2,013	16.00	2,979	20.25	4,033
3.50	471	7.75	1,203	12.00	2,067	16.25	3,039	20.50	4,098
3.75	510	8.00	1,250	12.25	2,122	16.50	3,099	20.75	4,162
4.00	549	8.25	1,298	12.50	2,177	16.75	3,159	21.00	4,227



## Capacity/Gauge Table Information

**TCLX 290436**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 236

Reporting Mark: TCLX 290436

Date: 30/06/2015

Capacity: 28,972 US Gallons (109,669 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,292	25.50	5,436	29.75	6,638	34.00	7,888	38.25	9,177
21.50	4,358	25.75	5,505	30.00	6,710	34.25	7,963	38.50	9,254
21.75	4,424	26.00	5,574	30.25	6,783	34.50	8,038	38.75	9,331
22.00	4,489	26.25	5,644	30.50	6,855	34.75	8,113	39.00	9,408
22.25	4,556	26.50	5,714	30.75	6,928	35.00	8,188	39.25	9,485
22.50	4,622	26.75	5,784	31.00	7,001	35.25	8,264	39.50	9,562
22.75	4,689	27.00	5,854	31.25	7,074	35.50	8,339	39.75	9,640
23.00	4,755	27.25	5,924	31.50	7,147	35.75	8,415	40.00	9,717
23.25	4,822	27.50	5,995	31.75	7,221	36.00	8,490	40.25	9,795
23.50	4,890	27.75	6,066	32.00	7,294	36.25	8,566	40.50	9,872
23.75	4,957	28.00	6,137	32.25	7,368	36.50	8,642	40.75	9,950
24.00	5,025	28.25	6,208	32.50	7,442	36.75	8,718	41.00	10,028
24.25	5,093	28.50	6,279	32.75	7,516	37.00	8,794	41.25	10,105
24.50	5,161	28.75	6,350	33.00	7,590	37.25	8,871	41.50	10,183
24.75	5,229	29.00	6,422	33.25	7,664	37.50	8,947	41.75	10,261
25.00	5,298	29.25	6,494	33.50	7,739	37.75	9,024	42.00	10,340
25.25	5,367	29.50	6,566	33.75	7,813	38.00	9,100	42.25	10,418



## Capacity/Gauge Table Information

**TCLX 290436**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 236

Reporting Mark: TCLX 290436

Date: 30/06/2015

Capacity: 28,972 US Gallons (109,669 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,496	46.75	11,837	51.00	13,191	55.25	14,552	59.50	15,911
42.75	10,574	47.00	11,916	51.25	13,271	55.50	14,632	59.75	15,991
43.00	10,653	47.25	11,996	51.50	13,351	55.75	14,712	60.00	16,070
43.25	10,731	47.50	12,075	51.75	13,431	56.00	14,792	60.25	16,150
43.50	10,810	47.75	12,154	52.00	13,511	56.25	14,872	60.50	16,230
43.75	10,888	48.00	12,234	52.25	13,591	56.50	14,952	60.75	16,309
44.00	10,967	48.25	12,314	52.50	13,671	56.75	15,032	61.00	16,389
44.25	11,046	48.50	12,393	52.75	13,751	57.00	15,112	61.25	16,468
44.50	11,125	48.75	12,473	53.00	13,831	57.25	15,192	61.50	16,548
44.75	11,204	49.00	12,553	53.25	13,911	57.50	15,272	61.75	16,627
45.00	11,283	49.25	12,632	53.50	13,991	57.75	15,352	62.00	16,707
45.25	11,362	49.50	12,712	53.75	14,071	58.00	15,432	62.25	16,786
45.50	11,441	49.75	12,792	54.00	14,151	58.25	15,512	62.50	16,865
45.75	11,520	50.00	12,872	54.25	14,232	58.50	15,592	62.75	16,944
46.00	11,599	50.25	12,952	54.50	14,312	58.75	15,672	63.00	17,024
46.25	11,678	50.50	13,031	54.75	14,392	59.00	15,751	63.25	17,103
46.50	11,757	50.75	13,111	55.00	14,472	59.25	15,831	63.50	17,182



## Capacity/Gauge Table Information

**TCLX 290436**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 236

Reporting Mark: TCLX 290436

Date: 30/06/2015

Capacity: 28,972 US Gallons (109,669 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,261	68.00	18,594	72.25	19,902	76.50	21,176	80.75	22,408
64.00	17,340	68.25	18,671	72.50	19,978	76.75	21,250	81.00	22,479
64.25	17,419	68.50	18,749	72.75	20,054	77.00	21,324	81.25	22,550
64.50	17,497	68.75	18,827	73.00	20,129	77.25	21,397	81.50	22,621
64.75	17,576	69.00	18,904	73.25	20,205	77.50	21,470	81.75	22,691
65.00	17,655	69.25	18,981	73.50	20,280	77.75	21,543	82.00	22,761
65.25	17,734	69.50	19,059	73.75	20,356	78.00	21,616	82.25	22,831
65.50	17,812	69.75	19,136	74.00	20,431	78.25	21,689	82.50	22,901
65.75	17,891	70.00	19,213	74.25	20,506	78.50	21,762	82.75	22,971
66.00	17,969	70.25	19,290	74.50	20,581	78.75	21,834	83.00	23,040
66.25	18,047	70.50	19,367	74.75	20,656	79.00	21,907	83.25	23,109
66.50	18,126	70.75	19,443	75.00	20,731	79.25	21,979	83.50	23,179
66.75	18,204	71.00	19,520	75.25	20,805	79.50	22,051	83.75	23,247
67.00	18,282	71.25	19,597	75.50	20,880	79.75	22,123	84.00	23,316
67.25	18,360	71.50	19,673	75.75	20,954	80.00	22,194	84.25	23,384
67.50	18,438	71.75	19,749	76.00	21,028	80.25	22,266	84.50	23,453
67.75	18,516	72.00	19,826	76.25	21,102	80.50	22,337	84.75	23,521



## Capacity/Gauge Table Information

**TCLX 290436**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 236

Reporting Mark: TCLX 290436

Date: 30/06/2015

Capacity: 28,972 US Gallons (109,669 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,588	89.25	24,705	93.50	25,747	97.75	26,697	102.00	27,538
85.25	23,656	89.50	24,769	93.75	25,805	98.00	26,750	102.25	27,583
85.50	23,723	89.75	24,832	94.00	25,864	98.25	26,802	102.50	27,628
85.75	23,790	90.00	24,895	94.25	25,922	98.50	26,854	102.75	27,672
86.00	23,857	90.25	24,958	94.50	25,979	98.75	26,906	103.00	27,716
86.25	23,924	90.50	25,020	94.75	26,037	99.00	26,957	103.25	27,760
86.50	23,990	90.75	25,082	95.00	26,094	99.25	27,008	103.50	27,803
86.75	24,057	91.00	25,144	95.25	26,150	99.50	27,058	103.75	27,845
87.00	24,123	91.25	25,206	95.50	26,206	99.75	27,108	104.00	27,887
87.25	24,188	91.50	25,267	95.75	26,262	100.00	27,157	104.25	27,929
87.50	24,254	91.75	25,328	96.00	26,318	100.25	27,206	104.50	27,969
87.75	24,319	92.00	25,389	96.25	26,373	100.50	27,255	104.75	28,010
88.00	24,384	92.25	25,449	96.50	26,428	100.75	27,303	105.00	28,049
88.25	24,449	92.50	25,509	96.75	26,483	101.00	27,351	105.25	28,089
88.50	24,513	92.75	25,569	97.00	26,537	101.25	27,398	105.50	28,127
88.75	24,578	93.00	25,629	97.25	26,591	101.50	27,445	105.75	28,165
89.00	24,642	93.25	25,688	97.50	26,644	101.75	27,492	106.00	28,202



## Capacity/Gauge Table Information

**TCLX 290436**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 236

Reporting Mark: TCLX 290436

Date: 30/06/2015

Capacity: 28,972 US Gallons (109,669 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,239	110.50	28,750	114.75	28,959
106.50	28,275	110.75	28,771	115.00	28,962
106.75	28,311	111.00	28,791	115.25	28,965
107.00	28,345	111.25	28,810	115.50	28,968
107.25	28,380	111.50	28,828	115.75	28,969
107.50	28,413	111.75	28,844	116.00	28,970
107.75	28,446	112.00	28,860	116.25	28,971
108.00	28,478	112.25	28,874	116.50	28,971
108.25	28,509	112.50	28,887	116.75	28,972
108.50	28,539	112.75	28,899		
108.75	28,569	113.00	28,909		
109.00	28,597	113.25	28,919		
109.25	28,625	113.50	28,928		
109.50	28,652	113.75	28,936		
109.75	28,678	114.00	28,943		
110.00	28,703	114.25	28,949		
110.25	28,727	114.50	28,954		



## Capacity/Gauge Table Information

**TCLX 290437**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 237

Reporting Mark: TCLX 290437

Date: 30/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,346	12.75	2,231	17.00	3,218
0.25	29	4.50	629	8.75	1,395	13.00	2,286	17.25	3,279
0.50	58	4.75	670	9.00	1,444	13.25	2,342	17.50	3,340
0.75	89	5.00	711	9.25	1,494	13.50	2,398	17.75	3,402
1.00	120	5.25	753	9.50	1,544	13.75	2,455	18.00	3,464
1.25	152	5.50	796	9.75	1,594	14.00	2,512	18.25	3,526
1.50	184	5.75	839	10.00	1,645	14.25	2,569	18.50	3,588
1.75	218	6.00	883	10.25	1,696	14.50	2,626	18.75	3,651
2.00	252	6.25	927	10.50	1,748	14.75	2,684	19.00	3,713
2.25	287	6.50	972	10.75	1,800	15.00	2,742	19.25	3,777
2.50	322	6.75	1,017	11.00	1,853	15.25	2,801	19.50	3,840
2.75	358	7.00	1,062	11.25	1,906	15.50	2,859	19.75	3,904
3.00	395	7.25	1,109	11.50	1,959	15.75	2,918	20.00	3,967
3.25	433	7.50	1,155	11.75	2,013	16.00	2,978	20.25	4,032
3.50	471	7.75	1,202	12.00	2,067	16.25	3,038	20.50	4,096
3.75	509	8.00	1,250	12.25	2,121	16.50	3,098	20.75	4,161
4.00	549	8.25	1,298	12.50	2,176	16.75	3,158	21.00	4,226





## Capacity/Gauge Table Information

**TCLX 290437**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 237

Reporting Mark: TCLX 290437

Date: 30/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,291	25.50	5,434	29.75	6,635	34.00	7,885	38.25	9,174
21.50	4,356	25.75	5,503	30.00	6,708	34.25	7,960	38.50	9,251
21.75	4,422	26.00	5,572	30.25	6,780	34.50	8,035	38.75	9,327
22.00	4,488	26.25	5,642	30.50	6,853	34.75	8,110	39.00	9,404
22.25	4,554	26.50	5,712	30.75	6,926	35.00	8,185	39.25	9,482
22.50	4,620	26.75	5,782	31.00	6,998	35.25	8,261	39.50	9,559
22.75	4,687	27.00	5,852	31.25	7,072	35.50	8,336	39.75	9,636
23.00	4,754	27.25	5,922	31.50	7,145	35.75	8,412	40.00	9,714
23.25	4,821	27.50	5,993	31.75	7,218	36.00	8,487	40.25	9,791
23.50	4,888	27.75	6,063	32.00	7,292	36.25	8,563	40.50	9,869
23.75	4,955	28.00	6,134	32.25	7,365	36.50	8,639	40.75	9,946
24.00	5,023	28.25	6,205	32.50	7,439	36.75	8,715	41.00	10,024
24.25	5,091	28.50	6,277	32.75	7,513	37.00	8,791	41.25	10,102
24.50	5,159	28.75	6,348	33.00	7,587	37.25	8,868	41.50	10,180
24.75	5,228	29.00	6,420	33.25	7,662	37.50	8,944	41.75	10,258
25.00	5,296	29.25	6,491	33.50	7,736	37.75	9,020	42.00	10,336
25.25	5,365	29.50	6,563	33.75	7,811	38.00	9,097	42.25	10,414



## Capacity/Gauge Table Information

**TCLX 290437**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 237

Reporting Mark: TCLX 290437

Date: 30/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,492	46.75	11,832	51.00	13,187	55.25	14,547	59.50	15,905
42.75	10,571	47.00	11,912	51.25	13,266	55.50	14,627	59.75	15,985
43.00	10,649	47.25	11,991	51.50	13,346	55.75	14,707	60.00	16,065
43.25	10,727	47.50	12,071	51.75	13,426	56.00	14,787	60.25	16,144
43.50	10,806	47.75	12,150	52.00	13,506	56.25	14,867	60.50	16,224
43.75	10,885	48.00	12,230	52.25	13,586	56.50	14,947	60.75	16,303
44.00	10,963	48.25	12,309	52.50	13,666	56.75	15,027	61.00	16,383
44.25	11,042	48.50	12,389	52.75	13,746	57.00	15,107	61.25	16,463
44.50	11,121	48.75	12,468	53.00	13,826	57.25	15,187	61.50	16,542
44.75	11,200	49.00	12,548	53.25	13,906	57.50	15,267	61.75	16,621
45.00	11,279	49.25	12,628	53.50	13,986	57.75	15,347	62.00	16,701
45.25	11,357	49.50	12,708	53.75	14,066	58.00	15,426	62.25	16,780
45.50	11,437	49.75	12,787	54.00	14,146	58.25	15,506	62.50	16,859
45.75	11,516	50.00	12,867	54.25	14,227	58.50	15,586	62.75	16,938
46.00	11,595	50.25	12,947	54.50	14,307	58.75	15,666	63.00	17,018
46.25	11,674	50.50	13,027	54.75	14,387	59.00	15,746	63.25	17,097
46.50	11,753	50.75	13,107	55.00	14,467	59.25	15,826	63.50	17,176



## Capacity/Gauge Table Information

**TCLX 290437**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 237

Reporting Mark: TCLX 290437

Date: 30/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,255	68.00	18,587	72.25	19,895	76.50	21,169	80.75	22,400
64.00	17,334	68.25	18,665	72.50	19,971	76.75	21,242	81.00	22,471
64.25	17,413	68.50	18,742	72.75	20,046	77.00	21,316	81.25	22,542
64.50	17,491	68.75	18,820	73.00	20,122	77.25	21,389	81.50	22,613
64.75	17,570	69.00	18,897	73.25	20,198	77.50	21,463	81.75	22,683
65.00	17,649	69.25	18,975	73.50	20,273	77.75	21,536	82.00	22,753
65.25	17,727	69.50	19,052	73.75	20,349	78.00	21,609	82.25	22,823
65.50	17,806	69.75	19,129	74.00	20,424	78.25	21,682	82.50	22,893
65.75	17,884	70.00	19,206	74.25	20,499	78.50	21,754	82.75	22,963
66.00	17,963	70.25	19,283	74.50	20,574	78.75	21,827	83.00	23,032
66.25	18,041	70.50	19,360	74.75	20,649	79.00	21,899	83.25	23,101
66.50	18,119	70.75	19,437	75.00	20,723	79.25	21,971	83.50	23,170
66.75	18,198	71.00	19,513	75.25	20,798	79.50	22,043	83.75	23,239
67.00	18,276	71.25	19,590	75.50	20,872	79.75	22,115	84.00	23,308
67.25	18,354	71.50	19,666	75.75	20,947	80.00	22,187	84.25	23,376
67.50	18,432	71.75	19,742	76.00	21,021	80.25	22,258	84.50	23,444
67.75	18,509	72.00	19,819	76.25	21,095	80.50	22,329	84.75	23,512



## Capacity/Gauge Table Information

**TCLX 290437**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 237

Reporting Mark: TCLX 290437

Date: 30/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,580	89.25	24,697	93.50	25,738	97.75	26,688	102.00	27,528
85.25	23,648	89.50	24,760	93.75	25,796	98.00	26,740	102.25	27,573
85.50	23,715	89.75	24,823	94.00	25,854	98.25	26,793	102.50	27,618
85.75	23,782	90.00	24,886	94.25	25,912	98.50	26,845	102.75	27,662
86.00	23,849	90.25	24,949	94.50	25,970	98.75	26,896	103.00	27,706
86.25	23,915	90.50	25,011	94.75	26,027	99.00	26,947	103.25	27,750
86.50	23,982	90.75	25,073	95.00	26,084	99.25	26,998	103.50	27,793
86.75	24,048	91.00	25,135	95.25	26,141	99.50	27,048	103.75	27,835
87.00	24,114	91.25	25,197	95.50	26,197	99.75	27,098	104.00	27,877
87.25	24,180	91.50	25,258	95.75	26,253	100.00	27,148	104.25	27,918
87.50	24,245	91.75	25,319	96.00	26,309	100.25	27,197	104.50	27,959
87.75	24,310	92.00	25,380	96.25	26,364	100.50	27,245	104.75	28,000
88.00	24,375	92.25	25,440	96.50	26,419	100.75	27,293	105.00	28,039
88.25	24,440	92.50	25,500	96.75	26,473	101.00	27,341	105.25	28,078
88.50	24,505	92.75	25,560	97.00	26,527	101.25	27,388	105.50	28,117
88.75	24,569	93.00	25,619	97.25	26,581	101.50	27,435	105.75	28,155
89.00	24,633	93.25	25,679	97.50	26,635	101.75	27,482	106.00	28,192



## Capacity/Gauge Table Information

**TCLX 290437**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 237

Reporting Mark: TCLX 290437

Date: 30/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,500 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,229	110.50	28,739	114.75	28,948
106.50	28,265	110.75	28,761	115.00	28,952
106.75	28,300	111.00	28,781	115.25	28,955
107.00	28,335	111.25	28,800	115.50	28,957
107.25	28,369	111.50	28,817	115.75	28,959
107.50	28,403	111.75	28,834	116.00	28,960
107.75	28,435	112.00	28,849	116.25	28,960
108.00	28,467	112.25	28,863	116.50	28,961
108.25	28,498	112.50	28,876	116.75	28,961
108.50	28,529	112.75	28,888		
108.75	28,558	113.00	28,899		
109.00	28,587	113.25	28,909		
109.25	28,615	113.50	28,917		
109.50	28,642	113.75	28,925		
109.75	28,668	114.00	28,932		
110.00	28,693	114.25	28,938		
110.25	28,717	114.50	28,943		



## Capacity/Gauge Table Information

**TCLX 290438**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 238

Reporting Mark: TCLX 290438

Date: 01/07/2015

Capacity: 29,005 US Gallons (109,797 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,348	12.75	2,234	17.00	3,223
0.25	29	4.50	630	8.75	1,397	13.00	2,290	17.25	3,284
0.50	58	4.75	671	9.00	1,446	13.25	2,346	17.50	3,346
0.75	89	5.00	712	9.25	1,496	13.50	2,402	17.75	3,407
1.00	120	5.25	755	9.50	1,546	13.75	2,458	18.00	3,469
1.25	152	5.50	797	9.75	1,597	14.00	2,515	18.25	3,531
1.50	185	5.75	840	10.00	1,648	14.25	2,573	18.50	3,594
1.75	218	6.00	884	10.25	1,699	14.50	2,630	18.75	3,656
2.00	252	6.25	928	10.50	1,751	14.75	2,688	19.00	3,719
2.25	287	6.50	973	10.75	1,803	15.00	2,746	19.25	3,782
2.50	323	6.75	1,018	11.00	1,856	15.25	2,805	19.50	3,846
2.75	359	7.00	1,064	11.25	1,909	15.50	2,864	19.75	3,910
3.00	396	7.25	1,110	11.50	1,962	15.75	2,923	20.00	3,974
3.25	433	7.50	1,157	11.75	2,016	16.00	2,982	20.25	4,038
3.50	471	7.75	1,204	12.00	2,070	16.25	3,042	20.50	4,102
3.75	510	8.00	1,251	12.25	2,124	16.50	3,102	20.75	4,167
4.00	549	8.25	1,299	12.50	2,179	16.75	3,163	21.00	4,232



## Capacity/Gauge Table Information

**TCLX 290438**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 238

Reporting Mark: TCLX 290438

Date: 01/07/2015

Capacity: 29,005 US Gallons (109,797 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,298	25.50	5,442	29.75	6,646	34.00	7,898	38.25	9,189
21.50	4,363	25.75	5,512	30.00	6,718	34.25	7,973	38.50	9,266
21.75	4,429	26.00	5,581	30.25	6,791	34.50	8,048	38.75	9,343
22.00	4,495	26.25	5,651	30.50	6,864	34.75	8,123	39.00	9,420
22.25	4,561	26.50	5,721	30.75	6,937	35.00	8,199	39.25	9,497
22.50	4,627	26.75	5,791	31.00	7,010	35.25	8,274	39.50	9,574
22.75	4,694	27.00	5,861	31.25	7,083	35.50	8,350	39.75	9,652
23.00	4,761	27.25	5,932	31.50	7,156	35.75	8,425	40.00	9,729
23.25	4,828	27.50	6,002	31.75	7,230	36.00	8,501	40.25	9,807
23.50	4,896	27.75	6,073	32.00	7,303	36.25	8,577	40.50	9,885
23.75	4,963	28.00	6,144	32.25	7,377	36.50	8,653	40.75	9,963
24.00	5,031	28.25	6,215	32.50	7,451	36.75	8,729	41.00	10,040
24.25	5,099	28.50	6,287	32.75	7,525	37.00	8,806	41.25	10,118
24.50	5,167	28.75	6,358	33.00	7,600	37.25	8,882	41.50	10,196
24.75	5,236	29.00	6,430	33.25	7,674	37.50	8,959	41.75	10,275
25.00	5,304	29.25	6,502	33.50	7,749	37.75	9,035	42.00	10,353
25.25	5,373	29.50	6,574	33.75	7,823	38.00	9,112	42.25	10,431





## Capacity/Gauge Table Information

**TCLX 290438**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 238

Reporting Mark: TCLX 290438

Date: 01/07/2015

Capacity: 29,005 US Gallons (109,797 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,510	46.75	11,852	51.00	13,208	55.25	14,571	59.50	15,932
42.75	10,588	47.00	11,932	51.25	13,289	55.50	14,651	59.75	16,012
43.00	10,666	47.25	12,011	51.50	13,369	55.75	14,731	60.00	16,092
43.25	10,745	47.50	12,091	51.75	13,449	56.00	14,811	60.25	16,171
43.50	10,824	47.75	12,170	52.00	13,529	56.25	14,892	60.50	16,251
43.75	10,902	48.00	12,250	52.25	13,609	56.50	14,972	60.75	16,331
44.00	10,981	48.25	12,330	52.50	13,689	56.75	15,052	61.00	16,410
44.25	11,060	48.50	12,409	52.75	13,769	57.00	15,132	61.25	16,490
44.50	11,139	48.75	12,489	53.00	13,849	57.25	15,212	61.50	16,570
44.75	11,218	49.00	12,569	53.25	13,930	57.50	15,292	61.75	16,649
45.00	11,297	49.25	12,649	53.50	14,010	57.75	15,372	62.00	16,729
45.25	11,376	49.50	12,729	53.75	14,090	58.00	15,452	62.25	16,808
45.50	11,455	49.75	12,809	54.00	14,170	58.25	15,532	62.50	16,887
45.75	11,535	50.00	12,888	54.25	14,250	58.50	15,612	62.75	16,967
46.00	11,614	50.25	12,968	54.50	14,330	58.75	15,692	63.00	17,046
46.25	11,693	50.50	13,048	54.75	14,411	59.00	15,772	63.25	17,125
46.50	11,773	50.75	13,128	55.00	14,491	59.25	15,852	63.50	17,204



## Capacity/Gauge Table Information

**TCLX 290438**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 238

Reporting Mark: TCLX 290438

Date: 01/07/2015

Capacity: 29,005 US Gallons (109,797 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,284	68.00	18,618	72.25	19,928	76.50	21,204	80.75	22,437
64.00	17,363	68.25	18,696	72.50	20,004	76.75	21,278	81.00	22,509
64.25	17,442	68.50	18,774	72.75	20,080	77.00	21,351	81.25	22,579
64.50	17,521	68.75	18,851	73.00	20,156	77.25	21,425	81.50	22,650
64.75	17,599	69.00	18,929	73.25	20,231	77.50	21,498	81.75	22,721
65.00	17,678	69.25	19,006	73.50	20,307	77.75	21,572	82.00	22,791
65.25	17,757	69.50	19,084	73.75	20,382	78.00	21,645	82.25	22,861
65.50	17,836	69.75	19,161	74.00	20,458	78.25	21,718	82.50	22,931
65.75	17,914	70.00	19,238	74.25	20,533	78.50	21,790	82.75	23,001
66.00	17,993	70.25	19,315	74.50	20,608	78.75	21,863	83.00	23,070
66.25	18,071	70.50	19,392	74.75	20,683	79.00	21,935	83.25	23,139
66.50	18,150	70.75	19,469	75.00	20,758	79.25	22,008	83.50	23,208
66.75	18,228	71.00	19,546	75.25	20,833	79.50	22,080	83.75	23,277
67.00	18,306	71.25	19,622	75.50	20,907	79.75	22,152	84.00	23,346
67.25	18,384	71.50	19,699	75.75	20,982	80.00	22,223	84.25	23,415
67.50	18,462	71.75	19,775	76.00	21,056	80.25	22,295	84.50	23,483
67.75	18,540	72.00	19,852	76.25	21,130	80.50	22,366	84.75	23,551



## Capacity/Gauge Table Information

**TCLX 290438**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 238

Reporting Mark: TCLX 290438

Date: 01/07/2015

Capacity: 29,005 US Gallons (109,797 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,619	89.25	24,737	93.50	25,779	97.75	26,730	102.00	27,571
85.25	23,686	89.50	24,800	93.75	25,838	98.00	26,783	102.25	27,617
85.50	23,754	89.75	24,864	94.00	25,896	98.25	26,836	102.50	27,662
85.75	23,821	90.00	24,927	94.25	25,954	98.50	26,887	102.75	27,706
86.00	23,888	90.25	24,989	94.50	26,012	98.75	26,939	103.00	27,750
86.25	23,955	90.50	25,052	94.75	26,069	99.00	26,990	103.25	27,794
86.50	24,021	90.75	25,114	95.00	26,126	99.25	27,041	103.50	27,837
86.75	24,087	91.00	25,176	95.25	26,183	99.50	27,091	103.75	27,879
87.00	24,154	91.25	25,238	95.50	26,239	99.75	27,141	104.00	27,921
87.25	24,219	91.50	25,299	95.75	26,295	100.00	27,191	104.25	27,962
87.50	24,285	91.75	25,360	96.00	26,351	100.25	27,240	104.50	28,003
87.75	24,350	92.00	25,421	96.25	26,406	100.50	27,289	104.75	28,043
88.00	24,415	92.25	25,481	96.50	26,461	100.75	27,337	105.00	28,083
88.25	24,480	92.50	25,541	96.75	26,516	101.00	27,385	105.25	28,122
88.50	24,545	92.75	25,601	97.00	26,570	101.25	27,432	105.50	28,161
88.75	24,609	93.00	25,661	97.25	26,624	101.50	27,479	105.75	28,199
89.00	24,673	93.25	25,720	97.50	26,677	101.75	27,525	106.00	28,236



## Capacity/Gauge Table Information

**TCLX 290438**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 238

Reporting Mark: TCLX 290438

Date: 01/07/2015

Capacity: 29,005 US Gallons (109,797 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,273	110.50	28,784	114.75	28,992
106.50	28,309	110.75	28,805	115.00	28,996
106.75	28,344	111.00	28,825	115.25	28,999
107.00	28,379	111.25	28,844	115.50	29,001
107.25	28,413	111.50	28,862	115.75	29,003
107.50	28,447	111.75	28,878	116.00	29,004
107.75	28,479	112.00	28,893	116.25	29,005
108.00	28,511	112.25	28,907	116.50	29,005
108.25	28,543	112.50	28,920	116.75	29,005
108.50	28,573	112.75	28,932		
108.75	28,602	113.00	28,943		
109.00	28,631	113.25	28,953		
109.25	28,659	113.50	28,962		
109.50	28,686	113.75	28,970		
109.75	28,712	114.00	28,977		
110.00	28,737	114.25	28,983		
110.25	28,761	114.50	28,988		



## Capacity/Gauge Table Information

**TCLX 290439**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 239

Reporting Mark: TCLX 290439

Date: 01/07/2015

Capacity: 28,962 US Gallons (109,634 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,348	12.75	2,234	17.00	3,222
0.25	29	4.50	630	8.75	1,397	13.00	2,289	17.25	3,283
0.50	58	4.75	671	9.00	1,446	13.25	2,345	17.50	3,344
0.75	89	5.00	713	9.25	1,496	13.50	2,401	17.75	3,406
1.00	120	5.25	755	9.50	1,546	13.75	2,458	18.00	3,468
1.25	152	5.50	798	9.75	1,597	14.00	2,515	18.25	3,530
1.50	185	5.75	841	10.00	1,648	14.25	2,572	18.50	3,592
1.75	218	6.00	884	10.25	1,699	14.50	2,629	18.75	3,655
2.00	252	6.25	929	10.50	1,751	14.75	2,687	19.00	3,717
2.25	287	6.50	973	10.75	1,803	15.00	2,745	19.25	3,781
2.50	323	6.75	1,019	11.00	1,855	15.25	2,804	19.50	3,844
2.75	359	7.00	1,064	11.25	1,908	15.50	2,863	19.75	3,908
3.00	396	7.25	1,110	11.50	1,962	15.75	2,922	20.00	3,972
3.25	434	7.50	1,157	11.75	2,015	16.00	2,981	20.25	4,036
3.50	472	7.75	1,204	12.00	2,069	16.25	3,041	20.50	4,100
3.75	510	8.00	1,252	12.25	2,124	16.50	3,101	20.75	4,165
4.00	550	8.25	1,300	12.50	2,179	16.75	3,161	21.00	4,230



## Capacity/Gauge Table Information

**TCLX 290439**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 239

Reporting Mark: TCLX 290439

Date: 01/07/2015

Capacity: 28,962 US Gallons (109,634 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,295	25.50	5,439	29.75	6,641	34.00	7,891	38.25	9,180
21.50	4,361	25.75	5,508	30.00	6,713	34.25	7,966	38.50	9,257
21.75	4,426	26.00	5,577	30.25	6,786	34.50	8,041	38.75	9,334
22.00	4,492	26.25	5,647	30.50	6,858	34.75	8,116	39.00	9,411
22.25	4,558	26.50	5,717	30.75	6,931	35.00	8,191	39.25	9,488
22.50	4,625	26.75	5,787	31.00	7,004	35.25	8,267	39.50	9,565
22.75	4,691	27.00	5,857	31.25	7,077	35.50	8,342	39.75	9,643
23.00	4,758	27.25	5,927	31.50	7,151	35.75	8,418	40.00	9,720
23.25	4,825	27.50	5,998	31.75	7,224	36.00	8,494	40.25	9,798
23.50	4,893	27.75	6,069	32.00	7,298	36.25	8,569	40.50	9,875
23.75	4,960	28.00	6,140	32.25	7,371	36.50	8,645	40.75	9,953
24.00	5,028	28.25	6,211	32.50	7,445	36.75	8,721	41.00	10,031
24.25	5,096	28.50	6,282	32.75	7,519	37.00	8,798	41.25	10,109
24.50	5,164	28.75	6,353	33.00	7,593	37.25	8,874	41.50	10,187
24.75	5,232	29.00	6,425	33.25	7,668	37.50	8,950	41.75	10,265
25.00	5,301	29.25	6,497	33.50	7,742	37.75	9,027	42.00	10,343
25.25	5,370	29.50	6,569	33.75	7,817	38.00	9,104	42.25	10,421



## Capacity/Gauge Table Information

**TCLX 290439**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 239

Reporting Mark: TCLX 290439

Date: 01/07/2015

Capacity: 28,962 US Gallons (109,634 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,499	46.75	11,840	51.00	13,194	55.25	14,555	59.50	15,914
42.75	10,578	47.00	11,919	51.25	13,274	55.50	14,635	59.75	15,993
43.00	10,656	47.25	11,999	51.50	13,354	55.75	14,715	60.00	16,073
43.25	10,734	47.50	12,078	51.75	13,434	56.00	14,795	60.25	16,153
43.50	10,813	47.75	12,158	52.00	13,514	56.25	14,875	60.50	16,232
43.75	10,892	48.00	12,237	52.25	13,594	56.50	14,955	60.75	16,312
44.00	10,970	48.25	12,317	52.50	13,674	56.75	15,035	61.00	16,391
44.25	11,049	48.50	12,396	52.75	13,754	57.00	15,115	61.25	16,471
44.50	11,128	48.75	12,476	53.00	13,834	57.25	15,195	61.50	16,550
44.75	11,207	49.00	12,556	53.25	13,914	57.50	15,275	61.75	16,630
45.00	11,286	49.25	12,635	53.50	13,994	57.75	15,355	62.00	16,709
45.25	11,365	49.50	12,715	53.75	14,074	58.00	15,435	62.25	16,788
45.50	11,444	49.75	12,795	54.00	14,154	58.25	15,514	62.50	16,868
45.75	11,523	50.00	12,875	54.25	14,234	58.50	15,594	62.75	16,947
46.00	11,602	50.25	12,955	54.50	14,314	58.75	15,674	63.00	17,026
46.25	11,681	50.50	13,034	54.75	14,395	59.00	15,754	63.25	17,105
46.50	11,761	50.75	13,114	55.00	14,475	59.25	15,834	63.50	17,184





## Capacity/Gauge Table Information

**TCLX 290439**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 239

Reporting Mark: TCLX 290439

Date: 01/07/2015

Capacity: 28,962 US Gallons (109,634 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,263	68.00	18,596	72.25	19,903	76.50	21,177	80.75	22,409
64.00	17,342	68.25	18,673	72.50	19,979	76.75	21,251	81.00	22,480
64.25	17,421	68.50	18,751	72.75	20,055	77.00	21,325	81.25	22,550
64.50	17,500	68.75	18,828	73.00	20,131	77.25	21,398	81.50	22,621
64.75	17,578	69.00	18,906	73.25	20,206	77.50	21,471	81.75	22,691
65.00	17,657	69.25	18,983	73.50	20,282	77.75	21,544	82.00	22,762
65.25	17,736	69.50	19,060	73.75	20,357	78.00	21,617	82.25	22,832
65.50	17,814	69.75	19,138	74.00	20,432	78.25	21,690	82.50	22,901
65.75	17,893	70.00	19,215	74.25	20,507	78.50	21,763	82.75	22,971
66.00	17,971	70.25	19,292	74.50	20,582	78.75	21,835	83.00	23,040
66.25	18,050	70.50	19,368	74.75	20,657	79.00	21,907	83.25	23,110
66.50	18,128	70.75	19,445	75.00	20,732	79.25	21,980	83.50	23,179
66.75	18,206	71.00	19,522	75.25	20,807	79.50	22,052	83.75	23,247
67.00	18,284	71.25	19,598	75.50	20,881	79.75	22,123	84.00	23,316
67.25	18,362	71.50	19,675	75.75	20,955	80.00	22,195	84.25	23,384
67.50	18,440	71.75	19,751	76.00	21,029	80.25	22,266	84.50	23,453
67.75	18,518	72.00	19,827	76.25	21,103	80.50	22,338	84.75	23,520



## Capacity/Gauge Table Information

**TCLX 290439**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 239

Reporting Mark: TCLX 290439

Date: 01/07/2015

Capacity: 28,962 US Gallons (109,634 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,588	89.25	24,704	93.50	25,745	97.75	26,695	102.00	27,534
85.25	23,656	89.50	24,768	93.75	25,804	98.00	26,747	102.25	27,579
85.50	23,723	89.75	24,831	94.00	25,862	98.25	26,799	102.50	27,624
85.75	23,790	90.00	24,894	94.25	25,920	98.50	26,851	102.75	27,668
86.00	23,857	90.25	24,957	94.50	25,977	98.75	26,903	103.00	27,712
86.25	23,924	90.50	25,019	94.75	26,035	99.00	26,954	103.25	27,756
86.50	23,990	90.75	25,081	95.00	26,091	99.25	27,005	103.50	27,799
86.75	24,056	91.00	25,143	95.25	26,148	99.50	27,055	103.75	27,841
87.00	24,122	91.25	25,204	95.50	26,204	99.75	27,105	104.00	27,883
87.25	24,188	91.50	25,266	95.75	26,260	100.00	27,154	104.25	27,924
87.50	24,253	91.75	25,327	96.00	26,316	100.25	27,203	104.50	27,965
87.75	24,318	92.00	25,387	96.25	26,371	100.50	27,252	104.75	28,005
88.00	24,383	92.25	25,448	96.50	26,426	100.75	27,300	105.00	28,045
88.25	24,448	92.50	25,508	96.75	26,480	101.00	27,347	105.25	28,084
88.50	24,513	92.75	25,568	97.00	26,534	101.25	27,395	105.50	28,122
88.75	24,577	93.00	25,627	97.25	26,588	101.50	27,441	105.75	28,160
89.00	24,641	93.25	25,686	97.50	26,642	101.75	27,488	106.00	28,197



## Capacity/Gauge Table Information

**TCLX 290439**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 239

Reporting Mark: TCLX 290439

Date: 01/07/2015

Capacity: 28,962 US Gallons (109,634 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,234	110.50	28,743	114.75	28,950
106.50	28,270	110.75	28,764	115.00	28,953
106.75	28,305	111.00	28,784	115.25	28,956
107.00	28,340	111.25	28,802	115.50	28,958
107.25	28,374	111.50	28,820	115.75	28,960
107.50	28,407	111.75	28,836	116.00	28,961
107.75	28,440	112.00	28,851	116.25	28,962
108.00	28,472	112.25	28,865	116.50	28,962
108.25	28,503	112.50	28,878	116.75	28,962
108.50	28,533	112.75	28,890		
108.75	28,562	113.00	28,901		
109.00	28,591	113.25	28,911		
109.25	28,619	113.50	28,919		
109.50	28,646	113.75	28,927		
109.75	28,671	114.00	28,934		
110.00	28,696	114.25	28,940		
110.25	28,720	114.50	28,945		



## Capacity/Gauge Table Information

**TCLX 290440**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 240

Reporting Mark: TCLX 290440

Date: 02/07/2015

Capacity: 29,028 US Gallons (109,884 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,349	12.75	2,236	17.00	3,226
0.25	29	4.50	630	8.75	1,398	13.00	2,292	17.25	3,287
0.50	58	4.75	671	9.00	1,447	13.25	2,348	17.50	3,348
0.75	89	5.00	713	9.25	1,497	13.50	2,404	17.75	3,410
1.00	120	5.25	755	9.50	1,547	13.75	2,460	18.00	3,472
1.25	152	5.50	798	9.75	1,598	14.00	2,517	18.25	3,534
1.50	185	5.75	841	10.00	1,649	14.25	2,575	18.50	3,597
1.75	218	6.00	885	10.25	1,700	14.50	2,632	18.75	3,659
2.00	252	6.25	929	10.50	1,752	14.75	2,690	19.00	3,722
2.25	287	6.50	974	10.75	1,804	15.00	2,749	19.25	3,786
2.50	323	6.75	1,019	11.00	1,857	15.25	2,807	19.50	3,849
2.75	359	7.00	1,065	11.25	1,910	15.50	2,866	19.75	3,913
3.00	396	7.25	1,111	11.50	1,963	15.75	2,925	20.00	3,977
3.25	434	7.50	1,158	11.75	2,017	16.00	2,985	20.25	4,041
3.50	472	7.75	1,205	12.00	2,071	16.25	3,045	20.50	4,106
3.75	511	8.00	1,252	12.25	2,126	16.50	3,105	20.75	4,171
4.00	550	8.25	1,301	12.50	2,181	16.75	3,165	21.00	4,236



## Capacity/Gauge Table Information

**TCLX 290440**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 240

Reporting Mark: TCLX 290440

Date: 02/07/2015

Capacity: 29,028 US Gallons (109,884 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,301	25.50	5,447	29.75	6,652	34.00	7,905	38.25	9,197
21.50	4,367	25.75	5,516	30.00	6,724	34.25	7,980	38.50	9,274
21.75	4,433	26.00	5,586	30.25	6,797	34.50	8,055	38.75	9,351
22.00	4,499	26.25	5,656	30.50	6,870	34.75	8,131	39.00	9,429
22.25	4,565	26.50	5,726	30.75	6,943	35.00	8,206	39.25	9,506
22.50	4,631	26.75	5,796	31.00	7,016	35.25	8,281	39.50	9,583
22.75	4,698	27.00	5,866	31.25	7,089	35.50	8,357	39.75	9,661
23.00	4,765	27.25	5,937	31.50	7,163	35.75	8,433	40.00	9,738
23.25	4,832	27.50	6,007	31.75	7,236	36.00	8,509	40.25	9,816
23.50	4,900	27.75	6,078	32.00	7,310	36.25	8,585	40.50	9,894
23.75	4,967	28.00	6,149	32.25	7,384	36.50	8,661	40.75	9,972
24.00	5,035	28.25	6,221	32.50	7,458	36.75	8,737	41.00	10,050
24.25	5,103	28.50	6,292	32.75	7,532	37.00	8,814	41.25	10,128
24.50	5,172	28.75	6,364	33.00	7,606	37.25	8,890	41.50	10,206
24.75	5,240	29.00	6,436	33.25	7,681	37.50	8,967	41.75	10,284
25.00	5,309	29.25	6,507	33.50	7,755	37.75	9,043	42.00	10,362
25.25	5,378	29.50	6,580	33.75	7,830	38.00	9,120	42.25	10,441



## Capacity/Gauge Table Information

**TCLX 290440**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 240

Reporting Mark: TCLX 290440

Date: 02/07/2015

Capacity: 29,028 US Gallons (109,884 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,519	46.75	11,863	51.00	13,221	55.25	14,585	59.50	15,947
42.75	10,598	47.00	11,943	51.25	13,301	55.50	14,665	59.75	16,027
43.00	10,676	47.25	12,022	51.50	13,381	55.75	14,745	60.00	16,107
43.25	10,755	47.50	12,102	51.75	13,461	56.00	14,826	60.25	16,187
43.50	10,834	47.75	12,182	52.00	13,542	56.25	14,906	60.50	16,267
43.75	10,913	48.00	12,261	52.25	13,622	56.50	14,986	60.75	16,346
44.00	10,992	48.25	12,341	52.50	13,702	56.75	15,066	61.00	16,426
44.25	11,070	48.50	12,421	52.75	13,782	57.00	15,146	61.25	16,506
44.50	11,150	48.75	12,501	53.00	13,863	57.25	15,227	61.50	16,585
44.75	11,229	49.00	12,581	53.25	13,943	57.50	15,307	61.75	16,665
45.00	11,308	49.25	12,661	53.50	14,023	57.75	15,387	62.00	16,745
45.25	11,387	49.50	12,741	53.75	14,103	58.00	15,467	62.25	16,824
45.50	11,466	49.75	12,821	54.00	14,184	58.25	15,547	62.50	16,904
45.75	11,545	50.00	12,901	54.25	14,264	58.50	15,627	62.75	16,983
46.00	11,625	50.25	12,981	54.50	14,344	58.75	15,707	63.00	17,062
46.25	11,704	50.50	13,061	54.75	14,424	59.00	15,787	63.25	17,142
46.50	11,784	50.75	13,141	55.00	14,505	59.25	15,867	63.50	17,221



## Capacity/Gauge Table Information

**TCLX 290440**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 240

Reporting Mark: TCLX 290440

Date: 02/07/2015

Capacity: 29,028 US Gallons (109,884 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,300	68.00	18,636	72.25	19,947	76.50	21,224	80.75	22,458
64.00	17,379	68.25	18,714	72.50	20,023	76.75	21,298	81.00	22,530
64.25	17,458	68.50	18,792	72.75	20,099	77.00	21,372	81.25	22,600
64.50	17,537	68.75	18,869	73.00	20,175	77.25	21,445	81.50	22,671
64.75	17,616	69.00	18,947	73.25	20,251	77.50	21,519	81.75	22,742
65.00	17,695	69.25	19,025	73.50	20,326	77.75	21,592	82.00	22,812
65.25	17,774	69.50	19,102	73.75	20,402	78.00	21,665	82.25	22,882
65.50	17,853	69.75	19,179	74.00	20,477	78.25	21,738	82.50	22,952
65.75	17,931	70.00	19,256	74.25	20,552	78.50	21,811	82.75	23,022
66.00	18,010	70.25	19,334	74.50	20,628	78.75	21,883	83.00	23,091
66.25	18,089	70.50	19,411	74.75	20,703	79.00	21,956	83.25	23,161
66.50	18,167	70.75	19,488	75.00	20,778	79.25	22,028	83.50	23,230
66.75	18,245	71.00	19,564	75.25	20,852	79.50	22,100	83.75	23,299
67.00	18,324	71.25	19,641	75.50	20,927	79.75	22,172	84.00	23,368
67.25	18,402	71.50	19,718	75.75	21,001	80.00	22,244	84.25	23,436
67.50	18,480	71.75	19,794	76.00	21,076	80.25	22,316	84.50	23,505
67.75	18,558	72.00	19,871	76.25	21,150	80.50	22,387	84.75	23,573





## Capacity/Gauge Table Information

**TCLX 290440**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 240

Reporting Mark: TCLX 290440

Date: 02/07/2015

Capacity: 29,028 US Gallons (109,884 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,641	89.25	24,759	93.50	25,802	97.75	26,754	102.00	27,595
85.25	23,708	89.50	24,823	93.75	25,861	98.00	26,807	102.25	27,640
85.50	23,776	89.75	24,886	94.00	25,919	98.25	26,859	102.50	27,685
85.75	23,843	90.00	24,949	94.25	25,977	98.50	26,911	102.75	27,730
86.00	23,910	90.25	25,012	94.50	26,035	98.75	26,962	103.00	27,774
86.25	23,977	90.50	25,075	94.75	26,092	99.00	27,014	103.25	27,817
86.50	24,043	90.75	25,137	95.00	26,149	99.25	27,064	103.50	27,860
86.75	24,110	91.00	25,199	95.25	26,206	99.50	27,115	103.75	27,903
87.00	24,176	91.25	25,260	95.50	26,262	99.75	27,165	104.00	27,944
87.25	24,242	91.50	25,322	95.75	26,318	100.00	27,214	104.25	27,986
87.50	24,307	91.75	25,383	96.00	26,374	100.25	27,263	104.50	28,027
87.75	24,372	92.00	25,444	96.25	26,429	100.50	27,312	104.75	28,067
88.00	24,438	92.25	25,504	96.50	26,484	100.75	27,360	105.00	28,107
88.25	24,502	92.50	25,564	96.75	26,539	101.00	27,408	105.25	28,146
88.50	24,567	92.75	25,624	97.00	26,593	101.25	27,455	105.50	28,184
88.75	24,631	93.00	25,684	97.25	26,647	101.50	27,502	105.75	28,222
89.00	24,696	93.25	25,743	97.50	26,701	101.75	27,549	106.00	28,260



## Capacity/Gauge Table Information

**TCLX 290440**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 240

Reporting Mark: TCLX 290440

Date: 02/07/2015

Capacity: 29,028 US Gallons (109,884 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,296	110.50	28,807	114.75	29,015
106.50	28,333	110.75	28,828	115.00	29,019
106.75	28,368	111.00	28,848	115.25	29,022
107.00	28,403	111.25	28,867	115.50	29,024
107.25	28,437	111.50	28,885	115.75	29,026
107.50	28,470	111.75	28,901	116.00	29,027
107.75	28,503	112.00	28,916	116.25	29,028
108.00	28,535	112.25	28,931	116.50	29,028
108.25	28,566	112.50	28,943	116.75	29,028
108.50	28,596	112.75	28,955		
108.75	28,626	113.00	28,966		
109.00	28,655	113.25	28,976		
109.25	28,682	113.50	28,985		
109.50	28,709	113.75	28,993		
109.75	28,735	114.00	29,000		
110.00	28,760	114.25	29,006		
110.25	28,784	114.50	29,011		



## Capacity/Gauge Table Information

**TCLX 290441**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 241

Reporting Mark: TCLX 290441

Date: 26/06/2015

Capacity: 28,953 US Gallons (109,599 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,233	17.00	3,221
0.25	29	4.50	630	8.75	1,396	13.00	2,288	17.25	3,282
0.50	58	4.75	671	9.00	1,446	13.25	2,344	17.50	3,343
0.75	89	5.00	712	9.25	1,495	13.50	2,400	17.75	3,404
1.00	120	5.25	755	9.50	1,545	13.75	2,457	18.00	3,466
1.25	152	5.50	797	9.75	1,596	14.00	2,514	18.25	3,528
1.50	185	5.75	840	10.00	1,647	14.25	2,571	18.50	3,590
1.75	218	6.00	884	10.25	1,698	14.50	2,628	18.75	3,653
2.00	252	6.25	928	10.50	1,750	14.75	2,686	19.00	3,716
2.25	287	6.50	973	10.75	1,802	15.00	2,744	19.25	3,779
2.50	323	6.75	1,018	11.00	1,855	15.25	2,803	19.50	3,842
2.75	359	7.00	1,064	11.25	1,907	15.50	2,862	19.75	3,906
3.00	396	7.25	1,110	11.50	1,961	15.75	2,921	20.00	3,970
3.25	433	7.50	1,156	11.75	2,014	16.00	2,980	20.25	4,034
3.50	471	7.75	1,203	12.00	2,068	16.25	3,040	20.50	4,099
3.75	510	8.00	1,251	12.25	2,123	16.50	3,100	20.75	4,163
4.00	549	8.25	1,299	12.50	2,178	16.75	3,160	21.00	4,228



## Capacity/Gauge Table Information

**TCLX 290441**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 241

Reporting Mark: TCLX 290441

Date: 26/06/2015

Capacity: 28,953 US Gallons (109,599 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,293	25.50	5,437	29.75	6,638	34.00	7,888	38.25	9,177
21.50	4,359	25.75	5,506	30.00	6,711	34.25	7,963	38.50	9,254
21.75	4,424	26.00	5,575	30.25	6,783	34.50	8,038	38.75	9,330
22.00	4,490	26.25	5,645	30.50	6,856	34.75	8,113	39.00	9,407
22.25	4,557	26.50	5,714	30.75	6,928	35.00	8,188	39.25	9,485
22.50	4,623	26.75	5,784	31.00	7,001	35.25	8,264	39.50	9,562
22.75	4,689	27.00	5,855	31.25	7,074	35.50	8,339	39.75	9,639
23.00	4,756	27.25	5,925	31.50	7,148	35.75	8,415	40.00	9,716
23.25	4,823	27.50	5,995	31.75	7,221	36.00	8,490	40.25	9,794
23.50	4,891	27.75	6,066	32.00	7,295	36.25	8,566	40.50	9,872
23.75	4,958	28.00	6,137	32.25	7,368	36.50	8,642	40.75	9,949
24.00	5,026	28.25	6,208	32.50	7,442	36.75	8,718	41.00	10,027
24.25	5,094	28.50	6,279	32.75	7,516	37.00	8,794	41.25	10,105
24.50	5,162	28.75	6,351	33.00	7,590	37.25	8,871	41.50	10,183
24.75	5,230	29.00	6,422	33.25	7,665	37.50	8,947	41.75	10,261
25.00	5,299	29.25	6,494	33.50	7,739	37.75	9,023	42.00	10,339
25.25	5,368	29.50	6,566	33.75	7,814	38.00	9,100	42.25	10,417



## Capacity/Gauge Table Information

**TCLX 290441**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 241

Reporting Mark: TCLX 290441

Date: 26/06/2015

Capacity: 28,953 US Gallons (109,599 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,495	46.75	11,835	51.00	13,189	55.25	14,549	59.50	15,908
42.75	10,573	47.00	11,915	51.25	13,269	55.50	14,629	59.75	15,987
43.00	10,652	47.25	11,994	51.50	13,349	55.75	14,709	60.00	16,067
43.25	10,730	47.50	12,073	51.75	13,429	56.00	14,789	60.25	16,147
43.50	10,809	47.75	12,153	52.00	13,509	56.25	14,869	60.50	16,226
43.75	10,887	48.00	12,232	52.25	13,589	56.50	14,949	60.75	16,306
44.00	10,966	48.25	12,312	52.50	13,669	56.75	15,029	61.00	16,385
44.25	11,045	48.50	12,392	52.75	13,749	57.00	15,109	61.25	16,465
44.50	11,124	48.75	12,471	53.00	13,829	57.25	15,189	61.50	16,544
44.75	11,202	49.00	12,551	53.25	13,909	57.50	15,269	61.75	16,624
45.00	11,281	49.25	12,631	53.50	13,989	57.75	15,349	62.00	16,703
45.25	11,360	49.50	12,710	53.75	14,069	58.00	15,429	62.25	16,782
45.50	11,439	49.75	12,790	54.00	14,149	58.25	15,509	62.50	16,861
45.75	11,518	50.00	12,870	54.25	14,229	58.50	15,589	62.75	16,941
46.00	11,598	50.25	12,950	54.50	14,309	58.75	15,668	63.00	17,020
46.25	11,677	50.50	13,030	54.75	14,389	59.00	15,748	63.25	17,099
46.50	11,756	50.75	13,109	55.00	14,469	59.25	15,828	63.50	17,178



## Capacity/Gauge Table Information

**TCLX 290441**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 241

Reporting Mark: TCLX 290441

Date: 26/06/2015

Capacity: 28,953 US Gallons (109,599 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,257	68.00	18,589	72.25	19,896	76.50	21,170	80.75	22,401
64.00	17,336	68.25	18,667	72.50	19,972	76.75	21,243	81.00	22,472
64.25	17,415	68.50	18,744	72.75	20,048	77.00	21,317	81.25	22,542
64.50	17,493	68.75	18,822	73.00	20,123	77.25	21,390	81.50	22,613
64.75	17,572	69.00	18,899	73.25	20,199	77.50	21,464	81.75	22,683
65.00	17,651	69.25	18,976	73.50	20,274	77.75	21,537	82.00	22,754
65.25	17,729	69.50	19,054	73.75	20,350	78.00	21,610	82.25	22,824
65.50	17,808	69.75	19,131	74.00	20,425	78.25	21,682	82.50	22,893
65.75	17,886	70.00	19,208	74.25	20,500	78.50	21,755	82.75	22,963
66.00	17,965	70.25	19,285	74.50	20,575	78.75	21,827	83.00	23,032
66.25	18,043	70.50	19,361	74.75	20,650	79.00	21,900	83.25	23,101
66.50	18,121	70.75	19,438	75.00	20,724	79.25	21,972	83.50	23,170
66.75	18,199	71.00	19,515	75.25	20,799	79.50	22,044	83.75	23,239
67.00	18,277	71.25	19,591	75.50	20,873	79.75	22,115	84.00	23,308
67.25	18,355	71.50	19,668	75.75	20,948	80.00	22,187	84.25	23,376
67.50	18,433	71.75	19,744	76.00	21,022	80.25	22,259	84.50	23,444
67.75	18,511	72.00	19,820	76.25	21,096	80.50	22,330	84.75	23,512



## Capacity/Gauge Table Information

**TCLX 290441**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 241

Reporting Mark: TCLX 290441

Date: 26/06/2015

Capacity: 28,953 US Gallons (109,599 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,580	89.25	24,696	93.50	25,736	97.75	26,686	102.00	27,524
85.25	23,647	89.50	24,759	93.75	25,795	98.00	26,738	102.25	27,570
85.50	23,715	89.75	24,822	94.00	25,853	98.25	26,790	102.50	27,615
85.75	23,782	90.00	24,885	94.25	25,911	98.50	26,842	102.75	27,659
86.00	23,849	90.25	24,948	94.50	25,968	98.75	26,894	103.00	27,703
86.25	23,915	90.50	25,010	94.75	26,026	99.00	26,945	103.25	27,746
86.50	23,982	90.75	25,072	95.00	26,083	99.25	26,995	103.50	27,789
86.75	24,048	91.00	25,134	95.25	26,139	99.50	27,046	103.75	27,832
87.00	24,114	91.25	25,196	95.50	26,195	99.75	27,096	104.00	27,874
87.25	24,179	91.50	25,257	95.75	26,251	100.00	27,145	104.25	27,915
87.50	24,245	91.75	25,318	96.00	26,307	100.25	27,194	104.50	27,956
87.75	24,310	92.00	25,379	96.25	26,362	100.50	27,243	104.75	27,996
88.00	24,375	92.25	25,439	96.50	26,417	100.75	27,291	105.00	28,035
88.25	24,440	92.50	25,499	96.75	26,471	101.00	27,338	105.25	28,074
88.50	24,504	92.75	25,559	97.00	26,525	101.25	27,386	105.50	28,113
88.75	24,568	93.00	25,618	97.25	26,579	101.50	27,432	105.75	28,151
89.00	24,632	93.25	25,677	97.50	26,633	101.75	27,479	106.00	28,188





## Capacity/Gauge Table Information

**TCLX 290441**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 241

Reporting Mark: TCLX 290441

Date: 26/06/2015

Capacity: 28,953 US Gallons (109,599 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,225	110.50	28,733	114.75	28,940
106.50	28,261	110.75	28,755	115.00	28,944
106.75	28,296	111.00	28,774	115.25	28,947
107.00	28,331	111.25	28,793	115.50	28,949
107.25	28,365	111.50	28,811	115.75	28,951
107.50	28,398	111.75	28,827	116.00	28,952
107.75	28,430	112.00	28,842	116.25	28,953
108.00	28,462	112.25	28,856	116.50	28,953
108.25	28,493	112.50	28,869	116.75	28,953
108.50	28,524	112.75	28,881		
108.75	28,553	113.00	28,891		
109.00	28,582	113.25	28,901		
109.25	28,609	113.50	28,910		
109.50	28,636	113.75	28,918		
109.75	28,662	114.00	28,925		
110.00	28,687	114.25	28,931		
110.25	28,711	114.50	28,936		



## Capacity/Gauge Table Information

**TCLX 290442**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 242

Reporting Mark: TCLX 290442

Date: 26/06/2015

Capacity: 28,943 US Gallons (109,561 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,345	12.75	2,230	17.00	3,217
0.25	29	4.50	629	8.75	1,394	13.00	2,285	17.25	3,278
0.50	58	4.75	669	9.00	1,443	13.25	2,341	17.50	3,339
0.75	88	5.00	711	9.25	1,493	13.50	2,397	17.75	3,400
1.00	120	5.25	753	9.50	1,543	13.75	2,454	18.00	3,462
1.25	151	5.50	796	9.75	1,593	14.00	2,510	18.25	3,524
1.50	184	5.75	839	10.00	1,644	14.25	2,567	18.50	3,586
1.75	218	6.00	882	10.25	1,696	14.50	2,625	18.75	3,649
2.00	252	6.25	926	10.50	1,747	14.75	2,683	19.00	3,712
2.25	286	6.50	971	10.75	1,799	15.00	2,741	19.25	3,775
2.50	322	6.75	1,016	11.00	1,852	15.25	2,799	19.50	3,838
2.75	358	7.00	1,062	11.25	1,905	15.50	2,858	19.75	3,902
3.00	395	7.25	1,108	11.50	1,958	15.75	2,917	20.00	3,966
3.25	432	7.50	1,154	11.75	2,012	16.00	2,976	20.25	4,030
3.50	470	7.75	1,201	12.00	2,066	16.25	3,036	20.50	4,094
3.75	509	8.00	1,249	12.25	2,120	16.50	3,096	20.75	4,159
4.00	548	8.25	1,297	12.50	2,175	16.75	3,156	21.00	4,224



## Capacity/Gauge Table Information

**TCLX 290442**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 242

Reporting Mark: TCLX 290442

Date: 26/06/2015

Capacity: 28,943 US Gallons (109,561 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,289	25.50	5,432	29.75	6,633	34.00	7,882	38.25	9,170
21.50	4,354	25.75	5,501	30.00	6,705	34.25	7,957	38.50	9,247
21.75	4,420	26.00	5,570	30.25	6,777	34.50	8,032	38.75	9,324
22.00	4,486	26.25	5,640	30.50	6,850	34.75	8,107	39.00	9,401
22.25	4,552	26.50	5,709	30.75	6,923	35.00	8,182	39.25	9,478
22.50	4,618	26.75	5,779	31.00	6,996	35.25	8,257	39.50	9,555
22.75	4,685	27.00	5,849	31.25	7,069	35.50	8,333	39.75	9,632
23.00	4,752	27.25	5,920	31.50	7,142	35.75	8,408	40.00	9,710
23.25	4,819	27.50	5,990	31.75	7,215	36.00	8,484	40.25	9,787
23.50	4,886	27.75	6,061	32.00	7,289	36.25	8,560	40.50	9,865
23.75	4,953	28.00	6,132	32.25	7,363	36.50	8,636	40.75	9,943
24.00	5,021	28.25	6,203	32.50	7,436	36.75	8,712	41.00	10,020
24.25	5,089	28.50	6,274	32.75	7,510	37.00	8,788	41.25	10,098
24.50	5,157	28.75	6,345	33.00	7,584	37.25	8,864	41.50	10,176
24.75	5,225	29.00	6,417	33.25	7,659	37.50	8,941	41.75	10,254
25.00	5,294	29.25	6,489	33.50	7,733	37.75	9,017	42.00	10,332
25.25	5,363	29.50	6,561	33.75	7,808	38.00	9,094	42.25	10,410



## Capacity/Gauge Table Information

**TCLX 290442**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 242

Reporting Mark: TCLX 290442

Date: 26/06/2015

Capacity: 28,943 US Gallons (109,561 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,488	46.75	11,828	51.00	13,182	55.25	14,541	59.50	15,899
42.75	10,567	47.00	11,907	51.25	13,262	55.50	14,621	59.75	15,979
43.00	10,645	47.25	11,987	51.50	13,341	55.75	14,701	60.00	16,059
43.25	10,723	47.50	12,066	51.75	13,421	56.00	14,781	60.25	16,138
43.50	10,802	47.75	12,146	52.00	13,501	56.25	14,861	60.50	16,218
43.75	10,880	48.00	12,225	52.25	13,581	56.50	14,941	60.75	16,297
44.00	10,959	48.25	12,305	52.50	13,661	56.75	15,021	61.00	16,377
44.25	11,038	48.50	12,384	52.75	13,741	57.00	15,101	61.25	16,456
44.50	11,117	48.75	12,464	53.00	13,821	57.25	15,181	61.50	16,536
44.75	11,195	49.00	12,543	53.25	13,901	57.50	15,261	61.75	16,615
45.00	11,274	49.25	12,623	53.50	13,981	57.75	15,341	62.00	16,694
45.25	11,353	49.50	12,703	53.75	14,061	58.00	15,421	62.25	16,774
45.50	11,432	49.75	12,783	54.00	14,141	58.25	15,501	62.50	16,853
45.75	11,511	50.00	12,862	54.25	14,221	58.50	15,580	62.75	16,932
46.00	11,590	50.25	12,942	54.50	14,301	58.75	15,660	63.00	17,011
46.25	11,670	50.50	13,022	54.75	14,381	59.00	15,740	63.25	17,090
46.50	11,749	50.75	13,102	55.00	14,461	59.25	15,820	63.50	17,169



## Capacity/Gauge Table Information

**TCLX 290442**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 242

Reporting Mark: TCLX 290442

Date: 26/06/2015

Capacity: 28,943 US Gallons (109,561 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,248	68.00	18,580	72.25	19,887	76.50	21,160	80.75	22,391
64.00	17,327	68.25	18,658	72.50	19,963	76.75	21,234	81.00	22,462
64.25	17,406	68.50	18,735	72.75	20,039	77.00	21,308	81.25	22,533
64.50	17,485	68.75	18,813	73.00	20,114	77.25	21,381	81.50	22,603
64.75	17,563	69.00	18,890	73.25	20,190	77.50	21,454	81.75	22,674
65.00	17,642	69.25	18,967	73.50	20,265	77.75	21,527	82.00	22,744
65.25	17,721	69.50	19,045	73.75	20,341	78.00	21,600	82.25	22,814
65.50	17,799	69.75	19,122	74.00	20,416	78.25	21,673	82.50	22,884
65.75	17,878	70.00	19,199	74.25	20,491	78.50	21,745	82.75	22,953
66.00	17,956	70.25	19,276	74.50	20,566	78.75	21,818	83.00	23,023
66.25	18,034	70.50	19,352	74.75	20,641	79.00	21,890	83.25	23,092
66.50	18,112	70.75	19,429	75.00	20,715	79.25	21,962	83.50	23,161
66.75	18,191	71.00	19,506	75.25	20,790	79.50	22,034	83.75	23,229
67.00	18,269	71.25	19,582	75.50	20,864	79.75	22,106	84.00	23,298
67.25	18,347	71.50	19,658	75.75	20,938	80.00	22,178	84.25	23,366
67.50	18,425	71.75	19,735	76.00	21,013	80.25	22,249	84.50	23,435
67.75	18,502	72.00	19,811	76.25	21,087	80.50	22,320	84.75	23,502



## Capacity/Gauge Table Information

**TCLX 290442**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 242

Reporting Mark: TCLX 290442

Date: 26/06/2015

Capacity: 28,943 US Gallons (109,561 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,570	89.25	24,686	93.50	25,726	97.75	26,675	102.00	27,514
85.25	23,638	89.50	24,749	93.75	25,785	98.00	26,728	102.25	27,559
85.50	23,705	89.75	24,813	94.00	25,843	98.25	26,780	102.50	27,604
85.75	23,772	90.00	24,875	94.25	25,901	98.50	26,832	102.75	27,649
86.00	23,839	90.25	24,938	94.50	25,958	98.75	26,883	103.00	27,693
86.25	23,905	90.50	25,000	94.75	26,015	99.00	26,934	103.25	27,736
86.50	23,972	90.75	25,062	95.00	26,072	99.25	26,985	103.50	27,779
86.75	24,038	91.00	25,124	95.25	26,129	99.50	27,035	103.75	27,821
87.00	24,104	91.25	25,186	95.50	26,185	99.75	27,085	104.00	27,863
87.25	24,169	91.50	25,247	95.75	26,241	100.00	27,135	104.25	27,904
87.50	24,235	91.75	25,308	96.00	26,297	100.25	27,184	104.50	27,945
87.75	24,300	92.00	25,368	96.25	26,352	100.50	27,232	104.75	27,985
88.00	24,365	92.25	25,429	96.50	26,407	100.75	27,280	105.00	28,025
88.25	24,430	92.50	25,489	96.75	26,461	101.00	27,328	105.25	28,064
88.50	24,494	92.75	25,549	97.00	26,515	101.25	27,375	105.50	28,102
88.75	24,558	93.00	25,608	97.25	26,569	101.50	27,422	105.75	28,140
89.00	24,622	93.25	25,667	97.50	26,622	101.75	27,468	106.00	28,178



## Capacity/Gauge Table Information

**TCLX 290442**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 242

Reporting Mark: TCLX 290442

Date: 26/06/2015

Capacity: 28,943 US Gallons (109,561 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,214	110.50	28,723	114.75	28,930
106.50	28,250	110.75	28,744	115.00	28,934
106.75	28,285	111.00	28,764	115.25	28,937
107.00	28,320	111.25	28,783	115.50	28,939
107.25	28,354	111.50	28,800	115.75	28,941
107.50	28,387	111.75	28,817	116.00	28,942
107.75	28,420	112.00	28,832	116.25	28,943
108.00	28,452	112.25	28,846	116.50	28,943
108.25	28,483	112.50	28,859	116.75	28,943
108.50	28,513	112.75	28,871		
108.75	28,543	113.00	28,881		
109.00	28,571	113.25	28,891		
109.25	28,599	113.50	28,900		
109.50	28,626	113.75	28,908		
109.75	28,652	114.00	28,914		
110.00	28,677	114.25	28,921		
110.25	28,700	114.50	28,926		





## Capacity/Gauge Table Information

**TCLX 290443**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 243

Reporting Mark: TCLX 290443

Date: 25/06/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,341	12.75	2,225	17.00	3,211
0.25	28	4.50	626	8.75	1,390	13.00	2,280	17.25	3,272
0.50	58	4.75	667	9.00	1,439	13.25	2,336	17.50	3,333
0.75	88	5.00	708	9.25	1,489	13.50	2,392	17.75	3,395
1.00	119	5.25	750	9.50	1,539	13.75	2,448	18.00	3,456
1.25	151	5.50	793	9.75	1,589	14.00	2,505	18.25	3,518
1.50	183	5.75	836	10.00	1,640	14.25	2,562	18.50	3,580
1.75	217	6.00	879	10.25	1,691	14.50	2,620	18.75	3,643
2.00	251	6.25	923	10.50	1,743	14.75	2,677	19.00	3,706
2.25	285	6.50	968	10.75	1,795	15.00	2,735	19.25	3,769
2.50	321	6.75	1,013	11.00	1,847	15.25	2,794	19.50	3,832
2.75	357	7.00	1,059	11.25	1,900	15.50	2,853	19.75	3,896
3.00	393	7.25	1,105	11.50	1,953	15.75	2,912	20.00	3,959
3.25	431	7.50	1,151	11.75	2,007	16.00	2,971	20.25	4,024
3.50	469	7.75	1,198	12.00	2,061	16.25	3,030	20.50	4,088
3.75	507	8.00	1,245	12.25	2,115	16.50	3,090	20.75	4,153
4.00	546	8.25	1,293	12.50	2,170	16.75	3,151	21.00	4,217



## Capacity/Gauge Table Information

**TCLX 290443**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 243

Reporting Mark: TCLX 290443

Date: 25/06/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,283	25.50	5,425	29.75	6,625	34.00	7,875	38.25	9,163
21.50	4,348	25.75	5,494	30.00	6,698	34.25	7,949	38.50	9,239
21.75	4,413	26.00	5,563	30.25	6,770	34.50	8,024	38.75	9,316
22.00	4,479	26.25	5,633	30.50	6,843	34.75	8,099	39.00	9,393
22.25	4,545	26.50	5,702	30.75	6,915	35.00	8,175	39.25	9,470
22.50	4,612	26.75	5,772	31.00	6,988	35.25	8,250	39.50	9,548
22.75	4,678	27.00	5,842	31.25	7,061	35.50	8,325	39.75	9,625
23.00	4,745	27.25	5,913	31.50	7,135	35.75	8,401	40.00	9,702
23.25	4,812	27.50	5,983	31.75	7,208	36.00	8,477	40.25	9,780
23.50	4,879	27.75	6,054	32.00	7,281	36.25	8,552	40.50	9,857
23.75	4,947	28.00	6,125	32.25	7,355	36.50	8,628	40.75	9,935
24.00	5,014	28.25	6,196	32.50	7,429	36.75	8,704	41.00	10,013
24.25	5,082	28.50	6,267	32.75	7,503	37.00	8,780	41.25	10,091
24.50	5,150	28.75	6,338	33.00	7,577	37.25	8,857	41.50	10,168
24.75	5,218	29.00	6,410	33.25	7,651	37.50	8,933	41.75	10,246
25.00	5,287	29.25	6,482	33.50	7,726	37.75	9,009	42.00	10,324
25.25	5,356	29.50	6,553	33.75	7,800	38.00	9,086	42.25	10,403



## Capacity/Gauge Table Information

**TCLX 290443**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 243

Reporting Mark: TCLX 290443

Date: 25/06/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,481	46.75	11,821	51.00	13,175	55.25	14,535	59.50	15,893
42.75	10,559	47.00	11,900	51.25	13,255	55.50	14,615	59.75	15,973
43.00	10,637	47.25	11,979	51.50	13,335	55.75	14,695	60.00	16,053
43.25	10,716	47.50	12,059	51.75	13,414	56.00	14,775	60.25	16,133
43.50	10,794	47.75	12,138	52.00	13,494	56.25	14,855	60.50	16,212
43.75	10,873	48.00	12,218	52.25	13,574	56.50	14,935	60.75	16,292
44.00	10,952	48.25	12,297	52.50	13,654	56.75	15,015	61.00	16,371
44.25	11,030	48.50	12,377	52.75	13,734	57.00	15,095	61.25	16,451
44.50	11,109	48.75	12,457	53.00	13,814	57.25	15,175	61.50	16,530
44.75	11,188	49.00	12,536	53.25	13,894	57.50	15,255	61.75	16,610
45.00	11,267	49.25	12,616	53.50	13,974	57.75	15,335	62.00	16,689
45.25	11,346	49.50	12,696	53.75	14,055	58.00	15,415	62.25	16,768
45.50	11,425	49.75	12,775	54.00	14,135	58.25	15,494	62.50	16,848
45.75	11,504	50.00	12,855	54.25	14,215	58.50	15,574	62.75	16,927
46.00	11,583	50.25	12,935	54.50	14,295	58.75	15,654	63.00	17,006
46.25	11,662	50.50	13,015	54.75	14,375	59.00	15,734	63.25	17,085
46.50	11,742	50.75	13,095	55.00	14,455	59.25	15,814	63.50	17,164



## Capacity/Gauge Table Information

**TCLX 290443**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 243

Reporting Mark: TCLX 290443

Date: 25/06/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,243	68.00	18,576	72.25	19,884	76.50	21,158	80.75	22,391
64.00	17,322	68.25	18,654	72.50	19,960	76.75	21,232	81.00	22,462
64.25	17,401	68.50	18,731	72.75	20,036	77.00	21,306	81.25	22,533
64.50	17,480	68.75	18,809	73.00	20,111	77.25	21,379	81.50	22,603
64.75	17,558	69.00	18,886	73.25	20,187	77.50	21,453	81.75	22,674
65.00	17,637	69.25	18,963	73.50	20,263	77.75	21,526	82.00	22,744
65.25	17,716	69.50	19,041	73.75	20,338	78.00	21,599	82.25	22,814
65.50	17,794	69.75	19,118	74.00	20,413	78.25	21,672	82.50	22,884
65.75	17,873	70.00	19,195	74.25	20,488	78.50	21,744	82.75	22,953
66.00	17,951	70.25	19,272	74.50	20,563	78.75	21,817	83.00	23,023
66.25	18,030	70.50	19,349	74.75	20,638	79.00	21,889	83.25	23,092
66.50	18,108	70.75	19,426	75.00	20,713	79.25	21,961	83.50	23,161
66.75	18,186	71.00	19,502	75.25	20,787	79.50	22,033	83.75	23,230
67.00	18,264	71.25	19,579	75.50	20,862	79.75	22,105	84.00	23,299
67.25	18,342	71.50	19,655	75.75	20,936	80.00	22,177	84.25	23,367
67.50	18,420	71.75	19,731	76.00	21,010	80.25	22,248	84.50	23,435
67.75	18,498	72.00	19,808	76.25	21,085	80.50	22,320	84.75	23,504



## Capacity/Gauge Table Information

**TCLX 290443**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 243

Reporting Mark: TCLX 290443

Date: 25/06/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,571	89.25	24,689	93.50	25,731	97.75	26,683	102.00	27,525
85.25	23,639	89.50	24,753	93.75	25,790	98.00	26,736	102.25	27,570
85.50	23,706	89.75	24,816	94.00	25,848	98.25	26,788	102.50	27,615
85.75	23,773	90.00	24,879	94.25	25,906	98.50	26,840	102.75	27,660
86.00	23,840	90.25	24,942	94.50	25,964	98.75	26,892	103.00	27,704
86.25	23,907	90.50	25,004	94.75	26,021	99.00	26,943	103.25	27,748
86.50	23,974	90.75	25,066	95.00	26,078	99.25	26,994	103.50	27,791
86.75	24,040	91.00	25,128	95.25	26,135	99.50	27,044	103.75	27,833
87.00	24,106	91.25	25,190	95.50	26,191	99.75	27,094	104.00	27,875
87.25	24,172	91.50	25,251	95.75	26,247	100.00	27,144	104.25	27,917
87.50	24,237	91.75	25,312	96.00	26,303	100.25	27,193	104.50	27,958
87.75	24,302	92.00	25,373	96.25	26,358	100.50	27,242	104.75	27,998
88.00	24,367	92.25	25,433	96.50	26,413	100.75	27,290	105.00	28,038
88.25	24,432	92.50	25,494	96.75	26,468	101.00	27,338	105.25	28,077
88.50	24,497	92.75	25,553	97.00	26,522	101.25	27,385	105.50	28,116
88.75	24,561	93.00	25,613	97.25	26,576	101.50	27,432	105.75	28,154
89.00	24,625	93.25	25,672	97.50	26,630	101.75	27,479	106.00	28,192



## Capacity/Gauge Table Information

**TCLX 290443**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 243

Reporting Mark: TCLX 290443

Date: 25/06/2015

Capacity: 28,968 US Gallons (109,657 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,228	110.50	28,743	114.75	28,955
106.50	28,265	110.75	28,765	115.00	28,959
106.75	28,300	111.00	28,785	115.25	28,962
107.00	28,335	111.25	28,804	115.50	28,964
107.25	28,369	111.50	28,822	115.75	28,966
107.50	28,403	111.75	28,839	116.00	28,967
107.75	28,436	112.00	28,854	116.25	28,968
108.00	28,468	112.25	28,869	116.50	28,968
108.25	28,499	112.50	28,882	116.75	28,968
108.50	28,530	112.75	28,894		
108.75	28,560	113.00	28,905		
109.00	28,589	113.25	28,915		
109.25	28,617	113.50	28,924		
109.50	28,644	113.75	28,932		
109.75	28,670	114.00	28,939		
110.00	28,696	114.25	28,945		
110.25	28,720	114.50	28,951		



## Capacity/Gauge Table Information

**TCLX 290444**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 244

Reporting Mark: TCLX 290444

Date: 26/06/2015

Capacity: 28,969 US Gallons (109,661 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,348	12.75	2,234	17.00	3,223
0.25	29	4.50	630	8.75	1,397	13.00	2,290	17.25	3,284
0.50	58	4.75	671	9.00	1,446	13.25	2,345	17.50	3,345
0.75	89	5.00	713	9.25	1,496	13.50	2,402	17.75	3,406
1.00	120	5.25	755	9.50	1,546	13.75	2,458	18.00	3,468
1.25	152	5.50	798	9.75	1,597	14.00	2,515	18.25	3,530
1.50	185	5.75	841	10.00	1,648	14.25	2,572	18.50	3,593
1.75	218	6.00	885	10.25	1,699	14.50	2,630	18.75	3,655
2.00	252	6.25	929	10.50	1,751	14.75	2,688	19.00	3,718
2.25	287	6.50	973	10.75	1,803	15.00	2,746	19.25	3,781
2.50	323	6.75	1,019	11.00	1,856	15.25	2,804	19.50	3,845
2.75	359	7.00	1,064	11.25	1,909	15.50	2,863	19.75	3,908
3.00	396	7.25	1,111	11.50	1,962	15.75	2,922	20.00	3,972
3.25	434	7.50	1,157	11.75	2,016	16.00	2,982	20.25	4,037
3.50	472	7.75	1,204	12.00	2,070	16.25	3,042	20.50	4,101
3.75	510	8.00	1,252	12.25	2,124	16.50	3,102	20.75	4,166
4.00	550	8.25	1,300	12.50	2,179	16.75	3,162	21.00	4,231





## Capacity/Gauge Table Information

**TCLX 290444**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 244

Reporting Mark: TCLX 290444

Date: 26/06/2015

Capacity: 28,969 US Gallons (109,661 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,296	25.50	5,440	29.75	6,642	34.00	7,893	38.25	9,182
21.50	4,361	25.75	5,509	30.00	6,715	34.25	7,968	38.50	9,259
21.75	4,427	26.00	5,579	30.25	6,787	34.50	8,043	38.75	9,336
22.00	4,493	26.25	5,648	30.50	6,860	34.75	8,118	39.00	9,413
22.25	4,559	26.50	5,718	30.75	6,933	35.00	8,193	39.25	9,490
22.50	4,626	26.75	5,788	31.00	7,006	35.25	8,269	39.50	9,568
22.75	4,692	27.00	5,858	31.25	7,079	35.50	8,344	39.75	9,645
23.00	4,759	27.25	5,929	31.50	7,152	35.75	8,420	40.00	9,722
23.25	4,826	27.50	5,999	31.75	7,226	36.00	8,496	40.25	9,800
23.50	4,894	27.75	6,070	32.00	7,299	36.25	8,571	40.50	9,878
23.75	4,961	28.00	6,141	32.25	7,373	36.50	8,647	40.75	9,955
24.00	5,029	28.25	6,212	32.50	7,447	36.75	8,723	41.00	10,033
24.25	5,097	28.50	6,283	32.75	7,521	37.00	8,800	41.25	10,111
24.50	5,165	28.75	6,355	33.00	7,595	37.25	8,876	41.50	10,189
24.75	5,233	29.00	6,426	33.25	7,669	37.50	8,952	41.75	10,267
25.00	5,302	29.25	6,498	33.50	7,744	37.75	9,029	42.00	10,345
25.25	5,371	29.50	6,570	33.75	7,818	38.00	9,106	42.25	10,423



## Capacity/Gauge Table Information

**TCLX 290444**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 244

Reporting Mark: TCLX 290444

Date: 26/06/2015

Capacity: 28,969 US Gallons (109,661 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,502	46.75	11,843	51.00	13,198	55.25	14,558	59.50	15,918
42.75	10,580	47.00	11,922	51.25	13,277	55.50	14,638	59.75	15,997
43.00	10,658	47.25	12,002	51.50	13,357	55.75	14,718	60.00	16,077
43.25	10,737	47.50	12,081	51.75	13,437	56.00	14,799	60.25	16,157
43.50	10,816	47.75	12,161	52.00	13,517	56.25	14,879	60.50	16,236
43.75	10,894	48.00	12,240	52.25	13,597	56.50	14,959	60.75	16,316
44.00	10,973	48.25	12,320	52.50	13,678	56.75	15,039	61.00	16,396
44.25	11,052	48.50	12,399	52.75	13,758	57.00	15,119	61.25	16,475
44.50	11,131	48.75	12,479	53.00	13,838	57.25	15,199	61.50	16,555
44.75	11,209	49.00	12,559	53.25	13,918	57.50	15,279	61.75	16,634
45.00	11,288	49.25	12,638	53.50	13,998	57.75	15,359	62.00	16,713
45.25	11,367	49.50	12,718	53.75	14,078	58.00	15,439	62.25	16,793
45.50	11,447	49.75	12,798	54.00	14,158	58.25	15,518	62.50	16,872
45.75	11,526	50.00	12,878	54.25	14,238	58.50	15,598	62.75	16,951
46.00	11,605	50.25	12,958	54.50	14,318	58.75	15,678	63.00	17,030
46.25	11,684	50.50	13,038	54.75	14,398	59.00	15,758	63.25	17,110
46.50	11,763	50.75	13,118	55.00	14,478	59.25	15,838	63.50	17,189



## Capacity/Gauge Table Information

**TCLX 290444**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 244

Reporting Mark: TCLX 290444

Date: 26/06/2015

Capacity: 28,969 US Gallons (109,661 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,268	68.00	18,601	72.25	19,908	76.50	21,183	80.75	22,415
64.00	17,347	68.25	18,678	72.50	19,984	76.75	21,257	81.00	22,486
64.25	17,425	68.50	18,756	72.75	20,060	77.00	21,330	81.25	22,556
64.50	17,504	68.75	18,833	73.00	20,136	77.25	21,404	81.50	22,627
64.75	17,583	69.00	18,911	73.25	20,212	77.50	21,477	81.75	22,697
65.00	17,662	69.25	18,988	73.50	20,287	77.75	21,550	82.00	22,768
65.25	17,740	69.50	19,065	73.75	20,362	78.00	21,623	82.25	22,838
65.50	17,819	69.75	19,143	74.00	20,438	78.25	21,696	82.50	22,907
65.75	17,897	70.00	19,220	74.25	20,513	78.50	21,768	82.75	22,977
66.00	17,976	70.25	19,297	74.50	20,588	78.75	21,841	83.00	23,046
66.25	18,054	70.50	19,373	74.75	20,663	79.00	21,913	83.25	23,116
66.50	18,133	70.75	19,450	75.00	20,737	79.25	21,985	83.50	23,185
66.75	18,211	71.00	19,527	75.25	20,812	79.50	22,057	83.75	23,253
67.00	18,289	71.25	19,603	75.50	20,886	79.75	22,129	84.00	23,322
67.25	18,367	71.50	19,680	75.75	20,961	80.00	22,201	84.25	23,390
67.50	18,445	71.75	19,756	76.00	21,035	80.25	22,272	84.50	23,459
67.75	18,523	72.00	19,832	76.25	21,109	80.50	22,344	84.75	23,527



## Capacity/Gauge Table Information

**TCLX 290444**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 244

Reporting Mark: TCLX 290444

Date: 26/06/2015

Capacity: 28,969 US Gallons (109,661 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,594	89.25	24,711	93.50	25,752	97.75	26,701	102.00	27,541
85.25	23,662	89.50	24,774	93.75	25,810	98.00	26,754	102.25	27,586
85.50	23,729	89.75	24,838	94.00	25,868	98.25	26,806	102.50	27,631
85.75	23,796	90.00	24,900	94.25	25,926	98.50	26,858	102.75	27,675
86.00	23,863	90.25	24,963	94.50	25,984	98.75	26,910	103.00	27,719
86.25	23,930	90.50	25,025	94.75	26,041	99.00	26,961	103.25	27,763
86.50	23,996	90.75	25,088	95.00	26,098	99.25	27,011	103.50	27,805
86.75	24,062	91.00	25,149	95.25	26,155	99.50	27,062	103.75	27,848
87.00	24,128	91.25	25,211	95.50	26,211	99.75	27,112	104.00	27,890
87.25	24,194	91.50	25,272	95.75	26,267	100.00	27,161	104.25	27,931
87.50	24,260	91.75	25,333	96.00	26,322	100.25	27,210	104.50	27,972
87.75	24,325	92.00	25,394	96.25	26,378	100.50	27,259	104.75	28,012
88.00	24,390	92.25	25,454	96.50	26,433	100.75	27,307	105.00	28,052
88.25	24,454	92.50	25,514	96.75	26,487	101.00	27,354	105.25	28,091
88.50	24,519	92.75	25,574	97.00	26,541	101.25	27,402	105.50	28,129
88.75	24,583	93.00	25,634	97.25	26,595	101.50	27,448	105.75	28,167
89.00	24,647	93.25	25,693	97.50	26,648	101.75	27,495	106.00	28,204



## Capacity/Gauge Table Information

**TCLX 290444**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 244

Reporting Mark: TCLX 290444

Date: 26/06/2015

Capacity: 28,969 US Gallons (109,661 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,241	110.50	28,750	114.75	28,957
106.50	28,277	110.75	28,771	115.00	28,960
106.75	28,312	111.00	28,791	115.25	28,963
107.00	28,347	111.25	28,809	115.50	28,965
107.25	28,381	111.50	28,827	115.75	28,967
107.50	28,414	111.75	28,843	116.00	28,968
107.75	28,447	112.00	28,858	116.25	28,969
108.00	28,479	112.25	28,872	116.50	28,969
108.25	28,510	112.50	28,885	116.75	28,969
108.50	28,540	112.75	28,897		
108.75	28,569	113.00	28,908		
109.00	28,598	113.25	28,918		
109.25	28,626	113.50	28,926		
109.50	28,653	113.75	28,934		
109.75	28,678	114.00	28,941		
110.00	28,703	114.25	28,947		
110.25	28,727	114.50	28,952		



## Capacity/Gauge Table Information

**TCLX 290445**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 245

Reporting Mark: TCLX 290445

Date: 25/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,348	12.75	2,234	17.00	3,223
0.25	29	4.50	630	8.75	1,397	13.00	2,290	17.25	3,284
0.50	58	4.75	671	9.00	1,447	13.25	2,346	17.50	3,345
0.75	89	5.00	713	9.25	1,496	13.50	2,402	17.75	3,406
1.00	120	5.25	755	9.50	1,547	13.75	2,458	18.00	3,468
1.25	152	5.50	798	9.75	1,597	14.00	2,515	18.25	3,530
1.50	185	5.75	841	10.00	1,648	14.25	2,572	18.50	3,593
1.75	218	6.00	885	10.25	1,699	14.50	2,630	18.75	3,655
2.00	253	6.25	929	10.50	1,751	14.75	2,688	19.00	3,718
2.25	288	6.50	974	10.75	1,803	15.00	2,746	19.25	3,781
2.50	323	6.75	1,019	11.00	1,856	15.25	2,805	19.50	3,845
2.75	359	7.00	1,065	11.25	1,909	15.50	2,863	19.75	3,908
3.00	396	7.25	1,111	11.50	1,962	15.75	2,922	20.00	3,972
3.25	434	7.50	1,157	11.75	2,016	16.00	2,982	20.25	4,036
3.50	472	7.75	1,204	12.00	2,070	16.25	3,042	20.50	4,101
3.75	511	8.00	1,252	12.25	2,124	16.50	3,102	20.75	4,166
4.00	550	8.25	1,300	12.50	2,179	16.75	3,162	21.00	4,231



## Capacity/Gauge Table Information

**TCLX 290445**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 245

Reporting Mark: TCLX 290445

Date: 25/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,296	25.50	5,439	29.75	6,641	34.00	7,892	38.25	9,180
21.50	4,361	25.75	5,509	30.00	6,714	34.25	7,966	38.50	9,257
21.75	4,427	26.00	5,578	30.25	6,786	34.50	8,041	38.75	9,334
22.00	4,493	26.25	5,647	30.50	6,859	34.75	8,116	39.00	9,411
22.25	4,559	26.50	5,717	30.75	6,932	35.00	8,192	39.25	9,488
22.50	4,625	26.75	5,787	31.00	7,005	35.25	8,267	39.50	9,566
22.75	4,692	27.00	5,857	31.25	7,078	35.50	8,342	39.75	9,643
23.00	4,759	27.25	5,928	31.50	7,151	35.75	8,418	40.00	9,720
23.25	4,826	27.50	5,998	31.75	7,224	36.00	8,494	40.25	9,798
23.50	4,893	27.75	6,069	32.00	7,298	36.25	8,570	40.50	9,875
23.75	4,961	28.00	6,140	32.25	7,372	36.50	8,646	40.75	9,953
24.00	5,028	28.25	6,211	32.50	7,445	36.75	8,722	41.00	10,031
24.25	5,096	28.50	6,282	32.75	7,519	37.00	8,798	41.25	10,109
24.50	5,165	28.75	6,354	33.00	7,594	37.25	8,874	41.50	10,187
24.75	5,233	29.00	6,425	33.25	7,668	37.50	8,951	41.75	10,265
25.00	5,302	29.25	6,497	33.50	7,742	37.75	9,027	42.00	10,343
25.25	5,370	29.50	6,569	33.75	7,817	38.00	9,104	42.25	10,421





## Capacity/Gauge Table Information

**TCLX 290445**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 245

Reporting Mark: TCLX 290445

Date: 25/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,499	46.75	11,840	51.00	13,194	55.25	14,554	59.50	15,913
42.75	10,577	47.00	11,919	51.25	13,274	55.50	14,634	59.75	15,992
43.00	10,656	47.25	11,998	51.50	13,354	55.75	14,714	60.00	16,072
43.25	10,734	47.50	12,078	51.75	13,434	56.00	14,794	60.25	16,152
43.50	10,813	47.75	12,157	52.00	13,514	56.25	14,874	60.50	16,231
43.75	10,891	48.00	12,237	52.25	13,594	56.50	14,954	60.75	16,311
44.00	10,970	48.25	12,316	52.50	13,674	56.75	15,034	61.00	16,390
44.25	11,049	48.50	12,396	52.75	13,754	57.00	15,114	61.25	16,470
44.50	11,128	48.75	12,476	53.00	13,834	57.25	15,194	61.50	16,549
44.75	11,207	49.00	12,555	53.25	13,914	57.50	15,274	61.75	16,629
45.00	11,286	49.25	12,635	53.50	13,994	57.75	15,354	62.00	16,708
45.25	11,364	49.50	12,715	53.75	14,074	58.00	15,434	62.25	16,787
45.50	11,444	49.75	12,794	54.00	14,154	58.25	15,514	62.50	16,867
45.75	11,523	50.00	12,874	54.25	14,234	58.50	15,593	62.75	16,946
46.00	11,602	50.25	12,954	54.50	14,314	58.75	15,673	63.00	17,025
46.25	11,681	50.50	13,034	54.75	14,394	59.00	15,753	63.25	17,104
46.50	11,760	50.75	13,114	55.00	14,474	59.25	15,833	63.50	17,183



## Capacity/Gauge Table Information

**TCLX 290445**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 245

Reporting Mark: TCLX 290445

Date: 25/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,262	68.00	18,594	72.25	19,902	76.50	21,176	80.75	22,407
64.00	17,341	68.25	18,672	72.50	19,978	76.75	21,249	81.00	22,478
64.25	17,420	68.50	18,750	72.75	20,053	77.00	21,323	81.25	22,549
64.50	17,499	68.75	18,827	73.00	20,129	77.25	21,396	81.50	22,619
64.75	17,577	69.00	18,905	73.25	20,205	77.50	21,470	81.75	22,690
65.00	17,656	69.25	18,982	73.50	20,280	77.75	21,543	82.00	22,760
65.25	17,735	69.50	19,059	73.75	20,356	78.00	21,616	82.25	22,830
65.50	17,813	69.75	19,136	74.00	20,431	78.25	21,688	82.50	22,900
65.75	17,892	70.00	19,213	74.25	20,506	78.50	21,761	82.75	22,969
66.00	17,970	70.25	19,290	74.50	20,581	78.75	21,833	83.00	23,039
66.25	18,048	70.50	19,367	74.75	20,656	79.00	21,906	83.25	23,108
66.50	18,127	70.75	19,444	75.00	20,730	79.25	21,978	83.50	23,177
66.75	18,205	71.00	19,520	75.25	20,805	79.50	22,050	83.75	23,246
67.00	18,283	71.25	19,597	75.50	20,879	79.75	22,122	84.00	23,314
67.25	18,361	71.50	19,673	75.75	20,954	80.00	22,193	84.25	23,383
67.50	18,439	71.75	19,749	76.00	21,028	80.25	22,265	84.50	23,451
67.75	18,517	72.00	19,826	76.25	21,102	80.50	22,336	84.75	23,519



## Capacity/Gauge Table Information

**TCLX 290445**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 245

Reporting Mark: TCLX 290445

Date: 25/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,586	89.25	24,703	93.50	25,743	97.75	26,693	102.00	27,532
85.25	23,654	89.50	24,766	93.75	25,802	98.00	26,746	102.25	27,577
85.50	23,721	89.75	24,829	94.00	25,860	98.25	26,798	102.50	27,622
85.75	23,788	90.00	24,892	94.25	25,918	98.50	26,850	102.75	27,667
86.00	23,855	90.25	24,955	94.50	25,976	98.75	26,901	103.00	27,711
86.25	23,922	90.50	25,017	94.75	26,033	99.00	26,952	103.25	27,754
86.50	23,988	90.75	25,079	95.00	26,090	99.25	27,003	103.50	27,797
86.75	24,054	91.00	25,141	95.25	26,146	99.50	27,053	103.75	27,839
87.00	24,120	91.25	25,203	95.50	26,203	99.75	27,103	104.00	27,881
87.25	24,186	91.50	25,264	95.75	26,258	100.00	27,152	104.25	27,923
87.50	24,251	91.75	25,325	96.00	26,314	100.25	27,201	104.50	27,963
87.75	24,317	92.00	25,386	96.25	26,369	100.50	27,250	104.75	28,004
88.00	24,382	92.25	25,446	96.50	26,424	100.75	27,298	105.00	28,043
88.25	24,446	92.50	25,506	96.75	26,479	101.00	27,346	105.25	28,082
88.50	24,511	92.75	25,566	97.00	26,533	101.25	27,393	105.50	28,121
88.75	24,575	93.00	25,625	97.25	26,587	101.50	27,440	105.75	28,159
89.00	24,639	93.25	25,684	97.50	26,640	101.75	27,486	106.00	28,196



## Capacity/Gauge Table Information

**TCLX 290445**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 245

Reporting Mark: TCLX 290445

Date: 25/06/2015

Capacity: 28,961 US Gallons (109,629 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,232	110.50	28,741	114.75	28,948
106.50	28,268	110.75	28,762	115.00	28,952
106.75	28,304	111.00	28,782	115.25	28,955
107.00	28,339	111.25	28,801	115.50	28,957
107.25	28,372	111.50	28,819	115.75	28,959
107.50	28,406	111.75	28,835	116.00	28,960
107.75	28,438	112.00	28,850	116.25	28,960
108.00	28,470	112.25	28,864	116.50	28,961
108.25	28,501	112.50	28,877	116.75	28,961
108.50	28,532	112.75	28,889		
108.75	28,561	113.00	28,899		
109.00	28,590	113.25	28,909		
109.25	28,617	113.50	28,918		
109.50	28,644	113.75	28,926		
109.75	28,670	114.00	28,932		
110.00	28,695	114.25	28,938		
110.25	28,719	114.50	28,944		



## Capacity/Gauge Table Information

**TCLX 290446**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 246

Reporting Mark: TCLX 290446

Date: 26/06/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,337	12.75	2,219	17.00	3,205
0.25	28	4.50	624	8.75	1,386	13.00	2,275	17.25	3,265
0.50	57	4.75	665	9.00	1,435	13.25	2,330	17.50	3,326
0.75	88	5.00	706	9.25	1,485	13.50	2,386	17.75	3,388
1.00	118	5.25	748	9.50	1,535	13.75	2,443	18.00	3,449
1.25	150	5.50	790	9.75	1,585	14.00	2,499	18.25	3,511
1.50	182	5.75	833	10.00	1,636	14.25	2,556	18.50	3,573
1.75	216	6.00	876	10.25	1,687	14.50	2,614	18.75	3,636
2.00	249	6.25	920	10.50	1,738	14.75	2,671	19.00	3,699
2.25	284	6.50	965	10.75	1,790	15.00	2,729	19.25	3,762
2.50	319	6.75	1,010	11.00	1,843	15.25	2,788	19.50	3,825
2.75	355	7.00	1,055	11.25	1,895	15.50	2,846	19.75	3,888
3.00	392	7.25	1,101	11.50	1,948	15.75	2,905	20.00	3,952
3.25	429	7.50	1,147	11.75	2,002	16.00	2,965	20.25	4,016
3.50	467	7.75	1,194	12.00	2,056	16.25	3,024	20.50	4,081
3.75	505	8.00	1,242	12.25	2,110	16.50	3,084	20.75	4,145
4.00	544	8.25	1,289	12.50	2,165	16.75	3,144	21.00	4,210



## Capacity/Gauge Table Information

**TCLX 290446**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 246

Reporting Mark: TCLX 290446

Date: 26/06/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,275	25.50	5,416	29.75	6,616	34.00	7,865	38.25	9,152
21.50	4,340	25.75	5,485	30.00	6,688	34.25	7,939	38.50	9,229
21.75	4,406	26.00	5,554	30.25	6,761	34.50	8,014	38.75	9,306
22.00	4,472	26.25	5,624	30.50	6,833	34.75	8,089	39.00	9,383
22.25	4,538	26.50	5,694	30.75	6,906	35.00	8,164	39.25	9,460
22.50	4,604	26.75	5,763	31.00	6,979	35.25	8,240	39.50	9,537
22.75	4,670	27.00	5,833	31.25	7,052	35.50	8,315	39.75	9,614
23.00	4,737	27.25	5,904	31.50	7,125	35.75	8,391	40.00	9,691
23.25	4,804	27.50	5,974	31.75	7,198	36.00	8,466	40.25	9,769
23.50	4,871	27.75	6,045	32.00	7,272	36.25	8,542	40.50	9,846
23.75	4,938	28.00	6,116	32.25	7,345	36.50	8,618	40.75	9,924
24.00	5,006	28.25	6,187	32.50	7,419	36.75	8,694	41.00	10,002
24.25	5,074	28.50	6,258	32.75	7,493	37.00	8,770	41.25	10,079
24.50	5,142	28.75	6,329	33.00	7,567	37.25	8,846	41.50	10,157
24.75	5,210	29.00	6,401	33.25	7,641	37.50	8,922	41.75	10,235
25.00	5,279	29.25	6,472	33.50	7,716	37.75	8,999	42.00	10,313
25.25	5,347	29.50	6,544	33.75	7,790	38.00	9,075	42.25	10,391



## Capacity/Gauge Table Information

**TCLX 290446**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 246

Reporting Mark: TCLX 290446

Date: 26/06/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,470	46.75	11,809	51.00	13,163	55.25	14,522	59.50	15,881
42.75	10,548	47.00	11,888	51.25	13,243	55.50	14,603	59.75	15,961
43.00	10,626	47.25	11,968	51.50	13,322	55.75	14,683	60.00	16,040
43.25	10,705	47.50	12,047	51.75	13,402	56.00	14,763	60.25	16,120
43.50	10,783	47.75	12,127	52.00	13,482	56.25	14,843	60.50	16,200
43.75	10,862	48.00	12,206	52.25	13,562	56.50	14,923	60.75	16,279
44.00	10,940	48.25	12,286	52.50	13,642	56.75	15,003	61.00	16,359
44.25	11,019	48.50	12,365	52.75	13,722	57.00	15,082	61.25	16,438
44.50	11,098	48.75	12,445	53.00	13,802	57.25	15,162	61.50	16,518
44.75	11,177	49.00	12,524	53.25	13,882	57.50	15,242	61.75	16,597
45.00	11,255	49.25	12,604	53.50	13,962	57.75	15,322	62.00	16,676
45.25	11,334	49.50	12,684	53.75	14,042	58.00	15,402	62.25	16,756
45.50	11,413	49.75	12,764	54.00	14,122	58.25	15,482	62.50	16,835
45.75	11,492	50.00	12,843	54.25	14,202	58.50	15,562	62.75	16,914
46.00	11,571	50.25	12,923	54.50	14,282	58.75	15,642	63.00	16,993
46.25	11,651	50.50	13,003	54.75	14,362	59.00	15,722	63.25	17,073
46.50	11,730	50.75	13,083	55.00	14,442	59.25	15,801	63.50	17,152





## Capacity/Gauge Table Information

**TCLX 290446**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 246

Reporting Mark: TCLX 290446

Date: 26/06/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,231	68.00	18,563	72.25	19,872	76.50	21,147	80.75	22,380
64.00	17,310	68.25	18,641	72.50	19,948	76.75	21,220	81.00	22,451
64.25	17,388	68.50	18,719	72.75	20,024	77.00	21,294	81.25	22,521
64.50	17,467	68.75	18,796	73.00	20,099	77.25	21,368	81.50	22,592
64.75	17,546	69.00	18,874	73.25	20,175	77.50	21,441	81.75	22,663
65.00	17,625	69.25	18,951	73.50	20,250	77.75	21,514	82.00	22,733
65.25	17,703	69.50	19,028	73.75	20,326	78.00	21,587	82.25	22,803
65.50	17,782	69.75	19,106	74.00	20,401	78.25	21,660	82.50	22,873
65.75	17,860	70.00	19,183	74.25	20,476	78.50	21,733	82.75	22,943
66.00	17,939	70.25	19,260	74.50	20,551	78.75	21,805	83.00	23,012
66.25	18,017	70.50	19,337	74.75	20,626	79.00	21,878	83.25	23,081
66.50	18,095	70.75	19,413	75.00	20,701	79.25	21,950	83.50	23,151
66.75	18,174	71.00	19,490	75.25	20,776	79.50	22,022	83.75	23,219
67.00	18,252	71.25	19,566	75.50	20,850	79.75	22,094	84.00	23,288
67.25	18,330	71.50	19,643	75.75	20,924	80.00	22,166	84.25	23,357
67.50	18,408	71.75	19,719	76.00	20,999	80.25	22,237	84.50	23,425
67.75	18,486	72.00	19,796	76.25	21,073	80.50	22,308	84.75	23,493



## Capacity/Gauge Table Information

**TCLX 290446**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 246

Reporting Mark: TCLX 290446

Date: 26/06/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,561	89.25	24,679	93.50	25,723	97.75	26,676	102.00	27,520
85.25	23,628	89.50	24,743	93.75	25,782	98.00	26,729	102.25	27,565
85.50	23,696	89.75	24,806	94.00	25,840	98.25	26,781	102.50	27,610
85.75	23,763	90.00	24,869	94.25	25,898	98.50	26,834	102.75	27,655
86.00	23,830	90.25	24,932	94.50	25,956	98.75	26,885	103.00	27,699
86.25	23,897	90.50	24,995	94.75	26,013	99.00	26,937	103.25	27,743
86.50	23,963	90.75	25,057	95.00	26,070	99.25	26,987	103.50	27,786
86.75	24,030	91.00	25,119	95.25	26,127	99.50	27,038	103.75	27,829
87.00	24,096	91.25	25,181	95.50	26,184	99.75	27,088	104.00	27,871
87.25	24,162	91.50	25,242	95.75	26,240	100.00	27,138	104.25	27,913
87.50	24,227	91.75	25,303	96.00	26,296	100.25	27,187	104.50	27,954
87.75	24,293	92.00	25,364	96.25	26,351	100.50	27,236	104.75	27,994
88.00	24,358	92.25	25,425	96.50	26,406	100.75	27,284	105.00	28,034
88.25	24,422	92.50	25,485	96.75	26,461	101.00	27,332	105.25	28,074
88.50	24,487	92.75	25,545	97.00	26,515	101.25	27,380	105.50	28,113
88.75	24,551	93.00	25,604	97.25	26,569	101.50	27,427	105.75	28,151
89.00	24,616	93.25	25,664	97.50	26,623	101.75	27,473	106.00	28,189



## Capacity/Gauge Table Information

**TCLX 290446**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 246

Reporting Mark: TCLX 290446

Date: 26/06/2015

Capacity: 28,973 US Gallons (109,675 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,226	110.50	28,744	114.75	28,960
106.50	28,262	110.75	28,766	115.00	28,963
106.75	28,298	111.00	28,787	115.25	28,966
107.00	28,333	111.25	28,806	115.50	28,969
107.25	28,367	111.50	28,824	115.75	28,971
107.50	28,401	111.75	28,841	116.00	28,972
107.75	28,434	112.00	28,857	116.25	28,973
108.00	28,466	112.25	28,872	116.50	28,973
108.25	28,498	112.50	28,885	116.75	28,973
108.50	28,529	112.75	28,897		
108.75	28,559	113.00	28,909		
109.00	28,588	113.25	28,919		
109.25	28,616	113.50	28,928		
109.50	28,644	113.75	28,936		
109.75	28,670	114.00	28,943		
110.00	28,696	114.25	28,950		
110.25	28,720	114.50	28,955		



## Capacity/Gauge Table Information

**TCLX 290447**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 247

Reporting Mark: TCLX 290447

Date: 06/07/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,345	12.75	2,230	17.00	3,217
0.25	29	4.50	629	8.75	1,394	13.00	2,285	17.25	3,278
0.50	58	4.75	669	9.00	1,443	13.25	2,341	17.50	3,339
0.75	88	5.00	711	9.25	1,493	13.50	2,397	17.75	3,400
1.00	120	5.25	753	9.50	1,543	13.75	2,453	18.00	3,462
1.25	152	5.50	796	9.75	1,593	14.00	2,510	18.25	3,524
1.50	184	5.75	839	10.00	1,644	14.25	2,567	18.50	3,586
1.75	218	6.00	882	10.25	1,696	14.50	2,625	18.75	3,649
2.00	252	6.25	926	10.50	1,747	14.75	2,683	19.00	3,711
2.25	287	6.50	971	10.75	1,799	15.00	2,741	19.25	3,775
2.50	322	6.75	1,016	11.00	1,852	15.25	2,799	19.50	3,838
2.75	358	7.00	1,062	11.25	1,905	15.50	2,858	19.75	3,901
3.00	395	7.25	1,108	11.50	1,958	15.75	2,917	20.00	3,965
3.25	432	7.50	1,154	11.75	2,011	16.00	2,976	20.25	4,029
3.50	470	7.75	1,201	12.00	2,065	16.25	3,036	20.50	4,094
3.75	509	8.00	1,249	12.25	2,120	16.50	3,096	20.75	4,158
4.00	548	8.25	1,297	12.50	2,175	16.75	3,156	21.00	4,223



## Capacity/Gauge Table Information

**TCLX 290447**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 247

Reporting Mark: TCLX 290447

Date: 06/07/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,288	25.50	5,431	29.75	6,632	34.00	7,881	38.25	9,168
21.50	4,354	25.75	5,500	30.00	6,704	34.25	7,955	38.50	9,245
21.75	4,419	26.00	5,569	30.25	6,776	34.50	8,030	38.75	9,322
22.00	4,485	26.25	5,639	30.50	6,849	34.75	8,105	39.00	9,399
22.25	4,551	26.50	5,708	30.75	6,922	35.00	8,181	39.25	9,476
22.50	4,618	26.75	5,778	31.00	6,994	35.25	8,256	39.50	9,553
22.75	4,684	27.00	5,849	31.25	7,068	35.50	8,331	39.75	9,631
23.00	4,751	27.25	5,919	31.50	7,141	35.75	8,407	40.00	9,708
23.25	4,818	27.50	5,989	31.75	7,214	36.00	8,482	40.25	9,785
23.50	4,885	27.75	6,060	32.00	7,288	36.25	8,558	40.50	9,863
23.75	4,953	28.00	6,131	32.25	7,361	36.50	8,634	40.75	9,940
24.00	5,020	28.25	6,202	32.50	7,435	36.75	8,710	41.00	10,018
24.25	5,088	28.50	6,273	32.75	7,509	37.00	8,786	41.25	10,096
24.50	5,156	28.75	6,344	33.00	7,583	37.25	8,862	41.50	10,174
24.75	5,225	29.00	6,416	33.25	7,657	37.50	8,939	41.75	10,252
25.00	5,293	29.25	6,488	33.50	7,732	37.75	9,015	42.00	10,330
25.25	5,362	29.50	6,560	33.75	7,806	38.00	9,092	42.25	10,408



## Capacity/Gauge Table Information

**TCLX 290447**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 247

Reporting Mark: TCLX 290447

Date: 06/07/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,486	46.75	11,825	51.00	13,179	55.25	14,538	59.50	15,896
42.75	10,564	47.00	11,905	51.25	13,259	55.50	14,618	59.75	15,975
43.00	10,643	47.25	11,984	51.50	13,338	55.75	14,698	60.00	16,055
43.25	10,721	47.50	12,064	51.75	13,418	56.00	14,778	60.25	16,135
43.50	10,800	47.75	12,143	52.00	13,498	56.25	14,858	60.50	16,214
43.75	10,878	48.00	12,222	52.25	13,578	56.50	14,938	60.75	16,294
44.00	10,957	48.25	12,302	52.50	13,658	56.75	15,018	61.00	16,373
44.25	11,035	48.50	12,381	52.75	13,738	57.00	15,098	61.25	16,453
44.50	11,114	48.75	12,461	53.00	13,818	57.25	15,178	61.50	16,532
44.75	11,193	49.00	12,541	53.25	13,898	57.50	15,258	61.75	16,611
45.00	11,272	49.25	12,620	53.50	13,978	57.75	15,337	62.00	16,691
45.25	11,351	49.50	12,700	53.75	14,058	58.00	15,417	62.25	16,770
45.50	11,430	49.75	12,780	54.00	14,138	58.25	15,497	62.50	16,849
45.75	11,509	50.00	12,859	54.25	14,218	58.50	15,577	62.75	16,928
46.00	11,588	50.25	12,939	54.50	14,298	58.75	15,657	63.00	17,007
46.25	11,667	50.50	13,019	54.75	14,378	59.00	15,736	63.25	17,087
46.50	11,746	50.75	13,099	55.00	14,458	59.25	15,816	63.50	17,166



## Capacity/Gauge Table Information

**TCLX 290447**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 247

Reporting Mark: TCLX 290447

Date: 06/07/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,244	68.00	18,576	72.25	19,883	76.50	21,156	80.75	22,388
64.00	17,323	68.25	18,654	72.50	19,959	76.75	21,230	81.00	22,459
64.25	17,402	68.50	18,731	72.75	20,035	77.00	21,304	81.25	22,529
64.50	17,481	68.75	18,809	73.00	20,110	77.25	21,377	81.50	22,600
64.75	17,560	69.00	18,886	73.25	20,186	77.50	21,450	81.75	22,670
65.00	17,638	69.25	18,964	73.50	20,261	77.75	21,523	82.00	22,740
65.25	17,717	69.50	19,041	73.75	20,337	78.00	21,596	82.25	22,810
65.50	17,795	69.75	19,118	74.00	20,412	78.25	21,669	82.50	22,880
65.75	17,874	70.00	19,195	74.25	20,487	78.50	21,742	82.75	22,950
66.00	17,952	70.25	19,272	74.50	20,562	78.75	21,814	83.00	23,019
66.25	18,030	70.50	19,348	74.75	20,637	79.00	21,886	83.25	23,088
66.50	18,109	70.75	19,425	75.00	20,711	79.25	21,959	83.50	23,157
66.75	18,187	71.00	19,502	75.25	20,786	79.50	22,030	83.75	23,226
67.00	18,265	71.25	19,578	75.50	20,860	79.75	22,102	84.00	23,295
67.25	18,343	71.50	19,655	75.75	20,935	80.00	22,174	84.25	23,363
67.50	18,421	71.75	19,731	76.00	21,009	80.25	22,245	84.50	23,431
67.75	18,498	72.00	19,807	76.25	21,083	80.50	22,317	84.75	23,499





## Capacity/Gauge Table Information

**TCLX 290447**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 247

Reporting Mark: TCLX 290447

Date: 06/07/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,567	89.25	24,683	93.50	25,724	97.75	26,674	102.00	27,514
85.25	23,634	89.50	24,746	93.75	25,782	98.00	26,727	102.25	27,559
85.50	23,702	89.75	24,810	94.00	25,841	98.25	26,779	102.50	27,604
85.75	23,769	90.00	24,873	94.25	25,899	98.50	26,831	102.75	27,649
86.00	23,836	90.25	24,935	94.50	25,956	98.75	26,882	103.00	27,693
86.25	23,902	90.50	24,998	94.75	26,013	99.00	26,933	103.25	27,736
86.50	23,969	90.75	25,060	95.00	26,070	99.25	26,984	103.50	27,779
86.75	24,035	91.00	25,122	95.25	26,127	99.50	27,034	103.75	27,821
87.00	24,101	91.25	25,183	95.50	26,183	99.75	27,084	104.00	27,863
87.25	24,166	91.50	25,244	95.75	26,239	100.00	27,134	104.25	27,905
87.50	24,232	91.75	25,305	96.00	26,295	100.25	27,183	104.50	27,945
87.75	24,297	92.00	25,366	96.25	26,350	100.50	27,231	104.75	27,986
88.00	24,362	92.25	25,426	96.50	26,405	100.75	27,280	105.00	28,025
88.25	24,427	92.50	25,486	96.75	26,459	101.00	27,327	105.25	28,065
88.50	24,491	92.75	25,546	97.00	26,514	101.25	27,375	105.50	28,103
88.75	24,555	93.00	25,606	97.25	26,567	101.50	27,421	105.75	28,141
89.00	24,619	93.25	25,665	97.50	26,621	101.75	27,468	106.00	28,178



## Capacity/Gauge Table Information

**TCLX 290447**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 247

Reporting Mark: TCLX 290447

Date: 06/07/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,215	110.50	28,726	114.75	28,935
106.50	28,251	110.75	28,747	115.00	28,938
106.75	28,287	111.00	28,767	115.25	28,941
107.00	28,321	111.25	28,786	115.50	28,944
107.25	28,356	111.50	28,804	115.75	28,945
107.50	28,389	111.75	28,820	116.00	28,947
107.75	28,422	112.00	28,836	116.25	28,947
108.00	28,453	112.25	28,850	116.50	28,948
108.25	28,485	112.50	28,863	116.75	28,948
108.50	28,515	112.75	28,875		
108.75	28,545	113.00	28,886		
109.00	28,573	113.25	28,895		
109.25	28,601	113.50	28,904		
109.50	28,628	113.75	28,912		
109.75	28,654	114.00	28,919		
110.00	28,679	114.25	28,925		
110.25	28,703	114.50	28,930		



## Capacity/Gauge Table Information

**TCLX 290448**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 248

Reporting Mark: TCLX 290448

Date: 24/06/2015

Capacity: 29,001 US Gallons (109,780 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	575	8.50	1,323	12.75	2,200	17.00	3,181
0.25	28	4.50	615	8.75	1,371	13.00	2,255	17.25	3,241
0.50	56	4.75	655	9.00	1,420	13.25	2,310	17.50	3,302
0.75	86	5.00	696	9.25	1,469	13.50	2,366	17.75	3,363
1.00	116	5.25	738	9.50	1,518	13.75	2,422	18.00	3,425
1.25	147	5.50	780	9.75	1,568	14.00	2,478	18.25	3,486
1.50	179	5.75	822	10.00	1,619	14.25	2,535	18.50	3,548
1.75	212	6.00	865	10.25	1,670	14.50	2,592	18.75	3,611
2.00	245	6.25	909	10.50	1,721	14.75	2,650	19.00	3,673
2.25	279	6.50	953	10.75	1,773	15.00	2,707	19.25	3,736
2.50	314	6.75	997	11.00	1,825	15.25	2,765	19.50	3,799
2.75	349	7.00	1,042	11.25	1,877	15.50	2,824	19.75	3,862
3.00	385	7.25	1,088	11.50	1,930	15.75	2,883	20.00	3,926
3.25	422	7.50	1,134	11.75	1,983	16.00	2,942	20.25	3,990
3.50	459	7.75	1,180	12.00	2,037	16.25	3,001	20.50	4,054
3.75	497	8.00	1,227	12.25	2,091	16.50	3,061	20.75	4,118
4.00	536	8.25	1,275	12.50	2,145	16.75	3,120	21.00	4,183



## Capacity/Gauge Table Information

**TCLX 290448**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 248

Reporting Mark: TCLX 290448

Date: 24/06/2015

Capacity: 29,001 US Gallons (109,780 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,248	25.50	5,386	29.75	6,584	34.00	7,831	38.25	9,117
21.50	4,313	25.75	5,455	30.00	6,656	34.25	7,905	38.50	9,193
21.75	4,378	26.00	5,524	30.25	6,728	34.50	7,980	38.75	9,270
22.00	4,444	26.25	5,593	30.50	6,801	34.75	8,055	39.00	9,347
22.25	4,510	26.50	5,663	30.75	6,873	35.00	8,130	39.25	9,424
22.50	4,576	26.75	5,733	31.00	6,946	35.25	8,205	39.50	9,501
22.75	4,642	27.00	5,803	31.25	7,019	35.50	8,281	39.75	9,578
23.00	4,708	27.25	5,873	31.50	7,092	35.75	8,356	40.00	9,656
23.25	4,775	27.50	5,943	31.75	7,165	36.00	8,432	40.25	9,733
23.50	4,842	27.75	6,014	32.00	7,239	36.25	8,507	40.50	9,811
23.75	4,909	28.00	6,084	32.25	7,312	36.50	8,583	40.75	9,888
24.00	4,977	28.25	6,155	32.50	7,386	36.75	8,659	41.00	9,966
24.25	5,045	28.50	6,226	32.75	7,459	37.00	8,735	41.25	10,044
24.50	5,112	28.75	6,297	33.00	7,533	37.25	8,811	41.50	10,121
24.75	5,181	29.00	6,369	33.25	7,608	37.50	8,887	41.75	10,199
25.00	5,249	29.25	6,440	33.50	7,682	37.75	8,964	42.00	10,277
25.25	5,317	29.50	6,512	33.75	7,756	38.00	9,040	42.25	10,355



## Capacity/Gauge Table Information

**TCLX 290448**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 248

Reporting Mark: TCLX 290448

Date: 24/06/2015

Capacity: 29,001 US Gallons (109,780 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,433	46.75	11,772	51.00	13,126	55.25	14,486	59.50	15,845
42.75	10,512	47.00	11,852	51.25	13,206	55.50	14,566	59.75	15,925
43.00	10,590	47.25	11,931	51.50	13,286	55.75	14,646	60.00	16,005
43.25	10,668	47.50	12,011	51.75	13,366	56.00	14,726	60.25	16,084
43.50	10,747	47.75	12,090	52.00	13,446	56.25	14,806	60.50	16,164
43.75	10,825	48.00	12,169	52.25	13,526	56.50	14,886	60.75	16,244
44.00	10,904	48.25	12,249	52.50	13,606	56.75	14,966	61.00	16,323
44.25	10,983	48.50	12,328	52.75	13,686	57.00	15,046	61.25	16,403
44.50	11,061	48.75	12,408	53.00	13,766	57.25	15,126	61.50	16,482
44.75	11,140	49.00	12,488	53.25	13,846	57.50	15,206	61.75	16,562
45.00	11,219	49.25	12,567	53.50	13,926	57.75	15,286	62.00	16,641
45.25	11,298	49.50	12,647	53.75	14,006	58.00	15,366	62.25	16,720
45.50	11,377	49.75	12,727	54.00	14,086	58.25	15,446	62.50	16,800
45.75	11,456	50.00	12,807	54.25	14,166	58.50	15,526	62.75	16,879
46.00	11,535	50.25	12,886	54.50	14,246	58.75	15,606	63.00	16,958
46.25	11,614	50.50	12,966	54.75	14,326	59.00	15,686	63.25	17,037
46.50	11,693	50.75	13,046	55.00	14,406	59.25	15,765	63.50	17,117



## Capacity/Gauge Table Information

**TCLX 290448**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 248

Reporting Mark: TCLX 290448

Date: 24/06/2015

Capacity: 29,001 US Gallons (109,780 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,196	68.00	18,530	72.25	19,840	76.50	21,117	80.75	22,352
64.00	17,275	68.25	18,608	72.50	19,916	76.75	21,191	81.00	22,423
64.25	17,354	68.50	18,685	72.75	19,992	77.00	21,264	81.25	22,494
64.50	17,433	68.75	18,763	73.00	20,068	77.25	21,338	81.50	22,565
64.75	17,511	69.00	18,841	73.25	20,143	77.50	21,412	81.75	22,636
65.00	17,590	69.25	18,918	73.50	20,219	77.75	21,485	82.00	22,706
65.25	17,669	69.50	18,995	73.75	20,295	78.00	21,558	82.25	22,777
65.50	17,747	69.75	19,073	74.00	20,370	78.25	21,631	82.50	22,847
65.75	17,826	70.00	19,150	74.25	20,445	78.50	21,704	82.75	22,917
66.00	17,905	70.25	19,227	74.50	20,520	78.75	21,777	83.00	22,986
66.25	17,983	70.50	19,304	74.75	20,595	79.00	21,849	83.25	23,056
66.50	18,061	70.75	19,381	75.00	20,670	79.25	21,922	83.50	23,125
66.75	18,140	71.00	19,457	75.25	20,745	79.50	21,994	83.75	23,194
67.00	18,218	71.25	19,534	75.50	20,820	79.75	22,066	84.00	23,263
67.25	18,296	71.50	19,611	75.75	20,894	80.00	22,138	84.25	23,332
67.50	18,374	71.75	19,687	76.00	20,969	80.25	22,209	84.50	23,400
67.75	18,452	72.00	19,763	76.25	21,043	80.50	22,281	84.75	23,468



## Capacity/Gauge Table Information

**TCLX 290448**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 248

Reporting Mark: TCLX 290448

Date: 24/06/2015

Capacity: 29,001 US Gallons (109,780 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,536	89.25	24,658	93.50	25,706	97.75	26,664	102.00	27,514
85.25	23,604	89.50	24,722	93.75	25,765	98.00	26,717	102.25	27,560
85.50	23,672	89.75	24,786	94.00	25,824	98.25	26,770	102.50	27,605
85.75	23,739	90.00	24,849	94.25	25,882	98.50	26,823	102.75	27,650
86.00	23,806	90.25	24,912	94.50	25,940	98.75	26,875	103.00	27,695
86.25	23,873	90.50	24,975	94.75	25,998	99.00	26,926	103.25	27,739
86.50	23,940	90.75	25,037	95.00	26,055	99.25	26,977	103.50	27,783
86.75	24,007	91.00	25,100	95.25	26,112	99.50	27,028	103.75	27,826
87.00	24,073	91.25	25,162	95.50	26,169	99.75	27,079	104.00	27,869
87.25	24,139	91.50	25,223	95.75	26,225	100.00	27,129	104.25	27,911
87.50	24,205	91.75	25,285	96.00	26,282	100.25	27,178	104.50	27,952
87.75	24,270	92.00	25,346	96.25	26,337	100.50	27,228	104.75	27,993
88.00	24,336	92.25	25,406	96.50	26,393	100.75	27,276	105.00	28,034
88.25	24,401	92.50	25,467	96.75	26,448	101.00	27,325	105.25	28,074
88.50	24,466	92.75	25,527	97.00	26,502	101.25	27,373	105.50	28,113
88.75	24,530	93.00	25,587	97.25	26,557	101.50	27,420	105.75	28,152
89.00	24,594	93.25	25,647	97.50	26,611	101.75	27,467	106.00	28,190





## Capacity/Gauge Table Information

**TCLX 290448**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 248

Reporting Mark: TCLX 290448

Date: 24/06/2015

Capacity: 29,001 US Gallons (109,780 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,227	110.50	28,757	114.75	28,987
106.50	28,264	110.75	28,780	115.00	28,991
106.75	28,301	111.00	28,803	115.25	28,994
107.00	28,336	111.25	28,823	115.50	28,996
107.25	28,371	111.50	28,843	115.75	28,998
107.50	28,406	111.75	28,861	116.00	29,000
107.75	28,439	112.00	28,878	116.25	29,000
108.00	28,472	112.25	28,893	116.50	29,001
108.25	28,504	112.50	28,907	116.75	29,001
108.50	28,536	112.75	28,921		
108.75	28,566	113.00	28,932		
109.00	28,596	113.25	28,943		
109.25	28,625	113.50	28,953		
109.50	28,654	113.75	28,962		
109.75	28,681	114.00	28,969		
110.00	28,707	114.25	28,976		
110.25	28,733	114.50	28,982		



## Capacity/Gauge Table Information

**TCLX 290449**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 249

Reporting Mark: TCLX 290449

Date: 26/06/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,338	12.75	2,220	17.00	3,206
0.25	28	4.50	624	8.75	1,387	13.00	2,276	17.25	3,267
0.50	58	4.75	665	9.00	1,436	13.25	2,331	17.50	3,328
0.75	88	5.00	706	9.25	1,485	13.50	2,387	17.75	3,389
1.00	118	5.25	748	9.50	1,535	13.75	2,444	18.00	3,451
1.25	150	5.50	791	9.75	1,586	14.00	2,500	18.25	3,513
1.50	183	5.75	833	10.00	1,636	14.25	2,557	18.50	3,575
1.75	216	6.00	877	10.25	1,687	14.50	2,615	18.75	3,637
2.00	250	6.25	921	10.50	1,739	14.75	2,672	19.00	3,700
2.25	284	6.50	965	10.75	1,791	15.00	2,730	19.25	3,763
2.50	319	6.75	1,010	11.00	1,843	15.25	2,789	19.50	3,826
2.75	355	7.00	1,056	11.25	1,896	15.50	2,847	19.75	3,890
3.00	392	7.25	1,102	11.50	1,949	15.75	2,906	20.00	3,954
3.25	429	7.50	1,148	11.75	2,003	16.00	2,966	20.25	4,018
3.50	467	7.75	1,195	12.00	2,057	16.25	3,025	20.50	4,082
3.75	505	8.00	1,242	12.25	2,111	16.50	3,085	20.75	4,146
4.00	544	8.25	1,290	12.50	2,165	16.75	3,145	21.00	4,211



## Capacity/Gauge Table Information

**TCLX 290449**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 249

Reporting Mark: TCLX 290449

Date: 26/06/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,276	25.50	5,418	29.75	6,618	34.00	7,867	38.25	9,155
21.50	4,342	25.75	5,487	30.00	6,691	34.25	7,942	38.50	9,232
21.75	4,407	26.00	5,556	30.25	6,763	34.50	8,017	38.75	9,309
22.00	4,473	26.25	5,626	30.50	6,835	34.75	8,092	39.00	9,386
22.25	4,539	26.50	5,695	30.75	6,908	35.00	8,167	39.25	9,463
22.50	4,605	26.75	5,765	31.00	6,981	35.25	8,242	39.50	9,540
22.75	4,672	27.00	5,835	31.25	7,054	35.50	8,318	39.75	9,617
23.00	4,739	27.25	5,906	31.50	7,127	35.75	8,393	40.00	9,694
23.25	4,806	27.50	5,976	31.75	7,201	36.00	8,469	40.25	9,772
23.50	4,873	27.75	6,047	32.00	7,274	36.25	8,545	40.50	9,849
23.75	4,940	28.00	6,118	32.25	7,348	36.50	8,621	40.75	9,927
24.00	5,008	28.25	6,189	32.50	7,421	36.75	8,697	41.00	10,005
24.25	5,076	28.50	6,260	32.75	7,495	37.00	8,773	41.25	10,083
24.50	5,144	28.75	6,331	33.00	7,569	37.25	8,849	41.50	10,161
24.75	5,212	29.00	6,403	33.25	7,644	37.50	8,925	41.75	10,239
25.00	5,280	29.25	6,474	33.50	7,718	37.75	9,002	42.00	10,317
25.25	5,349	29.50	6,546	33.75	7,793	38.00	9,078	42.25	10,395



## Capacity/Gauge Table Information

**TCLX 290449**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 249

Reporting Mark: TCLX 290449

Date: 26/06/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,473	46.75	11,813	51.00	13,167	55.25	14,527	59.50	15,886
42.75	10,551	47.00	11,892	51.25	13,247	55.50	14,607	59.75	15,966
43.00	10,630	47.25	11,972	51.50	13,327	55.75	14,687	60.00	16,045
43.25	10,708	47.50	12,051	51.75	13,407	56.00	14,767	60.25	16,125
43.50	10,787	47.75	12,131	52.00	13,487	56.25	14,847	60.50	16,205
43.75	10,865	48.00	12,210	52.25	13,567	56.50	14,927	60.75	16,284
44.00	10,944	48.25	12,290	52.50	13,647	56.75	15,007	61.00	16,364
44.25	11,023	48.50	12,369	52.75	13,727	57.00	15,087	61.25	16,443
44.50	11,101	48.75	12,449	53.00	13,807	57.25	15,167	61.50	16,523
44.75	11,180	49.00	12,528	53.25	13,887	57.50	15,247	61.75	16,602
45.00	11,259	49.25	12,608	53.50	13,967	57.75	15,327	62.00	16,682
45.25	11,338	49.50	12,688	53.75	14,047	58.00	15,407	62.25	16,761
45.50	11,417	49.75	12,768	54.00	14,127	58.25	15,487	62.50	16,840
45.75	11,496	50.00	12,847	54.25	14,207	58.50	15,567	62.75	16,920
46.00	11,575	50.25	12,927	54.50	14,287	58.75	15,647	63.00	16,999
46.25	11,654	50.50	13,007	54.75	14,367	59.00	15,726	63.25	17,078
46.50	11,734	50.75	13,087	55.00	14,447	59.25	15,806	63.50	17,157



## Capacity/Gauge Table Information

**TCLX 290449**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 249

Reporting Mark: TCLX 290449

Date: 26/06/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,236	68.00	18,569	72.25	19,878	76.50	21,153	80.75	22,386
64.00	17,315	68.25	18,647	72.50	19,954	76.75	21,227	81.00	22,457
64.25	17,394	68.50	18,725	72.75	20,030	77.00	21,300	81.25	22,528
64.50	17,473	68.75	18,802	73.00	20,105	77.25	21,374	81.50	22,599
64.75	17,551	69.00	18,880	73.25	20,181	77.50	21,447	81.75	22,669
65.00	17,630	69.25	18,957	73.50	20,257	77.75	21,520	82.00	22,739
65.25	17,709	69.50	19,034	73.75	20,332	78.00	21,593	82.25	22,809
65.50	17,787	69.75	19,111	74.00	20,407	78.25	21,666	82.50	22,879
65.75	17,866	70.00	19,188	74.25	20,482	78.50	21,739	82.75	22,949
66.00	17,944	70.25	19,265	74.50	20,557	78.75	21,812	83.00	23,019
66.25	18,023	70.50	19,342	74.75	20,632	79.00	21,884	83.25	23,088
66.50	18,101	70.75	19,419	75.00	20,707	79.25	21,956	83.50	23,157
66.75	18,179	71.00	19,496	75.25	20,782	79.50	22,028	83.75	23,226
67.00	18,257	71.25	19,572	75.50	20,856	79.75	22,100	84.00	23,295
67.25	18,335	71.50	19,649	75.75	20,931	80.00	22,172	84.25	23,363
67.50	18,413	71.75	19,725	76.00	21,005	80.25	22,243	84.50	23,431
67.75	18,491	72.00	19,801	76.25	21,079	80.50	22,315	84.75	23,499



## Capacity/Gauge Table Information

**TCLX 290449**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 249

Reporting Mark: TCLX 290449

Date: 26/06/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,567	89.25	24,686	93.50	25,729	97.75	26,682	102.00	27,526
85.25	23,635	89.50	24,750	93.75	25,788	98.00	26,735	102.25	27,571
85.50	23,702	89.75	24,813	94.00	25,846	98.25	26,788	102.50	27,617
85.75	23,770	90.00	24,876	94.25	25,905	98.50	26,840	102.75	27,661
86.00	23,837	90.25	24,939	94.50	25,962	98.75	26,892	103.00	27,705
86.25	23,903	90.50	25,001	94.75	26,020	99.00	26,943	103.25	27,749
86.50	23,970	90.75	25,063	95.00	26,077	99.25	26,994	103.50	27,792
86.75	24,036	91.00	25,125	95.25	26,134	99.50	27,044	103.75	27,835
87.00	24,102	91.25	25,187	95.50	26,190	99.75	27,094	104.00	27,877
87.25	24,168	91.50	25,249	95.75	26,246	100.00	27,144	104.25	27,919
87.50	24,234	91.75	25,310	96.00	26,302	100.25	27,193	104.50	27,960
87.75	24,299	92.00	25,371	96.25	26,357	100.50	27,242	104.75	28,000
88.00	24,364	92.25	25,431	96.50	26,412	100.75	27,290	105.00	28,040
88.25	24,429	92.50	25,491	96.75	26,467	101.00	27,338	105.25	28,080
88.50	24,494	92.75	25,551	97.00	26,522	101.25	27,386	105.50	28,119
88.75	24,558	93.00	25,611	97.25	26,576	101.50	27,433	105.75	28,157
89.00	24,622	93.25	25,670	97.50	26,629	101.75	27,480	106.00	28,195



## Capacity/Gauge Table Information

**TCLX 290449**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 249

Reporting Mark: TCLX 290449

Date: 26/06/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,232	110.50	28,749	114.75	28,965
106.50	28,268	110.75	28,771	115.00	28,969
106.75	28,304	111.00	28,792	115.25	28,972
107.00	28,339	111.25	28,812	115.50	28,974
107.25	28,373	111.50	28,830	115.75	28,976
107.50	28,407	111.75	28,847	116.00	28,977
107.75	28,440	112.00	28,862	116.25	28,978
108.00	28,472	112.25	28,877	116.50	28,978
108.25	28,504	112.50	28,890	116.75	28,978
108.50	28,534	112.75	28,903		
108.75	28,564	113.00	28,914		
109.00	28,594	113.25	28,924		
109.25	28,622	113.50	28,933		
109.50	28,649	113.75	28,941		
109.75	28,676	114.00	28,948		
110.00	28,701	114.25	28,955		
110.25	28,726	114.50	28,960		





## Capacity/Gauge Table Information

**TCLX 290450**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 250

Reporting Mark: TCLX 290450

Date: 26/06/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	584	8.50	1,338	12.75	2,220	17.00	3,205
0.25	28	4.50	624	8.75	1,386	13.00	2,275	17.25	3,266
0.50	58	4.75	665	9.00	1,435	13.25	2,331	17.50	3,327
0.75	88	5.00	706	9.25	1,485	13.50	2,387	17.75	3,389
1.00	118	5.25	748	9.50	1,535	13.75	2,443	18.00	3,450
1.25	150	5.50	790	9.75	1,585	14.00	2,500	18.25	3,512
1.50	182	5.75	833	10.00	1,636	14.25	2,557	18.50	3,574
1.75	216	6.00	877	10.25	1,687	14.50	2,614	18.75	3,637
2.00	249	6.25	921	10.50	1,739	14.75	2,672	19.00	3,699
2.25	284	6.50	965	10.75	1,791	15.00	2,730	19.25	3,762
2.50	319	6.75	1,010	11.00	1,843	15.25	2,788	19.50	3,826
2.75	355	7.00	1,055	11.25	1,896	15.50	2,847	19.75	3,889
3.00	392	7.25	1,101	11.50	1,949	15.75	2,906	20.00	3,953
3.25	429	7.50	1,148	11.75	2,002	16.00	2,965	20.25	4,017
3.50	467	7.75	1,195	12.00	2,056	16.25	3,025	20.50	4,081
3.75	505	8.00	1,242	12.25	2,110	16.50	3,085	20.75	4,146
4.00	544	8.25	1,290	12.50	2,165	16.75	3,145	21.00	4,211



## Capacity/Gauge Table Information

**TCLX 290450**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 250

Reporting Mark: TCLX 290450

Date: 26/06/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,276	25.50	5,417	29.75	6,618	34.00	7,867	38.25	9,154
21.50	4,341	25.75	5,486	30.00	6,690	34.25	7,941	38.50	9,231
21.75	4,407	26.00	5,556	30.25	6,762	34.50	8,016	38.75	9,308
22.00	4,473	26.25	5,625	30.50	6,835	34.75	8,091	39.00	9,385
22.25	4,539	26.50	5,695	30.75	6,908	35.00	8,166	39.25	9,462
22.50	4,605	26.75	5,765	31.00	6,981	35.25	8,242	39.50	9,539
22.75	4,671	27.00	5,835	31.25	7,054	35.50	8,317	39.75	9,617
23.00	4,738	27.25	5,905	31.50	7,127	35.75	8,393	40.00	9,694
23.25	4,805	27.50	5,976	31.75	7,200	36.00	8,468	40.25	9,771
23.50	4,872	27.75	6,046	32.00	7,274	36.25	8,544	40.50	9,849
23.75	4,940	28.00	6,117	32.25	7,347	36.50	8,620	40.75	9,927
24.00	5,007	28.25	6,188	32.50	7,421	36.75	8,696	41.00	10,004
24.25	5,075	28.50	6,259	32.75	7,495	37.00	8,772	41.25	10,082
24.50	5,143	28.75	6,331	33.00	7,569	37.25	8,848	41.50	10,160
24.75	5,211	29.00	6,402	33.25	7,643	37.50	8,925	41.75	10,238
25.00	5,280	29.25	6,474	33.50	7,718	37.75	9,001	42.00	10,316
25.25	5,349	29.50	6,546	33.75	7,792	38.00	9,078	42.25	10,394



## Capacity/Gauge Table Information

**TCLX 290450**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 250

Reporting Mark: TCLX 290450

Date: 26/06/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,472	46.75	11,812	51.00	13,166	55.25	14,527	59.50	15,886
42.75	10,551	47.00	11,892	51.25	13,246	55.50	14,607	59.75	15,965
43.00	10,629	47.25	11,971	51.50	13,326	55.75	14,687	60.00	16,045
43.25	10,708	47.50	12,050	51.75	13,406	56.00	14,767	60.25	16,125
43.50	10,786	47.75	12,130	52.00	13,486	56.25	14,847	60.50	16,204
43.75	10,865	48.00	12,209	52.25	13,566	56.50	14,927	60.75	16,284
44.00	10,943	48.25	12,289	52.50	13,646	56.75	15,007	61.00	16,363
44.25	11,022	48.50	12,369	52.75	13,726	57.00	15,087	61.25	16,443
44.50	11,101	48.75	12,448	53.00	13,806	57.25	15,167	61.50	16,522
44.75	11,180	49.00	12,528	53.25	13,886	57.50	15,247	61.75	16,602
45.00	11,258	49.25	12,608	53.50	13,966	57.75	15,327	62.00	16,681
45.25	11,337	49.50	12,687	53.75	14,046	58.00	15,407	62.25	16,761
45.50	11,416	49.75	12,767	54.00	14,126	58.25	15,486	62.50	16,840
45.75	11,496	50.00	12,847	54.25	14,206	58.50	15,566	62.75	16,919
46.00	11,575	50.25	12,927	54.50	14,286	58.75	15,646	63.00	16,998
46.25	11,654	50.50	13,007	54.75	14,366	59.00	15,726	63.25	17,077
46.50	11,733	50.75	13,086	55.00	14,447	59.25	15,806	63.50	17,156



## Capacity/Gauge Table Information

**TCLX 290450**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 250

Reporting Mark: TCLX 290450

Date: 26/06/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,236	68.00	18,569	72.25	19,877	76.50	21,152	80.75	22,386
64.00	17,314	68.25	18,646	72.50	19,953	76.75	21,226	81.00	22,457
64.25	17,393	68.50	18,724	72.75	20,029	77.00	21,300	81.25	22,528
64.50	17,472	68.75	18,802	73.00	20,105	77.25	21,373	81.50	22,598
64.75	17,551	69.00	18,879	73.25	20,181	77.50	21,447	81.75	22,669
65.00	17,630	69.25	18,957	73.50	20,256	77.75	21,520	82.00	22,739
65.25	17,708	69.50	19,034	73.75	20,332	78.00	21,593	82.25	22,809
65.50	17,787	69.75	19,111	74.00	20,407	78.25	21,666	82.50	22,879
65.75	17,865	70.00	19,188	74.25	20,482	78.50	21,739	82.75	22,949
66.00	17,944	70.25	19,265	74.50	20,557	78.75	21,811	83.00	23,018
66.25	18,022	70.50	19,342	74.75	20,632	79.00	21,884	83.25	23,088
66.50	18,101	70.75	19,419	75.00	20,707	79.25	21,956	83.50	23,157
66.75	18,179	71.00	19,495	75.25	20,781	79.50	22,028	83.75	23,226
67.00	18,257	71.25	19,572	75.50	20,856	79.75	22,100	84.00	23,294
67.25	18,335	71.50	19,648	75.75	20,930	80.00	22,172	84.25	23,363
67.50	18,413	71.75	19,725	76.00	21,004	80.25	22,243	84.50	23,431
67.75	18,491	72.00	19,801	76.25	21,079	80.50	22,315	84.75	23,499



## Capacity/Gauge Table Information

**TCLX 290450**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 250

Reporting Mark: TCLX 290450

Date: 26/06/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,567	89.25	24,686	93.50	25,729	97.75	26,682	102.00	27,526
85.25	23,635	89.50	24,749	93.75	25,788	98.00	26,735	102.25	27,572
85.50	23,702	89.75	24,813	94.00	25,846	98.25	26,788	102.50	27,617
85.75	23,769	90.00	24,876	94.25	25,905	98.50	26,840	102.75	27,661
86.00	23,836	90.25	24,939	94.50	25,962	98.75	26,892	103.00	27,706
86.25	23,903	90.50	25,001	94.75	26,020	99.00	26,943	103.25	27,749
86.50	23,970	90.75	25,063	95.00	26,077	99.25	26,994	103.50	27,793
86.75	24,036	91.00	25,125	95.25	26,134	99.50	27,044	103.75	27,835
87.00	24,102	91.25	25,187	95.50	26,190	99.75	27,094	104.00	27,877
87.25	24,168	91.50	25,248	95.75	26,246	100.00	27,144	104.25	27,919
87.50	24,233	91.75	25,310	96.00	26,302	100.25	27,193	104.50	27,960
87.75	24,299	92.00	25,370	96.25	26,357	100.50	27,242	104.75	28,001
88.00	24,364	92.25	25,431	96.50	26,412	100.75	27,291	105.00	28,041
88.25	24,429	92.50	25,491	96.75	26,467	101.00	27,339	105.25	28,080
88.50	24,493	92.75	25,551	97.00	26,522	101.25	27,386	105.50	28,119
88.75	24,558	93.00	25,611	97.25	26,576	101.50	27,433	105.75	28,157
89.00	24,622	93.25	25,670	97.50	26,629	101.75	27,480	106.00	28,195



## Capacity/Gauge Table Information

**TCLX 290450**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 250

Reporting Mark: TCLX 290450

Date: 26/06/2015

Capacity: 28,979 US Gallons (109,696 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,232	110.50	28,750	114.75	28,965
106.50	28,268	110.75	28,772	115.00	28,969
106.75	28,304	111.00	28,792	115.25	28,972
107.00	28,339	111.25	28,812	115.50	28,974
107.25	28,373	111.50	28,830	115.75	28,976
107.50	28,407	111.75	28,847	116.00	28,977
107.75	28,440	112.00	28,863	116.25	28,978
108.00	28,472	112.25	28,877	116.50	28,978
108.25	28,504	112.50	28,891	116.75	28,979
108.50	28,535	112.75	28,903		
108.75	28,565	113.00	28,914		
109.00	28,594	113.25	28,925		
109.25	28,622	113.50	28,934		
109.50	28,650	113.75	28,942		
109.75	28,676	114.00	28,949		
110.00	28,702	114.25	28,955		
110.25	28,726	114.50	28,961		



## Capacity/Gauge Table Information

**TCLX 290451**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 251

Reporting Mark: TCLX 290451

Date: 26/06/2015

Capacity: 28,981 US Gallons (109,706 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,223	17.00	3,209
0.25	28	4.50	625	8.75	1,389	13.00	2,278	17.25	3,270
0.50	58	4.75	666	9.00	1,438	13.25	2,334	17.50	3,331
0.75	88	5.00	707	9.25	1,487	13.50	2,390	17.75	3,392
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,454
1.25	150	5.50	792	9.75	1,588	14.00	2,503	18.25	3,516
1.50	183	5.75	835	10.00	1,638	14.25	2,560	18.50	3,578
1.75	216	6.00	878	10.25	1,690	14.50	2,618	18.75	3,641
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,704
2.25	285	6.50	967	10.75	1,793	15.00	2,733	19.25	3,767
2.50	320	6.75	1,012	11.00	1,846	15.25	2,792	19.50	3,830
2.75	356	7.00	1,057	11.25	1,898	15.50	2,851	19.75	3,894
3.00	393	7.25	1,103	11.50	1,952	15.75	2,910	20.00	3,957
3.25	430	7.50	1,150	11.75	2,005	16.00	2,969	20.25	4,021
3.50	468	7.75	1,197	12.00	2,059	16.25	3,028	20.50	4,086
3.75	506	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,150
4.00	545	8.25	1,292	12.50	2,168	16.75	3,149	21.00	4,215





## Capacity/Gauge Table Information

**TCLX 290451**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 251

Reporting Mark: TCLX 290451

Date: 26/06/2015

Capacity: 28,981 US Gallons (109,706 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,280	25.50	5,422	29.75	6,623	34.00	7,873	38.25	9,161
21.50	4,346	25.75	5,492	30.00	6,696	34.25	7,947	38.50	9,238
21.75	4,411	26.00	5,561	30.25	6,768	34.50	8,022	38.75	9,315
22.00	4,477	26.25	5,630	30.50	6,841	34.75	8,097	39.00	9,392
22.25	4,543	26.50	5,700	30.75	6,913	35.00	8,173	39.25	9,469
22.50	4,609	26.75	5,770	31.00	6,986	35.25	8,248	39.50	9,546
22.75	4,676	27.00	5,840	31.25	7,059	35.50	8,323	39.75	9,623
23.00	4,743	27.25	5,910	31.50	7,132	35.75	8,399	40.00	9,700
23.25	4,810	27.50	5,981	31.75	7,206	36.00	8,475	40.25	9,778
23.50	4,877	27.75	6,052	32.00	7,279	36.25	8,550	40.50	9,856
23.75	4,944	28.00	6,122	32.25	7,353	36.50	8,626	40.75	9,933
24.00	5,012	28.25	6,193	32.50	7,427	36.75	8,702	41.00	10,011
24.25	5,080	28.50	6,265	32.75	7,501	37.00	8,778	41.25	10,089
24.50	5,148	28.75	6,336	33.00	7,575	37.25	8,855	41.50	10,167
24.75	5,216	29.00	6,408	33.25	7,649	37.50	8,931	41.75	10,245
25.00	5,285	29.25	6,479	33.50	7,723	37.75	9,008	42.00	10,323
25.25	5,353	29.50	6,551	33.75	7,798	38.00	9,084	42.25	10,401



## Capacity/Gauge Table Information

**TCLX 290451**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 251

Reporting Mark: TCLX 290451

Date: 26/06/2015

Capacity: 28,981 US Gallons (109,706 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,479	46.75	11,819	51.00	13,174	55.25	14,534	59.50	15,893
42.75	10,557	47.00	11,899	51.25	13,254	55.50	14,614	59.75	15,973
43.00	10,636	47.25	11,978	51.50	13,334	55.75	14,694	60.00	16,053
43.25	10,714	47.50	12,058	51.75	13,414	56.00	14,774	60.25	16,132
43.50	10,793	47.75	12,137	52.00	13,493	56.25	14,854	60.50	16,212
43.75	10,871	48.00	12,217	52.25	13,573	56.50	14,934	60.75	16,292
44.00	10,950	48.25	12,296	52.50	13,654	56.75	15,014	61.00	16,371
44.25	11,029	48.50	12,376	52.75	13,734	57.00	15,094	61.25	16,451
44.50	11,108	48.75	12,455	53.00	13,814	57.25	15,174	61.50	16,530
44.75	11,186	49.00	12,535	53.25	13,894	57.50	15,254	61.75	16,610
45.00	11,265	49.25	12,615	53.50	13,974	57.75	15,334	62.00	16,689
45.25	11,344	49.50	12,695	53.75	14,054	58.00	15,414	62.25	16,768
45.50	11,423	49.75	12,774	54.00	14,134	58.25	15,494	62.50	16,848
45.75	11,503	50.00	12,854	54.25	14,214	58.50	15,574	62.75	16,927
46.00	11,582	50.25	12,934	54.50	14,294	58.75	15,654	63.00	17,006
46.25	11,661	50.50	13,014	54.75	14,374	59.00	15,734	63.25	17,085
46.50	11,740	50.75	13,094	55.00	14,454	59.25	15,813	63.50	17,164



## Capacity/Gauge Table Information

**TCLX 290451**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 251

Reporting Mark: TCLX 290451

Date: 26/06/2015

Capacity: 28,981 US Gallons (109,706 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,243	68.00	18,577	72.25	19,885	76.50	21,160	80.75	22,394
64.00	17,322	68.25	18,654	72.50	19,961	76.75	21,234	81.00	22,465
64.25	17,401	68.50	18,732	72.75	20,037	77.00	21,308	81.25	22,536
64.50	17,480	68.75	18,810	73.00	20,113	77.25	21,381	81.50	22,606
64.75	17,559	69.00	18,887	73.25	20,189	77.50	21,455	81.75	22,677
65.00	17,638	69.25	18,964	73.50	20,264	77.75	21,528	82.00	22,747
65.25	17,716	69.50	19,042	73.75	20,340	78.00	21,601	82.25	22,817
65.50	17,795	69.75	19,119	74.00	20,415	78.25	21,674	82.50	22,887
65.75	17,873	70.00	19,196	74.25	20,490	78.50	21,747	82.75	22,957
66.00	17,952	70.25	19,273	74.50	20,565	78.75	21,819	83.00	23,026
66.25	18,030	70.50	19,350	74.75	20,640	79.00	21,892	83.25	23,095
66.50	18,109	70.75	19,427	75.00	20,715	79.25	21,964	83.50	23,165
66.75	18,187	71.00	19,503	75.25	20,789	79.50	22,036	83.75	23,234
67.00	18,265	71.25	19,580	75.50	20,864	79.75	22,108	84.00	23,302
67.25	18,343	71.50	19,656	75.75	20,938	80.00	22,180	84.25	23,371
67.50	18,421	71.75	19,733	76.00	21,012	80.25	22,251	84.50	23,439
67.75	18,499	72.00	19,809	76.25	21,087	80.50	22,322	84.75	23,507



## Capacity/Gauge Table Information

**TCLX 290451**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 251

Reporting Mark: TCLX 290451

Date: 26/06/2015

Capacity: 28,981 US Gallons (109,706 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,575	89.25	24,693	93.50	25,737	97.75	26,689	102.00	27,532
85.25	23,643	89.50	24,757	93.75	25,795	98.00	26,742	102.25	27,578
85.50	23,710	89.75	24,820	94.00	25,854	98.25	26,795	102.50	27,623
85.75	23,777	90.00	24,883	94.25	25,912	98.50	26,847	102.75	27,668
86.00	23,844	90.25	24,946	94.50	25,970	98.75	26,899	103.00	27,712
86.25	23,911	90.50	25,009	94.75	26,027	99.00	26,950	103.25	27,756
86.50	23,977	90.75	25,071	95.00	26,084	99.25	27,001	103.50	27,799
86.75	24,044	91.00	25,133	95.25	26,141	99.50	27,051	103.75	27,841
87.00	24,110	91.25	25,195	95.50	26,197	99.75	27,101	104.00	27,884
87.25	24,176	91.50	25,256	95.75	26,253	100.00	27,151	104.25	27,925
87.50	24,241	91.75	25,317	96.00	26,309	100.25	27,200	104.50	27,966
87.75	24,307	92.00	25,378	96.25	26,365	100.50	27,249	104.75	28,007
88.00	24,372	92.25	25,438	96.50	26,420	100.75	27,297	105.00	28,047
88.25	24,437	92.50	25,499	96.75	26,474	101.00	27,345	105.25	28,086
88.50	24,501	92.75	25,559	97.00	26,529	101.25	27,393	105.50	28,125
88.75	24,566	93.00	25,618	97.25	26,583	101.50	27,440	105.75	28,163
89.00	24,630	93.25	25,678	97.50	26,636	101.75	27,486	106.00	28,201



## Capacity/Gauge Table Information

**TCLX 290451**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 251

Reporting Mark: TCLX 290451

Date: 26/06/2015

Capacity: 28,981 US Gallons (109,706 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,238	110.50	28,754	114.75	28,968
106.50	28,274	110.75	28,776	115.00	28,972
106.75	28,310	111.00	28,796	115.25	28,975
107.00	28,345	111.25	28,816	115.50	28,977
107.25	28,379	111.50	28,834	115.75	28,979
107.50	28,413	111.75	28,851	116.00	28,980
107.75	28,446	112.00	28,866	116.25	28,981
108.00	28,478	112.25	28,881	116.50	28,981
108.25	28,509	112.50	28,894	116.75	28,981
108.50	28,540	112.75	28,906		
108.75	28,570	113.00	28,918		
109.00	28,599	113.25	28,928		
109.25	28,627	113.50	28,937		
109.50	28,654	113.75	28,945		
109.75	28,681	114.00	28,952		
110.00	28,706	114.25	28,958		
110.25	28,731	114.50	28,963		



## Capacity/Gauge Table Information

**TCLX 290452**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 252

Reporting Mark: TCLX 290452

Date: 26/06/2015

Capacity: 28,946 US Gallons (109,573 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,344	12.75	2,228	17.00	3,215
0.25	29	4.50	628	8.75	1,393	13.00	2,284	17.25	3,276
0.50	58	4.75	669	9.00	1,442	13.25	2,339	17.50	3,337
0.75	88	5.00	710	9.25	1,492	13.50	2,396	17.75	3,399
1.00	119	5.25	752	9.50	1,542	13.75	2,452	18.00	3,460
1.25	151	5.50	795	9.75	1,592	14.00	2,509	18.25	3,522
1.50	184	5.75	838	10.00	1,643	14.25	2,566	18.50	3,585
1.75	217	6.00	881	10.25	1,694	14.50	2,623	18.75	3,647
2.00	251	6.25	926	10.50	1,746	14.75	2,681	19.00	3,710
2.25	286	6.50	970	10.75	1,798	15.00	2,739	19.25	3,773
2.50	322	6.75	1,015	11.00	1,851	15.25	2,798	19.50	3,836
2.75	358	7.00	1,061	11.25	1,903	15.50	2,856	19.75	3,900
3.00	394	7.25	1,107	11.50	1,957	15.75	2,915	20.00	3,964
3.25	432	7.50	1,153	11.75	2,010	16.00	2,975	20.25	4,028
3.50	470	7.75	1,200	12.00	2,064	16.25	3,034	20.50	4,092
3.75	508	8.00	1,248	12.25	2,118	16.50	3,094	20.75	4,157
4.00	548	8.25	1,296	12.50	2,173	16.75	3,155	21.00	4,222



## Capacity/Gauge Table Information

**TCLX 290452**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 252

Reporting Mark: TCLX 290452

Date: 26/06/2015

Capacity: 28,946 US Gallons (109,573 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,287	25.50	5,429	29.75	6,630	34.00	7,879	38.25	9,167
21.50	4,352	25.75	5,498	30.00	6,702	34.25	7,954	38.50	9,244
21.75	4,418	26.00	5,568	30.25	6,775	34.50	8,029	38.75	9,321
22.00	4,484	26.25	5,637	30.50	6,847	34.75	8,104	39.00	9,398
22.25	4,550	26.50	5,707	30.75	6,920	35.00	8,179	39.25	9,475
22.50	4,616	26.75	5,777	31.00	6,993	35.25	8,254	39.50	9,552
22.75	4,683	27.00	5,847	31.25	7,066	35.50	8,330	39.75	9,629
23.00	4,749	27.25	5,917	31.50	7,139	35.75	8,405	40.00	9,706
23.25	4,816	27.50	5,988	31.75	7,212	36.00	8,481	40.25	9,784
23.50	4,884	27.75	6,058	32.00	7,286	36.25	8,557	40.50	9,861
23.75	4,951	28.00	6,129	32.25	7,360	36.50	8,633	40.75	9,939
24.00	5,019	28.25	6,200	32.50	7,433	36.75	8,709	41.00	10,017
24.25	5,087	28.50	6,271	32.75	7,507	37.00	8,785	41.25	10,095
24.50	5,155	28.75	6,343	33.00	7,581	37.25	8,861	41.50	10,172
24.75	5,223	29.00	6,414	33.25	7,656	37.50	8,937	41.75	10,250
25.00	5,291	29.25	6,486	33.50	7,730	37.75	9,014	42.00	10,328
25.25	5,360	29.50	6,558	33.75	7,805	38.00	9,090	42.25	10,407





## Capacity/Gauge Table Information

**TCLX 290452**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 252

Reporting Mark: TCLX 290452

Date: 26/06/2015

Capacity: 28,946 US Gallons (109,573 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,485	46.75	11,824	51.00	13,178	55.25	14,537	59.50	15,895
42.75	10,563	47.00	11,904	51.25	13,258	55.50	14,617	59.75	15,975
43.00	10,641	47.25	11,983	51.50	13,337	55.75	14,697	60.00	16,054
43.25	10,720	47.50	12,062	51.75	13,417	56.00	14,777	60.25	16,134
43.50	10,798	47.75	12,142	52.00	13,497	56.25	14,857	60.50	16,214
43.75	10,877	48.00	12,221	52.25	13,577	56.50	14,937	60.75	16,293
44.00	10,955	48.25	12,301	52.50	13,657	56.75	15,017	61.00	16,373
44.25	11,034	48.50	12,380	52.75	13,737	57.00	15,097	61.25	16,452
44.50	11,113	48.75	12,460	53.00	13,817	57.25	15,177	61.50	16,531
44.75	11,192	49.00	12,540	53.25	13,897	57.50	15,257	61.75	16,611
45.00	11,271	49.25	12,619	53.50	13,977	57.75	15,337	62.00	16,690
45.25	11,350	49.50	12,699	53.75	14,057	58.00	15,416	62.25	16,769
45.50	11,429	49.75	12,779	54.00	14,137	58.25	15,496	62.50	16,849
45.75	11,508	50.00	12,858	54.25	14,217	58.50	15,576	62.75	16,928
46.00	11,587	50.25	12,938	54.50	14,297	58.75	15,656	63.00	17,007
46.25	11,666	50.50	13,018	54.75	14,377	59.00	15,736	63.25	17,086
46.50	11,745	50.75	13,098	55.00	14,457	59.25	15,815	63.50	17,165



## Capacity/Gauge Table Information

**TCLX 290452**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 252

Reporting Mark: TCLX 290452

Date: 26/06/2015

Capacity: 28,946 US Gallons (109,573 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,244	68.00	18,576	72.25	19,883	76.50	21,156	80.75	22,388
64.00	17,323	68.25	18,653	72.50	19,959	76.75	21,230	81.00	22,458
64.25	17,402	68.50	18,731	72.75	20,034	77.00	21,304	81.25	22,529
64.50	17,480	68.75	18,808	73.00	20,110	77.25	21,377	81.50	22,600
64.75	17,559	69.00	18,886	73.25	20,186	77.50	21,450	81.75	22,670
65.00	17,638	69.25	18,963	73.50	20,261	77.75	21,523	82.00	22,740
65.25	17,716	69.50	19,040	73.75	20,336	78.00	21,596	82.25	22,810
65.50	17,795	69.75	19,117	74.00	20,412	78.25	21,669	82.50	22,880
65.75	17,873	70.00	19,194	74.25	20,487	78.50	21,742	82.75	22,950
66.00	17,952	70.25	19,271	74.50	20,562	78.75	21,814	83.00	23,019
66.25	18,030	70.50	19,348	74.75	20,636	79.00	21,886	83.25	23,088
66.50	18,108	70.75	19,425	75.00	20,711	79.25	21,958	83.50	23,157
66.75	18,186	71.00	19,501	75.25	20,786	79.50	22,030	83.75	23,226
67.00	18,264	71.25	19,578	75.50	20,860	79.75	22,102	84.00	23,295
67.25	18,342	71.50	19,654	75.75	20,934	80.00	22,174	84.25	23,363
67.50	18,420	71.75	19,731	76.00	21,008	80.25	22,245	84.50	23,431
67.75	18,498	72.00	19,807	76.25	21,082	80.50	22,316	84.75	23,499



## Capacity/Gauge Table Information

**TCLX 290452**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 252

Reporting Mark: TCLX 290452

Date: 26/06/2015

Capacity: 28,946 US Gallons (109,573 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,567	89.25	24,683	93.50	25,724	97.75	26,674	102.00	27,513
85.25	23,634	89.50	24,746	93.75	25,782	98.00	26,726	102.25	27,559
85.50	23,702	89.75	24,810	94.00	25,841	98.25	26,779	102.50	27,604
85.75	23,769	90.00	24,873	94.25	25,898	98.50	26,831	102.75	27,648
86.00	23,836	90.25	24,935	94.50	25,956	98.75	26,882	103.00	27,692
86.25	23,902	90.50	24,998	94.75	26,013	99.00	26,933	103.25	27,736
86.50	23,969	90.75	25,060	95.00	26,070	99.25	26,984	103.50	27,779
86.75	24,035	91.00	25,121	95.25	26,127	99.50	27,034	103.75	27,821
87.00	24,101	91.25	25,183	95.50	26,183	99.75	27,084	104.00	27,863
87.25	24,166	91.50	25,244	95.75	26,239	100.00	27,133	104.25	27,904
87.50	24,232	91.75	25,305	96.00	26,295	100.25	27,183	104.50	27,945
87.75	24,297	92.00	25,366	96.25	26,350	100.50	27,231	104.75	27,985
88.00	24,362	92.25	25,426	96.50	26,405	100.75	27,279	105.00	28,025
88.25	24,427	92.50	25,486	96.75	26,459	101.00	27,327	105.25	28,064
88.50	24,491	92.75	25,546	97.00	26,513	101.25	27,374	105.50	28,103
88.75	24,555	93.00	25,606	97.25	26,567	101.50	27,421	105.75	28,141
89.00	24,619	93.25	25,665	97.50	26,621	101.75	27,467	106.00	28,178



## Capacity/Gauge Table Information

**TCLX 290452**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 252

Reporting Mark: TCLX 290452

Date: 26/06/2015

Capacity: 28,946 US Gallons (109,573 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,215	110.50	28,725	114.75	28,933
106.50	28,251	110.75	28,746	115.00	28,937
106.75	28,286	111.00	28,766	115.25	28,940
107.00	28,321	111.25	28,785	115.50	28,942
107.25	28,355	111.50	28,803	115.75	28,944
107.50	28,388	111.75	28,819	116.00	28,945
107.75	28,421	112.00	28,834	116.25	28,946
108.00	28,453	112.25	28,849	116.50	28,946
108.25	28,484	112.50	28,861	116.75	28,946
108.50	28,514	112.75	28,873		
108.75	28,544	113.00	28,884		
109.00	28,573	113.25	28,894		
109.25	28,600	113.50	28,903		
109.50	28,627	113.75	28,911		
109.75	28,653	114.00	28,918		
110.00	28,678	114.25	28,924		
110.25	28,702	114.50	28,929		



## Capacity/Gauge Table Information

**TCLX 290453**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 253

Reporting Mark: TCLX 290453

Date: 29/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,349	12.75	2,235	17.00	3,223
0.25	29	4.50	630	8.75	1,398	13.00	2,290	17.25	3,284
0.50	58	4.75	672	9.00	1,447	13.25	2,346	17.50	3,345
0.75	89	5.00	713	9.25	1,497	13.50	2,402	17.75	3,407
1.00	120	5.25	755	9.50	1,547	13.75	2,459	18.00	3,469
1.25	152	5.50	798	9.75	1,597	14.00	2,516	18.25	3,531
1.50	185	5.75	841	10.00	1,648	14.25	2,573	18.50	3,593
1.75	218	6.00	885	10.25	1,700	14.50	2,630	18.75	3,656
2.00	253	6.25	929	10.50	1,751	14.75	2,688	19.00	3,719
2.25	288	6.50	974	10.75	1,804	15.00	2,746	19.25	3,782
2.50	323	6.75	1,019	11.00	1,856	15.25	2,805	19.50	3,845
2.75	359	7.00	1,065	11.25	1,909	15.50	2,864	19.75	3,909
3.00	396	7.25	1,111	11.50	1,962	15.75	2,923	20.00	3,973
3.25	434	7.50	1,158	11.75	2,016	16.00	2,982	20.25	4,037
3.50	472	7.75	1,205	12.00	2,070	16.25	3,042	20.50	4,102
3.75	511	8.00	1,252	12.25	2,125	16.50	3,102	20.75	4,166
4.00	550	8.25	1,300	12.50	2,179	16.75	3,163	21.00	4,231



## Capacity/Gauge Table Information

**TCLX 290453**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 253

Reporting Mark: TCLX 290453

Date: 29/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,296	25.50	5,440	29.75	6,643	34.00	7,893	38.25	9,182
21.50	4,362	25.75	5,509	30.00	6,715	34.25	7,968	38.50	9,259
21.75	4,428	26.00	5,579	30.25	6,787	34.50	8,043	38.75	9,336
22.00	4,494	26.25	5,648	30.50	6,860	34.75	8,118	39.00	9,413
22.25	4,560	26.50	5,718	30.75	6,933	35.00	8,193	39.25	9,490
22.50	4,626	26.75	5,788	31.00	7,006	35.25	8,269	39.50	9,567
22.75	4,693	27.00	5,858	31.25	7,079	35.50	8,344	39.75	9,645
23.00	4,760	27.25	5,929	31.50	7,152	35.75	8,420	40.00	9,722
23.25	4,827	27.50	5,999	31.75	7,226	36.00	8,495	40.25	9,800
23.50	4,894	27.75	6,070	32.00	7,299	36.25	8,571	40.50	9,877
23.75	4,962	28.00	6,141	32.25	7,373	36.50	8,647	40.75	9,955
24.00	5,029	28.25	6,212	32.50	7,447	36.75	8,723	41.00	10,033
24.25	5,097	28.50	6,284	32.75	7,521	37.00	8,799	41.25	10,111
24.50	5,165	28.75	6,355	33.00	7,595	37.25	8,876	41.50	10,188
24.75	5,234	29.00	6,427	33.25	7,669	37.50	8,952	41.75	10,267
25.00	5,302	29.25	6,498	33.50	7,744	37.75	9,029	42.00	10,345
25.25	5,371	29.50	6,570	33.75	7,818	38.00	9,105	42.25	10,423



## Capacity/Gauge Table Information

**TCLX 290453**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 253

Reporting Mark: TCLX 290453

Date: 29/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,501	46.75	11,842	51.00	13,196	55.25	14,557	59.50	15,916
42.75	10,579	47.00	11,921	51.25	13,276	55.50	14,637	59.75	15,995
43.00	10,658	47.25	12,001	51.50	13,356	55.75	14,717	60.00	16,075
43.25	10,736	47.50	12,080	51.75	13,436	56.00	14,797	60.25	16,155
43.50	10,815	47.75	12,160	52.00	13,516	56.25	14,877	60.50	16,234
43.75	10,894	48.00	12,239	52.25	13,596	56.50	14,957	60.75	16,314
44.00	10,972	48.25	12,319	52.50	13,676	56.75	15,037	61.00	16,393
44.25	11,051	48.50	12,398	52.75	13,756	57.00	15,117	61.25	16,473
44.50	11,130	48.75	12,478	53.00	13,836	57.25	15,197	61.50	16,552
44.75	11,209	49.00	12,558	53.25	13,916	57.50	15,277	61.75	16,632
45.00	11,288	49.25	12,637	53.50	13,996	57.75	15,357	62.00	16,711
45.25	11,367	49.50	12,717	53.75	14,076	58.00	15,437	62.25	16,790
45.50	11,446	49.75	12,797	54.00	14,156	58.25	15,517	62.50	16,870
45.75	11,525	50.00	12,877	54.25	14,236	58.50	15,596	62.75	16,949
46.00	11,604	50.25	12,957	54.50	14,317	58.75	15,676	63.00	17,028
46.25	11,683	50.50	13,036	54.75	14,397	59.00	15,756	63.25	17,107
46.50	11,762	50.75	13,116	55.00	14,477	59.25	15,836	63.50	17,186





## Capacity/Gauge Table Information

**TCLX 290453**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 253

Reporting Mark: TCLX 290453

Date: 29/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,265	68.00	18,598	72.25	19,906	76.50	21,180	80.75	22,412
64.00	17,344	68.25	18,676	72.50	19,982	76.75	21,253	81.00	22,482
64.25	17,423	68.50	18,753	72.75	20,057	77.00	21,327	81.25	22,553
64.50	17,502	68.75	18,831	73.00	20,133	77.25	21,400	81.50	22,624
64.75	17,581	69.00	18,908	73.25	20,209	77.50	21,474	81.75	22,694
65.00	17,659	69.25	18,986	73.50	20,284	77.75	21,547	82.00	22,764
65.25	17,738	69.50	19,063	73.75	20,360	78.00	21,620	82.25	22,834
65.50	17,817	69.75	19,140	74.00	20,435	78.25	21,693	82.50	22,904
65.75	17,895	70.00	19,217	74.25	20,510	78.50	21,765	82.75	22,974
66.00	17,973	70.25	19,294	74.50	20,585	78.75	21,838	83.00	23,043
66.25	18,052	70.50	19,371	74.75	20,660	79.00	21,910	83.25	23,112
66.50	18,130	70.75	19,447	75.00	20,734	79.25	21,982	83.50	23,181
66.75	18,208	71.00	19,524	75.25	20,809	79.50	22,054	83.75	23,250
67.00	18,286	71.25	19,601	75.50	20,883	79.75	22,126	84.00	23,319
67.25	18,364	71.50	19,677	75.75	20,958	80.00	22,198	84.25	23,387
67.50	18,442	71.75	19,753	76.00	21,032	80.25	22,269	84.50	23,455
67.75	18,520	72.00	19,830	76.25	21,106	80.50	22,340	84.75	23,523



## Capacity/Gauge Table Information

**TCLX 290453**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 253

Reporting Mark: TCLX 290453

Date: 29/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,591	89.25	24,708	93.50	25,748	97.75	26,698	102.00	27,538
85.25	23,659	89.50	24,771	93.75	25,807	98.00	26,751	102.25	27,583
85.50	23,726	89.75	24,834	94.00	25,865	98.25	26,803	102.50	27,628
85.75	23,793	90.00	24,897	94.25	25,923	98.50	26,855	102.75	27,672
86.00	23,860	90.25	24,960	94.50	25,981	98.75	26,907	103.00	27,716
86.25	23,927	90.50	25,022	94.75	26,038	99.00	26,958	103.25	27,760
86.50	23,993	90.75	25,084	95.00	26,095	99.25	27,008	103.50	27,803
86.75	24,059	91.00	25,146	95.25	26,152	99.50	27,059	103.75	27,845
87.00	24,125	91.25	25,208	95.50	26,208	99.75	27,109	104.00	27,887
87.25	24,191	91.50	25,269	95.75	26,264	100.00	27,158	104.25	27,928
87.50	24,256	91.75	25,330	96.00	26,319	100.25	27,207	104.50	27,969
87.75	24,322	92.00	25,391	96.25	26,375	100.50	27,256	104.75	28,009
88.00	24,387	92.25	25,451	96.50	26,429	100.75	27,304	105.00	28,049
88.25	24,451	92.50	25,511	96.75	26,484	101.00	27,351	105.25	28,088
88.50	24,516	92.75	25,571	97.00	26,538	101.25	27,399	105.50	28,126
88.75	24,580	93.00	25,630	97.25	26,592	101.50	27,446	105.75	28,164
89.00	24,644	93.25	25,690	97.50	26,645	101.75	27,492	106.00	28,202



## Capacity/Gauge Table Information

**TCLX 290453**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 253

Reporting Mark: TCLX 290453

Date: 29/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,238	110.50	28,747	114.75	28,954
106.50	28,274	110.75	28,768	115.00	28,958
106.75	28,310	111.00	28,788	115.25	28,961
107.00	28,344	111.25	28,807	115.50	28,963
107.25	28,378	111.50	28,825	115.75	28,965
107.50	28,412	111.75	28,841	116.00	28,966
107.75	28,444	112.00	28,856	116.25	28,966
108.00	28,476	112.25	28,870	116.50	28,967
108.25	28,507	112.50	28,883	116.75	28,967
108.50	28,537	112.75	28,895		
108.75	28,567	113.00	28,905		
109.00	28,596	113.25	28,915		
109.25	28,623	113.50	28,924		
109.50	28,650	113.75	28,932		
109.75	28,676	114.00	28,938		
110.00	28,701	114.25	28,944		
110.25	28,725	114.50	28,950		



## Capacity/Gauge Table Information

**TCLX 290454**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 254

Reporting Mark: TCLX 290454

Date: 24/06/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,226	17.00	3,212
0.25	28	4.50	627	8.75	1,391	13.00	2,281	17.25	3,273
0.50	58	4.75	667	9.00	1,440	13.25	2,337	17.50	3,334
0.75	88	5.00	709	9.25	1,489	13.50	2,393	17.75	3,396
1.00	119	5.25	751	9.50	1,539	13.75	2,449	18.00	3,457
1.25	151	5.50	793	9.75	1,590	14.00	2,506	18.25	3,519
1.50	183	5.75	836	10.00	1,641	14.25	2,563	18.50	3,581
1.75	217	6.00	880	10.25	1,692	14.50	2,621	18.75	3,644
2.00	251	6.25	924	10.50	1,744	14.75	2,678	19.00	3,707
2.25	285	6.50	968	10.75	1,796	15.00	2,736	19.25	3,770
2.50	321	6.75	1,014	11.00	1,848	15.25	2,795	19.50	3,833
2.75	357	7.00	1,059	11.25	1,901	15.50	2,853	19.75	3,897
3.00	393	7.25	1,105	11.50	1,954	15.75	2,912	20.00	3,961
3.25	431	7.50	1,152	11.75	2,008	16.00	2,972	20.25	4,025
3.50	469	7.75	1,198	12.00	2,062	16.25	3,031	20.50	4,089
3.75	507	8.00	1,246	12.25	2,116	16.50	3,091	20.75	4,154
4.00	546	8.25	1,294	12.50	2,171	16.75	3,152	21.00	4,219



## Capacity/Gauge Table Information

**TCLX 290454**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 254

Reporting Mark: TCLX 290454

Date: 24/06/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,284	25.50	5,426	29.75	6,627	34.00	7,876	38.25	9,164
21.50	4,349	25.75	5,495	30.00	6,699	34.25	7,951	38.50	9,241
21.75	4,415	26.00	5,564	30.25	6,772	34.50	8,026	38.75	9,318
22.00	4,481	26.25	5,634	30.50	6,844	34.75	8,101	39.00	9,395
22.25	4,547	26.50	5,704	30.75	6,917	35.00	8,176	39.25	9,472
22.50	4,613	26.75	5,774	31.00	6,990	35.25	8,252	39.50	9,549
22.75	4,679	27.00	5,844	31.25	7,063	35.50	8,327	39.75	9,627
23.00	4,746	27.25	5,914	31.50	7,136	35.75	8,403	40.00	9,704
23.25	4,813	27.50	5,985	31.75	7,210	36.00	8,478	40.25	9,782
23.50	4,880	27.75	6,055	32.00	7,283	36.25	8,554	40.50	9,859
23.75	4,948	28.00	6,126	32.25	7,357	36.50	8,630	40.75	9,937
24.00	5,016	28.25	6,197	32.50	7,430	36.75	8,706	41.00	10,015
24.25	5,083	28.50	6,268	32.75	7,504	37.00	8,782	41.25	10,092
24.50	5,152	28.75	6,340	33.00	7,579	37.25	8,858	41.50	10,170
24.75	5,220	29.00	6,411	33.25	7,653	37.50	8,935	41.75	10,248
25.00	5,288	29.25	6,483	33.50	7,727	37.75	9,011	42.00	10,326
25.25	5,357	29.50	6,555	33.75	7,802	38.00	9,088	42.25	10,404



## Capacity/Gauge Table Information

**TCLX 290454**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 254

Reporting Mark: TCLX 290454

Date: 24/06/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,483	46.75	11,823	51.00	13,177	55.25	14,537	59.50	15,896
42.75	10,561	47.00	11,902	51.25	13,257	55.50	14,617	59.75	15,975
43.00	10,639	47.25	11,981	51.50	13,337	55.75	14,697	60.00	16,055
43.25	10,718	47.50	12,061	51.75	13,417	56.00	14,777	60.25	16,135
43.50	10,796	47.75	12,140	52.00	13,497	56.25	14,857	60.50	16,214
43.75	10,875	48.00	12,220	52.25	13,576	56.50	14,937	60.75	16,294
44.00	10,954	48.25	12,299	52.50	13,656	56.75	15,017	61.00	16,373
44.25	11,032	48.50	12,379	52.75	13,736	57.00	15,097	61.25	16,453
44.50	11,111	48.75	12,459	53.00	13,817	57.25	15,177	61.50	16,532
44.75	11,190	49.00	12,538	53.25	13,897	57.50	15,257	61.75	16,612
45.00	11,269	49.25	12,618	53.50	13,977	57.75	15,337	62.00	16,691
45.25	11,348	49.50	12,698	53.75	14,057	58.00	15,417	62.25	16,770
45.50	11,427	49.75	12,778	54.00	14,137	58.25	15,497	62.50	16,850
45.75	11,506	50.00	12,857	54.25	14,217	58.50	15,576	62.75	16,929
46.00	11,585	50.25	12,937	54.50	14,297	58.75	15,656	63.00	17,008
46.25	11,664	50.50	13,017	54.75	14,377	59.00	15,736	63.25	17,087
46.50	11,743	50.75	13,097	55.00	14,457	59.25	15,816	63.50	17,166



## Capacity/Gauge Table Information

**TCLX 290454**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 254

Reporting Mark: TCLX 290454

Date: 24/06/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,245	68.00	18,578	72.25	19,886	76.50	21,161	80.75	22,393
64.00	17,324	68.25	18,656	72.50	19,962	76.75	21,235	81.00	22,464
64.25	17,403	68.50	18,733	72.75	20,038	77.00	21,308	81.25	22,535
64.50	17,482	68.75	18,811	73.00	20,114	77.25	21,382	81.50	22,606
64.75	17,561	69.00	18,888	73.25	20,189	77.50	21,455	81.75	22,676
65.00	17,639	69.25	18,966	73.50	20,265	77.75	21,528	82.00	22,746
65.25	17,718	69.50	19,043	73.75	20,340	78.00	21,601	82.25	22,816
65.50	17,797	69.75	19,120	74.00	20,415	78.25	21,674	82.50	22,886
65.75	17,875	70.00	19,197	74.25	20,491	78.50	21,747	82.75	22,956
66.00	17,954	70.25	19,274	74.50	20,566	78.75	21,819	83.00	23,025
66.25	18,032	70.50	19,351	74.75	20,640	79.00	21,891	83.25	23,095
66.50	18,110	70.75	19,428	75.00	20,715	79.25	21,964	83.50	23,164
66.75	18,188	71.00	19,504	75.25	20,790	79.50	22,036	83.75	23,233
67.00	18,266	71.25	19,581	75.50	20,864	79.75	22,108	84.00	23,301
67.25	18,345	71.50	19,657	75.75	20,939	80.00	22,179	84.25	23,370
67.50	18,422	71.75	19,734	76.00	21,013	80.25	22,251	84.50	23,438
67.75	18,500	72.00	19,810	76.25	21,087	80.50	22,322	84.75	23,506





## Capacity/Gauge Table Information

**TCLX 290454**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 254

Reporting Mark: TCLX 290454

Date: 24/06/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,574	89.25	24,691	93.50	25,734	97.75	26,685	102.00	27,527
85.25	23,641	89.50	24,755	93.75	25,792	98.00	26,738	102.25	27,573
85.50	23,709	89.75	24,818	94.00	25,851	98.25	26,791	102.50	27,618
85.75	23,776	90.00	24,881	94.25	25,909	98.50	26,843	102.75	27,662
86.00	23,843	90.25	24,944	94.50	25,966	98.75	26,894	103.00	27,706
86.25	23,910	90.50	25,006	94.75	26,024	99.00	26,945	103.25	27,750
86.50	23,976	90.75	25,069	95.00	26,081	99.25	26,996	103.50	27,793
86.75	24,042	91.00	25,130	95.25	26,137	99.50	27,047	103.75	27,836
87.00	24,108	91.25	25,192	95.50	26,194	99.75	27,097	104.00	27,878
87.25	24,174	91.50	25,253	95.75	26,250	100.00	27,146	104.25	27,919
87.50	24,240	91.75	25,315	96.00	26,306	100.25	27,195	104.50	27,960
87.75	24,305	92.00	25,375	96.25	26,361	100.50	27,244	104.75	28,000
88.00	24,370	92.25	25,436	96.50	26,416	100.75	27,292	105.00	28,040
88.25	24,435	92.50	25,496	96.75	26,470	101.00	27,340	105.25	28,080
88.50	24,499	92.75	25,556	97.00	26,525	101.25	27,388	105.50	28,118
88.75	24,564	93.00	25,615	97.25	26,579	101.50	27,434	105.75	28,156
89.00	24,628	93.25	25,675	97.50	26,632	101.75	27,481	106.00	28,194



## Capacity/Gauge Table Information

**TCLX 290454**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 254

Reporting Mark: TCLX 290454

Date: 24/06/2015

Capacity: 28,970 US Gallons (109,662 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,231	110.50	28,745	114.75	28,956
106.50	28,267	110.75	28,766	115.00	28,960
106.75	28,302	111.00	28,787	115.25	28,963
107.00	28,337	111.25	28,806	115.50	28,965
107.25	28,372	111.50	28,824	115.75	28,967
107.50	28,405	111.75	28,840	116.00	28,968
107.75	28,438	112.00	28,856	116.25	28,969
108.00	28,470	112.25	28,870	116.50	28,969
108.25	28,501	112.50	28,883	116.75	28,970
108.50	28,532	112.75	28,896		
108.75	28,562	113.00	28,907		
109.00	28,591	113.25	28,916		
109.25	28,619	113.50	28,925		
109.50	28,646	113.75	28,933		
109.75	28,672	114.00	28,940		
110.00	28,697	114.25	28,947		
110.25	28,722	114.50	28,952		



## Capacity/Gauge Table Information

**TCLX 290455**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 255

Reporting Mark: TCLX 290455

Date: 24/06/2015

Capacity: 28,978 US Gallons (109,692 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,226	17.00	3,213
0.25	28	4.50	627	8.75	1,391	13.00	2,281	17.25	3,274
0.50	58	4.75	667	9.00	1,440	13.25	2,337	17.50	3,335
0.75	88	5.00	709	9.25	1,490	13.50	2,393	17.75	3,396
1.00	119	5.25	751	9.50	1,540	13.75	2,450	18.00	3,458
1.25	151	5.50	793	9.75	1,590	14.00	2,506	18.25	3,520
1.50	183	5.75	836	10.00	1,641	14.25	2,563	18.50	3,582
1.75	217	6.00	880	10.25	1,692	14.50	2,621	18.75	3,645
2.00	251	6.25	924	10.50	1,744	14.75	2,679	19.00	3,707
2.25	285	6.50	969	10.75	1,796	15.00	2,737	19.25	3,770
2.50	321	6.75	1,014	11.00	1,848	15.25	2,795	19.50	3,834
2.75	357	7.00	1,059	11.25	1,901	15.50	2,854	19.75	3,897
3.00	394	7.25	1,105	11.50	1,954	15.75	2,913	20.00	3,961
3.25	431	7.50	1,152	11.75	2,008	16.00	2,972	20.25	4,025
3.50	469	7.75	1,199	12.00	2,062	16.25	3,032	20.50	4,090
3.75	507	8.00	1,246	12.25	2,116	16.50	3,092	20.75	4,154
4.00	547	8.25	1,294	12.50	2,171	16.75	3,152	21.00	4,219



## Capacity/Gauge Table Information

**TCLX 290455**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 255

Reporting Mark: TCLX 290455

Date: 24/06/2015

Capacity: 28,978 US Gallons (109,692 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,284	25.50	5,427	29.75	6,628	34.00	7,878	38.25	9,166
21.50	4,350	25.75	5,496	30.00	6,700	34.25	7,953	38.50	9,243
21.75	4,415	26.00	5,565	30.25	6,773	34.50	8,027	38.75	9,320
22.00	4,481	26.25	5,635	30.50	6,845	34.75	8,103	39.00	9,397
22.25	4,547	26.50	5,705	30.75	6,918	35.00	8,178	39.25	9,474
22.50	4,614	26.75	5,775	31.00	6,991	35.25	8,253	39.50	9,551
22.75	4,680	27.00	5,845	31.25	7,064	35.50	8,329	39.75	9,629
23.00	4,747	27.25	5,915	31.50	7,137	35.75	8,404	40.00	9,706
23.25	4,814	27.50	5,986	31.75	7,211	36.00	8,480	40.25	9,783
23.50	4,881	27.75	6,056	32.00	7,284	36.25	8,556	40.50	9,861
23.75	4,949	28.00	6,127	32.25	7,358	36.50	8,632	40.75	9,939
24.00	5,016	28.25	6,198	32.50	7,432	36.75	8,708	41.00	10,016
24.25	5,084	28.50	6,269	32.75	7,506	37.00	8,784	41.25	10,094
24.50	5,152	28.75	6,341	33.00	7,580	37.25	8,860	41.50	10,172
24.75	5,221	29.00	6,412	33.25	7,654	37.50	8,936	41.75	10,250
25.00	5,289	29.25	6,484	33.50	7,729	37.75	9,013	42.00	10,328
25.25	5,358	29.50	6,556	33.75	7,803	38.00	9,089	42.25	10,406



## Capacity/Gauge Table Information

**TCLX 290455**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 255

Reporting Mark: TCLX 290455

Date: 24/06/2015

Capacity: 28,978 US Gallons (109,692 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,485	46.75	11,825	51.00	13,179	55.25	14,540	59.50	15,899
42.75	10,563	47.00	11,904	51.25	13,259	55.50	14,620	59.75	15,979
43.00	10,641	47.25	11,984	51.50	13,339	55.75	14,700	60.00	16,058
43.25	10,720	47.50	12,063	51.75	13,419	56.00	14,780	60.25	16,138
43.50	10,798	47.75	12,143	52.00	13,499	56.25	14,860	60.50	16,218
43.75	10,877	48.00	12,222	52.25	13,579	56.50	14,940	60.75	16,297
44.00	10,956	48.25	12,302	52.50	13,659	56.75	15,020	61.00	16,377
44.25	11,034	48.50	12,381	52.75	13,739	57.00	15,100	61.25	16,456
44.50	11,113	48.75	12,461	53.00	13,819	57.25	15,180	61.50	16,536
44.75	11,192	49.00	12,541	53.25	13,899	57.50	15,260	61.75	16,615
45.00	11,271	49.25	12,620	53.50	13,979	57.75	15,340	62.00	16,695
45.25	11,350	49.50	12,700	53.75	14,059	58.00	15,420	62.25	16,774
45.50	11,429	49.75	12,780	54.00	14,139	58.25	15,500	62.50	16,853
45.75	11,508	50.00	12,860	54.25	14,220	58.50	15,580	62.75	16,932
46.00	11,587	50.25	12,940	54.50	14,300	58.75	15,659	63.00	17,012
46.25	11,666	50.50	13,020	54.75	14,380	59.00	15,739	63.25	17,091
46.50	11,746	50.75	13,099	55.00	14,460	59.25	15,819	63.50	17,170



## Capacity/Gauge Table Information

**TCLX 290455**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 255

Reporting Mark: TCLX 290455

Date: 24/06/2015

Capacity: 28,978 US Gallons (109,692 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,249	68.00	18,582	72.25	19,890	76.50	21,165	80.75	22,398
64.00	17,328	68.25	18,660	72.50	19,966	76.75	21,239	81.00	22,469
64.25	17,407	68.50	18,737	72.75	20,042	77.00	21,313	81.25	22,540
64.50	17,486	68.75	18,815	73.00	20,118	77.25	21,386	81.50	22,611
64.75	17,564	69.00	18,892	73.25	20,194	77.50	21,460	81.75	22,681
65.00	17,643	69.25	18,970	73.50	20,269	77.75	21,533	82.00	22,751
65.25	17,722	69.50	19,047	73.75	20,345	78.00	21,606	82.25	22,821
65.50	17,800	69.75	19,124	74.00	20,420	78.25	21,679	82.50	22,891
65.75	17,879	70.00	19,201	74.25	20,495	78.50	21,751	82.75	22,961
66.00	17,957	70.25	19,278	74.50	20,570	78.75	21,824	83.00	23,030
66.25	18,036	70.50	19,355	74.75	20,645	79.00	21,896	83.25	23,100
66.50	18,114	70.75	19,432	75.00	20,720	79.25	21,968	83.50	23,169
66.75	18,192	71.00	19,509	75.25	20,794	79.50	22,041	83.75	23,238
67.00	18,270	71.25	19,585	75.50	20,869	79.75	22,112	84.00	23,306
67.25	18,348	71.50	19,662	75.75	20,943	80.00	22,184	84.25	23,375
67.50	18,426	71.75	19,738	76.00	21,017	80.25	22,256	84.50	23,443
67.75	18,504	72.00	19,814	76.25	21,091	80.50	22,327	84.75	23,511



## Capacity/Gauge Table Information

**TCLX 290455**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 255

Reporting Mark: TCLX 290455

Date: 24/06/2015

Capacity: 28,978 US Gallons (109,692 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,579	89.25	24,697	93.50	25,740	97.75	26,692	102.00	27,534
85.25	23,647	89.50	24,761	93.75	25,798	98.00	26,745	102.25	27,579
85.50	23,714	89.75	24,824	94.00	25,857	98.25	26,797	102.50	27,624
85.75	23,781	90.00	24,887	94.25	25,915	98.50	26,849	102.75	27,669
86.00	23,848	90.25	24,950	94.50	25,972	98.75	26,901	103.00	27,713
86.25	23,915	90.50	25,012	94.75	26,030	99.00	26,952	103.25	27,757
86.50	23,981	90.75	25,074	95.00	26,087	99.25	27,003	103.50	27,800
86.75	24,048	91.00	25,136	95.25	26,144	99.50	27,053	103.75	27,842
87.00	24,114	91.25	25,198	95.50	26,200	99.75	27,103	104.00	27,884
87.25	24,179	91.50	25,259	95.75	26,256	100.00	27,153	104.25	27,926
87.50	24,245	91.75	25,320	96.00	26,312	100.25	27,202	104.50	27,967
87.75	24,310	92.00	25,381	96.25	26,367	100.50	27,251	104.75	28,007
88.00	24,375	92.25	25,442	96.50	26,422	100.75	27,299	105.00	28,047
88.25	24,440	92.50	25,502	96.75	26,477	101.00	27,347	105.25	28,087
88.50	24,505	92.75	25,562	97.00	26,531	101.25	27,394	105.50	28,125
88.75	24,569	93.00	25,621	97.25	26,585	101.50	27,441	105.75	28,163
89.00	24,633	93.25	25,681	97.50	26,639	101.75	27,488	106.00	28,201





## Capacity/Gauge Table Information

**TCLX 290455**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 255

Reporting Mark: TCLX 290455

Date: 24/06/2015

Capacity: 28,978 US Gallons (109,692 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,238	110.50	28,752	114.75	28,965
106.50	28,274	110.75	28,774	115.00	28,968
106.75	28,310	111.00	28,794	115.25	28,971
107.00	28,345	111.25	28,814	115.50	28,974
107.25	28,379	111.50	28,832	115.75	28,975
107.50	28,412	111.75	28,848	116.00	28,977
107.75	28,445	112.00	28,864	116.25	28,977
108.00	28,477	112.25	28,878	116.50	28,978
108.25	28,509	112.50	28,891	116.75	28,978
108.50	28,539	112.75	28,904		
108.75	28,569	113.00	28,915		
109.00	28,598	113.25	28,925		
109.25	28,626	113.50	28,933		
109.50	28,653	113.75	28,941		
109.75	28,680	114.00	28,949		
110.00	28,705	114.25	28,955		
110.25	28,729	114.50	28,960		



## Capacity/Gauge Table Information

**TCLX 290456**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 256

Reporting Mark: TCLX 290456

Date: 24/06/2015

Capacity: 28,963 US Gallons (109,636 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,344	12.75	2,228	17.00	3,215
0.25	29	4.50	627	8.75	1,392	13.00	2,283	17.25	3,275
0.50	58	4.75	668	9.00	1,442	13.25	2,339	17.50	3,337
0.75	88	5.00	710	9.25	1,491	13.50	2,395	17.75	3,398
1.00	119	5.25	752	9.50	1,541	13.75	2,451	18.00	3,460
1.25	151	5.50	794	9.75	1,592	14.00	2,508	18.25	3,522
1.50	184	5.75	837	10.00	1,643	14.25	2,565	18.50	3,584
1.75	217	6.00	881	10.25	1,694	14.50	2,623	18.75	3,647
2.00	251	6.25	925	10.50	1,745	14.75	2,681	19.00	3,709
2.25	286	6.50	970	10.75	1,798	15.00	2,739	19.25	3,772
2.50	321	6.75	1,015	11.00	1,850	15.25	2,797	19.50	3,836
2.75	357	7.00	1,060	11.25	1,903	15.50	2,856	19.75	3,899
3.00	394	7.25	1,106	11.50	1,956	15.75	2,915	20.00	3,963
3.25	432	7.50	1,153	11.75	2,010	16.00	2,974	20.25	4,027
3.50	470	7.75	1,200	12.00	2,064	16.25	3,034	20.50	4,092
3.75	508	8.00	1,247	12.25	2,118	16.50	3,094	20.75	4,156
4.00	547	8.25	1,295	12.50	2,173	16.75	3,154	21.00	4,221



## Capacity/Gauge Table Information

**TCLX 290456**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 256

Reporting Mark: TCLX 290456

Date: 24/06/2015

Capacity: 28,963 US Gallons (109,636 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,286	25.50	5,429	29.75	6,630	34.00	7,879	38.25	9,168
21.50	4,352	25.75	5,498	30.00	6,702	34.25	7,954	38.50	9,244
21.75	4,417	26.00	5,567	30.25	6,775	34.50	8,029	38.75	9,321
22.00	4,483	26.25	5,637	30.50	6,847	34.75	8,104	39.00	9,398
22.25	4,549	26.50	5,707	30.75	6,920	35.00	8,179	39.25	9,475
22.50	4,616	26.75	5,777	31.00	6,993	35.25	8,255	39.50	9,553
22.75	4,682	27.00	5,847	31.25	7,066	35.50	8,330	39.75	9,630
23.00	4,749	27.25	5,917	31.50	7,139	35.75	8,406	40.00	9,707
23.25	4,816	27.50	5,988	31.75	7,213	36.00	8,481	40.25	9,785
23.50	4,883	27.75	6,058	32.00	7,286	36.25	8,557	40.50	9,862
23.75	4,951	28.00	6,129	32.25	7,360	36.50	8,633	40.75	9,940
24.00	5,018	28.25	6,200	32.50	7,434	36.75	8,709	41.00	10,018
24.25	5,086	28.50	6,271	32.75	7,508	37.00	8,785	41.25	10,095
24.50	5,154	28.75	6,343	33.00	7,582	37.25	8,862	41.50	10,173
24.75	5,223	29.00	6,414	33.25	7,656	37.50	8,938	41.75	10,251
25.00	5,291	29.25	6,486	33.50	7,730	37.75	9,014	42.00	10,329
25.25	5,360	29.50	6,558	33.75	7,805	38.00	9,091	42.25	10,408



## Capacity/Gauge Table Information

**TCLX 290456**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 256

Reporting Mark: TCLX 290456

Date: 24/06/2015

Capacity: 28,963 US Gallons (109,636 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,486	46.75	11,826	51.00	13,180	55.25	14,540	59.50	15,898
42.75	10,564	47.00	11,905	51.25	13,260	55.50	14,620	59.75	15,978
43.00	10,642	47.25	11,985	51.50	13,340	55.75	14,700	60.00	16,058
43.25	10,721	47.50	12,064	51.75	13,419	56.00	14,780	60.25	16,137
43.50	10,799	47.75	12,143	52.00	13,499	56.25	14,860	60.50	16,217
43.75	10,878	48.00	12,223	52.25	13,579	56.50	14,940	60.75	16,296
44.00	10,957	48.25	12,302	52.50	13,659	56.75	15,020	61.00	16,376
44.25	11,035	48.50	12,382	52.75	13,739	57.00	15,100	61.25	16,455
44.50	11,114	48.75	12,462	53.00	13,819	57.25	15,180	61.50	16,535
44.75	11,193	49.00	12,541	53.25	13,899	57.50	15,260	61.75	16,614
45.00	11,272	49.25	12,621	53.50	13,979	57.75	15,339	62.00	16,694
45.25	11,351	49.50	12,701	53.75	14,059	58.00	15,419	62.25	16,773
45.50	11,430	49.75	12,780	54.00	14,140	58.25	15,499	62.50	16,852
45.75	11,509	50.00	12,860	54.25	14,220	58.50	15,579	62.75	16,931
46.00	11,588	50.25	12,940	54.50	14,300	58.75	15,659	63.00	17,011
46.25	11,667	50.50	13,020	54.75	14,380	59.00	15,739	63.25	17,090
46.50	11,747	50.75	13,100	55.00	14,460	59.25	15,818	63.50	17,169



## Capacity/Gauge Table Information

**TCLX 290456**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 256

Reporting Mark: TCLX 290456

Date: 24/06/2015

Capacity: 28,963 US Gallons (109,636 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,248	68.00	18,580	72.25	19,888	76.50	21,162	80.75	22,394
64.00	17,327	68.25	18,658	72.50	19,964	76.75	21,236	81.00	22,465
64.25	17,405	68.50	18,735	72.75	20,040	77.00	21,309	81.25	22,536
64.50	17,484	68.75	18,813	73.00	20,115	77.25	21,383	81.50	22,606
64.75	17,563	69.00	18,890	73.25	20,191	77.50	21,456	81.75	22,677
65.00	17,642	69.25	18,968	73.50	20,266	77.75	21,529	82.00	22,747
65.25	17,720	69.50	19,045	73.75	20,342	78.00	21,602	82.25	22,817
65.50	17,799	69.75	19,122	74.00	20,417	78.25	21,675	82.50	22,887
65.75	17,877	70.00	19,199	74.25	20,492	78.50	21,748	82.75	22,956
66.00	17,956	70.25	19,276	74.50	20,567	78.75	21,820	83.00	23,026
66.25	18,034	70.50	19,353	74.75	20,642	79.00	21,892	83.25	23,095
66.50	18,112	70.75	19,430	75.00	20,717	79.25	21,965	83.50	23,164
66.75	18,190	71.00	19,506	75.25	20,791	79.50	22,037	83.75	23,233
67.00	18,269	71.25	19,583	75.50	20,866	79.75	22,108	84.00	23,302
67.25	18,347	71.50	19,659	75.75	20,940	80.00	22,180	84.25	23,370
67.50	18,425	71.75	19,735	76.00	21,014	80.25	22,252	84.50	23,438
67.75	18,502	72.00	19,812	76.25	21,088	80.50	22,323	84.75	23,506



## Capacity/Gauge Table Information

**TCLX 290456**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 256

Reporting Mark: TCLX 290456

Date: 24/06/2015

Capacity: 28,963 US Gallons (109,636 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,574	89.25	24,691	93.50	25,733	97.75	26,684	102.00	27,525
85.25	23,642	89.50	24,755	93.75	25,791	98.00	26,736	102.25	27,570
85.50	23,709	89.75	24,818	94.00	25,850	98.25	26,789	102.50	27,615
85.75	23,776	90.00	24,881	94.25	25,908	98.50	26,841	102.75	27,660
86.00	23,843	90.25	24,944	94.50	25,965	98.75	26,892	103.00	27,704
86.25	23,910	90.50	25,006	94.75	26,023	99.00	26,943	103.25	27,747
86.50	23,976	90.75	25,068	95.00	26,080	99.25	26,994	103.50	27,790
86.75	24,042	91.00	25,130	95.25	26,136	99.50	27,045	103.75	27,833
87.00	24,108	91.25	25,192	95.50	26,193	99.75	27,095	104.00	27,875
87.25	24,174	91.50	25,253	95.75	26,249	100.00	27,144	104.25	27,916
87.50	24,240	91.75	25,314	96.00	26,304	100.25	27,193	104.50	27,957
87.75	24,305	92.00	25,375	96.25	26,360	100.50	27,242	104.75	27,997
88.00	24,370	92.25	25,435	96.50	26,414	100.75	27,290	105.00	28,037
88.25	24,435	92.50	25,495	96.75	26,469	101.00	27,338	105.25	28,076
88.50	24,499	92.75	25,555	97.00	26,523	101.25	27,385	105.50	28,115
88.75	24,563	93.00	25,615	97.25	26,577	101.50	27,432	105.75	28,153
89.00	24,627	93.25	25,674	97.50	26,631	101.75	27,479	106.00	28,190



## Capacity/Gauge Table Information

**TCLX 290456**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 256

Reporting Mark: TCLX 290456

Date: 24/06/2015

Capacity: 28,963 US Gallons (109,636 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,227	110.50	28,739	114.75	28,950
106.50	28,263	110.75	28,761	115.00	28,953
106.75	28,299	111.00	28,781	115.25	28,956
107.00	28,334	111.25	28,800	115.50	28,959
107.25	28,368	111.50	28,818	115.75	28,960
107.50	28,401	111.75	28,835	116.00	28,962
107.75	28,434	112.00	28,850	116.25	28,962
108.00	28,466	112.25	28,864	116.50	28,963
108.25	28,497	112.50	28,877	116.75	28,963
108.50	28,528	112.75	28,889		
108.75	28,557	113.00	28,900		
109.00	28,586	113.25	28,910		
109.25	28,614	113.50	28,919		
109.50	28,641	113.75	28,927		
109.75	28,667	114.00	28,934		
110.00	28,692	114.25	28,940		
110.25	28,717	114.50	28,945		





## Capacity/Gauge Table Information

**TCLX 290457**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 257

Reporting Mark: TCLX 290457

Date: 24/06/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,339	12.75	2,221	17.00	3,207
0.25	28	4.50	625	8.75	1,388	13.00	2,277	17.25	3,268
0.50	58	4.75	666	9.00	1,437	13.25	2,332	17.50	3,329
0.75	88	5.00	707	9.25	1,486	13.50	2,388	17.75	3,390
1.00	119	5.25	749	9.50	1,536	13.75	2,445	18.00	3,452
1.25	150	5.50	791	9.75	1,587	14.00	2,501	18.25	3,514
1.50	183	5.75	834	10.00	1,637	14.25	2,559	18.50	3,576
1.75	216	6.00	878	10.25	1,689	14.50	2,616	18.75	3,638
2.00	250	6.25	922	10.50	1,740	14.75	2,674	19.00	3,701
2.25	285	6.50	966	10.75	1,792	15.00	2,732	19.25	3,764
2.50	320	6.75	1,011	11.00	1,844	15.25	2,790	19.50	3,827
2.75	356	7.00	1,057	11.25	1,897	15.50	2,849	19.75	3,891
3.00	392	7.25	1,102	11.50	1,950	15.75	2,907	20.00	3,955
3.25	430	7.50	1,149	11.75	2,004	16.00	2,967	20.25	4,019
3.50	467	7.75	1,196	12.00	2,058	16.25	3,026	20.50	4,083
3.75	506	8.00	1,243	12.25	2,112	16.50	3,086	20.75	4,147
4.00	545	8.25	1,291	12.50	2,166	16.75	3,146	21.00	4,212



## Capacity/Gauge Table Information

**TCLX 290457**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 257

Reporting Mark: TCLX 290457

Date: 24/06/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,277	25.50	5,419	29.75	6,619	34.00	7,867	38.25	9,154
21.50	4,343	25.75	5,488	30.00	6,691	34.25	7,942	38.50	9,231
21.75	4,408	26.00	5,557	30.25	6,763	34.50	8,017	38.75	9,308
22.00	4,474	26.25	5,626	30.50	6,836	34.75	8,092	39.00	9,385
22.25	4,540	26.50	5,696	30.75	6,908	35.00	8,167	39.25	9,462
22.50	4,606	26.75	5,766	31.00	6,981	35.25	8,242	39.50	9,539
22.75	4,673	27.00	5,836	31.25	7,054	35.50	8,318	39.75	9,616
23.00	4,739	27.25	5,906	31.50	7,127	35.75	8,393	40.00	9,694
23.25	4,806	27.50	5,977	31.75	7,201	36.00	8,469	40.25	9,771
23.50	4,874	27.75	6,047	32.00	7,274	36.25	8,544	40.50	9,849
23.75	4,941	28.00	6,118	32.25	7,348	36.50	8,620	40.75	9,926
24.00	5,009	28.25	6,189	32.50	7,422	36.75	8,696	41.00	10,004
24.25	5,076	28.50	6,260	32.75	7,496	37.00	8,772	41.25	10,082
24.50	5,144	28.75	6,332	33.00	7,570	37.25	8,849	41.50	10,160
24.75	5,213	29.00	6,403	33.25	7,644	37.50	8,925	41.75	10,238
25.00	5,281	29.25	6,475	33.50	7,718	37.75	9,001	42.00	10,316
25.25	5,350	29.50	6,547	33.75	7,793	38.00	9,078	42.25	10,394



## Capacity/Gauge Table Information

**TCLX 290457**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 257

Reporting Mark: TCLX 290457

Date: 24/06/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,472	46.75	11,811	51.00	13,165	55.25	14,524	59.50	15,882
42.75	10,550	47.00	11,891	51.25	13,244	55.50	14,604	59.75	15,962
43.00	10,629	47.25	11,970	51.50	13,324	55.75	14,684	60.00	16,042
43.25	10,707	47.50	12,049	51.75	13,404	56.00	14,764	60.25	16,121
43.50	10,785	47.75	12,129	52.00	13,484	56.25	14,844	60.50	16,201
43.75	10,864	48.00	12,208	52.25	13,564	56.50	14,924	60.75	16,280
44.00	10,943	48.25	12,288	52.50	13,644	56.75	15,004	61.00	16,360
44.25	11,021	48.50	12,367	52.75	13,724	57.00	15,084	61.25	16,439
44.50	11,100	48.75	12,447	53.00	13,804	57.25	15,164	61.50	16,519
44.75	11,179	49.00	12,526	53.25	13,884	57.50	15,244	61.75	16,598
45.00	11,258	49.25	12,606	53.50	13,964	57.75	15,324	62.00	16,678
45.25	11,337	49.50	12,686	53.75	14,044	58.00	15,404	62.25	16,757
45.50	11,416	49.75	12,766	54.00	14,124	58.25	15,483	62.50	16,836
45.75	11,495	50.00	12,845	54.25	14,204	58.50	15,563	62.75	16,915
46.00	11,574	50.25	12,925	54.50	14,284	58.75	15,643	63.00	16,994
46.25	11,653	50.50	13,005	54.75	14,364	59.00	15,723	63.25	17,074
46.50	11,732	50.75	13,085	55.00	14,444	59.25	15,803	63.50	17,153



## Capacity/Gauge Table Information

**TCLX 290457**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 257

Reporting Mark: TCLX 290457

Date: 24/06/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,232	68.00	18,564	72.25	19,871	76.50	21,146	80.75	22,378
64.00	17,310	68.25	18,642	72.50	19,947	76.75	21,220	81.00	22,449
64.25	17,389	68.50	18,719	72.75	20,023	77.00	21,293	81.25	22,520
64.50	17,468	68.75	18,797	73.00	20,099	77.25	21,367	81.50	22,590
64.75	17,547	69.00	18,874	73.25	20,175	77.50	21,440	81.75	22,661
65.00	17,625	69.25	18,951	73.50	20,250	77.75	21,513	82.00	22,731
65.25	17,704	69.50	19,029	73.75	20,325	78.00	21,586	82.25	22,801
65.50	17,783	69.75	19,106	74.00	20,401	78.25	21,659	82.50	22,871
65.75	17,861	70.00	19,183	74.25	20,476	78.50	21,732	82.75	22,941
66.00	17,939	70.25	19,260	74.50	20,551	78.75	21,804	83.00	23,010
66.25	18,018	70.50	19,337	74.75	20,626	79.00	21,876	83.25	23,079
66.50	18,096	70.75	19,413	75.00	20,700	79.25	21,949	83.50	23,148
66.75	18,174	71.00	19,490	75.25	20,775	79.50	22,021	83.75	23,217
67.00	18,252	71.25	19,566	75.50	20,849	79.75	22,092	84.00	23,286
67.25	18,330	71.50	19,643	75.75	20,924	80.00	22,164	84.25	23,354
67.50	18,408	71.75	19,719	76.00	20,998	80.25	22,236	84.50	23,423
67.75	18,486	72.00	19,795	76.25	21,072	80.50	22,307	84.75	23,491



## Capacity/Gauge Table Information

**TCLX 290457**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 257

Reporting Mark: TCLX 290457

Date: 24/06/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,558	89.25	24,676	93.50	25,718	97.75	26,670	102.00	27,512
85.25	23,626	89.50	24,740	93.75	25,777	98.00	26,723	102.25	27,558
85.50	23,693	89.75	24,803	94.00	25,835	98.25	26,776	102.50	27,603
85.75	23,761	90.00	24,866	94.25	25,893	98.50	26,828	102.75	27,648
86.00	23,827	90.25	24,929	94.50	25,951	98.75	26,879	103.00	27,692
86.25	23,894	90.50	24,991	94.75	26,009	99.00	26,930	103.25	27,736
86.50	23,961	90.75	25,053	95.00	26,066	99.25	26,981	103.50	27,779
86.75	24,027	91.00	25,115	95.25	26,122	99.50	27,032	103.75	27,821
87.00	24,093	91.25	25,177	95.50	26,179	99.75	27,082	104.00	27,863
87.25	24,159	91.50	25,238	95.75	26,235	100.00	27,131	104.25	27,905
87.50	24,224	91.75	25,299	96.00	26,290	100.25	27,181	104.50	27,946
87.75	24,289	92.00	25,360	96.25	26,346	100.50	27,229	104.75	27,986
88.00	24,355	92.25	25,420	96.50	26,401	100.75	27,278	105.00	28,026
88.25	24,419	92.50	25,481	96.75	26,455	101.00	27,325	105.25	28,066
88.50	24,484	92.75	25,541	97.00	26,510	101.25	27,373	105.50	28,104
88.75	24,548	93.00	25,600	97.25	26,564	101.50	27,420	105.75	28,142
89.00	24,612	93.25	25,659	97.50	26,617	101.75	27,466	106.00	28,180



## Capacity/Gauge Table Information

**TCLX 290457**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 257

Reporting Mark: TCLX 290457

Date: 24/06/2015

Capacity: 28,960 US Gallons (109,624 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,217	110.50	28,733	114.75	28,946
106.50	28,253	110.75	28,755	115.00	28,950
106.75	28,289	111.00	28,775	115.25	28,953
107.00	28,324	111.25	28,795	115.50	28,956
107.25	28,358	111.50	28,813	115.75	28,957
107.50	28,392	111.75	28,829	116.00	28,959
107.75	28,425	112.00	28,845	116.25	28,959
108.00	28,457	112.25	28,860	116.50	28,960
108.25	28,488	112.50	28,873	116.75	28,960
108.50	28,519	112.75	28,885		
108.75	28,549	113.00	28,896		
109.00	28,578	113.25	28,906		
109.25	28,606	113.50	28,915		
109.50	28,633	113.75	28,923		
109.75	28,660	114.00	28,930		
110.00	28,685	114.25	28,937		
110.25	28,709	114.50	28,942		



## Capacity/Gauge Table Information

**TCLX 290458**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 258

Reporting Mark: TCLX 290458

Date: 29/06/2015

Capacity: 28,961 US Gallons (109,631 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,348	12.75	2,234	17.00	3,222
0.25	29	4.50	630	8.75	1,397	13.00	2,289	17.25	3,283
0.50	58	4.75	671	9.00	1,446	13.25	2,345	17.50	3,344
0.75	89	5.00	713	9.25	1,496	13.50	2,401	17.75	3,406
1.00	120	5.25	755	9.50	1,546	13.75	2,458	18.00	3,468
1.25	152	5.50	798	9.75	1,597	14.00	2,515	18.25	3,530
1.50	185	5.75	841	10.00	1,648	14.25	2,572	18.50	3,592
1.75	218	6.00	884	10.25	1,699	14.50	2,629	18.75	3,655
2.00	252	6.25	929	10.50	1,751	14.75	2,687	19.00	3,717
2.25	287	6.50	973	10.75	1,803	15.00	2,745	19.25	3,781
2.50	323	6.75	1,019	11.00	1,855	15.25	2,804	19.50	3,844
2.75	359	7.00	1,064	11.25	1,908	15.50	2,863	19.75	3,908
3.00	396	7.25	1,110	11.50	1,962	15.75	2,922	20.00	3,972
3.25	434	7.50	1,157	11.75	2,015	16.00	2,981	20.25	4,036
3.50	472	7.75	1,204	12.00	2,069	16.25	3,041	20.50	4,100
3.75	510	8.00	1,252	12.25	2,124	16.50	3,101	20.75	4,165
4.00	550	8.25	1,300	12.50	2,179	16.75	3,161	21.00	4,230





## Capacity/Gauge Table Information

**TCLX 290458**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 258

Reporting Mark: TCLX 290458

Date: 29/06/2015

Capacity: 28,961 US Gallons (109,631 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,295	25.50	5,439	29.75	6,641	34.00	7,891	38.25	9,180
21.50	4,361	25.75	5,508	30.00	6,713	34.25	7,966	38.50	9,257
21.75	4,426	26.00	5,577	30.25	6,786	34.50	8,041	38.75	9,334
22.00	4,492	26.25	5,647	30.50	6,858	34.75	8,116	39.00	9,411
22.25	4,558	26.50	5,717	30.75	6,931	35.00	8,191	39.25	9,488
22.50	4,625	26.75	5,787	31.00	7,004	35.25	8,267	39.50	9,565
22.75	4,691	27.00	5,857	31.25	7,077	35.50	8,342	39.75	9,643
23.00	4,758	27.25	5,927	31.50	7,150	35.75	8,418	40.00	9,720
23.25	4,825	27.50	5,998	31.75	7,224	36.00	8,493	40.25	9,798
23.50	4,893	27.75	6,069	32.00	7,297	36.25	8,569	40.50	9,875
23.75	4,960	28.00	6,139	32.25	7,371	36.50	8,645	40.75	9,953
24.00	5,028	28.25	6,211	32.50	7,445	36.75	8,721	41.00	10,031
24.25	5,096	28.50	6,282	32.75	7,519	37.00	8,798	41.25	10,109
24.50	5,164	28.75	6,353	33.00	7,593	37.25	8,874	41.50	10,186
24.75	5,232	29.00	6,425	33.25	7,667	37.50	8,950	41.75	10,265
25.00	5,301	29.25	6,497	33.50	7,742	37.75	9,027	42.00	10,343
25.25	5,370	29.50	6,569	33.75	7,816	38.00	9,103	42.25	10,421



## Capacity/Gauge Table Information

**TCLX 290458**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 258

Reporting Mark: TCLX 290458

Date: 29/06/2015

Capacity: 28,961 US Gallons (109,631 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,499	46.75	11,840	51.00	13,194	55.25	14,554	59.50	15,913
42.75	10,577	47.00	11,919	51.25	13,274	55.50	14,634	59.75	15,993
43.00	10,656	47.25	11,998	51.50	13,354	55.75	14,715	60.00	16,073
43.25	10,734	47.50	12,078	51.75	13,434	56.00	14,795	60.25	16,152
43.50	10,813	47.75	12,157	52.00	13,514	56.25	14,875	60.50	16,232
43.75	10,891	48.00	12,237	52.25	13,594	56.50	14,955	60.75	16,312
44.00	10,970	48.25	12,317	52.50	13,674	56.75	15,035	61.00	16,391
44.25	11,049	48.50	12,396	52.75	13,754	57.00	15,115	61.25	16,471
44.50	11,128	48.75	12,476	53.00	13,834	57.25	15,195	61.50	16,550
44.75	11,207	49.00	12,555	53.25	13,914	57.50	15,275	61.75	16,629
45.00	11,286	49.25	12,635	53.50	13,994	57.75	15,354	62.00	16,709
45.25	11,365	49.50	12,715	53.75	14,074	58.00	15,434	62.25	16,788
45.50	11,444	49.75	12,795	54.00	14,154	58.25	15,514	62.50	16,867
45.75	11,523	50.00	12,875	54.25	14,234	58.50	15,594	62.75	16,947
46.00	11,602	50.25	12,954	54.50	14,314	58.75	15,674	63.00	17,026
46.25	11,681	50.50	13,034	54.75	14,394	59.00	15,754	63.25	17,105
46.50	11,760	50.75	13,114	55.00	14,474	59.25	15,834	63.50	17,184



## Capacity/Gauge Table Information

**TCLX 290458**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 258

Reporting Mark: TCLX 290458

Date: 29/06/2015

Capacity: 28,961 US Gallons (109,631 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,263	68.00	18,595	72.25	19,903	76.50	21,177	80.75	22,408
64.00	17,342	68.25	18,673	72.50	19,979	76.75	21,251	81.00	22,479
64.25	17,421	68.50	18,751	72.75	20,055	77.00	21,324	81.25	22,550
64.50	17,499	68.75	18,828	73.00	20,130	77.25	21,398	81.50	22,621
64.75	17,578	69.00	18,906	73.25	20,206	77.50	21,471	81.75	22,691
65.00	17,657	69.25	18,983	73.50	20,281	77.75	21,544	82.00	22,761
65.25	17,736	69.50	19,060	73.75	20,357	78.00	21,617	82.25	22,831
65.50	17,814	69.75	19,137	74.00	20,432	78.25	21,690	82.50	22,901
65.75	17,893	70.00	19,214	74.25	20,507	78.50	21,762	82.75	22,971
66.00	17,971	70.25	19,291	74.50	20,582	78.75	21,835	83.00	23,040
66.25	18,049	70.50	19,368	74.75	20,657	79.00	21,907	83.25	23,109
66.50	18,128	70.75	19,445	75.00	20,732	79.25	21,979	83.50	23,178
66.75	18,206	71.00	19,521	75.25	20,806	79.50	22,051	83.75	23,247
67.00	18,284	71.25	19,598	75.50	20,881	79.75	22,123	84.00	23,316
67.25	18,362	71.50	19,674	75.75	20,955	80.00	22,195	84.25	23,384
67.50	18,440	71.75	19,751	76.00	21,029	80.25	22,266	84.50	23,452
67.75	18,518	72.00	19,827	76.25	21,103	80.50	22,337	84.75	23,520



## Capacity/Gauge Table Information

**TCLX 290458**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 258

Reporting Mark: TCLX 290458

Date: 29/06/2015

Capacity: 28,961 US Gallons (109,631 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,588	89.25	24,704	93.50	25,744	97.75	26,694	102.00	27,533
85.25	23,655	89.50	24,767	93.75	25,803	98.00	26,747	102.25	27,578
85.50	23,723	89.75	24,831	94.00	25,861	98.25	26,799	102.50	27,623
85.75	23,790	90.00	24,893	94.25	25,919	98.50	26,851	102.75	27,668
86.00	23,857	90.25	24,956	94.50	25,977	98.75	26,902	103.00	27,712
86.25	23,923	90.50	25,018	94.75	26,034	99.00	26,953	103.25	27,755
86.50	23,990	90.75	25,081	95.00	26,091	99.25	27,004	103.50	27,798
86.75	24,056	91.00	25,142	95.25	26,147	99.50	27,054	103.75	27,840
87.00	24,122	91.25	25,204	95.50	26,204	99.75	27,104	104.00	27,882
87.25	24,187	91.50	25,265	95.75	26,260	100.00	27,153	104.25	27,923
87.50	24,253	91.75	25,326	96.00	26,315	100.25	27,202	104.50	27,964
87.75	24,318	92.00	25,387	96.25	26,370	100.50	27,251	104.75	28,004
88.00	24,383	92.25	25,447	96.50	26,425	100.75	27,299	105.00	28,044
88.25	24,448	92.50	25,507	96.75	26,480	101.00	27,347	105.25	28,083
88.50	24,512	92.75	25,567	97.00	26,534	101.25	27,394	105.50	28,121
88.75	24,576	93.00	25,626	97.25	26,588	101.50	27,441	105.75	28,159
89.00	24,640	93.25	25,686	97.50	26,641	101.75	27,487	106.00	28,197



## Capacity/Gauge Table Information

**TCLX 290458**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 258

Reporting Mark: TCLX 290458

Date: 29/06/2015

Capacity: 28,961 US Gallons (109,631 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,233	110.50	28,742	114.75	28,949
106.50	28,269	110.75	28,763	115.00	28,952
106.75	28,304	111.00	28,783	115.25	28,955
107.00	28,339	111.25	28,802	115.50	28,957
107.25	28,373	111.50	28,819	115.75	28,959
107.50	28,406	111.75	28,835	116.00	28,960
107.75	28,439	112.00	28,850	116.25	28,961
108.00	28,471	112.25	28,864	116.50	28,961
108.25	28,502	112.50	28,877	116.75	28,961
108.50	28,532	112.75	28,889		
108.75	28,562	113.00	28,900		
109.00	28,590	113.25	28,910		
109.25	28,618	113.50	28,918		
109.50	28,645	113.75	28,926		
109.75	28,671	114.00	28,933		
110.00	28,695	114.25	28,939		
110.25	28,719	114.50	28,944		



## Capacity/Gauge Table Information

**TCLX 290459**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 259

Reporting Mark: TCLX 290459

Date: 30/06/2015

Capacity: 28,969 US Gallons (109,660 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,225	17.00	3,211
0.25	28	4.50	626	8.75	1,390	13.00	2,280	17.25	3,272
0.50	58	4.75	667	9.00	1,439	13.25	2,336	17.50	3,333
0.75	88	5.00	709	9.25	1,489	13.50	2,392	17.75	3,395
1.00	119	5.25	751	9.50	1,539	13.75	2,449	18.00	3,456
1.25	151	5.50	793	9.75	1,589	14.00	2,505	18.25	3,518
1.50	183	5.75	836	10.00	1,640	14.25	2,562	18.50	3,581
1.75	217	6.00	880	10.25	1,692	14.50	2,620	18.75	3,643
2.00	251	6.25	924	10.50	1,743	14.75	2,678	19.00	3,706
2.25	285	6.50	968	10.75	1,795	15.00	2,736	19.25	3,769
2.50	321	6.75	1,013	11.00	1,848	15.25	2,794	19.50	3,832
2.75	357	7.00	1,059	11.25	1,900	15.50	2,853	19.75	3,896
3.00	393	7.25	1,105	11.50	1,954	15.75	2,912	20.00	3,960
3.25	431	7.50	1,151	11.75	2,007	16.00	2,971	20.25	4,024
3.50	469	7.75	1,198	12.00	2,061	16.25	3,031	20.50	4,088
3.75	507	8.00	1,245	12.25	2,115	16.50	3,091	20.75	4,153
4.00	546	8.25	1,293	12.50	2,170	16.75	3,151	21.00	4,218



## Capacity/Gauge Table Information

**TCLX 290459**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 259

Reporting Mark: TCLX 290459

Date: 30/06/2015

Capacity: 28,969 US Gallons (109,660 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,283	25.50	5,425	29.75	6,626	34.00	7,875	38.25	9,163
21.50	4,348	25.75	5,494	30.00	6,698	34.25	7,950	38.50	9,240
21.75	4,414	26.00	5,563	30.25	6,771	34.50	8,025	38.75	9,317
22.00	4,480	26.25	5,633	30.50	6,843	34.75	8,100	39.00	9,394
22.25	4,546	26.50	5,703	30.75	6,916	35.00	8,175	39.25	9,471
22.50	4,612	26.75	5,773	31.00	6,989	35.25	8,250	39.50	9,548
22.75	4,679	27.00	5,843	31.25	7,062	35.50	8,326	39.75	9,625
23.00	4,745	27.25	5,913	31.50	7,135	35.75	8,401	40.00	9,703
23.25	4,812	27.50	5,984	31.75	7,208	36.00	8,477	40.25	9,780
23.50	4,880	27.75	6,054	32.00	7,282	36.25	8,553	40.50	9,858
23.75	4,947	28.00	6,125	32.25	7,356	36.50	8,629	40.75	9,936
24.00	5,015	28.25	6,196	32.50	7,429	36.75	8,705	41.00	10,013
24.25	5,082	28.50	6,267	32.75	7,503	37.00	8,781	41.25	10,091
24.50	5,151	28.75	6,339	33.00	7,577	37.25	8,857	41.50	10,169
24.75	5,219	29.00	6,410	33.25	7,652	37.50	8,934	41.75	10,247
25.00	5,287	29.25	6,482	33.50	7,726	37.75	9,010	42.00	10,325
25.25	5,356	29.50	6,554	33.75	7,801	38.00	9,087	42.25	10,403





## Capacity/Gauge Table Information

**TCLX 290459**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 259

Reporting Mark: TCLX 290459

Date: 30/06/2015

Capacity: 28,969 US Gallons (109,660 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,481	46.75	11,821	51.00	13,175	55.25	14,536	59.50	15,894
42.75	10,560	47.00	11,901	51.25	13,255	55.50	14,616	59.75	15,974
43.00	10,638	47.25	11,980	51.50	13,335	55.75	14,696	60.00	16,054
43.25	10,717	47.50	12,060	51.75	13,415	56.00	14,776	60.25	16,133
43.50	10,795	47.75	12,139	52.00	13,495	56.25	14,856	60.50	16,213
43.75	10,874	48.00	12,219	52.25	13,575	56.50	14,936	60.75	16,292
44.00	10,952	48.25	12,298	52.50	13,655	56.75	15,016	61.00	16,372
44.25	11,031	48.50	12,378	52.75	13,735	57.00	15,096	61.25	16,452
44.50	11,110	48.75	12,457	53.00	13,815	57.25	15,176	61.50	16,531
44.75	11,189	49.00	12,537	53.25	13,895	57.50	15,255	61.75	16,610
45.00	11,268	49.25	12,617	53.50	13,975	57.75	15,335	62.00	16,690
45.25	11,346	49.50	12,696	53.75	14,055	58.00	15,415	62.25	16,769
45.50	11,426	49.75	12,776	54.00	14,135	58.25	15,495	62.50	16,848
45.75	11,505	50.00	12,856	54.25	14,215	58.50	15,575	62.75	16,928
46.00	11,584	50.25	12,936	54.50	14,295	58.75	15,655	63.00	17,007
46.25	11,663	50.50	13,016	54.75	14,375	59.00	15,735	63.25	17,086
46.50	11,742	50.75	13,095	55.00	14,455	59.25	15,814	63.50	17,165



## Capacity/Gauge Table Information

**TCLX 290459**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 259

Reporting Mark: TCLX 290459

Date: 30/06/2015

Capacity: 28,969 US Gallons (109,660 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,244	68.00	18,577	72.25	19,885	76.50	21,159	80.75	22,392
64.00	17,323	68.25	18,654	72.50	19,961	76.75	21,233	81.00	22,463
64.25	17,402	68.50	18,732	72.75	20,036	77.00	21,307	81.25	22,534
64.50	17,481	68.75	18,810	73.00	20,112	77.25	21,380	81.50	22,604
64.75	17,559	69.00	18,887	73.25	20,188	77.50	21,453	81.75	22,675
65.00	17,638	69.25	18,964	73.50	20,263	77.75	21,527	82.00	22,745
65.25	17,717	69.50	19,042	73.75	20,339	78.00	21,600	82.25	22,815
65.50	17,795	69.75	19,119	74.00	20,414	78.25	21,672	82.50	22,885
65.75	17,874	70.00	19,196	74.25	20,489	78.50	21,745	82.75	22,954
66.00	17,952	70.25	19,273	74.50	20,564	78.75	21,818	83.00	23,024
66.25	18,030	70.50	19,350	74.75	20,639	79.00	21,890	83.25	23,093
66.50	18,109	70.75	19,426	75.00	20,714	79.25	21,962	83.50	23,162
66.75	18,187	71.00	19,503	75.25	20,788	79.50	22,034	83.75	23,231
67.00	18,265	71.25	19,580	75.50	20,863	79.75	22,106	84.00	23,300
67.25	18,343	71.50	19,656	75.75	20,937	80.00	22,178	84.25	23,368
67.50	18,421	71.75	19,732	76.00	21,011	80.25	22,249	84.50	23,436
67.75	18,499	72.00	19,809	76.25	21,085	80.50	22,321	84.75	23,504



## Capacity/Gauge Table Information

**TCLX 290459**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 259

Reporting Mark: TCLX 290459

Date: 30/06/2015

Capacity: 28,969 US Gallons (109,660 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,572	89.25	24,690	93.50	25,732	97.75	26,684	102.00	27,526
85.25	23,640	89.50	24,753	93.75	25,791	98.00	26,737	102.25	27,571
85.50	23,707	89.75	24,817	94.00	25,849	98.25	26,789	102.50	27,616
85.75	23,774	90.00	24,880	94.25	25,907	98.50	26,841	102.75	27,661
86.00	23,841	90.25	24,942	94.50	25,965	98.75	26,893	103.00	27,705
86.25	23,908	90.50	25,005	94.75	26,022	99.00	26,944	103.25	27,749
86.50	23,975	90.75	25,067	95.00	26,079	99.25	26,995	103.50	27,792
86.75	24,041	91.00	25,129	95.25	26,136	99.50	27,045	103.75	27,834
87.00	24,107	91.25	25,191	95.50	26,192	99.75	27,095	104.00	27,876
87.25	24,173	91.50	25,252	95.75	26,249	100.00	27,145	104.25	27,918
87.50	24,238	91.75	25,313	96.00	26,304	100.25	27,194	104.50	27,959
87.75	24,303	92.00	25,374	96.25	26,360	100.50	27,243	104.75	27,999
88.00	24,368	92.25	25,434	96.50	26,415	100.75	27,291	105.00	28,039
88.25	24,433	92.50	25,495	96.75	26,469	101.00	27,339	105.25	28,078
88.50	24,498	92.75	25,554	97.00	26,523	101.25	27,386	105.50	28,117
88.75	24,562	93.00	25,614	97.25	26,577	101.50	27,433	105.75	28,155
89.00	24,626	93.25	25,673	97.50	26,631	101.75	27,480	106.00	28,193



## Capacity/Gauge Table Information

**TCLX 290459**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 259

Reporting Mark: TCLX 290459

Date: 30/06/2015

Capacity: 28,969 US Gallons (109,660 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,230	110.50	28,744	114.75	28,956
106.50	28,266	110.75	28,766	115.00	28,960
106.75	28,301	111.00	28,786	115.25	28,963
107.00	28,336	111.25	28,805	115.50	28,965
107.25	28,371	111.50	28,823	115.75	28,967
107.50	28,404	111.75	28,840	116.00	28,968
107.75	28,437	112.00	28,855	116.25	28,969
108.00	28,469	112.25	28,870	116.50	28,969
108.25	28,500	112.50	28,883	116.75	28,969
108.50	28,531	112.75	28,895		
108.75	28,561	113.00	28,906		
109.00	28,590	113.25	28,916		
109.25	28,618	113.50	28,925		
109.50	28,645	113.75	28,933		
109.75	28,671	114.00	28,940		
110.00	28,697	114.25	28,946		
110.25	28,721	114.50	28,952		



## Capacity/Gauge Table Information

**TCLX 290460**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 260

Reporting Mark: TCLX 290460

Date: 01/07/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,223	17.00	3,209
0.25	28	4.50	625	8.75	1,389	13.00	2,278	17.25	3,270
0.50	58	4.75	666	9.00	1,438	13.25	2,334	17.50	3,331
0.75	88	5.00	707	9.25	1,487	13.50	2,390	17.75	3,392
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,454
1.25	150	5.50	792	9.75	1,588	14.00	2,503	18.25	3,516
1.50	183	5.75	835	10.00	1,638	14.25	2,560	18.50	3,578
1.75	216	6.00	878	10.25	1,690	14.50	2,618	18.75	3,641
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,703
2.25	285	6.50	967	10.75	1,793	15.00	2,733	19.25	3,766
2.50	320	6.75	1,012	11.00	1,846	15.25	2,792	19.50	3,830
2.75	356	7.00	1,057	11.25	1,898	15.50	2,850	19.75	3,893
3.00	393	7.25	1,103	11.50	1,952	15.75	2,909	20.00	3,957
3.25	430	7.50	1,150	11.75	2,005	16.00	2,969	20.25	4,021
3.50	468	7.75	1,197	12.00	2,059	16.25	3,028	20.50	4,086
3.75	506	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,150
4.00	545	8.25	1,292	12.50	2,168	16.75	3,148	21.00	4,215



## Capacity/Gauge Table Information

**TCLX 290460**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 260

Reporting Mark: TCLX 290460

Date: 01/07/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,280	25.50	5,422	29.75	6,623	34.00	7,872	38.25	9,160
21.50	4,345	25.75	5,491	30.00	6,695	34.25	7,947	38.50	9,237
21.75	4,411	26.00	5,560	30.25	6,767	34.50	8,022	38.75	9,314
22.00	4,477	26.25	5,630	30.50	6,840	34.75	8,097	39.00	9,391
22.25	4,543	26.50	5,700	30.75	6,913	35.00	8,172	39.25	9,468
22.50	4,609	26.75	5,770	31.00	6,986	35.25	8,247	39.50	9,545
22.75	4,676	27.00	5,840	31.25	7,059	35.50	8,323	39.75	9,622
23.00	4,742	27.25	5,910	31.50	7,132	35.75	8,398	40.00	9,700
23.25	4,809	27.50	5,980	31.75	7,205	36.00	8,474	40.25	9,777
23.50	4,877	27.75	6,051	32.00	7,279	36.25	8,550	40.50	9,855
23.75	4,944	28.00	6,122	32.25	7,352	36.50	8,625	40.75	9,932
24.00	5,012	28.25	6,193	32.50	7,426	36.75	8,701	41.00	10,010
24.25	5,080	28.50	6,264	32.75	7,500	37.00	8,778	41.25	10,088
24.50	5,148	28.75	6,336	33.00	7,574	37.25	8,854	41.50	10,166
24.75	5,216	29.00	6,407	33.25	7,648	37.50	8,930	41.75	10,244
25.00	5,284	29.25	6,479	33.50	7,723	37.75	9,007	42.00	10,322
25.25	5,353	29.50	6,551	33.75	7,797	38.00	9,083	42.25	10,400



## Capacity/Gauge Table Information

**TCLX 290460**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 260

Reporting Mark: TCLX 290460

Date: 01/07/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,478	46.75	11,818	51.00	13,172	55.25	14,533	59.50	15,891
42.75	10,556	47.00	11,898	51.25	13,252	55.50	14,613	59.75	15,971
43.00	10,635	47.25	11,977	51.50	13,332	55.75	14,693	60.00	16,051
43.25	10,713	47.50	12,056	51.75	13,412	56.00	14,773	60.25	16,131
43.50	10,792	47.75	12,136	52.00	13,492	56.25	14,853	60.50	16,210
43.75	10,870	48.00	12,215	52.25	13,572	56.50	14,933	60.75	16,290
44.00	10,949	48.25	12,295	52.50	13,652	56.75	15,013	61.00	16,369
44.25	11,028	48.50	12,374	52.75	13,732	57.00	15,093	61.25	16,449
44.50	11,107	48.75	12,454	53.00	13,812	57.25	15,173	61.50	16,528
44.75	11,185	49.00	12,534	53.25	13,892	57.50	15,253	61.75	16,608
45.00	11,264	49.25	12,613	53.50	13,972	57.75	15,333	62.00	16,687
45.25	11,343	49.50	12,693	53.75	14,052	58.00	15,412	62.25	16,766
45.50	11,422	49.75	12,773	54.00	14,132	58.25	15,492	62.50	16,846
45.75	11,501	50.00	12,853	54.25	14,212	58.50	15,572	62.75	16,925
46.00	11,580	50.25	12,933	54.50	14,292	58.75	15,652	63.00	17,004
46.25	11,660	50.50	13,012	54.75	14,372	59.00	15,732	63.25	17,083
46.50	11,739	50.75	13,092	55.00	14,452	59.25	15,812	63.50	17,162





## Capacity/Gauge Table Information

**TCLX 290460**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 260

Reporting Mark: TCLX 290460

Date: 01/07/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,241	68.00	18,575	72.25	19,883	76.50	21,158	80.75	22,391
64.00	17,320	68.25	18,652	72.50	19,959	76.75	21,232	81.00	22,462
64.25	17,399	68.50	18,730	72.75	20,035	77.00	21,305	81.25	22,533
64.50	17,478	68.75	18,807	73.00	20,111	77.25	21,379	81.50	22,604
64.75	17,557	69.00	18,885	73.25	20,186	77.50	21,452	81.75	22,674
65.00	17,636	69.25	18,962	73.50	20,262	77.75	21,525	82.00	22,744
65.25	17,714	69.50	19,040	73.75	20,337	78.00	21,598	82.25	22,814
65.50	17,793	69.75	19,117	74.00	20,412	78.25	21,671	82.50	22,884
65.75	17,871	70.00	19,194	74.25	20,488	78.50	21,744	82.75	22,954
66.00	17,950	70.25	19,271	74.50	20,563	78.75	21,817	83.00	23,023
66.25	18,028	70.50	19,348	74.75	20,638	79.00	21,889	83.25	23,093
66.50	18,106	70.75	19,424	75.00	20,712	79.25	21,961	83.50	23,162
66.75	18,185	71.00	19,501	75.25	20,787	79.50	22,033	83.75	23,231
67.00	18,263	71.25	19,578	75.50	20,861	79.75	22,105	84.00	23,299
67.25	18,341	71.50	19,654	75.75	20,936	80.00	22,177	84.25	23,368
67.50	18,419	71.75	19,731	76.00	21,010	80.25	22,248	84.50	23,436
67.75	18,497	72.00	19,807	76.25	21,084	80.50	22,320	84.75	23,504



## Capacity/Gauge Table Information

**TCLX 290460**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 260

Reporting Mark: TCLX 290460

Date: 01/07/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,572	89.25	24,691	93.50	25,734	97.75	26,686	102.00	27,529
85.25	23,640	89.50	24,754	93.75	25,792	98.00	26,739	102.25	27,575
85.50	23,707	89.75	24,817	94.00	25,851	98.25	26,792	102.50	27,620
85.75	23,774	90.00	24,881	94.25	25,909	98.50	26,844	102.75	27,665
86.00	23,841	90.25	24,943	94.50	25,967	98.75	26,895	103.00	27,709
86.25	23,908	90.50	25,006	94.75	26,024	99.00	26,947	103.25	27,753
86.50	23,975	90.75	25,068	95.00	26,081	99.25	26,998	103.50	27,796
86.75	24,041	91.00	25,130	95.25	26,138	99.50	27,048	103.75	27,838
87.00	24,107	91.25	25,192	95.50	26,194	99.75	27,098	104.00	27,880
87.25	24,173	91.50	25,253	95.75	26,250	100.00	27,148	104.25	27,922
87.50	24,238	91.75	25,314	96.00	26,306	100.25	27,197	104.50	27,963
87.75	24,304	92.00	25,375	96.25	26,362	100.50	27,246	104.75	28,004
88.00	24,369	92.25	25,436	96.50	26,417	100.75	27,294	105.00	28,044
88.25	24,434	92.50	25,496	96.75	26,471	101.00	27,342	105.25	28,083
88.50	24,498	92.75	25,556	97.00	26,526	101.25	27,390	105.50	28,122
88.75	24,563	93.00	25,615	97.25	26,580	101.50	27,437	105.75	28,160
89.00	24,627	93.25	25,675	97.50	26,633	101.75	27,483	106.00	28,197



## Capacity/Gauge Table Information

**TCLX 290460**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 260

Reporting Mark: TCLX 290460

Date: 01/07/2015

Capacity: 28,978 US Gallons (109,694 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,234	110.50	28,751	114.75	28,965
106.50	28,271	110.75	28,773	115.00	28,969
106.75	28,306	111.00	28,793	115.25	28,972
107.00	28,341	111.25	28,813	115.50	28,974
107.25	28,376	111.50	28,831	115.75	28,976
107.50	28,409	111.75	28,848	116.00	28,977
107.75	28,442	112.00	28,863	116.25	28,978
108.00	28,475	112.25	28,878	116.50	28,978
108.25	28,506	112.50	28,891	116.75	28,978
108.50	28,537	112.75	28,903		
108.75	28,567	113.00	28,914		
109.00	28,596	113.25	28,925		
109.25	28,624	113.50	28,934		
109.50	28,651	113.75	28,942		
109.75	28,678	114.00	28,949		
110.00	28,703	114.25	28,955		
110.25	28,728	114.50	28,960		



## Capacity/Gauge Table Information

**TCLX 290461**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 261

Reporting Mark: TCLX 290461

Date: 29/06/2015

Capacity: 28,990 US Gallons (109,741 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,336	12.75	2,217	17.00	3,202
0.25	28	4.50	623	8.75	1,384	13.00	2,272	17.25	3,263
0.50	57	4.75	663	9.00	1,433	13.25	2,328	17.50	3,324
0.75	87	5.00	705	9.25	1,483	13.50	2,384	17.75	3,385
1.00	118	5.25	746	9.50	1,533	13.75	2,440	18.00	3,447
1.25	150	5.50	789	9.75	1,583	14.00	2,497	18.25	3,509
1.50	182	5.75	832	10.00	1,634	14.25	2,554	18.50	3,571
1.75	215	6.00	875	10.25	1,685	14.50	2,611	18.75	3,633
2.00	249	6.25	919	10.50	1,736	14.75	2,669	19.00	3,696
2.25	283	6.50	963	10.75	1,788	15.00	2,727	19.25	3,759
2.50	318	6.75	1,008	11.00	1,840	15.25	2,785	19.50	3,822
2.75	354	7.00	1,053	11.25	1,893	15.50	2,844	19.75	3,886
3.00	391	7.25	1,099	11.50	1,946	15.75	2,903	20.00	3,950
3.25	428	7.50	1,146	11.75	2,000	16.00	2,962	20.25	4,014
3.50	466	7.75	1,192	12.00	2,053	16.25	3,022	20.50	4,078
3.75	504	8.00	1,240	12.25	2,108	16.50	3,081	20.75	4,142
4.00	543	8.25	1,287	12.50	2,162	16.75	3,142	21.00	4,207



## Capacity/Gauge Table Information

**TCLX 290461**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 261

Reporting Mark: TCLX 290461

Date: 29/06/2015

Capacity: 28,990 US Gallons (109,741 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,272	25.50	5,414	29.75	6,614	34.00	7,863	38.25	9,151
21.50	4,338	25.75	5,483	30.00	6,686	34.25	7,938	38.50	9,227
21.75	4,403	26.00	5,552	30.25	6,759	34.50	8,012	38.75	9,304
22.00	4,469	26.25	5,621	30.50	6,831	34.75	8,087	39.00	9,381
22.25	4,535	26.50	5,691	30.75	6,904	35.00	8,163	39.25	9,458
22.50	4,601	26.75	5,761	31.00	6,977	35.25	8,238	39.50	9,536
22.75	4,668	27.00	5,831	31.25	7,050	35.50	8,313	39.75	9,613
23.00	4,734	27.25	5,901	31.50	7,123	35.75	8,389	40.00	9,690
23.25	4,801	27.50	5,972	31.75	7,196	36.00	8,465	40.25	9,768
23.50	4,868	27.75	6,042	32.00	7,270	36.25	8,540	40.50	9,845
23.75	4,936	28.00	6,113	32.25	7,343	36.50	8,616	40.75	9,923
24.00	5,003	28.25	6,184	32.50	7,417	36.75	8,692	41.00	10,001
24.25	5,071	28.50	6,255	32.75	7,491	37.00	8,768	41.25	10,078
24.50	5,139	28.75	6,327	33.00	7,565	37.25	8,845	41.50	10,156
24.75	5,208	29.00	6,398	33.25	7,639	37.50	8,921	41.75	10,234
25.00	5,276	29.25	6,470	33.50	7,714	37.75	8,997	42.00	10,312
25.25	5,345	29.50	6,542	33.75	7,788	38.00	9,074	42.25	10,391



## Capacity/Gauge Table Information

**TCLX 290461**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 261

Reporting Mark: TCLX 290461

Date: 29/06/2015

Capacity: 28,990 US Gallons (109,741 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,469	46.75	11,809	51.00	13,163	55.25	14,524	59.50	15,883
42.75	10,547	47.00	11,888	51.25	13,243	55.50	14,604	59.75	15,963
43.00	10,626	47.25	11,968	51.50	13,323	55.75	14,684	60.00	16,043
43.25	10,704	47.50	12,047	51.75	13,403	56.00	14,764	60.25	16,122
43.50	10,782	47.75	12,127	52.00	13,483	56.25	14,844	60.50	16,202
43.75	10,861	48.00	12,206	52.25	13,563	56.50	14,924	60.75	16,282
44.00	10,940	48.25	12,286	52.50	13,643	56.75	15,004	61.00	16,361
44.25	11,018	48.50	12,365	52.75	13,723	57.00	15,084	61.25	16,441
44.50	11,097	48.75	12,445	53.00	13,803	57.25	15,164	61.50	16,520
44.75	11,176	49.00	12,525	53.25	13,883	57.50	15,244	61.75	16,600
45.00	11,255	49.25	12,604	53.50	13,963	57.75	15,324	62.00	16,679
45.25	11,334	49.50	12,684	53.75	14,043	58.00	15,404	62.25	16,759
45.50	11,413	49.75	12,764	54.00	14,124	58.25	15,484	62.50	16,838
45.75	11,492	50.00	12,844	54.25	14,204	58.50	15,564	62.75	16,917
46.00	11,571	50.25	12,924	54.50	14,284	58.75	15,644	63.00	16,996
46.25	11,650	50.50	13,003	54.75	14,364	59.00	15,724	63.25	17,076
46.50	11,730	50.75	13,083	55.00	14,444	59.25	15,804	63.50	17,155



## Capacity/Gauge Table Information

**TCLX 290461**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 261

Reporting Mark: TCLX 290461

Date: 29/06/2015

Capacity: 28,990 US Gallons (109,741 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,234	68.00	18,568	72.25	19,877	76.50	21,153	80.75	22,387
64.00	17,313	68.25	18,645	72.50	19,953	76.75	21,226	81.00	22,458
64.25	17,392	68.50	18,723	72.75	20,029	77.00	21,300	81.25	22,528
64.50	17,471	68.75	18,801	73.00	20,104	77.25	21,374	81.50	22,599
64.75	17,549	69.00	18,878	73.25	20,180	77.50	21,447	81.75	22,670
65.00	17,628	69.25	18,955	73.50	20,256	77.75	21,520	82.00	22,740
65.25	17,707	69.50	19,033	73.75	20,331	78.00	21,593	82.25	22,810
65.50	17,785	69.75	19,110	74.00	20,407	78.25	21,666	82.50	22,880
65.75	17,864	70.00	19,187	74.25	20,482	78.50	21,739	82.75	22,950
66.00	17,942	70.25	19,264	74.50	20,557	78.75	21,812	83.00	23,020
66.25	18,021	70.50	19,341	74.75	20,632	79.00	21,884	83.25	23,089
66.50	18,099	70.75	19,418	75.00	20,707	79.25	21,956	83.50	23,158
66.75	18,177	71.00	19,495	75.25	20,781	79.50	22,029	83.75	23,227
67.00	18,256	71.25	19,571	75.50	20,856	79.75	22,100	84.00	23,296
67.25	18,334	71.50	19,648	75.75	20,930	80.00	22,172	84.25	23,364
67.50	18,412	71.75	19,724	76.00	21,004	80.25	22,244	84.50	23,433
67.75	18,490	72.00	19,800	76.25	21,079	80.50	22,315	84.75	23,501





## Capacity/Gauge Table Information

**TCLX 290461**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 261

Reporting Mark: TCLX 290461

Date: 29/06/2015

Capacity: 28,990 US Gallons (109,741 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,569	89.25	24,688	93.50	25,733	97.75	26,687	102.00	27,532
85.25	23,636	89.50	24,752	93.75	25,792	98.00	26,740	102.25	27,577
85.50	23,704	89.75	24,815	94.00	25,850	98.25	26,792	102.50	27,623
85.75	23,771	90.00	24,878	94.25	25,908	98.50	26,845	102.75	27,667
86.00	23,838	90.25	24,941	94.50	25,966	98.75	26,896	103.00	27,712
86.25	23,905	90.50	25,004	94.75	26,024	99.00	26,948	103.25	27,756
86.50	23,972	90.75	25,066	95.00	26,081	99.25	26,999	103.50	27,799
86.75	24,038	91.00	25,128	95.25	26,138	99.50	27,049	103.75	27,842
87.00	24,104	91.25	25,190	95.50	26,194	99.75	27,100	104.00	27,884
87.25	24,170	91.50	25,251	95.75	26,250	100.00	27,149	104.25	27,926
87.50	24,236	91.75	25,313	96.00	26,306	100.25	27,199	104.50	27,967
87.75	24,301	92.00	25,374	96.25	26,362	100.50	27,248	104.75	28,007
88.00	24,366	92.25	25,434	96.50	26,417	100.75	27,296	105.00	28,047
88.25	24,431	92.50	25,494	96.75	26,471	101.00	27,344	105.25	28,087
88.50	24,496	92.75	25,554	97.00	26,526	101.25	27,392	105.50	28,126
88.75	24,560	93.00	25,614	97.25	26,580	101.50	27,439	105.75	28,164
89.00	24,624	93.25	25,674	97.50	26,634	101.75	27,485	106.00	28,202



## Capacity/Gauge Table Information

**TCLX 290461**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 261

Reporting Mark: TCLX 290461

Date: 29/06/2015

Capacity: 28,990 US Gallons (109,741 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,239	110.50	28,759	114.75	28,977
106.50	28,276	110.75	28,781	115.00	28,981
106.75	28,311	111.00	28,802	115.25	28,984
107.00	28,347	111.25	28,822	115.50	28,986
107.25	28,381	111.50	28,840	115.75	28,988
107.50	28,415	111.75	28,858	116.00	28,989
107.75	28,448	112.00	28,874	116.25	28,990
108.00	28,480	112.25	28,888	116.50	28,990
108.25	28,512	112.50	28,902	116.75	28,990
108.50	28,543	112.75	28,914		
108.75	28,573	113.00	28,926		
109.00	28,602	113.25	28,936		
109.25	28,631	113.50	28,945		
109.50	28,658	113.75	28,953		
109.75	28,685	114.00	28,961		
110.00	28,711	114.25	28,967		
110.25	28,735	114.50	28,972		



## Capacity/Gauge Table Information

**TCLX 290462**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 262

Reporting Mark: TCLX 290462

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,386 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	609	8.50	1,381	12.75	2,277	17.00	3,274
0.25	30	4.50	650	8.75	1,431	13.00	2,333	17.25	3,335
0.50	61	4.75	692	9.00	1,481	13.25	2,390	17.50	3,397
0.75	93	5.00	735	9.25	1,531	13.50	2,446	17.75	3,459
1.00	125	5.25	778	9.50	1,582	13.75	2,503	18.00	3,521
1.25	159	5.50	821	9.75	1,633	14.00	2,561	18.25	3,584
1.50	193	5.75	865	10.00	1,685	14.25	2,619	18.50	3,646
1.75	227	6.00	910	10.25	1,737	14.50	2,677	18.75	3,709
2.00	263	6.25	955	10.50	1,789	14.75	2,735	19.00	3,773
2.25	299	6.50	1,000	10.75	1,842	15.00	2,794	19.25	3,836
2.50	335	6.75	1,046	11.00	1,895	15.25	2,853	19.50	3,900
2.75	373	7.00	1,093	11.25	1,948	15.50	2,912	19.75	3,964
3.00	411	7.25	1,140	11.50	2,002	15.75	2,972	20.00	4,029
3.25	449	7.50	1,187	11.75	2,057	16.00	3,031	20.25	4,093
3.50	488	7.75	1,235	12.00	2,111	16.25	3,092	20.50	4,158
3.75	528	8.00	1,283	12.25	2,166	16.50	3,152	20.75	4,223
4.00	568	8.25	1,332	12.50	2,222	16.75	3,213	21.00	4,288



## Capacity/Gauge Table Information

**TCLX 290462**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 262

Reporting Mark: TCLX 290462

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,386 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,354	25.50	5,503	29.75	6,710	34.00	7,963	38.25	9,255
21.50	4,420	25.75	5,573	30.00	6,782	34.25	8,038	38.50	9,332
21.75	4,486	26.00	5,642	30.25	6,855	34.50	8,114	38.75	9,409
22.00	4,552	26.25	5,712	30.50	6,928	34.75	8,189	39.00	9,486
22.25	4,619	26.50	5,782	30.75	7,001	35.00	8,264	39.25	9,563
22.50	4,685	26.75	5,852	31.00	7,074	35.25	8,340	39.50	9,641
22.75	4,752	27.00	5,923	31.25	7,147	35.50	8,415	39.75	9,718
23.00	4,819	27.25	5,994	31.50	7,221	35.75	8,491	40.00	9,796
23.25	4,887	27.50	6,064	31.75	7,294	36.00	8,567	40.25	9,873
23.50	4,954	27.75	6,135	32.00	7,368	36.25	8,643	40.50	9,951
23.75	5,022	28.00	6,207	32.25	7,442	36.50	8,719	40.75	10,029
24.00	5,090	28.25	6,278	32.50	7,516	36.75	8,795	41.00	10,107
24.25	5,159	28.50	6,349	32.75	7,590	37.00	8,872	41.25	10,184
24.50	5,227	28.75	6,421	33.00	7,665	37.25	8,948	41.50	10,262
24.75	5,296	29.00	6,493	33.25	7,739	37.50	9,025	41.75	10,341
25.00	5,365	29.25	6,565	33.50	7,814	37.75	9,101	42.00	10,419
25.25	5,434	29.50	6,637	33.75	7,888	38.00	9,178	42.25	10,497



## Capacity/Gauge Table Information

**TCLX 290462**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 262

Reporting Mark: TCLX 290462

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,386 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,575	46.75	11,917	51.00	13,271	55.25	14,631	59.50	15,988
42.75	10,654	47.00	11,996	51.25	13,351	55.50	14,711	59.75	16,068
43.00	10,732	47.25	12,076	51.50	13,431	55.75	14,791	60.00	16,148
43.25	10,811	47.50	12,155	51.75	13,511	56.00	14,871	60.25	16,227
43.50	10,889	47.75	12,235	52.00	13,591	56.25	14,951	60.50	16,307
43.75	10,968	48.00	12,314	52.25	13,671	56.50	15,031	60.75	16,386
44.00	11,047	48.25	12,394	52.50	13,751	56.75	15,111	61.00	16,466
44.25	11,126	48.50	12,473	52.75	13,831	57.00	15,191	61.25	16,545
44.50	11,205	48.75	12,553	53.00	13,911	57.25	15,271	61.50	16,624
44.75	11,283	49.00	12,633	53.25	13,991	57.50	15,350	61.75	16,704
45.00	11,362	49.25	12,712	53.50	14,071	57.75	15,430	62.00	16,783
45.25	11,441	49.50	12,792	53.75	14,151	58.00	15,510	62.25	16,862
45.50	11,521	49.75	12,872	54.00	14,231	58.25	15,590	62.50	16,941
45.75	11,600	50.00	12,952	54.25	14,311	58.50	15,670	62.75	17,020
46.00	11,679	50.25	13,032	54.50	14,391	58.75	15,749	63.00	17,099
46.25	11,758	50.50	13,112	54.75	14,471	59.00	15,829	63.25	17,178
46.50	11,837	50.75	13,191	55.00	14,551	59.25	15,909	63.50	17,257



## Capacity/Gauge Table Information

**TCLX 290462**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 262

Reporting Mark: TCLX 290462

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,386 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,336	68.00	18,666	72.25	19,969	76.50	21,239	80.75	22,465
64.00	17,415	68.25	18,743	72.50	20,045	76.75	21,312	81.00	22,536
64.25	17,493	68.50	18,820	72.75	20,121	77.00	21,386	81.25	22,606
64.50	17,572	68.75	18,898	73.00	20,196	77.25	21,459	81.50	22,676
64.75	17,651	69.00	18,975	73.25	20,272	77.50	21,532	81.75	22,746
65.00	17,729	69.25	19,052	73.50	20,347	77.75	21,605	82.00	22,816
65.25	17,808	69.50	19,129	73.75	20,422	78.00	21,677	82.25	22,886
65.50	17,886	69.75	19,206	74.00	20,497	78.25	21,750	82.50	22,955
65.75	17,964	70.00	19,283	74.25	20,572	78.50	21,822	82.75	23,025
66.00	18,043	70.25	19,360	74.50	20,646	78.75	21,894	83.00	23,094
66.25	18,121	70.50	19,436	74.75	20,721	79.00	21,966	83.25	23,162
66.50	18,199	70.75	19,513	75.00	20,795	79.25	22,038	83.50	23,231
66.75	18,277	71.00	19,589	75.25	20,870	79.50	22,110	83.75	23,299
67.00	18,355	71.25	19,665	75.50	20,944	79.75	22,181	84.00	23,368
67.25	18,433	71.50	19,742	75.75	21,018	80.00	22,252	84.25	23,436
67.50	18,510	71.75	19,818	76.00	21,092	80.25	22,324	84.50	23,503
67.75	18,588	72.00	19,894	76.25	21,165	80.50	22,394	84.75	23,571



## Capacity/Gauge Table Information

**TCLX 290462**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 262

Reporting Mark: TCLX 290462

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,386 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,638	89.25	24,747	93.50	25,779	97.75	26,719	102.00	27,545
85.25	23,705	89.50	24,810	93.75	25,837	98.00	26,770	102.25	27,590
85.50	23,772	89.75	24,873	94.00	25,895	98.25	26,822	102.50	27,634
85.75	23,839	90.00	24,935	94.25	25,952	98.50	26,873	102.75	27,677
86.00	23,905	90.25	24,997	94.50	26,009	98.75	26,924	103.00	27,720
86.25	23,972	90.50	25,059	94.75	26,066	99.00	26,974	103.25	27,763
86.50	24,038	90.75	25,121	95.00	26,122	99.25	27,024	103.50	27,805
86.75	24,103	91.00	25,182	95.25	26,178	99.50	27,074	103.75	27,846
87.00	24,169	91.25	25,243	95.50	26,234	99.75	27,123	104.00	27,887
87.25	24,234	91.50	25,304	95.75	26,289	100.00	27,172	104.25	27,928
87.50	24,299	91.75	25,364	96.00	26,344	100.25	27,220	104.50	27,968
87.75	24,364	92.00	25,425	96.25	26,399	100.50	27,268	104.75	28,007
88.00	24,428	92.25	25,484	96.50	26,453	100.75	27,315	105.00	28,045
88.25	24,493	92.50	25,544	96.75	26,507	101.00	27,362	105.25	28,084
88.50	24,557	92.75	25,603	97.00	26,560	101.25	27,409	105.50	28,121
88.75	24,620	93.00	25,662	97.25	26,613	101.50	27,455	105.75	28,158
89.00	24,684	93.25	25,721	97.50	26,666	101.75	27,500	106.00	28,194





## Capacity/Gauge Table Information

**TCLX 290462**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 262

Reporting Mark: TCLX 290462

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,386 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,230	110.50	28,714	114.75	28,890
106.50	28,265	110.75	28,733	115.00	28,893
106.75	28,299	111.00	28,751	115.25	28,894
107.00	28,332	111.25	28,768	115.50	28,896
107.25	28,365	111.50	28,783	115.75	28,896
107.50	28,397	111.75	28,797	116.00	28,897
107.75	28,428	112.00	28,811	116.25	28,897
108.00	28,459	112.25	28,823		
108.25	28,489	112.50	28,834		
108.50	28,518	112.75	28,844		
108.75	28,546	113.00	28,853		
109.00	28,573	113.25	28,861		
109.25	28,599	113.50	28,868		
109.50	28,624	113.75	28,874		
109.75	28,649	114.00	28,879		
110.00	28,672	114.25	28,884		
110.25	28,693	114.50	28,887		



## Capacity/Gauge Table Information

**TCLX 290463**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 263

Reporting Mark: TCLX 290463

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,387 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	614	8.50	1,390	12.75	2,289	17.00	3,289
0.25	30	4.50	655	8.75	1,439	13.00	2,345	17.25	3,350
0.50	62	4.75	698	9.00	1,490	13.25	2,402	17.50	3,412
0.75	94	5.00	740	9.25	1,540	13.50	2,459	17.75	3,474
1.00	127	5.25	784	9.50	1,591	13.75	2,516	18.00	3,536
1.25	160	5.50	827	9.75	1,642	14.00	2,573	18.25	3,599
1.50	195	5.75	872	10.00	1,694	14.25	2,631	18.50	3,662
1.75	229	6.00	916	10.25	1,746	14.50	2,690	18.75	3,725
2.00	265	6.25	962	10.50	1,799	14.75	2,748	19.00	3,788
2.25	301	6.50	1,007	10.75	1,852	15.00	2,807	19.25	3,852
2.50	338	6.75	1,053	11.00	1,905	15.25	2,866	19.50	3,916
2.75	376	7.00	1,100	11.25	1,959	15.50	2,925	19.75	3,980
3.00	414	7.25	1,147	11.50	2,013	15.75	2,985	20.00	4,045
3.25	453	7.50	1,195	11.75	2,068	16.00	3,045	20.25	4,109
3.50	492	7.75	1,243	12.00	2,122	16.25	3,106	20.50	4,174
3.75	532	8.00	1,291	12.25	2,178	16.50	3,166	20.75	4,240
4.00	573	8.25	1,340	12.50	2,233	16.75	3,227	21.00	4,305



## Capacity/Gauge Table Information

**TCLX 290463**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 263

Reporting Mark: TCLX 290463

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,387 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,371	25.50	5,522	29.75	6,730	34.00	7,986	38.25	9,278
21.50	4,437	25.75	5,592	30.00	6,803	34.25	8,061	38.50	9,355
21.75	4,503	26.00	5,661	30.25	6,876	34.50	8,136	38.75	9,432
22.00	4,569	26.25	5,731	30.50	6,949	34.75	8,211	39.00	9,510
22.25	4,636	26.50	5,802	30.75	7,022	35.00	8,287	39.25	9,587
22.50	4,703	26.75	5,872	31.00	7,095	35.25	8,362	39.50	9,664
22.75	4,770	27.00	5,942	31.25	7,169	35.50	8,438	39.75	9,742
23.00	4,837	27.25	6,013	31.50	7,242	35.75	8,514	40.00	9,820
23.25	4,905	27.50	6,084	31.75	7,316	36.00	8,590	40.25	9,897
23.50	4,972	27.75	6,155	32.00	7,390	36.25	8,666	40.50	9,975
23.75	5,040	28.00	6,227	32.25	7,464	36.50	8,742	40.75	10,053
24.00	5,109	28.25	6,298	32.50	7,538	36.75	8,818	41.00	10,131
24.25	5,177	28.50	6,370	32.75	7,612	37.00	8,895	41.25	10,209
24.50	5,246	28.75	6,441	33.00	7,687	37.25	8,971	41.50	10,287
24.75	5,314	29.00	6,513	33.25	7,761	37.50	9,048	41.75	10,365
25.00	5,383	29.25	6,586	33.50	7,836	37.75	9,125	42.00	10,443
25.25	5,453	29.50	6,658	33.75	7,911	38.00	9,201	42.25	10,522



## Capacity/Gauge Table Information

**TCLX 290463**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 263

Reporting Mark: TCLX 290463

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,387 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,600	46.75	11,942	51.00	13,297	55.25	14,658	59.50	16,015
42.75	10,678	47.00	12,022	51.25	13,377	55.50	14,738	59.75	16,095
43.00	10,757	47.25	12,101	51.50	13,457	55.75	14,818	60.00	16,175
43.25	10,836	47.50	12,181	51.75	13,537	56.00	14,898	60.25	16,254
43.50	10,914	47.75	12,260	52.00	13,617	56.25	14,978	60.50	16,334
43.75	10,993	48.00	12,340	52.25	13,697	56.50	15,058	60.75	16,413
44.00	11,072	48.25	12,420	52.50	13,777	56.75	15,138	61.00	16,493
44.25	11,151	48.50	12,499	52.75	13,857	57.00	15,218	61.25	16,572
44.50	11,230	48.75	12,579	53.00	13,937	57.25	15,297	61.50	16,651
44.75	11,309	49.00	12,659	53.25	14,017	57.50	15,377	61.75	16,731
45.00	11,388	49.25	12,738	53.50	14,097	57.75	15,457	62.00	16,810
45.25	11,467	49.50	12,818	53.75	14,178	58.00	15,537	62.25	16,889
45.50	11,546	49.75	12,898	54.00	14,258	58.25	15,617	62.50	16,968
45.75	11,625	50.00	12,978	54.25	14,338	58.50	15,697	62.75	17,047
46.00	11,704	50.25	13,058	54.50	14,418	58.75	15,776	63.00	17,126
46.25	11,784	50.50	13,138	54.75	14,498	59.00	15,856	63.25	17,205
46.50	11,863	50.75	13,218	55.00	14,578	59.25	15,936	63.50	17,284



## Capacity/Gauge Table Information

**TCLX 290463**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 263

Reporting Mark: TCLX 290463

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,387 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,363	68.00	18,693	72.25	19,996	76.50	21,265	80.75	22,491
64.00	17,442	68.25	18,770	72.50	20,072	76.75	21,339	81.00	22,561
64.25	17,521	68.50	18,847	72.75	20,147	77.00	21,412	81.25	22,632
64.50	17,599	68.75	18,925	73.00	20,223	77.25	21,485	81.50	22,702
64.75	17,678	69.00	19,002	73.25	20,298	77.50	21,558	81.75	22,772
65.00	17,756	69.25	19,079	73.50	20,373	77.75	21,631	82.00	22,842
65.25	17,835	69.50	19,156	73.75	20,448	78.00	21,703	82.25	22,911
65.50	17,913	69.75	19,233	74.00	20,523	78.25	21,776	82.50	22,981
65.75	17,991	70.00	19,310	74.25	20,598	78.50	21,848	82.75	23,050
66.00	18,070	70.25	19,387	74.50	20,673	78.75	21,920	83.00	23,119
66.25	18,148	70.50	19,463	74.75	20,747	79.00	21,992	83.25	23,187
66.50	18,226	70.75	19,540	75.00	20,822	79.25	22,064	83.50	23,256
66.75	18,304	71.00	19,616	75.25	20,896	79.50	22,135	83.75	23,324
67.00	18,382	71.25	19,692	75.50	20,970	79.75	22,207	84.00	23,393
67.25	18,460	71.50	19,768	75.75	21,044	80.00	22,278	84.25	23,460
67.50	18,537	71.75	19,844	76.00	21,118	80.25	22,349	84.50	23,528
67.75	18,615	72.00	19,920	76.25	21,192	80.50	22,420	84.75	23,596



## Capacity/Gauge Table Information

**TCLX 290463**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 263

Reporting Mark: TCLX 290463

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,387 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,663	89.25	24,771	93.50	25,801	97.75	26,738	102.00	27,562
85.25	23,730	89.50	24,833	93.75	25,859	98.00	26,790	102.25	27,606
85.50	23,797	89.75	24,896	94.00	25,916	98.25	26,841	102.50	27,650
85.75	23,863	90.00	24,958	94.25	25,974	98.50	26,892	102.75	27,694
86.00	23,930	90.25	25,020	94.50	26,030	98.75	26,943	103.00	27,737
86.25	23,996	90.50	25,082	94.75	26,087	99.00	26,993	103.25	27,779
86.50	24,062	90.75	25,144	95.00	26,143	99.25	27,043	103.50	27,821
86.75	24,128	91.00	25,205	95.25	26,199	99.50	27,093	103.75	27,862
87.00	24,193	91.25	25,266	95.50	26,255	99.75	27,141	104.00	27,903
87.25	24,258	91.50	25,327	95.75	26,310	100.00	27,190	104.25	27,943
87.50	24,323	91.75	25,387	96.00	26,365	100.25	27,238	104.50	27,982
87.75	24,388	92.00	25,447	96.25	26,419	100.50	27,286	104.75	28,021
88.00	24,452	92.25	25,507	96.50	26,473	100.75	27,333	105.00	28,060
88.25	24,516	92.50	25,566	96.75	26,527	101.00	27,380	105.25	28,098
88.50	24,580	92.75	25,625	97.00	26,580	101.25	27,426	105.50	28,135
88.75	24,644	93.00	25,684	97.25	26,633	101.50	27,472	105.75	28,171
89.00	24,707	93.25	25,743	97.50	26,686	101.75	27,517	106.00	28,207



## Capacity/Gauge Table Information

**TCLX 290463**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 263

Reporting Mark: TCLX 290463

Date: 18/06/2015

Capacity: 28,897 US Gallons (109,387 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,243	110.50	28,720	114.75	28,891
106.50	28,277	110.75	28,738	115.00	28,893
106.75	28,311	111.00	28,756	115.25	28,895
107.00	28,344	111.25	28,772	115.50	28,896
107.25	28,377	111.50	28,787	115.75	28,897
107.50	28,409	111.75	28,801	116.00	28,897
107.75	28,440	112.00	28,814	116.25	28,897
108.00	28,470	112.25	28,825		
108.25	28,499	112.50	28,836		
108.50	28,528	112.75	28,846		
108.75	28,555	113.00	28,854		
109.00	28,582	113.25	28,862		
109.25	28,608	113.50	28,869		
109.50	28,633	113.75	28,875		
109.75	28,656	114.00	28,880		
110.00	28,679	114.25	28,884		
110.25	28,700	114.50	28,888		





## Capacity/Gauge Table Information

**TCLX 290464**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 264

Reporting Mark: TCLX 290464

Date: 19/06/2015

Capacity: 28,907 US Gallons (109,426 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	612	8.50	1,386	12.75	2,285	17.00	3,283
0.25	30	4.50	653	8.75	1,436	13.00	2,341	17.25	3,345
0.50	62	4.75	696	9.00	1,486	13.25	2,397	17.50	3,406
0.75	93	5.00	738	9.25	1,537	13.50	2,454	17.75	3,468
1.00	126	5.25	781	9.50	1,587	13.75	2,511	18.00	3,531
1.25	160	5.50	825	9.75	1,639	14.00	2,569	18.25	3,593
1.50	194	5.75	869	10.00	1,690	14.25	2,626	18.50	3,656
1.75	229	6.00	914	10.25	1,743	14.50	2,685	18.75	3,719
2.00	264	6.25	959	10.50	1,795	14.75	2,743	19.00	3,783
2.25	300	6.50	1,005	10.75	1,848	15.00	2,802	19.25	3,846
2.50	337	6.75	1,051	11.00	1,901	15.25	2,861	19.50	3,910
2.75	375	7.00	1,097	11.25	1,955	15.50	2,920	19.75	3,974
3.00	413	7.25	1,144	11.50	2,009	15.75	2,980	20.00	4,039
3.25	451	7.50	1,192	11.75	2,063	16.00	3,040	20.25	4,104
3.50	491	7.75	1,240	12.00	2,118	16.25	3,100	20.50	4,168
3.75	530	8.00	1,288	12.25	2,173	16.50	3,161	20.75	4,234
4.00	571	8.25	1,337	12.50	2,229	16.75	3,222	21.00	4,299



## Capacity/Gauge Table Information

**TCLX 290464**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 264

Reporting Mark: TCLX 290464

Date: 19/06/2015

Capacity: 28,907 US Gallons (109,426 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,365	25.50	5,515	29.75	6,723	34.00	7,978	38.25	9,271
21.50	4,431	25.75	5,585	30.00	6,796	34.25	8,053	38.50	9,348
21.75	4,497	26.00	5,655	30.25	6,869	34.50	8,128	38.75	9,425
22.00	4,563	26.25	5,725	30.50	6,942	34.75	8,204	39.00	9,502
22.25	4,630	26.50	5,795	30.75	7,015	35.00	8,279	39.25	9,579
22.50	4,696	26.75	5,865	31.00	7,088	35.25	8,355	39.50	9,657
22.75	4,764	27.00	5,936	31.25	7,161	35.50	8,431	39.75	9,734
23.00	4,831	27.25	6,006	31.50	7,235	35.75	8,506	40.00	9,812
23.25	4,898	27.50	6,077	31.75	7,309	36.00	8,582	40.25	9,890
23.50	4,966	27.75	6,148	32.00	7,382	36.25	8,658	40.50	9,967
23.75	5,034	28.00	6,220	32.25	7,456	36.50	8,735	40.75	10,045
24.00	5,102	28.25	6,291	32.50	7,531	36.75	8,811	41.00	10,123
24.25	5,170	28.50	6,363	32.75	7,605	37.00	8,887	41.25	10,201
24.50	5,239	28.75	6,434	33.00	7,679	37.25	8,964	41.50	10,279
24.75	5,308	29.00	6,506	33.25	7,754	37.50	9,040	41.75	10,357
25.00	5,377	29.25	6,579	33.50	7,828	37.75	9,117	42.00	10,436
25.25	5,446	29.50	6,651	33.75	7,903	38.00	9,194	42.25	10,514



## Capacity/Gauge Table Information

**TCLX 290464**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 264

Reporting Mark: TCLX 290464

Date: 19/06/2015

Capacity: 28,907 US Gallons (109,426 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,592	46.75	11,935	51.00	13,290	55.25	14,650	59.50	16,008
42.75	10,671	47.00	12,014	51.25	13,370	55.50	14,730	59.75	16,088
43.00	10,749	47.25	12,094	51.50	13,450	55.75	14,811	60.00	16,168
43.25	10,828	47.50	12,173	51.75	13,530	56.00	14,891	60.25	16,247
43.50	10,907	47.75	12,253	52.00	13,610	56.25	14,970	60.50	16,327
43.75	10,985	48.00	12,332	52.25	13,690	56.50	15,050	60.75	16,406
44.00	11,064	48.25	12,412	52.50	13,770	56.75	15,130	61.00	16,486
44.25	11,143	48.50	12,492	52.75	13,850	57.00	15,210	61.25	16,565
44.50	11,222	48.75	12,571	53.00	13,930	57.25	15,290	61.50	16,645
44.75	11,301	49.00	12,651	53.25	14,010	57.50	15,370	61.75	16,724
45.00	11,380	49.25	12,731	53.50	14,090	57.75	15,450	62.00	16,803
45.25	11,459	49.50	12,811	53.75	14,170	58.00	15,530	62.25	16,882
45.50	11,538	49.75	12,891	54.00	14,250	58.25	15,610	62.50	16,961
45.75	11,617	50.00	12,970	54.25	14,330	58.50	15,690	62.75	17,041
46.00	11,697	50.25	13,050	54.50	14,410	58.75	15,769	63.00	17,120
46.25	11,776	50.50	13,130	54.75	14,490	59.00	15,849	63.25	17,199
46.50	11,855	50.75	13,210	55.00	14,570	59.25	15,929	63.50	17,278



## Capacity/Gauge Table Information

**TCLX 290464**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 264

Reporting Mark: TCLX 290464

Date: 19/06/2015

Capacity: 28,907 US Gallons (109,426 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,356	68.00	18,687	72.25	19,991	76.50	21,260	80.75	22,487
64.00	17,435	68.25	18,764	72.50	20,066	76.75	21,334	81.00	22,557
64.25	17,514	68.50	18,841	72.75	20,142	77.00	21,407	81.25	22,628
64.50	17,593	68.75	18,919	73.00	20,217	77.25	21,480	81.50	22,698
64.75	17,671	69.00	18,996	73.25	20,293	77.50	21,553	81.75	22,768
65.00	17,750	69.25	19,073	73.50	20,368	77.75	21,626	82.00	22,838
65.25	17,828	69.50	19,150	73.75	20,443	78.00	21,699	82.25	22,907
65.50	17,907	69.75	19,227	74.00	20,518	78.25	21,771	82.50	22,977
65.75	17,985	70.00	19,304	74.25	20,593	78.50	21,843	82.75	23,046
66.00	18,063	70.25	19,381	74.50	20,668	78.75	21,916	83.00	23,115
66.25	18,142	70.50	19,457	74.75	20,742	79.00	21,988	83.25	23,184
66.50	18,220	70.75	19,534	75.00	20,817	79.25	22,059	83.50	23,252
66.75	18,298	71.00	19,610	75.25	20,891	79.50	22,131	83.75	23,321
67.00	18,376	71.25	19,687	75.50	20,965	79.75	22,203	84.00	23,389
67.25	18,453	71.50	19,763	75.75	21,039	80.00	22,274	84.25	23,457
67.50	18,531	71.75	19,839	76.00	21,113	80.25	22,345	84.50	23,525
67.75	18,609	72.00	19,915	76.25	21,187	80.50	22,416	84.75	23,592



## Capacity/Gauge Table Information

**TCLX 290464**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 264

Reporting Mark: TCLX 290464

Date: 19/06/2015

Capacity: 28,907 US Gallons (109,426 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,660	89.25	24,768	93.50	25,800	97.75	26,738	102.00	27,564
85.25	23,727	89.50	24,831	93.75	25,858	98.00	26,790	102.25	27,608
85.50	23,794	89.75	24,894	94.00	25,915	98.25	26,842	102.50	27,652
85.75	23,860	90.00	24,956	94.25	25,973	98.50	26,893	102.75	27,696
86.00	23,927	90.25	25,018	94.50	26,030	98.75	26,944	103.00	27,739
86.25	23,993	90.50	25,080	94.75	26,086	99.00	26,994	103.25	27,781
86.50	24,059	90.75	25,142	95.00	26,142	99.25	27,044	103.50	27,823
86.75	24,125	91.00	25,203	95.25	26,198	99.50	27,093	103.75	27,864
87.00	24,190	91.25	25,264	95.50	26,254	99.75	27,142	104.00	27,905
87.25	24,255	91.50	25,325	95.75	26,309	100.00	27,191	104.25	27,946
87.50	24,320	91.75	25,385	96.00	26,364	100.25	27,239	104.50	27,985
87.75	24,385	92.00	25,445	96.25	26,419	100.50	27,287	104.75	28,024
88.00	24,450	92.25	25,505	96.50	26,473	100.75	27,334	105.00	28,063
88.25	24,514	92.50	25,565	96.75	26,527	101.00	27,381	105.25	28,101
88.50	24,578	92.75	25,624	97.00	26,580	101.25	27,427	105.50	28,138
88.75	24,642	93.00	25,683	97.25	26,633	101.50	27,473	105.75	28,175
89.00	24,705	93.25	25,741	97.50	26,686	101.75	27,519	106.00	28,211



## Capacity/Gauge Table Information

**TCLX 290464**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 264

Reporting Mark: TCLX 290464

Date: 19/06/2015

Capacity: 28,907 US Gallons (109,426 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,247	110.50	28,727	114.75	28,901
106.50	28,281	110.75	28,746	115.00	28,903
106.75	28,315	111.00	28,764	115.25	28,905
107.00	28,349	111.25	28,780	115.50	28,906
107.25	28,381	111.50	28,795	115.75	28,907
107.50	28,413	111.75	28,810	116.00	28,907
107.75	28,445	112.00	28,823	116.25	28,907
108.00	28,475	112.25	28,834		
108.25	28,505	112.50	28,845		
108.50	28,533	112.75	28,855		
108.75	28,561	113.00	28,864		
109.00	28,588	113.25	28,872		
109.25	28,614	113.50	28,879		
109.50	28,639	113.75	28,885		
109.75	28,663	114.00	28,890		
110.00	28,686	114.25	28,894		
110.25	28,707	114.50	28,898		



## Capacity/Gauge Table Information

**TCLX 290465**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 265

Reporting Mark: TCLX 290465

Date: 30/06/2015

Capacity: 28,999 US Gallons (109,772 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,233	17.00	3,221
0.25	29	4.50	629	8.75	1,396	13.00	2,288	17.25	3,282
0.50	58	4.75	670	9.00	1,445	13.25	2,344	17.50	3,344
0.75	89	5.00	712	9.25	1,495	13.50	2,400	17.75	3,405
1.00	120	5.25	754	9.50	1,545	13.75	2,457	18.00	3,467
1.25	152	5.50	797	9.75	1,595	14.00	2,514	18.25	3,529
1.50	184	5.75	840	10.00	1,646	14.25	2,571	18.50	3,591
1.75	218	6.00	883	10.25	1,698	14.50	2,628	18.75	3,654
2.00	252	6.25	928	10.50	1,750	14.75	2,686	19.00	3,717
2.25	287	6.50	972	10.75	1,802	15.00	2,745	19.25	3,780
2.50	322	6.75	1,017	11.00	1,854	15.25	2,803	19.50	3,844
2.75	359	7.00	1,063	11.25	1,907	15.50	2,862	19.75	3,907
3.00	395	7.25	1,109	11.50	1,960	15.75	2,921	20.00	3,971
3.25	433	7.50	1,156	11.75	2,014	16.00	2,981	20.25	4,036
3.50	471	7.75	1,203	12.00	2,068	16.25	3,040	20.50	4,100
3.75	510	8.00	1,250	12.25	2,123	16.50	3,100	20.75	4,165
4.00	549	8.25	1,298	12.50	2,177	16.75	3,161	21.00	4,230





## Capacity/Gauge Table Information

**TCLX 290465**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 265

Reporting Mark: TCLX 290465

Date: 30/06/2015

Capacity: 28,999 US Gallons (109,772 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,295	25.50	5,440	29.75	6,643	34.00	7,895	38.25	9,185
21.50	4,361	25.75	5,509	30.00	6,715	34.25	7,969	38.50	9,262
21.75	4,426	26.00	5,578	30.25	6,788	34.50	8,044	38.75	9,339
22.00	4,492	26.25	5,648	30.50	6,861	34.75	8,120	39.00	9,416
22.25	4,559	26.50	5,718	30.75	6,933	35.00	8,195	39.25	9,493
22.50	4,625	26.75	5,788	31.00	7,006	35.25	8,270	39.50	9,571
22.75	4,692	27.00	5,858	31.25	7,080	35.50	8,346	39.75	9,648
23.00	4,759	27.25	5,929	31.50	7,153	35.75	8,422	40.00	9,725
23.25	4,826	27.50	5,999	31.75	7,226	36.00	8,497	40.25	9,803
23.50	4,893	27.75	6,070	32.00	7,300	36.25	8,573	40.50	9,881
23.75	4,961	28.00	6,141	32.25	7,374	36.50	8,649	40.75	9,959
24.00	5,028	28.25	6,212	32.50	7,448	36.75	8,726	41.00	10,036
24.25	5,096	28.50	6,284	32.75	7,522	37.00	8,802	41.25	10,114
24.50	5,165	28.75	6,355	33.00	7,596	37.25	8,878	41.50	10,192
24.75	5,233	29.00	6,427	33.25	7,671	37.50	8,955	41.75	10,271
25.00	5,302	29.25	6,499	33.50	7,745	37.75	9,031	42.00	10,349
25.25	5,371	29.50	6,571	33.75	7,820	38.00	9,108	42.25	10,427



## Capacity/Gauge Table Information

**TCLX 290465**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 265

Reporting Mark: TCLX 290465

Date: 30/06/2015

Capacity: 28,999 US Gallons (109,772 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,505	46.75	11,848	51.00	13,204	55.25	14,566	59.50	15,927
42.75	10,584	47.00	11,927	51.25	13,284	55.50	14,646	59.75	16,007
43.00	10,662	47.25	12,007	51.50	13,364	55.75	14,726	60.00	16,086
43.25	10,741	47.50	12,086	51.75	13,444	56.00	14,806	60.25	16,166
43.50	10,820	47.75	12,166	52.00	13,524	56.25	14,887	60.50	16,246
43.75	10,898	48.00	12,245	52.25	13,604	56.50	14,967	60.75	16,325
44.00	10,977	48.25	12,325	52.50	13,684	56.75	15,047	61.00	16,405
44.25	11,056	48.50	12,405	52.75	13,764	57.00	15,127	61.25	16,485
44.50	11,135	48.75	12,485	53.00	13,845	57.25	15,207	61.50	16,564
44.75	11,214	49.00	12,564	53.25	13,925	57.50	15,287	61.75	16,644
45.00	11,293	49.25	12,644	53.50	14,005	57.75	15,367	62.00	16,723
45.25	11,372	49.50	12,724	53.75	14,085	58.00	15,447	62.25	16,803
45.50	11,451	49.75	12,804	54.00	14,165	58.25	15,527	62.50	16,882
45.75	11,530	50.00	12,884	54.25	14,245	58.50	15,607	62.75	16,961
46.00	11,610	50.25	12,964	54.50	14,326	58.75	15,687	63.00	17,041
46.25	11,689	50.50	13,044	54.75	14,406	59.00	15,767	63.25	17,120
46.50	11,768	50.75	13,124	55.00	14,486	59.25	15,847	63.50	17,199



## Capacity/Gauge Table Information

**TCLX 290465**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 265

Reporting Mark: TCLX 290465

Date: 30/06/2015

Capacity: 28,999 US Gallons (109,772 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,278	68.00	18,613	72.25	19,922	76.50	21,198	80.75	22,431
64.00	17,357	68.25	18,690	72.50	19,998	76.75	21,272	81.00	22,502
64.25	17,436	68.50	18,768	72.75	20,074	77.00	21,345	81.25	22,573
64.50	17,515	68.75	18,846	73.00	20,150	77.25	21,419	81.50	22,644
64.75	17,594	69.00	18,923	73.25	20,225	77.50	21,492	81.75	22,714
65.00	17,673	69.25	19,001	73.50	20,301	77.75	21,565	82.00	22,784
65.25	17,751	69.50	19,078	73.75	20,376	78.00	21,638	82.25	22,854
65.50	17,830	69.75	19,155	74.00	20,452	78.25	21,711	82.50	22,924
65.75	17,909	70.00	19,232	74.25	20,527	78.50	21,784	82.75	22,994
66.00	17,987	70.25	19,309	74.50	20,602	78.75	21,857	83.00	23,064
66.25	18,066	70.50	19,386	74.75	20,677	79.00	21,929	83.25	23,133
66.50	18,144	70.75	19,463	75.00	20,752	79.25	22,001	83.50	23,202
66.75	18,222	71.00	19,540	75.25	20,826	79.50	22,073	83.75	23,271
67.00	18,301	71.25	19,617	75.50	20,901	79.75	22,145	84.00	23,340
67.25	18,379	71.50	19,693	75.75	20,975	80.00	22,217	84.25	23,408
67.50	18,457	71.75	19,769	76.00	21,050	80.25	22,289	84.50	23,476
67.75	18,535	72.00	19,846	76.25	21,124	80.50	22,360	84.75	23,544



## Capacity/Gauge Table Information

**TCLX 290465**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 265

Reporting Mark: TCLX 290465

Date: 30/06/2015

Capacity: 28,999 US Gallons (109,772 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,612	89.25	24,730	93.50	25,772	97.75	26,723	102.00	27,564
85.25	23,680	89.50	24,794	93.75	25,831	98.00	26,776	102.25	27,609
85.50	23,747	89.75	24,857	94.00	25,889	98.25	26,829	102.50	27,654
85.75	23,814	90.00	24,920	94.25	25,947	98.50	26,880	102.75	27,699
86.00	23,881	90.25	24,983	94.50	26,005	98.75	26,932	103.00	27,743
86.25	23,948	90.50	25,045	94.75	26,062	99.00	26,983	103.25	27,786
86.50	24,015	90.75	25,107	95.00	26,119	99.25	27,034	103.50	27,829
86.75	24,081	91.00	25,169	95.25	26,176	99.50	27,084	103.75	27,872
87.00	24,147	91.25	25,231	95.50	26,232	99.75	27,134	104.00	27,914
87.25	24,213	91.50	25,292	95.75	26,288	100.00	27,184	104.25	27,955
87.50	24,278	91.75	25,353	96.00	26,344	100.25	27,233	104.50	27,996
87.75	24,344	92.00	25,414	96.25	26,399	100.50	27,281	104.75	28,036
88.00	24,409	92.25	25,474	96.50	26,454	100.75	27,330	105.00	28,076
88.25	24,473	92.50	25,535	96.75	26,509	101.00	27,377	105.25	28,115
88.50	24,538	92.75	25,595	97.00	26,563	101.25	27,425	105.50	28,154
88.75	24,602	93.00	25,654	97.25	26,617	101.50	27,472	105.75	28,192
89.00	24,666	93.25	25,713	97.50	26,670	101.75	27,518	106.00	28,229



## Capacity/Gauge Table Information

**TCLX 290465**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 265

Reporting Mark: TCLX 290465

Date: 30/06/2015

Capacity: 28,999 US Gallons (109,772 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,266	110.50	28,777	114.75	28,986
106.50	28,302	110.75	28,798	115.00	28,989
106.75	28,337	111.00	28,818	115.25	28,992
107.00	28,372	111.25	28,837	115.50	28,995
107.25	28,406	111.50	28,855	115.75	28,996
107.50	28,440	111.75	28,871	116.00	28,997
107.75	28,472	112.00	28,887	116.25	28,998
108.00	28,504	112.25	28,901	116.50	28,999
108.25	28,535	112.50	28,914	116.75	28,999
108.50	28,566	112.75	28,926		
108.75	28,595	113.00	28,936		
109.00	28,624	113.25	28,946		
109.25	28,652	113.50	28,955		
109.50	28,679	113.75	28,963		
109.75	28,705	114.00	28,970		
110.00	28,730	114.25	28,976		
110.25	28,754	114.50	28,981		



## Capacity/Gauge Table Information

**TCLX 290466**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 266

Reporting Mark: TCLX 290466

Date: 24/06/2015

Capacity: 29,111 US Gallons (110,199 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,348	12.75	2,236	17.00	3,228
0.25	29	4.50	630	8.75	1,397	13.00	2,292	17.25	3,289
0.50	58	4.75	671	9.00	1,447	13.25	2,348	17.50	3,350
0.75	88	5.00	712	9.25	1,497	13.50	2,404	17.75	3,412
1.00	120	5.25	754	9.50	1,547	13.75	2,461	18.00	3,474
1.25	152	5.50	797	9.75	1,598	14.00	2,518	18.25	3,536
1.50	184	5.75	840	10.00	1,649	14.25	2,576	18.50	3,599
1.75	218	6.00	884	10.25	1,700	14.50	2,633	18.75	3,662
2.00	252	6.25	928	10.50	1,752	14.75	2,691	19.00	3,725
2.25	287	6.50	973	10.75	1,804	15.00	2,750	19.25	3,788
2.50	322	6.75	1,018	11.00	1,857	15.25	2,808	19.50	3,852
2.75	359	7.00	1,064	11.25	1,910	15.50	2,867	19.75	3,916
3.00	395	7.25	1,110	11.50	1,964	15.75	2,927	20.00	3,980
3.25	433	7.50	1,157	11.75	2,017	16.00	2,986	20.25	4,044
3.50	471	7.75	1,204	12.00	2,072	16.25	3,046	20.50	4,109
3.75	510	8.00	1,252	12.25	2,126	16.50	3,106	20.75	4,174
4.00	549	8.25	1,300	12.50	2,181	16.75	3,167	21.00	4,239



## Capacity/Gauge Table Information

**TCLX 290466**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 266

Reporting Mark: TCLX 290466

Date: 24/06/2015

Capacity: 29,111 US Gallons (110,199 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,305	25.50	5,452	29.75	6,659	34.00	7,915	38.25	9,209
21.50	4,370	25.75	5,522	30.00	6,732	34.25	7,990	38.50	9,286
21.75	4,436	26.00	5,591	30.25	6,805	34.50	8,065	38.75	9,364
22.00	4,502	26.25	5,661	30.50	6,878	34.75	8,141	39.00	9,441
22.25	4,569	26.50	5,731	30.75	6,951	35.00	8,216	39.25	9,518
22.50	4,635	26.75	5,802	31.00	7,024	35.25	8,292	39.50	9,596
22.75	4,702	27.00	5,872	31.25	7,097	35.50	8,368	39.75	9,674
23.00	4,769	27.25	5,943	31.50	7,171	35.75	8,443	40.00	9,751
23.25	4,837	27.50	6,014	31.75	7,245	36.00	8,519	40.25	9,829
23.50	4,904	27.75	6,085	32.00	7,318	36.25	8,596	40.50	9,907
23.75	4,972	28.00	6,156	32.25	7,392	36.50	8,672	40.75	9,985
24.00	5,040	28.25	6,227	32.50	7,467	36.75	8,748	41.00	10,063
24.25	5,108	28.50	6,299	32.75	7,541	37.00	8,825	41.25	10,141
24.50	5,177	28.75	6,371	33.00	7,615	37.25	8,901	41.50	10,220
24.75	5,245	29.00	6,442	33.25	7,690	37.50	8,978	41.75	10,298
25.00	5,314	29.25	6,515	33.50	7,765	37.75	9,055	42.00	10,377
25.25	5,383	29.50	6,587	33.75	7,840	38.00	9,132	42.25	10,455





## Capacity/Gauge Table Information

**TCLX 290466**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 266

Reporting Mark: TCLX 290466

Date: 24/06/2015

Capacity: 29,111 US Gallons (110,199 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,534	46.75	11,880	51.00	13,241	55.25	14,608	59.50	15,973
42.75	10,612	47.00	11,960	51.25	13,321	55.50	14,688	59.75	16,053
43.00	10,691	47.25	12,040	51.50	13,402	55.75	14,769	60.00	16,133
43.25	10,770	47.50	12,120	51.75	13,482	56.00	14,849	60.25	16,213
43.50	10,849	47.75	12,200	52.00	13,562	56.25	14,929	60.50	16,293
43.75	10,928	48.00	12,279	52.25	13,643	56.50	15,010	60.75	16,373
44.00	11,007	48.25	12,359	52.50	13,723	56.75	15,090	61.00	16,453
44.25	11,086	48.50	12,439	52.75	13,803	57.00	15,171	61.25	16,533
44.50	11,165	48.75	12,519	53.00	13,884	57.25	15,251	61.50	16,613
44.75	11,244	49.00	12,599	53.25	13,964	57.50	15,331	61.75	16,693
45.00	11,324	49.25	12,679	53.50	14,045	57.75	15,412	62.00	16,773
45.25	11,403	49.50	12,760	53.75	14,125	58.00	15,492	62.25	16,852
45.50	11,482	49.75	12,840	54.00	14,206	58.25	15,572	62.50	16,932
45.75	11,562	50.00	12,920	54.25	14,286	58.50	15,652	62.75	17,011
46.00	11,641	50.25	13,000	54.50	14,366	58.75	15,733	63.00	17,091
46.25	11,721	50.50	13,080	54.75	14,447	59.00	15,813	63.25	17,171
46.50	11,801	50.75	13,161	55.00	14,527	59.25	15,893	63.50	17,250



## Capacity/Gauge Table Information

**TCLX 290466**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 266

Reporting Mark: TCLX 290466

Date: 24/06/2015

Capacity: 29,111 US Gallons (110,199 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,329	68.00	18,669	72.25	19,983	76.50	21,264	80.75	22,502
64.00	17,409	68.25	18,747	72.50	20,059	76.75	21,338	81.00	22,574
64.25	17,488	68.50	18,825	72.75	20,136	77.00	21,412	81.25	22,645
64.50	17,567	68.75	18,903	73.00	20,212	77.25	21,486	81.50	22,716
64.75	17,646	69.00	18,981	73.25	20,288	77.50	21,559	81.75	22,787
65.00	17,725	69.25	19,058	73.50	20,364	77.75	21,633	82.00	22,857
65.25	17,804	69.50	19,136	73.75	20,439	78.00	21,706	82.25	22,928
65.50	17,883	69.75	19,213	74.00	20,515	78.25	21,780	82.50	22,998
65.75	17,962	70.00	19,291	74.25	20,590	78.50	21,853	82.75	23,068
66.00	18,041	70.25	19,368	74.50	20,666	78.75	21,925	83.00	23,138
66.25	18,120	70.50	19,445	74.75	20,741	79.00	21,998	83.25	23,207
66.50	18,198	70.75	19,523	75.00	20,816	79.25	22,071	83.50	23,277
66.75	18,277	71.00	19,600	75.25	20,891	79.50	22,143	83.75	23,346
67.00	18,356	71.25	19,676	75.50	20,966	79.75	22,215	84.00	23,415
67.25	18,434	71.50	19,753	75.75	21,041	80.00	22,287	84.25	23,484
67.50	18,512	71.75	19,830	76.00	21,115	80.25	22,359	84.50	23,552
67.75	18,591	72.00	19,907	76.25	21,190	80.50	22,431	84.75	23,621



## Capacity/Gauge Table Information

**TCLX 290466**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 266

Reporting Mark: TCLX 290466

Date: 24/06/2015

Capacity: 29,111 US Gallons (110,199 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,689	89.25	24,812	93.50	25,859	97.75	26,816	102.00	27,661
85.25	23,757	89.50	24,876	93.75	25,918	98.00	26,869	102.25	27,707
85.50	23,824	89.75	24,939	94.00	25,977	98.25	26,921	102.50	27,752
85.75	23,892	90.00	25,003	94.25	26,035	98.50	26,973	102.75	27,797
86.00	23,959	90.25	25,066	94.50	26,093	98.75	27,025	103.00	27,841
86.25	24,026	90.50	25,128	94.75	26,151	99.00	27,077	103.25	27,885
86.50	24,093	90.75	25,191	95.00	26,208	99.25	27,128	103.50	27,929
86.75	24,159	91.00	25,253	95.25	26,265	99.50	27,179	103.75	27,971
87.00	24,226	91.25	25,315	95.50	26,322	99.75	27,229	104.00	28,014
87.25	24,292	91.50	25,377	95.75	26,378	100.00	27,279	104.25	28,055
87.50	24,358	91.75	25,438	96.00	26,434	100.25	27,328	104.50	28,096
87.75	24,423	92.00	25,499	96.25	26,489	100.50	27,377	104.75	28,137
88.00	24,489	92.25	25,560	96.50	26,545	100.75	27,425	105.00	28,177
88.25	24,554	92.50	25,620	96.75	26,600	101.00	27,474	105.25	28,217
88.50	24,619	92.75	25,680	97.00	26,654	101.25	27,521	105.50	28,255
88.75	24,683	93.00	25,740	97.25	26,708	101.50	27,568	105.75	28,294
89.00	24,748	93.25	25,800	97.50	26,762	101.75	27,615	106.00	28,331



## Capacity/Gauge Table Information

**TCLX 290466**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 266

Reporting Mark: TCLX 290466

Date: 24/06/2015

Capacity: 29,111 US Gallons (110,199 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,368	110.50	28,885	114.75	29,098
106.50	28,405	110.75	28,907	115.00	29,102
106.75	28,441	111.00	28,928	115.25	29,105
107.00	28,476	111.25	28,947	115.50	29,107
107.25	28,510	111.50	28,965	115.75	29,109
107.50	28,544	111.75	28,982	116.00	29,110
107.75	28,577	112.00	28,997	116.25	29,111
108.00	28,609	112.25	29,012	116.50	29,111
108.25	28,641	112.50	29,025	116.75	29,111
108.50	28,671	112.75	29,037		
108.75	28,701	113.00	29,048		
109.00	28,730	113.25	29,058		
109.25	28,759	113.50	29,067		
109.50	28,786	113.75	29,075		
109.75	28,812	114.00	29,082		
110.00	28,838	114.25	29,088		
110.25	28,862	114.50	29,094		



## Capacity/Gauge Table Information

**TCLX 290467**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 267

Reporting Mark: TCLX 290467

Date: 19/06/2015

Capacity: 28,929 US Gallons (109,507 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	609	8.50	1,380	12.75	2,277	17.00	3,274
0.25	30	4.50	650	8.75	1,430	13.00	2,333	17.25	3,336
0.50	61	4.75	692	9.00	1,480	13.25	2,389	17.50	3,397
0.75	93	5.00	734	9.25	1,530	13.50	2,446	17.75	3,459
1.00	125	5.25	777	9.50	1,581	13.75	2,503	18.00	3,521
1.25	158	5.50	821	9.75	1,632	14.00	2,561	18.25	3,584
1.50	192	5.75	865	10.00	1,684	14.25	2,618	18.50	3,647
1.75	227	6.00	909	10.25	1,736	14.50	2,676	18.75	3,710
2.00	262	6.25	954	10.50	1,788	14.75	2,735	19.00	3,773
2.25	298	6.50	1,000	10.75	1,841	15.00	2,794	19.25	3,837
2.50	335	6.75	1,046	11.00	1,894	15.25	2,853	19.50	3,901
2.75	372	7.00	1,092	11.25	1,948	15.50	2,912	19.75	3,965
3.00	410	7.25	1,139	11.50	2,002	15.75	2,971	20.00	4,029
3.25	449	7.50	1,187	11.75	2,056	16.00	3,031	20.25	4,094
3.50	488	7.75	1,234	12.00	2,111	16.25	3,092	20.50	4,159
3.75	527	8.00	1,283	12.25	2,166	16.50	3,152	20.75	4,224
4.00	568	8.25	1,331	12.50	2,221	16.75	3,213	21.00	4,289



## Capacity/Gauge Table Information

**TCLX 290467**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 267

Reporting Mark: TCLX 290467

Date: 19/06/2015

Capacity: 28,929 US Gallons (109,507 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,355	25.50	5,505	29.75	6,712	34.00	7,967	38.25	9,259
21.50	4,420	25.75	5,574	30.00	6,785	34.25	8,042	38.50	9,336
21.75	4,487	26.00	5,644	30.25	6,857	34.50	8,117	38.75	9,413
22.00	4,553	26.25	5,714	30.50	6,930	34.75	8,192	39.00	9,490
22.25	4,619	26.50	5,784	30.75	7,003	35.00	8,268	39.25	9,568
22.50	4,686	26.75	5,854	31.00	7,076	35.25	8,343	39.50	9,645
22.75	4,753	27.00	5,925	31.25	7,150	35.50	8,419	39.75	9,723
23.00	4,820	27.25	5,995	31.50	7,223	35.75	8,495	40.00	9,800
23.25	4,888	27.50	6,066	31.75	7,297	36.00	8,571	40.25	9,878
23.50	4,956	27.75	6,137	32.00	7,371	36.25	8,647	40.50	9,956
23.75	5,023	28.00	6,208	32.25	7,445	36.50	8,723	40.75	10,034
24.00	5,092	28.25	6,280	32.50	7,519	36.75	8,799	41.00	10,112
24.25	5,160	28.50	6,351	32.75	7,593	37.00	8,876	41.25	10,190
24.50	5,228	28.75	6,423	33.00	7,668	37.25	8,952	41.50	10,268
24.75	5,297	29.00	6,495	33.25	7,742	37.50	9,029	41.75	10,346
25.00	5,366	29.25	6,567	33.50	7,817	37.75	9,105	42.00	10,424
25.25	5,435	29.50	6,640	33.75	7,892	38.00	9,182	42.25	10,502



## Capacity/Gauge Table Information

**TCLX 290467**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 267

Reporting Mark: TCLX 290467

Date: 19/06/2015

Capacity: 28,929 US Gallons (109,507 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,581	46.75	11,923	51.00	13,279	55.25	14,640	59.50	15,999
42.75	10,659	47.00	12,003	51.25	13,359	55.50	14,720	59.75	16,079
43.00	10,738	47.25	12,082	51.50	13,439	55.75	14,800	60.00	16,158
43.25	10,816	47.50	12,162	51.75	13,519	56.00	14,880	60.25	16,238
43.50	10,895	47.75	12,242	52.00	13,599	56.25	14,960	60.50	16,318
43.75	10,974	48.00	12,321	52.25	13,679	56.50	15,040	60.75	16,397
44.00	11,053	48.25	12,401	52.50	13,759	56.75	15,120	61.00	16,477
44.25	11,132	48.50	12,481	52.75	13,839	57.00	15,200	61.25	16,556
44.50	11,211	48.75	12,560	53.00	13,919	57.25	15,280	61.50	16,635
44.75	11,290	49.00	12,640	53.25	14,000	57.50	15,360	61.75	16,715
45.00	11,369	49.25	12,720	53.50	14,080	57.75	15,440	62.00	16,794
45.25	11,448	49.50	12,800	53.75	14,160	58.00	15,520	62.25	16,873
45.50	11,527	49.75	12,880	54.00	14,240	58.25	15,600	62.50	16,953
45.75	11,606	50.00	12,959	54.25	14,320	58.50	15,680	62.75	17,032
46.00	11,685	50.25	13,039	54.50	14,400	58.75	15,760	63.00	17,111
46.25	11,765	50.50	13,119	54.75	14,480	59.00	15,840	63.25	17,190
46.50	11,844	50.75	13,199	55.00	14,560	59.25	15,919	63.50	17,269





## Capacity/Gauge Table Information

**TCLX 290467**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 267

Reporting Mark: TCLX 290467

Date: 19/06/2015

Capacity: 28,929 US Gallons (109,507 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,348	68.00	18,679	72.25	19,984	76.50	21,255	80.75	22,483
64.00	17,427	68.25	18,757	72.50	20,060	76.75	21,329	81.00	22,554
64.25	17,506	68.50	18,834	72.75	20,136	77.00	21,402	81.25	22,624
64.50	17,584	68.75	18,911	73.00	20,211	77.25	21,475	81.50	22,695
64.75	17,663	69.00	18,989	73.25	20,287	77.50	21,548	81.75	22,765
65.00	17,742	69.25	19,066	73.50	20,362	77.75	21,621	82.00	22,835
65.25	17,820	69.50	19,143	73.75	20,437	78.00	21,694	82.25	22,904
65.50	17,899	69.75	19,220	74.00	20,512	78.25	21,767	82.50	22,974
65.75	17,977	70.00	19,297	74.25	20,587	78.50	21,839	82.75	23,043
66.00	18,055	70.25	19,374	74.50	20,662	78.75	21,911	83.00	23,112
66.25	18,133	70.50	19,450	74.75	20,737	79.00	21,983	83.25	23,181
66.50	18,212	70.75	19,527	75.00	20,811	79.25	22,055	83.50	23,250
66.75	18,290	71.00	19,604	75.25	20,886	79.50	22,127	83.75	23,318
67.00	18,368	71.25	19,680	75.50	20,960	79.75	22,199	84.00	23,387
67.25	18,446	71.50	19,756	75.75	21,034	80.00	22,270	84.25	23,455
67.50	18,524	71.75	19,832	76.00	21,108	80.25	22,341	84.50	23,523
67.75	18,601	72.00	19,908	76.25	21,182	80.50	22,412	84.75	23,590



## Capacity/Gauge Table Information

**TCLX 290467**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 267

Reporting Mark: TCLX 290467

Date: 19/06/2015

Capacity: 28,929 US Gallons (109,507 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,658	89.25	24,768	93.50	25,802	97.75	26,743	102.00	27,571
85.25	23,725	89.50	24,831	93.75	25,860	98.00	26,795	102.25	27,616
85.50	23,792	89.75	24,894	94.00	25,918	98.25	26,847	102.50	27,660
85.75	23,859	90.00	24,957	94.25	25,975	98.50	26,898	102.75	27,704
86.00	23,925	90.25	25,019	94.50	26,032	98.75	26,949	103.00	27,747
86.25	23,992	90.50	25,081	94.75	26,089	99.00	26,999	103.25	27,789
86.50	24,058	90.75	25,143	95.00	26,145	99.25	27,049	103.50	27,832
86.75	24,123	91.00	25,204	95.25	26,201	99.50	27,099	103.75	27,873
87.00	24,189	91.25	25,265	95.50	26,257	99.75	27,148	104.00	27,914
87.25	24,254	91.50	25,326	95.75	26,313	100.00	27,197	104.25	27,955
87.50	24,320	91.75	25,386	96.00	26,368	100.25	27,245	104.50	27,995
87.75	24,384	92.00	25,447	96.25	26,422	100.50	27,293	104.75	28,034
88.00	24,449	92.25	25,507	96.50	26,477	100.75	27,341	105.00	28,073
88.25	24,513	92.50	25,566	96.75	26,531	101.00	27,388	105.25	28,111
88.50	24,577	92.75	25,626	97.00	26,584	101.25	27,434	105.50	28,148
88.75	24,641	93.00	25,685	97.25	26,637	101.50	27,480	105.75	28,185
89.00	24,705	93.25	25,743	97.50	26,690	101.75	27,526	106.00	28,222



## Capacity/Gauge Table Information

**TCLX 290467**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 267

Reporting Mark: TCLX 290467

Date: 19/06/2015

Capacity: 28,929 US Gallons (109,507 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,257	110.50	28,744	114.75	28,922
106.50	28,292	110.75	28,763	115.00	28,925
106.75	28,327	111.00	28,782	115.25	28,926
107.00	28,360	111.25	28,798	115.50	28,928
107.25	28,393	111.50	28,814	115.75	28,928
107.50	28,426	111.75	28,828	116.00	28,929
107.75	28,457	112.00	28,842	116.25	28,929
108.00	28,488	112.25	28,854		
108.25	28,518	112.50	28,865		
108.50	28,547	112.75	28,875		
108.75	28,575	113.00	28,884		
109.00	28,602	113.25	28,892		
109.25	28,629	113.50	28,899		
109.50	28,654	113.75	28,906		
109.75	28,678	114.00	28,911		
110.00	28,702	114.25	28,915		
110.25	28,723	114.50	28,919		



## Capacity/Gauge Table Information

**TCLX 290468**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 268

Reporting Mark: TCLX 290468

Date: 18/06/2015

Capacity: 28,888 US Gallons (109,354 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	613	8.50	1,387	12.75	2,286	17.00	3,284
0.25	30	4.50	654	8.75	1,437	13.00	2,342	17.25	3,346
0.50	62	4.75	696	9.00	1,487	13.25	2,398	17.50	3,408
0.75	94	5.00	739	9.25	1,538	13.50	2,455	17.75	3,470
1.00	126	5.25	782	9.50	1,589	13.75	2,512	18.00	3,532
1.25	160	5.50	826	9.75	1,640	14.00	2,570	18.25	3,595
1.50	194	5.75	870	10.00	1,692	14.25	2,628	18.50	3,657
1.75	229	6.00	915	10.25	1,744	14.50	2,686	18.75	3,721
2.00	265	6.25	960	10.50	1,796	14.75	2,744	19.00	3,784
2.25	301	6.50	1,005	10.75	1,849	15.00	2,803	19.25	3,848
2.50	338	6.75	1,052	11.00	1,903	15.25	2,862	19.50	3,912
2.75	375	7.00	1,098	11.25	1,956	15.50	2,922	19.75	3,976
3.00	413	7.25	1,145	11.50	2,010	15.75	2,981	20.00	4,040
3.25	452	7.50	1,193	11.75	2,065	16.00	3,041	20.25	4,105
3.50	491	7.75	1,241	12.00	2,119	16.25	3,102	20.50	4,170
3.75	531	8.00	1,289	12.25	2,174	16.50	3,162	20.75	4,235
4.00	572	8.25	1,338	12.50	2,230	16.75	3,223	21.00	4,300



## Capacity/Gauge Table Information

**TCLX 290468**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 268

Reporting Mark: TCLX 290468

Date: 18/06/2015

Capacity: 28,888 US Gallons (109,354 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,366	25.50	5,516	29.75	6,724	34.00	7,979	38.25	9,271
21.50	4,432	25.75	5,586	30.00	6,797	34.25	8,054	38.50	9,348
21.75	4,498	26.00	5,656	30.25	6,869	34.50	8,129	38.75	9,425
22.00	4,564	26.25	5,726	30.50	6,942	34.75	8,204	39.00	9,502
22.25	4,631	26.50	5,796	30.75	7,015	35.00	8,280	39.25	9,580
22.50	4,698	26.75	5,866	31.00	7,089	35.25	8,355	39.50	9,657
22.75	4,765	27.00	5,937	31.25	7,162	35.50	8,431	39.75	9,734
23.00	4,832	27.25	6,007	31.50	7,236	35.75	8,507	40.00	9,812
23.25	4,899	27.50	6,078	31.75	7,309	36.00	8,583	40.25	9,890
23.50	4,967	27.75	6,149	32.00	7,383	36.25	8,659	40.50	9,967
23.75	5,035	28.00	6,221	32.25	7,457	36.50	8,735	40.75	10,045
24.00	5,103	28.25	6,292	32.50	7,531	36.75	8,811	41.00	10,123
24.25	5,172	28.50	6,364	32.75	7,605	37.00	8,888	41.25	10,201
24.50	5,240	28.75	6,435	33.00	7,680	37.25	8,964	41.50	10,279
24.75	5,309	29.00	6,507	33.25	7,754	37.50	9,041	41.75	10,357
25.00	5,378	29.25	6,579	33.50	7,829	37.75	9,117	42.00	10,435
25.25	5,447	29.50	6,652	33.75	7,904	38.00	9,194	42.25	10,514



## Capacity/Gauge Table Information

**TCLX 290468**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 268

Reporting Mark: TCLX 290468

Date: 18/06/2015

Capacity: 28,888 US Gallons (109,354 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,592	46.75	11,934	51.00	13,289	55.25	14,649	59.50	16,006
42.75	10,671	47.00	12,013	51.25	13,369	55.50	14,729	59.75	16,086
43.00	10,749	47.25	12,093	51.50	13,449	55.75	14,809	60.00	16,165
43.25	10,828	47.50	12,172	51.75	13,529	56.00	14,888	60.25	16,245
43.50	10,906	47.75	12,252	52.00	13,608	56.25	14,968	60.50	16,324
43.75	10,985	48.00	12,331	52.25	13,688	56.50	15,048	60.75	16,404
44.00	11,064	48.25	12,411	52.50	13,768	56.75	15,128	61.00	16,483
44.25	11,143	48.50	12,491	52.75	13,848	57.00	15,208	61.25	16,562
44.50	11,221	48.75	12,570	53.00	13,928	57.25	15,288	61.50	16,642
44.75	11,300	49.00	12,650	53.25	14,008	57.50	15,368	61.75	16,721
45.00	11,379	49.25	12,730	53.50	14,088	57.75	15,448	62.00	16,800
45.25	11,458	49.50	12,810	53.75	14,168	58.00	15,528	62.25	16,879
45.50	11,538	49.75	12,889	54.00	14,249	58.25	15,607	62.50	16,958
45.75	11,617	50.00	12,969	54.25	14,329	58.50	15,687	62.75	17,037
46.00	11,696	50.25	13,049	54.50	14,409	58.75	15,767	63.00	17,116
46.25	11,775	50.50	13,129	54.75	14,489	59.00	15,847	63.25	17,195
46.50	11,855	50.75	13,209	55.00	14,569	59.25	15,926	63.50	17,274



## Capacity/Gauge Table Information

**TCLX 290468**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 268

Reporting Mark: TCLX 290468

Date: 18/06/2015

Capacity: 28,888 US Gallons (109,354 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,353	68.00	18,682	72.25	19,986	76.50	21,255	80.75	22,480
64.00	17,432	68.25	18,760	72.50	20,061	76.75	21,328	81.00	22,550
64.25	17,511	68.50	18,837	72.75	20,137	77.00	21,401	81.25	22,621
64.50	17,589	68.75	18,915	73.00	20,212	77.25	21,474	81.50	22,691
64.75	17,668	69.00	18,992	73.25	20,288	77.50	21,547	81.75	22,761
65.00	17,746	69.25	19,069	73.50	20,363	77.75	21,620	82.00	22,831
65.25	17,825	69.50	19,146	73.75	20,438	78.00	21,692	82.25	22,900
65.50	17,903	69.75	19,223	74.00	20,513	78.25	21,765	82.50	22,970
65.75	17,981	70.00	19,300	74.25	20,588	78.50	21,837	82.75	23,039
66.00	18,060	70.25	19,376	74.50	20,662	78.75	21,909	83.00	23,108
66.25	18,138	70.50	19,453	74.75	20,737	79.00	21,981	83.25	23,176
66.50	18,216	70.75	19,529	75.00	20,811	79.25	22,053	83.50	23,245
66.75	18,294	71.00	19,606	75.25	20,885	79.50	22,125	83.75	23,313
67.00	18,372	71.25	19,682	75.50	20,960	79.75	22,196	84.00	23,381
67.25	18,450	71.50	19,758	75.75	21,034	80.00	22,267	84.25	23,449
67.50	18,527	71.75	19,834	76.00	21,107	80.25	22,338	84.50	23,517
67.75	18,605	72.00	19,910	76.25	21,181	80.50	22,409	84.75	23,585





## Capacity/Gauge Table Information

**TCLX 290468**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 268

Reporting Mark: TCLX 290468

Date: 18/06/2015

Capacity: 28,888 US Gallons (109,354 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,652	89.25	24,759	93.50	25,790	97.75	26,727	102.00	27,551
85.25	23,719	89.50	24,822	93.75	25,847	98.00	26,779	102.25	27,595
85.50	23,786	89.75	24,885	94.00	25,905	98.25	26,830	102.50	27,639
85.75	23,852	90.00	24,947	94.25	25,962	98.50	26,881	102.75	27,683
86.00	23,919	90.25	25,009	94.50	26,019	98.75	26,932	103.00	27,725
86.25	23,985	90.50	25,071	94.75	26,076	99.00	26,982	103.25	27,768
86.50	24,051	90.75	25,132	95.00	26,132	99.25	27,032	103.50	27,810
86.75	24,116	91.00	25,194	95.25	26,188	99.50	27,081	103.75	27,851
87.00	24,182	91.25	25,255	95.50	26,243	99.75	27,130	104.00	27,892
87.25	24,247	91.50	25,315	95.75	26,298	100.00	27,179	104.25	27,932
87.50	24,312	91.75	25,376	96.00	26,353	100.25	27,227	104.50	27,971
87.75	24,377	92.00	25,436	96.25	26,408	100.50	27,275	104.75	28,010
88.00	24,441	92.25	25,495	96.50	26,462	100.75	27,322	105.00	28,049
88.25	24,505	92.50	25,555	96.75	26,516	101.00	27,368	105.25	28,087
88.50	24,569	92.75	25,614	97.00	26,569	101.25	27,415	105.50	28,124
88.75	24,633	93.00	25,673	97.25	26,622	101.50	27,461	105.75	28,161
89.00	24,696	93.25	25,731	97.50	26,675	101.75	27,506	106.00	28,197



## Capacity/Gauge Table Information

**TCLX 290468**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 268

Reporting Mark: TCLX 290468

Date: 18/06/2015

Capacity: 28,888 US Gallons (109,354 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,232	110.50	28,710	114.75	28,882
106.50	28,267	110.75	28,729	115.00	28,884
106.75	28,300	111.00	28,746	115.25	28,886
107.00	28,334	111.25	28,762	115.50	28,887
107.25	28,366	111.50	28,778	115.75	28,888
107.50	28,398	111.75	28,792	116.00	28,888
107.75	28,429	112.00	28,804	116.25	28,888
108.00	28,459	112.25	28,816		
108.25	28,489	112.50	28,827		
108.50	28,517	112.75	28,837		
108.75	28,545	113.00	28,845		
109.00	28,572	113.25	28,853		
109.25	28,598	113.50	28,860		
109.50	28,623	113.75	28,866		
109.75	28,646	114.00	28,871		
110.00	28,669	114.25	28,876		
110.25	28,690	114.50	28,879		



## Capacity/Gauge Table Information

**TCLX 290469**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 269

Reporting Mark: TCLX 290469

Date: 18/06/2015

Capacity: 28,936 US Gallons (109,535 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	602	8.50	1,369	12.75	2,262	17.00	3,256
0.25	30	4.50	643	8.75	1,419	13.00	2,318	17.25	3,317
0.50	60	4.75	685	9.00	1,468	13.25	2,374	17.50	3,378
0.75	92	5.00	727	9.25	1,519	13.50	2,431	17.75	3,440
1.00	124	5.25	770	9.50	1,569	13.75	2,487	18.00	3,502
1.25	156	5.50	813	9.75	1,620	14.00	2,545	18.25	3,565
1.50	190	5.75	857	10.00	1,672	14.25	2,602	18.50	3,627
1.75	224	6.00	901	10.25	1,723	14.50	2,660	18.75	3,690
2.00	259	6.25	946	10.50	1,775	14.75	2,718	19.00	3,753
2.25	295	6.50	991	10.75	1,828	15.00	2,777	19.25	3,817
2.50	331	6.75	1,037	11.00	1,881	15.25	2,835	19.50	3,880
2.75	368	7.00	1,083	11.25	1,934	15.50	2,895	19.75	3,944
3.00	406	7.25	1,129	11.50	1,988	15.75	2,954	20.00	4,009
3.25	444	7.50	1,177	11.75	2,042	16.00	3,014	20.25	4,073
3.50	483	7.75	1,224	12.00	2,096	16.25	3,074	20.50	4,138
3.75	522	8.00	1,272	12.25	2,151	16.50	3,134	20.75	4,203
4.00	562	8.25	1,321	12.50	2,206	16.75	3,195	21.00	4,268



## Capacity/Gauge Table Information

**TCLX 290469**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 269

Reporting Mark: TCLX 290469

Date: 18/06/2015

Capacity: 28,936 US Gallons (109,535 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,333	25.50	5,481	29.75	6,686	34.00	7,939	38.25	9,230
21.50	4,399	25.75	5,550	30.00	6,758	34.25	8,014	38.50	9,307
21.75	4,465	26.00	5,620	30.25	6,831	34.50	8,089	38.75	9,384
22.00	4,531	26.25	5,690	30.50	6,904	34.75	8,164	39.00	9,461
22.25	4,598	26.50	5,760	30.75	6,977	35.00	8,239	39.25	9,538
22.50	4,664	26.75	5,830	31.00	7,050	35.25	8,315	39.50	9,615
22.75	4,731	27.00	5,900	31.25	7,123	35.50	8,391	39.75	9,693
23.00	4,798	27.25	5,971	31.50	7,197	35.75	8,466	40.00	9,770
23.25	4,865	27.50	6,041	31.75	7,270	36.00	8,542	40.25	9,848
23.50	4,933	27.75	6,112	32.00	7,344	36.25	8,618	40.50	9,926
23.75	5,001	28.00	6,183	32.25	7,418	36.50	8,694	40.75	10,003
24.00	5,069	28.25	6,255	32.50	7,492	36.75	8,770	41.00	10,081
24.25	5,137	28.50	6,326	32.75	7,566	37.00	8,847	41.25	10,159
24.50	5,205	28.75	6,398	33.00	7,640	37.25	8,923	41.50	10,237
24.75	5,274	29.00	6,470	33.25	7,715	37.50	9,000	41.75	10,315
25.00	5,343	29.25	6,542	33.50	7,789	37.75	9,076	42.00	10,394
25.25	5,412	29.50	6,614	33.75	7,864	38.00	9,153	42.25	10,472



## Capacity/Gauge Table Information

**TCLX 290469**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 269

Reporting Mark: TCLX 290469

Date: 18/06/2015

Capacity: 28,936 US Gallons (109,535 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,550	46.75	11,892	51.00	13,247	55.25	14,607	59.50	15,966
42.75	10,629	47.00	11,971	51.25	13,327	55.50	14,687	59.75	16,046
43.00	10,707	47.25	12,051	51.50	13,407	55.75	14,767	60.00	16,125
43.25	10,786	47.50	12,130	51.75	13,487	56.00	14,848	60.25	16,205
43.50	10,864	47.75	12,210	52.00	13,567	56.25	14,928	60.50	16,285
43.75	10,943	48.00	12,289	52.25	13,647	56.50	15,008	60.75	16,364
44.00	11,022	48.25	12,369	52.50	13,727	56.75	15,088	61.00	16,444
44.25	11,101	48.50	12,449	52.75	13,807	57.00	15,167	61.25	16,523
44.50	11,179	48.75	12,528	53.00	13,887	57.25	15,247	61.50	16,602
44.75	11,258	49.00	12,608	53.25	13,967	57.50	15,327	61.75	16,682
45.00	11,337	49.25	12,688	53.50	14,047	57.75	15,407	62.00	16,761
45.25	11,416	49.50	12,768	53.75	14,127	58.00	15,487	62.25	16,840
45.50	11,496	49.75	12,847	54.00	14,207	58.25	15,567	62.50	16,920
45.75	11,575	50.00	12,927	54.25	14,287	58.50	15,647	62.75	16,999
46.00	11,654	50.25	13,007	54.50	14,367	58.75	15,727	63.00	17,078
46.25	11,733	50.50	13,087	54.75	14,447	59.00	15,806	63.25	17,157
46.50	11,812	50.75	13,167	55.00	14,527	59.25	15,886	63.50	17,236



## Capacity/Gauge Table Information

**TCLX 290469**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 269

Reporting Mark: TCLX 290469

Date: 18/06/2015

Capacity: 28,936 US Gallons (109,535 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,315	68.00	18,646	72.25	19,952	76.50	21,224	80.75	22,453
64.00	17,394	68.25	18,724	72.50	20,028	76.75	21,298	81.00	22,524
64.25	17,473	68.50	18,801	72.75	20,104	77.00	21,371	81.25	22,595
64.50	17,551	68.75	18,879	73.00	20,179	77.25	21,445	81.50	22,665
64.75	17,630	69.00	18,956	73.25	20,255	77.50	21,518	81.75	22,735
65.00	17,709	69.25	19,033	73.50	20,330	77.75	21,591	82.00	22,805
65.25	17,787	69.50	19,111	73.75	20,406	78.00	21,663	82.25	22,875
65.50	17,866	69.75	19,188	74.00	20,481	78.25	21,736	82.50	22,945
65.75	17,944	70.00	19,265	74.25	20,556	78.50	21,809	82.75	23,014
66.00	18,022	70.25	19,341	74.50	20,630	78.75	21,881	83.00	23,083
66.25	18,101	70.50	19,418	74.75	20,705	79.00	21,953	83.25	23,152
66.50	18,179	70.75	19,495	75.00	20,780	79.25	22,025	83.50	23,221
66.75	18,257	71.00	19,571	75.25	20,854	79.50	22,097	83.75	23,290
67.00	18,335	71.25	19,648	75.50	20,928	79.75	22,168	84.00	23,358
67.25	18,413	71.50	19,724	75.75	21,003	80.00	22,240	84.25	23,426
67.50	18,491	71.75	19,800	76.00	21,077	80.25	22,311	84.50	23,494
67.75	18,569	72.00	19,876	76.25	21,151	80.50	22,382	84.75	23,562



## Capacity/Gauge Table Information

**TCLX 290469**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 269

Reporting Mark: TCLX 290469

Date: 18/06/2015

Capacity: 28,936 US Gallons (109,535 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,630	89.25	24,742	93.50	25,778	97.75	26,723	102.00	27,555
85.25	23,697	89.50	24,805	93.75	25,837	98.00	26,775	102.25	27,600
85.50	23,764	89.75	24,868	94.00	25,895	98.25	26,827	102.50	27,644
85.75	23,831	90.00	24,931	94.25	25,952	98.50	26,878	102.75	27,688
86.00	23,898	90.25	24,993	94.50	26,009	98.75	26,929	103.00	27,732
86.25	23,964	90.50	25,056	94.75	26,066	99.00	26,980	103.25	27,775
86.50	24,030	90.75	25,117	95.00	26,123	99.25	27,030	103.50	27,817
86.75	24,096	91.00	25,179	95.25	26,179	99.50	27,080	103.75	27,859
87.00	24,162	91.25	25,240	95.50	26,235	99.75	27,130	104.00	27,901
87.25	24,227	91.50	25,301	95.75	26,291	100.00	27,179	104.25	27,941
87.50	24,293	91.75	25,362	96.00	26,346	100.25	27,227	104.50	27,982
87.75	24,358	92.00	25,422	96.25	26,401	100.50	27,276	104.75	28,021
88.00	24,422	92.25	25,482	96.50	26,455	100.75	27,323	105.00	28,060
88.25	24,487	92.50	25,542	96.75	26,510	101.00	27,371	105.25	28,099
88.50	24,551	92.75	25,602	97.00	26,563	101.25	27,417	105.50	28,137
88.75	24,615	93.00	25,661	97.25	26,617	101.50	27,464	105.75	28,174
89.00	24,679	93.25	25,720	97.50	26,670	101.75	27,510	106.00	28,211





## Capacity/Gauge Table Information

**TCLX 290469**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 269

Reporting Mark: TCLX 290469

Date: 18/06/2015

Capacity: 28,936 US Gallons (109,535 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,247	110.50	28,743	114.75	28,929
106.50	28,282	110.75	28,763	115.00	28,932
106.75	28,317	111.00	28,782	115.25	28,934
107.00	28,351	111.25	28,800	115.50	28,935
107.25	28,384	111.50	28,816	115.75	28,936
107.50	28,417	111.75	28,831	116.00	28,936
107.75	28,449	112.00	28,845	116.25	28,936
108.00	28,480	112.25	28,858		
108.25	28,511	112.50	28,870		
108.50	28,540	112.75	28,880		
108.75	28,569	113.00	28,890		
109.00	28,597	113.25	28,898		
109.25	28,624	113.50	28,905		
109.50	28,650	113.75	28,912		
109.75	28,675	114.00	28,917		
110.00	28,699	114.25	28,922		
110.25	28,722	114.50	28,926		



## Capacity/Gauge Table Information

**TCLX 290470**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 270

Reporting Mark: TCLX 290470

Date: 15/06/2015

Capacity: 29,099 US Gallons (110,151 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,352	12.75	2,241	17.00	3,233
0.25	29	4.50	632	8.75	1,401	13.00	2,296	17.25	3,294
0.50	58	4.75	673	9.00	1,450	13.25	2,352	17.50	3,355
0.75	89	5.00	714	9.25	1,500	13.50	2,409	17.75	3,417
1.00	120	5.25	757	9.50	1,550	13.75	2,466	18.00	3,479
1.25	152	5.50	799	9.75	1,601	14.00	2,523	18.25	3,542
1.50	185	5.75	843	10.00	1,652	14.25	2,580	18.50	3,604
1.75	219	6.00	887	10.25	1,704	14.50	2,638	18.75	3,667
2.00	253	6.25	931	10.50	1,756	14.75	2,696	19.00	3,730
2.25	288	6.50	976	10.75	1,808	15.00	2,754	19.25	3,794
2.50	324	6.75	1,021	11.00	1,861	15.25	2,813	19.50	3,857
2.75	360	7.00	1,067	11.25	1,914	15.50	2,872	19.75	3,921
3.00	397	7.25	1,113	11.50	1,968	15.75	2,931	20.00	3,985
3.25	434	7.50	1,160	11.75	2,021	16.00	2,991	20.25	4,050
3.50	473	7.75	1,207	12.00	2,076	16.25	3,051	20.50	4,115
3.75	511	8.00	1,255	12.25	2,130	16.50	3,111	20.75	4,180
4.00	551	8.25	1,303	12.50	2,185	16.75	3,172	21.00	4,245



## Capacity/Gauge Table Information

**TCLX 290470**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 270

Reporting Mark: TCLX 290470

Date: 15/06/2015

Capacity: 29,099 US Gallons (110,151 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,310	25.50	5,458	29.75	6,666	34.00	7,921	38.25	9,216
21.50	4,376	25.75	5,528	30.00	6,738	34.25	7,996	38.50	9,293
21.75	4,442	26.00	5,598	30.25	6,811	34.50	8,072	38.75	9,370
22.00	4,508	26.25	5,668	30.50	6,884	34.75	8,147	39.00	9,447
22.25	4,574	26.50	5,738	30.75	6,957	35.00	8,223	39.25	9,525
22.50	4,641	26.75	5,808	31.00	7,030	35.25	8,298	39.50	9,603
22.75	4,708	27.00	5,878	31.25	7,104	35.50	8,374	39.75	9,680
23.00	4,775	27.25	5,949	31.50	7,177	35.75	8,450	40.00	9,758
23.25	4,842	27.50	6,020	31.75	7,251	36.00	8,526	40.25	9,836
23.50	4,910	27.75	6,091	32.00	7,325	36.25	8,602	40.50	9,914
23.75	4,978	28.00	6,162	32.25	7,399	36.50	8,679	40.75	9,992
24.00	5,046	28.25	6,234	32.50	7,473	36.75	8,755	41.00	10,070
24.25	5,114	28.50	6,305	32.75	7,547	37.00	8,831	41.25	10,148
24.50	5,183	28.75	6,377	33.00	7,622	37.25	8,908	41.50	10,226
24.75	5,251	29.00	6,449	33.25	7,697	37.50	8,985	41.75	10,305
25.00	5,320	29.25	6,521	33.50	7,771	37.75	9,062	42.00	10,383
25.25	5,389	29.50	6,593	33.75	7,846	38.00	9,139	42.25	10,462



## Capacity/Gauge Table Information

**TCLX 290470**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 270

Reporting Mark: TCLX 290470

Date: 15/06/2015

Capacity: 29,099 US Gallons (110,151 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,540	46.75	11,887	51.00	13,247	55.25	14,614	59.50	15,978
42.75	10,619	47.00	11,966	51.25	13,327	55.50	14,694	59.75	16,059
43.00	10,698	47.25	12,046	51.50	13,408	55.75	14,774	60.00	16,139
43.25	10,777	47.50	12,126	51.75	13,488	56.00	14,855	60.25	16,219
43.50	10,855	47.75	12,206	52.00	13,568	56.25	14,935	60.50	16,299
43.75	10,934	48.00	12,286	52.25	13,649	56.50	15,015	60.75	16,379
44.00	11,013	48.25	12,366	52.50	13,729	56.75	15,096	61.00	16,458
44.25	11,092	48.50	12,446	52.75	13,809	57.00	15,176	61.25	16,538
44.50	11,172	48.75	12,526	53.00	13,890	57.25	15,257	61.50	16,618
44.75	11,251	49.00	12,606	53.25	13,970	57.50	15,337	61.75	16,698
45.00	11,330	49.25	12,686	53.50	14,051	57.75	15,417	62.00	16,778
45.25	11,410	49.50	12,766	53.75	14,131	58.00	15,497	62.25	16,857
45.50	11,489	49.75	12,846	54.00	14,211	58.25	15,578	62.50	16,937
45.75	11,568	50.00	12,926	54.25	14,292	58.50	15,658	62.75	17,016
46.00	11,648	50.25	13,006	54.50	14,372	58.75	15,738	63.00	17,096
46.25	11,727	50.50	13,087	54.75	14,453	59.00	15,818	63.25	17,175
46.50	11,807	50.75	13,167	55.00	14,533	59.25	15,898	63.50	17,255



## Capacity/Gauge Table Information

**TCLX 290470**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 270

Reporting Mark: TCLX 290470

Date: 15/06/2015

Capacity: 29,099 US Gallons (110,151 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,334	68.00	18,673	72.25	19,987	76.50	21,267	80.75	22,504
64.00	17,414	68.25	18,751	72.50	20,063	76.75	21,341	81.00	22,576
64.25	17,493	68.50	18,829	72.75	20,139	77.00	21,415	81.25	22,647
64.50	17,572	68.75	18,907	73.00	20,215	77.25	21,488	81.50	22,718
64.75	17,651	69.00	18,985	73.25	20,291	77.50	21,562	81.75	22,788
65.00	17,730	69.25	19,062	73.50	20,367	77.75	21,636	82.00	22,859
65.25	17,809	69.50	19,140	73.75	20,443	78.00	21,709	82.25	22,929
65.50	17,888	69.75	19,217	74.00	20,518	78.25	21,782	82.50	22,999
65.75	17,967	70.00	19,295	74.25	20,594	78.50	21,855	82.75	23,069
66.00	18,046	70.25	19,372	74.50	20,669	78.75	21,928	83.00	23,139
66.25	18,124	70.50	19,449	74.75	20,744	79.00	22,001	83.25	23,209
66.50	18,203	70.75	19,526	75.00	20,819	79.25	22,073	83.50	23,278
66.75	18,281	71.00	19,603	75.25	20,894	79.50	22,145	83.75	23,347
67.00	18,360	71.25	19,680	75.50	20,969	79.75	22,217	84.00	23,416
67.25	18,438	71.50	19,757	75.75	21,044	80.00	22,289	84.25	23,485
67.50	18,517	71.75	19,834	76.00	21,118	80.25	22,361	84.50	23,553
67.75	18,595	72.00	19,910	76.25	21,193	80.50	22,433	84.75	23,622



## Capacity/Gauge Table Information

**TCLX 290470**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 270

Reporting Mark: TCLX 290470

Date: 15/06/2015

Capacity: 29,099 US Gallons (110,151 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,690	89.25	24,812	93.50	25,858	97.75	26,813	102.00	27,657
85.25	23,758	89.50	24,876	93.75	25,917	98.00	26,866	102.25	27,703
85.50	23,825	89.75	24,939	94.00	25,975	98.25	26,918	102.50	27,748
85.75	23,893	90.00	25,002	94.25	26,034	98.50	26,971	102.75	27,793
86.00	23,960	90.25	25,065	94.50	26,091	98.75	27,022	103.00	27,837
86.25	24,027	90.50	25,128	94.75	26,149	99.00	27,074	103.25	27,881
86.50	24,094	90.75	25,190	95.00	26,206	99.25	27,125	103.50	27,924
86.75	24,160	91.00	25,252	95.25	26,263	99.50	27,175	103.75	27,966
87.00	24,226	91.25	25,314	95.50	26,320	99.75	27,225	104.00	28,009
87.25	24,292	91.50	25,376	95.75	26,376	100.00	27,275	104.25	28,050
87.50	24,358	91.75	25,437	96.00	26,432	100.25	27,324	104.50	28,091
87.75	24,424	92.00	25,498	96.25	26,487	100.50	27,373	104.75	28,132
88.00	24,489	92.25	25,559	96.50	26,543	100.75	27,422	105.00	28,172
88.25	24,554	92.50	25,619	96.75	26,597	101.00	27,470	105.25	28,211
88.50	24,619	92.75	25,679	97.00	26,652	101.25	27,517	105.50	28,250
88.75	24,683	93.00	25,739	97.25	26,706	101.50	27,564	105.75	28,288
89.00	24,748	93.25	25,799	97.50	26,760	101.75	27,611	106.00	28,325



## Capacity/Gauge Table Information

**TCLX 290470**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 270

Reporting Mark: TCLX 290470

Date: 15/06/2015

Capacity: 29,099 US Gallons (110,151 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,000 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,362	110.50	28,876	114.75	29,086
106.50	28,398	110.75	28,897	115.00	29,089
106.75	28,434	111.00	28,918	115.25	29,092
107.00	28,469	111.25	28,937	115.50	29,095
107.25	28,503	111.50	28,954	115.75	29,097
107.50	28,537	111.75	28,971	116.00	29,098
107.75	28,570	112.00	28,986	116.25	29,098
108.00	28,602	112.25	29,000	116.50	29,099
108.25	28,633	112.50	29,013	116.75	29,099
108.50	28,664	112.75	29,025		
108.75	28,693	113.00	29,036		
109.00	28,722	113.25	29,046		
109.25	28,750	113.50	29,055		
109.50	28,778	113.75	29,063		
109.75	28,804	114.00	29,070		
110.00	28,829	114.25	29,076		
110.25	28,853	114.50	29,081		





## Capacity/Gauge Table Information

**TCLX 290471**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 271

Reporting Mark: TCLX 290471

Date: 15/06/2015

Capacity: 28,990 US Gallons (109,738 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	579	8.50	1,330	12.75	2,209	17.00	3,192
0.25	28	4.50	619	8.75	1,378	13.00	2,264	17.25	3,253
0.50	57	4.75	660	9.00	1,427	13.25	2,320	17.50	3,314
0.75	87	5.00	701	9.25	1,476	13.50	2,376	17.75	3,375
1.00	117	5.25	742	9.50	1,526	13.75	2,432	18.00	3,436
1.25	148	5.50	785	9.75	1,576	14.00	2,488	18.25	3,498
1.50	181	5.75	827	10.00	1,627	14.25	2,545	18.50	3,560
1.75	213	6.00	870	10.25	1,678	14.50	2,602	18.75	3,623
2.00	247	6.25	914	10.50	1,729	14.75	2,660	19.00	3,685
2.25	281	6.50	958	10.75	1,781	15.00	2,718	19.25	3,748
2.50	316	6.75	1,003	11.00	1,833	15.25	2,776	19.50	3,811
2.75	352	7.00	1,048	11.25	1,886	15.50	2,835	19.75	3,875
3.00	388	7.25	1,094	11.50	1,939	15.75	2,893	20.00	3,939
3.25	425	7.50	1,140	11.75	1,992	16.00	2,953	20.25	4,002
3.50	463	7.75	1,187	12.00	2,046	16.25	3,012	20.50	4,067
3.75	501	8.00	1,234	12.25	2,100	16.50	3,072	20.75	4,131
4.00	540	8.25	1,282	12.50	2,154	16.75	3,132	21.00	4,196



## Capacity/Gauge Table Information

**TCLX 290471**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 271

Reporting Mark: TCLX 290471

Date: 15/06/2015

Capacity: 28,990 US Gallons (109,738 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,261	25.50	5,401	29.75	6,600	34.00	7,847	38.25	9,134
21.50	4,326	25.75	5,470	30.00	6,672	34.25	7,922	38.50	9,211
21.75	4,391	26.00	5,539	30.25	6,744	34.50	7,997	38.75	9,288
22.00	4,457	26.25	5,608	30.50	6,817	34.75	8,072	39.00	9,365
22.25	4,523	26.50	5,678	30.75	6,889	35.00	8,147	39.25	9,442
22.50	4,589	26.75	5,748	31.00	6,962	35.25	8,222	39.50	9,519
22.75	4,656	27.00	5,818	31.25	7,035	35.50	8,298	39.75	9,596
23.00	4,722	27.25	5,888	31.50	7,108	35.75	8,373	40.00	9,673
23.25	4,789	27.50	5,958	31.75	7,181	36.00	8,449	40.25	9,751
23.50	4,856	27.75	6,029	32.00	7,255	36.25	8,524	40.50	9,828
23.75	4,923	28.00	6,100	32.25	7,328	36.50	8,600	40.75	9,906
24.00	4,991	28.25	6,170	32.50	7,402	36.75	8,676	41.00	9,984
24.25	5,059	28.50	6,242	32.75	7,476	37.00	8,752	41.25	10,061
24.50	5,127	28.75	6,313	33.00	7,550	37.25	8,828	41.50	10,139
24.75	5,195	29.00	6,384	33.25	7,624	37.50	8,905	41.75	10,217
25.00	5,263	29.25	6,456	33.50	7,698	37.75	8,981	42.00	10,295
25.25	5,332	29.50	6,528	33.75	7,773	38.00	9,058	42.25	10,373



## Capacity/Gauge Table Information

**TCLX 290471**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 271

Reporting Mark: TCLX 290471

Date: 15/06/2015

Capacity: 28,990 US Gallons (109,738 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,452	46.75	11,791	51.00	13,145	55.25	14,505	59.50	15,864
42.75	10,530	47.00	11,870	51.25	13,225	55.50	14,585	59.75	15,944
43.00	10,608	47.25	11,950	51.50	13,305	55.75	14,665	60.00	16,023
43.25	10,687	47.50	12,029	51.75	13,384	56.00	14,745	60.25	16,103
43.50	10,765	47.75	12,109	52.00	13,464	56.25	14,825	60.50	16,183
43.75	10,844	48.00	12,188	52.25	13,544	56.50	14,905	60.75	16,262
44.00	10,922	48.25	12,268	52.50	13,624	56.75	14,985	61.00	16,342
44.25	11,001	48.50	12,347	52.75	13,704	57.00	15,065	61.25	16,421
44.50	11,080	48.75	12,427	53.00	13,784	57.25	15,145	61.50	16,501
44.75	11,158	49.00	12,506	53.25	13,864	57.50	15,225	61.75	16,580
45.00	11,237	49.25	12,586	53.50	13,944	57.75	15,305	62.00	16,660
45.25	11,316	49.50	12,666	53.75	14,025	58.00	15,385	62.25	16,739
45.50	11,395	49.75	12,746	54.00	14,105	58.25	15,465	62.50	16,818
45.75	11,474	50.00	12,825	54.25	14,185	58.50	15,545	62.75	16,898
46.00	11,553	50.25	12,905	54.50	14,265	58.75	15,624	63.00	16,977
46.25	11,633	50.50	12,985	54.75	14,345	59.00	15,704	63.25	17,056
46.50	11,712	50.75	13,065	55.00	14,425	59.25	15,784	63.50	17,135



## Capacity/Gauge Table Information

**TCLX 290471**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 271

Reporting Mark: TCLX 290471

Date: 15/06/2015

Capacity: 28,990 US Gallons (109,738 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,214	68.00	18,548	72.25	19,857	76.50	21,133	80.75	22,368
64.00	17,293	68.25	18,626	72.50	19,933	76.75	21,207	81.00	22,439
64.25	17,372	68.50	18,703	72.75	20,009	77.00	21,281	81.25	22,510
64.50	17,451	68.75	18,781	73.00	20,085	77.25	21,354	81.50	22,580
64.75	17,530	69.00	18,858	73.25	20,161	77.50	21,428	81.75	22,651
65.00	17,608	69.25	18,936	73.50	20,236	77.75	21,501	82.00	22,721
65.25	17,687	69.50	19,013	73.75	20,312	78.00	21,574	82.25	22,792
65.50	17,766	69.75	19,090	74.00	20,387	78.25	21,647	82.50	22,862
65.75	17,844	70.00	19,168	74.25	20,462	78.50	21,720	82.75	22,931
66.00	17,923	70.25	19,245	74.50	20,537	78.75	21,793	83.00	23,001
66.25	18,001	70.50	19,321	74.75	20,612	79.00	21,865	83.25	23,070
66.50	18,080	70.75	19,398	75.00	20,687	79.25	21,937	83.50	23,140
66.75	18,158	71.00	19,475	75.25	20,762	79.50	22,010	83.75	23,209
67.00	18,236	71.25	19,552	75.50	20,836	79.75	22,082	84.00	23,277
67.25	18,314	71.50	19,628	75.75	20,911	80.00	22,153	84.25	23,346
67.50	18,392	71.75	19,705	76.00	20,985	80.25	22,225	84.50	23,414
67.75	18,470	72.00	19,781	76.25	21,059	80.50	22,296	84.75	23,483



## Capacity/Gauge Table Information

**TCLX 290471**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 271

Reporting Mark: TCLX 290471

Date: 15/06/2015

Capacity: 28,990 US Gallons (109,738 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,551	89.25	24,671	93.50	25,717	97.75	26,672	102.00	27,519
85.25	23,618	89.50	24,735	93.75	25,775	98.00	26,725	102.25	27,565
85.50	23,686	89.75	24,798	94.00	25,834	98.25	26,778	102.50	27,610
85.75	23,753	90.00	24,861	94.25	25,892	98.50	26,830	102.75	27,655
86.00	23,820	90.25	24,924	94.50	25,950	98.75	26,882	103.00	27,700
86.25	23,887	90.50	24,987	94.75	26,008	99.00	26,934	103.25	27,744
86.50	23,954	90.75	25,049	95.00	26,065	99.25	26,985	103.50	27,787
86.75	24,020	91.00	25,111	95.25	26,122	99.50	27,035	103.75	27,830
87.00	24,086	91.25	25,173	95.50	26,179	99.75	27,086	104.00	27,872
87.25	24,152	91.50	25,235	95.75	26,235	100.00	27,136	104.25	27,914
87.50	24,218	91.75	25,296	96.00	26,291	100.25	27,185	104.50	27,956
87.75	24,283	92.00	25,357	96.25	26,346	100.50	27,234	104.75	27,996
88.00	24,349	92.25	25,418	96.50	26,402	100.75	27,283	105.00	28,037
88.25	24,414	92.50	25,478	96.75	26,456	101.00	27,331	105.25	28,076
88.50	24,478	92.75	25,538	97.00	26,511	101.25	27,379	105.50	28,115
88.75	24,543	93.00	25,598	97.25	26,565	101.50	27,426	105.75	28,154
89.00	24,607	93.25	25,657	97.50	26,619	101.75	27,473	106.00	28,192



## Capacity/Gauge Table Information

**TCLX 290471**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 271

Reporting Mark: TCLX 290471

Date: 15/06/2015

Capacity: 28,990 US Gallons (109,738 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,229	110.50	28,753	114.75	28,976
106.50	28,266	110.75	28,776	115.00	28,980
106.75	28,302	111.00	28,797	115.25	28,983
107.00	28,337	111.25	28,818	115.50	28,985
107.25	28,372	111.50	28,836	115.75	28,987
107.50	28,406	111.75	28,854	116.00	28,988
107.75	28,439	112.00	28,870	116.25	28,989
108.00	28,472	112.25	28,885	116.50	28,990
108.25	28,504	112.50	28,899	116.75	28,990
108.50	28,535	112.75	28,912		
108.75	28,565	113.00	28,923		
109.00	28,595	113.25	28,934		
109.25	28,623	113.50	28,943		
109.50	28,651	113.75	28,952		
109.75	28,678	114.00	28,959		
110.00	28,704	114.25	28,966		
110.25	28,729	114.50	28,971		



## Capacity/Gauge Table Information

**TCLX 290472**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 272

Reporting Mark: TCLX 290472

Date: 12/06/2015

Capacity: 29,104 US Gallons (110,171 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,350	12.75	2,239	17.00	3,231
0.25	29	4.50	631	8.75	1,399	13.00	2,295	17.25	3,292
0.50	58	4.75	672	9.00	1,449	13.25	2,351	17.50	3,353
0.75	89	5.00	714	9.25	1,499	13.50	2,407	17.75	3,415
1.00	120	5.25	756	9.50	1,549	13.75	2,464	18.00	3,477
1.25	152	5.50	799	9.75	1,600	14.00	2,521	18.25	3,539
1.50	185	5.75	842	10.00	1,651	14.25	2,578	18.50	3,602
1.75	218	6.00	886	10.25	1,702	14.50	2,636	18.75	3,665
2.00	252	6.25	930	10.50	1,754	14.75	2,694	19.00	3,728
2.25	287	6.50	975	10.75	1,807	15.00	2,752	19.25	3,791
2.50	323	6.75	1,020	11.00	1,859	15.25	2,811	19.50	3,855
2.75	359	7.00	1,066	11.25	1,912	15.50	2,870	19.75	3,919
3.00	396	7.25	1,112	11.50	1,966	15.75	2,929	20.00	3,983
3.25	434	7.50	1,159	11.75	2,020	16.00	2,989	20.25	4,048
3.50	472	7.75	1,206	12.00	2,074	16.25	3,049	20.50	4,112
3.75	511	8.00	1,254	12.25	2,129	16.50	3,109	20.75	4,177
4.00	550	8.25	1,302	12.50	2,184	16.75	3,170	21.00	4,242





## Capacity/Gauge Table Information

**TCLX 290472**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 272

Reporting Mark: TCLX 290472

Date: 12/06/2015

Capacity: 29,104 US Gallons (110,171 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,308	25.50	5,456	29.75	6,663	34.00	7,918	38.25	9,213
21.50	4,374	25.75	5,525	30.00	6,736	34.25	7,994	38.50	9,290
21.75	4,439	26.00	5,595	30.25	6,808	34.50	8,069	38.75	9,367
22.00	4,506	26.25	5,665	30.50	6,881	34.75	8,144	39.00	9,445
22.25	4,572	26.50	5,735	30.75	6,954	35.00	8,220	39.25	9,522
22.50	4,639	26.75	5,805	31.00	7,028	35.25	8,296	39.50	9,600
22.75	4,706	27.00	5,876	31.25	7,101	35.50	8,371	39.75	9,677
23.00	4,773	27.25	5,946	31.50	7,175	35.75	8,447	40.00	9,755
23.25	4,840	27.50	6,017	31.75	7,248	36.00	8,523	40.25	9,833
23.50	4,908	27.75	6,088	32.00	7,322	36.25	8,599	40.50	9,911
23.75	4,975	28.00	6,159	32.25	7,396	36.50	8,676	40.75	9,989
24.00	5,043	28.25	6,231	32.50	7,470	36.75	8,752	41.00	10,067
24.25	5,112	28.50	6,302	32.75	7,545	37.00	8,829	41.25	10,145
24.50	5,180	28.75	6,374	33.00	7,619	37.25	8,905	41.50	10,224
24.75	5,249	29.00	6,446	33.25	7,694	37.50	8,982	41.75	10,302
25.00	5,318	29.25	6,518	33.50	7,769	37.75	9,059	42.00	10,380
25.25	5,387	29.50	6,591	33.75	7,843	38.00	9,136	42.25	10,459



## Capacity/Gauge Table Information

**TCLX 290472**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 272

Reporting Mark: TCLX 290472

Date: 12/06/2015

Capacity: 29,104 US Gallons (110,171 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,537	46.75	11,884	51.00	13,244	55.25	14,611	59.50	15,976
42.75	10,616	47.00	11,964	51.25	13,325	55.50	14,691	59.75	16,056
43.00	10,695	47.25	12,043	51.50	13,405	55.75	14,772	60.00	16,136
43.25	10,774	47.50	12,123	51.75	13,485	56.00	14,852	60.25	16,216
43.50	10,853	47.75	12,203	52.00	13,566	56.25	14,933	60.50	16,296
43.75	10,932	48.00	12,283	52.25	13,646	56.50	15,013	60.75	16,376
44.00	11,011	48.25	12,363	52.50	13,726	56.75	15,093	61.00	16,456
44.25	11,090	48.50	12,443	52.75	13,807	57.00	15,174	61.25	16,536
44.50	11,169	48.75	12,523	53.00	13,887	57.25	15,254	61.50	16,616
44.75	11,248	49.00	12,603	53.25	13,968	57.50	15,334	61.75	16,696
45.00	11,327	49.25	12,683	53.50	14,048	57.75	15,415	62.00	16,775
45.25	11,407	49.50	12,763	53.75	14,128	58.00	15,495	62.25	16,855
45.50	11,486	49.75	12,843	54.00	14,209	58.25	15,575	62.50	16,935
45.75	11,566	50.00	12,923	54.25	14,289	58.50	15,655	62.75	17,014
46.00	11,645	50.25	13,004	54.50	14,370	58.75	15,736	63.00	17,094
46.25	11,725	50.50	13,084	54.75	14,450	59.00	15,816	63.25	17,173
46.50	11,804	50.75	13,164	55.00	14,531	59.25	15,896	63.50	17,253



## Capacity/Gauge Table Information

**TCLX 290472**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 272

Reporting Mark: TCLX 290472

Date: 12/06/2015

Capacity: 29,104 US Gallons (110,171 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,332	68.00	18,671	72.25	19,985	76.50	21,265	80.75	22,503
64.00	17,411	68.25	18,749	72.50	20,061	76.75	21,340	81.00	22,575
64.25	17,491	68.50	18,827	72.75	20,138	77.00	21,413	81.25	22,646
64.50	17,570	68.75	18,905	73.00	20,214	77.25	21,487	81.50	22,717
64.75	17,649	69.00	18,983	73.25	20,290	77.50	21,561	81.75	22,787
65.00	17,728	69.25	19,060	73.50	20,365	77.75	21,634	82.00	22,858
65.25	17,807	69.50	19,138	73.75	20,441	78.00	21,708	82.25	22,928
65.50	17,886	69.75	19,216	74.00	20,517	78.25	21,781	82.50	22,999
65.75	17,965	70.00	19,293	74.25	20,592	78.50	21,854	82.75	23,069
66.00	18,044	70.25	19,370	74.50	20,668	78.75	21,927	83.00	23,138
66.25	18,122	70.50	19,447	74.75	20,743	79.00	21,999	83.25	23,208
66.50	18,201	70.75	19,525	75.00	20,818	79.25	22,072	83.50	23,277
66.75	18,279	71.00	19,602	75.25	20,893	79.50	22,144	83.75	23,346
67.00	18,358	71.25	19,678	75.50	20,968	79.75	22,216	84.00	23,415
67.25	18,436	71.50	19,755	75.75	21,042	80.00	22,288	84.25	23,484
67.50	18,515	71.75	19,832	76.00	21,117	80.25	22,360	84.50	23,553
67.75	18,593	72.00	19,909	76.25	21,191	80.50	22,432	84.75	23,621



## Capacity/Gauge Table Information

**TCLX 290472**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 272

Reporting Mark: TCLX 290472

Date: 12/06/2015

Capacity: 29,104 US Gallons (110,171 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,689	89.25	24,812	93.50	25,858	97.75	26,814	102.00	27,659
85.25	23,757	89.50	24,875	93.75	25,917	98.00	26,867	102.25	27,704
85.50	23,825	89.75	24,939	94.00	25,976	98.25	26,919	102.50	27,750
85.75	23,892	90.00	25,002	94.25	26,034	98.50	26,972	102.75	27,794
86.00	23,959	90.25	25,065	94.50	26,092	98.75	27,023	103.00	27,839
86.25	24,026	90.50	25,128	94.75	26,150	99.00	27,075	103.25	27,882
86.50	24,093	90.75	25,190	95.00	26,207	99.25	27,126	103.50	27,926
86.75	24,160	91.00	25,253	95.25	26,264	99.50	27,177	103.75	27,968
87.00	24,226	91.25	25,314	95.50	26,320	99.75	27,227	104.00	28,011
87.25	24,292	91.50	25,376	95.75	26,377	100.00	27,276	104.25	28,052
87.50	24,358	91.75	25,437	96.00	26,433	100.25	27,326	104.50	28,093
87.75	24,423	92.00	25,498	96.25	26,488	100.50	27,375	104.75	28,134
88.00	24,489	92.25	25,559	96.50	26,543	100.75	27,423	105.00	28,174
88.25	24,554	92.50	25,620	96.75	26,598	101.00	27,471	105.25	28,213
88.50	24,619	92.75	25,680	97.00	26,653	101.25	27,519	105.50	28,252
88.75	24,683	93.00	25,740	97.25	26,707	101.50	27,566	105.75	28,290
89.00	24,748	93.25	25,799	97.50	26,761	101.75	27,613	106.00	28,328



## Capacity/Gauge Table Information

**TCLX 290472**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 272

Reporting Mark: TCLX 290472

Date: 12/06/2015

Capacity: 29,104 US Gallons (110,171 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,365	110.50	28,880	114.75	29,091
106.50	28,401	110.75	28,901	115.00	29,095
106.75	28,437	111.00	28,922	115.25	29,098
107.00	28,472	111.25	28,941	115.50	29,100
107.25	28,506	111.50	28,959	115.75	29,102
107.50	28,540	111.75	28,975	116.00	29,103
107.75	28,573	112.00	28,991	116.25	29,104
108.00	28,605	112.25	29,005	116.50	29,104
108.25	28,636	112.50	29,018	116.75	29,104
108.50	28,667	112.75	29,030		
108.75	28,697	113.00	29,041		
109.00	28,726	113.25	29,051		
109.25	28,754	113.50	29,060		
109.50	28,781	113.75	29,068		
109.75	28,807	114.00	29,075		
110.00	28,833	114.25	29,081		
110.25	28,857	114.50	29,087		



## Capacity/Gauge Table Information

**TCLX 290473**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 273

Reporting Mark: TCLX 290473

Date: 15/06/2015

Capacity: 28,971 US Gallons (109,667 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,223	17.00	3,209
0.25	28	4.50	625	8.75	1,389	13.00	2,278	17.25	3,269
0.50	58	4.75	666	9.00	1,438	13.25	2,334	17.50	3,330
0.75	88	5.00	707	9.25	1,487	13.50	2,390	17.75	3,392
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,453
1.25	150	5.50	792	9.75	1,588	14.00	2,503	18.25	3,515
1.50	183	5.75	835	10.00	1,638	14.25	2,560	18.50	3,578
1.75	216	6.00	878	10.25	1,689	14.50	2,617	18.75	3,640
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,703
2.25	285	6.50	967	10.75	1,793	15.00	2,733	19.25	3,766
2.50	320	6.75	1,012	11.00	1,845	15.25	2,791	19.50	3,829
2.75	356	7.00	1,057	11.25	1,898	15.50	2,850	19.75	3,893
3.00	393	7.25	1,103	11.50	1,951	15.75	2,909	20.00	3,957
3.25	430	7.50	1,150	11.75	2,005	16.00	2,968	20.25	4,021
3.50	468	7.75	1,196	12.00	2,059	16.25	3,028	20.50	4,085
3.75	506	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,150
4.00	545	8.25	1,292	12.50	2,168	16.75	3,148	21.00	4,214



## Capacity/Gauge Table Information

**TCLX 290473**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 273

Reporting Mark: TCLX 290473

Date: 15/06/2015

Capacity: 28,971 US Gallons (109,667 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,280	25.50	5,421	29.75	6,622	34.00	7,871	38.25	9,159
21.50	4,345	25.75	5,490	30.00	6,694	34.25	7,946	38.50	9,236
21.75	4,410	26.00	5,560	30.25	6,767	34.50	8,021	38.75	9,312
22.00	4,476	26.25	5,629	30.50	6,839	34.75	8,096	39.00	9,389
22.25	4,542	26.50	5,699	30.75	6,912	35.00	8,171	39.25	9,466
22.50	4,609	26.75	5,769	31.00	6,985	35.25	8,246	39.50	9,544
22.75	4,675	27.00	5,839	31.25	7,058	35.50	8,321	39.75	9,621
23.00	4,742	27.25	5,909	31.50	7,131	35.75	8,397	40.00	9,698
23.25	4,809	27.50	5,980	31.75	7,204	36.00	8,473	40.25	9,776
23.50	4,876	27.75	6,050	32.00	7,278	36.25	8,548	40.50	9,853
23.75	4,943	28.00	6,121	32.25	7,351	36.50	8,624	40.75	9,931
24.00	5,011	28.25	6,192	32.50	7,425	36.75	8,700	41.00	10,009
24.25	5,079	28.50	6,263	32.75	7,499	37.00	8,776	41.25	10,087
24.50	5,147	28.75	6,335	33.00	7,573	37.25	8,853	41.50	10,164
24.75	5,215	29.00	6,406	33.25	7,647	37.50	8,929	41.75	10,242
25.00	5,284	29.25	6,478	33.50	7,722	37.75	9,006	42.00	10,320
25.25	5,352	29.50	6,550	33.75	7,796	38.00	9,082	42.25	10,399





## Capacity/Gauge Table Information

**TCLX 290473**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 273

Reporting Mark: TCLX 290473

Date: 15/06/2015

Capacity: 28,971 US Gallons (109,667 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,477	46.75	11,817	51.00	13,171	55.25	14,531	59.50	15,889
42.75	10,555	47.00	11,896	51.25	13,250	55.50	14,611	59.75	15,969
43.00	10,633	47.25	11,975	51.50	13,330	55.75	14,691	60.00	16,049
43.25	10,712	47.50	12,055	51.75	13,410	56.00	14,771	60.25	16,128
43.50	10,790	47.75	12,134	52.00	13,490	56.25	14,851	60.50	16,208
43.75	10,869	48.00	12,214	52.25	13,570	56.50	14,931	60.75	16,288
44.00	10,948	48.25	12,293	52.50	13,650	56.75	15,011	61.00	16,367
44.25	11,026	48.50	12,373	52.75	13,730	57.00	15,091	61.25	16,447
44.50	11,105	48.75	12,453	53.00	13,810	57.25	15,171	61.50	16,526
44.75	11,184	49.00	12,532	53.25	13,890	57.50	15,251	61.75	16,606
45.00	11,263	49.25	12,612	53.50	13,970	57.75	15,331	62.00	16,685
45.25	11,342	49.50	12,692	53.75	14,050	58.00	15,410	62.25	16,764
45.50	11,421	49.75	12,771	54.00	14,130	58.25	15,490	62.50	16,843
45.75	11,500	50.00	12,851	54.25	14,210	58.50	15,570	62.75	16,923
46.00	11,579	50.25	12,931	54.50	14,291	58.75	15,650	63.00	17,002
46.25	11,658	50.50	13,011	54.75	14,371	59.00	15,730	63.25	17,081
46.50	11,737	50.75	13,091	55.00	14,451	59.25	15,810	63.50	17,160



## Capacity/Gauge Table Information

**TCLX 290473**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 273

Reporting Mark: TCLX 290473

Date: 15/06/2015

Capacity: 28,971 US Gallons (109,667 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,239	68.00	18,572	72.25	19,880	76.50	21,155	80.75	22,388
64.00	17,318	68.25	18,650	72.50	19,956	76.75	21,229	81.00	22,459
64.25	17,397	68.50	18,727	72.75	20,032	77.00	21,302	81.25	22,529
64.50	17,476	68.75	18,805	73.00	20,108	77.25	21,376	81.50	22,600
64.75	17,554	69.00	18,882	73.25	20,183	77.50	21,449	81.75	22,670
65.00	17,633	69.25	18,960	73.50	20,259	77.75	21,522	82.00	22,741
65.25	17,712	69.50	19,037	73.75	20,334	78.00	21,595	82.25	22,811
65.50	17,790	69.75	19,114	74.00	20,409	78.25	21,668	82.50	22,881
65.75	17,869	70.00	19,191	74.25	20,485	78.50	21,741	82.75	22,950
66.00	17,947	70.25	19,268	74.50	20,560	78.75	21,813	83.00	23,020
66.25	18,026	70.50	19,345	74.75	20,634	79.00	21,886	83.25	23,089
66.50	18,104	70.75	19,422	75.00	20,709	79.25	21,958	83.50	23,158
66.75	18,182	71.00	19,498	75.25	20,784	79.50	22,030	83.75	23,227
67.00	18,260	71.25	19,575	75.50	20,858	79.75	22,102	84.00	23,296
67.25	18,338	71.50	19,651	75.75	20,933	80.00	22,173	84.25	23,364
67.50	18,416	71.75	19,728	76.00	21,007	80.25	22,245	84.50	23,432
67.75	18,494	72.00	19,804	76.25	21,081	80.50	22,316	84.75	23,501



## Capacity/Gauge Table Information

**TCLX 290473**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 273

Reporting Mark: TCLX 290473

Date: 15/06/2015

Capacity: 28,971 US Gallons (109,667 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,568	89.25	24,686	93.50	25,729	97.75	26,681	102.00	27,524
85.25	23,636	89.50	24,750	93.75	25,788	98.00	26,734	102.25	27,569
85.50	23,703	89.75	24,813	94.00	25,846	98.25	26,787	102.50	27,614
85.75	23,771	90.00	24,876	94.25	25,904	98.50	26,839	102.75	27,659
86.00	23,837	90.25	24,939	94.50	25,962	98.75	26,890	103.00	27,703
86.25	23,904	90.50	25,001	94.75	26,019	99.00	26,942	103.25	27,747
86.50	23,971	90.75	25,064	95.00	26,076	99.25	26,992	103.50	27,790
86.75	24,037	91.00	25,126	95.25	26,133	99.50	27,043	103.75	27,833
87.00	24,103	91.25	25,187	95.50	26,189	99.75	27,093	104.00	27,875
87.25	24,169	91.50	25,249	95.75	26,246	100.00	27,142	104.25	27,916
87.50	24,234	91.75	25,310	96.00	26,301	100.25	27,192	104.50	27,957
87.75	24,300	92.00	25,371	96.25	26,357	100.50	27,240	104.75	27,998
88.00	24,365	92.25	25,431	96.50	26,412	100.75	27,289	105.00	28,038
88.25	24,430	92.50	25,491	96.75	26,466	101.00	27,337	105.25	28,077
88.50	24,494	92.75	25,551	97.00	26,521	101.25	27,384	105.50	28,116
88.75	24,558	93.00	25,611	97.25	26,575	101.50	27,431	105.75	28,154
89.00	24,623	93.25	25,670	97.50	26,628	101.75	27,478	106.00	28,191



## Capacity/Gauge Table Information

**TCLX 290473**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 273

Reporting Mark: TCLX 290473

Date: 15/06/2015

Capacity: 28,971 US Gallons (109,667 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,228	110.50	28,744	114.75	28,958
106.50	28,265	110.75	28,766	115.00	28,961
106.75	28,300	111.00	28,787	115.25	28,964
107.00	28,335	111.25	28,806	115.50	28,967
107.25	28,370	111.50	28,824	115.75	28,969
107.50	28,403	111.75	28,841	116.00	28,970
107.75	28,436	112.00	28,856	116.25	28,971
108.00	28,468	112.25	28,871	116.50	28,971
108.25	28,500	112.50	28,884	116.75	28,971
108.50	28,530	112.75	28,896		
108.75	28,560	113.00	28,907		
109.00	28,589	113.25	28,917		
109.25	28,617	113.50	28,926		
109.50	28,645	113.75	28,935		
109.75	28,671	114.00	28,942		
110.00	28,696	114.25	28,948		
110.25	28,721	114.50	28,953		



## Capacity/Gauge Table Information

**TCLX 290474**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 274

Reporting Mark: TCLX 290474

Date: 15/06/2015

Capacity: 28,939 US Gallons (109,545 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,223	17.00	3,208
0.25	28	4.50	626	8.75	1,389	13.00	2,278	17.25	3,269
0.50	58	4.75	667	9.00	1,438	13.25	2,334	17.50	3,330
0.75	88	5.00	708	9.25	1,488	13.50	2,390	17.75	3,391
1.00	119	5.25	750	9.50	1,538	13.75	2,446	18.00	3,453
1.25	151	5.50	792	9.75	1,588	14.00	2,503	18.25	3,515
1.50	183	5.75	835	10.00	1,639	14.25	2,560	18.50	3,577
1.75	216	6.00	879	10.25	1,690	14.50	2,617	18.75	3,640
2.00	250	6.25	923	10.50	1,741	14.75	2,675	19.00	3,702
2.25	285	6.50	967	10.75	1,793	15.00	2,733	19.25	3,765
2.50	320	6.75	1,012	11.00	1,846	15.25	2,791	19.50	3,829
2.75	356	7.00	1,058	11.25	1,899	15.50	2,850	19.75	3,892
3.00	393	7.25	1,104	11.50	1,952	15.75	2,909	20.00	3,956
3.25	430	7.50	1,150	11.75	2,005	16.00	2,968	20.25	4,020
3.50	468	7.75	1,197	12.00	2,059	16.25	3,028	20.50	4,084
3.75	507	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,149
4.00	546	8.25	1,292	12.50	2,168	16.75	3,148	21.00	4,214



## Capacity/Gauge Table Information

**TCLX 290474**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 274

Reporting Mark: TCLX 290474

Date: 15/06/2015

Capacity: 28,939 US Gallons (109,545 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,279	25.50	5,420	29.75	6,619	34.00	7,867	38.25	9,154
21.50	4,344	25.75	5,489	30.00	6,692	34.25	7,942	38.50	9,231
21.75	4,409	26.00	5,558	30.25	6,764	34.50	8,017	38.75	9,308
22.00	4,475	26.25	5,627	30.50	6,836	34.75	8,092	39.00	9,385
22.25	4,541	26.50	5,697	30.75	6,909	35.00	8,167	39.25	9,462
22.50	4,607	26.75	5,767	31.00	6,982	35.25	8,242	39.50	9,539
22.75	4,674	27.00	5,837	31.25	7,055	35.50	8,317	39.75	9,616
23.00	4,741	27.25	5,907	31.50	7,128	35.75	8,393	40.00	9,693
23.25	4,808	27.50	5,978	31.75	7,201	36.00	8,469	40.25	9,771
23.50	4,875	27.75	6,048	32.00	7,275	36.25	8,544	40.50	9,848
23.75	4,942	28.00	6,119	32.25	7,348	36.50	8,620	40.75	9,926
24.00	5,010	28.25	6,190	32.50	7,422	36.75	8,696	41.00	10,003
24.25	5,077	28.50	6,261	32.75	7,496	37.00	8,772	41.25	10,081
24.50	5,145	28.75	6,332	33.00	7,570	37.25	8,848	41.50	10,159
24.75	5,214	29.00	6,404	33.25	7,644	37.50	8,925	41.75	10,237
25.00	5,282	29.25	6,476	33.50	7,718	37.75	9,001	42.00	10,315
25.25	5,351	29.50	6,547	33.75	7,793	38.00	9,077	42.25	10,393



## Capacity/Gauge Table Information

**TCLX 290474**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 274

Reporting Mark: TCLX 290474

Date: 15/06/2015

Capacity: 28,939 US Gallons (109,545 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,471	46.75	11,810	51.00	13,162	55.25	14,521	59.50	15,878
42.75	10,549	47.00	11,889	51.25	13,242	55.50	14,601	59.75	15,958
43.00	10,627	47.25	11,968	51.50	13,322	55.75	14,681	60.00	16,037
43.25	10,706	47.50	12,047	51.75	13,402	56.00	14,761	60.25	16,117
43.50	10,784	47.75	12,127	52.00	13,482	56.25	14,841	60.50	16,197
43.75	10,863	48.00	12,206	52.25	13,561	56.50	14,921	60.75	16,276
44.00	10,941	48.25	12,286	52.50	13,641	56.75	15,001	61.00	16,356
44.25	11,020	48.50	12,365	52.75	13,721	57.00	15,080	61.25	16,435
44.50	11,099	48.75	12,445	53.00	13,801	57.25	15,160	61.50	16,514
44.75	11,177	49.00	12,524	53.25	13,881	57.50	15,240	61.75	16,594
45.00	11,256	49.25	12,604	53.50	13,961	57.75	15,320	62.00	16,673
45.25	11,335	49.50	12,684	53.75	14,041	58.00	15,400	62.25	16,752
45.50	11,414	49.75	12,763	54.00	14,121	58.25	15,480	62.50	16,831
45.75	11,493	50.00	12,843	54.25	14,201	58.50	15,559	62.75	16,910
46.00	11,572	50.25	12,923	54.50	14,281	58.75	15,639	63.00	16,990
46.25	11,651	50.50	13,003	54.75	14,361	59.00	15,719	63.25	17,069
46.50	11,730	50.75	13,082	55.00	14,441	59.25	15,799	63.50	17,148





## Capacity/Gauge Table Information

**TCLX 290474**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 274

Reporting Mark: TCLX 290474

Date: 15/06/2015

Capacity: 28,939 US Gallons (109,545 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,226	68.00	18,558	72.25	19,865	76.50	21,138	80.75	22,369
64.00	17,305	68.25	18,636	72.50	19,940	76.75	21,212	81.00	22,440
64.25	17,384	68.50	18,713	72.75	20,016	77.00	21,285	81.25	22,511
64.50	17,463	68.75	18,791	73.00	20,092	77.25	21,358	81.50	22,581
64.75	17,542	69.00	18,868	73.25	20,167	77.50	21,432	81.75	22,652
65.00	17,620	69.25	18,945	73.50	20,243	77.75	21,505	82.00	22,722
65.25	17,699	69.50	19,022	73.75	20,318	78.00	21,578	82.25	22,792
65.50	17,777	69.75	19,099	74.00	20,393	78.25	21,650	82.50	22,861
65.75	17,856	70.00	19,176	74.25	20,468	78.50	21,723	82.75	22,931
66.00	17,934	70.25	19,253	74.50	20,543	78.75	21,796	83.00	23,000
66.25	18,012	70.50	19,330	74.75	20,618	79.00	21,868	83.25	23,070
66.50	18,090	70.75	19,407	75.00	20,693	79.25	21,940	83.50	23,139
66.75	18,169	71.00	19,483	75.25	20,767	79.50	22,012	83.75	23,207
67.00	18,247	71.25	19,560	75.50	20,842	79.75	22,084	84.00	23,276
67.25	18,325	71.50	19,636	75.75	20,916	80.00	22,155	84.25	23,344
67.50	18,402	71.75	19,712	76.00	20,990	80.25	22,227	84.50	23,413
67.75	18,480	72.00	19,788	76.25	21,064	80.50	22,298	84.75	23,481



## Capacity/Gauge Table Information

**TCLX 290474**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 274

Reporting Mark: TCLX 290474

Date: 15/06/2015

Capacity: 28,939 US Gallons (109,545 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,548	89.25	24,665	93.50	25,706	97.75	26,657	102.00	27,497
85.25	23,616	89.50	24,728	93.75	25,765	98.00	26,709	102.25	27,543
85.50	23,683	89.75	24,791	94.00	25,823	98.25	26,762	102.50	27,588
85.75	23,750	90.00	24,854	94.25	25,881	98.50	26,814	102.75	27,632
86.00	23,817	90.25	24,917	94.50	25,938	98.75	26,865	103.00	27,677
86.25	23,884	90.50	24,979	94.75	25,996	99.00	26,916	103.25	27,720
86.50	23,950	90.75	25,042	95.00	26,053	99.25	26,967	103.50	27,763
86.75	24,016	91.00	25,103	95.25	26,109	99.50	27,017	103.75	27,806
87.00	24,082	91.25	25,165	95.50	26,166	99.75	27,067	104.00	27,848
87.25	24,148	91.50	25,226	95.75	26,222	100.00	27,117	104.25	27,889
87.50	24,213	91.75	25,287	96.00	26,277	100.25	27,166	104.50	27,930
87.75	24,279	92.00	25,348	96.25	26,333	100.50	27,215	104.75	27,970
88.00	24,344	92.25	25,408	96.50	26,387	100.75	27,263	105.00	28,010
88.25	24,408	92.50	25,468	96.75	26,442	101.00	27,311	105.25	28,049
88.50	24,473	92.75	25,528	97.00	26,496	101.25	27,358	105.50	28,088
88.75	24,537	93.00	25,588	97.25	26,550	101.50	27,405	105.75	28,126
89.00	24,601	93.25	25,647	97.50	26,604	101.75	27,451	106.00	28,163



## Capacity/Gauge Table Information

**TCLX 290474**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 274

Reporting Mark: TCLX 290474

Date: 15/06/2015

Capacity: 28,939 US Gallons (109,545 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,200	110.50	28,714	114.75	28,926
106.50	28,236	110.75	28,736	115.00	28,929
106.75	28,272	111.00	28,756	115.25	28,932
107.00	28,307	111.25	28,775	115.50	28,935
107.25	28,341	111.50	28,793	115.75	28,937
107.50	28,375	111.75	28,810	116.00	28,938
107.75	28,407	112.00	28,825	116.25	28,938
108.00	28,440	112.25	28,840	116.50	28,939
108.25	28,471	112.50	28,853	116.75	28,939
108.50	28,501	112.75	28,865		
108.75	28,531	113.00	28,876		
109.00	28,560	113.25	28,886		
109.25	28,588	113.50	28,895		
109.50	28,615	113.75	28,903		
109.75	28,641	114.00	28,910		
110.00	28,667	114.25	28,916		
110.25	28,691	114.50	28,921		



## Capacity/Gauge Table Information

**TCLX 290475**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 275

Reporting Mark: TCLX 290475

Date: 10/06/2015

Capacity: 28,983 US Gallons (109,713 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,351	12.75	2,239	17.00	3,228
0.25	29	4.50	632	8.75	1,400	13.00	2,294	17.25	3,289
0.50	59	4.75	673	9.00	1,450	13.25	2,350	17.50	3,351
0.75	89	5.00	715	9.25	1,499	13.50	2,406	17.75	3,412
1.00	120	5.25	757	9.50	1,550	13.75	2,463	18.00	3,474
1.25	153	5.50	800	9.75	1,600	14.00	2,520	18.25	3,536
1.50	185	5.75	843	10.00	1,651	14.25	2,577	18.50	3,599
1.75	219	6.00	887	10.25	1,703	14.50	2,635	18.75	3,661
2.00	253	6.25	931	10.50	1,755	14.75	2,693	19.00	3,724
2.25	288	6.50	976	10.75	1,807	15.00	2,751	19.25	3,788
2.50	324	6.75	1,021	11.00	1,860	15.25	2,810	19.50	3,851
2.75	360	7.00	1,067	11.25	1,913	15.50	2,868	19.75	3,915
3.00	397	7.25	1,113	11.50	1,966	15.75	2,928	20.00	3,979
3.25	435	7.50	1,160	11.75	2,020	16.00	2,987	20.25	4,043
3.50	473	7.75	1,207	12.00	2,074	16.25	3,047	20.50	4,108
3.75	512	8.00	1,255	12.25	2,128	16.50	3,107	20.75	4,172
4.00	551	8.25	1,303	12.50	2,183	16.75	3,168	21.00	4,237



## Capacity/Gauge Table Information

**TCLX 290475**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 275

Reporting Mark: TCLX 290475

Date: 10/06/2015

Capacity: 28,983 US Gallons (109,713 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,303	25.50	5,448	29.75	6,651	34.00	7,903	38.25	9,193
21.50	4,368	25.75	5,517	30.00	6,724	34.25	7,978	38.50	9,270
21.75	4,434	26.00	5,586	30.25	6,796	34.50	8,053	38.75	9,347
22.00	4,500	26.25	5,656	30.50	6,869	34.75	8,128	39.00	9,424
22.25	4,566	26.50	5,726	30.75	6,942	35.00	8,203	39.25	9,501
22.50	4,633	26.75	5,796	31.00	7,015	35.25	8,279	39.50	9,579
22.75	4,699	27.00	5,866	31.25	7,088	35.50	8,354	39.75	9,656
23.00	4,766	27.25	5,937	31.50	7,161	35.75	8,430	40.00	9,733
23.25	4,834	27.50	6,007	31.75	7,235	36.00	8,506	40.25	9,811
23.50	4,901	27.75	6,078	32.00	7,308	36.25	8,582	40.50	9,889
23.75	4,968	28.00	6,149	32.25	7,382	36.50	8,658	40.75	9,967
24.00	5,036	28.25	6,220	32.50	7,456	36.75	8,734	41.00	10,044
24.25	5,104	28.50	6,292	32.75	7,530	37.00	8,810	41.25	10,122
24.50	5,173	28.75	6,363	33.00	7,604	37.25	8,886	41.50	10,200
24.75	5,241	29.00	6,435	33.25	7,679	37.50	8,963	41.75	10,278
25.00	5,310	29.25	6,507	33.50	7,753	37.75	9,040	42.00	10,357
25.25	5,379	29.50	6,579	33.75	7,828	38.00	9,116	42.25	10,435



## Capacity/Gauge Table Information

**TCLX 290475**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 275

Reporting Mark: TCLX 290475

Date: 10/06/2015

Capacity: 28,983 US Gallons (109,713 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,513	46.75	11,855	51.00	13,211	55.25	14,572	59.50	15,932
42.75	10,592	47.00	11,934	51.25	13,291	55.50	14,652	59.75	16,012
43.00	10,670	47.25	12,014	51.50	13,371	55.75	14,732	60.00	16,092
43.25	10,749	47.50	12,093	51.75	13,451	56.00	14,812	60.25	16,171
43.50	10,827	47.75	12,173	52.00	13,531	56.25	14,893	60.50	16,251
43.75	10,906	48.00	12,253	52.25	13,611	56.50	14,973	60.75	16,331
44.00	10,985	48.25	12,332	52.50	13,691	56.75	15,053	61.00	16,410
44.25	11,064	48.50	12,412	52.75	13,771	57.00	15,133	61.25	16,490
44.50	11,142	48.75	12,492	53.00	13,851	57.25	15,213	61.50	16,569
44.75	11,221	49.00	12,571	53.25	13,931	57.50	15,293	61.75	16,649
45.00	11,300	49.25	12,651	53.50	14,011	57.75	15,373	62.00	16,728
45.25	11,379	49.50	12,731	53.75	14,091	58.00	15,453	62.25	16,807
45.50	11,459	49.75	12,811	54.00	14,171	58.25	15,533	62.50	16,887
45.75	11,538	50.00	12,891	54.25	14,252	58.50	15,613	62.75	16,966
46.00	11,617	50.25	12,971	54.50	14,332	58.75	15,692	63.00	17,045
46.25	11,696	50.50	13,051	54.75	14,412	59.00	15,772	63.25	17,124
46.50	11,776	50.75	13,131	55.00	14,492	59.25	15,852	63.50	17,204



## Capacity/Gauge Table Information

**TCLX 290475**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 275

Reporting Mark: TCLX 290475

Date: 10/06/2015

Capacity: 28,983 US Gallons (109,713 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,283	68.00	18,616	72.25	19,924	76.50	21,199	80.75	22,432
64.00	17,362	68.25	18,694	72.50	20,000	76.75	21,273	81.00	22,503
64.25	17,441	68.50	18,771	72.75	20,076	77.00	21,347	81.25	22,573
64.50	17,519	68.75	18,849	73.00	20,152	77.25	21,420	81.50	22,644
64.75	17,598	69.00	18,927	73.25	20,228	77.50	21,493	81.75	22,714
65.00	17,677	69.25	19,004	73.50	20,303	77.75	21,567	82.00	22,785
65.25	17,756	69.50	19,081	73.75	20,379	78.00	21,640	82.25	22,855
65.50	17,834	69.75	19,158	74.00	20,454	78.25	21,712	82.50	22,924
65.75	17,913	70.00	19,235	74.25	20,529	78.50	21,785	82.75	22,994
66.00	17,991	70.25	19,312	74.50	20,604	78.75	21,858	83.00	23,063
66.25	18,070	70.50	19,389	74.75	20,679	79.00	21,930	83.25	23,133
66.50	18,148	70.75	19,466	75.00	20,754	79.25	22,002	83.50	23,202
66.75	18,226	71.00	19,543	75.25	20,828	79.50	22,074	83.75	23,271
67.00	18,304	71.25	19,619	75.50	20,903	79.75	22,146	84.00	23,339
67.25	18,382	71.50	19,696	75.75	20,977	80.00	22,218	84.25	23,408
67.50	18,460	71.75	19,772	76.00	21,051	80.25	22,289	84.50	23,476
67.75	18,538	72.00	19,848	76.25	21,125	80.50	22,360	84.75	23,544





## Capacity/Gauge Table Information

**TCLX 290475**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 275

Reporting Mark: TCLX 290475

Date: 10/06/2015

Capacity: 28,983 US Gallons (109,713 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,612	89.25	24,728	93.50	25,769	97.75	26,719	102.00	27,558
85.25	23,679	89.50	24,792	93.75	25,828	98.00	26,771	102.25	27,603
85.50	23,746	89.75	24,855	94.00	25,886	98.25	26,824	102.50	27,648
85.75	23,814	90.00	24,918	94.25	25,944	98.50	26,876	102.75	27,692
86.00	23,880	90.25	24,980	94.50	26,001	98.75	26,927	103.00	27,736
86.25	23,947	90.50	25,043	94.75	26,059	99.00	26,978	103.25	27,780
86.50	24,013	90.75	25,105	95.00	26,116	99.25	27,029	103.50	27,822
86.75	24,080	91.00	25,167	95.25	26,172	99.50	27,079	103.75	27,865
87.00	24,146	91.25	25,228	95.50	26,228	99.75	27,129	104.00	27,907
87.25	24,211	91.50	25,290	95.75	26,284	100.00	27,178	104.25	27,948
87.50	24,277	91.75	25,351	96.00	26,340	100.25	27,227	104.50	27,989
87.75	24,342	92.00	25,411	96.25	26,395	100.50	27,276	104.75	28,029
88.00	24,407	92.25	25,472	96.50	26,450	100.75	27,324	105.00	28,068
88.25	24,472	92.50	25,532	96.75	26,504	101.00	27,372	105.25	28,107
88.50	24,536	92.75	25,592	97.00	26,559	101.25	27,419	105.50	28,146
88.75	24,601	93.00	25,651	97.25	26,612	101.50	27,466	105.75	28,184
89.00	24,665	93.25	25,710	97.50	26,666	101.75	27,512	106.00	28,221



## Capacity/Gauge Table Information

**TCLX 290475**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 275

Reporting Mark: TCLX 290475

Date: 10/06/2015

Capacity: 28,983 US Gallons (109,713 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,257	110.50	28,765	114.75	28,970
106.50	28,293	110.75	28,786	115.00	28,974
106.75	28,329	111.00	28,806	115.25	28,977
107.00	28,363	111.25	28,824	115.50	28,979
107.25	28,397	111.50	28,842	115.75	28,981
107.50	28,430	111.75	28,858	116.00	28,982
107.75	28,463	112.00	28,873	116.25	28,983
108.00	28,495	112.25	28,887	116.50	28,983
108.25	28,526	112.50	28,900	116.75	28,983
108.50	28,556	112.75	28,911		
108.75	28,585	113.00	28,922		
109.00	28,614	113.25	28,932		
109.25	28,642	113.50	28,940		
109.50	28,668	113.75	28,948		
109.75	28,694	114.00	28,955		
110.00	28,719	114.25	28,961		
110.25	28,742	114.50	28,966		



## Capacity/Gauge Table Information

**TCLX 290476**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 276

Reporting Mark: TCLX 290476

Date: 01/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	582	8.50	1,334	12.75	2,215	17.00	3,199
0.25	28	4.50	622	8.75	1,382	13.00	2,270	17.25	3,259
0.50	57	4.75	662	9.00	1,431	13.25	2,325	17.50	3,320
0.75	87	5.00	704	9.25	1,481	13.50	2,381	17.75	3,382
1.00	118	5.25	745	9.50	1,531	13.75	2,438	18.00	3,443
1.25	149	5.50	788	9.75	1,581	14.00	2,494	18.25	3,505
1.50	182	5.75	830	10.00	1,632	14.25	2,551	18.50	3,567
1.75	215	6.00	874	10.25	1,683	14.50	2,608	18.75	3,629
2.00	248	6.25	918	10.50	1,734	14.75	2,666	19.00	3,692
2.25	283	6.50	962	10.75	1,786	15.00	2,724	19.25	3,755
2.50	318	6.75	1,007	11.00	1,838	15.25	2,782	19.50	3,818
2.75	354	7.00	1,052	11.25	1,891	15.50	2,841	19.75	3,882
3.00	390	7.25	1,098	11.50	1,944	15.75	2,900	20.00	3,945
3.25	427	7.50	1,144	11.75	1,997	16.00	2,959	20.25	4,009
3.50	465	7.75	1,191	12.00	2,051	16.25	3,018	20.50	4,074
3.75	503	8.00	1,238	12.25	2,105	16.50	3,078	20.75	4,138
4.00	542	8.25	1,286	12.50	2,160	16.75	3,138	21.00	4,203



## Capacity/Gauge Table Information

**TCLX 290476**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 276

Reporting Mark: TCLX 290476

Date: 01/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,268	25.50	5,408	29.75	6,607	34.00	7,855	38.25	9,142
21.50	4,333	25.75	5,477	30.00	6,680	34.25	7,930	38.50	9,219
21.75	4,399	26.00	5,546	30.25	6,752	34.50	8,005	38.75	9,296
22.00	4,464	26.25	5,616	30.50	6,824	34.75	8,080	39.00	9,372
22.25	4,530	26.50	5,685	30.75	6,897	35.00	8,155	39.25	9,450
22.50	4,596	26.75	5,755	31.00	6,970	35.25	8,230	39.50	9,527
22.75	4,663	27.00	5,825	31.25	7,043	35.50	8,305	39.75	9,604
23.00	4,730	27.25	5,895	31.50	7,116	35.75	8,381	40.00	9,681
23.25	4,796	27.50	5,966	31.75	7,189	36.00	8,456	40.25	9,759
23.50	4,864	27.75	6,036	32.00	7,263	36.25	8,532	40.50	9,836
23.75	4,931	28.00	6,107	32.25	7,336	36.50	8,608	40.75	9,914
24.00	4,998	28.25	6,178	32.50	7,410	36.75	8,684	41.00	9,991
24.25	5,066	28.50	6,249	32.75	7,484	37.00	8,760	41.25	10,069
24.50	5,134	28.75	6,321	33.00	7,558	37.25	8,836	41.50	10,147
24.75	5,202	29.00	6,392	33.25	7,632	37.50	8,912	41.75	10,225
25.00	5,271	29.25	6,464	33.50	7,706	37.75	8,989	42.00	10,303
25.25	5,339	29.50	6,535	33.75	7,781	38.00	9,065	42.25	10,381



## Capacity/Gauge Table Information

**TCLX 290476**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 276

Reporting Mark: TCLX 290476

Date: 01/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,459	46.75	11,798	51.00	13,151	55.25	14,511	59.50	15,869
42.75	10,537	47.00	11,877	51.25	13,231	55.50	14,591	59.75	15,949
43.00	10,616	47.25	11,957	51.50	13,311	55.75	14,671	60.00	16,029
43.25	10,694	47.50	12,036	51.75	13,391	56.00	14,751	60.25	16,108
43.50	10,772	47.75	12,116	52.00	13,471	56.25	14,831	60.50	16,188
43.75	10,851	48.00	12,195	52.25	13,551	56.50	14,911	60.75	16,267
44.00	10,930	48.25	12,275	52.50	13,631	56.75	14,991	61.00	16,347
44.25	11,008	48.50	12,354	52.75	13,711	57.00	15,071	61.25	16,426
44.50	11,087	48.75	12,434	53.00	13,791	57.25	15,151	61.50	16,506
44.75	11,166	49.00	12,513	53.25	13,871	57.50	15,231	61.75	16,585
45.00	11,245	49.25	12,593	53.50	13,951	57.75	15,311	62.00	16,665
45.25	11,324	49.50	12,673	53.75	14,031	58.00	15,390	62.25	16,744
45.50	11,403	49.75	12,752	54.00	14,111	58.25	15,470	62.50	16,823
45.75	11,482	50.00	12,832	54.25	14,191	58.50	15,550	62.75	16,902
46.00	11,561	50.25	12,912	54.50	14,271	58.75	15,630	63.00	16,981
46.25	11,640	50.50	12,992	54.75	14,351	59.00	15,710	63.25	17,061
46.50	11,719	50.75	13,072	55.00	14,431	59.25	15,790	63.50	17,140



## Capacity/Gauge Table Information

**TCLX 290476**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 276

Reporting Mark: TCLX 290476

Date: 01/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,219	68.00	18,551	72.25	19,859	76.50	21,134	80.75	22,368
64.00	17,298	68.25	18,629	72.50	19,935	76.75	21,208	81.00	22,439
64.25	17,376	68.50	18,707	72.75	20,011	77.00	21,282	81.25	22,509
64.50	17,455	68.75	18,784	73.00	20,087	77.25	21,355	81.50	22,580
64.75	17,534	69.00	18,862	73.25	20,163	77.50	21,429	81.75	22,651
65.00	17,613	69.25	18,939	73.50	20,238	77.75	21,502	82.00	22,721
65.25	17,691	69.50	19,016	73.75	20,314	78.00	21,575	82.25	22,791
65.50	17,770	69.75	19,093	74.00	20,389	78.25	21,648	82.50	22,861
65.75	17,848	70.00	19,171	74.25	20,464	78.50	21,721	82.75	22,931
66.00	17,927	70.25	19,247	74.50	20,539	78.75	21,793	83.00	23,000
66.25	18,005	70.50	19,324	74.75	20,614	79.00	21,865	83.25	23,069
66.50	18,083	70.75	19,401	75.00	20,689	79.25	21,938	83.50	23,138
66.75	18,162	71.00	19,478	75.25	20,763	79.50	22,010	83.75	23,207
67.00	18,240	71.25	19,554	75.50	20,838	79.75	22,082	84.00	23,276
67.25	18,318	71.50	19,631	75.75	20,912	80.00	22,153	84.25	23,345
67.50	18,396	71.75	19,707	76.00	20,986	80.25	22,225	84.50	23,413
67.75	18,474	72.00	19,783	76.25	21,061	80.50	22,296	84.75	23,481



## Capacity/Gauge Table Information

**TCLX 290476**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 276

Reporting Mark: TCLX 290476

Date: 01/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,549	89.25	24,668	93.50	25,711	97.75	26,665	102.00	27,509
85.25	23,617	89.50	24,731	93.75	25,770	98.00	26,718	102.25	27,555
85.50	23,684	89.75	24,795	94.00	25,829	98.25	26,770	102.50	27,600
85.75	23,751	90.00	24,858	94.25	25,887	98.50	26,823	102.75	27,645
86.00	23,818	90.25	24,920	94.50	25,944	98.75	26,874	103.00	27,689
86.25	23,885	90.50	24,983	94.75	26,002	99.00	26,926	103.25	27,733
86.50	23,951	90.75	25,045	95.00	26,059	99.25	26,977	103.50	27,776
86.75	24,018	91.00	25,107	95.25	26,116	99.50	27,027	103.75	27,819
87.00	24,084	91.25	25,169	95.50	26,172	99.75	27,077	104.00	27,861
87.25	24,150	91.50	25,230	95.75	26,229	100.00	27,127	104.25	27,903
87.50	24,215	91.75	25,292	96.00	26,284	100.25	27,176	104.50	27,944
87.75	24,281	92.00	25,352	96.25	26,340	100.50	27,225	104.75	27,985
88.00	24,346	92.25	25,413	96.50	26,395	100.75	27,274	105.00	28,025
88.25	24,411	92.50	25,473	96.75	26,450	101.00	27,322	105.25	28,064
88.50	24,475	92.75	25,533	97.00	26,504	101.25	27,369	105.50	28,103
88.75	24,540	93.00	25,593	97.25	26,558	101.50	27,416	105.75	28,141
89.00	24,604	93.25	25,652	97.50	26,612	101.75	27,463	106.00	28,179





## Capacity/Gauge Table Information

**TCLX 290476**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 276

Reporting Mark: TCLX 290476

Date: 01/07/2015

Capacity: 28,968 US Gallons (109,656 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,216	110.50	28,736	114.75	28,954
106.50	28,253	110.75	28,759	115.00	28,958
106.75	28,289	111.00	28,780	115.25	28,961
107.00	28,324	111.25	28,799	115.50	28,964
107.25	28,358	111.50	28,818	115.75	28,966
107.50	28,392	111.75	28,835	116.00	28,967
107.75	28,425	112.00	28,851	116.25	28,968
108.00	28,458	112.25	28,866	116.50	28,968
108.25	28,489	112.50	28,879	116.75	28,968
108.50	28,520	112.75	28,892		
108.75	28,550	113.00	28,903		
109.00	28,580	113.25	28,913		
109.25	28,608	113.50	28,923		
109.50	28,636	113.75	28,931		
109.75	28,662	114.00	28,938		
110.00	28,688	114.25	28,944		
110.25	28,713	114.50	28,950		



## Capacity/Gauge Table Information

**TCLX 290477**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 277

Reporting Mark: TCLX 290477

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,222	17.00	3,208
0.25	28	4.50	625	8.75	1,388	13.00	2,278	17.25	3,269
0.50	58	4.75	666	9.00	1,437	13.25	2,334	17.50	3,330
0.75	88	5.00	707	9.25	1,487	13.50	2,390	17.75	3,392
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,453
1.25	150	5.50	792	9.75	1,587	14.00	2,503	18.25	3,515
1.50	183	5.75	835	10.00	1,638	14.25	2,560	18.50	3,577
1.75	216	6.00	878	10.25	1,689	14.50	2,617	18.75	3,640
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,703
2.25	285	6.50	967	10.75	1,793	15.00	2,733	19.25	3,766
2.50	320	6.75	1,012	11.00	1,845	15.25	2,791	19.50	3,829
2.75	356	7.00	1,057	11.25	1,898	15.50	2,850	19.75	3,892
3.00	393	7.25	1,103	11.50	1,951	15.75	2,909	20.00	3,956
3.25	430	7.50	1,149	11.75	2,005	16.00	2,968	20.25	4,020
3.50	468	7.75	1,196	12.00	2,059	16.25	3,028	20.50	4,085
3.75	506	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,149
4.00	545	8.25	1,291	12.50	2,167	16.75	3,148	21.00	4,214



## Capacity/Gauge Table Information

**TCLX 290477**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 277

Reporting Mark: TCLX 290477

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,279	25.50	5,421	29.75	6,621	34.00	7,870	38.25	9,158
21.50	4,345	25.75	5,490	30.00	6,694	34.25	7,945	38.50	9,235
21.75	4,410	26.00	5,559	30.25	6,766	34.50	8,020	38.75	9,312
22.00	4,476	26.25	5,629	30.50	6,839	34.75	8,095	39.00	9,389
22.25	4,542	26.50	5,699	30.75	6,911	35.00	8,170	39.25	9,466
22.50	4,608	26.75	5,768	31.00	6,984	35.25	8,245	39.50	9,543
22.75	4,675	27.00	5,838	31.25	7,057	35.50	8,321	39.75	9,620
23.00	4,741	27.25	5,909	31.50	7,130	35.75	8,396	40.00	9,698
23.25	4,808	27.50	5,979	31.75	7,204	36.00	8,472	40.25	9,775
23.50	4,876	27.75	6,050	32.00	7,277	36.25	8,548	40.50	9,853
23.75	4,943	28.00	6,121	32.25	7,351	36.50	8,624	40.75	9,930
24.00	5,011	28.25	6,192	32.50	7,425	36.75	8,700	41.00	10,008
24.25	5,079	28.50	6,263	32.75	7,499	37.00	8,776	41.25	10,086
24.50	5,147	28.75	6,334	33.00	7,573	37.25	8,852	41.50	10,164
24.75	5,215	29.00	6,406	33.25	7,647	37.50	8,928	41.75	10,242
25.00	5,283	29.25	6,478	33.50	7,721	37.75	9,005	42.00	10,320
25.25	5,352	29.50	6,549	33.75	7,796	38.00	9,081	42.25	10,398



## Capacity/Gauge Table Information

**TCLX 290477**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 277

Reporting Mark: TCLX 290477

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,476	46.75	11,816	51.00	13,170	55.25	14,530	59.50	15,888
42.75	10,554	47.00	11,895	51.25	13,250	55.50	14,610	59.75	15,968
43.00	10,633	47.25	11,975	51.50	13,330	55.75	14,690	60.00	16,048
43.25	10,711	47.50	12,054	51.75	13,409	56.00	14,770	60.25	16,127
43.50	10,790	47.75	12,133	52.00	13,489	56.25	14,850	60.50	16,207
43.75	10,868	48.00	12,213	52.25	13,569	56.50	14,930	60.75	16,287
44.00	10,947	48.25	12,292	52.50	13,649	56.75	15,010	61.00	16,366
44.25	11,026	48.50	12,372	52.75	13,729	57.00	15,090	61.25	16,446
44.50	11,104	48.75	12,452	53.00	13,809	57.25	15,170	61.50	16,525
44.75	11,183	49.00	12,531	53.25	13,889	57.50	15,250	61.75	16,605
45.00	11,262	49.25	12,611	53.50	13,969	57.75	15,330	62.00	16,684
45.25	11,341	49.50	12,691	53.75	14,049	58.00	15,410	62.25	16,763
45.50	11,420	49.75	12,771	54.00	14,130	58.25	15,489	62.50	16,842
45.75	11,499	50.00	12,850	54.25	14,210	58.50	15,569	62.75	16,922
46.00	11,578	50.25	12,930	54.50	14,290	58.75	15,649	63.00	17,001
46.25	11,657	50.50	13,010	54.75	14,370	59.00	15,729	63.25	17,080
46.50	11,737	50.75	13,090	55.00	14,450	59.25	15,809	63.50	17,159



## Capacity/Gauge Table Information

**TCLX 290477**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 277

Reporting Mark: TCLX 290477

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,238	68.00	18,571	72.25	19,879	76.50	21,154	80.75	22,386
64.00	17,317	68.25	18,649	72.50	19,955	76.75	21,228	81.00	22,457
64.25	17,396	68.50	18,726	72.75	20,031	77.00	21,301	81.25	22,528
64.50	17,475	68.75	18,804	73.00	20,107	77.25	21,375	81.50	22,599
64.75	17,553	69.00	18,881	73.25	20,182	77.50	21,448	81.75	22,669
65.00	17,632	69.25	18,959	73.50	20,258	77.75	21,521	82.00	22,740
65.25	17,711	69.50	19,036	73.75	20,333	78.00	21,594	82.25	22,810
65.50	17,789	69.75	19,113	74.00	20,408	78.25	21,667	82.50	22,880
65.75	17,868	70.00	19,190	74.25	20,484	78.50	21,740	82.75	22,949
66.00	17,946	70.25	19,267	74.50	20,559	78.75	21,812	83.00	23,019
66.25	18,025	70.50	19,344	74.75	20,633	79.00	21,885	83.25	23,088
66.50	18,103	70.75	19,421	75.00	20,708	79.25	21,957	83.50	23,157
66.75	18,181	71.00	19,497	75.25	20,783	79.50	22,029	83.75	23,226
67.00	18,259	71.25	19,574	75.50	20,857	79.75	22,101	84.00	23,295
67.25	18,337	71.50	19,650	75.75	20,932	80.00	22,172	84.25	23,363
67.50	18,415	71.75	19,727	76.00	21,006	80.25	22,244	84.50	23,431
67.75	18,493	72.00	19,803	76.25	21,080	80.50	22,315	84.75	23,499



## Capacity/Gauge Table Information

**TCLX 290477**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 277

Reporting Mark: TCLX 290477

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,567	89.25	24,685	93.50	25,728	97.75	26,681	102.00	27,523
85.25	23,635	89.50	24,749	93.75	25,787	98.00	26,733	102.25	27,569
85.50	23,702	89.75	24,812	94.00	25,845	98.25	26,786	102.50	27,614
85.75	23,770	90.00	24,875	94.25	25,903	98.50	26,838	102.75	27,658
86.00	23,836	90.25	24,938	94.50	25,961	98.75	26,889	103.00	27,703
86.25	23,903	90.50	25,001	94.75	26,018	99.00	26,941	103.25	27,746
86.50	23,970	90.75	25,063	95.00	26,075	99.25	26,992	103.50	27,789
86.75	24,036	91.00	25,125	95.25	26,132	99.50	27,042	103.75	27,832
87.00	24,102	91.25	25,186	95.50	26,189	99.75	27,092	104.00	27,874
87.25	24,168	91.50	25,248	95.75	26,245	100.00	27,142	104.25	27,916
87.50	24,233	91.75	25,309	96.00	26,300	100.25	27,191	104.50	27,957
87.75	24,299	92.00	25,370	96.25	26,356	100.50	27,240	104.75	27,997
88.00	24,364	92.25	25,430	96.50	26,411	100.75	27,288	105.00	28,037
88.25	24,429	92.50	25,490	96.75	26,466	101.00	27,336	105.25	28,076
88.50	24,493	92.75	25,550	97.00	26,520	101.25	27,383	105.50	28,115
88.75	24,557	93.00	25,610	97.25	26,574	101.50	27,430	105.75	28,153
89.00	24,622	93.25	25,669	97.50	26,627	101.75	27,477	106.00	28,191



## Capacity/Gauge Table Information

**TCLX 290477**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 277

Reporting Mark: TCLX 290477

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,668 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,228	110.50	28,744	114.75	28,958
106.50	28,264	110.75	28,766	115.00	28,962
106.75	28,300	111.00	28,787	115.25	28,965
107.00	28,335	111.25	28,806	115.50	28,967
107.25	28,369	111.50	28,824	115.75	28,969
107.50	28,403	111.75	28,841	116.00	28,970
107.75	28,436	112.00	28,856	116.25	28,971
108.00	28,468	112.25	28,871	116.50	28,971
108.25	28,499	112.50	28,884	116.75	28,971
108.50	28,530	112.75	28,896		
108.75	28,560	113.00	28,908		
109.00	28,589	113.25	28,918		
109.25	28,617	113.50	28,927		
109.50	28,645	113.75	28,935		
109.75	28,671	114.00	28,942		
110.00	28,696	114.25	28,948		
110.25	28,721	114.50	28,953		





## Capacity/Gauge Table Information

**TCLX 290478**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 278

Reporting Mark: TCLX 290478

Date: 03/06/2015

Capacity: 28,955 US Gallons (109,606 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,350	12.75	2,237	17.00	3,225
0.25	29	4.50	632	8.75	1,399	13.00	2,292	17.25	3,286
0.50	59	4.75	673	9.00	1,449	13.25	2,348	17.50	3,348
0.75	89	5.00	714	9.25	1,498	13.50	2,404	17.75	3,409
1.00	120	5.25	756	9.50	1,548	13.75	2,461	18.00	3,471
1.25	152	5.50	799	9.75	1,599	14.00	2,518	18.25	3,533
1.50	185	5.75	842	10.00	1,650	14.25	2,575	18.50	3,595
1.75	219	6.00	886	10.25	1,701	14.50	2,633	18.75	3,658
2.00	253	6.25	930	10.50	1,753	14.75	2,690	19.00	3,721
2.25	288	6.50	975	10.75	1,805	15.00	2,749	19.25	3,784
2.50	324	6.75	1,020	11.00	1,858	15.25	2,807	19.50	3,848
2.75	360	7.00	1,066	11.25	1,911	15.50	2,866	19.75	3,911
3.00	397	7.25	1,112	11.50	1,964	15.75	2,925	20.00	3,975
3.25	435	7.50	1,159	11.75	2,018	16.00	2,985	20.25	4,039
3.50	473	7.75	1,206	12.00	2,072	16.25	3,044	20.50	4,104
3.75	512	8.00	1,254	12.25	2,127	16.50	3,104	20.75	4,169
4.00	551	8.25	1,302	12.50	2,181	16.75	3,165	21.00	4,234



## Capacity/Gauge Table Information

**TCLX 290478**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 278

Reporting Mark: TCLX 290478

Date: 03/06/2015

Capacity: 28,955 US Gallons (109,606 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,299	25.50	5,443	29.75	6,645	34.00	7,895	38.25	9,184
21.50	4,364	25.75	5,512	30.00	6,717	34.25	7,970	38.50	9,261
21.75	4,430	26.00	5,581	30.25	6,790	34.50	8,045	38.75	9,338
22.00	4,496	26.25	5,651	30.50	6,862	34.75	8,120	39.00	9,415
22.25	4,562	26.50	5,721	30.75	6,935	35.00	8,195	39.25	9,492
22.50	4,629	26.75	5,791	31.00	7,008	35.25	8,271	39.50	9,569
22.75	4,695	27.00	5,861	31.25	7,081	35.50	8,346	39.75	9,646
23.00	4,762	27.25	5,931	31.50	7,154	35.75	8,422	40.00	9,724
23.25	4,829	27.50	6,002	31.75	7,228	36.00	8,497	40.25	9,801
23.50	4,896	27.75	6,073	32.00	7,301	36.25	8,573	40.50	9,879
23.75	4,964	28.00	6,143	32.25	7,375	36.50	8,649	40.75	9,957
24.00	5,032	28.25	6,215	32.50	7,449	36.75	8,725	41.00	10,034
24.25	5,100	28.50	6,286	32.75	7,523	37.00	8,801	41.25	10,112
24.50	5,168	28.75	6,357	33.00	7,597	37.25	8,878	41.50	10,190
24.75	5,236	29.00	6,429	33.25	7,671	37.50	8,954	41.75	10,268
25.00	5,305	29.25	6,501	33.50	7,746	37.75	9,031	42.00	10,346
25.25	5,374	29.50	6,573	33.75	7,820	38.00	9,107	42.25	10,424



## Capacity/Gauge Table Information

**TCLX 290478**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 278

Reporting Mark: TCLX 290478

Date: 03/06/2015

Capacity: 28,955 US Gallons (109,606 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,503	46.75	11,843	51.00	13,197	55.25	14,557	59.50	15,915
42.75	10,581	47.00	11,922	51.25	13,277	55.50	14,637	59.75	15,995
43.00	10,659	47.25	12,002	51.50	13,357	55.75	14,717	60.00	16,075
43.25	10,738	47.50	12,081	51.75	13,437	56.00	14,797	60.25	16,154
43.50	10,816	47.75	12,161	52.00	13,517	56.25	14,877	60.50	16,234
43.75	10,895	48.00	12,240	52.25	13,597	56.50	14,957	60.75	16,314
44.00	10,974	48.25	12,320	52.50	13,677	56.75	15,037	61.00	16,393
44.25	11,052	48.50	12,399	52.75	13,757	57.00	15,117	61.25	16,473
44.50	11,131	48.75	12,479	53.00	13,837	57.25	15,197	61.50	16,552
44.75	11,210	49.00	12,559	53.25	13,917	57.50	15,277	61.75	16,631
45.00	11,289	49.25	12,638	53.50	13,997	57.75	15,357	62.00	16,711
45.25	11,368	49.50	12,718	53.75	14,077	58.00	15,437	62.25	16,790
45.50	11,447	49.75	12,798	54.00	14,157	58.25	15,517	62.50	16,869
45.75	11,526	50.00	12,878	54.25	14,237	58.50	15,596	62.75	16,948
46.00	11,605	50.25	12,957	54.50	14,317	58.75	15,676	63.00	17,028
46.25	11,684	50.50	13,037	54.75	14,397	59.00	15,756	63.25	17,107
46.50	11,764	50.75	13,117	55.00	14,477	59.25	15,836	63.50	17,186



## Capacity/Gauge Table Information

**TCLX 290478**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 278

Reporting Mark: TCLX 290478

Date: 03/06/2015

Capacity: 28,955 US Gallons (109,606 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,265	68.00	18,597	72.25	19,904	76.50	21,177	80.75	22,408
64.00	17,343	68.25	18,674	72.50	19,980	76.75	21,251	81.00	22,479
64.25	17,422	68.50	18,752	72.75	20,055	77.00	21,324	81.25	22,550
64.50	17,501	68.75	18,829	73.00	20,131	77.25	21,398	81.50	22,620
64.75	17,580	69.00	18,907	73.25	20,207	77.50	21,471	81.75	22,691
65.00	17,658	69.25	18,984	73.50	20,282	77.75	21,544	82.00	22,761
65.25	17,737	69.50	19,061	73.75	20,357	78.00	21,617	82.25	22,831
65.50	17,816	69.75	19,138	74.00	20,433	78.25	21,690	82.50	22,901
65.75	17,894	70.00	19,215	74.25	20,508	78.50	21,762	82.75	22,970
66.00	17,972	70.25	19,292	74.50	20,583	78.75	21,835	83.00	23,039
66.25	18,051	70.50	19,369	74.75	20,657	79.00	21,907	83.25	23,109
66.50	18,129	70.75	19,446	75.00	20,732	79.25	21,979	83.50	23,178
66.75	18,207	71.00	19,522	75.25	20,807	79.50	22,051	83.75	23,246
67.00	18,285	71.25	19,599	75.50	20,881	79.75	22,123	84.00	23,315
67.25	18,363	71.50	19,675	75.75	20,955	80.00	22,194	84.25	23,383
67.50	18,441	71.75	19,751	76.00	21,029	80.25	22,266	84.50	23,451
67.75	18,519	72.00	19,828	76.25	21,103	80.50	22,337	84.75	23,519



## Capacity/Gauge Table Information

**TCLX 290478**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 278

Reporting Mark: TCLX 290478

Date: 03/06/2015

Capacity: 28,955 US Gallons (109,606 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,587	89.25	24,703	93.50	25,743	97.75	26,692	102.00	27,530
85.25	23,655	89.50	24,766	93.75	25,801	98.00	26,744	102.25	27,575
85.50	23,722	89.75	24,829	94.00	25,859	98.25	26,797	102.50	27,620
85.75	23,789	90.00	24,892	94.25	25,917	98.50	26,848	102.75	27,665
86.00	23,856	90.25	24,955	94.50	25,975	98.75	26,900	103.00	27,709
86.25	23,922	90.50	25,017	94.75	26,032	99.00	26,951	103.25	27,752
86.50	23,989	90.75	25,079	95.00	26,089	99.25	27,001	103.50	27,795
86.75	24,055	91.00	25,141	95.25	26,146	99.50	27,052	103.75	27,837
87.00	24,121	91.25	25,202	95.50	26,202	99.75	27,101	104.00	27,879
87.25	24,186	91.50	25,264	95.75	26,258	100.00	27,151	104.25	27,920
87.50	24,252	91.75	25,325	96.00	26,313	100.25	27,200	104.50	27,961
87.75	24,317	92.00	25,385	96.25	26,368	100.50	27,248	104.75	28,001
88.00	24,382	92.25	25,446	96.50	26,423	100.75	27,296	105.00	28,041
88.25	24,447	92.50	25,506	96.75	26,478	101.00	27,344	105.25	28,080
88.50	24,511	92.75	25,565	97.00	26,532	101.25	27,391	105.50	28,118
88.75	24,575	93.00	25,625	97.25	26,585	101.50	27,438	105.75	28,156
89.00	24,639	93.25	25,684	97.50	26,639	101.75	27,484	106.00	28,193



## Capacity/Gauge Table Information

**TCLX 290478**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 278

Reporting Mark: TCLX 290478

Date: 03/06/2015

Capacity: 28,955 US Gallons (109,606 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,229	110.50	28,737	114.75	28,942
106.50	28,265	110.75	28,758	115.00	28,946
106.75	28,301	111.00	28,777	115.25	28,949
107.00	28,335	111.25	28,796	115.50	28,951
107.25	28,369	111.50	28,813	115.75	28,952
107.50	28,402	111.75	28,830	116.00	28,954
107.75	28,435	112.00	28,845	116.25	28,954
108.00	28,467	112.25	28,858	116.50	28,955
108.25	28,498	112.50	28,871	116.75	28,955
108.50	28,528	112.75	28,883		
108.75	28,557	113.00	28,894		
109.00	28,586	113.25	28,903		
109.25	28,613	113.50	28,912		
109.50	28,640	113.75	28,920		
109.75	28,666	114.00	28,927		
110.00	28,691	114.25	28,933		
110.25	28,714	114.50	28,938		



## Capacity/Gauge Table Information

**TCLX 290479**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 279

Reporting Mark: TCLX 290479

Date: 03/06/2015

Capacity: 28,994 US Gallons (109,755 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,233	17.00	3,222
0.25	29	4.50	629	8.75	1,396	13.00	2,288	17.25	3,283
0.50	58	4.75	670	9.00	1,445	13.25	2,344	17.50	3,344
0.75	89	5.00	712	9.25	1,495	13.50	2,401	17.75	3,405
1.00	120	5.25	754	9.50	1,545	13.75	2,457	18.00	3,467
1.25	152	5.50	797	9.75	1,596	14.00	2,514	18.25	3,529
1.50	184	5.75	840	10.00	1,647	14.25	2,571	18.50	3,592
1.75	218	6.00	884	10.25	1,698	14.50	2,629	18.75	3,654
2.00	252	6.25	928	10.50	1,750	14.75	2,687	19.00	3,717
2.25	287	6.50	973	10.75	1,802	15.00	2,745	19.25	3,780
2.50	322	6.75	1,018	11.00	1,855	15.25	2,803	19.50	3,844
2.75	359	7.00	1,063	11.25	1,908	15.50	2,862	19.75	3,908
3.00	396	7.25	1,110	11.50	1,961	15.75	2,921	20.00	3,972
3.25	433	7.50	1,156	11.75	2,015	16.00	2,981	20.25	4,036
3.50	471	7.75	1,203	12.00	2,069	16.25	3,041	20.50	4,100
3.75	510	8.00	1,251	12.25	2,123	16.50	3,101	20.75	4,165
4.00	549	8.25	1,299	12.50	2,178	16.75	3,161	21.00	4,230





## Capacity/Gauge Table Information

**TCLX 290479**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 279

Reporting Mark: TCLX 290479

Date: 03/06/2015

Capacity: 28,994 US Gallons (109,755 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,295	25.50	5,440	29.75	6,643	34.00	7,894	38.25	9,184
21.50	4,361	25.75	5,509	30.00	6,715	34.25	7,969	38.50	9,261
21.75	4,427	26.00	5,578	30.25	6,788	34.50	8,044	38.75	9,338
22.00	4,493	26.25	5,648	30.50	6,860	34.75	8,119	39.00	9,415
22.25	4,559	26.50	5,718	30.75	6,933	35.00	8,194	39.25	9,492
22.50	4,625	26.75	5,788	31.00	7,006	35.25	8,270	39.50	9,570
22.75	4,692	27.00	5,858	31.25	7,079	35.50	8,345	39.75	9,647
23.00	4,759	27.25	5,929	31.50	7,153	35.75	8,421	40.00	9,725
23.25	4,826	27.50	5,999	31.75	7,226	36.00	8,497	40.25	9,802
23.50	4,893	27.75	6,070	32.00	7,300	36.25	8,573	40.50	9,880
23.75	4,961	28.00	6,141	32.25	7,374	36.50	8,649	40.75	9,958
24.00	5,029	28.25	6,212	32.50	7,448	36.75	8,725	41.00	10,036
24.25	5,097	28.50	6,283	32.75	7,522	37.00	8,801	41.25	10,113
24.50	5,165	28.75	6,355	33.00	7,596	37.25	8,878	41.50	10,191
24.75	5,233	29.00	6,427	33.25	7,670	37.50	8,954	41.75	10,270
25.00	5,302	29.25	6,499	33.50	7,745	37.75	9,031	42.00	10,348
25.25	5,371	29.50	6,571	33.75	7,819	38.00	9,107	42.25	10,426



## Capacity/Gauge Table Information

**TCLX 290479**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 279

Reporting Mark: TCLX 290479

Date: 03/06/2015

Capacity: 28,994 US Gallons (109,755 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,504	46.75	11,846	51.00	13,202	55.25	14,564	59.50	15,924
42.75	10,583	47.00	11,926	51.25	13,282	55.50	14,644	59.75	16,004
43.00	10,661	47.25	12,005	51.50	13,362	55.75	14,724	60.00	16,084
43.25	10,740	47.50	12,085	51.75	13,442	56.00	14,804	60.25	16,164
43.50	10,818	47.75	12,164	52.00	13,522	56.25	14,884	60.50	16,243
43.75	10,897	48.00	12,244	52.25	13,602	56.50	14,965	60.75	16,323
44.00	10,976	48.25	12,324	52.50	13,682	56.75	15,045	61.00	16,403
44.25	11,055	48.50	12,403	52.75	13,763	57.00	15,125	61.25	16,482
44.50	11,134	48.75	12,483	53.00	13,843	57.25	15,205	61.50	16,562
44.75	11,213	49.00	12,563	53.25	13,923	57.50	15,285	61.75	16,641
45.00	11,292	49.25	12,643	53.50	14,003	57.75	15,365	62.00	16,721
45.25	11,371	49.50	12,722	53.75	14,083	58.00	15,445	62.25	16,800
45.50	11,450	49.75	12,802	54.00	14,163	58.25	15,525	62.50	16,879
45.75	11,529	50.00	12,882	54.25	14,243	58.50	15,605	62.75	16,959
46.00	11,608	50.25	12,962	54.50	14,324	58.75	15,685	63.00	17,038
46.25	11,688	50.50	13,042	54.75	14,404	59.00	15,765	63.25	17,117
46.50	11,767	50.75	13,122	55.00	14,484	59.25	15,844	63.50	17,196



## Capacity/Gauge Table Information

**TCLX 290479**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 279

Reporting Mark: TCLX 290479

Date: 03/06/2015

Capacity: 28,994 US Gallons (109,755 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,275	68.00	18,609	72.25	19,919	76.50	21,194	80.75	22,427
64.00	17,354	68.25	18,687	72.50	19,995	76.75	21,268	81.00	22,498
64.25	17,433	68.50	18,765	72.75	20,070	77.00	21,342	81.25	22,569
64.50	17,512	68.75	18,843	73.00	20,146	77.25	21,415	81.50	22,640
64.75	17,591	69.00	18,920	73.25	20,222	77.50	21,488	81.75	22,710
65.00	17,670	69.25	18,997	73.50	20,298	77.75	21,562	82.00	22,780
65.25	17,749	69.50	19,075	73.75	20,373	78.00	21,635	82.25	22,851
65.50	17,827	69.75	19,152	74.00	20,448	78.25	21,708	82.50	22,920
65.75	17,906	70.00	19,229	74.25	20,523	78.50	21,780	82.75	22,990
66.00	17,984	70.25	19,306	74.50	20,599	78.75	21,853	83.00	23,060
66.25	18,063	70.50	19,383	74.75	20,673	79.00	21,925	83.25	23,129
66.50	18,141	70.75	19,460	75.00	20,748	79.25	21,997	83.50	23,198
66.75	18,219	71.00	19,537	75.25	20,823	79.50	22,070	83.75	23,267
67.00	18,298	71.25	19,613	75.50	20,897	79.75	22,141	84.00	23,336
67.25	18,376	71.50	19,690	75.75	20,972	80.00	22,213	84.25	23,404
67.50	18,454	71.75	19,766	76.00	21,046	80.25	22,285	84.50	23,472
67.75	18,532	72.00	19,842	76.25	21,120	80.50	22,356	84.75	23,540



## Capacity/Gauge Table Information

**TCLX 290479**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 279

Reporting Mark: TCLX 290479

Date: 03/06/2015

Capacity: 28,994 US Gallons (109,755 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,608	89.25	24,726	93.50	25,768	97.75	26,719	102.00	27,560
85.25	23,676	89.50	24,789	93.75	25,827	98.00	26,772	102.25	27,605
85.50	23,743	89.75	24,853	94.00	25,885	98.25	26,824	102.50	27,650
85.75	23,810	90.00	24,916	94.25	25,943	98.50	26,876	102.75	27,695
86.00	23,877	90.25	24,978	94.50	26,001	98.75	26,928	103.00	27,739
86.25	23,944	90.50	25,041	94.75	26,058	99.00	26,979	103.25	27,782
86.50	24,010	90.75	25,103	95.00	26,115	99.25	27,030	103.50	27,825
86.75	24,077	91.00	25,165	95.25	26,172	99.50	27,080	103.75	27,868
87.00	24,143	91.25	25,227	95.50	26,228	99.75	27,130	104.00	27,910
87.25	24,209	91.50	25,288	95.75	26,284	100.00	27,179	104.25	27,951
87.50	24,274	91.75	25,349	96.00	26,340	100.25	27,229	104.50	27,992
87.75	24,339	92.00	25,410	96.25	26,395	100.50	27,277	104.75	28,032
88.00	24,404	92.25	25,470	96.50	26,450	100.75	27,325	105.00	28,072
88.25	24,469	92.50	25,530	96.75	26,504	101.00	27,373	105.25	28,111
88.50	24,534	92.75	25,590	97.00	26,559	101.25	27,420	105.50	28,150
88.75	24,598	93.00	25,650	97.25	26,613	101.50	27,467	105.75	28,188
89.00	24,662	93.25	25,709	97.50	26,666	101.75	27,514	106.00	28,225



## Capacity/Gauge Table Information

**TCLX 290479**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 279

Reporting Mark: TCLX 290479

Date: 03/06/2015

Capacity: 28,994 US Gallons (109,755 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,262	110.50	28,772	114.75	28,981
106.50	28,298	110.75	28,794	115.00	28,985
106.75	28,333	111.00	28,814	115.25	28,988
107.00	28,368	111.25	28,833	115.50	28,990
107.25	28,402	111.50	28,850	115.75	28,992
107.50	28,435	111.75	28,867	116.00	28,993
107.75	28,468	112.00	28,882	116.25	28,994
108.00	28,500	112.25	28,896	116.50	28,994
108.25	28,531	112.50	28,909	116.75	28,994
108.50	28,562	112.75	28,921		
108.75	28,591	113.00	28,932		
109.00	28,620	113.25	28,942		
109.25	28,648	113.50	28,951		
109.50	28,675	113.75	28,959		
109.75	28,701	114.00	28,965		
110.00	28,726	114.25	28,972		
110.25	28,750	114.50	28,977		



## Capacity/Gauge Table Information

**TCLX 290480**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 280

Reporting Mark: TCLX 290480

Date: 03/06/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	592	8.50	1,353	12.75	2,240	17.00	3,229
0.25	29	4.50	633	8.75	1,402	13.00	2,295	17.25	3,290
0.50	59	4.75	674	9.00	1,451	13.25	2,351	17.50	3,351
0.75	89	5.00	716	9.25	1,501	13.50	2,407	17.75	3,413
1.00	121	5.25	758	9.50	1,551	13.75	2,464	18.00	3,475
1.25	153	5.50	801	9.75	1,602	14.00	2,521	18.25	3,537
1.50	186	5.75	844	10.00	1,653	14.25	2,578	18.50	3,599
1.75	219	6.00	888	10.25	1,704	14.50	2,636	18.75	3,662
2.00	254	6.25	932	10.50	1,756	14.75	2,694	19.00	3,725
2.25	289	6.50	977	10.75	1,808	15.00	2,752	19.25	3,788
2.50	325	6.75	1,022	11.00	1,861	15.25	2,811	19.50	3,852
2.75	361	7.00	1,068	11.25	1,914	15.50	2,869	19.75	3,915
3.00	398	7.25	1,114	11.50	1,967	15.75	2,929	20.00	3,979
3.25	436	7.50	1,161	11.75	2,021	16.00	2,988	20.25	4,044
3.50	474	7.75	1,208	12.00	2,075	16.25	3,048	20.50	4,108
3.75	513	8.00	1,256	12.25	2,130	16.50	3,108	20.75	4,173
4.00	552	8.25	1,304	12.50	2,185	16.75	3,168	21.00	4,238



## Capacity/Gauge Table Information

**TCLX 290480**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 280

Reporting Mark: TCLX 290480

Date: 03/06/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,303	25.50	5,447	29.75	6,650	34.00	7,900	38.25	9,189
21.50	4,368	25.75	5,516	30.00	6,722	34.25	7,975	38.50	9,266
21.75	4,434	26.00	5,586	30.25	6,794	34.50	8,050	38.75	9,343
22.00	4,500	26.25	5,655	30.50	6,867	34.75	8,125	39.00	9,420
22.25	4,566	26.50	5,725	30.75	6,940	35.00	8,200	39.25	9,497
22.50	4,633	26.75	5,795	31.00	7,013	35.25	8,275	39.50	9,574
22.75	4,699	27.00	5,865	31.25	7,086	35.50	8,351	39.75	9,651
23.00	4,766	27.25	5,936	31.50	7,159	35.75	8,426	40.00	9,729
23.25	4,833	27.50	6,006	31.75	7,233	36.00	8,502	40.25	9,806
23.50	4,901	27.75	6,077	32.00	7,306	36.25	8,578	40.50	9,884
23.75	4,968	28.00	6,148	32.25	7,380	36.50	8,654	40.75	9,961
24.00	5,036	28.25	6,219	32.50	7,454	36.75	8,730	41.00	10,039
24.25	5,104	28.50	6,290	32.75	7,528	37.00	8,806	41.25	10,117
24.50	5,172	28.75	6,362	33.00	7,602	37.25	8,882	41.50	10,195
24.75	5,241	29.00	6,434	33.25	7,676	37.50	8,959	41.75	10,273
25.00	5,309	29.25	6,505	33.50	7,751	37.75	9,035	42.00	10,351
25.25	5,378	29.50	6,577	33.75	7,825	38.00	9,112	42.25	10,429





## Capacity/Gauge Table Information

**TCLX 290480**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 280

Reporting Mark: TCLX 290480

Date: 03/06/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,507	46.75	11,848	51.00	13,201	55.25	14,561	59.50	15,919
42.75	10,586	47.00	11,927	51.25	13,281	55.50	14,641	59.75	15,999
43.00	10,664	47.25	12,006	51.50	13,361	55.75	14,721	60.00	16,079
43.25	10,743	47.50	12,086	51.75	13,441	56.00	14,801	60.25	16,158
43.50	10,821	47.75	12,165	52.00	13,521	56.25	14,881	60.50	16,238
43.75	10,900	48.00	12,245	52.25	13,601	56.50	14,961	60.75	16,317
44.00	10,978	48.25	12,324	52.50	13,681	56.75	15,041	61.00	16,397
44.25	11,057	48.50	12,404	52.75	13,761	57.00	15,121	61.25	16,476
44.50	11,136	48.75	12,483	53.00	13,841	57.25	15,201	61.50	16,556
44.75	11,215	49.00	12,563	53.25	13,921	57.50	15,281	61.75	16,635
45.00	11,294	49.25	12,643	53.50	14,001	57.75	15,361	62.00	16,714
45.25	11,373	49.50	12,723	53.75	14,081	58.00	15,441	62.25	16,794
45.50	11,452	49.75	12,802	54.00	14,161	58.25	15,521	62.50	16,873
45.75	11,531	50.00	12,882	54.25	14,241	58.50	15,600	62.75	16,952
46.00	11,610	50.25	12,962	54.50	14,321	58.75	15,680	63.00	17,031
46.25	11,689	50.50	13,042	54.75	14,401	59.00	15,760	63.25	17,110
46.50	11,768	50.75	13,122	55.00	14,481	59.25	15,840	63.50	17,189



## Capacity/Gauge Table Information

**TCLX 290480**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 280

Reporting Mark: TCLX 290480

Date: 03/06/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,268	68.00	18,600	72.25	19,906	76.50	21,179	80.75	22,410
64.00	17,347	68.25	18,678	72.50	19,982	76.75	21,253	81.00	22,481
64.25	17,426	68.50	18,755	72.75	20,058	77.00	21,327	81.25	22,552
64.50	17,505	68.75	18,832	73.00	20,134	77.25	21,400	81.50	22,622
64.75	17,583	69.00	18,910	73.25	20,209	77.50	21,473	81.75	22,692
65.00	17,662	69.25	18,987	73.50	20,285	77.75	21,546	82.00	22,762
65.25	17,741	69.50	19,064	73.75	20,360	78.00	21,619	82.25	22,832
65.50	17,819	69.75	19,141	74.00	20,435	78.25	21,692	82.50	22,902
65.75	17,897	70.00	19,218	74.25	20,510	78.50	21,764	82.75	22,972
66.00	17,976	70.25	19,295	74.50	20,585	78.75	21,837	83.00	23,041
66.25	18,054	70.50	19,372	74.75	20,660	79.00	21,909	83.25	23,110
66.50	18,132	70.75	19,449	75.00	20,735	79.25	21,981	83.50	23,179
66.75	18,210	71.00	19,525	75.25	20,809	79.50	22,053	83.75	23,248
67.00	18,288	71.25	19,602	75.50	20,883	79.75	22,125	84.00	23,316
67.25	18,366	71.50	19,678	75.75	20,958	80.00	22,196	84.25	23,385
67.50	18,444	71.75	19,754	76.00	21,032	80.25	22,268	84.50	23,453
67.75	18,522	72.00	19,830	76.25	21,106	80.50	22,339	84.75	23,521



## Capacity/Gauge Table Information

**TCLX 290480**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 280

Reporting Mark: TCLX 290480

Date: 03/06/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,588	89.25	24,703	93.50	25,743	97.75	26,691	102.00	27,528
85.25	23,656	89.50	24,767	93.75	25,801	98.00	26,743	102.25	27,574
85.50	23,723	89.75	24,830	94.00	25,859	98.25	26,796	102.50	27,618
85.75	23,790	90.00	24,893	94.25	25,917	98.50	26,847	102.75	27,663
86.00	23,857	90.25	24,955	94.50	25,975	98.75	26,899	103.00	27,706
86.25	23,923	90.50	25,018	94.75	26,032	99.00	26,950	103.25	27,750
86.50	23,990	90.75	25,080	95.00	26,089	99.25	27,000	103.50	27,793
86.75	24,056	91.00	25,141	95.25	26,145	99.50	27,050	103.75	27,835
87.00	24,122	91.25	25,203	95.50	26,201	99.75	27,100	104.00	27,877
87.25	24,187	91.50	25,264	95.75	26,257	100.00	27,150	104.25	27,918
87.50	24,253	91.75	25,325	96.00	26,313	100.25	27,198	104.50	27,958
87.75	24,318	92.00	25,385	96.25	26,368	100.50	27,247	104.75	27,998
88.00	24,383	92.25	25,446	96.50	26,423	100.75	27,295	105.00	28,038
88.25	24,447	92.50	25,506	96.75	26,477	101.00	27,343	105.25	28,077
88.50	24,512	92.75	25,565	97.00	26,531	101.25	27,390	105.50	28,115
88.75	24,576	93.00	25,625	97.25	26,585	101.50	27,436	105.75	28,153
89.00	24,640	93.25	25,684	97.50	26,638	101.75	27,483	106.00	28,190



## Capacity/Gauge Table Information

**TCLX 290480**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 280

Reporting Mark: TCLX 290480

Date: 03/06/2015

Capacity: 28,948 US Gallons (109,579 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,226	110.50	28,732	114.75	28,935
106.50	28,262	110.75	28,752	115.00	28,939
106.75	28,298	111.00	28,772	115.25	28,942
107.00	28,332	111.25	28,791	115.50	28,944
107.25	28,366	111.50	28,808	115.75	28,946
107.50	28,399	111.75	28,824	116.00	28,947
107.75	28,431	112.00	28,839	116.25	28,947
108.00	28,463	112.25	28,852	116.50	28,948
108.25	28,494	112.50	28,865	116.75	28,948
108.50	28,524	112.75	28,877		
108.75	28,553	113.00	28,887		
109.00	28,582	113.25	28,897		
109.25	28,609	113.50	28,905		
109.50	28,636	113.75	28,913		
109.75	28,661	114.00	28,920		
110.00	28,686	114.25	28,926		
110.25	28,709	114.50	28,931		



## Capacity/Gauge Table Information

**TCLX 290481**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 281

Reporting Mark: TCLX 290481

Date: 04/06/2015

Capacity: 29,022 US Gallons (109,860 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,341	12.75	2,226	17.00	3,213
0.25	28	4.50	626	8.75	1,390	13.00	2,281	17.25	3,274
0.50	58	4.75	667	9.00	1,439	13.25	2,337	17.50	3,335
0.75	88	5.00	708	9.25	1,489	13.50	2,393	17.75	3,397
1.00	119	5.25	750	9.50	1,539	13.75	2,449	18.00	3,459
1.25	151	5.50	793	9.75	1,590	14.00	2,506	18.25	3,521
1.50	183	5.75	836	10.00	1,640	14.25	2,563	18.50	3,583
1.75	216	6.00	879	10.25	1,692	14.50	2,621	18.75	3,645
2.00	250	6.25	923	10.50	1,743	14.75	2,679	19.00	3,708
2.25	285	6.50	968	10.75	1,795	15.00	2,737	19.25	3,771
2.50	320	6.75	1,013	11.00	1,848	15.25	2,795	19.50	3,835
2.75	356	7.00	1,058	11.25	1,901	15.50	2,854	19.75	3,899
3.00	393	7.25	1,104	11.50	1,954	15.75	2,913	20.00	3,963
3.25	430	7.50	1,151	11.75	2,008	16.00	2,973	20.25	4,027
3.50	468	7.75	1,198	12.00	2,062	16.25	3,032	20.50	4,091
3.75	507	8.00	1,245	12.25	2,116	16.50	3,092	20.75	4,156
4.00	546	8.25	1,293	12.50	2,171	16.75	3,153	21.00	4,221



## Capacity/Gauge Table Information

**TCLX 290481**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 281

Reporting Mark: TCLX 290481

Date: 04/06/2015

Capacity: 29,022 US Gallons (109,860 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,286	25.50	5,430	29.75	6,633	34.00	7,884	38.25	9,175
21.50	4,351	25.75	5,499	30.00	6,705	34.25	7,959	38.50	9,252
21.75	4,417	26.00	5,569	30.25	6,778	34.50	8,034	38.75	9,329
22.00	4,483	26.25	5,638	30.50	6,850	34.75	8,109	39.00	9,406
22.25	4,549	26.50	5,708	30.75	6,923	35.00	8,185	39.25	9,483
22.50	4,616	26.75	5,778	31.00	6,996	35.25	8,260	39.50	9,560
22.75	4,682	27.00	5,848	31.25	7,069	35.50	8,336	39.75	9,638
23.00	4,749	27.25	5,919	31.50	7,143	35.75	8,411	40.00	9,715
23.25	4,816	27.50	5,989	31.75	7,216	36.00	8,487	40.25	9,793
23.50	4,884	27.75	6,060	32.00	7,290	36.25	8,563	40.50	9,871
23.75	4,951	28.00	6,131	32.25	7,364	36.50	8,639	40.75	9,948
24.00	5,019	28.25	6,202	32.50	7,438	36.75	8,715	41.00	10,026
24.25	5,087	28.50	6,274	32.75	7,512	37.00	8,792	41.25	10,104
24.50	5,155	28.75	6,345	33.00	7,586	37.25	8,868	41.50	10,182
24.75	5,223	29.00	6,417	33.25	7,660	37.50	8,944	41.75	10,260
25.00	5,292	29.25	6,489	33.50	7,735	37.75	9,021	42.00	10,339
25.25	5,361	29.50	6,561	33.75	7,809	38.00	9,098	42.25	10,417



## Capacity/Gauge Table Information

**TCLX 290481**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 281

Reporting Mark: TCLX 290481

Date: 04/06/2015

Capacity: 29,022 US Gallons (109,860 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,495	46.75	11,838	51.00	13,194	55.25	14,557	59.50	15,919
42.75	10,574	47.00	11,917	51.25	13,275	55.50	14,638	59.75	15,999
43.00	10,652	47.25	11,997	51.50	13,355	55.75	14,718	60.00	16,079
43.25	10,731	47.50	12,076	51.75	13,435	56.00	14,798	60.25	16,158
43.50	10,809	47.75	12,156	52.00	13,515	56.25	14,878	60.50	16,238
43.75	10,888	48.00	12,236	52.25	13,595	56.50	14,958	60.75	16,318
44.00	10,967	48.25	12,315	52.50	13,675	56.75	15,038	61.00	16,398
44.25	11,046	48.50	12,395	52.75	13,755	57.00	15,119	61.25	16,477
44.50	11,125	48.75	12,475	53.00	13,836	57.25	15,199	61.50	16,557
44.75	11,204	49.00	12,555	53.25	13,916	57.50	15,279	61.75	16,636
45.00	11,283	49.25	12,635	53.50	13,996	57.75	15,359	62.00	16,716
45.25	11,362	49.50	12,715	53.75	14,076	58.00	15,439	62.25	16,795
45.50	11,441	49.75	12,794	54.00	14,156	58.25	15,519	62.50	16,875
45.75	11,520	50.00	12,874	54.25	14,237	58.50	15,599	62.75	16,954
46.00	11,600	50.25	12,954	54.50	14,317	58.75	15,679	63.00	17,034
46.25	11,679	50.50	13,034	54.75	14,397	59.00	15,759	63.25	17,113
46.50	11,758	50.75	13,114	55.00	14,477	59.25	15,839	63.50	17,192





## Capacity/Gauge Table Information

**TCLX 290481**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 281

Reporting Mark: TCLX 290481

Date: 04/06/2015

Capacity: 29,022 US Gallons (109,860 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,271	68.00	18,607	72.25	19,917	76.50	21,194	80.75	22,429
64.00	17,350	68.25	18,685	72.50	19,993	76.75	21,268	81.00	22,500
64.25	17,429	68.50	18,762	72.75	20,069	77.00	21,342	81.25	22,571
64.50	17,508	68.75	18,840	73.00	20,145	77.25	21,416	81.50	22,642
64.75	17,587	69.00	18,918	73.25	20,221	77.50	21,489	81.75	22,713
65.00	17,666	69.25	18,995	73.50	20,297	77.75	21,562	82.00	22,783
65.25	17,745	69.50	19,073	73.75	20,372	78.00	21,636	82.25	22,853
65.50	17,824	69.75	19,150	74.00	20,448	78.25	21,709	82.50	22,923
65.75	17,902	70.00	19,227	74.25	20,523	78.50	21,781	82.75	22,993
66.00	17,981	70.25	19,304	74.50	20,598	78.75	21,854	83.00	23,063
66.25	18,059	70.50	19,381	74.75	20,673	79.00	21,927	83.25	23,132
66.50	18,138	70.75	19,458	75.00	20,748	79.25	21,999	83.50	23,201
66.75	18,216	71.00	19,535	75.25	20,823	79.50	22,071	83.75	23,270
67.00	18,294	71.25	19,612	75.50	20,897	79.75	22,143	84.00	23,339
67.25	18,373	71.50	19,688	75.75	20,972	80.00	22,215	84.25	23,408
67.50	18,451	71.75	19,765	76.00	21,046	80.25	22,287	84.50	23,476
67.75	18,529	72.00	19,841	76.25	21,120	80.50	22,358	84.75	23,544



## Capacity/Gauge Table Information

**TCLX 290481**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 281

Reporting Mark: TCLX 290481

Date: 04/06/2015

Capacity: 29,022 US Gallons (109,860 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,612	89.25	24,732	93.50	25,776	97.75	26,730	102.00	27,573
85.25	23,680	89.50	24,796	93.75	25,835	98.00	26,783	102.25	27,619
85.50	23,747	89.75	24,859	94.00	25,894	98.25	26,835	102.50	27,664
85.75	23,815	90.00	24,922	94.25	25,952	98.50	26,887	102.75	27,709
86.00	23,882	90.25	24,985	94.50	26,009	98.75	26,939	103.00	27,753
86.25	23,949	90.50	25,048	94.75	26,067	99.00	26,990	103.25	27,797
86.50	24,015	90.75	25,110	95.00	26,124	99.25	27,041	103.50	27,840
86.75	24,082	91.00	25,172	95.25	26,181	99.50	27,092	103.75	27,882
87.00	24,148	91.25	25,234	95.50	26,237	99.75	27,142	104.00	27,925
87.25	24,214	91.50	25,295	95.75	26,294	100.00	27,192	104.25	27,966
87.50	24,279	91.75	25,356	96.00	26,349	100.25	27,241	104.50	28,007
87.75	24,345	92.00	25,417	96.25	26,405	100.50	27,290	104.75	28,048
88.00	24,410	92.25	25,478	96.50	26,460	100.75	27,338	105.00	28,088
88.25	24,475	92.50	25,538	96.75	26,515	101.00	27,386	105.25	28,127
88.50	24,540	92.75	25,598	97.00	26,569	101.25	27,433	105.50	28,166
88.75	24,604	93.00	25,658	97.25	26,623	101.50	27,481	105.75	28,204
89.00	24,668	93.25	25,717	97.50	26,677	101.75	27,527	106.00	28,242



## Capacity/Gauge Table Information

**TCLX 290481**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 281

Reporting Mark: TCLX 290481

Date: 04/06/2015

Capacity: 29,022 US Gallons (109,860 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,279	110.50	28,795	114.75	29,009
106.50	28,315	110.75	28,817	115.00	29,013
106.75	28,351	111.00	28,837	115.25	29,016
107.00	28,386	111.25	28,857	115.50	29,018
107.25	28,420	111.50	28,875	115.75	29,020
107.50	28,454	111.75	28,892	116.00	29,021
107.75	28,487	112.00	28,907	116.25	29,022
108.00	28,519	112.25	28,922	116.50	29,022
108.25	28,550	112.50	28,935	116.75	29,022
108.50	28,581	112.75	28,947		
108.75	28,611	113.00	28,958		
109.00	28,640	113.25	28,968		
109.25	28,668	113.50	28,978		
109.50	28,695	113.75	28,986		
109.75	28,722	114.00	28,993		
110.00	28,747	114.25	28,999		
110.25	28,772	114.50	29,004		



## Capacity/Gauge Table Information

**TCLX 290482**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 282

Reporting Mark: TCLX 290482

Date: 03/06/2015

Capacity: 29,120 US Gallons (110,232 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,352	12.75	2,241	17.00	3,233
0.25	29	4.50	631	8.75	1,401	13.00	2,296	17.25	3,294
0.50	58	4.75	672	9.00	1,450	13.25	2,352	17.50	3,356
0.75	89	5.00	714	9.25	1,500	13.50	2,409	17.75	3,418
1.00	120	5.25	756	9.50	1,550	13.75	2,466	18.00	3,480
1.25	152	5.50	799	9.75	1,601	14.00	2,523	18.25	3,542
1.50	185	5.75	843	10.00	1,652	14.25	2,580	18.50	3,605
1.75	218	6.00	886	10.25	1,704	14.50	2,638	18.75	3,667
2.00	253	6.25	931	10.50	1,756	14.75	2,696	19.00	3,731
2.25	288	6.50	976	10.75	1,808	15.00	2,754	19.25	3,794
2.50	323	6.75	1,021	11.00	1,861	15.25	2,813	19.50	3,858
2.75	360	7.00	1,067	11.25	1,914	15.50	2,872	19.75	3,922
3.00	397	7.25	1,113	11.50	1,967	15.75	2,932	20.00	3,986
3.25	434	7.50	1,160	11.75	2,021	16.00	2,991	20.25	4,050
3.50	472	7.75	1,207	12.00	2,076	16.25	3,051	20.50	4,115
3.75	511	8.00	1,255	12.25	2,130	16.50	3,112	20.75	4,180
4.00	551	8.25	1,303	12.50	2,185	16.75	3,172	21.00	4,245



## Capacity/Gauge Table Information

**TCLX 290482**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 282

Reporting Mark: TCLX 290482

Date: 03/06/2015

Capacity: 29,120 US Gallons (110,232 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,311	25.50	5,460	29.75	6,667	34.00	7,923	38.25	9,218
21.50	4,377	25.75	5,529	30.00	6,740	34.25	7,999	38.50	9,296
21.75	4,443	26.00	5,599	30.25	6,813	34.50	8,074	38.75	9,373
22.00	4,509	26.25	5,669	30.50	6,886	34.75	8,149	39.00	9,450
22.25	4,575	26.50	5,739	30.75	6,959	35.00	8,225	39.25	9,528
22.50	4,642	26.75	5,809	31.00	7,032	35.25	8,301	39.50	9,605
22.75	4,709	27.00	5,880	31.25	7,106	35.50	8,376	39.75	9,683
23.00	4,776	27.25	5,950	31.50	7,179	35.75	8,452	40.00	9,761
23.25	4,843	27.50	6,021	31.75	7,253	36.00	8,529	40.25	9,839
23.50	4,911	27.75	6,092	32.00	7,327	36.25	8,605	40.50	9,917
23.75	4,979	28.00	6,163	32.25	7,401	36.50	8,681	40.75	9,995
24.00	5,047	28.25	6,235	32.50	7,475	36.75	8,757	41.00	10,073
24.25	5,115	28.50	6,307	32.75	7,549	37.00	8,834	41.25	10,151
24.50	5,184	28.75	6,378	33.00	7,624	37.25	8,911	41.50	10,230
24.75	5,252	29.00	6,450	33.25	7,699	37.50	8,987	41.75	10,308
25.00	5,321	29.25	6,522	33.50	7,773	37.75	9,064	42.00	10,387
25.25	5,390	29.50	6,595	33.75	7,848	38.00	9,141	42.25	10,465



## Capacity/Gauge Table Information

**TCLX 290482**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 282

Reporting Mark: TCLX 290482

Date: 03/06/2015

Capacity: 29,120 US Gallons (110,232 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,544	46.75	11,891	51.00	13,252	55.25	14,619	59.50	15,985
42.75	10,622	47.00	11,971	51.25	13,332	55.50	14,700	59.75	16,065
43.00	10,701	47.25	12,050	51.50	13,413	55.75	14,780	60.00	16,145
43.25	10,780	47.50	12,130	51.75	13,493	56.00	14,861	60.25	16,225
43.50	10,859	47.75	12,210	52.00	13,573	56.25	14,941	60.50	16,305
43.75	10,938	48.00	12,290	52.25	13,654	56.50	15,021	60.75	16,385
44.00	11,017	48.25	12,370	52.50	13,734	56.75	15,102	61.00	16,465
44.25	11,096	48.50	12,450	52.75	13,815	57.00	15,182	61.25	16,545
44.50	11,175	48.75	12,530	53.00	13,895	57.25	15,263	61.50	16,625
44.75	11,255	49.00	12,610	53.25	13,976	57.50	15,343	61.75	16,705
45.00	11,334	49.25	12,690	53.50	14,056	57.75	15,423	62.00	16,785
45.25	11,413	49.50	12,771	53.75	14,136	58.00	15,504	62.25	16,864
45.50	11,493	49.75	12,851	54.00	14,217	58.25	15,584	62.50	16,944
45.75	11,572	50.00	12,931	54.25	14,297	58.50	15,664	62.75	17,024
46.00	11,652	50.25	13,011	54.50	14,378	58.75	15,744	63.00	17,103
46.25	11,732	50.50	13,091	54.75	14,458	59.00	15,825	63.25	17,183
46.50	11,811	50.75	13,172	55.00	14,539	59.25	15,905	63.50	17,262



## Capacity/Gauge Table Information

**TCLX 290482**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 282

Reporting Mark: TCLX 290482

Date: 03/06/2015

Capacity: 29,120 US Gallons (110,232 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,342	68.00	18,681	72.25	19,996	76.50	21,277	80.75	22,516
64.00	17,421	68.25	18,759	72.50	20,072	76.75	21,351	81.00	22,587
64.25	17,500	68.50	18,837	72.75	20,148	77.00	21,425	81.25	22,658
64.50	17,580	68.75	18,915	73.00	20,225	77.25	21,499	81.50	22,729
64.75	17,659	69.00	18,993	73.25	20,301	77.50	21,573	81.75	22,800
65.00	17,738	69.25	19,071	73.50	20,377	77.75	21,646	82.00	22,870
65.25	17,817	69.50	19,149	73.75	20,452	78.00	21,719	82.25	22,941
65.50	17,896	69.75	19,226	74.00	20,528	78.25	21,793	82.50	23,011
65.75	17,975	70.00	19,304	74.25	20,603	78.50	21,866	82.75	23,081
66.00	18,054	70.25	19,381	74.50	20,679	78.75	21,939	83.00	23,151
66.25	18,132	70.50	19,458	74.75	20,754	79.00	22,011	83.25	23,220
66.50	18,211	70.75	19,535	75.00	20,829	79.25	22,084	83.50	23,290
66.75	18,290	71.00	19,612	75.25	20,904	79.50	22,156	83.75	23,359
67.00	18,368	71.25	19,689	75.50	20,979	79.75	22,228	84.00	23,428
67.25	18,446	71.50	19,766	75.75	21,054	80.00	22,301	84.25	23,497
67.50	18,525	71.75	19,843	76.00	21,128	80.25	22,372	84.50	23,565
67.75	18,603	72.00	19,919	76.25	21,203	80.50	22,444	84.75	23,634





## Capacity/Gauge Table Information

**TCLX 290482**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 282

Reporting Mark: TCLX 290482

Date: 03/06/2015

Capacity: 29,120 US Gallons (110,232 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,702	89.25	24,825	93.50	25,872	97.75	26,828	102.00	27,674
85.25	23,770	89.50	24,889	93.75	25,931	98.00	26,881	102.25	27,720
85.50	23,838	89.75	24,952	94.00	25,990	98.25	26,934	102.50	27,765
85.75	23,905	90.00	25,016	94.25	26,048	98.50	26,986	102.75	27,810
86.00	23,972	90.25	25,079	94.50	26,106	98.75	27,038	103.00	27,854
86.25	24,039	90.50	25,142	94.75	26,164	99.00	27,090	103.25	27,898
86.50	24,106	90.75	25,204	95.00	26,221	99.25	27,141	103.50	27,941
86.75	24,173	91.00	25,266	95.25	26,278	99.50	27,191	103.75	27,984
87.00	24,239	91.25	25,328	95.50	26,335	99.75	27,241	104.00	28,026
87.25	24,305	91.50	25,390	95.75	26,391	100.00	27,291	104.25	28,067
87.50	24,371	91.75	25,451	96.00	26,447	100.25	27,341	104.50	28,109
87.75	24,437	92.00	25,512	96.25	26,502	100.50	27,390	104.75	28,149
88.00	24,502	92.25	25,573	96.50	26,558	100.75	27,438	105.00	28,189
88.25	24,567	92.50	25,633	96.75	26,613	101.00	27,486	105.25	28,229
88.50	24,632	92.75	25,694	97.00	26,667	101.25	27,534	105.50	28,267
88.75	24,697	93.00	25,753	97.25	26,721	101.50	27,581	105.75	28,306
89.00	24,761	93.25	25,813	97.50	26,775	101.75	27,628	106.00	28,343



## Capacity/Gauge Table Information

**TCLX 290482**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 282

Reporting Mark: TCLX 290482

Date: 03/06/2015

Capacity: 29,120 US Gallons (110,232 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,380	110.50	28,895	114.75	29,107
106.50	28,417	110.75	28,917	115.00	29,111
106.75	28,452	111.00	28,938	115.25	29,114
107.00	28,487	111.25	28,957	115.50	29,116
107.25	28,522	111.50	28,975	115.75	29,118
107.50	28,555	111.75	28,991	116.00	29,119
107.75	28,588	112.00	29,007	116.25	29,120
108.00	28,620	112.25	29,021	116.50	29,120
108.25	28,652	112.50	29,034	116.75	29,120
108.50	28,683	112.75	29,046		
108.75	28,712	113.00	29,057		
109.00	28,741	113.25	29,067		
109.25	28,769	113.50	29,076		
109.50	28,797	113.75	29,084		
109.75	28,823	114.00	29,091		
110.00	28,848	114.25	29,097		
110.25	28,872	114.50	29,103		



## Capacity/Gauge Table Information

**TCLX 290483**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 283

Reporting Mark: TCLX 290483

Date: 01/06/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,344	12.75	2,228	17.00	3,215
0.25	29	4.50	628	8.75	1,393	13.00	2,283	17.25	3,276
0.50	58	4.75	669	9.00	1,442	13.25	2,339	17.50	3,337
0.75	88	5.00	710	9.25	1,491	13.50	2,395	17.75	3,398
1.00	119	5.25	752	9.50	1,541	13.75	2,452	18.00	3,460
1.25	151	5.50	795	9.75	1,592	14.00	2,509	18.25	3,522
1.50	184	5.75	838	10.00	1,643	14.25	2,566	18.50	3,584
1.75	217	6.00	881	10.25	1,694	14.50	2,623	18.75	3,647
2.00	251	6.25	925	10.50	1,746	14.75	2,681	19.00	3,710
2.25	286	6.50	970	10.75	1,798	15.00	2,739	19.25	3,773
2.50	321	6.75	1,015	11.00	1,850	15.25	2,797	19.50	3,836
2.75	358	7.00	1,061	11.25	1,903	15.50	2,856	19.75	3,900
3.00	394	7.25	1,107	11.50	1,956	15.75	2,915	20.00	3,964
3.25	432	7.50	1,153	11.75	2,010	16.00	2,974	20.25	4,028
3.50	470	7.75	1,200	12.00	2,064	16.25	3,034	20.50	4,092
3.75	508	8.00	1,248	12.25	2,118	16.50	3,094	20.75	4,157
4.00	548	8.25	1,296	12.50	2,173	16.75	3,154	21.00	4,222



## Capacity/Gauge Table Information

**TCLX 290483**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 283

Reporting Mark: TCLX 290483

Date: 01/06/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,287	25.50	5,429	29.75	6,630	34.00	7,880	38.25	9,168
21.50	4,352	25.75	5,498	30.00	6,703	34.25	7,954	38.50	9,245
21.75	4,418	26.00	5,568	30.25	6,775	34.50	8,029	38.75	9,321
22.00	4,484	26.25	5,637	30.50	6,848	34.75	8,104	39.00	9,398
22.25	4,550	26.50	5,707	30.75	6,920	35.00	8,180	39.25	9,475
22.50	4,616	26.75	5,777	31.00	6,993	35.25	8,255	39.50	9,553
22.75	4,683	27.00	5,847	31.25	7,066	35.50	8,330	39.75	9,630
23.00	4,749	27.25	5,917	31.50	7,139	35.75	8,406	40.00	9,707
23.25	4,816	27.50	5,988	31.75	7,213	36.00	8,482	40.25	9,785
23.50	4,884	27.75	6,058	32.00	7,286	36.25	8,557	40.50	9,862
23.75	4,951	28.00	6,129	32.25	7,360	36.50	8,633	40.75	9,940
24.00	5,019	28.25	6,200	32.50	7,434	36.75	8,709	41.00	10,018
24.25	5,087	28.50	6,272	32.75	7,508	37.00	8,785	41.25	10,096
24.50	5,155	28.75	6,343	33.00	7,582	37.25	8,862	41.50	10,173
24.75	5,223	29.00	6,415	33.25	7,656	37.50	8,938	41.75	10,251
25.00	5,291	29.25	6,486	33.50	7,730	37.75	9,014	42.00	10,329
25.25	5,360	29.50	6,558	33.75	7,805	38.00	9,091	42.25	10,408



## Capacity/Gauge Table Information

**TCLX 290483**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 283

Reporting Mark: TCLX 290483

Date: 01/06/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,486	46.75	11,826	51.00	13,180	55.25	14,539	59.50	15,898
42.75	10,564	47.00	11,905	51.25	13,259	55.50	14,619	59.75	15,978
43.00	10,643	47.25	11,984	51.50	13,339	55.75	14,699	60.00	16,057
43.25	10,721	47.50	12,064	51.75	13,419	56.00	14,779	60.25	16,137
43.50	10,799	47.75	12,143	52.00	13,499	56.25	14,859	60.50	16,216
43.75	10,878	48.00	12,223	52.25	13,579	56.50	14,939	60.75	16,296
44.00	10,957	48.25	12,302	52.50	13,659	56.75	15,019	61.00	16,376
44.25	11,035	48.50	12,382	52.75	13,739	57.00	15,099	61.25	16,455
44.50	11,114	48.75	12,462	53.00	13,819	57.25	15,179	61.50	16,534
44.75	11,193	49.00	12,541	53.25	13,899	57.50	15,259	61.75	16,614
45.00	11,272	49.25	12,621	53.50	13,979	57.75	15,339	62.00	16,693
45.25	11,351	49.50	12,701	53.75	14,059	58.00	15,419	62.25	16,772
45.50	11,430	49.75	12,780	54.00	14,139	58.25	15,499	62.50	16,852
45.75	11,509	50.00	12,860	54.25	14,219	58.50	15,579	62.75	16,931
46.00	11,588	50.25	12,940	54.50	14,299	58.75	15,659	63.00	17,010
46.25	11,667	50.50	13,020	54.75	14,379	59.00	15,738	63.25	17,089
46.50	11,746	50.75	13,100	55.00	14,459	59.25	15,818	63.50	17,168



## Capacity/Gauge Table Information

**TCLX 290483**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 283

Reporting Mark: TCLX 290483

Date: 01/06/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,247	68.00	18,580	72.25	19,887	76.50	21,161	80.75	22,393
64.00	17,326	68.25	18,657	72.50	19,963	76.75	21,235	81.00	22,464
64.25	17,405	68.50	18,735	72.75	20,039	77.00	21,308	81.25	22,535
64.50	17,484	68.75	18,812	73.00	20,114	77.25	21,382	81.50	22,605
64.75	17,562	69.00	18,890	73.25	20,190	77.50	21,455	81.75	22,675
65.00	17,641	69.25	18,967	73.50	20,266	77.75	21,528	82.00	22,746
65.25	17,720	69.50	19,044	73.75	20,341	78.00	21,601	82.25	22,816
65.50	17,798	69.75	19,121	74.00	20,416	78.25	21,674	82.50	22,885
65.75	17,877	70.00	19,198	74.25	20,491	78.50	21,747	82.75	22,955
66.00	17,955	70.25	19,275	74.50	20,566	78.75	21,819	83.00	23,025
66.25	18,033	70.50	19,352	74.75	20,641	79.00	21,891	83.25	23,094
66.50	18,112	70.75	19,429	75.00	20,716	79.25	21,963	83.50	23,163
66.75	18,190	71.00	19,505	75.25	20,790	79.50	22,035	83.75	23,232
67.00	18,268	71.25	19,582	75.50	20,865	79.75	22,107	84.00	23,300
67.25	18,346	71.50	19,658	75.75	20,939	80.00	22,179	84.25	23,369
67.50	18,424	71.75	19,735	76.00	21,013	80.25	22,250	84.50	23,437
67.75	18,502	72.00	19,811	76.25	21,087	80.50	22,322	84.75	23,505



## Capacity/Gauge Table Information

**TCLX 290483**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 283

Reporting Mark: TCLX 290483

Date: 01/06/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,573	89.25	24,689	93.50	25,731	97.75	26,681	102.00	27,522
85.25	23,640	89.50	24,753	93.75	25,789	98.00	26,734	102.25	27,567
85.50	23,707	89.75	24,816	94.00	25,848	98.25	26,786	102.50	27,612
85.75	23,775	90.00	24,879	94.25	25,906	98.50	26,838	102.75	27,657
86.00	23,841	90.25	24,942	94.50	25,963	98.75	26,890	103.00	27,701
86.25	23,908	90.50	25,004	94.75	26,020	99.00	26,941	103.25	27,744
86.50	23,975	90.75	25,066	95.00	26,077	99.25	26,992	103.50	27,787
86.75	24,041	91.00	25,128	95.25	26,134	99.50	27,042	103.75	27,830
87.00	24,107	91.25	25,190	95.50	26,190	99.75	27,092	104.00	27,872
87.25	24,172	91.50	25,251	95.75	26,246	100.00	27,141	104.25	27,913
87.50	24,238	91.75	25,312	96.00	26,302	100.25	27,191	104.50	27,954
87.75	24,303	92.00	25,373	96.25	26,357	100.50	27,239	104.75	27,994
88.00	24,368	92.25	25,433	96.50	26,412	100.75	27,287	105.00	28,034
88.25	24,433	92.50	25,493	96.75	26,467	101.00	27,335	105.25	28,073
88.50	24,497	92.75	25,553	97.00	26,521	101.25	27,383	105.50	28,112
88.75	24,562	93.00	25,613	97.25	26,575	101.50	27,429	105.75	28,150
89.00	24,626	93.25	25,672	97.50	26,628	101.75	27,476	106.00	28,187





## Capacity/Gauge Table Information

**TCLX 290483**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 283

Reporting Mark: TCLX 290483

Date: 01/06/2015

Capacity: 28,959 US Gallons (109,622 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,224	110.50	28,736	114.75	28,946
106.50	28,260	110.75	28,757	115.00	28,950
106.75	28,296	111.00	28,778	115.25	28,953
107.00	28,330	111.25	28,797	115.50	28,955
107.25	28,365	111.50	28,814	115.75	28,957
107.50	28,398	111.75	28,831	116.00	28,958
107.75	28,431	112.00	28,846	116.25	28,959
108.00	28,463	112.25	28,861	116.50	28,959
108.25	28,494	112.50	28,874	116.75	28,959
108.50	28,524	112.75	28,886		
108.75	28,554	113.00	28,897		
109.00	28,583	113.25	28,906		
109.25	28,611	113.50	28,915		
109.50	28,638	113.75	28,923		
109.75	28,664	114.00	28,930		
110.00	28,689	114.25	28,936		
110.25	28,713	114.50	28,942		



## Capacity/Gauge Table Information

**TCLX 290484**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 284

Reporting Mark: TCLX 290484

Date: 03/06/2015

Capacity: 29,109 US Gallons (110,189 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	593	8.50	1,355	12.75	2,245	17.00	3,239
0.25	29	4.50	633	8.75	1,404	13.00	2,301	17.25	3,300
0.50	59	4.75	675	9.00	1,454	13.25	2,357	17.50	3,361
0.75	89	5.00	717	9.25	1,504	13.50	2,414	17.75	3,423
1.00	121	5.25	759	9.50	1,554	13.75	2,471	18.00	3,485
1.25	153	5.50	802	9.75	1,605	14.00	2,528	18.25	3,548
1.50	186	5.75	845	10.00	1,656	14.25	2,585	18.50	3,610
1.75	219	6.00	889	10.25	1,708	14.50	2,643	18.75	3,673
2.00	254	6.25	934	10.50	1,760	14.75	2,701	19.00	3,737
2.25	289	6.50	978	10.75	1,812	15.00	2,760	19.25	3,800
2.50	325	6.75	1,024	11.00	1,865	15.25	2,818	19.50	3,864
2.75	361	7.00	1,070	11.25	1,918	15.50	2,878	19.75	3,928
3.00	398	7.25	1,116	11.50	1,972	15.75	2,937	20.00	3,992
3.25	436	7.50	1,163	11.75	2,026	16.00	2,997	20.25	4,057
3.50	474	7.75	1,210	12.00	2,080	16.25	3,057	20.50	4,121
3.75	513	8.00	1,258	12.25	2,135	16.50	3,117	20.75	4,186
4.00	553	8.25	1,306	12.50	2,190	16.75	3,178	21.00	4,252



## Capacity/Gauge Table Information

**TCLX 290484**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 284

Reporting Mark: TCLX 290484

Date: 03/06/2015

Capacity: 29,109 US Gallons (110,189 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,317	25.50	5,467	29.75	6,675	34.00	7,931	38.25	9,227
21.50	4,383	25.75	5,536	30.00	6,748	34.25	8,007	38.50	9,304
21.75	4,449	26.00	5,606	30.25	6,820	34.50	8,082	38.75	9,381
22.00	4,515	26.25	5,676	30.50	6,893	34.75	8,157	39.00	9,459
22.25	4,582	26.50	5,746	30.75	6,967	35.00	8,233	39.25	9,536
22.50	4,649	26.75	5,816	31.00	7,040	35.25	8,309	39.50	9,614
22.75	4,715	27.00	5,887	31.25	7,113	35.50	8,385	39.75	9,692
23.00	4,783	27.25	5,958	31.50	7,187	35.75	8,461	40.00	9,769
23.25	4,850	27.50	6,029	31.75	7,261	36.00	8,537	40.25	9,847
23.50	4,918	27.75	6,100	32.00	7,335	36.25	8,613	40.50	9,925
23.75	4,986	28.00	6,171	32.25	7,409	36.50	8,689	40.75	10,003
24.00	5,054	28.25	6,242	32.50	7,483	36.75	8,766	41.00	10,082
24.25	5,122	28.50	6,314	32.75	7,557	37.00	8,842	41.25	10,160
24.50	5,190	28.75	6,386	33.00	7,632	37.25	8,919	41.50	10,238
24.75	5,259	29.00	6,458	33.25	7,707	37.50	8,996	41.75	10,317
25.00	5,328	29.25	6,530	33.50	7,781	37.75	9,073	42.00	10,395
25.25	5,397	29.50	6,602	33.75	7,856	38.00	9,150	42.25	10,474



## Capacity/Gauge Table Information

**TCLX 290484**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 284

Reporting Mark: TCLX 290484

Date: 03/06/2015

Capacity: 29,109 US Gallons (110,189 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,552	46.75	11,900	51.00	13,261	55.25	14,628	59.50	15,994
42.75	10,631	47.00	11,979	51.25	13,341	55.50	14,708	59.75	16,074
43.00	10,710	47.25	12,059	51.50	13,421	55.75	14,789	60.00	16,154
43.25	10,789	47.50	12,139	51.75	13,502	56.00	14,869	60.25	16,234
43.50	10,868	47.75	12,219	52.00	13,582	56.25	14,950	60.50	16,314
43.75	10,947	48.00	12,299	52.25	13,663	56.50	15,030	60.75	16,394
44.00	11,026	48.25	12,379	52.50	13,743	56.75	15,110	61.00	16,474
44.25	11,105	48.50	12,459	52.75	13,823	57.00	15,191	61.25	16,554
44.50	11,184	48.75	12,539	53.00	13,904	57.25	15,271	61.50	16,633
44.75	11,263	49.00	12,619	53.25	13,984	57.50	15,352	61.75	16,713
45.00	11,343	49.25	12,699	53.50	14,065	57.75	15,432	62.00	16,793
45.25	11,422	49.50	12,779	53.75	14,145	58.00	15,512	62.25	16,873
45.50	11,502	49.75	12,859	54.00	14,226	58.25	15,592	62.50	16,952
45.75	11,581	50.00	12,940	54.25	14,306	58.50	15,673	62.75	17,032
46.00	11,661	50.25	13,020	54.50	14,387	58.75	15,753	63.00	17,111
46.25	11,740	50.50	13,100	54.75	14,467	59.00	15,833	63.25	17,191
46.50	11,820	50.75	13,180	55.00	14,547	59.25	15,913	63.50	17,270



## Capacity/Gauge Table Information

**TCLX 290484**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 284

Reporting Mark: TCLX 290484

Date: 03/06/2015

Capacity: 29,109 US Gallons (110,189 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,350	68.00	18,689	72.25	20,003	76.50	21,284	80.75	22,521
64.00	17,429	68.25	18,767	72.50	20,079	76.75	21,358	81.00	22,593
64.25	17,508	68.50	18,845	72.75	20,156	77.00	21,432	81.25	22,664
64.50	17,588	68.75	18,923	73.00	20,232	77.25	21,505	81.50	22,735
64.75	17,667	69.00	19,001	73.25	20,308	77.50	21,579	81.75	22,805
65.00	17,746	69.25	19,079	73.50	20,384	77.75	21,652	82.00	22,876
65.25	17,825	69.50	19,156	73.75	20,459	78.00	21,726	82.25	22,946
65.50	17,904	69.75	19,234	74.00	20,535	78.25	21,799	82.50	23,016
65.75	17,983	70.00	19,311	74.25	20,610	78.50	21,872	82.75	23,086
66.00	18,061	70.25	19,388	74.50	20,686	78.75	21,945	83.00	23,156
66.25	18,140	70.50	19,466	74.75	20,761	79.00	22,017	83.25	23,226
66.50	18,219	70.75	19,543	75.00	20,836	79.25	22,090	83.50	23,295
66.75	18,297	71.00	19,620	75.25	20,911	79.50	22,162	83.75	23,364
67.00	18,376	71.25	19,697	75.50	20,986	79.75	22,234	84.00	23,433
67.25	18,454	71.50	19,773	75.75	21,060	80.00	22,306	84.25	23,502
67.50	18,533	71.75	19,850	76.00	21,135	80.25	22,378	84.50	23,570
67.75	18,611	72.00	19,927	76.25	21,209	80.50	22,450	84.75	23,639



## Capacity/Gauge Table Information

**TCLX 290484**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 284

Reporting Mark: TCLX 290484

Date: 03/06/2015

Capacity: 29,109 US Gallons (110,189 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,707	89.25	24,829	93.50	25,875	97.75	26,829	102.00	27,673
85.25	23,775	89.50	24,892	93.75	25,933	98.00	26,882	102.25	27,718
85.50	23,842	89.75	24,956	94.00	25,992	98.25	26,935	102.50	27,763
85.75	23,910	90.00	25,019	94.25	26,050	98.50	26,987	102.75	27,808
86.00	23,977	90.25	25,082	94.50	26,108	98.75	27,038	103.00	27,852
86.25	24,044	90.50	25,145	94.75	26,166	99.00	27,090	103.25	27,896
86.50	24,111	90.75	25,207	95.00	26,223	99.25	27,141	103.50	27,939
86.75	24,177	91.00	25,269	95.25	26,280	99.50	27,191	103.75	27,981
87.00	24,243	91.25	25,331	95.50	26,336	99.75	27,241	104.00	28,024
87.25	24,309	91.50	25,393	95.75	26,392	100.00	27,291	104.25	28,065
87.50	24,375	91.75	25,454	96.00	26,448	100.25	27,340	104.50	28,106
87.75	24,441	92.00	25,515	96.25	26,504	100.50	27,389	104.75	28,146
88.00	24,506	92.25	25,576	96.50	26,559	100.75	27,437	105.00	28,186
88.25	24,571	92.50	25,636	96.75	26,614	101.00	27,485	105.25	28,226
88.50	24,636	92.75	25,696	97.00	26,668	101.25	27,533	105.50	28,264
88.75	24,700	93.00	25,756	97.25	26,722	101.50	27,580	105.75	28,302
89.00	24,765	93.25	25,815	97.50	26,776	101.75	27,626	106.00	28,340



## Capacity/Gauge Table Information

**TCLX 290484**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 284

Reporting Mark: TCLX 290484

Date: 03/06/2015

Capacity: 29,109 US Gallons (110,189 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,377	110.50	28,888	114.75	29,096
106.50	28,413	110.75	28,909	115.00	29,100
106.75	28,448	111.00	28,929	115.25	29,103
107.00	28,483	111.25	28,948	115.50	29,105
107.25	28,517	111.50	28,966	115.75	29,107
107.50	28,551	111.75	28,982	116.00	29,108
107.75	28,584	112.00	28,997	116.25	29,109
108.00	28,616	112.25	29,011	116.50	29,109
108.25	28,647	112.50	29,024	116.75	29,109
108.50	28,677	112.75	29,036		
108.75	28,707	113.00	29,047		
109.00	28,736	113.25	29,057		
109.25	28,764	113.50	29,066		
109.50	28,790	113.75	29,073		
109.75	28,816	114.00	29,080		
110.00	28,841	114.25	29,086		
110.25	28,865	114.50	29,092		





## Capacity/Gauge Table Information

**TCLX 290485**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 285

Reporting Mark: TCLX 290485

Date: 01/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,344	12.75	2,228	17.00	3,215
0.25	29	4.50	628	8.75	1,392	13.00	2,283	17.25	3,276
0.50	58	4.75	668	9.00	1,442	13.25	2,339	17.50	3,337
0.75	88	5.00	710	9.25	1,491	13.50	2,395	17.75	3,398
1.00	119	5.25	752	9.50	1,541	13.75	2,452	18.00	3,460
1.25	151	5.50	794	9.75	1,592	14.00	2,508	18.25	3,522
1.50	184	5.75	838	10.00	1,643	14.25	2,565	18.50	3,584
1.75	217	6.00	881	10.25	1,694	14.50	2,623	18.75	3,647
2.00	251	6.25	925	10.50	1,746	14.75	2,681	19.00	3,710
2.25	286	6.50	970	10.75	1,798	15.00	2,739	19.25	3,773
2.50	321	6.75	1,015	11.00	1,850	15.25	2,797	19.50	3,836
2.75	357	7.00	1,060	11.25	1,903	15.50	2,856	19.75	3,900
3.00	394	7.25	1,106	11.50	1,956	15.75	2,915	20.00	3,964
3.25	432	7.50	1,153	11.75	2,010	16.00	2,974	20.25	4,028
3.50	470	7.75	1,200	12.00	2,064	16.25	3,034	20.50	4,092
3.75	508	8.00	1,247	12.25	2,118	16.50	3,094	20.75	4,157
4.00	547	8.25	1,295	12.50	2,173	16.75	3,154	21.00	4,222



## Capacity/Gauge Table Information

**TCLX 290485**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 285

Reporting Mark: TCLX 290485

Date: 01/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,287	25.50	5,429	29.75	6,631	34.00	7,880	38.25	9,168
21.50	4,352	25.75	5,498	30.00	6,703	34.25	7,955	38.50	9,245
21.75	4,418	26.00	5,568	30.25	6,775	34.50	8,030	38.75	9,322
22.00	4,484	26.25	5,637	30.50	6,848	34.75	8,105	39.00	9,399
22.25	4,550	26.50	5,707	30.75	6,921	35.00	8,180	39.25	9,476
22.50	4,616	26.75	5,777	31.00	6,994	35.25	8,255	39.50	9,553
22.75	4,683	27.00	5,847	31.25	7,067	35.50	8,331	39.75	9,631
23.00	4,749	27.25	5,918	31.50	7,140	35.75	8,406	40.00	9,708
23.25	4,816	27.50	5,988	31.75	7,213	36.00	8,482	40.25	9,786
23.50	4,884	27.75	6,059	32.00	7,287	36.25	8,558	40.50	9,863
23.75	4,951	28.00	6,130	32.25	7,360	36.50	8,634	40.75	9,941
24.00	5,019	28.25	6,201	32.50	7,434	36.75	8,710	41.00	10,019
24.25	5,087	28.50	6,272	32.75	7,508	37.00	8,786	41.25	10,096
24.50	5,155	28.75	6,343	33.00	7,582	37.25	8,862	41.50	10,174
24.75	5,223	29.00	6,415	33.25	7,657	37.50	8,939	41.75	10,252
25.00	5,292	29.25	6,487	33.50	7,731	37.75	9,015	42.00	10,330
25.25	5,360	29.50	6,559	33.75	7,805	38.00	9,092	42.25	10,409



## Capacity/Gauge Table Information

**TCLX 290485**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 285

Reporting Mark: TCLX 290485

Date: 01/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,487	46.75	11,827	51.00	13,181	55.25	14,541	59.50	15,900
42.75	10,565	47.00	11,906	51.25	13,261	55.50	14,621	59.75	15,980
43.00	10,644	47.25	11,986	51.50	13,341	55.75	14,701	60.00	16,059
43.25	10,722	47.50	12,065	51.75	13,421	56.00	14,781	60.25	16,139
43.50	10,800	47.75	12,145	52.00	13,501	56.25	14,861	60.50	16,219
43.75	10,879	48.00	12,224	52.25	13,581	56.50	14,941	60.75	16,298
44.00	10,958	48.25	12,304	52.50	13,661	56.75	15,021	61.00	16,378
44.25	11,036	48.50	12,383	52.75	13,741	57.00	15,101	61.25	16,457
44.50	11,115	48.75	12,463	53.00	13,821	57.25	15,181	61.50	16,537
44.75	11,194	49.00	12,543	53.25	13,901	57.50	15,261	61.75	16,616
45.00	11,273	49.25	12,622	53.50	13,981	57.75	15,341	62.00	16,695
45.25	11,352	49.50	12,702	53.75	14,061	58.00	15,421	62.25	16,775
45.50	11,431	49.75	12,782	54.00	14,141	58.25	15,501	62.50	16,854
45.75	11,510	50.00	12,862	54.25	14,221	58.50	15,581	62.75	16,933
46.00	11,589	50.25	12,941	54.50	14,301	58.75	15,661	63.00	17,012
46.25	11,668	50.50	13,021	54.75	14,381	59.00	15,740	63.25	17,091
46.50	11,748	50.75	13,101	55.00	14,461	59.25	15,820	63.50	17,170



## Capacity/Gauge Table Information

**TCLX 290485**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 285

Reporting Mark: TCLX 290485

Date: 01/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,249	68.00	18,582	72.25	19,890	76.50	21,164	80.75	22,397
64.00	17,328	68.25	18,660	72.50	19,966	76.75	21,238	81.00	22,468
64.25	17,407	68.50	18,737	72.75	20,042	77.00	21,312	81.25	22,538
64.50	17,486	68.75	18,815	73.00	20,117	77.25	21,385	81.50	22,609
64.75	17,565	69.00	18,892	73.25	20,193	77.50	21,458	81.75	22,679
65.00	17,644	69.25	18,970	73.50	20,269	77.75	21,532	82.00	22,750
65.25	17,722	69.50	19,047	73.75	20,344	78.00	21,605	82.25	22,820
65.50	17,801	69.75	19,124	74.00	20,419	78.25	21,677	82.50	22,889
65.75	17,879	70.00	19,201	74.25	20,494	78.50	21,750	82.75	22,959
66.00	17,958	70.25	19,278	74.50	20,569	78.75	21,823	83.00	23,029
66.25	18,036	70.50	19,355	74.75	20,644	79.00	21,895	83.25	23,098
66.50	18,114	70.75	19,432	75.00	20,719	79.25	21,967	83.50	23,167
66.75	18,192	71.00	19,508	75.25	20,794	79.50	22,039	83.75	23,236
67.00	18,271	71.25	19,585	75.50	20,868	79.75	22,111	84.00	23,304
67.25	18,349	71.50	19,661	75.75	20,942	80.00	22,183	84.25	23,373
67.50	18,426	71.75	19,738	76.00	21,016	80.25	22,254	84.50	23,441
67.75	18,504	72.00	19,814	76.25	21,091	80.50	22,325	84.75	23,509



## Capacity/Gauge Table Information

**TCLX 290485**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 285

Reporting Mark: TCLX 290485

Date: 01/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,577	89.25	24,694	93.50	25,736	97.75	26,687	102.00	27,528
85.25	23,644	89.50	24,758	93.75	25,794	98.00	26,740	102.25	27,574
85.50	23,712	89.75	24,821	94.00	25,853	98.25	26,792	102.50	27,619
85.75	23,779	90.00	24,884	94.25	25,911	98.50	26,844	102.75	27,663
86.00	23,846	90.25	24,946	94.50	25,968	98.75	26,896	103.00	27,707
86.25	23,912	90.50	25,009	94.75	26,026	99.00	26,947	103.25	27,751
86.50	23,979	90.75	25,071	95.00	26,083	99.25	26,998	103.50	27,794
86.75	24,045	91.00	25,133	95.25	26,139	99.50	27,048	103.75	27,836
87.00	24,111	91.25	25,195	95.50	26,196	99.75	27,098	104.00	27,878
87.25	24,177	91.50	25,256	95.75	26,252	100.00	27,147	104.25	27,920
87.50	24,242	91.75	25,317	96.00	26,307	100.25	27,197	104.50	27,961
87.75	24,308	92.00	25,378	96.25	26,363	100.50	27,245	104.75	28,001
88.00	24,373	92.25	25,438	96.50	26,418	100.75	27,294	105.00	28,041
88.25	24,437	92.50	25,498	96.75	26,472	101.00	27,341	105.25	28,080
88.50	24,502	92.75	25,558	97.00	26,527	101.25	27,389	105.50	28,119
88.75	24,566	93.00	25,618	97.25	26,580	101.50	27,436	105.75	28,157
89.00	24,630	93.25	25,677	97.50	26,634	101.75	27,482	106.00	28,194



## Capacity/Gauge Table Information

**TCLX 290485**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 285

Reporting Mark: TCLX 290485

Date: 01/06/2015

Capacity: 28,967 US Gallons (109,651 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,600 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,231	110.50	28,743	114.75	28,954
106.50	28,267	110.75	28,765	115.00	28,958
106.75	28,302	111.00	28,785	115.25	28,960
107.00	28,337	111.25	28,804	115.50	28,963
107.25	28,371	111.50	28,822	115.75	28,965
107.50	28,405	111.75	28,839	116.00	28,966
107.75	28,438	112.00	28,854	116.25	28,966
108.00	28,470	112.25	28,868	116.50	28,967
108.25	28,501	112.50	28,881	116.75	28,967
108.50	28,531	112.75	28,893		
108.75	28,561	113.00	28,904		
109.00	28,590	113.25	28,914		
109.25	28,618	113.50	28,923		
109.50	28,645	113.75	28,931		
109.75	28,671	114.00	28,938		
110.00	28,696	114.25	28,944		
110.25	28,720	114.50	28,949		



## Capacity/Gauge Table Information

**TCLX 290486**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 286

Reporting Mark: TCLX 290486

Date: 03/06/2015

Capacity: 29,116 US Gallons (110,214 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,346	12.75	2,233	17.00	3,224
0.25	29	4.50	628	8.75	1,395	13.00	2,289	17.25	3,285
0.50	58	4.75	669	9.00	1,444	13.25	2,345	17.50	3,346
0.75	88	5.00	711	9.25	1,494	13.50	2,401	17.75	3,408
1.00	119	5.25	753	9.50	1,544	13.75	2,458	18.00	3,470
1.25	151	5.50	795	9.75	1,595	14.00	2,515	18.25	3,532
1.50	184	5.75	839	10.00	1,646	14.25	2,572	18.50	3,595
1.75	217	6.00	882	10.25	1,697	14.50	2,630	18.75	3,658
2.00	251	6.25	927	10.50	1,749	14.75	2,688	19.00	3,721
2.25	286	6.50	971	10.75	1,802	15.00	2,746	19.25	3,784
2.50	321	6.75	1,016	11.00	1,854	15.25	2,805	19.50	3,848
2.75	358	7.00	1,062	11.25	1,907	15.50	2,864	19.75	3,911
3.00	394	7.25	1,108	11.50	1,961	15.75	2,923	20.00	3,976
3.25	432	7.50	1,155	11.75	2,014	16.00	2,983	20.25	4,040
3.50	470	7.75	1,202	12.00	2,069	16.25	3,042	20.50	4,105
3.75	509	8.00	1,250	12.25	2,123	16.50	3,103	20.75	4,170
4.00	548	8.25	1,298	12.50	2,178	16.75	3,163	21.00	4,235





## Capacity/Gauge Table Information

**TCLX 290486**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 286

Reporting Mark: TCLX 290486

Date: 03/06/2015

Capacity: 29,116 US Gallons (110,214 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,300	25.50	5,447	29.75	6,654	34.00	7,909	38.25	9,203
21.50	4,366	25.75	5,517	30.00	6,726	34.25	7,984	38.50	9,280
21.75	4,432	26.00	5,587	30.25	6,799	34.50	8,059	38.75	9,357
22.00	4,498	26.25	5,656	30.50	6,872	34.75	8,135	39.00	9,435
22.25	4,564	26.50	5,726	30.75	6,945	35.00	8,210	39.25	9,512
22.50	4,631	26.75	5,797	31.00	7,018	35.25	8,286	39.50	9,590
22.75	4,698	27.00	5,867	31.25	7,092	35.50	8,362	39.75	9,667
23.00	4,765	27.25	5,938	31.50	7,165	35.75	8,438	40.00	9,745
23.25	4,832	27.50	6,008	31.75	7,239	36.00	8,514	40.25	9,823
23.50	4,899	27.75	6,079	32.00	7,313	36.25	8,590	40.50	9,901
23.75	4,967	28.00	6,151	32.25	7,387	36.50	8,666	40.75	9,979
24.00	5,035	28.25	6,222	32.50	7,461	36.75	8,742	41.00	10,057
24.25	5,103	28.50	6,294	32.75	7,535	37.00	8,819	41.25	10,135
24.50	5,172	28.75	6,365	33.00	7,610	37.25	8,895	41.50	10,214
24.75	5,240	29.00	6,437	33.25	7,684	37.50	8,972	41.75	10,292
25.00	5,309	29.25	6,509	33.50	7,759	37.75	9,049	42.00	10,370
25.25	5,378	29.50	6,581	33.75	7,834	38.00	9,126	42.25	10,449



## Capacity/Gauge Table Information

**TCLX 290486**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 286

Reporting Mark: TCLX 290486

Date: 03/06/2015

Capacity: 29,116 US Gallons (110,214 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,527	46.75	11,874	51.00	13,234	55.25	14,601	59.50	15,966
42.75	10,606	47.00	11,954	51.25	13,315	55.50	14,681	59.75	16,046
43.00	10,685	47.25	12,033	51.50	13,395	55.75	14,762	60.00	16,127
43.25	10,764	47.50	12,113	51.75	13,475	56.00	14,842	60.25	16,207
43.50	10,843	47.75	12,193	52.00	13,556	56.25	14,923	60.50	16,287
43.75	10,922	48.00	12,273	52.25	13,636	56.50	15,003	60.75	16,367
44.00	11,001	48.25	12,353	52.50	13,716	56.75	15,083	61.00	16,446
44.25	11,080	48.50	12,433	52.75	13,797	57.00	15,164	61.25	16,526
44.50	11,159	48.75	12,513	53.00	13,877	57.25	15,244	61.50	16,606
44.75	11,238	49.00	12,593	53.25	13,958	57.50	15,324	61.75	16,686
45.00	11,317	49.25	12,673	53.50	14,038	57.75	15,405	62.00	16,766
45.25	11,397	49.50	12,753	53.75	14,118	58.00	15,485	62.25	16,845
45.50	11,476	49.75	12,833	54.00	14,199	58.25	15,565	62.50	16,925
45.75	11,555	50.00	12,913	54.25	14,279	58.50	15,646	62.75	17,005
46.00	11,635	50.25	12,994	54.50	14,360	58.75	15,726	63.00	17,084
46.25	11,715	50.50	13,074	54.75	14,440	59.00	15,806	63.25	17,164
46.50	11,794	50.75	13,154	55.00	14,521	59.25	15,886	63.50	17,243



## Capacity/Gauge Table Information

**TCLX 290486**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 286

Reporting Mark: TCLX 290486

Date: 03/06/2015

Capacity: 29,116 US Gallons (110,214 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,323	68.00	18,662	72.25	19,977	76.50	21,258	80.75	22,497
64.00	17,402	68.25	18,740	72.50	20,053	76.75	21,332	81.00	22,568
64.25	17,481	68.50	18,818	72.75	20,129	77.00	21,406	81.25	22,639
64.50	17,560	68.75	18,896	73.00	20,205	77.25	21,480	81.50	22,710
64.75	17,640	69.00	18,974	73.25	20,281	77.50	21,554	81.75	22,781
65.00	17,719	69.25	19,052	73.50	20,357	77.75	21,627	82.00	22,852
65.25	17,798	69.50	19,129	73.75	20,433	78.00	21,700	82.25	22,922
65.50	17,877	69.75	19,207	74.00	20,509	78.25	21,774	82.50	22,992
65.75	17,956	70.00	19,284	74.25	20,584	78.50	21,847	82.75	23,062
66.00	18,034	70.25	19,362	74.50	20,660	78.75	21,920	83.00	23,132
66.25	18,113	70.50	19,439	74.75	20,735	79.00	21,992	83.25	23,202
66.50	18,192	70.75	19,516	75.00	20,810	79.25	22,065	83.50	23,271
66.75	18,270	71.00	19,593	75.25	20,885	79.50	22,137	83.75	23,340
67.00	18,349	71.25	19,670	75.50	20,960	79.75	22,210	84.00	23,410
67.25	18,427	71.50	19,747	75.75	21,035	80.00	22,282	84.25	23,478
67.50	18,506	71.75	19,824	76.00	21,109	80.25	22,353	84.50	23,547
67.75	18,584	72.00	19,900	76.25	21,184	80.50	22,425	84.75	23,615



## Capacity/Gauge Table Information

**TCLX 290486**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 286

Reporting Mark: TCLX 290486

Date: 03/06/2015

Capacity: 29,116 US Gallons (110,214 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,684	89.25	24,807	93.50	25,855	97.75	26,813	102.00	27,660
85.25	23,751	89.50	24,871	93.75	25,914	98.00	26,866	102.25	27,705
85.50	23,819	89.75	24,935	94.00	25,973	98.25	26,918	102.50	27,751
85.75	23,887	90.00	24,998	94.25	26,031	98.50	26,971	102.75	27,796
86.00	23,954	90.25	25,061	94.50	26,089	98.75	27,023	103.00	27,840
86.25	24,021	90.50	25,124	94.75	26,147	99.00	27,074	103.25	27,884
86.50	24,088	90.75	25,187	95.00	26,205	99.25	27,125	103.50	27,927
86.75	24,155	91.00	25,249	95.25	26,262	99.50	27,176	103.75	27,970
87.00	24,221	91.25	25,311	95.50	26,318	99.75	27,226	104.00	28,013
87.25	24,287	91.50	25,372	95.75	26,375	100.00	27,276	104.25	28,054
87.50	24,353	91.75	25,434	96.00	26,431	100.25	27,326	104.50	28,096
87.75	24,419	92.00	25,495	96.25	26,486	100.50	27,375	104.75	28,136
88.00	24,484	92.25	25,556	96.50	26,542	100.75	27,423	105.00	28,176
88.25	24,549	92.50	25,616	96.75	26,597	101.00	27,472	105.25	28,216
88.50	24,614	92.75	25,677	97.00	26,651	101.25	27,519	105.50	28,255
88.75	24,679	93.00	25,736	97.25	26,705	101.50	27,567	105.75	28,293
89.00	24,743	93.25	25,796	97.50	26,759	101.75	27,613	106.00	28,331



## Capacity/Gauge Table Information

**TCLX 290486**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 286

Reporting Mark: TCLX 290486

Date: 03/06/2015

Capacity: 29,116 US Gallons (110,214 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,368	110.50	28,887	114.75	29,102
106.50	28,405	110.75	28,909	115.00	29,106
106.75	28,441	111.00	28,930	115.25	29,109
107.00	28,476	111.25	28,949	115.50	29,111
107.25	28,510	111.50	28,968	115.75	29,113
107.50	28,544	111.75	28,984	116.00	29,114
107.75	28,577	112.00	29,000	116.25	29,115
108.00	28,610	112.25	29,015	116.50	29,115
108.25	28,641	112.50	29,028	116.75	29,116
108.50	28,672	112.75	29,040		
108.75	28,702	113.00	29,052		
109.00	28,731	113.25	29,062		
109.25	28,760	113.50	29,071		
109.50	28,787	113.75	29,079		
109.75	28,814	114.00	29,086		
110.00	28,839	114.25	29,092		
110.25	28,864	114.50	29,098		



## Capacity/Gauge Table Information

**TCLX 290487**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 287

Reporting Mark: TCLX 290487

Date: 12/06/2015

Capacity: 28,968 US Gallons (109,654 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	586	8.50	1,342	12.75	2,225	17.00	3,212
0.25	28	4.50	627	8.75	1,391	13.00	2,281	17.25	3,273
0.50	58	4.75	667	9.00	1,440	13.25	2,337	17.50	3,334
0.75	88	5.00	709	9.25	1,489	13.50	2,393	17.75	3,395
1.00	119	5.25	751	9.50	1,539	13.75	2,449	18.00	3,457
1.25	151	5.50	793	9.75	1,590	14.00	2,506	18.25	3,519
1.50	183	5.75	836	10.00	1,641	14.25	2,563	18.50	3,581
1.75	217	6.00	880	10.25	1,692	14.50	2,620	18.75	3,644
2.00	251	6.25	924	10.50	1,744	14.75	2,678	19.00	3,707
2.25	285	6.50	968	10.75	1,796	15.00	2,736	19.25	3,770
2.50	321	6.75	1,013	11.00	1,848	15.25	2,795	19.50	3,833
2.75	357	7.00	1,059	11.25	1,901	15.50	2,853	19.75	3,897
3.00	393	7.25	1,105	11.50	1,954	15.75	2,912	20.00	3,960
3.25	431	7.50	1,151	11.75	2,008	16.00	2,972	20.25	4,024
3.50	469	7.75	1,198	12.00	2,061	16.25	3,031	20.50	4,089
3.75	507	8.00	1,246	12.25	2,116	16.50	3,091	20.75	4,153
4.00	546	8.25	1,294	12.50	2,170	16.75	3,151	21.00	4,218



## Capacity/Gauge Table Information

**TCLX 290487**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 287

Reporting Mark: TCLX 290487

Date: 12/06/2015

Capacity: 28,968 US Gallons (109,654 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,283	25.50	5,426	29.75	6,627	34.00	7,876	38.25	9,164
21.50	4,349	25.75	5,495	30.00	6,699	34.25	7,950	38.50	9,241
21.75	4,414	26.00	5,564	30.25	6,771	34.50	8,025	38.75	9,317
22.00	4,480	26.25	5,634	30.50	6,844	34.75	8,100	39.00	9,394
22.25	4,546	26.50	5,703	30.75	6,916	35.00	8,176	39.25	9,471
22.50	4,613	26.75	5,773	31.00	6,989	35.25	8,251	39.50	9,549
22.75	4,679	27.00	5,843	31.25	7,062	35.50	8,326	39.75	9,626
23.00	4,746	27.25	5,914	31.50	7,136	35.75	8,402	40.00	9,703
23.25	4,813	27.50	5,984	31.75	7,209	36.00	8,478	40.25	9,781
23.50	4,880	27.75	6,055	32.00	7,282	36.25	8,553	40.50	9,858
23.75	4,948	28.00	6,126	32.25	7,356	36.50	8,629	40.75	9,936
24.00	5,015	28.25	6,197	32.50	7,430	36.75	8,705	41.00	10,014
24.25	5,083	28.50	6,268	32.75	7,504	37.00	8,781	41.25	10,092
24.50	5,151	28.75	6,339	33.00	7,578	37.25	8,858	41.50	10,169
24.75	5,219	29.00	6,411	33.25	7,652	37.50	8,934	41.75	10,247
25.00	5,288	29.25	6,483	33.50	7,727	37.75	9,010	42.00	10,325
25.25	5,357	29.50	6,554	33.75	7,801	38.00	9,087	42.25	10,404





## Capacity/Gauge Table Information

**TCLX 290487**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 287

Reporting Mark: TCLX 290487

Date: 12/06/2015

Capacity: 28,968 US Gallons (109,654 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,482	46.75	11,822	51.00	13,176	55.25	14,536	59.50	15,894
42.75	10,560	47.00	11,901	51.25	13,256	55.50	14,616	59.75	15,974
43.00	10,639	47.25	11,980	51.50	13,335	55.75	14,696	60.00	16,054
43.25	10,717	47.50	12,060	51.75	13,415	56.00	14,776	60.25	16,133
43.50	10,795	47.75	12,139	52.00	13,495	56.25	14,856	60.50	16,213
43.75	10,874	48.00	12,219	52.25	13,575	56.50	14,936	60.75	16,293
44.00	10,953	48.25	12,298	52.50	13,655	56.75	15,016	61.00	16,372
44.25	11,031	48.50	12,378	52.75	13,735	57.00	15,096	61.25	16,452
44.50	11,110	48.75	12,458	53.00	13,815	57.25	15,176	61.50	16,531
44.75	11,189	49.00	12,537	53.25	13,895	57.50	15,256	61.75	16,610
45.00	11,268	49.25	12,617	53.50	13,975	57.75	15,336	62.00	16,690
45.25	11,347	49.50	12,697	53.75	14,055	58.00	15,415	62.25	16,769
45.50	11,426	49.75	12,776	54.00	14,136	58.25	15,495	62.50	16,848
45.75	11,505	50.00	12,856	54.25	14,216	58.50	15,575	62.75	16,928
46.00	11,584	50.25	12,936	54.50	14,296	58.75	15,655	63.00	17,007
46.25	11,663	50.50	13,016	54.75	14,376	59.00	15,735	63.25	17,086
46.50	11,743	50.75	13,096	55.00	14,456	59.25	15,815	63.50	17,165



## Capacity/Gauge Table Information

**TCLX 290487**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 287

Reporting Mark: TCLX 290487

Date: 12/06/2015

Capacity: 28,968 US Gallons (109,654 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,244	68.00	18,577	72.25	19,884	76.50	21,159	80.75	22,391
64.00	17,323	68.25	18,654	72.50	19,960	76.75	21,233	81.00	22,462
64.25	17,402	68.50	18,732	72.75	20,036	77.00	21,306	81.25	22,533
64.50	17,481	68.75	18,809	73.00	20,112	77.25	21,380	81.50	22,604
64.75	17,559	69.00	18,887	73.25	20,188	77.50	21,453	81.75	22,674
65.00	17,638	69.25	18,964	73.50	20,263	77.75	21,526	82.00	22,744
65.25	17,717	69.50	19,041	73.75	20,339	78.00	21,599	82.25	22,814
65.50	17,795	69.75	19,119	74.00	20,414	78.25	21,672	82.50	22,884
65.75	17,874	70.00	19,196	74.25	20,489	78.50	21,745	82.75	22,954
66.00	17,952	70.25	19,273	74.50	20,564	78.75	21,817	83.00	23,023
66.25	18,030	70.50	19,349	74.75	20,639	79.00	21,890	83.25	23,093
66.50	18,109	70.75	19,426	75.00	20,714	79.25	21,962	83.50	23,162
66.75	18,187	71.00	19,503	75.25	20,788	79.50	22,034	83.75	23,231
67.00	18,265	71.25	19,579	75.50	20,863	79.75	22,106	84.00	23,299
67.25	18,343	71.50	19,656	75.75	20,937	80.00	22,177	84.25	23,368
67.50	18,421	71.75	19,732	76.00	21,011	80.25	22,249	84.50	23,436
67.75	18,499	72.00	19,808	76.25	21,085	80.50	22,320	84.75	23,504



## Capacity/Gauge Table Information

**TCLX 290487**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 287

Reporting Mark: TCLX 290487

Date: 12/06/2015

Capacity: 28,968 US Gallons (109,654 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,572	89.25	24,689	93.50	25,732	97.75	26,683	102.00	27,525
85.25	23,639	89.50	24,753	93.75	25,790	98.00	26,736	102.25	27,570
85.50	23,707	89.75	24,816	94.00	25,849	98.25	26,788	102.50	27,615
85.75	23,774	90.00	24,879	94.25	25,907	98.50	26,840	102.75	27,660
86.00	23,841	90.25	24,942	94.50	25,964	98.75	26,892	103.00	27,704
86.25	23,908	90.50	25,004	94.75	26,022	99.00	26,943	103.25	27,748
86.50	23,974	90.75	25,066	95.00	26,079	99.25	26,994	103.50	27,791
86.75	24,040	91.00	25,128	95.25	26,135	99.50	27,044	103.75	27,833
87.00	24,106	91.25	25,190	95.50	26,192	99.75	27,094	104.00	27,875
87.25	24,172	91.50	25,251	95.75	26,248	100.00	27,144	104.25	27,917
87.50	24,238	91.75	25,312	96.00	26,303	100.25	27,193	104.50	27,958
87.75	24,303	92.00	25,373	96.25	26,359	100.50	27,242	104.75	27,998
88.00	24,368	92.25	25,434	96.50	26,414	100.75	27,290	105.00	28,038
88.25	24,433	92.50	25,494	96.75	26,468	101.00	27,338	105.25	28,077
88.50	24,497	92.75	25,554	97.00	26,523	101.25	27,385	105.50	28,116
88.75	24,562	93.00	25,613	97.25	26,576	101.50	27,432	105.75	28,154
89.00	24,626	93.25	25,673	97.50	26,630	101.75	27,479	106.00	28,192



## Capacity/Gauge Table Information

**TCLX 290487**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 287

Reporting Mark: TCLX 290487

Date: 12/06/2015

Capacity: 28,968 US Gallons (109,654 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,228	110.50	28,742	114.75	28,954
106.50	28,265	110.75	28,764	115.00	28,958
106.75	28,300	111.00	28,785	115.25	28,961
107.00	28,335	111.25	28,804	115.50	28,964
107.25	28,369	111.50	28,822	115.75	28,965
107.50	28,403	111.75	28,838	116.00	28,966
107.75	28,436	112.00	28,854	116.25	28,967
108.00	28,468	112.25	28,868	116.50	28,968
108.25	28,499	112.50	28,881	116.75	28,968
108.50	28,530	112.75	28,893		
108.75	28,560	113.00	28,905		
109.00	28,588	113.25	28,914		
109.25	28,617	113.50	28,923		
109.50	28,644	113.75	28,931		
109.75	28,670	114.00	28,938		
110.00	28,695	114.25	28,945		
110.25	28,719	114.50	28,950		



## Capacity/Gauge Table Information

**TCLX 290488**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 288

Reporting Mark: TCLX 290488

Date: 01/06/2015

Capacity: 28,933 US Gallons (109,523 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	590	8.50	1,349	12.75	2,234	17.00	3,222
0.25	29	4.50	631	8.75	1,398	13.00	2,290	17.25	3,283
0.50	58	4.75	672	9.00	1,447	13.25	2,346	17.50	3,345
0.75	89	5.00	713	9.25	1,497	13.50	2,402	17.75	3,406
1.00	120	5.25	756	9.50	1,547	13.75	2,458	18.00	3,468
1.25	152	5.50	798	9.75	1,597	14.00	2,515	18.25	3,530
1.50	185	5.75	841	10.00	1,648	14.25	2,573	18.50	3,592
1.75	219	6.00	885	10.25	1,700	14.50	2,630	18.75	3,655
2.00	253	6.25	929	10.50	1,752	14.75	2,688	19.00	3,718
2.25	288	6.50	974	10.75	1,804	15.00	2,746	19.25	3,781
2.50	323	6.75	1,019	11.00	1,856	15.25	2,805	19.50	3,844
2.75	360	7.00	1,065	11.25	1,909	15.50	2,863	19.75	3,908
3.00	397	7.25	1,111	11.50	1,962	15.75	2,922	20.00	3,972
3.25	434	7.50	1,158	11.75	2,016	16.00	2,982	20.25	4,036
3.50	472	7.75	1,205	12.00	2,070	16.25	3,042	20.50	4,100
3.75	511	8.00	1,252	12.25	2,125	16.50	3,102	20.75	4,165
4.00	550	8.25	1,300	12.50	2,179	16.75	3,162	21.00	4,230



## Capacity/Gauge Table Information

**TCLX 290488**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 288

Reporting Mark: TCLX 290488

Date: 01/06/2015

Capacity: 28,933 US Gallons (109,523 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,295	25.50	5,438	29.75	6,639	34.00	7,889	38.25	9,177
21.50	4,360	25.75	5,507	30.00	6,712	34.25	7,964	38.50	9,253
21.75	4,426	26.00	5,576	30.25	6,784	34.50	8,038	38.75	9,330
22.00	4,492	26.25	5,646	30.50	6,857	34.75	8,113	39.00	9,407
22.25	4,558	26.50	5,716	30.75	6,929	35.00	8,189	39.25	9,484
22.50	4,624	26.75	5,786	31.00	7,002	35.25	8,264	39.50	9,562
22.75	4,691	27.00	5,856	31.25	7,075	35.50	8,339	39.75	9,639
23.00	4,758	27.25	5,926	31.50	7,149	35.75	8,415	40.00	9,716
23.25	4,825	27.50	5,997	31.75	7,222	36.00	8,491	40.25	9,794
23.50	4,892	27.75	6,067	32.00	7,295	36.25	8,566	40.50	9,871
23.75	4,960	28.00	6,138	32.25	7,369	36.50	8,642	40.75	9,949
24.00	5,027	28.25	6,209	32.50	7,443	36.75	8,718	41.00	10,027
24.25	5,095	28.50	6,281	32.75	7,517	37.00	8,794	41.25	10,104
24.50	5,163	28.75	6,352	33.00	7,591	37.25	8,871	41.50	10,182
24.75	5,232	29.00	6,424	33.25	7,665	37.50	8,947	41.75	10,260
25.00	5,300	29.25	6,495	33.50	7,740	37.75	9,023	42.00	10,338
25.25	5,369	29.50	6,567	33.75	7,814	38.00	9,100	42.25	10,416



## Capacity/Gauge Table Information

**TCLX 290488**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 288

Reporting Mark: TCLX 290488

Date: 01/06/2015

Capacity: 28,933 US Gallons (109,523 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,495	46.75	11,834	51.00	13,187	55.25	14,546	59.50	15,904
42.75	10,573	47.00	11,913	51.25	13,267	55.50	14,626	59.75	15,983
43.00	10,651	47.25	11,993	51.50	13,347	55.75	14,706	60.00	16,063
43.25	10,730	47.50	12,072	51.75	13,427	56.00	14,786	60.25	16,143
43.50	10,808	47.75	12,151	52.00	13,507	56.25	14,866	60.50	16,222
43.75	10,887	48.00	12,231	52.25	13,587	56.50	14,946	60.75	16,302
44.00	10,965	48.25	12,310	52.50	13,667	56.75	15,026	61.00	16,381
44.25	11,044	48.50	12,390	52.75	13,746	57.00	15,106	61.25	16,460
44.50	11,123	48.75	12,469	53.00	13,826	57.25	15,186	61.50	16,540
44.75	11,201	49.00	12,549	53.25	13,906	57.50	15,266	61.75	16,619
45.00	11,280	49.25	12,629	53.50	13,986	57.75	15,345	62.00	16,698
45.25	11,359	49.50	12,708	53.75	14,066	58.00	15,425	62.25	16,778
45.50	11,438	49.75	12,788	54.00	14,146	58.25	15,505	62.50	16,857
45.75	11,517	50.00	12,868	54.25	14,226	58.50	15,585	62.75	16,936
46.00	11,596	50.25	12,948	54.50	14,306	58.75	15,665	63.00	17,015
46.25	11,676	50.50	13,027	54.75	14,386	59.00	15,744	63.25	17,094
46.50	11,755	50.75	13,107	55.00	14,466	59.25	15,824	63.50	17,173





## Capacity/Gauge Table Information

**TCLX 290488**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 288

Reporting Mark: TCLX 290488

Date: 01/06/2015

Capacity: 28,933 US Gallons (109,523 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,252	68.00	18,583	72.25	19,889	76.50	21,162	80.75	22,392
64.00	17,331	68.25	18,661	72.50	19,965	76.75	21,236	81.00	22,463
64.25	17,410	68.50	18,738	72.75	20,041	77.00	21,309	81.25	22,534
64.50	17,488	68.75	18,816	73.00	20,117	77.25	21,382	81.50	22,604
64.75	17,567	69.00	18,893	73.25	20,192	77.50	21,455	81.75	22,674
65.00	17,646	69.25	18,970	73.50	20,267	77.75	21,529	82.00	22,744
65.25	17,724	69.50	19,047	73.75	20,343	78.00	21,601	82.25	22,814
65.50	17,803	69.75	19,124	74.00	20,418	78.25	21,674	82.50	22,884
65.75	17,881	70.00	19,201	74.25	20,493	78.50	21,747	82.75	22,954
66.00	17,959	70.25	19,278	74.50	20,568	78.75	21,819	83.00	23,023
66.25	18,038	70.50	19,355	74.75	20,642	79.00	21,891	83.25	23,092
66.50	18,116	70.75	19,432	75.00	20,717	79.25	21,963	83.50	23,161
66.75	18,194	71.00	19,508	75.25	20,792	79.50	22,035	83.75	23,230
67.00	18,272	71.25	19,585	75.50	20,866	79.75	22,107	84.00	23,298
67.25	18,350	71.50	19,661	75.75	20,940	80.00	22,178	84.25	23,366
67.50	18,428	71.75	19,737	76.00	21,014	80.25	22,250	84.50	23,435
67.75	18,505	72.00	19,813	76.25	21,088	80.50	22,321	84.75	23,502



## Capacity/Gauge Table Information

**TCLX 290488**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 288

Reporting Mark: TCLX 290488

Date: 01/06/2015

Capacity: 28,933 US Gallons (109,523 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,570	89.25	24,685	93.50	25,724	97.75	26,672	102.00	27,510
85.25	23,637	89.50	24,748	93.75	25,782	98.00	26,725	102.25	27,555
85.50	23,705	89.75	24,811	94.00	25,841	98.25	26,777	102.50	27,600
85.75	23,772	90.00	24,874	94.25	25,898	98.50	26,829	102.75	27,644
86.00	23,838	90.25	24,937	94.50	25,956	98.75	26,880	103.00	27,688
86.25	23,905	90.50	24,999	94.75	26,013	99.00	26,931	103.25	27,731
86.50	23,971	90.75	25,061	95.00	26,070	99.25	26,982	103.50	27,774
86.75	24,037	91.00	25,123	95.25	26,126	99.50	27,032	103.75	27,816
87.00	24,103	91.25	25,184	95.50	26,183	99.75	27,082	104.00	27,858
87.25	24,169	91.50	25,245	95.75	26,238	100.00	27,131	104.25	27,899
87.50	24,234	91.75	25,306	96.00	26,294	100.25	27,180	104.50	27,940
87.75	24,299	92.00	25,367	96.25	26,349	100.50	27,228	104.75	27,980
88.00	24,364	92.25	25,427	96.50	26,404	100.75	27,276	105.00	28,020
88.25	24,429	92.50	25,487	96.75	26,458	101.00	27,324	105.25	28,059
88.50	24,493	92.75	25,547	97.00	26,512	101.25	27,371	105.50	28,097
88.75	24,557	93.00	25,606	97.25	26,566	101.50	27,418	105.75	28,135
89.00	24,621	93.25	25,665	97.50	26,619	101.75	27,464	106.00	28,172



## Capacity/Gauge Table Information

**TCLX 290488**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 288

Reporting Mark: TCLX 290488

Date: 01/06/2015

Capacity: 28,933 US Gallons (109,523 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,209	110.50	28,715	114.75	28,920
106.50	28,244	110.75	28,736	115.00	28,924
106.75	28,280	111.00	28,756	115.25	28,927
107.00	28,314	111.25	28,774	115.50	28,929
107.25	28,348	111.50	28,792	115.75	28,931
107.50	28,381	111.75	28,808	116.00	28,932
107.75	28,414	112.00	28,823	116.25	28,932
108.00	28,445	112.25	28,837	116.50	28,933
108.25	28,476	112.50	28,850	116.75	28,933
108.50	28,507	112.75	28,861		
108.75	28,536	113.00	28,872		
109.00	28,564	113.25	28,881		
109.25	28,592	113.50	28,890		
109.50	28,619	113.75	28,898		
109.75	28,644	114.00	28,905		
110.00	28,669	114.25	28,911		
110.25	28,693	114.50	28,916		



## Capacity/Gauge Table Information

**TCLX 290489**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 289

Reporting Mark: TCLX 290489

Date: 01/06/2015

Capacity: 29,124 US Gallons (110,248 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	587	8.50	1,345	12.75	2,231	17.00	3,222
0.25	28	4.50	627	8.75	1,393	13.00	2,287	17.25	3,283
0.50	58	4.75	668	9.00	1,443	13.25	2,343	17.50	3,344
0.75	88	5.00	710	9.25	1,493	13.50	2,399	17.75	3,406
1.00	119	5.25	752	9.50	1,543	13.75	2,456	18.00	3,468
1.25	151	5.50	794	9.75	1,593	14.00	2,513	18.25	3,530
1.50	183	5.75	837	10.00	1,644	14.25	2,570	18.50	3,592
1.75	217	6.00	881	10.25	1,696	14.50	2,628	18.75	3,655
2.00	251	6.25	925	10.50	1,748	14.75	2,686	19.00	3,718
2.25	285	6.50	970	10.75	1,800	15.00	2,744	19.25	3,782
2.50	321	6.75	1,015	11.00	1,852	15.25	2,802	19.50	3,845
2.75	357	7.00	1,061	11.25	1,905	15.50	2,861	19.75	3,909
3.00	394	7.25	1,107	11.50	1,959	15.75	2,921	20.00	3,973
3.25	431	7.50	1,154	11.75	2,012	16.00	2,980	20.25	4,037
3.50	469	7.75	1,201	12.00	2,067	16.25	3,040	20.50	4,102
3.75	508	8.00	1,248	12.25	2,121	16.50	3,100	20.75	4,167
4.00	547	8.25	1,296	12.50	2,176	16.75	3,161	21.00	4,232



## Capacity/Gauge Table Information

**TCLX 290489**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 289

Reporting Mark: TCLX 290489

Date: 01/06/2015

Capacity: 29,124 US Gallons (110,248 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,298	25.50	5,445	29.75	6,651	34.00	7,906	38.25	9,200
21.50	4,363	25.75	5,514	30.00	6,724	34.25	7,981	38.50	9,278
21.75	4,429	26.00	5,584	30.25	6,796	34.50	8,057	38.75	9,355
22.00	4,495	26.25	5,654	30.50	6,869	34.75	8,132	39.00	9,432
22.25	4,562	26.50	5,724	30.75	6,942	35.00	8,208	39.25	9,510
22.50	4,628	26.75	5,794	31.00	7,016	35.25	8,283	39.50	9,587
22.75	4,695	27.00	5,864	31.25	7,089	35.50	8,359	39.75	9,665
23.00	4,762	27.25	5,935	31.50	7,163	35.75	8,435	40.00	9,743
23.25	4,829	27.50	6,006	31.75	7,236	36.00	8,511	40.25	9,820
23.50	4,897	27.75	6,077	32.00	7,310	36.25	8,587	40.50	9,898
23.75	4,965	28.00	6,148	32.25	7,384	36.50	8,663	40.75	9,976
24.00	5,033	28.25	6,219	32.50	7,458	36.75	8,740	41.00	10,055
24.25	5,101	28.50	6,291	32.75	7,533	37.00	8,816	41.25	10,133
24.50	5,169	28.75	6,363	33.00	7,607	37.25	8,893	41.50	10,211
24.75	5,238	29.00	6,434	33.25	7,682	37.50	8,970	41.75	10,289
25.00	5,306	29.25	6,507	33.50	7,756	37.75	9,046	42.00	10,368
25.25	5,376	29.50	6,579	33.75	7,831	38.00	9,123	42.25	10,446



## Capacity/Gauge Table Information

**TCLX 290489**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 289

Reporting Mark: TCLX 290489

Date: 01/06/2015

Capacity: 29,124 US Gallons (110,248 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,525	46.75	11,872	51.00	13,232	55.25	14,599	59.50	15,965
42.75	10,604	47.00	11,951	51.25	13,313	55.50	14,680	59.75	16,045
43.00	10,682	47.25	12,031	51.50	13,393	55.75	14,760	60.00	16,125
43.25	10,761	47.50	12,111	51.75	13,473	56.00	14,841	60.25	16,205
43.50	10,840	47.75	12,191	52.00	13,554	56.25	14,921	60.50	16,285
43.75	10,919	48.00	12,271	52.25	13,634	56.50	15,001	60.75	16,365
44.00	10,998	48.25	12,351	52.50	13,714	56.75	15,082	61.00	16,445
44.25	11,077	48.50	12,431	52.75	13,795	57.00	15,162	61.25	16,525
44.50	11,156	48.75	12,511	53.00	13,875	57.25	15,243	61.50	16,605
44.75	11,236	49.00	12,591	53.25	13,956	57.50	15,323	61.75	16,685
45.00	11,315	49.25	12,671	53.50	14,036	57.75	15,403	62.00	16,765
45.25	11,394	49.50	12,751	53.75	14,117	58.00	15,484	62.25	16,844
45.50	11,474	49.75	12,831	54.00	14,197	58.25	15,564	62.50	16,924
45.75	11,553	50.00	12,911	54.25	14,278	58.50	15,644	62.75	17,004
46.00	11,633	50.25	12,991	54.50	14,358	58.75	15,724	63.00	17,083
46.25	11,712	50.50	13,072	54.75	14,438	59.00	15,805	63.25	17,163
46.50	11,792	50.75	13,152	55.00	14,519	59.25	15,885	63.50	17,242



## Capacity/Gauge Table Information

**TCLX 290489**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 289

Reporting Mark: TCLX 290489

Date: 01/06/2015

Capacity: 29,124 US Gallons (110,248 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,322	68.00	18,662	72.25	19,977	76.50	21,258	80.75	22,498
64.00	17,401	68.25	18,740	72.50	20,053	76.75	21,332	81.00	22,569
64.25	17,480	68.50	18,818	72.75	20,129	77.00	21,406	81.25	22,640
64.50	17,560	68.75	18,896	73.00	20,205	77.25	21,480	81.50	22,711
64.75	17,639	69.00	18,974	73.25	20,281	77.50	21,554	81.75	22,782
65.00	17,718	69.25	19,051	73.50	20,357	77.75	21,628	82.00	22,853
65.25	17,797	69.50	19,129	73.75	20,433	78.00	21,701	82.25	22,923
65.50	17,876	69.75	19,207	74.00	20,509	78.25	21,774	82.50	22,993
65.75	17,955	70.00	19,284	74.25	20,584	78.50	21,847	82.75	23,064
66.00	18,034	70.25	19,361	74.50	20,660	78.75	21,920	83.00	23,133
66.25	18,112	70.50	19,439	74.75	20,735	79.00	21,993	83.25	23,203
66.50	18,191	70.75	19,516	75.00	20,810	79.25	22,066	83.50	23,273
66.75	18,270	71.00	19,593	75.25	20,885	79.50	22,138	83.75	23,342
67.00	18,348	71.25	19,670	75.50	20,960	79.75	22,210	84.00	23,411
67.25	18,427	71.50	19,747	75.75	21,035	80.00	22,282	84.25	23,480
67.50	18,505	71.75	19,823	76.00	21,109	80.25	22,354	84.50	23,548
67.75	18,583	72.00	19,900	76.25	21,184	80.50	22,426	84.75	23,617





## Capacity/Gauge Table Information

**TCLX 290489**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 289

Reporting Mark: TCLX 290489

Date: 01/06/2015

Capacity: 29,124 US Gallons (110,248 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,685	89.25	24,809	93.50	25,858	97.75	26,816	102.00	27,664
85.25	23,753	89.50	24,873	93.75	25,917	98.00	26,869	102.25	27,710
85.50	23,821	89.75	24,937	94.00	25,976	98.25	26,922	102.50	27,755
85.75	23,888	90.00	25,000	94.25	26,034	98.50	26,974	102.75	27,800
86.00	23,956	90.25	25,063	94.50	26,092	98.75	27,026	103.00	27,845
86.25	24,023	90.50	25,126	94.75	26,150	99.00	27,078	103.25	27,889
86.50	24,090	90.75	25,189	95.00	26,207	99.25	27,129	103.50	27,932
86.75	24,156	91.00	25,251	95.25	26,265	99.50	27,180	103.75	27,975
87.00	24,223	91.25	25,313	95.50	26,321	99.75	27,230	104.00	28,017
87.25	24,289	91.50	25,375	95.75	26,378	100.00	27,280	104.25	28,059
87.50	24,355	91.75	25,436	96.00	26,434	100.25	27,330	104.50	28,100
87.75	24,420	92.00	25,497	96.25	26,489	100.50	27,379	104.75	28,141
88.00	24,486	92.25	25,558	96.50	26,545	100.75	27,427	105.00	28,181
88.25	24,551	92.50	25,619	96.75	26,600	101.00	27,476	105.25	28,221
88.50	24,616	92.75	25,679	97.00	26,654	101.25	27,523	105.50	28,260
88.75	24,681	93.00	25,739	97.25	26,709	101.50	27,571	105.75	28,298
89.00	24,745	93.25	25,799	97.50	26,763	101.75	27,618	106.00	28,336



## Capacity/Gauge Table Information

**TCLX 290489**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 289

Reporting Mark: TCLX 290489

Date: 01/06/2015

Capacity: 29,124 US Gallons (110,248 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,374	110.50	28,894	114.75	29,111
106.50	28,410	110.75	28,916	115.00	29,115
106.75	28,446	111.00	28,937	115.25	29,118
107.00	28,481	111.25	28,957	115.50	29,120
107.25	28,516	111.50	28,975	115.75	29,122
107.50	28,550	111.75	28,992	116.00	29,123
107.75	28,583	112.00	29,008	116.25	29,124
108.00	28,615	112.25	29,023	116.50	29,124
108.25	28,647	112.50	29,036	116.75	29,124
108.50	28,678	112.75	29,049		
108.75	28,708	113.00	29,060		
109.00	28,738	113.25	29,070		
109.25	28,766	113.50	29,079		
109.50	28,794	113.75	29,087		
109.75	28,820	114.00	29,095		
110.00	28,846	114.25	29,101		
110.25	28,870	114.50	29,106		



## Capacity/Gauge Table Information

**TCLX 290490**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 290

Reporting Mark: TCLX 290490

Date: 06/10/2015

Capacity: 28,938 US Gallons (109,542 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,232	17.00	3,220
0.25	29	4.50	630	8.75	1,396	13.00	2,288	17.25	3,281
0.50	58	4.75	671	9.00	1,445	13.25	2,344	17.50	3,342
0.75	89	5.00	712	9.25	1,495	13.50	2,400	17.75	3,403
1.00	120	5.25	755	9.50	1,545	13.75	2,456	18.00	3,465
1.25	152	5.50	797	9.75	1,596	14.00	2,513	18.25	3,527
1.50	185	5.75	840	10.00	1,647	14.25	2,570	18.50	3,589
1.75	218	6.00	884	10.25	1,698	14.50	2,628	18.75	3,652
2.00	252	6.25	928	10.50	1,750	14.75	2,686	19.00	3,715
2.25	287	6.50	973	10.75	1,802	15.00	2,744	19.25	3,778
2.50	323	6.75	1,018	11.00	1,854	15.25	2,802	19.50	3,841
2.75	359	7.00	1,064	11.25	1,907	15.50	2,861	19.75	3,905
3.00	396	7.25	1,110	11.50	1,960	15.75	2,920	20.00	3,969
3.25	433	7.50	1,156	11.75	2,014	16.00	2,979	20.25	4,033
3.50	471	7.75	1,203	12.00	2,068	16.25	3,039	20.50	4,097
3.75	510	8.00	1,251	12.25	2,123	16.50	3,099	20.75	4,162
4.00	549	8.25	1,299	12.50	2,177	16.75	3,159	21.00	4,227



## Capacity/Gauge Table Information

**TCLX 290490**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 290

Reporting Mark: TCLX 290490

Date: 06/10/2015

Capacity: 28,938 US Gallons (109,542 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,292	25.50	5,434	29.75	6,635	34.00	7,884	38.25	9,172
21.50	4,357	25.75	5,504	30.00	6,708	34.25	7,959	38.50	9,249
21.75	4,423	26.00	5,573	30.25	6,780	34.50	8,034	38.75	9,326
22.00	4,489	26.25	5,642	30.50	6,853	34.75	8,109	39.00	9,402
22.25	4,555	26.50	5,712	30.75	6,925	35.00	8,184	39.25	9,480
22.50	4,621	26.75	5,782	31.00	6,998	35.25	8,259	39.50	9,557
22.75	4,688	27.00	5,852	31.25	7,071	35.50	8,335	39.75	9,634
23.00	4,755	27.25	5,923	31.50	7,144	35.75	8,410	40.00	9,711
23.25	4,822	27.50	5,993	31.75	7,218	36.00	8,486	40.25	9,789
23.50	4,889	27.75	6,064	32.00	7,291	36.25	8,562	40.50	9,866
23.75	4,956	28.00	6,135	32.25	7,365	36.50	8,638	40.75	9,944
24.00	5,024	28.25	6,206	32.50	7,439	36.75	8,714	41.00	10,022
24.25	5,092	28.50	6,277	32.75	7,513	37.00	8,790	41.25	10,099
24.50	5,160	28.75	6,348	33.00	7,587	37.25	8,866	41.50	10,177
24.75	5,228	29.00	6,420	33.25	7,661	37.50	8,942	41.75	10,255
25.00	5,297	29.25	6,491	33.50	7,735	37.75	9,019	42.00	10,333
25.25	5,366	29.50	6,563	33.75	7,810	38.00	9,095	42.25	10,411



## Capacity/Gauge Table Information

**TCLX 290490**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 290

Reporting Mark: TCLX 290490

Date: 06/10/2015

Capacity: 28,938 US Gallons (109,542 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,489	46.75	11,828	51.00	13,181	55.25	14,540	59.50	15,898
42.75	10,568	47.00	11,908	51.25	13,261	55.50	14,620	59.75	15,977
43.00	10,646	47.25	11,987	51.50	13,341	55.75	14,700	60.00	16,057
43.25	10,724	47.50	12,066	51.75	13,421	56.00	14,780	60.25	16,136
43.50	10,803	47.75	12,146	52.00	13,501	56.25	14,860	60.50	16,216
43.75	10,881	48.00	12,225	52.25	13,581	56.50	14,940	60.75	16,295
44.00	10,960	48.25	12,305	52.50	13,661	56.75	15,020	61.00	16,375
44.25	11,039	48.50	12,384	52.75	13,741	57.00	15,100	61.25	16,454
44.50	11,117	48.75	12,464	53.00	13,821	57.25	15,180	61.50	16,534
44.75	11,196	49.00	12,543	53.25	13,900	57.50	15,259	61.75	16,613
45.00	11,275	49.25	12,623	53.50	13,980	57.75	15,339	62.00	16,692
45.25	11,354	49.50	12,703	53.75	14,060	58.00	15,419	62.25	16,771
45.50	11,433	49.75	12,782	54.00	14,140	58.25	15,499	62.50	16,851
45.75	11,512	50.00	12,862	54.25	14,220	58.50	15,579	62.75	16,930
46.00	11,591	50.25	12,942	54.50	14,300	58.75	15,658	63.00	17,009
46.25	11,670	50.50	13,022	54.75	14,380	59.00	15,738	63.25	17,088
46.50	11,749	50.75	13,101	55.00	14,460	59.25	15,818	63.50	17,167



## Capacity/Gauge Table Information

**TCLX 290490**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 290

Reporting Mark: TCLX 290490

Date: 06/10/2015

Capacity: 28,938 US Gallons (109,542 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,246	68.00	18,577	72.25	19,883	76.50	21,156	80.75	22,387
64.00	17,325	68.25	18,655	72.50	19,959	76.75	21,230	81.00	22,457
64.25	17,403	68.50	18,732	72.75	20,035	77.00	21,303	81.25	22,528
64.50	17,482	68.75	18,809	73.00	20,110	77.25	21,376	81.50	22,599
64.75	17,561	69.00	18,887	73.25	20,186	77.50	21,450	81.75	22,669
65.00	17,639	69.25	18,964	73.50	20,261	77.75	21,523	82.00	22,739
65.25	17,718	69.50	19,041	73.75	20,337	78.00	21,596	82.25	22,809
65.50	17,796	69.75	19,118	74.00	20,412	78.25	21,668	82.50	22,879
65.75	17,875	70.00	19,195	74.25	20,487	78.50	21,741	82.75	22,948
66.00	17,953	70.25	19,272	74.50	20,562	78.75	21,813	83.00	23,018
66.25	18,031	70.50	19,349	74.75	20,636	79.00	21,886	83.25	23,087
66.50	18,109	70.75	19,425	75.00	20,711	79.25	21,958	83.50	23,156
66.75	18,188	71.00	19,502	75.25	20,786	79.50	22,030	83.75	23,224
67.00	18,266	71.25	19,578	75.50	20,860	79.75	22,101	84.00	23,293
67.25	18,344	71.50	19,655	75.75	20,934	80.00	22,173	84.25	23,361
67.50	18,421	71.75	19,731	76.00	21,008	80.25	22,244	84.50	23,429
67.75	18,499	72.00	19,807	76.25	21,082	80.50	22,316	84.75	23,497



## Capacity/Gauge Table Information

**TCLX 290490**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 290

Reporting Mark: TCLX 290490

Date: 06/10/2015

Capacity: 28,938 US Gallons (109,542 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,565	89.25	24,681	93.50	25,721	97.75	26,670	102.00	27,509
85.25	23,633	89.50	24,744	93.75	25,779	98.00	26,723	102.25	27,554
85.50	23,700	89.75	24,807	94.00	25,837	98.25	26,775	102.50	27,599
85.75	23,767	90.00	24,870	94.25	25,895	98.50	26,827	102.75	27,644
86.00	23,834	90.25	24,933	94.50	25,953	98.75	26,878	103.00	27,687
86.25	23,900	90.50	24,995	94.75	26,010	99.00	26,929	103.25	27,731
86.50	23,967	90.75	25,057	95.00	26,067	99.25	26,980	103.50	27,774
86.75	24,033	91.00	25,119	95.25	26,124	99.50	27,030	103.75	27,816
87.00	24,099	91.25	25,180	95.50	26,180	99.75	27,080	104.00	27,858
87.25	24,164	91.50	25,242	95.75	26,236	100.00	27,129	104.25	27,899
87.50	24,230	91.75	25,302	96.00	26,291	100.25	27,178	104.50	27,940
87.75	24,295	92.00	25,363	96.25	26,346	100.50	27,227	104.75	27,980
88.00	24,360	92.25	25,423	96.50	26,401	100.75	27,275	105.00	28,020
88.25	24,424	92.50	25,483	96.75	26,456	101.00	27,323	105.25	28,059
88.50	24,489	92.75	25,543	97.00	26,510	101.25	27,370	105.50	28,097
88.75	24,553	93.00	25,603	97.25	26,564	101.50	27,417	105.75	28,135
89.00	24,617	93.25	25,662	97.50	26,617	101.75	27,463	106.00	28,173





## Capacity/Gauge Table Information

**TCLX 290490**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 290

Reporting Mark: TCLX 290490

Date: 06/10/2015

Capacity: 28,938 US Gallons (109,542 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,209	110.50	28,718	114.75	28,925
106.50	28,245	110.75	28,739	115.00	28,929
106.75	28,281	111.00	28,759	115.25	28,932
107.00	28,315	111.25	28,778	115.50	28,934
107.25	28,349	111.50	28,796	115.75	28,936
107.50	28,383	111.75	28,812	116.00	28,937
107.75	28,415	112.00	28,827	116.25	28,938
108.00	28,447	112.25	28,841	116.50	28,938
108.25	28,478	112.50	28,854	116.75	28,938
108.50	28,508	112.75	28,866		
108.75	28,538	113.00	28,876		
109.00	28,567	113.25	28,886		
109.25	28,594	113.50	28,895		
109.50	28,621	113.75	28,903		
109.75	28,647	114.00	28,910		
110.00	28,672	114.25	28,916		
110.25	28,696	114.50	28,921		



## Capacity/Gauge Table Information

**TCLX 290491**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 291

Reporting Mark: TCLX 290491

Date: 27/05/2015

Capacity: 28,939 US Gallons (109,547 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	579	8.50	1,329	12.75	2,208	17.00	3,190
0.25	28	4.50	619	8.75	1,378	13.00	2,263	17.25	3,251
0.50	57	4.75	660	9.00	1,427	13.25	2,319	17.50	3,311
0.75	87	5.00	701	9.25	1,476	13.50	2,374	17.75	3,373
1.00	117	5.25	743	9.50	1,526	13.75	2,431	18.00	3,434
1.25	149	5.50	785	9.75	1,576	14.00	2,487	18.25	3,496
1.50	181	5.75	827	10.00	1,626	14.25	2,544	18.50	3,558
1.75	214	6.00	871	10.25	1,677	14.50	2,601	18.75	3,620
2.00	247	6.25	914	10.50	1,729	14.75	2,658	19.00	3,682
2.25	282	6.50	958	10.75	1,780	15.00	2,716	19.25	3,745
2.50	316	6.75	1,003	11.00	1,833	15.25	2,774	19.50	3,808
2.75	352	7.00	1,048	11.25	1,885	15.50	2,833	19.75	3,872
3.00	388	7.25	1,094	11.50	1,938	15.75	2,892	20.00	3,935
3.25	425	7.50	1,140	11.75	1,991	16.00	2,951	20.25	3,999
3.50	463	7.75	1,187	12.00	2,045	16.25	3,010	20.50	4,063
3.75	501	8.00	1,234	12.25	2,099	16.50	3,070	20.75	4,128
4.00	540	8.25	1,281	12.50	2,153	16.75	3,130	21.00	4,192



## Capacity/Gauge Table Information

**TCLX 290491**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 291

Reporting Mark: TCLX 290491

Date: 27/05/2015

Capacity: 28,939 US Gallons (109,547 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,257	25.50	5,395	29.75	6,592	34.00	7,838	38.25	9,122
21.50	4,322	25.75	5,464	30.00	6,664	34.25	7,912	38.50	9,199
21.75	4,388	26.00	5,533	30.25	6,737	34.50	7,987	38.75	9,276
22.00	4,453	26.25	5,603	30.50	6,809	34.75	8,062	39.00	9,353
22.25	4,519	26.50	5,672	30.75	6,881	35.00	8,137	39.25	9,429
22.50	4,585	26.75	5,742	31.00	6,954	35.25	8,212	39.50	9,506
22.75	4,651	27.00	5,812	31.25	7,027	35.50	8,287	39.75	9,583
23.00	4,718	27.25	5,882	31.50	7,100	35.75	8,363	40.00	9,661
23.25	4,785	27.50	5,952	31.75	7,173	36.00	8,438	40.25	9,738
23.50	4,852	27.75	6,022	32.00	7,246	36.25	8,514	40.50	9,815
23.75	4,919	28.00	6,093	32.25	7,320	36.50	8,589	40.75	9,893
24.00	4,986	28.25	6,164	32.50	7,393	36.75	8,665	41.00	9,970
24.25	5,054	28.50	6,235	32.75	7,467	37.00	8,741	41.25	10,048
24.50	5,122	28.75	6,306	33.00	7,541	37.25	8,817	41.50	10,126
24.75	5,190	29.00	6,377	33.25	7,615	37.50	8,893	41.75	10,203
25.00	5,258	29.25	6,449	33.50	7,689	37.75	8,970	42.00	10,281
25.25	5,327	29.50	6,520	33.75	7,763	38.00	9,046	42.25	10,359



## Capacity/Gauge Table Information

**TCLX 290491**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 291

Reporting Mark: TCLX 290491

Date: 27/05/2015

Capacity: 28,939 US Gallons (109,547 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,437	46.75	11,774	51.00	13,125	55.25	14,483	59.50	15,839
42.75	10,515	47.00	11,853	51.25	13,205	55.50	14,563	59.75	15,919
43.00	10,594	47.25	11,933	51.50	13,285	55.75	14,643	60.00	15,998
43.25	10,672	47.50	12,012	51.75	13,365	56.00	14,722	60.25	16,078
43.50	10,750	47.75	12,091	52.00	13,444	56.25	14,802	60.50	16,157
43.75	10,829	48.00	12,170	52.25	13,524	56.50	14,882	60.75	16,237
44.00	10,907	48.25	12,250	52.50	13,604	56.75	14,962	61.00	16,316
44.25	10,986	48.50	12,329	52.75	13,684	57.00	15,042	61.25	16,396
44.50	11,064	48.75	12,409	53.00	13,764	57.25	15,122	61.50	16,475
44.75	11,143	49.00	12,488	53.25	13,844	57.50	15,202	61.75	16,554
45.00	11,222	49.25	12,568	53.50	13,924	57.75	15,281	62.00	16,633
45.25	11,300	49.50	12,647	53.75	14,003	58.00	15,361	62.25	16,713
45.50	11,379	49.75	12,727	54.00	14,083	58.25	15,441	62.50	16,792
45.75	11,458	50.00	12,807	54.25	14,163	58.50	15,521	62.75	16,871
46.00	11,537	50.25	12,886	54.50	14,243	58.75	15,600	63.00	16,950
46.25	11,616	50.50	12,966	54.75	14,323	59.00	15,680	63.25	17,029
46.50	11,695	50.75	13,046	55.00	14,403	59.25	15,760	63.50	17,108



## Capacity/Gauge Table Information

**TCLX 290491**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 291

Reporting Mark: TCLX 290491

Date: 27/05/2015

Capacity: 28,939 US Gallons (109,547 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,187	68.00	18,518	72.25	19,825	76.50	21,098	80.75	22,331
64.00	17,266	68.25	18,596	72.50	19,901	76.75	21,172	81.00	22,402
64.25	17,344	68.50	18,673	72.75	19,976	77.00	21,246	81.25	22,472
64.50	17,423	68.75	18,751	73.00	20,052	77.25	21,319	81.50	22,543
64.75	17,502	69.00	18,828	73.25	20,128	77.50	21,392	81.75	22,613
65.00	17,580	69.25	18,905	73.50	20,203	77.75	21,466	82.00	22,684
65.25	17,659	69.50	18,982	73.75	20,278	78.00	21,539	82.25	22,754
65.50	17,737	69.75	19,059	74.00	20,354	78.25	21,611	82.50	22,824
65.75	17,816	70.00	19,136	74.25	20,429	78.50	21,684	82.75	22,893
66.00	17,894	70.25	19,213	74.50	20,504	78.75	21,757	83.00	22,963
66.25	17,972	70.50	19,290	74.75	20,578	79.00	21,829	83.25	23,032
66.50	18,051	70.75	19,367	75.00	20,653	79.25	21,901	83.50	23,101
66.75	18,129	71.00	19,443	75.25	20,728	79.50	21,973	83.75	23,170
67.00	18,207	71.25	19,520	75.50	20,802	79.75	22,045	84.00	23,239
67.25	18,285	71.50	19,596	75.75	20,876	80.00	22,117	84.25	23,307
67.50	18,362	71.75	19,672	76.00	20,951	80.25	22,188	84.50	23,375
67.75	18,440	72.00	19,749	76.25	21,025	80.50	22,259	84.75	23,443



## Capacity/Gauge Table Information

**TCLX 290491**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 291

Reporting Mark: TCLX 290491

Date: 27/05/2015

Capacity: 28,939 US Gallons (109,547 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,511	89.25	24,630	93.50	25,673	97.75	26,628	102.00	27,473
85.25	23,579	89.50	24,693	93.75	25,732	98.00	26,680	102.25	27,519
85.50	23,646	89.75	24,757	94.00	25,791	98.25	26,733	102.50	27,564
85.75	23,713	90.00	24,820	94.25	25,849	98.50	26,785	102.75	27,609
86.00	23,780	90.25	24,882	94.50	25,907	98.75	26,837	103.00	27,653
86.25	23,847	90.50	24,945	94.75	25,964	99.00	26,888	103.25	27,697
86.50	23,914	90.75	25,007	95.00	26,021	99.25	26,939	103.50	27,740
86.75	23,980	91.00	25,069	95.25	26,078	99.50	26,990	103.75	27,783
87.00	24,046	91.25	25,131	95.50	26,135	99.75	27,040	104.00	27,825
87.25	24,112	91.50	25,192	95.75	26,191	100.00	27,090	104.25	27,867
87.50	24,177	91.75	25,254	96.00	26,247	100.25	27,139	104.50	27,908
87.75	24,243	92.00	25,314	96.25	26,302	100.50	27,188	104.75	27,949
88.00	24,308	92.25	25,375	96.50	26,357	100.75	27,237	105.00	27,989
88.25	24,373	92.50	25,435	96.75	26,412	101.00	27,285	105.25	28,029
88.50	24,437	92.75	25,495	97.00	26,466	101.25	27,333	105.50	28,068
88.75	24,502	93.00	25,555	97.25	26,521	101.50	27,380	105.75	28,106
89.00	24,566	93.25	25,614	97.50	26,574	101.75	27,426	106.00	28,144



## Capacity/Gauge Table Information

**TCLX 290491**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 291

Reporting Mark: TCLX 290491

Date: 27/05/2015

Capacity: 28,939 US Gallons (109,547 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,181	110.50	28,704	114.75	28,926
106.50	28,218	110.75	28,727	115.00	28,930
106.75	28,254	111.00	28,748	115.25	28,933
107.00	28,289	111.25	28,768	115.50	28,935
107.25	28,324	111.50	28,787	115.75	28,937
107.50	28,358	111.75	28,804	116.00	28,938
107.75	28,391	112.00	28,821	116.25	28,939
108.00	28,424	112.25	28,836	116.50	28,939
108.25	28,456	112.50	28,849	116.75	28,939
108.50	28,487	112.75	28,862		
108.75	28,517	113.00	28,873		
109.00	28,546	113.25	28,884		
109.25	28,575	113.50	28,893		
109.50	28,603	113.75	28,902		
109.75	28,630	114.00	28,909		
110.00	28,655	114.25	28,915		
110.25	28,680	114.50	28,921		





## Capacity/Gauge Table Information

**TCLX 290492**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 292

Reporting Mark: TCLX 290492

Date: 05/06/2015

Capacity: 28,981 US Gallons (109,704 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,347	12.75	2,233	17.00	3,221
0.25	29	4.50	629	8.75	1,396	13.00	2,288	17.25	3,282
0.50	58	4.75	670	9.00	1,445	13.25	2,344	17.50	3,343
0.75	89	5.00	712	9.25	1,495	13.50	2,400	17.75	3,405
1.00	120	5.25	754	9.50	1,545	13.75	2,457	18.00	3,466
1.25	152	5.50	797	9.75	1,595	14.00	2,513	18.25	3,528
1.50	184	5.75	840	10.00	1,646	14.25	2,571	18.50	3,591
1.75	218	6.00	884	10.25	1,698	14.50	2,628	18.75	3,653
2.00	252	6.25	928	10.50	1,750	14.75	2,686	19.00	3,716
2.25	287	6.50	972	10.75	1,802	15.00	2,744	19.25	3,780
2.50	322	6.75	1,018	11.00	1,854	15.25	2,803	19.50	3,843
2.75	359	7.00	1,063	11.25	1,907	15.50	2,862	19.75	3,907
3.00	396	7.25	1,109	11.50	1,960	15.75	2,921	20.00	3,971
3.25	433	7.50	1,156	11.75	2,014	16.00	2,980	20.25	4,035
3.50	471	7.75	1,203	12.00	2,068	16.25	3,040	20.50	4,099
3.75	510	8.00	1,251	12.25	2,123	16.50	3,100	20.75	4,164
4.00	549	8.25	1,299	12.50	2,177	16.75	3,160	21.00	4,229



## Capacity/Gauge Table Information

**TCLX 290492**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 292

Reporting Mark: TCLX 290492

Date: 05/06/2015

Capacity: 28,981 US Gallons (109,704 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,294	25.50	5,438	29.75	6,641	34.00	7,892	38.25	9,181
21.50	4,360	25.75	5,507	30.00	6,713	34.25	7,966	38.50	9,258
21.75	4,425	26.00	5,577	30.25	6,786	34.50	8,041	38.75	9,335
22.00	4,491	26.25	5,646	30.50	6,858	34.75	8,117	39.00	9,412
22.25	4,557	26.50	5,716	30.75	6,931	35.00	8,192	39.25	9,489
22.50	4,624	26.75	5,786	31.00	7,004	35.25	8,267	39.50	9,567
22.75	4,691	27.00	5,856	31.25	7,077	35.50	8,343	39.75	9,644
23.00	4,757	27.25	5,927	31.50	7,151	35.75	8,418	40.00	9,721
23.25	4,824	27.50	5,997	31.75	7,224	36.00	8,494	40.25	9,799
23.50	4,892	27.75	6,068	32.00	7,298	36.25	8,570	40.50	9,877
23.75	4,959	28.00	6,139	32.25	7,371	36.50	8,646	40.75	9,954
24.00	5,027	28.25	6,210	32.50	7,445	36.75	8,722	41.00	10,032
24.25	5,095	28.50	6,282	32.75	7,519	37.00	8,798	41.25	10,110
24.50	5,163	28.75	6,353	33.00	7,593	37.25	8,875	41.50	10,188
24.75	5,232	29.00	6,425	33.25	7,668	37.50	8,951	41.75	10,266
25.00	5,300	29.25	6,497	33.50	7,742	37.75	9,028	42.00	10,344
25.25	5,369	29.50	6,569	33.75	7,817	38.00	9,104	42.25	10,423



## Capacity/Gauge Table Information

**TCLX 290492**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 292

Reporting Mark: TCLX 290492

Date: 05/06/2015

Capacity: 28,981 US Gallons (109,704 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,501	46.75	11,842	51.00	13,197	55.25	14,559	59.50	15,918
42.75	10,579	47.00	11,922	51.25	13,277	55.50	14,639	59.75	15,998
43.00	10,658	47.25	12,001	51.50	13,357	55.75	14,719	60.00	16,078
43.25	10,736	47.50	12,081	51.75	13,437	56.00	14,799	60.25	16,158
43.50	10,815	47.75	12,160	52.00	13,517	56.25	14,879	60.50	16,237
43.75	10,893	48.00	12,240	52.25	13,598	56.50	14,959	60.75	16,317
44.00	10,972	48.25	12,319	52.50	13,678	56.75	15,039	61.00	16,397
44.25	11,051	48.50	12,399	52.75	13,758	57.00	15,119	61.25	16,476
44.50	11,130	48.75	12,479	53.00	13,838	57.25	15,199	61.50	16,556
44.75	11,209	49.00	12,558	53.25	13,918	57.50	15,279	61.75	16,635
45.00	11,288	49.25	12,638	53.50	13,998	57.75	15,359	62.00	16,714
45.25	11,367	49.50	12,718	53.75	14,078	58.00	15,439	62.25	16,794
45.50	11,446	49.75	12,798	54.00	14,158	58.25	15,519	62.50	16,873
45.75	11,525	50.00	12,878	54.25	14,238	58.50	15,599	62.75	16,952
46.00	11,604	50.25	12,958	54.50	14,318	58.75	15,679	63.00	17,032
46.25	11,684	50.50	13,038	54.75	14,398	59.00	15,759	63.25	17,111
46.50	11,763	50.75	13,117	55.00	14,479	59.25	15,839	63.50	17,190



## Capacity/Gauge Table Information

**TCLX 290492**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 292

Reporting Mark: TCLX 290492

Date: 05/06/2015

Capacity: 28,981 US Gallons (109,704 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,269	68.00	18,602	72.25	19,911	76.50	21,186	80.75	22,418
64.00	17,348	68.25	18,680	72.50	19,987	76.75	21,260	81.00	22,489
64.25	17,427	68.50	18,758	72.75	20,063	77.00	21,333	81.25	22,560
64.50	17,506	68.75	18,835	73.00	20,139	77.25	21,407	81.50	22,631
64.75	17,585	69.00	18,913	73.25	20,214	77.50	21,480	81.75	22,701
65.00	17,663	69.25	18,990	73.50	20,290	77.75	21,553	82.00	22,771
65.25	17,742	69.50	19,068	73.75	20,365	78.00	21,626	82.25	22,841
65.50	17,821	69.75	19,145	74.00	20,440	78.25	21,699	82.50	22,911
65.75	17,899	70.00	19,222	74.25	20,516	78.50	21,772	82.75	22,981
66.00	17,978	70.25	19,299	74.50	20,591	78.75	21,844	83.00	23,050
66.25	18,056	70.50	19,376	74.75	20,665	79.00	21,917	83.25	23,120
66.50	18,134	70.75	19,452	75.00	20,740	79.25	21,989	83.50	23,189
66.75	18,212	71.00	19,529	75.25	20,815	79.50	22,061	83.75	23,258
67.00	18,291	71.25	19,606	75.50	20,889	79.75	22,133	84.00	23,326
67.25	18,369	71.50	19,682	75.75	20,964	80.00	22,204	84.25	23,395
67.50	18,447	71.75	19,759	76.00	21,038	80.25	22,276	84.50	23,463
67.75	18,525	72.00	19,835	76.25	21,112	80.50	22,347	84.75	23,531



## Capacity/Gauge Table Information

**TCLX 290492**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 292

Reporting Mark: TCLX 290492

Date: 05/06/2015

Capacity: 28,981 US Gallons (109,704 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,599	89.25	24,716	93.50	25,757	97.75	26,708	102.00	27,548
85.25	23,666	89.50	24,779	93.75	25,816	98.00	26,761	102.25	27,593
85.50	23,734	89.75	24,843	94.00	25,874	98.25	26,813	102.50	27,638
85.75	23,801	90.00	24,906	94.25	25,932	98.50	26,865	102.75	27,683
86.00	23,868	90.25	24,968	94.50	25,990	98.75	26,916	103.00	27,727
86.25	23,934	90.50	25,031	94.75	26,047	99.00	26,967	103.25	27,770
86.50	24,001	90.75	25,093	95.00	26,104	99.25	27,018	103.50	27,813
86.75	24,067	91.00	25,155	95.25	26,161	99.50	27,069	103.75	27,856
87.00	24,133	91.25	25,216	95.50	26,217	99.75	27,118	104.00	27,898
87.25	24,199	91.50	25,278	95.75	26,273	100.00	27,168	104.25	27,939
87.50	24,264	91.75	25,339	96.00	26,329	100.25	27,217	104.50	27,980
87.75	24,330	92.00	25,399	96.25	26,384	100.50	27,266	104.75	28,020
88.00	24,395	92.25	25,460	96.50	26,439	100.75	27,314	105.00	28,060
88.25	24,459	92.50	25,520	96.75	26,493	101.00	27,361	105.25	28,099
88.50	24,524	92.75	25,580	97.00	26,548	101.25	27,409	105.50	28,137
88.75	24,588	93.00	25,639	97.25	26,601	101.50	27,456	105.75	28,175
89.00	24,652	93.25	25,698	97.50	26,655	101.75	27,502	106.00	28,213



## Capacity/Gauge Table Information

**TCLX 290492**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 292

Reporting Mark: TCLX 290492

Date: 05/06/2015

Capacity: 28,981 US Gallons (109,704 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,249	110.50	28,760	114.75	28,968
106.50	28,285	110.75	28,781	115.00	28,972
106.75	28,321	111.00	28,801	115.25	28,974
107.00	28,355	111.25	28,820	115.50	28,977
107.25	28,390	111.50	28,837	115.75	28,978
107.50	28,423	111.75	28,854	116.00	28,980
107.75	28,456	112.00	28,869	116.25	28,980
108.00	28,487	112.25	28,883	116.50	28,981
108.25	28,519	112.50	28,896	116.75	28,981
108.50	28,549	112.75	28,908		
108.75	28,579	113.00	28,919		
109.00	28,607	113.25	28,929		
109.25	28,635	113.50	28,937		
109.50	28,662	113.75	28,945		
109.75	28,688	114.00	28,952		
110.00	28,713	114.25	28,958		
110.25	28,737	114.50	28,963		



## Capacity/Gauge Table Information

**TCLX 290493**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 293

Reporting Mark: TCLX 290493

Date: 12/06/2015

Capacity: 28,956 US Gallons (109,611 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,350	12.75	2,237	17.00	3,226
0.25	29	4.50	632	8.75	1,399	13.00	2,293	17.25	3,287
0.50	59	4.75	673	9.00	1,449	13.25	2,348	17.50	3,348
0.75	89	5.00	714	9.25	1,498	13.50	2,405	17.75	3,410
1.00	120	5.25	757	9.50	1,549	13.75	2,461	18.00	3,471
1.25	152	5.50	799	9.75	1,599	14.00	2,518	18.25	3,534
1.50	185	5.75	843	10.00	1,650	14.25	2,575	18.50	3,596
1.75	219	6.00	886	10.25	1,702	14.50	2,633	18.75	3,659
2.00	253	6.25	931	10.50	1,754	14.75	2,691	19.00	3,722
2.25	288	6.50	975	10.75	1,806	15.00	2,749	19.25	3,785
2.50	324	6.75	1,021	11.00	1,858	15.25	2,808	19.50	3,848
2.75	360	7.00	1,066	11.25	1,911	15.50	2,866	19.75	3,912
3.00	397	7.25	1,113	11.50	1,965	15.75	2,926	20.00	3,976
3.25	435	7.50	1,159	11.75	2,018	16.00	2,985	20.25	4,040
3.50	473	7.75	1,206	12.00	2,072	16.25	3,045	20.50	4,105
3.75	512	8.00	1,254	12.25	2,127	16.50	3,105	20.75	4,169
4.00	551	8.25	1,302	12.50	2,182	16.75	3,165	21.00	4,234





## Capacity/Gauge Table Information

**TCLX 290493**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 293

Reporting Mark: TCLX 290493

Date: 12/06/2015

Capacity: 28,956 US Gallons (109,611 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,299	25.50	5,443	29.75	6,646	34.00	7,896	38.25	9,185
21.50	4,365	25.75	5,513	30.00	6,718	34.25	7,971	38.50	9,262
21.75	4,431	26.00	5,582	30.25	6,791	34.50	8,046	38.75	9,339
22.00	4,497	26.25	5,652	30.50	6,863	34.75	8,121	39.00	9,416
22.25	4,563	26.50	5,721	30.75	6,936	35.00	8,197	39.25	9,493
22.50	4,629	26.75	5,791	31.00	7,009	35.25	8,272	39.50	9,571
22.75	4,696	27.00	5,862	31.25	7,082	35.50	8,347	39.75	9,648
23.00	4,763	27.25	5,932	31.50	7,155	35.75	8,423	40.00	9,725
23.25	4,830	27.50	6,003	31.75	7,229	36.00	8,499	40.25	9,803
23.50	4,897	27.75	6,073	32.00	7,302	36.25	8,575	40.50	9,880
23.75	4,965	28.00	6,144	32.25	7,376	36.50	8,651	40.75	9,958
24.00	5,032	28.25	6,215	32.50	7,450	36.75	8,727	41.00	10,036
24.25	5,100	28.50	6,287	32.75	7,524	37.00	8,803	41.25	10,114
24.50	5,169	28.75	6,358	33.00	7,598	37.25	8,879	41.50	10,192
24.75	5,237	29.00	6,430	33.25	7,673	37.50	8,956	41.75	10,270
25.00	5,306	29.25	6,502	33.50	7,747	37.75	9,032	42.00	10,348
25.25	5,374	29.50	6,574	33.75	7,822	38.00	9,109	42.25	10,426



## Capacity/Gauge Table Information

**TCLX 290493**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 293

Reporting Mark: TCLX 290493

Date: 12/06/2015

Capacity: 28,956 US Gallons (109,611 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,504	46.75	11,845	51.00	13,199	55.25	14,560	59.50	15,918
42.75	10,583	47.00	11,924	51.25	13,279	55.50	14,640	59.75	15,998
43.00	10,661	47.25	12,004	51.50	13,359	55.75	14,720	60.00	16,078
43.25	10,740	47.50	12,083	51.75	13,439	56.00	14,800	60.25	16,157
43.50	10,818	47.75	12,163	52.00	13,519	56.25	14,880	60.50	16,237
43.75	10,897	48.00	12,242	52.25	13,599	56.50	14,960	60.75	16,316
44.00	10,975	48.25	12,322	52.50	13,679	56.75	15,040	61.00	16,396
44.25	11,054	48.50	12,401	52.75	13,759	57.00	15,120	61.25	16,475
44.50	11,133	48.75	12,481	53.00	13,839	57.25	15,200	61.50	16,555
44.75	11,212	49.00	12,561	53.25	13,919	57.50	15,279	61.75	16,634
45.00	11,291	49.25	12,640	53.50	13,999	57.75	15,359	62.00	16,713
45.25	11,370	49.50	12,720	53.75	14,079	58.00	15,439	62.25	16,793
45.50	11,449	49.75	12,800	54.00	14,159	58.25	15,519	62.50	16,872
45.75	11,528	50.00	12,880	54.25	14,239	58.50	15,599	62.75	16,951
46.00	11,607	50.25	12,960	54.50	14,319	58.75	15,679	63.00	17,030
46.25	11,686	50.50	13,039	54.75	14,399	59.00	15,759	63.25	17,109
46.50	11,766	50.75	13,119	55.00	14,479	59.25	15,838	63.50	17,188



## Capacity/Gauge Table Information

**TCLX 290493**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 293

Reporting Mark: TCLX 290493

Date: 12/06/2015

Capacity: 28,956 US Gallons (109,611 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,267	68.00	18,600	72.25	19,907	76.50	21,180	80.75	22,412
64.00	17,346	68.25	18,677	72.50	19,983	76.75	21,254	81.00	22,482
64.25	17,425	68.50	18,755	72.75	20,059	77.00	21,328	81.25	22,553
64.50	17,504	68.75	18,832	73.00	20,134	77.25	21,401	81.50	22,624
64.75	17,583	69.00	18,910	73.25	20,210	77.50	21,474	81.75	22,694
65.00	17,661	69.25	18,987	73.50	20,285	77.75	21,547	82.00	22,764
65.25	17,740	69.50	19,064	73.75	20,361	78.00	21,620	82.25	22,834
65.50	17,819	69.75	19,141	74.00	20,436	78.25	21,693	82.50	22,904
65.75	17,897	70.00	19,218	74.25	20,511	78.50	21,766	82.75	22,973
66.00	17,975	70.25	19,295	74.50	20,586	78.75	21,838	83.00	23,043
66.25	18,054	70.50	19,372	74.75	20,661	79.00	21,910	83.25	23,112
66.50	18,132	70.75	19,449	75.00	20,735	79.25	21,982	83.50	23,181
66.75	18,210	71.00	19,525	75.25	20,810	79.50	22,054	83.75	23,250
67.00	18,288	71.25	19,602	75.50	20,884	79.75	22,126	84.00	23,318
67.25	18,366	71.50	19,678	75.75	20,958	80.00	22,198	84.25	23,387
67.50	18,444	71.75	19,755	76.00	21,033	80.25	22,269	84.50	23,455
67.75	18,522	72.00	19,831	76.25	21,107	80.50	22,340	84.75	23,523



## Capacity/Gauge Table Information

**TCLX 290493**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 293

Reporting Mark: TCLX 290493

Date: 12/06/2015

Capacity: 28,956 US Gallons (109,611 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,590	89.25	24,706	93.50	25,746	97.75	26,695	102.00	27,533
85.25	23,658	89.50	24,769	93.75	25,804	98.00	26,747	102.25	27,578
85.50	23,725	89.75	24,833	94.00	25,862	98.25	26,799	102.50	27,623
85.75	23,792	90.00	24,895	94.25	25,920	98.50	26,851	102.75	27,667
86.00	23,859	90.25	24,958	94.50	25,978	98.75	26,903	103.00	27,711
86.25	23,926	90.50	25,020	94.75	26,035	99.00	26,954	103.25	27,754
86.50	23,992	90.75	25,082	95.00	26,092	99.25	27,004	103.50	27,797
86.75	24,058	91.00	25,144	95.25	26,148	99.50	27,054	103.75	27,839
87.00	24,124	91.25	25,206	95.50	26,205	99.75	27,104	104.00	27,881
87.25	24,190	91.50	25,267	95.75	26,261	100.00	27,154	104.25	27,922
87.50	24,255	91.75	25,328	96.00	26,316	100.25	27,202	104.50	27,963
87.75	24,320	92.00	25,388	96.25	26,371	100.50	27,251	104.75	28,003
88.00	24,385	92.25	25,449	96.50	26,426	100.75	27,299	105.00	28,043
88.25	24,450	92.50	25,509	96.75	26,480	101.00	27,347	105.25	28,082
88.50	24,514	92.75	25,568	97.00	26,535	101.25	27,394	105.50	28,120
88.75	24,578	93.00	25,628	97.25	26,588	101.50	27,441	105.75	28,158
89.00	24,642	93.25	25,687	97.50	26,642	101.75	27,487	106.00	28,195



## Capacity/Gauge Table Information

**TCLX 290493**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 293

Reporting Mark: TCLX 290493

Date: 12/06/2015

Capacity: 28,956 US Gallons (109,611 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,232	110.50	28,738	114.75	28,944
106.50	28,268	110.75	28,759	115.00	28,947
106.75	28,303	111.00	28,779	115.25	28,950
107.00	28,337	111.25	28,798	115.50	28,952
107.25	28,371	111.50	28,815	115.75	28,954
107.50	28,404	111.75	28,831	116.00	28,955
107.75	28,437	112.00	28,846	116.25	28,956
108.00	28,469	112.25	28,860	116.50	28,956
108.25	28,500	112.50	28,873	116.75	28,956
108.50	28,530	112.75	28,885		
108.75	28,559	113.00	28,895		
109.00	28,588	113.25	28,905		
109.25	28,615	113.50	28,914		
109.50	28,642	113.75	28,921		
109.75	28,668	114.00	28,928		
110.00	28,692	114.25	28,934		
110.25	28,716	114.50	28,939		



## Capacity/Gauge Table Information

**TCLX 290494**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 294

Reporting Mark: TCLX 290494

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,346	12.75	2,231	17.00	3,219
0.25	29	4.50	629	8.75	1,395	13.00	2,287	17.25	3,280
0.50	58	4.75	670	9.00	1,444	13.25	2,343	17.50	3,341
0.75	89	5.00	712	9.25	1,494	13.50	2,399	17.75	3,403
1.00	120	5.25	754	9.50	1,544	13.75	2,455	18.00	3,465
1.25	152	5.50	796	9.75	1,595	14.00	2,512	18.25	3,527
1.50	184	5.75	839	10.00	1,646	14.25	2,569	18.50	3,589
1.75	218	6.00	883	10.25	1,697	14.50	2,627	18.75	3,652
2.00	252	6.25	927	10.50	1,749	14.75	2,685	19.00	3,715
2.25	287	6.50	972	10.75	1,801	15.00	2,743	19.25	3,778
2.50	322	6.75	1,017	11.00	1,853	15.25	2,801	19.50	3,841
2.75	358	7.00	1,063	11.25	1,906	15.50	2,860	19.75	3,905
3.00	395	7.25	1,109	11.50	1,959	15.75	2,919	20.00	3,969
3.25	433	7.50	1,155	11.75	2,013	16.00	2,979	20.25	4,033
3.50	471	7.75	1,202	12.00	2,067	16.25	3,038	20.50	4,097
3.75	509	8.00	1,250	12.25	2,122	16.50	3,098	20.75	4,162
4.00	549	8.25	1,298	12.50	2,176	16.75	3,159	21.00	4,227



## Capacity/Gauge Table Information

**TCLX 290494**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 294

Reporting Mark: TCLX 290494

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,292	25.50	5,435	29.75	6,637	34.00	7,888	38.25	9,177
21.50	4,358	25.75	5,505	30.00	6,710	34.25	7,963	38.50	9,254
21.75	4,423	26.00	5,574	30.25	6,782	34.50	8,038	38.75	9,330
22.00	4,489	26.25	5,644	30.50	6,855	34.75	8,113	39.00	9,408
22.25	4,555	26.50	5,713	30.75	6,928	35.00	8,188	39.25	9,485
22.50	4,622	26.75	5,783	31.00	7,001	35.25	8,263	39.50	9,562
22.75	4,688	27.00	5,854	31.25	7,074	35.50	8,339	39.75	9,639
23.00	4,755	27.25	5,924	31.50	7,147	35.75	8,414	40.00	9,717
23.25	4,822	27.50	5,994	31.75	7,220	36.00	8,490	40.25	9,794
23.50	4,889	27.75	6,065	32.00	7,294	36.25	8,566	40.50	9,872
23.75	4,957	28.00	6,136	32.25	7,368	36.50	8,642	40.75	9,949
24.00	5,025	28.25	6,207	32.50	7,442	36.75	8,718	41.00	10,027
24.25	5,093	28.50	6,278	32.75	7,516	37.00	8,794	41.25	10,105
24.50	5,161	28.75	6,350	33.00	7,590	37.25	8,870	41.50	10,183
24.75	5,229	29.00	6,422	33.25	7,664	37.50	8,947	41.75	10,261
25.00	5,298	29.25	6,493	33.50	7,738	37.75	9,023	42.00	10,339
25.25	5,366	29.50	6,565	33.75	7,813	38.00	9,100	42.25	10,417





## Capacity/Gauge Table Information

**TCLX 290494**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 294

Reporting Mark: TCLX 290494

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,496	46.75	11,836	51.00	13,191	55.25	14,552	59.50	15,911
42.75	10,574	47.00	11,916	51.25	13,271	55.50	14,632	59.75	15,990
43.00	10,652	47.25	11,995	51.50	13,351	55.75	14,712	60.00	16,070
43.25	10,731	47.50	12,075	51.75	13,431	56.00	14,792	60.25	16,150
43.50	10,809	47.75	12,154	52.00	13,511	56.25	14,872	60.50	16,229
43.75	10,888	48.00	12,234	52.25	13,591	56.50	14,952	60.75	16,309
44.00	10,967	48.25	12,313	52.50	13,671	56.75	15,032	61.00	16,389
44.25	11,046	48.50	12,393	52.75	13,751	57.00	15,112	61.25	16,468
44.50	11,124	48.75	12,473	53.00	13,831	57.25	15,192	61.50	16,548
44.75	11,203	49.00	12,552	53.25	13,911	57.50	15,272	61.75	16,627
45.00	11,282	49.25	12,632	53.50	13,991	57.75	15,352	62.00	16,706
45.25	11,361	49.50	12,712	53.75	14,071	58.00	15,432	62.25	16,786
45.50	11,440	49.75	12,792	54.00	14,151	58.25	15,512	62.50	16,865
45.75	11,519	50.00	12,871	54.25	14,231	58.50	15,591	62.75	16,944
46.00	11,599	50.25	12,951	54.50	14,311	58.75	15,671	63.00	17,023
46.25	11,678	50.50	13,031	54.75	14,391	59.00	15,751	63.25	17,102
46.50	11,757	50.75	13,111	55.00	14,471	59.25	15,831	63.50	17,182



## Capacity/Gauge Table Information

**TCLX 290494**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 294

Reporting Mark: TCLX 290494

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,261	68.00	18,594	72.25	19,901	76.50	21,176	80.75	22,408
64.00	17,340	68.25	18,671	72.50	19,977	76.75	21,250	81.00	22,479
64.25	17,418	68.50	18,749	72.75	20,053	77.00	21,323	81.25	22,550
64.50	17,497	68.75	18,826	73.00	20,129	77.25	21,397	81.50	22,620
64.75	17,576	69.00	18,904	73.25	20,205	77.50	21,470	81.75	22,691
65.00	17,655	69.25	18,981	73.50	20,280	77.75	21,543	82.00	22,761
65.25	17,733	69.50	19,058	73.75	20,356	78.00	21,616	82.25	22,831
65.50	17,812	69.75	19,136	74.00	20,431	78.25	21,689	82.50	22,901
65.75	17,890	70.00	19,213	74.25	20,506	78.50	21,762	82.75	22,971
66.00	17,969	70.25	19,290	74.50	20,581	78.75	21,834	83.00	23,040
66.25	18,047	70.50	19,366	74.75	20,656	79.00	21,906	83.25	23,109
66.50	18,125	70.75	19,443	75.00	20,730	79.25	21,979	83.50	23,178
66.75	18,204	71.00	19,520	75.25	20,805	79.50	22,051	83.75	23,247
67.00	18,282	71.25	19,596	75.50	20,880	79.75	22,123	84.00	23,316
67.25	18,360	71.50	19,673	75.75	20,954	80.00	22,194	84.25	23,384
67.50	18,438	71.75	19,749	76.00	21,028	80.25	22,266	84.50	23,452
67.75	18,516	72.00	19,825	76.25	21,102	80.50	22,337	84.75	23,520



## Capacity/Gauge Table Information

**TCLX 290494**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 294

Reporting Mark: TCLX 290494

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,588	89.25	24,705	93.50	25,746	97.75	26,697	102.00	27,537
85.25	23,656	89.50	24,769	93.75	25,805	98.00	26,750	102.25	27,582
85.50	23,723	89.75	24,832	94.00	25,863	98.25	26,802	102.50	27,627
85.75	23,790	90.00	24,895	94.25	25,921	98.50	26,854	102.75	27,672
86.00	23,857	90.25	24,957	94.50	25,979	98.75	26,905	103.00	27,716
86.25	23,924	90.50	25,020	94.75	26,036	99.00	26,956	103.25	27,759
86.50	23,990	90.75	25,082	95.00	26,093	99.25	27,007	103.50	27,802
86.75	24,056	91.00	25,144	95.25	26,150	99.50	27,058	103.75	27,845
87.00	24,122	91.25	25,205	95.50	26,206	99.75	27,107	104.00	27,887
87.25	24,188	91.50	25,267	95.75	26,262	100.00	27,157	104.25	27,928
87.50	24,254	91.75	25,328	96.00	26,318	100.25	27,206	104.50	27,969
87.75	24,319	92.00	25,388	96.25	26,373	100.50	27,255	104.75	28,009
88.00	24,384	92.25	25,449	96.50	26,428	100.75	27,303	105.00	28,049
88.25	24,449	92.50	25,509	96.75	26,482	101.00	27,351	105.25	28,088
88.50	24,513	92.75	25,569	97.00	26,537	101.25	27,398	105.50	28,127
88.75	24,577	93.00	25,628	97.25	26,590	101.50	27,445	105.75	28,164
89.00	24,641	93.25	25,688	97.50	26,644	101.75	27,491	106.00	28,202



## Capacity/Gauge Table Information

**TCLX 290494**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 294

Reporting Mark: TCLX 290494

Date: 10/06/2015

Capacity: 28,971 US Gallons (109,666 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,239	110.50	28,749	114.75	28,958
106.50	28,275	110.75	28,771	115.00	28,961
106.75	28,310	111.00	28,791	115.25	28,964
107.00	28,345	111.25	28,810	115.50	28,967
107.25	28,379	111.50	28,827	115.75	28,968
107.50	28,412	111.75	28,844	116.00	28,970
107.75	28,445	112.00	28,859	116.25	28,970
108.00	28,477	112.25	28,873	116.50	28,971
108.25	28,508	112.50	28,886	116.75	28,971
108.50	28,538	112.75	28,898		
108.75	28,568	113.00	28,909		
109.00	28,597	113.25	28,918		
109.25	28,625	113.50	28,927		
109.50	28,652	113.75	28,935		
109.75	28,678	114.00	28,942		
110.00	28,703	114.25	28,948		
110.25	28,726	114.50	28,953		



## Capacity/Gauge Table Information

**TCLX 290495**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 295

Reporting Mark: TCLX 290495

Date: 27/05/2015

Capacity: 28,966 US Gallons (109,648 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	585	8.50	1,340	12.75	2,223	17.00	3,208
0.25	28	4.50	625	8.75	1,389	13.00	2,278	17.25	3,269
0.50	58	4.75	666	9.00	1,438	13.25	2,334	17.50	3,330
0.75	88	5.00	708	9.25	1,487	13.50	2,390	17.75	3,392
1.00	119	5.25	749	9.50	1,537	13.75	2,446	18.00	3,453
1.25	150	5.50	792	9.75	1,588	14.00	2,503	18.25	3,515
1.50	183	5.75	835	10.00	1,638	14.25	2,560	18.50	3,577
1.75	216	6.00	878	10.25	1,690	14.50	2,617	18.75	3,640
2.00	250	6.25	922	10.50	1,741	14.75	2,675	19.00	3,703
2.25	285	6.50	967	10.75	1,793	15.00	2,733	19.25	3,766
2.50	320	6.75	1,012	11.00	1,846	15.25	2,791	19.50	3,829
2.75	356	7.00	1,057	11.25	1,898	15.50	2,850	19.75	3,893
3.00	393	7.25	1,103	11.50	1,951	15.75	2,909	20.00	3,956
3.25	430	7.50	1,150	11.75	2,005	16.00	2,968	20.25	4,020
3.50	468	7.75	1,197	12.00	2,059	16.25	3,028	20.50	4,085
3.75	506	8.00	1,244	12.25	2,113	16.50	3,088	20.75	4,149
4.00	545	8.25	1,292	12.50	2,168	16.75	3,148	21.00	4,214



## Capacity/Gauge Table Information

**TCLX 290495**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 295

Reporting Mark: TCLX 290495

Date: 27/05/2015

Capacity: 28,966 US Gallons (109,648 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,279	25.50	5,421	29.75	6,621	34.00	7,870	38.25	9,157
21.50	4,344	25.75	5,490	30.00	6,693	34.25	7,944	38.50	9,234
21.75	4,410	26.00	5,559	30.25	6,766	34.50	8,019	38.75	9,311
22.00	4,476	26.25	5,629	30.50	6,838	34.75	8,094	39.00	9,388
22.25	4,542	26.50	5,698	30.75	6,911	35.00	8,169	39.25	9,465
22.50	4,608	26.75	5,768	31.00	6,984	35.25	8,245	39.50	9,542
22.75	4,675	27.00	5,838	31.25	7,057	35.50	8,320	39.75	9,619
23.00	4,741	27.25	5,908	31.50	7,130	35.75	8,395	40.00	9,696
23.25	4,808	27.50	5,979	31.75	7,203	36.00	8,471	40.25	9,774
23.50	4,875	27.75	6,049	32.00	7,277	36.25	8,547	40.50	9,851
23.75	4,943	28.00	6,120	32.25	7,350	36.50	8,623	40.75	9,929
24.00	5,010	28.25	6,191	32.50	7,424	36.75	8,699	41.00	10,007
24.25	5,078	28.50	6,262	32.75	7,498	37.00	8,775	41.25	10,084
24.50	5,146	28.75	6,334	33.00	7,572	37.25	8,851	41.50	10,162
24.75	5,215	29.00	6,405	33.25	7,646	37.50	8,927	41.75	10,240
25.00	5,283	29.25	6,477	33.50	7,720	37.75	9,004	42.00	10,318
25.25	5,352	29.50	6,549	33.75	7,795	38.00	9,080	42.25	10,396



## Capacity/Gauge Table Information

**TCLX 290495**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 295

Reporting Mark: TCLX 290495

Date: 27/05/2015

Capacity: 28,966 US Gallons (109,648 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,475	46.75	11,814	51.00	13,167	55.25	14,527	59.50	15,885
42.75	10,553	47.00	11,893	51.25	13,247	55.50	14,607	59.75	15,965
43.00	10,631	47.25	11,973	51.50	13,327	55.75	14,687	60.00	16,045
43.25	10,710	47.50	12,052	51.75	13,407	56.00	14,767	60.25	16,124
43.50	10,788	47.75	12,132	52.00	13,487	56.25	14,847	60.50	16,204
43.75	10,867	48.00	12,211	52.25	13,567	56.50	14,927	60.75	16,283
44.00	10,945	48.25	12,291	52.50	13,647	56.75	15,007	61.00	16,363
44.25	11,024	48.50	12,370	52.75	13,727	57.00	15,087	61.25	16,442
44.50	11,103	48.75	12,450	53.00	13,807	57.25	15,167	61.50	16,522
44.75	11,181	49.00	12,529	53.25	13,887	57.50	15,247	61.75	16,601
45.00	11,260	49.25	12,609	53.50	13,967	57.75	15,327	62.00	16,681
45.25	11,339	49.50	12,689	53.75	14,047	58.00	15,407	62.25	16,760
45.50	11,418	49.75	12,768	54.00	14,127	58.25	15,486	62.50	16,839
45.75	11,497	50.00	12,848	54.25	14,207	58.50	15,566	62.75	16,918
46.00	11,576	50.25	12,928	54.50	14,287	58.75	15,646	63.00	16,998
46.25	11,656	50.50	13,008	54.75	14,367	59.00	15,726	63.25	17,077
46.50	11,735	50.75	13,088	55.00	14,447	59.25	15,806	63.50	17,156





## Capacity/Gauge Table Information

**TCLX 290495**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 295

Reporting Mark: TCLX 290495

Date: 27/05/2015

Capacity: 28,966 US Gallons (109,648 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,235	68.00	18,567	72.25	19,875	76.50	21,149	80.75	22,382
64.00	17,314	68.25	18,645	72.50	19,951	76.75	21,223	81.00	22,453
64.25	17,392	68.50	18,722	72.75	20,027	77.00	21,297	81.25	22,524
64.50	17,471	68.75	18,800	73.00	20,102	77.25	21,370	81.50	22,594
64.75	17,550	69.00	18,877	73.25	20,178	77.50	21,444	81.75	22,665
65.00	17,629	69.25	18,955	73.50	20,254	77.75	21,517	82.00	22,735
65.25	17,707	69.50	19,032	73.75	20,329	78.00	21,590	82.25	22,805
65.50	17,786	69.75	19,109	74.00	20,404	78.25	21,662	82.50	22,875
65.75	17,864	70.00	19,186	74.25	20,479	78.50	21,735	82.75	22,944
66.00	17,943	70.25	19,263	74.50	20,554	78.75	21,808	83.00	23,014
66.25	18,021	70.50	19,340	74.75	20,629	79.00	21,880	83.25	23,083
66.50	18,099	70.75	19,417	75.00	20,704	79.25	21,952	83.50	23,152
66.75	18,177	71.00	19,493	75.25	20,778	79.50	22,024	83.75	23,221
67.00	18,256	71.25	19,570	75.50	20,853	79.75	22,096	84.00	23,290
67.25	18,334	71.50	19,646	75.75	20,927	80.00	22,168	84.25	23,358
67.50	18,412	71.75	19,723	76.00	21,001	80.25	22,239	84.50	23,427
67.75	18,489	72.00	19,799	76.25	21,075	80.50	22,311	84.75	23,495



## Capacity/Gauge Table Information

**TCLX 290495**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 295

Reporting Mark: TCLX 290495

Date: 27/05/2015

Capacity: 28,966 US Gallons (109,648 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,562	89.25	24,680	93.50	25,723	97.75	26,675	102.00	27,518
85.25	23,630	89.50	24,744	93.75	25,782	98.00	26,728	102.25	27,563
85.50	23,697	89.75	24,807	94.00	25,840	98.25	26,780	102.50	27,608
85.75	23,765	90.00	24,870	94.25	25,898	98.50	26,833	102.75	27,653
86.00	23,832	90.25	24,933	94.50	25,956	98.75	26,884	103.00	27,697
86.25	23,898	90.50	24,995	94.75	26,013	99.00	26,935	103.25	27,741
86.50	23,965	90.75	25,058	95.00	26,070	99.25	26,986	103.50	27,784
86.75	24,031	91.00	25,120	95.25	26,127	99.50	27,037	103.75	27,827
87.00	24,097	91.25	25,181	95.50	26,183	99.75	27,087	104.00	27,869
87.25	24,163	91.50	25,243	95.75	26,239	100.00	27,136	104.25	27,910
87.50	24,228	91.75	25,304	96.00	26,295	100.25	27,186	104.50	27,951
87.75	24,294	92.00	25,364	96.25	26,351	100.50	27,234	104.75	27,992
88.00	24,359	92.25	25,425	96.50	26,406	100.75	27,283	105.00	28,032
88.25	24,424	92.50	25,485	96.75	26,460	101.00	27,331	105.25	28,071
88.50	24,488	92.75	25,545	97.00	26,515	101.25	27,378	105.50	28,110
88.75	24,552	93.00	25,605	97.25	26,568	101.50	27,425	105.75	28,148
89.00	24,616	93.25	25,664	97.50	26,622	101.75	27,472	106.00	28,186



## Capacity/Gauge Table Information

**TCLX 290495**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 295

Reporting Mark: TCLX 290495

Date: 27/05/2015

Capacity: 28,966 US Gallons (109,648 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,900 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,223	110.50	28,739	114.75	28,953
106.50	28,259	110.75	28,761	115.00	28,956
106.75	28,295	111.00	28,781	115.25	28,959
107.00	28,330	111.25	28,801	115.50	28,962
107.25	28,364	111.50	28,819	115.75	28,963
107.50	28,398	111.75	28,835	116.00	28,965
107.75	28,430	112.00	28,851	116.25	28,965
108.00	28,463	112.25	28,866	116.50	28,966
108.25	28,494	112.50	28,879	116.75	28,966
108.50	28,525	112.75	28,891		
108.75	28,555	113.00	28,902		
109.00	28,584	113.25	28,912		
109.25	28,612	113.50	28,921		
109.50	28,639	113.75	28,929		
109.75	28,666	114.00	28,936		
110.00	28,691	114.25	28,943		
110.25	28,715	114.50	28,948		



## Capacity/Gauge Table Information

**TCLX 290496**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 296

Reporting Mark: TCLX 290496

Date: 10/06/2015

Capacity: 28,970 US Gallons (109,665 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	588	8.50	1,345	12.75	2,229	17.00	3,216
0.25	29	4.50	628	8.75	1,393	13.00	2,285	17.25	3,277
0.50	58	4.75	669	9.00	1,443	13.25	2,340	17.50	3,338
0.75	88	5.00	711	9.25	1,492	13.50	2,396	17.75	3,400
1.00	119	5.25	753	9.50	1,542	13.75	2,453	18.00	3,462
1.25	151	5.50	795	9.75	1,593	14.00	2,510	18.25	3,524
1.50	184	5.75	838	10.00	1,644	14.25	2,567	18.50	3,586
1.75	217	6.00	882	10.25	1,695	14.50	2,624	18.75	3,649
2.00	251	6.25	926	10.50	1,747	14.75	2,682	19.00	3,711
2.25	286	6.50	971	10.75	1,799	15.00	2,740	19.25	3,774
2.50	322	6.75	1,016	11.00	1,851	15.25	2,799	19.50	3,838
2.75	358	7.00	1,061	11.25	1,904	15.50	2,857	19.75	3,901
3.00	395	7.25	1,107	11.50	1,957	15.75	2,916	20.00	3,965
3.25	432	7.50	1,154	11.75	2,011	16.00	2,976	20.25	4,030
3.50	470	7.75	1,201	12.00	2,065	16.25	3,036	20.50	4,094
3.75	509	8.00	1,248	12.25	2,119	16.50	3,096	20.75	4,159
4.00	548	8.25	1,296	12.50	2,174	16.75	3,156	21.00	4,223



## Capacity/Gauge Table Information

**TCLX 290496**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 296

Reporting Mark: TCLX 290496

Date: 10/06/2015

Capacity: 28,970 US Gallons (109,665 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,289	25.50	5,431	29.75	6,633	34.00	7,883	38.25	9,171
21.50	4,354	25.75	5,501	30.00	6,705	34.25	7,958	38.50	9,248
21.75	4,420	26.00	5,570	30.25	6,778	34.50	8,033	38.75	9,325
22.00	4,486	26.25	5,640	30.50	6,850	34.75	8,108	39.00	9,402
22.25	4,552	26.50	5,709	30.75	6,923	35.00	8,183	39.25	9,479
22.50	4,618	26.75	5,779	31.00	6,996	35.25	8,258	39.50	9,557
22.75	4,685	27.00	5,849	31.25	7,069	35.50	8,334	39.75	9,634
23.00	4,751	27.25	5,920	31.50	7,142	35.75	8,409	40.00	9,711
23.25	4,818	27.50	5,990	31.75	7,216	36.00	8,485	40.25	9,789
23.50	4,886	27.75	6,061	32.00	7,289	36.25	8,561	40.50	9,866
23.75	4,953	28.00	6,132	32.25	7,363	36.50	8,637	40.75	9,944
24.00	5,021	28.25	6,203	32.50	7,437	36.75	8,713	41.00	10,022
24.25	5,089	28.50	6,274	32.75	7,511	37.00	8,789	41.25	10,100
24.50	5,157	28.75	6,346	33.00	7,585	37.25	8,865	41.50	10,178
24.75	5,225	29.00	6,417	33.25	7,659	37.50	8,942	41.75	10,256
25.00	5,294	29.25	6,489	33.50	7,734	37.75	9,018	42.00	10,334
25.25	5,363	29.50	6,561	33.75	7,808	38.00	9,095	42.25	10,412



## Capacity/Gauge Table Information

**TCLX 290496**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 296

Reporting Mark: TCLX 290496

Date: 10/06/2015

Capacity: 28,970 US Gallons (109,665 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,490	46.75	11,830	51.00	13,185	55.25	14,545	59.50	15,904
42.75	10,568	47.00	11,910	51.25	13,265	55.50	14,625	59.75	15,984
43.00	10,647	47.25	11,989	51.50	13,345	55.75	14,705	60.00	16,063
43.25	10,725	47.50	12,069	51.75	13,425	56.00	14,785	60.25	16,143
43.50	10,804	47.75	12,148	52.00	13,504	56.25	14,865	60.50	16,223
43.75	10,882	48.00	12,228	52.25	13,584	56.50	14,945	60.75	16,302
44.00	10,961	48.25	12,307	52.50	13,665	56.75	15,025	61.00	16,382
44.25	11,040	48.50	12,387	52.75	13,745	57.00	15,105	61.25	16,461
44.50	11,119	48.75	12,466	53.00	13,825	57.25	15,185	61.50	16,541
44.75	11,197	49.00	12,546	53.25	13,905	57.50	15,265	61.75	16,620
45.00	11,276	49.25	12,626	53.50	13,985	57.75	15,345	62.00	16,700
45.25	11,355	49.50	12,706	53.75	14,065	58.00	15,425	62.25	16,779
45.50	11,434	49.75	12,785	54.00	14,145	58.25	15,505	62.50	16,858
45.75	11,513	50.00	12,865	54.25	14,225	58.50	15,585	62.75	16,937
46.00	11,593	50.25	12,945	54.50	14,305	58.75	15,665	63.00	17,017
46.25	11,672	50.50	13,025	54.75	14,385	59.00	15,744	63.25	17,096
46.50	11,751	50.75	13,105	55.00	14,465	59.25	15,824	63.50	17,175



## Capacity/Gauge Table Information

**TCLX 290496**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 296

Reporting Mark: TCLX 290496

Date: 10/06/2015

Capacity: 28,970 US Gallons (109,665 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,254	68.00	18,587	72.25	19,894	76.50	21,169	80.75	22,401
64.00	17,333	68.25	18,664	72.50	19,970	76.75	21,243	81.00	22,472
64.25	17,412	68.50	18,742	72.75	20,046	77.00	21,316	81.25	22,543
64.50	17,490	68.75	18,819	73.00	20,122	77.25	21,390	81.50	22,614
64.75	17,569	69.00	18,897	73.25	20,198	77.50	21,463	81.75	22,684
65.00	17,648	69.25	18,974	73.50	20,273	77.75	21,536	82.00	22,754
65.25	17,726	69.50	19,051	73.75	20,349	78.00	21,609	82.25	22,824
65.50	17,805	69.75	19,129	74.00	20,424	78.25	21,682	82.50	22,894
65.75	17,884	70.00	19,206	74.25	20,499	78.50	21,755	82.75	22,964
66.00	17,962	70.25	19,283	74.50	20,574	78.75	21,827	83.00	23,033
66.25	18,040	70.50	19,359	74.75	20,649	79.00	21,900	83.25	23,102
66.50	18,119	70.75	19,436	75.00	20,724	79.25	21,972	83.50	23,172
66.75	18,197	71.00	19,513	75.25	20,798	79.50	22,044	83.75	23,240
67.00	18,275	71.25	19,589	75.50	20,873	79.75	22,116	84.00	23,309
67.25	18,353	71.50	19,666	75.75	20,947	80.00	22,187	84.25	23,377
67.50	18,431	71.75	19,742	76.00	21,021	80.25	22,259	84.50	23,446
67.75	18,509	72.00	19,818	76.25	21,095	80.50	22,330	84.75	23,514





## Capacity/Gauge Table Information

**TCLX 290496**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 296

Reporting Mark: TCLX 290496

Date: 10/06/2015

Capacity: 28,970 US Gallons (109,665 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,581	89.25	24,699	93.50	25,740	97.75	26,691	102.00	27,532
85.25	23,649	89.50	24,762	93.75	25,799	98.00	26,744	102.25	27,578
85.50	23,716	89.75	24,825	94.00	25,857	98.25	26,797	102.50	27,623
85.75	23,784	90.00	24,888	94.25	25,915	98.50	26,849	102.75	27,667
86.00	23,850	90.25	24,951	94.50	25,973	98.75	26,900	103.00	27,711
86.25	23,917	90.50	25,014	94.75	26,030	99.00	26,951	103.25	27,755
86.50	23,984	90.75	25,076	95.00	26,087	99.25	27,002	103.50	27,798
86.75	24,050	91.00	25,138	95.25	26,144	99.50	27,052	103.75	27,840
87.00	24,116	91.25	25,199	95.50	26,200	99.75	27,102	104.00	27,882
87.25	24,182	91.50	25,261	95.75	26,256	100.00	27,152	104.25	27,924
87.50	24,247	91.75	25,322	96.00	26,312	100.25	27,201	104.50	27,965
87.75	24,312	92.00	25,382	96.25	26,367	100.50	27,250	104.75	28,005
88.00	24,377	92.25	25,443	96.50	26,422	100.75	27,298	105.00	28,045
88.25	24,442	92.50	25,503	96.75	26,477	101.00	27,346	105.25	28,084
88.50	24,507	92.75	25,563	97.00	26,531	101.25	27,393	105.50	28,123
88.75	24,571	93.00	25,622	97.25	26,585	101.50	27,440	105.75	28,161
89.00	24,635	93.25	25,682	97.50	26,638	101.75	27,486	106.00	28,198



## Capacity/Gauge Table Information

**TCLX 290496**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 296

Reporting Mark: TCLX 290496

Date: 10/06/2015

Capacity: 28,970 US Gallons (109,665 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,700 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,235	110.50	28,747	114.75	28,957
106.50	28,271	110.75	28,769	115.00	28,961
106.75	28,306	111.00	28,789	115.25	28,964
107.00	28,341	111.25	28,808	115.50	28,966
107.25	28,375	111.50	28,826	115.75	28,968
107.50	28,409	111.75	28,842	116.00	28,969
107.75	28,442	112.00	28,858	116.25	28,970
108.00	28,474	112.25	28,872	116.50	28,970
108.25	28,505	112.50	28,885	116.75	28,970
108.50	28,535	112.75	28,897		
108.75	28,565	113.00	28,908		
109.00	28,594	113.25	28,918		
109.25	28,622	113.50	28,927		
109.50	28,649	113.75	28,935		
109.75	28,675	114.00	28,942		
110.00	28,700	114.25	28,948		
110.25	28,724	114.50	28,953		



## Capacity/Gauge Table Information

**TCLX 290497**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 297

Reporting Mark: TCLX 290497

Date: 04/06/2015

Capacity: 28,957 US Gallons (109,613 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	591	8.50	1,350	12.75	2,237	17.00	3,226
0.25	29	4.50	631	8.75	1,399	13.00	2,292	17.25	3,287
0.50	59	4.75	673	9.00	1,448	13.25	2,348	17.50	3,348
0.75	89	5.00	714	9.25	1,498	13.50	2,404	17.75	3,409
1.00	120	5.25	756	9.50	1,548	13.75	2,461	18.00	3,471
1.25	152	5.50	799	9.75	1,599	14.00	2,518	18.25	3,533
1.50	185	5.75	842	10.00	1,650	14.25	2,575	18.50	3,596
1.75	219	6.00	886	10.25	1,701	14.50	2,633	18.75	3,658
2.00	253	6.25	930	10.50	1,753	14.75	2,690	19.00	3,721
2.25	288	6.50	975	10.75	1,805	15.00	2,749	19.25	3,784
2.50	324	6.75	1,020	11.00	1,858	15.25	2,807	19.50	3,848
2.75	360	7.00	1,066	11.25	1,911	15.50	2,866	19.75	3,911
3.00	397	7.25	1,112	11.50	1,964	15.75	2,925	20.00	3,975
3.25	435	7.50	1,159	11.75	2,018	16.00	2,985	20.25	4,040
3.50	473	7.75	1,206	12.00	2,072	16.25	3,044	20.50	4,104
3.75	512	8.00	1,254	12.25	2,127	16.50	3,105	20.75	4,169
4.00	551	8.25	1,302	12.50	2,181	16.75	3,165	21.00	4,234



## Capacity/Gauge Table Information

**TCLX 290497**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 297

Reporting Mark: TCLX 290497

Date: 04/06/2015

Capacity: 28,957 US Gallons (109,613 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,299	25.50	5,443	29.75	6,645	34.00	7,896	38.25	9,185
21.50	4,365	25.75	5,512	30.00	6,718	34.25	7,971	38.50	9,262
21.75	4,430	26.00	5,582	30.25	6,790	34.50	8,046	38.75	9,339
22.00	4,496	26.25	5,651	30.50	6,863	34.75	8,121	39.00	9,416
22.25	4,562	26.50	5,721	30.75	6,936	35.00	8,196	39.25	9,493
22.50	4,629	26.75	5,791	31.00	7,009	35.25	8,272	39.50	9,570
22.75	4,695	27.00	5,861	31.25	7,082	35.50	8,347	39.75	9,648
23.00	4,762	27.25	5,932	31.50	7,155	35.75	8,423	40.00	9,725
23.25	4,829	27.50	6,002	31.75	7,229	36.00	8,498	40.25	9,803
23.50	4,897	27.75	6,073	32.00	7,302	36.25	8,574	40.50	9,880
23.75	4,964	28.00	6,144	32.25	7,376	36.50	8,650	40.75	9,958
24.00	5,032	28.25	6,215	32.50	7,450	36.75	8,726	41.00	10,036
24.25	5,100	28.50	6,286	32.75	7,524	37.00	8,802	41.25	10,114
24.50	5,168	28.75	6,358	33.00	7,598	37.25	8,879	41.50	10,192
24.75	5,237	29.00	6,430	33.25	7,672	37.50	8,955	41.75	10,270
25.00	5,305	29.25	6,501	33.50	7,747	37.75	9,032	42.00	10,348
25.25	5,374	29.50	6,573	33.75	7,821	38.00	9,108	42.25	10,426



## Capacity/Gauge Table Information

**TCLX 290497**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 297

Reporting Mark: TCLX 290497

Date: 04/06/2015

Capacity: 28,957 US Gallons (109,613 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,504	46.75	11,845	51.00	13,199	55.25	14,559	59.50	15,918
42.75	10,582	47.00	11,924	51.25	13,279	55.50	14,639	59.75	15,998
43.00	10,661	47.25	12,004	51.50	13,359	55.75	14,719	60.00	16,077
43.25	10,739	47.50	12,083	51.75	13,439	56.00	14,800	60.25	16,157
43.50	10,818	47.75	12,162	52.00	13,519	56.25	14,880	60.50	16,237
43.75	10,897	48.00	12,242	52.25	13,599	56.50	14,960	60.75	16,316
44.00	10,975	48.25	12,322	52.50	13,679	56.75	15,040	61.00	16,396
44.25	11,054	48.50	12,401	52.75	13,759	57.00	15,120	61.25	16,475
44.50	11,133	48.75	12,481	53.00	13,839	57.25	15,199	61.50	16,555
44.75	11,212	49.00	12,561	53.25	13,919	57.50	15,279	61.75	16,634
45.00	11,291	49.25	12,640	53.50	13,999	57.75	15,359	62.00	16,713
45.25	11,370	49.50	12,720	53.75	14,079	58.00	15,439	62.25	16,793
45.50	11,449	49.75	12,800	54.00	14,159	58.25	15,519	62.50	16,872
45.75	11,528	50.00	12,880	54.25	14,239	58.50	15,599	62.75	16,951
46.00	11,607	50.25	12,959	54.50	14,319	58.75	15,679	63.00	17,030
46.25	11,686	50.50	13,039	54.75	14,399	59.00	15,759	63.25	17,109
46.50	11,765	50.75	13,119	55.00	14,479	59.25	15,838	63.50	17,189



## Capacity/Gauge Table Information

**TCLX 290497**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 297

Reporting Mark: TCLX 290497

Date: 04/06/2015

Capacity: 28,957 US Gallons (109,613 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,267	68.00	18,600	72.25	19,907	76.50	21,181	80.75	22,412
64.00	17,346	68.25	18,677	72.50	19,983	76.75	21,254	81.00	22,483
64.25	17,425	68.50	18,755	72.75	20,059	77.00	21,328	81.25	22,553
64.50	17,504	68.75	18,833	73.00	20,134	77.25	21,401	81.50	22,624
64.75	17,583	69.00	18,910	73.25	20,210	77.50	21,474	81.75	22,694
65.00	17,661	69.25	18,987	73.50	20,285	77.75	21,548	82.00	22,764
65.25	17,740	69.50	19,064	73.75	20,361	78.00	21,621	82.25	22,834
65.50	17,819	69.75	19,142	74.00	20,436	78.25	21,693	82.50	22,904
65.75	17,897	70.00	19,219	74.25	20,511	78.50	21,766	82.75	22,974
66.00	17,975	70.25	19,295	74.50	20,586	78.75	21,838	83.00	23,043
66.25	18,054	70.50	19,372	74.75	20,661	79.00	21,911	83.25	23,112
66.50	18,132	70.75	19,449	75.00	20,735	79.25	21,983	83.50	23,181
66.75	18,210	71.00	19,526	75.25	20,810	79.50	22,055	83.75	23,250
67.00	18,288	71.25	19,602	75.50	20,884	79.75	22,126	84.00	23,319
67.25	18,366	71.50	19,678	75.75	20,959	80.00	22,198	84.25	23,387
67.50	18,444	71.75	19,755	76.00	21,033	80.25	22,269	84.50	23,455
67.75	18,522	72.00	19,831	76.25	21,107	80.50	22,341	84.75	23,523



## Capacity/Gauge Table Information

**TCLX 290497**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 297

Reporting Mark: TCLX 290497

Date: 04/06/2015

Capacity: 28,957 US Gallons (109,613 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,591	89.25	24,706	93.50	25,746	97.75	26,695	102.00	27,533
85.25	23,658	89.50	24,770	93.75	25,805	98.00	26,748	102.25	27,578
85.50	23,725	89.75	24,833	94.00	25,863	98.25	26,800	102.50	27,623
85.75	23,792	90.00	24,896	94.25	25,921	98.50	26,852	102.75	27,668
86.00	23,859	90.25	24,958	94.50	25,978	98.75	26,903	103.00	27,711
86.25	23,926	90.50	25,021	94.75	26,035	99.00	26,954	103.25	27,755
86.50	23,992	90.75	25,083	95.00	26,092	99.25	27,005	103.50	27,798
86.75	24,058	91.00	25,144	95.25	26,149	99.50	27,055	103.75	27,840
87.00	24,124	91.25	25,206	95.50	26,205	99.75	27,105	104.00	27,882
87.25	24,190	91.50	25,267	95.75	26,261	100.00	27,154	104.25	27,923
87.50	24,255	91.75	25,328	96.00	26,316	100.25	27,203	104.50	27,964
87.75	24,321	92.00	25,389	96.25	26,372	100.50	27,251	104.75	28,004
88.00	24,385	92.25	25,449	96.50	26,426	100.75	27,300	105.00	28,043
88.25	24,450	92.50	25,509	96.75	26,481	101.00	27,347	105.25	28,082
88.50	24,515	92.75	25,569	97.00	26,535	101.25	27,394	105.50	28,121
88.75	24,579	93.00	25,628	97.25	26,589	101.50	27,441	105.75	28,158
89.00	24,643	93.25	25,687	97.50	26,642	101.75	27,487	106.00	28,196





## Capacity/Gauge Table Information

**TCLX 290497**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 297

Reporting Mark: TCLX 290497

Date: 04/06/2015

Capacity: 28,957 US Gallons (109,613 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,232	110.50	28,739	114.75	28,944
106.50	28,268	110.75	28,760	115.00	28,948
106.75	28,303	111.00	28,780	115.25	28,950
107.00	28,338	111.25	28,798	115.50	28,953
107.25	28,372	111.50	28,816	115.75	28,954
107.50	28,405	111.75	28,832	116.00	28,956
107.75	28,437	112.00	28,847	116.25	28,956
108.00	28,469	112.25	28,861	116.50	28,957
108.25	28,500	112.50	28,873	116.75	28,957
108.50	28,530	112.75	28,885		
108.75	28,560	113.00	28,896		
109.00	28,588	113.25	28,905		
109.25	28,616	113.50	28,914		
109.50	28,642	113.75	28,922		
109.75	28,668	114.00	28,929		
110.00	28,693	114.25	28,934		
110.25	28,716	114.50	28,940		



## Capacity/Gauge Table Information

**TCLX 290498**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 298

Reporting Mark: TCLX 290498

Date: 05/06/2015

Capacity: 28,962 US Gallons (109,633 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	589	8.50	1,346	12.75	2,231	17.00	3,219
0.25	29	4.50	629	8.75	1,395	13.00	2,286	17.25	3,279
0.50	58	4.75	670	9.00	1,444	13.25	2,342	17.50	3,341
0.75	89	5.00	711	9.25	1,494	13.50	2,398	17.75	3,402
1.00	120	5.25	754	9.50	1,544	13.75	2,455	18.00	3,464
1.25	152	5.50	796	9.75	1,594	14.00	2,512	18.25	3,526
1.50	184	5.75	839	10.00	1,645	14.25	2,569	18.50	3,588
1.75	218	6.00	883	10.25	1,697	14.50	2,626	18.75	3,651
2.00	252	6.25	927	10.50	1,748	14.75	2,684	19.00	3,714
2.25	287	6.50	972	10.75	1,800	15.00	2,742	19.25	3,777
2.50	322	6.75	1,017	11.00	1,853	15.25	2,801	19.50	3,840
2.75	358	7.00	1,062	11.25	1,906	15.50	2,860	19.75	3,904
3.00	395	7.25	1,109	11.50	1,959	15.75	2,919	20.00	3,968
3.25	433	7.50	1,155	11.75	2,013	16.00	2,978	20.25	4,032
3.50	471	7.75	1,202	12.00	2,067	16.25	3,038	20.50	4,096
3.75	509	8.00	1,250	12.25	2,121	16.50	3,098	20.75	4,161
4.00	549	8.25	1,298	12.50	2,176	16.75	3,158	21.00	4,226



## Capacity/Gauge Table Information

**TCLX 290498**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 298

Reporting Mark: TCLX 290498

Date: 05/06/2015

Capacity: 28,962 US Gallons (109,633 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,291	25.50	5,434	29.75	6,636	34.00	7,885	38.25	9,174
21.50	4,356	25.75	5,503	30.00	6,708	34.25	7,960	38.50	9,251
21.75	4,422	26.00	5,573	30.25	6,780	34.50	8,035	38.75	9,328
22.00	4,488	26.25	5,642	30.50	6,853	34.75	8,110	39.00	9,405
22.25	4,554	26.50	5,712	30.75	6,926	35.00	8,185	39.25	9,482
22.50	4,620	26.75	5,782	31.00	6,999	35.25	8,261	39.50	9,559
22.75	4,687	27.00	5,852	31.25	7,072	35.50	8,336	39.75	9,636
23.00	4,754	27.25	5,922	31.50	7,145	35.75	8,412	40.00	9,714
23.25	4,821	27.50	5,993	31.75	7,218	36.00	8,487	40.25	9,791
23.50	4,888	27.75	6,064	32.00	7,292	36.25	8,563	40.50	9,869
23.75	4,956	28.00	6,134	32.25	7,366	36.50	8,639	40.75	9,946
24.00	5,023	28.25	6,206	32.50	7,439	36.75	8,715	41.00	10,024
24.25	5,091	28.50	6,277	32.75	7,513	37.00	8,791	41.25	10,102
24.50	5,159	28.75	6,348	33.00	7,588	37.25	8,868	41.50	10,180
24.75	5,228	29.00	6,420	33.25	7,662	37.50	8,944	41.75	10,258
25.00	5,296	29.25	6,492	33.50	7,736	37.75	9,021	42.00	10,336
25.25	5,365	29.50	6,564	33.75	7,811	38.00	9,097	42.25	10,414



## Capacity/Gauge Table Information

**TCLX 290498**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 298

Reporting Mark: TCLX 290498

Date: 05/06/2015

Capacity: 28,962 US Gallons (109,633 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,492	46.75	11,832	51.00	13,186	55.25	14,547	59.50	15,905
42.75	10,571	47.00	11,912	51.25	13,266	55.50	14,627	59.75	15,985
43.00	10,649	47.25	11,991	51.50	13,346	55.75	14,707	60.00	16,065
43.25	10,727	47.50	12,071	51.75	13,426	56.00	14,787	60.25	16,144
43.50	10,806	47.75	12,150	52.00	13,506	56.25	14,867	60.50	16,224
43.75	10,885	48.00	12,230	52.25	13,586	56.50	14,947	60.75	16,303
44.00	10,963	48.25	12,309	52.50	13,666	56.75	15,027	61.00	16,383
44.25	11,042	48.50	12,389	52.75	13,746	57.00	15,107	61.25	16,462
44.50	11,121	48.75	12,468	53.00	13,826	57.25	15,187	61.50	16,542
44.75	11,200	49.00	12,548	53.25	13,906	57.50	15,266	61.75	16,621
45.00	11,279	49.25	12,628	53.50	13,986	57.75	15,346	62.00	16,701
45.25	11,358	49.50	12,708	53.75	14,066	58.00	15,426	62.25	16,780
45.50	11,437	49.75	12,787	54.00	14,146	58.25	15,506	62.50	16,859
45.75	11,516	50.00	12,867	54.25	14,226	58.50	15,586	62.75	16,938
46.00	11,595	50.25	12,947	54.50	14,306	58.75	15,666	63.00	17,017
46.25	11,674	50.50	13,027	54.75	14,387	59.00	15,746	63.25	17,097
46.50	11,753	50.75	13,107	55.00	14,467	59.25	15,825	63.50	17,176



## Capacity/Gauge Table Information

**TCLX 290498**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 298

Reporting Mark: TCLX 290498

Date: 05/06/2015

Capacity: 28,962 US Gallons (109,633 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,255	68.00	18,587	72.25	19,894	76.50	21,169	80.75	22,400
64.00	17,333	68.25	18,665	72.50	19,970	76.75	21,242	81.00	22,471
64.25	17,412	68.50	18,742	72.75	20,046	77.00	21,316	81.25	22,542
64.50	17,491	68.75	18,820	73.00	20,122	77.25	21,389	81.50	22,613
64.75	17,570	69.00	18,897	73.25	20,198	77.50	21,463	81.75	22,683
65.00	17,649	69.25	18,974	73.50	20,273	77.75	21,536	82.00	22,753
65.25	17,727	69.50	19,052	73.75	20,348	78.00	21,609	82.25	22,823
65.50	17,806	69.75	19,129	74.00	20,424	78.25	21,681	82.50	22,893
65.75	17,884	70.00	19,206	74.25	20,499	78.50	21,754	82.75	22,963
66.00	17,963	70.25	19,283	74.50	20,574	78.75	21,827	83.00	23,032
66.25	18,041	70.50	19,360	74.75	20,649	79.00	21,899	83.25	23,101
66.50	18,119	70.75	19,436	75.00	20,723	79.25	21,971	83.50	23,170
66.75	18,197	71.00	19,513	75.25	20,798	79.50	22,043	83.75	23,239
67.00	18,275	71.25	19,589	75.50	20,872	79.75	22,115	84.00	23,308
67.25	18,353	71.50	19,666	75.75	20,947	80.00	22,186	84.25	23,376
67.50	18,431	71.75	19,742	76.00	21,021	80.25	22,258	84.50	23,444
67.75	18,509	72.00	19,818	76.25	21,095	80.50	22,329	84.75	23,512



## Capacity/Gauge Table Information

**TCLX 290498**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 298

Reporting Mark: TCLX 290498

Date: 05/06/2015

Capacity: 28,962 US Gallons (109,633 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,580	89.25	24,697	93.50	25,738	97.75	26,688	102.00	27,528
85.25	23,648	89.50	24,760	93.75	25,796	98.00	26,741	102.25	27,574
85.50	23,715	89.75	24,823	94.00	25,855	98.25	26,793	102.50	27,619
85.75	23,782	90.00	24,886	94.25	25,913	98.50	26,845	102.75	27,663
86.00	23,849	90.25	24,949	94.50	25,970	98.75	26,897	103.00	27,707
86.25	23,916	90.50	25,011	94.75	26,028	99.00	26,948	103.25	27,751
86.50	23,982	90.75	25,074	95.00	26,085	99.25	26,999	103.50	27,794
86.75	24,048	91.00	25,135	95.25	26,141	99.50	27,049	103.75	27,836
87.00	24,114	91.25	25,197	95.50	26,197	99.75	27,099	104.00	27,878
87.25	24,180	91.50	25,258	95.75	26,253	100.00	27,148	104.25	27,919
87.50	24,245	91.75	25,319	96.00	26,309	100.25	27,197	104.50	27,960
87.75	24,311	92.00	25,380	96.25	26,364	100.50	27,246	104.75	28,000
88.00	24,376	92.25	25,440	96.50	26,419	100.75	27,294	105.00	28,040
88.25	24,440	92.50	25,500	96.75	26,474	101.00	27,342	105.25	28,079
88.50	24,505	92.75	25,560	97.00	26,528	101.25	27,389	105.50	28,118
88.75	24,569	93.00	25,620	97.25	26,582	101.50	27,436	105.75	28,156
89.00	24,633	93.25	25,679	97.50	26,635	101.75	27,482	106.00	28,193



## Capacity/Gauge Table Information

**TCLX 290498**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 298

Reporting Mark: TCLX 290498

Date: 05/06/2015

Capacity: 28,962 US Gallons (109,633 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,230	110.50	28,740	114.75	28,949
106.50	28,266	110.75	28,762	115.00	28,953
106.75	28,301	111.00	28,782	115.25	28,956
107.00	28,336	111.25	28,801	115.50	28,958
107.25	28,370	111.50	28,818	115.75	28,960
107.50	28,404	111.75	28,835	116.00	28,961
107.75	28,436	112.00	28,850	116.25	28,962
108.00	28,468	112.25	28,864	116.50	28,962
108.25	28,499	112.50	28,877	116.75	28,962
108.50	28,530	112.75	28,889		
108.75	28,559	113.00	28,900		
109.00	28,588	113.25	28,910		
109.25	28,616	113.50	28,918		
109.50	28,643	113.75	28,926		
109.75	28,669	114.00	28,933		
110.00	28,694	114.25	28,939		
110.25	28,718	114.50	28,945		





## Capacity/Gauge Table Information

**TCLX 290499**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 299

Reporting Mark: TCLX 290499

Date: 28/05/2015

Capacity: 29,014 US Gallons (109,830 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	575	8.50	1,323	12.75	2,201	17.00	3,182
0.25	28	4.50	615	8.75	1,372	13.00	2,256	17.25	3,243
0.50	56	4.75	656	9.00	1,420	13.25	2,311	17.50	3,304
0.75	86	5.00	696	9.25	1,470	13.50	2,367	17.75	3,365
1.00	116	5.25	738	9.50	1,519	13.75	2,423	18.00	3,426
1.25	147	5.50	780	9.75	1,569	14.00	2,479	18.25	3,488
1.50	179	5.75	822	10.00	1,620	14.25	2,536	18.50	3,550
1.75	212	6.00	866	10.25	1,671	14.50	2,593	18.75	3,612
2.00	245	6.25	909	10.50	1,722	14.75	2,651	19.00	3,675
2.25	279	6.50	953	10.75	1,773	15.00	2,709	19.25	3,738
2.50	314	6.75	998	11.00	1,826	15.25	2,767	19.50	3,801
2.75	349	7.00	1,043	11.25	1,878	15.50	2,825	19.75	3,864
3.00	385	7.25	1,088	11.50	1,931	15.75	2,884	20.00	3,928
3.25	422	7.50	1,134	11.75	1,984	16.00	2,943	20.25	3,992
3.50	460	7.75	1,181	12.00	2,038	16.25	3,002	20.50	4,056
3.75	498	8.00	1,228	12.25	2,092	16.50	3,062	20.75	4,120
4.00	536	8.25	1,275	12.50	2,146	16.75	3,122	21.00	4,185



## Capacity/Gauge Table Information

**TCLX 290499**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 299

Reporting Mark: TCLX 290499

Date: 28/05/2015

Capacity: 29,014 US Gallons (109,830 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,250	25.50	5,389	29.75	6,588	34.00	7,835	38.25	9,122
21.50	4,315	25.75	5,458	30.00	6,660	34.25	7,910	38.50	9,199
21.75	4,380	26.00	5,527	30.25	6,732	34.50	7,985	38.75	9,276
22.00	4,446	26.25	5,596	30.50	6,804	34.75	8,060	39.00	9,353
22.25	4,512	26.50	5,666	30.75	6,877	35.00	8,135	39.25	9,430
22.50	4,578	26.75	5,736	31.00	6,950	35.25	8,210	39.50	9,507
22.75	4,644	27.00	5,806	31.25	7,023	35.50	8,285	39.75	9,584
23.00	4,711	27.25	5,876	31.50	7,096	35.75	8,361	40.00	9,661
23.25	4,778	27.50	5,946	31.75	7,169	36.00	8,436	40.25	9,739
23.50	4,845	27.75	6,017	32.00	7,243	36.25	8,512	40.50	9,816
23.75	4,912	28.00	6,088	32.25	7,316	36.50	8,588	40.75	9,894
24.00	4,980	28.25	6,158	32.50	7,390	36.75	8,664	41.00	9,972
24.25	5,047	28.50	6,230	32.75	7,464	37.00	8,740	41.25	10,050
24.50	5,115	28.75	6,301	33.00	7,538	37.25	8,816	41.50	10,127
24.75	5,183	29.00	6,372	33.25	7,612	37.50	8,893	41.75	10,205
25.00	5,252	29.25	6,444	33.50	7,686	37.75	8,969	42.00	10,283
25.25	5,320	29.50	6,516	33.75	7,761	38.00	9,046	42.25	10,362



## Capacity/Gauge Table Information

**TCLX 290499**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 299

Reporting Mark: TCLX 290499

Date: 28/05/2015

Capacity: 29,014 US Gallons (109,830 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,440	46.75	11,780	51.00	13,134	55.25	14,495	59.50	15,855
42.75	10,518	47.00	11,859	51.25	13,214	55.50	14,575	59.75	15,935
43.00	10,596	47.25	11,938	51.50	13,294	55.75	14,655	60.00	16,015
43.25	10,675	47.50	12,018	51.75	13,374	56.00	14,735	60.25	16,095
43.50	10,753	47.75	12,097	52.00	13,454	56.25	14,816	60.50	16,174
43.75	10,832	48.00	12,177	52.25	13,534	56.50	14,896	60.75	16,254
44.00	10,911	48.25	12,256	52.50	13,614	56.75	14,976	61.00	16,334
44.25	10,989	48.50	12,336	52.75	13,694	57.00	15,056	61.25	16,413
44.50	11,068	48.75	12,416	53.00	13,774	57.25	15,136	61.50	16,493
44.75	11,147	49.00	12,495	53.25	13,854	57.50	15,216	61.75	16,572
45.00	11,226	49.25	12,575	53.50	13,934	57.75	15,296	62.00	16,652
45.25	11,305	49.50	12,655	53.75	14,014	58.00	15,376	62.25	16,731
45.50	11,384	49.75	12,735	54.00	14,095	58.25	15,456	62.50	16,810
45.75	11,463	50.00	12,815	54.25	14,175	58.50	15,536	62.75	16,890
46.00	11,542	50.25	12,894	54.50	14,255	58.75	15,616	63.00	16,969
46.25	11,621	50.50	12,974	54.75	14,335	59.00	15,695	63.25	17,048
46.50	11,700	50.75	13,054	55.00	14,415	59.25	15,775	63.50	17,127



## Capacity/Gauge Table Information

**TCLX 290499**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 299

Reporting Mark: TCLX 290499

Date: 28/05/2015

Capacity: 29,014 US Gallons (109,830 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,207	68.00	18,542	72.25	19,852	76.50	21,130	80.75	22,366
64.00	17,286	68.25	18,619	72.50	19,928	76.75	21,204	81.00	22,437
64.25	17,365	68.50	18,697	72.75	20,004	77.00	21,278	81.25	22,508
64.50	17,444	68.75	18,775	73.00	20,080	77.25	21,351	81.50	22,579
64.75	17,522	69.00	18,852	73.25	20,156	77.50	21,425	81.75	22,650
65.00	17,601	69.25	18,930	73.50	20,232	77.75	21,498	82.00	22,720
65.25	17,680	69.50	19,007	73.75	20,307	78.00	21,571	82.25	22,790
65.50	17,759	69.75	19,085	74.00	20,383	78.25	21,644	82.50	22,861
65.75	17,837	70.00	19,162	74.25	20,458	78.50	21,717	82.75	22,930
66.00	17,916	70.25	19,239	74.50	20,533	78.75	21,790	83.00	23,000
66.25	17,994	70.50	19,316	74.75	20,608	79.00	21,863	83.25	23,070
66.50	18,073	70.75	19,393	75.00	20,683	79.25	21,935	83.50	23,139
66.75	18,151	71.00	19,470	75.25	20,758	79.50	22,007	83.75	23,208
67.00	18,229	71.25	19,546	75.50	20,833	79.75	22,079	84.00	23,277
67.25	18,308	71.50	19,623	75.75	20,907	80.00	22,151	84.25	23,346
67.50	18,386	71.75	19,699	76.00	20,982	80.25	22,223	84.50	23,414
67.75	18,464	72.00	19,776	76.25	21,056	80.50	22,295	84.75	23,482



## Capacity/Gauge Table Information

**TCLX 290499**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 299

Reporting Mark: TCLX 290499

Date: 28/05/2015

Capacity: 29,014 US Gallons (109,830 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,551	89.25	24,673	93.50	25,721	97.75	26,679	102.00	27,528
85.25	23,618	89.50	24,737	93.75	25,780	98.00	26,732	102.25	27,574
85.50	23,686	89.75	24,800	94.00	25,838	98.25	26,785	102.50	27,620
85.75	23,753	90.00	24,864	94.25	25,897	98.50	26,837	102.75	27,665
86.00	23,821	90.25	24,927	94.50	25,955	98.75	26,889	103.00	27,709
86.25	23,888	90.50	24,989	94.75	26,012	99.00	26,941	103.25	27,754
86.50	23,954	90.75	25,052	95.00	26,070	99.25	26,992	103.50	27,797
86.75	24,021	91.00	25,114	95.25	26,127	99.50	27,043	103.75	27,840
87.00	24,087	91.25	25,176	95.50	26,184	99.75	27,093	104.00	27,883
87.25	24,153	91.50	25,238	95.75	26,240	100.00	27,143	104.25	27,925
87.50	24,219	91.75	25,299	96.00	26,296	100.25	27,193	104.50	27,966
87.75	24,285	92.00	25,360	96.25	26,352	100.50	27,242	104.75	28,007
88.00	24,350	92.25	25,421	96.50	26,407	100.75	27,291	105.00	28,048
88.25	24,415	92.50	25,482	96.75	26,462	101.00	27,339	105.25	28,088
88.50	24,480	92.75	25,542	97.00	26,517	101.25	27,387	105.50	28,127
88.75	24,544	93.00	25,602	97.25	26,571	101.50	27,435	105.75	28,166
89.00	24,609	93.25	25,661	97.50	26,625	101.75	27,482	106.00	28,204



## Capacity/Gauge Table Information

**TCLX 290499**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 299

Reporting Mark: TCLX 290499

Date: 28/05/2015

Capacity: 29,014 US Gallons (109,830 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 95,200 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,241	110.50	28,771	114.75	29,000
106.50	28,278	110.75	28,794	115.00	29,004
106.75	28,315	111.00	28,816	115.25	29,007
107.00	28,350	111.25	28,837	115.50	29,010
107.25	28,385	111.50	28,856	115.75	29,011
107.50	28,420	111.75	28,874	116.00	29,013
107.75	28,453	112.00	28,891	116.25	29,014
108.00	28,486	112.25	28,907	116.50	29,014
108.25	28,518	112.50	28,921	116.75	29,014
108.50	28,550	112.75	28,934		
108.75	28,580	113.00	28,946		
109.00	28,610	113.25	28,957		
109.25	28,639	113.50	28,966		
109.50	28,667	113.75	28,975		
109.75	28,695	114.00	28,983		
110.00	28,721	114.25	28,989		
110.25	28,746	114.50	28,995		



## Capacity/Gauge Table Information

**TCLX 290500**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 300

Reporting Mark: TCLX 290500

Date: 10/06/2015

Capacity: 28,954 US Gallons (109,604 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.00	0	4.25	592	8.50	1,352	12.75	2,240	17.00	3,229
0.25	29	4.50	633	8.75	1,401	13.00	2,295	17.25	3,290
0.50	59	4.75	674	9.00	1,451	13.25	2,351	17.50	3,351
0.75	89	5.00	716	9.25	1,501	13.50	2,407	17.75	3,413
1.00	121	5.25	758	9.50	1,551	13.75	2,464	18.00	3,475
1.25	153	5.50	801	9.75	1,601	14.00	2,521	18.25	3,537
1.50	186	5.75	844	10.00	1,652	14.25	2,578	18.50	3,599
1.75	219	6.00	888	10.25	1,704	14.50	2,636	18.75	3,662
2.00	254	6.25	932	10.50	1,756	14.75	2,694	19.00	3,725
2.25	289	6.50	977	10.75	1,808	15.00	2,752	19.25	3,788
2.50	324	6.75	1,022	11.00	1,861	15.25	2,810	19.50	3,852
2.75	361	7.00	1,068	11.25	1,914	15.50	2,869	19.75	3,915
3.00	398	7.25	1,114	11.50	1,967	15.75	2,929	20.00	3,979
3.25	436	7.50	1,161	11.75	2,021	16.00	2,988	20.25	4,044
3.50	474	7.75	1,208	12.00	2,075	16.25	3,048	20.50	4,108
3.75	513	8.00	1,256	12.25	2,129	16.50	3,108	20.75	4,173
4.00	552	8.25	1,304	12.50	2,184	16.75	3,168	21.00	4,238





## Capacity/Gauge Table Information

**TCLX 290500**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 300

Reporting Mark: TCLX 290500

Date: 10/06/2015

Capacity: 28,954 US Gallons (109,604 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
21.25	4,303	25.50	5,447	29.75	6,650	34.00	7,901	38.25	9,190
21.50	4,369	25.75	5,517	30.00	6,722	34.25	7,976	38.50	9,267
21.75	4,434	26.00	5,586	30.25	6,795	34.50	8,051	38.75	9,344
22.00	4,500	26.25	5,656	30.50	6,868	34.75	8,126	39.00	9,421
22.25	4,566	26.50	5,726	30.75	6,940	35.00	8,201	39.25	9,498
22.50	4,633	26.75	5,796	31.00	7,013	35.25	8,276	39.50	9,575
22.75	4,700	27.00	5,866	31.25	7,087	35.50	8,352	39.75	9,653
23.00	4,766	27.25	5,936	31.50	7,160	35.75	8,427	40.00	9,730
23.25	4,834	27.50	6,007	31.75	7,233	36.00	8,503	40.25	9,808
23.50	4,901	27.75	6,078	32.00	7,307	36.25	8,579	40.50	9,885
23.75	4,968	28.00	6,148	32.25	7,381	36.50	8,655	40.75	9,963
24.00	5,036	28.25	6,220	32.50	7,455	36.75	8,731	41.00	10,041
24.25	5,104	28.50	6,291	32.75	7,529	37.00	8,807	41.25	10,119
24.50	5,172	28.75	6,362	33.00	7,603	37.25	8,884	41.50	10,196
24.75	5,241	29.00	6,434	33.25	7,677	37.50	8,960	41.75	10,274
25.00	5,309	29.25	6,506	33.50	7,751	37.75	9,037	42.00	10,353
25.25	5,378	29.50	6,578	33.75	7,826	38.00	9,113	42.25	10,431



## Capacity/Gauge Table Information

**TCLX 290500**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 300

Reporting Mark: TCLX 290500

Date: 10/06/2015

Capacity: 28,954 US Gallons (109,604 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
42.50	10,509	46.75	11,850	51.00	13,204	55.25	14,564	59.50	15,923
42.75	10,587	47.00	11,929	51.25	13,284	55.50	14,644	59.75	16,002
43.00	10,666	47.25	12,008	51.50	13,364	55.75	14,724	60.00	16,082
43.25	10,744	47.50	12,088	51.75	13,444	56.00	14,804	60.25	16,162
43.50	10,823	47.75	12,167	52.00	13,524	56.25	14,884	60.50	16,241
43.75	10,901	48.00	12,247	52.25	13,604	56.50	14,964	60.75	16,321
44.00	10,980	48.25	12,326	52.50	13,684	56.75	15,044	61.00	16,400
44.25	11,059	48.50	12,406	52.75	13,764	57.00	15,124	61.25	16,480
44.50	11,138	48.75	12,486	53.00	13,844	57.25	15,204	61.50	16,559
44.75	11,217	49.00	12,565	53.25	13,924	57.50	15,284	61.75	16,639
45.00	11,296	49.25	12,645	53.50	14,004	57.75	15,364	62.00	16,718
45.25	11,375	49.50	12,725	53.75	14,084	58.00	15,444	62.25	16,797
45.50	11,454	49.75	12,805	54.00	14,164	58.25	15,524	62.50	16,877
45.75	11,533	50.00	12,884	54.25	14,244	58.50	15,604	62.75	16,956
46.00	11,612	50.25	12,964	54.50	14,324	58.75	15,683	63.00	17,035
46.25	11,691	50.50	13,044	54.75	14,404	59.00	15,763	63.25	17,114
46.50	11,770	50.75	13,124	55.00	14,484	59.25	15,843	63.50	17,193



## Capacity/Gauge Table Information

**TCLX 290500**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 300

Reporting Mark: TCLX 290500

Date: 10/06/2015

Capacity: 28,954 US Gallons (109,604 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
63.75	17,272	68.00	18,604	72.25	19,911	76.50	21,184	80.75	22,415
64.00	17,351	68.25	18,682	72.50	19,987	76.75	21,258	81.00	22,486
64.25	17,430	68.50	18,759	72.75	20,063	77.00	21,332	81.25	22,557
64.50	17,508	68.75	18,837	73.00	20,138	77.25	21,405	81.50	22,627
64.75	17,587	69.00	18,914	73.25	20,214	77.50	21,478	81.75	22,698
65.00	17,666	69.25	18,991	73.50	20,289	77.75	21,551	82.00	22,768
65.25	17,744	69.50	19,069	73.75	20,365	78.00	21,624	82.25	22,838
65.50	17,823	69.75	19,146	74.00	20,440	78.25	21,697	82.50	22,907
65.75	17,901	70.00	19,223	74.25	20,515	78.50	21,769	82.75	22,977
66.00	17,980	70.25	19,300	74.50	20,590	78.75	21,842	83.00	23,046
66.25	18,058	70.50	19,376	74.75	20,665	79.00	21,914	83.25	23,116
66.50	18,136	70.75	19,453	75.00	20,739	79.25	21,986	83.50	23,184
66.75	18,214	71.00	19,530	75.25	20,814	79.50	22,058	83.75	23,253
67.00	18,293	71.25	19,606	75.50	20,888	79.75	22,130	84.00	23,322
67.25	18,371	71.50	19,683	75.75	20,962	80.00	22,202	84.25	23,390
67.50	18,448	71.75	19,759	76.00	21,037	80.25	22,273	84.50	23,458
67.75	18,526	72.00	19,835	76.25	21,111	80.50	22,344	84.75	23,526



## Capacity/Gauge Table Information

**TCLX 290500**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 300

Reporting Mark: TCLX 290500

Date: 10/06/2015

Capacity: 28,954 US Gallons (109,604 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
85.00	23,594	89.25	24,709	93.50	25,749	97.75	26,697	102.00	27,535
85.25	23,661	89.50	24,773	93.75	25,807	98.00	26,750	102.25	27,580
85.50	23,729	89.75	24,836	94.00	25,865	98.25	26,802	102.50	27,625
85.75	23,796	90.00	24,899	94.25	25,923	98.50	26,854	102.75	27,669
86.00	23,862	90.25	24,961	94.50	25,981	98.75	26,905	103.00	27,713
86.25	23,929	90.50	25,023	94.75	26,038	99.00	26,956	103.25	27,756
86.50	23,995	90.75	25,085	95.00	26,095	99.25	27,006	103.50	27,799
86.75	24,061	91.00	25,147	95.25	26,151	99.50	27,057	103.75	27,841
87.00	24,127	91.25	25,209	95.50	26,207	99.75	27,106	104.00	27,883
87.25	24,193	91.50	25,270	95.75	26,263	100.00	27,156	104.25	27,924
87.50	24,258	91.75	25,331	96.00	26,319	100.25	27,205	104.50	27,965
87.75	24,324	92.00	25,391	96.25	26,374	100.50	27,253	104.75	28,005
88.00	24,388	92.25	25,452	96.50	26,429	100.75	27,301	105.00	28,044
88.25	24,453	92.50	25,512	96.75	26,483	101.00	27,349	105.25	28,083
88.50	24,517	92.75	25,571	97.00	26,537	101.25	27,396	105.50	28,121
88.75	24,582	93.00	25,631	97.25	26,591	101.50	27,443	105.75	28,159
89.00	24,646	93.25	25,690	97.50	26,644	101.75	27,489	106.00	28,196



## Capacity/Gauge Table Information

**TCLX 290500**

[Click here to download table in Excel format](#)

Product Order #: P7320/14

Tank Car Number: 300

Reporting Mark: TCLX 290500

Date: 10/06/2015

Capacity: 28,954 US Gallons (109,604 Liters)

Operating Stencil: TC/DOT 111A100W1

Tare Weight: 94,800 LBS

This gauge table shows OUTAGE volumes (volumes of air or vapour above the surface of a liquid) as of the effective date indicated on the gauge table. Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from bottom of the fittings nozzle for most tanks.

**DISCLAIMER:** Internet gauge tables are provided as a convenience to our customers and their suppliers and customers to assist the shipper with the correct filling level. It is the shipper's responsibility to know their product and to determine the correct filling level.

National Steel Car Limited makes no representation or warranty, expressed or implied, as to the gauge tables, and specifically disclaims the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied are expressly disclaimed. In no event shall National Steel Car Limited be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gauge tables and you agree that the law of NEW YORK STATE shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons
106.25	28,233	110.50	28,738	114.75	28,942
106.50	28,269	110.75	28,759	115.00	28,945
106.75	28,304	111.00	28,779	115.25	28,948
107.00	28,338	111.25	28,797	115.50	28,950
107.25	28,372	111.50	28,814	115.75	28,952
107.50	28,405	111.75	28,830	116.00	28,953
107.75	28,438	112.00	28,845	116.25	28,954
108.00	28,469	112.25	28,859	116.50	28,954
108.25	28,500	112.50	28,872	116.75	28,954
108.50	28,530	112.75	28,883		
108.75	28,560	113.00	28,894		
109.00	28,588	113.25	28,903		
109.25	28,616	113.50	28,912		
109.50	28,642	113.75	28,920		
109.75	28,668	114.00	28,926		
110.00	28,692	114.25	28,932		
110.25	28,716	114.50	28,937		